



SECTION THROUGH CATCHPIT





	15/02/04	C J Mead	APPROVED
	15/02/04	M H Wheeler 15/02/04	CHECKED
SIGNATURE	DATE	NAME	D-022

ALL CLAUSE NUMBERS ETC REFER 7 SHW 1998

DETAILS OF GEOTEXTILE BARRIER







COUNTRYSIDE PROPERTIES

http://www.wspgroup.com

SOUTH WEST BICESTER

BICESTER, OXFORDSHIRE

TYPE 8 CHAMBER ONSITE WORKS (600 CATCHPIT)

Α	21	1903/SD/121	11011903
REV:		DRAWING No:	PROJECT No:
December 2008	Decem	RJJ	1903-SD-121
	DATE:	DESIGN-DRAWN:	CAD FILE:
JAM	l,	도	1:20
	APPROVED:	CHECKED:	SCALE @ A3:

0

WSP Group plc

DO NOT SCALE

1. ALL DIMENSIONS ARE IN MILLIMETRES.

2. GULLY GRATING AND FRAME SHALL COMPLY WITH BS EN 124 OR BE FABRICATED STEEL, OR GRATING WITH FRAME CAST INTO PRECAST CONCRETE COVER SLAB. GRATING TO HAVE MINIMUM WATERWAY AREA OF 0.125 100m² AND TO WITHSTAND BS EN 124 TEST LOAD.

3. FOR INVERT DETAILS SEE THE MANHOLE SCHEDULES.

4. PURPOSE MADE PLASTICS UPPER SECTIONS WITH PRE-FITTED GRATINGS TO NOTE 2 MAY BE USED. PLASTICS UPPER SECTIONS SHALL BE SURROUNDED WITH MIX ST4 CONCRETE TO DIMENSIONS SHOWN FOR PRECAST SLAB.

5. CLAUSE 507.15 OF THE S.H.W. NEED NOT BE APPLIED.

æ 05/12/08 DATE 혼 ВΥ FIRST ISSUE DESCRIPTION 웆 APD

FOR INFORMATION ONLY

Mountbatten House, Basing View, Basingstoke, Hampshire RG21 4HJ Tel: +44 (0)1256 318800 Fax: +44 (0)1256 318700