REPRODUCED FROM THE ORDNANCE SURVEY MAP WITH THE PERMISSION OF THE CONTROLLER OF HER MAJESTY'S STATIONERY OFFICE. LICENCE No. 100019237. CROWN COPYRIGHT RESERVED.

Z:\Bicester New Town\DRAWINGS\AUTOCAD\S38 Section 38 Agreement\1903-S38-009.dwg 14/08/2009 10:31:33 Postle, David

DO NOT SCALE

NOTES:

1. THIS DRAWING SHOULD BE READ IN CONJUNCTION WITH ALL OTHER RELEVANT ENGINEERING DETAILS, DRAWINGS & SPECIFICATIONS.
2. ALL DIMENSIONS ARE IN METRES UNLESS OTHERWISE STATED, SIMILARLY ALL LEVELS ABOVE DATUM ARE ALSO IN METRES.
3. PRIOR TO THE COMMENCEMENT OF CONSTRUCTION WORKS, EXISTING LEVELS AND DIMENSIONS ARE TO BE CHECKED AND CONFIRMED ON SITE.
4. ANY DISCREPANCIES SHOULD BE REPORTED TO THE ARCHITECT/ENGINEER IMMEDIATELY SO THAT CLARIFICATION CAN BE SOUGHT PRIOR TO THE COMMENCEMENT OF WORK.
5. PRIOR TO CONSTRUCTION WORKS COMMENCING ON SITE, THE LOCATION OF ALL EXISTING SERVICES ARE TO BE CHECKED AND THEIR LOCATION CONFIRMED.
6. THE LOCATION OF ANY SERVICES SHOWN ON WSP DRAWINGS ARE INDICATIVE ONLY. IT WILL BE THE RESPONSIBILITY OF THE CONTRACTOR TO LOCATE AND PROVE THE POSITION/LEVEL OF ALL SERVICES WHICH WILL AFFECT THE WORKS PRIOR TO COMMENCING ANY CONSTRUCTION.
7. ANY RELOCATION/REMEDIAL WORKS REQUIRED ARE TO BE COMPLETED IN ADVANCE OF THE PROPOSED WORKS AND IN ACCORDANCE WITH THE RELEVANT STATUTORY UNDERTAKERS REQUIREMENTS.
8. ALL HIGHWAY DRAINAGE TO BE ADOPTED BY OCC WHO REQUIRE THAT ALL DRAINS BE CONSTRUCTED TO THE STANDARDS LAID DOWN IN 'SEWERS FOR ADOPTION' EDITION 6.
9. ALL SEWERS TO BE LAID TO CLASS S BEDDING CLASSIFICATION UNLESS SPECIFIED OTHERWISE.
10. REFER TO FINISHES DRAWINGS AND SIGN AND LINE DRAWINGS.
11. ALL NEW PUBLIC SEWERS TO BE ADOPTED BY THAMES WATER.
12. FOR CROSSFALLS SEE CROSS SECTION DRAWINGS 1903/RP/014

KEY:

- HIGHWAY DRAIN
- CATCHPIT.
- S212 HIGHWAY DRAINAGE MANHOLE
- KERB DRAIN
- FOUL WATER SEWER
- F50 FOUL WATER MANHOLE
- EXISTING SURFACE WATER SEWER.

SECTION 38 AGREEMENT KEY:

- ADOPTABLE CARRIAGEWAY AREAS
- ADOPTABLE FOOTWAY AREAS
- ADOPTABLE SOFT LANDSCAPING (GRASS)
- ADOPTABLE SOFT LANDSCAPING (SHRUBS)
- HIGHWAY DRAINAGE EASEMENT
- ADOPTABLE GRASSCRETE AREA
- PROPOSED STREET LIGHT COLUMN (8m/100W)
- PROPOSED HIGHWAY GULLY AND CONNECTION/DRAIN
- BLOCK PAVED AREAS
- 84.5 KERB FACE RADIUS
- HEADWALLS
- 100 CHAINAGE LINE AND CHAINAGE

THIS DRAWING IS IN THE DEVELOPMENT STAGE AND SHOULD NOT BE RELIED UPON FOR CONTRACTUAL OR COST COMMITMENT PURPOSES



KEY PLAN

REV	DATE	BY	DESCRIPTION	CHK	APD
B	12/08/09	DP	FOOTWAY REALIGNMENT	JAM	GH
A	02/03/09	DP	FIRST ISSUE	JAM	GH

DRAWING STATUS: FOR CLIENT APPROVAL

WSP
Mountbatten House, Basing View, Basingstoke, Hampshire RG21 4HJ
Tel: +44 (0)1256 318800 Fax: +44 (0)1256 318700
http://www.wspgroup.com

CLIENT: COUNTRYSIDE PROPERTIES

ARCHITECT:

PROJECT: SOUTH WEST BICESTER
BICESTER, OXFORDSHIRE

TITLE: PHASE 4
SECTION 38 AGREEMENT

SCALE @ A0:	CHECKED:	APPROVED:
1:500	JAM	GH
CAD FILE: 1903-S38-009	DESIGN/DRAWN: DP	DATE: Feb-09
PROJECT No: 11011903	DRAWING No: 1903/S38/009	REV: B

© WSP Group plc