



NOTES:

DO NOT SCALE

1. ALL DIMENSIONS ARE IN MILLIMETRES UNLESS OTHERWISE STATED.
2. INTERCEPTOR TO BE FITTED WITH SOLAR POWERED GSM ALARM SYSTEM, FOR DETAILS REFER TO CONDER RECOMMENDATIONS.
3. INTERCEPTOR TO BE CONDER FULL RETENTION TYPE CNS80S OR SIMILAR, FOR MAXIMUM CATCHMENT AREA OF 4444m².
4. INSTALLATION OF PETROL INTERCEPTORS TO BE IN ACCORDANCE WITH MANUFACTURERS RECOMMENDATIONS.
5. FOR DETAILS OF VENTING REFER TO DRAWING 1903/SD/021. VENTING REQUIREMENTS TO BE IN ACCORDANCE WITH BS8301 AND NATIONAL BUILDING SPECIFICATIONS R12/781

REV	DATE	BY	DESCRIPTION	CHK	APP
A	12/12/08	JH	FIRST ISSUE	JAW	GH

DRAWING STATUS:
FOR INFORMATION ONLY



Mountbatten House, Basing View, Basingstoke, Hampshire RG21 4HU
Tel: +44 (0)1256 318800 Fax: +44 (0)1256 318700
<http://www.wspgroup.com>

CLIENT:
COUNTRYSIDE PROPERTIES

ARCHITECT:

PROJECT:
**SOUTH WEST BICESTER
BICESTER, OXFORDSHIRE**

TITLE:
**A41 ROUNDABOUT
OFFSITE WORKS
PETROL INTERCEPTOR DETAIL 2**

SCALE @ A3	CHECKED:	APPROVED:
NTS	JM	JM
CAD FILE:	DESIGN/DRAWN:	DATE:
1903-SD-036.DWG	DAH	March 08
PROJECT No:	DRAWING No:	REV:
11011903	1903/SD/036	A