

| REVISI | ONS o        |        |
|--------|--------------|--------|
| А      | TENDER ISSUE | Dec 23 |
|        |              |        |

## KEY TO SYMBOLS -

| SYMBOLS :                                  | BUILDING SERVICES SCHEDULE OF EQUIPMENT   |
|--|---|
|  |   |
|  | Switching : Dimmer / Single / 2 way / cpd. switch   |
| DSSO A                                     | 13A Switched double socket : 5A light outlet or switched wall It.   |
| AFS  | Fused wall power outlet 13A/20A +(Isolater switch)  |
| L CCU                                      | 20A Cooker Control Unit   |
| $\bigcirc \top \lor \bigtriangleup B \top$ | TV Signal co-axial outlet: BT telecoms line jack outlet   |
| CAT66                                      | CAT 6 Data Socket   |
|  | 13A Switched fused spur / wall hand dryer   |
| SMDB                                       | MCCB / RCCD Sub-mains distribution Board  |
| Ø⊕ OUTDOOR LIGHTS                          | Low energy lights bollards brick lights etc.<br>Rated IP65 GU10 halogen s/s up/down lights  |
| ◆LED € Halwy                               | Low energy GU10 8W - downlight / wall wash  |
| + $+$ $+$                                  | ceiling pendant 100W mains / wall light outlet / spots  |
| LED strip<br>Fluo.strip                    | soffit mounted LED - kitchen / DG 7 Pelmet / Flourescent strip  |
| LED P H dual                               | Ceiling mntd. flush s/s & wall mntd. s/s GU10 7W LED  |
| Fire<br>Alarm<br>Panel                     | Mains wired smoke & heat detectors to Fire Alarm Panel  |
|  | Wall mntd mechanical extract fan with FS & isolator   |
| Em L                                       | Battery maintained emergency exit light   |
| Radiator                                   | Flat panel steel radiators with TRV's / Thermostat  |
| H++C                                       | H&C Htg. Mains pipe distribution route / ext. cws   |
|  | Electric underfloor heating mat with digital timer/controller   |
| Building<br>Regulation<br>Requirements     | Electrics must only be insulated & tested by certified<br>NICEIC Home installer or Part P approved installer.<br>50% Min. of light fittings to be low energy lamps i.e. LED |
| Notes:                                     | The installation to be carried out by Part P registered electrician   |
|  | All recessed down lights to be FR rated<br>All external wall lights/step lights to be PIR activators<br>All extract fans to be isolated to Electricians location            |
|  | Fit changing room showers with humidistat switching to ensure proper ventilation with over-run.   |
|  | Exstg. spaces that have no work scheduled to be checked for electrical safety, made good & incorporated into new installation.  |

|  | T H<br>A    |           |  |  |
|--|-------------|-----------|--|--|
|  | ING ASSOCIA |           |  |  |
| CHARTERED ARCHITECTS                             |             |           |  |  |
| JOB  |             |           |  |  |
| CEDAR LODGE NORTH SIDE<br>STEEPLE ASTON OX25 4SE |             |           |  |  |
| CLIENT   |             |           |  |  |
| ALEX & FRANCIS PASTEUR                           |             |           |  |  |
|  |             |           |  |  |
| TITLE  |             |           |  |  |
| ALTERATIONS TO OUTBUILDINGS -                    |             |           |  |  |
| SCHEMATIC BUILDING SERVICES PLANS                |             |           |  |  |
| SCALE  | DATE        | DRWG. REF |  |  |
| 1:50   | DEC 2023    | 668.09A   |  |  |
|  |             |           |  |  |