

Notes
1. This drawing has been prepared in accordance with the scope of RPS's appointment. RPS is not responsible for any use of this document other than that for which it was prepared.
2. It is the responsibility of the client to ensure that the design is fit for purpose and that it complies with all applicable regulations and standards.
3. This drawing should be read in conjunction with all other relevant drawings and specifications.

Notes
1. All drainage systems shall be in accordance with 'Programme Design Code July 2008'.
2. All drainage systems to be laid in accordance with the latest edition of the W.A.'s 'Standard for Adoption'.
3. Invert levels of culverts are to be checked before commencing drainage.
4. Private drainage to be considered in accordance with BS 5301:1996 'Wastewater Drainage - A Code of Practice for Building Regulations 2002 and any other regulations applicable to the situation'.
5. Private drainage to be 100mm unless otherwise stated. Pipes to be laid and installed in accordance with BS 5301:1996 'Wastewater Drainage - A Code of Practice for Building Regulations 2002 and any other regulations applicable to the situation'.
6. The invert levels on the drainage map do not indicate the depth for size of the future to which they relate.




Table with 2 columns: Item, Description. Contains revision notes and dates.

Client: Bellway
Project: KINGSMEERE, BIGGESTER
Title: ENGINEERING LAYOUT SHEET 2 OF 2
Scale: 1:250 @ A0
Date Created: 15/07/13
Project Leader: [Name]
Checked By: [Name]
Drawn By: [Name]
Drawing Number: JK6647 - 102
Rev: E
rpsgroup.com



CHEWELL DISTRICT COUNCIL
Plan No. JK6647-102 E/C
Amendments/changes received
1/5 - [Name] with Agreement/Signatures
Letter dated [Date]