

(double arm bracket) AYR STYLE

(same dimentions & fixing as Thames)

(Thames style single arm bracket) AVON STYLE COLUMN

Mounting height 8 to 15m

1400 min 1600 max 300 White band if required (see note 13) Column number (see note 14) Compartment door 600x115

Ground level Planting depth (see note10) 500 Cable entry slot 150 x 75

- 1. All dimensions are in millimetres unless shown otherwise
- 2. Column heights vary from 8 to 15 m.
- 3. All brackets arms to be 5 deg uplift.
- 4. Rationalised wind loading factors (RWF) for Oxfordshire as specified in PD6547:2009 are to be used as a pressure for the design of lighting columns.
- 5. Bracket arm lantern spigots to be in line with the bracket arm.
- 6. All columns to be BS EN 40 BD26/04.
- 7. Conical steel column supplied by Stainton Metal Co. Avon Style or equivalent. For double arm column use Ayr bracket or equivalent
- 8. Maximum projection of bracket to be 0.75 metre.
- 9. Column to have a G2a protection system EPA Compliant Oxfordshire RAL 6013, Graphite Black RAL 9011 or as specified by the Engineer. Specifications (see Appendix 3c or 19/3). Final coat to be Reed Greer
- 10. See HSD/13/005 for planting depth, foundation detail and painting numbers.
- 11. For details of column heights see Appendix 13/1.
- 12. Manufactures label must be fitted indicating production date and batch
- 12. Where a post is more than 0.3m from back edge and within 0.3m of a footway a white band of non-reflective self-adhesive premium vinyl tape above ground 1400mm min. to 1600mm max. 25mm black, 150mm white, 25mm black. Height of lower edge (3M 100-10 or equivalent) shall be applied. Band width 200mm :-
- 14. All columns shall be numbered at the time of erection in 50mm high black shall be high gloss to BS 4800. Alternative a self adhesive label manufactured shall face the carriageway adhesive) or equivalent. Numbers are applied 2m above ground level, and by BRADY B-580 (outdoor marking vinyl film in high gloss with permanent figure(s) on a white background. Paint used for numbering and background

OXFORDSHIRE COUNCIL www.oxfordshire.gov.uk

Speedwell House Speedwell Street Oxford OX1 1NE Tel. Oxford 01865 815700 Oxfordshire County Council

STREET LIGHTING COLUMNS: Style 9 Conica

STREET LIGHTING ILLUMINATED SIGNS AND

O Unauthorised reproduction infringes copyright

Not to Scale Traced Drawn Initials

Checked Date ndex Drawing No. HSD/13/026b

Category

02.11 05.13

Date

Notes 4 & 14 amended Note 13 amended