View 1 proposed (minimum parameter)



To achieve the optimum viewing distance of between 300-500mm (as per The Landscape Institute's guidelines), we recommend printing this image edge to edge on A2 landscape and viewing it from a distance of 306mm. Please refer to section 2.8 on page 5 of this document for further information.

View 1 proposed (maximum parameter)



To achieve the optimum viewing distance of between 300-500mm (as per The Landscape Institute's guidelines), we recommend printing this image edge to edge on A2 landscape and viewing it from a distance of 306mm. Please refer to section 2.8 on page 5 of this document for further information.

View 1 proposed (minimum and maximum parameter)



To achieve the optimum viewing distance of between 300-500mm (as per The Landscape Institute's guidelines), we recommend printing this image edge to edge on A2 landscape and viewing it from a distance of 306mm. Please refer to section 2.8 on page 5 of this document for further information.

View 2 existing Middleton Stoney Road, to east of Lovelynch House on roadside verge opposite side of road Single frame image | Lens 24.278mm | Camera height above survey point 1600mm | Nominal lens rise 0mm | Date 11.11.14 | Time 11:29



View 2 proposed (minimum parameter)



To achieve the optimum viewing distance of between 300-500mm (as per The Landscape Institute's guidelines), we recommend printing this image edge to edge on A2 landscape and viewing it from a distance of 306mm. Please refer to section 2.8 on page 5 of this document for further information.

View 2 proposed (maximum parameter)



To achieve the optimum viewing distance of between 300-500mm (as per The Landscape Institute's guidelines), we recommend printing this image edge to edge on A2 landscape and viewing it from a distance of 306mm. Please refer to section 2.8 on page 5 of this document for further information.

View 2 proposed (minimum and maximum parameter)



To achieve the optimum viewing distance of between 300-500mm (as per The Landscape Institute's guidelines), we recommend printing this image edge to edge on A2 landscape and viewing it from a distance of 306mm. Please refer to section 2.8 on page 5 of this document for further information.

View 3 existing Middleton Stoney Road, to east of Himley Farm track entrance on roadside verge opposite side of road Single frame image | Lens 24.278mm | Camera height above survey point 1600mm | Nominal lens rise 0mm | Date 11.11.14 | Time 11:54



View 3 proposed (minimum parameter)



To achieve the optimum viewing distance of between 300-500mm (as per The Landscape Institute's guidelines), we recommend printing this image edge to edge on A2 landscape and viewing it from a distance of 306mm. Please refer to section 2.8 on page 5 of this document for further information.

View 3 proposed (maximum parameter)



To achieve the optimum viewing distance of between 300-500mm (as per The Landscape Institute's guidelines), we recommend printing this image edge to edge on A2 landscape and viewing it from a distance of 306mm. Please refer to section 2.8 on page 5 of this document for further information.

View 3 proposed (minimum and maximum parameter)



To achieve the optimum viewing distance of between 300-500mm (as per The Landscape Institute's guidelines), we recommend printing this image edge to edge on A2 landscape and viewing it from a distance of 306mm. Please refer to section 2.8 on page 5 of this document for further information.

View 4 existing Middleton Road on roadside verge to gated entrance of the field

Single frame image | Lens 24.278mm | Camera height above survey point 1600mm | Nominal lens rise 0mm | Date 11.11.14 | Time 12:31



View 4 proposed (minimum parameter)



To achieve the optimum viewing distance of between 300-500mm (as per The Landscape Institute's guidelines), we recommend printing this image edge to edge on A2 landscape and viewing it from a distance of 306mm. Please refer to section 2.8 on page 5 of this document for further information.

View 4 proposed (maximum parameter)



To achieve the optimum viewing distance of between 300-500mm (as per The Landscape Institute's guidelines), we recommend printing this image edge to edge on A2 landscape and viewing it from a distance of 306mm. Please refer to section 2.8 on page 5 of this document for further information.

View 4 proposed (minimum and maximum parameter)



To achieve the optimum viewing distance of between 300-500mm (as per The Landscape Institute's guidelines), we recommend printing this image edge to edge on A2 landscape and viewing it from a distance of 306mm. Please refer to section 2.8 on page 5 of this document for further information.

View 5 existing Middleton Road on roadside verge to gated entrance to bridle path



View 5 proposed (minimum parameter)



To achieve the optimum viewing distance of between 300-500mm (as per The Landscape Institute's guidelines), we recommend printing this image edge to edge on A2 landscape and viewing it from a distance of 306mm. Please refer to section 2.8 on page 5 of this document for further information.

View 5 proposed (maximum parameter)



To achieve the optimum viewing distance of between 300-500mm (as per The Landscape Institute's guidelines), we recommend printing this image edge to edge on A2 landscape and viewing it from a distance of 306mm. Please refer to section 2.8 on page 5 of this document for further information.

View 5 proposed (minimum and maximum parameter)



To achieve the optimum viewing distance of between 300-500mm (as per The Landscape Institute's guidelines), we recommend printing this image edge to edge on A2 landscape and viewing it from a distance of 306mm. Please refer to section 2.8 on page 5 of this document for further information.

View 6 existing From bridleway south of Crowmarsh Farm

Single frame image | Lens 24.278mm | Camera height above survey point 1600mm | Nominal lens rise 0mm | Date 11.11.14 | Time 13:32

