



© 2012 RPS Group

Notes

- This drawing has been prepared in accordance with the scope of RPS's appointment with its client and is subject to the terms and conditions of that appointment. RPS accepts no liability for any use of this document other than by its client and only for the purposes for which it was prepared and provided.
- If received electronically it is the recipient's responsibility to print to correct scale. Only written dimensions should be used.
- This drawing should be read in conjunction with all other relevant drawings and specifications.

Drainage Notes:

- Infer manhole dimensions are centreline to centreline and do not relate to road chainage distances.
- Manhole cover levels quoted are approximate and are to be adjusted to suit final levels.
- All pipework to enter manholes with level soffits except at highway drain manhole SS flow control chamber. Single levels quoted are the lowest invert levels.
- All bedding to be Class S unless otherwise stated. Concrete protection to be provided for shallow pipework (<1200mm depth to soffit). Gully connections are to be surrounded by concrete.
- All outfall levels are to be checked prior to commencement of drainage works.

P2 F8-F22 invert levels updated. More information provided at: JB KM: 25.08.16
S7 highway drain and F15 foul sewer outfalls.

P1 FIRST ISSUE JB KM: 25.07.16

Rev	Description	By	Chr	Date

For guidance only. Do not scale off this drawing.

1:50 0 100 200 300 400 500 600 700 800 900 1000
1:100 0 100 200 300 400 500 600 700 800 900 1000
1:50 0 100 200 300 400 500 600 700 800 900 1000

RPS

Noble House
Capital Drive, Linford Wood, Milton Keynes MK14 6DP
T: +44 (0)1908 696999 E: rpsmk@rpsgroup.com F: +44 (0)1908 696999

Client **Bellway**

Project **Kingsmere, Bicester KM5 & KM22**

Title **Road and Sewer Long Sections Sheet 2 of 2**

Status Scale Date Created
Preliminary H1:500 V1:100@A0 25.07.2016

Project Leader Drawn By Checked by
KMc JB KMc

Drawing Number Rev
JKK8310 _112 P2

rpsgroup.com