



© 2012 RPS Group
 Notes
 1. This drawing has been prepared in accordance with the scope of RPS's appointment with its client and is subject to the terms and conditions of that appointment. RPS accepts no liability for any use of this document other than by its client and only for the purposes for which it was prepared and provided.
 2. If received electronically it is the recipient's responsibility to print to correct scale. Only written dimensions should be used.
 3. This drawing should be read in conjunction with all other relevant drawings and specifications.
 Adoptable Paving Notes:
 1. All works shall be in accordance with "Kingsmere Design Code July 2008".
 2. Concrete mixes are designed mixes in accordance with the relevant clauses of BS 5328, Parts 2, 3 & 4.
 3. References to SHW refer to the Manual of Contract Documents for Highway Works "Specification of Highway Works" published by the Dept.
 4. Sealing gels to be applied to all bituminous surfaces before use by traffic.
 5. Temporary bituminous running surfaces are to be assessed by Cotnamshire County Council before applying the surfacing materials.
 6. In stockwork areas no cuts smaller than 1:3 at a full block are to be used.
 7. Permeable paving OGCROGG sub-base to be graded to BS EN 12620 aggregate grading 420.

TABLE B

Single sized aggregate sieve size (mm)	20mm OGCR & OGCE Sub-base % passing
4.75	100
7.5	98-100
15	90-99
25	75-76
4.75	0-5
7.5	0-5

TABLE C

Single sized aggregate sieve size (mm)	4mm OGCR & OGCE Sub-base % passing
2.0	100
4.75	98-100
7.5	88-99
15	75-76
2.0	0-5
4.75	0-2

- A Updated to OGC comments. Reference made to BS EN 13108 for asphalt materials. Note added for gully covers to be hinged to face oncoming traffic. Note added for channel blocks to be filled at tactile crossings. Permeable paving construction updated - 100mm dia. holes additional membrane layer and notes added. 100mm dia. pipe added through impermeable sub-base crossings. Note added. 150mm compacted lean mix concrete added for footpath construction adjacent to carriageway. JB KMc: 05.01.17
- P5 Added blacktop to blockwork road transition. Grading added for permeable paving laying course and sub-base. Edging amended to conservation type CEF. JB KMc: 14.11.16
- P4 Holes are to be cored. Concrete grades amended. Concrete barrier dimensions added to drawing. JB KMc: 25.08.16
- P3 Blockwork permeable road construction updated. JB KMc: 17.08.16
- P2 AD drawing. Blockwork permeable roads added. JB KMc: 29.07.16
- P1 FIRST ISSUE JB KMc: 04.07.16
- | Rev | Description | By | Chk | Date |
|-----|----------------------------------------------|----|-----|------|
| 1 | For gate only. Do not scale off this drawing | | | |

RPS
 Noble House
 Capital Drive, Linford Wood, Milton Keynes MK14 6GP
 T: +44 (0)1908 866658 E: rps@rpsgroup.com F: +44 (0)1908 866659

Client **Bellway**

Project **Kingsmere, Bicoster KMS & KM22**

Title **Adoptable Paving Details**

Status	Scale	Date Created
Construction	NTS @A0	04.07.2016

Project Leader	Drawn By	Checked By
JB	JB	KMc

Drawing Number	Rev
JJK8310 _107	A

rpmgroup.com