

Land east of Heyford Road, Kirtlington

[Return to results menu](#)

Headline Results

Scroll down for final results ⚠

On-site baseline	<i>Habitat units</i>
	<i>Hedgerow units</i>
	<i>Watercourse units</i>

On-site post-intervention (Including habitat retention, creation & enhancement)	<i>Habitat units</i>
	<i>Hedgerow units</i>
	<i>Watercourse units</i>

On-site net change (units & percentage)	<i>Habitat units</i>
	<i>Hedgerow units</i>
	<i>Watercourse units</i>

Off-site baseline	<i>Habitat units</i>
	<i>Hedgerow units</i>
	<i>Watercourse units</i>

Off-site post-intervention (Including habitat retention, creation & enhancement)	<i>Habitat units</i>
	<i>Hedgerow units</i>
	<i>Watercourse units</i>

<p style="text-align: center;">Off-site net change</p> <p style="text-align: center;">(units & percentage)</p>	<i>Habitat units</i>
	<i>Hedgerow units</i>
	<i>Watercourse units</i>

<p style="text-align: center;">Combined net unit change</p> <p style="text-align: center;">(Including all on-site & off-site habitat retention, creation & enhancement)</p>	<i>Habitat units</i>
	<i>Hedgerow units</i>
	<i>Watercourse units</i>

<p style="text-align: center;">Spatial risk multiplier (SRM) deductions</p>	<i>Habitat units</i>
	<i>Hedgerow units</i>
	<i>Watercourse units</i>

FINAL RESULTS

<p style="text-align: center;">Total net unit change</p> <p style="text-align: center;">(Including all on-site & off-site habitat retention, creation & enhancement)</p>	<i>Habitat units</i>
	<i>Hedgerow units</i>
	<i>Watercourse units</i>

<p style="text-align: center;">Total net % change</p> <p style="text-align: center;">(Including all on-site & off-site habitat retention, creation & enhancement)</p>	<i>Habitat units</i>
	<i>Hedgerow units</i>

(including all on site & off site habitat retention, creation & enhancement)

Watercourse units

Trading rules satisfied?

Yes

Unit Type	Target	Baseline Units	Units Required
<i>Habitat units</i>	10.00%	16.56	18.22
<i>Hedgerow units</i>	10.00%	0.01	0.01
<i>Watercourse units</i>	10.00%	0.00	0.00

16.56
0.01
0.00

19.80
0.76
0.00

3.23	19.51%
0.75	7460.43%
0.00	0.00%

0.00
0.00
0.00

0.00
0.00
0.00

0.00	0.00%
0.00	0.00%
0.00	0.00%

3.23
0.75
0.00

0.00
0.00
0.00

--

3.23
0.75
0.00

19.51%
7460.43%

0.00%

ss ✓

Unit Deficit

0.00

0.00

0.00

Unit requirement met or surpassed ✓
Unit requirement met or surpassed ✓
Unit requirement met or surpassed ✓