



COPYRIGHT RAMBOLL UK LIMITED. ALL RIGHTS RESERVED. THIS DOCUMENT IS ISSUED FOR THE PARTY WHO COMMISSIONED IT AND FOR THE SPECIFIC PURPOSE CONNECTED WITH THE PROJECT ONLY. IT SHOULD NOT BE RELIED UPON BY ANY OTHER PARTY OR USED FOR ANY OTHER PURPOSE. RAMBOLL ACCEPTS NO RESPONSIBILITY OR LIABILITY WHICH MAY ARISE FROM RELIANCE OR USE OF THIS DOCUMENT OR THE DATA CONTAINED HEREIN BY ANY OTHER PARTY OR FOR ANY OTHER PURPOSE.

- Notes
1. THIS DRAWING IS NOT TO BE SCALED.
 2. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL RELEVANT ARCHITECTURAL, STRUCTURAL AND M&E DRAWINGS.
 3. THIS IS NOT AN INSTALLATION DRAWING NOR A CO-ORDINATION DRAWING.
 4. THIS DRAWING IS BASED
 - LP2264-FIRA-MP-ST-P-LA-WS RECEIVED 02.09.2021.
 5. TACTILE WARNING PAVING TO BE IN ACCORDANCE WITH LANDSCAPE ARCHITECT REQUIREMENTS.
 6. EXISTING CARRIAGEWAY KERBS WERE FULL DEPTH PAVEMENT CONSTRUCTION, PROPOSED MAY NEED TO BE REPLACED IF DAMAGED OR UNABLE TO CARRY OUT WORKS WITHOUT IMPACT ON THE EXISTING KERB ALIGNMENT.
 7. THE SUBBASE LAYER IN THE PROPOSED PAVEMENT BUILD-UP OF THE PATHS IN THE WEED GARDEN TO BE IN ACCORDANCE WITH PAVEMENT TYPE PT4



KEY PLAN

KEY:

	SITE BOUNDARY
	PT1 - ASPHALT CONCRETE PAVEMENT (IMPERMEABLE, VEHICULAR LOADING)
	PT1A - ASPHALT CONCRETE PAVEMENT (IMPERMEABLE, VEHICULAR LOADING, FARM VEHICLE ACCESS)
	PT2 - ASPHALT CONCRETE (POROUS) PAVING (PERMEABLE, LIGHT VEHICULAR LOADING)
	PT3 - ASPHALT CONCRETE (POROUS) PAVEMENT (IMPERMEABLE WITH PERFORATED PIPE, LIGHT VEHICULAR LOADING)
	PT4 - ASPHALT CONCRETE PAVEMENT (IMPERMEABLE, PEDESTRIAN/CYCLE PATHS)
	PT4A - ASPHALT CONCRETE PAVEMENT (IMPERMEABLE, PEDESTRIAN/CYCLE PATHS, MEWP OVERRUN)
	PT5 - ASPHALT CONCRETE (POROUS) PAVEMENT (IMPERMEABLE WITH PERFORATED PIPE, PEDESTRIAN/CYCLE PATHS)
	PT6 - CONCRETE BLOCK PAVING SERVICE ROAD (IMPERMEABLE HEAVY VEHICULAR LOADING)
	PT7 - CONCRETE FLAG PAVING PEDESTRIAN PATH (IMPERMEABLE, PEDESTRIAN/MWEP LOADING)
	PT8 - GRAVEL/PEBBLE MARGINS (IMPERMEABLE, PEDESTRIAN LOADING)
	PCC BULLNOSE KERB (125x255 TYPE BN) WITH MIN. 125mm UPSTAND
	PCC BULLNOSE KERB (125x150 TYPE BN3) WITH MIN. 25mm UPSTAND
	PCC CHANNEL KERB (150x150 TYPE CS) FLUSH UPSTAND
	PCC EDGING KERB (50x150 TYPE EF)
	PCC TRANSITION KERB (DK)

Rev	Description	Date	By	App
P04	STAGE 4+ ISSUE	23.05 2022	BG LF	EK
P03	STAGE 4+ ISSUE	25.03 2022	BG LF	EK
P02	STAGE 4 ISSUE	27.01 2022	BG LF	EK
P01	STAGE 3 ISSUE	10.09 2021	BG LB	MS

STAGE 4+

BEGBROOKE SCIENCE PARK

tel 020 7631 5291 london@ramboll.co.uk
www.ramboll.co.uk

PAVEMENTS PLAN

Project No:	Scale (BA1):	Drawn:	Date:
1620011508	NTS	MES	SEP 2021
Drawing No:	Rev:		
BBSP-RAMB-ZZ-XX-DR-C-00500	P04		