

TRIAL PIT LOG

TP2

Project Land adjacent to Junction 10, M40, Ardley

Project No.

AG3268-21

Client Albion Land Ltd

Sheet

1 of 1

Date 25/05/2021

Scale

1:25

Ground Level 126.39m AOD

Coordinates E 454121.67 N 229318.88

Total Depth

1.80m

Sample / Test Type	Depth (m)	Result	Level (mAoD)	Strata Depth (thickness) (m)	Ease of Dig	Description of Strata	Legend	GW
ES	0.20		126.09	(0.30) 0.30	E	Soft dark brown slightly gravelly slightly silty CLAY with occasional cobbles and occasional to frequent rootlets. Gravel is fine to coarse subangular to subrounded quartzite and limestone. Cobbles are angular to subrounded limestone. (TOPSOIL)		
D	0.50					Orangish brown slightly clayey GRAVEL with frequent cobbles. Gravel is fine to coarse angular to subangular limestone. Cobbles are angular to subangular limestone. (WHITE LIMESTONE FORMATION)		
LB	0.90			(1.10)	M			
D	1.40		124.99	1.40	M/H	Light creamy orangish brown very clayey GRAVEL with frequent cobbles. Gravel is fine to coarse angular to subangular limestone. Cobbles are angular to subangular tabular limestone. (WHITE LIMESTONE FORMATION)		
D	1.60		124.79	1.60				
B	1.70		124.59	1.80	H/VH	Moderately strong thinly bedded light creamy brownish white fossiliferous LIMESTONE recovered as gravel, cobbles and boulders of fine to coarse angular to subangular tabular limestone. (WHITE LIMESTONE FORMATION)		
						End of Trial Pit at 1.80m		

Method: Wheeled backhoe excavator.

Groundwater: Groundwater not encountered.

Stability: Stable

Remarks: Terminated at 1.80m bgl due to competent rock strength strata. Trial pit backfilled with arisings on completion.

Length:	2.30m
Width:	0.60m
Logged:	KM
Checked:	AS

TRIAL PIT LOG

TP3

Project Land adjacent to Junction 10, M40, Ardley

Project No.

AG3268-21

Client Albion Land Ltd

Sheet

1 of 1

Date 02/06/2021

Scale

1:25

Ground Level 125.69m AOD

Coordinates

E 454117.33 N 229249.75

Total Depth

1.60m

Sample / Test Type	Depth (m)	Result	Level (mAoD)	Strata Depth (thickness) (m)	Ease of Dig	Description of Strata	Legend	GW
ES	0.10		125.49	(0.20) 0.20	E	Soft to firm dark reddish brown slightly silty slightly gravelly CLAY with occasional cobbles. Gravel is fine to coarse angular to subrounded limestone. Cobbles are angular to subrounded limestone. (TOPSOIL)		
D	0.40		125.09	(0.40) 0.60	E/M	Dark orangish brown slightly clayey GRAVEL with frequent cobbles. Gravel is fine to coarse angular to subangular limestone. Cobbles are angular to subangular limestone. (WHITE LIMESTONE FORMATION)		
D	0.90			(0.85)	M	Orangish brown slightly clayey to clayey GRAVEL with frequent cobbles. Gravel is fine to coarse angular to subangular limestone. Cobbles are angular to subangular limestone. (WHITE LIMESTONE FORMATION)		
B D	1.50 1.50		124.24 124.09	1.45 (0.15) 1.60	H	Moderately strong thinly bedded light creamy brownish white fossiliferous LIMESTONE recovered as gravel, cobbles and boulders. Gravel, cobbles and boulders are angular to subangular tabular limestone. (WHITE LIMESTONE FORMATION)		
						End of Trial Pit at 1.60m		

Method: Wheeled backhoe excavator.

Groundwater: Groundwater not encountered.

Stability: Stable

Remarks: Terminated at 1.60m bgl due to competent rock strength strata. Trial pit backfilled with arisings on completion.

Length:	2.30m
Width:	0.60m
Logged:	KM
Checked:	AS

TRIAL PIT LOG

TP4

Project Land adjacent to Junction 10, M40, Ardley

Project No.

AG3268-21

Client Albion Land Ltd

Sheet

1 of 1

Date 25/05/2021

Scale

1:25

Ground Level 124.57m AOD

Coordinates

E 454119.27 N 229180.37

Total Depth

1.90m

Sample / Test Type	Depth (m)	Result	Level (mAoD)	Strata Depth (thickness) (m)	Ease of Dig	Description of Strata	Legend	GW
ES	0.10		124.37	(0.20)	E	Soft dark brown slightly silty slightly gravelly CLAY with occasional to frequent rootlets and occasional cobbles. Gravel is fine to coarse subangular to subrounded quartzite and limestone. Cobbles are subangular to subrounded limestone and quartzite.		
			124.27	(0.10)	E	(TOPSOIL)		
D	0.60			(0.90)	M	Soft dark reddish brown slightly silty slightly gravelly CLAY with occasional cobbles and rare rootlets. Gravel is fine to coarse subangular to subrounded quartzite and limestone. Cobbles are subangular to subrounded limestone.		
						(SUBSOIL)		
D	1.20		123.37	1.20		Orangish brown slightly clayey to clayey GRAVEL with frequent cobbles. Gravel is fine to coarse angular to subangular limestone. Cobbles are angular to subangular tabular limestone.		
				(0.50)	M/H	(WHITE LIMESTONE FORMATION)		
D	1.70		122.87	1.70		Light creamy orangish brownish white clayey GRAVEL with frequent cobbles. Gravel is fine to coarse angular to subangular limestone. Cobbles are angular to subangular tabular limestone.		
B	1.80		122.67	1.90	VH	Moderately strong thinly bedded light creamy brownish white LIMESTONE recovered as gravel, cobbles and boulders (maximum 0.30m x 0.30m) of fine to coarse angular to subangular tabular limestone.		
						(WHITE LIMESTONE FORMATION)		
						End of Trial Pit at 1.90m		

Method: Wheeled backhoe excavator.

Groundwater: Groundwater not encountered.

Stability: Stable

Remarks: Terminated at 1.90m bgl due to competent rock strength strata. Trial pit backfilled with arisings on completion.

Length:	2.30m
Width:	0.60m
Logged:	KM
Checked:	AS

TRIAL PIT LOG

TP5

Project Land adjacent to Junction 10, M40, Ardley

Project No.

AG3268-21

Client Albion Land Ltd

Sheet

1 of 1

Date 25/05/2021

Scale

1:25

Ground Level 123.75m AOD

Coordinates E 454112.31 N 229114.16

Total Depth

1.80m

Sample / Test Type	Depth (m)	Result	Level (mAoD)	Strata Depth (thickness) (m)	Ease of Dig	Description of Strata	Legend	GW
ES	0.20		123.45	(0.30)	E	Soft dark brown slightly silty slightly gravelly CLAY with frequent rootlets and occasional cobbles. Gravel is fine to coarse subangular to subrounded limestone and quartzite. Cobbles are subangular to subrounded limestone. (TOPSOIL)		
D	0.60		123.30	(0.15) (0.45)	E	Soft dark reddish brown slightly silty slightly gravelly CLAY with rare to occasional cobbles and rare rootlets. Gravel is fine to coarse subangular to subrounded quartzite and limestone. Cobbles are subangular to subrounded quartzite and limestone. (SUBSOIL)		
				(0.65)	E/M	Orangish brown slightly clayey to clayey GRAVEL with frequent cobbles. Gravel is fine to coarse angular to subangular limestone. Cobbles are angular to subangular limestone. (WHITE LIMESTONE FORMATION)		
D	1.40		122.65	(1.10)	M	Light orangish brownish cream clayey GRAVEL with frequent cobbles. Gravel is fine to coarse angular to subangular limestone. Cobbles are angular to subangular tabular limestone. (WHITE LIMESTONE FORMATION)		
D	1.60		122.20	(1.55)	H/VH	Light creamy brownish white slightly clayey GRAVEL with frequent cobbles. Gravel is fine to coarse angular to subangular limestone. Cobbles are angular to subangular tabular limestone. (WHITE LIMESTONE FORMATION)		
B	1.70		122.15	(1.60)				
			121.95	(1.80)	VH	Moderately strong thinly bedded light creamy brownish white fossiliferous LIMESTONE recovered as gravel, cobbles and boulders (maximum 0.30m x 0.30m) of fine to coarse angular to subangular tabular limestone. (WHITE LIMESTONE FORMATION)		
						End of Trial Pit at 1.80m		

Method: Wheeled backhoe excavator.

Groundwater: Groundwater not encountered.

Stability: Stable

Remarks: Terminated at 1.80m bgl due to competent rock strength strata. Trial pit backfilled with arisings on completion.

Length:	2.30m
Width:	0.60m
Logged:	KM
Checked:	AS

TRIAL PIT LOG

TP6

Project Land adjacent to Junction 10, M40, Ardley

Project No.

AG3268-21

Client Albion Land Ltd

Sheet

1 of 1

Date 25/05/2021

Scale

1:25

Ground Level 122.80m AOD

Coordinates E 454150.02 N 229060.97

Total Depth

2.10m

Sample / Test Type	Depth (m)	Result	Level (mAoD)	Strata Depth (thickness) (m)	Ease of Dig	Description of Strata	Legend	GW
ES	0.20		122.50	(0.30) 0.30	E	Soft dark brown slightly silty slightly gravelly CLAY with occasional cobbles and frequent rootlets. Gravel is fine to coarse subangular to subrounded quartzite and limestone. Cobbles are subangular to subrounded limestone. (TOPSOIL)		
D	0.60			(0.60)	E/M	Dark orangish brown slightly clayey GRAVEL with frequent cobbles. Gravel is fine to coarse angular to subangular limestone. Cobbles are angular to subangular limestone. (WHITE LIMESTONE FORMATION)		
D	0.90		121.90	0.90 (0.50)	M	Light creamy brownish white clayey GRAVEL with frequent rootlets and occasional cobbles. Gravel is fine to coarse angular to subangular limestone. Cobbles are angular to subangular tabular limestone. (WHITE LIMESTONE FORMATION)		
D	1.60		121.40	1.40 (0.70)	H/VH	Moderately strong thinly bedded light creamy brownish white fossiliferous LIMESTONE recovered as fine to coarse angular to subangular gravel, cobbles and boulders (maximum 0.30m x 0.30m) of tabular limestone. (WHITE LIMESTONE FORMATION)		
B	2.00		120.70	2.10		End of Trial Pit at 2.10m		

Method: Wheeled backhoe excavator.

Groundwater: Groundwater not encountered.

Stability: Stable

Remarks: Terminated at 2.10m bgl due to competent rock strength strata. Trial pit backfilled with arisings on completion.

Length:	2.30m
Width:	0.60m
Logged:	KM
Checked:	AS

TRIAL PIT LOG

TP7

Project Land adjacent to Junction 10, M40, Ardley

Project No.

AG3268-21

Client Albion Land Ltd

Sheet

1 of 1

Date 17/05/2021

Scale





1:25

Ground Level 127.86m AOD

Coordinates E 454189.12 N 229522.51

Total Depth

2.00m

Sample / Test Type	Depth (m)	Result	Level (mAoD)	Strata Depth (thickness) (m)	Ease of Dig	Description of Strata	Legend	GW
ES	0.20		127.56	(0.30) 0.30	E	Soft light reddish brown slightly gravelly CLAY with occasional cobbles. Gravel is fine to coarse subangular to subrounded quartzite and limestone. Cobbles are angular to subrounded limestone. (TOPSOIL)		
D	0.80		126.66	(0.90) 1.20	E/M	Light orangish brown slightly sandy clayey GRAVEL with frequent cobbles. Gravel is fine to coarse angular to subrounded limestone. Cobbles are angular to subrounded limestone. (WHITE LIMESTONE FORMATION)		
D	1.40		126.26	(0.40) 1.60	M	Moderately strong light creamy brown LIMESTONE recovered as gravel and cobbles of tabular subangular limestone and occasional boulders of subangular limestone. (WHITE LIMESTONE FORMATION)		
B D	1.80 1.80		125.86	(0.40) 2.00	VH	Moderately strong thinly bedded light creamy brownish grey fossiliferous LIMESTONE recovered as gravel, cobbles and boulders of subangular tabular limestone. (WHITE LIMESTONE FORMATION)		
						End of Trial Pit at 2.00m		

Method: Wheeled backhoe excavator.

Groundwater: Groundwater not encountered.

Stability: Stable.

Remarks: Terminated at 2.00m bgl due to competent rock strength strata. Trial pit backfilled with arisings on completion.

Length: 2.20m

Width: 0.60m

Logged: KM

Checked: AS

TRIAL PIT LOG

TP8

Project Land adjacent to Junction 10, M40, Ardley

Project No.

AG3268-21

Client Albion Land Ltd

Sheet

1 of 1

Date 17/05/2021

Scale

1:25




Ground Level 127.32m AOD

Coordinates

E 454189.04 N 229461.74

Total Depth

1.80m

Sample / Test Type	Depth (m)	Result	Level (mAoD)	Strata Depth (thickness) (m)	Ease of Dig	Description of Strata	Legend	GW
ES	0.10		127.02	(0.30) 0.30	E	Soft dark reddish brown slightly gravelly slightly silty CLAY with rare cobbles. Gravel is fine to coarse subangular to subrounded quartzite and limestone. Cobbles are subangular to angular limestone. Frequent rootlets near surface. (TOPSOIL)		
D	0.80			(1.15)	E/M	Orangish brown clayey GRAVEL with frequent cobbles. Gravel is fine to coarse subangular to subrounded limestone. Cobbles are angular to subangular limestone. (WHITE LIMESTONE FORMATION)		
B D	1.60 1.60		125.87 125.52	1.45 (0.35) 1.80	VH	Moderately strong light creamy brownish grey fossiliferous LIMESTONE recovered as tabular gravel, cobbles and boulders of limestone. (WHITE LIMESTONE FORMATION)		
						End of Trial Pit at 1.80m		

Method: Wheeled backhoe excavator.

Groundwater: Groundwater not encountered.

Stability: Stable

Remarks: Terminated at 1.80m bgl due to competent rock strength strata. Trial pit backfilled with arisings on completion.

Length: 2.20m

Width: 0.60m

Logged: KM

Checked: AS

TRIAL PIT LOG

TP9

Project Land adjacent to Junction 10, M40, Ardley

Project No.

AG3268-21

Client Albion Land Ltd

Sheet

1 of 1

Date 18/05/2021

Scale

1:25

Ground Level 126.08m AOD

Coordinates E 454188.83 N 229392.01

Total Depth

1.70m

Sample / Test Type	Depth (m)	Result	Level (mAoD)	Strata Depth (thickness) (m)	Ease of Dig	Description of Strata	Legend	GW
ES	0.40		125.78	(0.30)	E	Soft dark brown CLAY with frequent rootlets near surface. Gravel is fine to coarse subangular to subrounded limestone and quartzite. (TOPSOIL)		
			125.58	(0.20)	E	Soft to firm reddish brown slightly gravelly CLAY with occasional cobbles. Gravel is fine to coarse subangular to subrounded limestone and quartzite. Cobbles are subangular to angular limestone. (SUBSOIL)		
D	1.00			(0.80)	E/M	Orangish brown clayey GRAVEL with frequent cobbles and rare boulders. Gravel is fine to coarse subangular to angular limestone. Cobbles are subangular to angular limestone. Boulders are subangular limestone. (WHITE LIMESTONE FORMATION)		
D	1.40		124.78	1.30		Light creamy greyish white GRAVEL with frequent cobbles. Gravel is fine to coarse subangular to angular limestone. Cobbles are subangular tabular limestone. (WHITE LIMESTONE FORMATION)		
B	1.60		124.58	1.50				
D	1.60		124.38	1.70		Moderately strong thinly bedded creamy brownish white fossiliferous LIMESTONE recovered as gravel, cobbles and boulders of fine to coarse angular to subangular tabular limestone. (WHITE LIMESTONE FORMATION)		
						End of Trial Pit at 1.70m		

Method: Wheeled backhoe excavator.

Groundwater: Groundwater not encountered.

Stability: Stable

Remarks: Terminated at 1.70m bgl due to competent rock strength strata. Trial pit backfilled with arisings on completion.

Length:	2.20m
Width:	0.60m
Logged:	KM
Checked:	AS

TRIAL PIT LOG

TP10

Project Land adjacent to Junction 10, M40, Ardley

Project No.

AG3268-21

Client Albion Land Ltd

Sheet

1 of 1

Date 18/05/2021

Scale

1:25





Ground Level 126.22m AOD

Coordinates

E 454194.78 N 229312.02

Total Depth

2.10m

Sample / Test Type	Depth (m)	Result	Level (mAoD)	Strata Depth (thickness) (m)	Ease of Dig	Description of Strata	Legend	GW
ES	0.10		125.92	(0.30) 0.30	E	Soft dark brown slightly gravelly CLAY with occasional to frequent cobbles and frequent rootlets near the surface. Gravel is fine to coarse subangular to subrounded limestone and quartzite. Cobbles are subangular to angular limestone. (TOPSOIL)		
D	0.90			(1.10)	M	Orangish brown slightly clayey GRAVEL with frequent cobbles. Gravel is fine to coarse subangular to subrounded limestone. Cobbles are angular to subangular limestone. (WHITE LIMESTONE FORMATION)		
D	1.40		124.82	1.40 (0.50)		Light creamy brownish white GRAVEL with frequent cobbles and rare boulders. Gravel is fine to coarse angular to subangular limestone. Cobbles and boulders are angular to subangular tabular limestone. (WHITE LIMESTONE FORMATION)		
B	2.00		124.32	1.90 (0.20)		Moderately strong thinly bedded creamy whitish brown fossiliferous LIMESTONE recovered as gravel, cobbles and boulders of fine to coarse angular to subangular tabular limestone. (WHITE LIMESTONE FORMATION)		
D	2.00		124.12	2.10		End of Trial Pit at 2.10m		

Method: Wheeled backhoe excavator.

Groundwater: Groundwater not encountered.

Stability: Stable

Remarks: Terminated at 2.10m bgl due to competent rock strength strata. Trial pit backfilled with arisings on completion.

Length: 2.30m

Width: 0.60m

Logged: KM

Checked: AS

TRIAL PIT LOG

TP11

Project Land adjacent to Junction 10, M40, Ardley

Project No.

AG3268-21

Client Albion Land Ltd

Sheet

1 of 1

Date 18/05/2021

Scale

1:25

Ground Level 125.60m AOD

Coordinates E 454188.14 N 229251.27

Total Depth

1.90m

Sample / Test Type	Depth (m)	Result	Level (mAoD)	Strata Depth (thickness) (m)	Ease of Dig	Description of Strata	Legend	GW
ES	0.15		125.35	(0.25)	E	Soft dark brown slightly gravelly CLAY with occasional cobbles and frequent rootlets near surface. Gravel is fine to coarse subangular to subrounded limestone and quartzite. Cobbles are subangular to subrounded limestone. (TOPSOIL)		
D	0.40			0.25		Orangish brown slightly clayey GRAVEL with frequent cobbles and occasional boulders. Gravel is fine to coarse subangular limestone. Cobbles and boulders are subangular tabular limestone. (WHITE LIMESTONE FORMATION)		
D	1.20			(1.35)	M			
B	1.80		124.00	1.60		Moderately strong thinly bedded light creamy brownish white fossiliferous LIMESTONE recovered as gravel cobbles and boulders of fine to coarse and angular to subangular tabular fossiliferous limestone. (WHITE LIMESTONE FORMATION)		
D	1.80		123.70	(0.30)	H/VH			
						End of Trial Pit at 1.90m		

Method: Wheeled backhoe excavator.

Groundwater: Groundwater not encountered.

Stability: Stable

Remarks: Terminated at 1.90m bgl due to competent rock strength strata. Trial pit backfilled with arisings on completion.

Length:	2.20m
Width:	0.60m
Logged:	KM
Checked:	AS

TRIAL PIT LOG

TP12

Project Land adjacent to Junction 10, M40, Ardley

Project No.

AG3268-21

Client Albion Land Ltd

Sheet

1 of 1

Date 20/05/2021

Scale

1:25

Ground Level 124.60m AOD

Coordinates E 454189.34 N 229181.27

Total Depth

1.70m

Sample / Test Type	Depth (m)	Result	Level (mAoD)	Strata Depth (thickness) (m)	Ease of Dig	Description of Strata	Legend	GW
ES	0.10		124.35	(0.25) 0.25	E	Soft dark brown slightly silty slightly gravelly CLAY with frequent rootlets and occasional cobbles. Gravel is fine to coarse subangular to subrounded limestone and quartzite. Cobbles are subangular to subrounded limestone. (TOPSOIL)		
D	0.50			(0.60)	M	Orangish brown clayey slightly sandy GRAVEL with frequent cobbles. Gravel is fine to coarse angular to subangular limestone. Cobbles are angular to subangular limestone. (WHITE LIMESTONE FORMATION)		
D	0.90		123.75	0.85 (0.30)	M/H	Light creamy yellowish white clayey GRAVEL with frequent cobbles. Gravel is fine to coarse angular to subangular limestone. Cobbles are angular to subangular tabular limestone. (WHITE LIMESTONE FORMATION)		
D	1.20		123.45	1.15	H/VH	Moderately strong thinly bedded creamy brownish white fossiliferous LIMESTONE recovered as gravel, cobbles and boulders of fine to coarse angular to subangular tabular limestone. (WHITE LIMESTONE FORMATION)		
B D	1.50 1.60			(0.40)	VH			
			122.90	1.70		End of Trial Pit at 1.70m		

Method: Wheeled backhoe excavator.

Groundwater: Groundwater not encountered.

Stability: Stable

Remarks: Terminated at 1.70m bgl due to competent rock strength strata. Trial pit backfilled with arisings on completion.

Length:	2.30m
Width:	0.60m
Logged:	KM
Checked:	AS

TRIAL PIT LOG

TP13

Project Land adjacent to Junction 10, M40, Ardley

Project No.

AG3268-21

Client Albion Land Ltd

Sheet

1 of 1

Date 25/05/2021

Scale

1:25

Ground Level 122.98m AOD

Coordinates E 454185.09 N 229109.09

Total Depth

1.50m

Sample / Test Type	Depth (m)	Result	Level (mAoD)	Strata Depth (thickness) (m)	Ease of Dig	Description of Strata	Legend	GW
ES	0.10			(0.25)	E	Soft dark brown slightly gravelly slightly silty CLAY with frequent rootlets and occasional cobbles. Gravel is fine to coarse subangular to subrounded quartzite and limestone. Cobbles are subangular to subrounded limestone.		
D	0.30		122.73	0.25	E	(TOPSOIL)		
			122.53	0.45	E	Dark orangish brown slightly clayey GRAVEL with frequent cobbles. Gravel is fine to coarse angular to subangular limestone. Cobbles are angular to subangular limestone.		
						(WHITE LIMESTONE FORMATION)		
LB	0.70			(0.45)	E/M	Light creamy orangish brownish white clayey GRAVEL with frequent cobbles. Gravel is fine to coarse angular to subangular limestone. Cobbles are angular to subangular limestone.		
			122.08	0.90		(WHITE LIMESTONE FORMATION)		
D	1.00			(0.30)	H	Light creamy brownish white slightly clayey GRAVEL with frequent cobbles and rare boulders. Gravel is fine to coarse angular to subangular limestone. Cobbles and boulders (maximum 0.30m x 0.30m) are subangular tabular limestone.		
			121.78	1.20		(WHITE LIMESTONE FORMATION)		
D	1.30			(0.30)	VH	Moderately strong thinly bedded light creamy brownish white fossiliferous LIMESTONE recovered as gravel, cobbles and boulders of fine to coarse subangular to angular tabular limestone.		
B	1.40		121.48	1.50		(WHITE LIMESTONE FORMATION)		
						End of Trial Pit at 1.50m		

Method: Wheeled backhoe excavator.

Groundwater: Groundwater not encountered.

Stability: Stable

Remarks: Terminated at 1.50m bgl due to competent rock strength strata. Trial pit backfilled with arisings on completion.

Length:	
Width:	0.60m
Logged:	KM
Checked:	AS

TRIAL PIT LOG

TP14

Project Land adjacent to Junction 10, M40, Ardley

Project No.

AG3268-21

Client Albion Land Ltd

Sheet

1 of 1

Date 25/05/2021

Scale

1:25

Ground Level 121.92m AOD

Coordinates E 454189.34 N 229041.95

Total Depth

1.60m

Sample / Test Type	Depth (m)	Result	Level (mAoD)	Strata Depth (thickness) (m)	Ease of Dig	Description of Strata	Legend	GW
ES	0.10		121.62	(0.30) 0.30	E	Soft dark brown slightly silty slightly gravelly CLAY with occasional to frequent rootlets and occasional cobbles. Gravel is fine to coarse subangular to subrounded quartzite and limestone. Cobbles are subangular to subrounded limestone. (TOPSOIL)		
D	0.50		121.12	(0.50) 0.80	E/M	Dark orangish brown slightly clayey GRAVEL with frequent cobbles. Gravel is fine to coarse angular to subangular limestone. Cobbles are angular to subangular limestone. (WHITE LIMESTONE FORMATION)		
D	1.10		120.52	(0.60) 1.40	M/H	Light creamy brownish white clayey GRAVEL with frequent cobbles. Gravel is fine to coarse angular to subangular limestone. Cobbles are angular to subangular limestone. (WHITE LIMESTONE FORMATION)		
B D	1.50 1.50		120.32	(0.20) 1.60	H/VH	Moderately strong thinly bedded light creamy brownish white fossiliferous LIMESTONE recovered as gravel, cobbles and boulders of fine to coarse angular to subangular tabular limestone. (WHITE LIMESTONE FORMATION)		
						End of Trial Pit at 1.60m		

Method: Wheeled backhoe excavator.

Groundwater: Groundwater not encountered.

Stability: Stable

Remarks: Terminated at 1.60m bgl due to competent rock strength strata. Trial pit backfilled with arisings on completion.

Length:	2.50m
Width:	0.60m
Logged:	KM
Checked:	AS

TRIAL PIT LOG

TP15

Project Land adjacent to Junction 10, M40, Ardley

Project No.

AG3268-21

Client Albion Land Ltd

Sheet

1 of 1

Date 17/05/2021

Scale

1:25

Ground Level 126.28m AOD

Coordinates

E 454258.38 N 229461.42

Total Depth

2.10m

Sample / Test Type	Depth (m)	Result	Level (mAoD)	Strata Depth (thickness) (m)	Ease of Dig	Description of Strata	Legend	GW
ES	0.10			(0.30)	E	Soft reddish brown slightly gravelly slightly silty CLAY with occasional cobbles. Gravel is fine to coarse subangular to subrounded quartzite and limestone. Cobbles are subangular to subrounded limestone. Frequent rootlets near surface. (TOPSOIL)		
LB	0.70		125.98	0.30		Orangish creamy brown clayey GRAVEL and COBBLES. Gravel is fine to coarse subangular to subrounded fossiliferous limestone. Cobbles are subangular to subrounded limestone. (WHITE LIMESTONE FORMATION)		
D	1.00			(1.60)	E/M			
B	2.00		124.38	1.90		Light creamy brown slightly orange slightly sandy GRAVEL, COBBLES and BOULDERS. Gravel is fine to coarse subangular to subrounded moderately strong, tabular, fossiliferous limestone. Cobbles and boulders are moderately strong angular to subangular tabular limestone. (WHITE LIMESTONE FORMATION)		
D	2.00		124.18	2.10	H/ VH	End of Trial Pit at 2.10m		

Method: Wheeled backhoe excavator.

Groundwater: Groundwater not encountered.

Stability: Stable

Remarks: Terminated at 2.10m bgl due to competent rock strength strata. Trial pit backfilled with arisings on completion.

Length:	2.30m
Width:	0.60m
Logged:	KM
Checked:	AS

TRIAL PIT LOG

TP16

Project Land adjacent to Junction 10, M40, Ardley

Project No.

AG3268-21

Client Albion Land Ltd

Sheet

1 of 1

Date 17/05/2021

Scale

1:25





Ground Level 125.83m AOD

Coordinates

E 454258.67 N 229390.94

Total Depth

2.40m

Sample / Test Type	Depth (m)	Result	Level (mAoD)	Strata Depth (thickness) (m)	Ease of Dig	Description of Strata	Legend	GW
ES	0.50		125.53	(0.30)	E	Soft reddish brown slightly gravelly CLAY with rare cobbles. Gravel is fine to medium subangular to subrounded quartzite. Cobbles are subangular limestone. Frequent rootlets near surface. (TOPSOIL)		
			125.23	(0.30)	E	Soft to firm reddish brown slightly gravelly CLAY with rare to occasional cobbles and rare rootlets. Gravel is fine to medium subangular to subrounded quartzite. Cobbles are limestone. (SUBSOIL)		
D	1.40			(1.30)	M/H	Orangish brown clayey slightly sandy GRAVEL. with frequent cobbles. Gravel is fine to coarse subangular to subrounded limestone. Cobbles are subangular to subrounded limestone. (WHITE LIMESTONE FORMATION)		
			123.93	1.90	VH	(0.50)	Moderately strong thinly bedded light creamy brownish grey fossiliferous LIMESTONE. Recovered as slightly sandy gravel, cobbles and boulders of subangular limestone. (WHITE LIMESTONE FORMATION)	
B	2.20		123.43	2.40			End of Trial Pit at 2.40m	

Method: Wheeled backhoe excavator.

Groundwater: Groundwater not encountered.

Stability: Stable

Remarks: Terminated at 2.40m bgl due to competent rock strength strata. Trial pit backfilled with arisings on completion.

Length:	2.20m
Width:	0.60m
Logged:	KM
Checked:	AS

TRIAL PIT LOG

TP17

Project Land adjacent to Junction 10, M40, Ardley

Project No. AG3268-21

Client Albion Land Ltd

Sheet 1 of 1

Date 26/05/2021

Scale 1:25

Ground Level 125.32m AOD

Coordinates E 454254.27 N 229327.36

Total Depth 2.05m

Sample / Test Type	Depth (m)	Result	Level (mAoD)	Strata Depth (thickness) (m)	Ease of Dig	Description of Strata	Legend	GW
ES	0.20		125.02	(0.30)	E	Soft dark brown slightly silty slightly gravelly CLAY with occasional cobbles. Gravel is fine to coarse subangular to subrounded quartzite and limestone. Cobbles are angular to subrounded limestone. (TOPSOIL)		
D	0.60		124.82	(0.20)	E	Soft reddish brown slightly silty slightly gravelly CLAY with rare to occasional cobbles. Gravel is fine to coarse subangular to subrounded limestone. Cobbles are subangular to subrounded limestone. (SUBSOIL)		
LB	0.70			(0.50)		Orangish brown clayey GRAVEL with frequent cobbles. Gravel is fine to coarse angular to subangular limestone. Cobbles are angular to subangular limestone. (WHITE LIMESTONE FORMATION)		
				(1.20)	M	<i>Below 1.20m bgl: rare to occasional limestone boulders.</i>		
D	1.60		123.62	1.70	M/H	Light creamy orangish brown slightly clayey GRAVEL with frequent cobbles. Gravel is fine to coarse angular to subangular limestone. (WHITE LIMESTONE FORMATION)		
B	1.90		123.42	1.90				
D	1.90		123.27	(0.15)	H/VH	Moderately strong thinly bedded light creamy brownish white fossiliferous LIMESTONE recovered as gravel, cobbles and boulders of fine to coarse angular to subangular tabular limestone. (WHITE LIMESTONE FORMATION)		
				2.05		End of Trial Pit at 2.05m		

Method: Wheeled backhoe excavator.

Groundwater: Groundwater not encountered.

Stability: Stable

Remarks: Terminated at 2.05m bgl due to competent rock strength strata. Trial pit backfilled with arisings on completion.

Length:	2.40m
Width:	0.60m
Logged:	KM
Checked:	AS

TRIAL PIT LOG

TP18

Project Land adjacent to Junction 10, M40, Ardley

Project No.

AG3268-21

Client Albion Land Ltd

Sheet

1 of 1

Date 27/05/2021

Scale

1:25

Ground Level 124.53m AOD

Coordinates

E 454255.01 N 229254.01

Total Depth

2.25m

Sample / Test Type	Depth (m)	Result	Level (mAoD)	Strata Depth (thickness) (m)	Ease of Dig	Description of Strata	Legend	GW
ES	0.10		124.23	(0.30) 0.30	E	Soft dark brown slightly gravelly slightly silty CLAY with occasional to frequent rootlets and occasional cobbles. Gravel is fine to coarse subangular to subrounded quartzite and limestone. Cobbles are angular to subrounded limestone. (TOPSOIL)		
D	0.60			(0.60)	E	Soft to firm reddish brown slightly gravelly slightly silty CLAY with occasional to rare cobbles. Gravel is fine to coarse subangular to subrounded limestone. Cobbles are subangular to subrounded limestone. (SUBSOIL)		
D	0.90		123.63	0.90	M/H	Orangish yellowish brown clayey GRAVEL with frequent cobbles and rare boulders. Gravel is fine to coarse angular to subangular limestone. Cobbles and boulders are angular to subangular tabular limestone. (WHITE LIMESTONE FORMATION)		
				(0.80)				
D	1.60		122.83	1.70	H	Light creamy brownish white slightly clayey GRAVEL with frequent cobbles. Gravel is fine to coarse angular to subangular limestone. Cobbles are angular to subangular limestone. (WHITE LIMESTONE FORMATION)		
D	2.00		122.53	2.00	VH	Moderately strong thinly bedded LIMESTONE recovered as gravel, cobbles and boulders. Gravel, cobbles and boulders are fine to coarse angular to subangular tabular limestone. (WHITE LIMESTONE FORMATION)		
B	2.10		122.28	(0.25) 2.25				
						End of Trial Pit at 2.25m		

Method: Wheeled backhoe excavator.

Groundwater: Groundwater not encountered.

Stability: Stable

Remarks: Terminated at 2.25m bgl due to competent rock strength strata. Trial pit backfilled with arisings on completion.

Length:	2.00m
Width:	0.60m
Logged:	KM
Checked:	AS

TRIAL PIT LOG

TP19

Project Land adjacent to Junction 10, M40, Ardley

Project No.

AG3268-21

Client Albion Land Ltd

Sheet

1 of 1

Date 26/05/2021

Scale

1:25

Ground Level 123.87m AOD

Coordinates

E 454256.77 N 229181.99

Total Depth

1.70m

Sample / Test Type	Depth (m)	Result	Level (mAoD)	Strata Depth (thickness) (m)	Ease of Dig	Description of Strata	Legend	GW
ES	0.20		123.57	(0.30) 0.30		Soft dark brown slightly silty slightly gravelly CLAY with occasional to frequent rootlets and occasional cobbles. Gravel is fine to coarse subangular to subrounded quartzite and limestone. Cobbles are angular to subrounded limestone. (TOPSOIL)		
D	0.70			(1.00)		Orangish brown slightly clayey GRAVEL with frequent cobbles. Gravel is fine to coarse angular to subangular limestone. Cobbles are angular to subangular limestone. (WHITE LIMESTONE FORMATION)		
D	1.00							
D	1.40		122.57	1.30 (0.25)		Light creamy brownish white slightly clayey GRAVEL with frequent cobbles and rare boulders (maximum 0.30m x 0.30m). Gravel is fine to coarse angular to subangular limestone. Cobbles and boulders are angular to subangular tabular, fossiliferous limestone. (WHITE LIMESTONE FORMATION)		
B	1.60		122.32 122.17	1.55 1.70 (0.15)		Moderately strong thinly bedded light creamy brownish white LIMESTONE recovered as gravel, cobbles and boulders of fine to coarse angular to subangular tabular limestone. (WHITE LIMESTONE FORMATION)		
						End of Trial Pit at 1.70m		

Method: Wheeled backhoe excavator.

Groundwater: Groundwater not encountered.

Stability: Stable

Remarks: Terminated at 1.70m bgl due to competent rock strength strata. Trial pit backfilled with arisings on completion.

Length:	2.20m
Width:	0.60m
Logged:	KM
Checked:	AS

TRIAL PIT LOG

TP20

Project Land adjacent to Junction 10, M40, Ardley

Project No.

AG3268-21

Client Albion Land Ltd

Sheet

1 of 1

Date 17/05/2021

Scale

1:25

Ground Level 113.56m AOD

Coordinates E 454954.00 N 228486.89

Total Depth

2.20m

Sample / Test Type	Depth (m)	Result	Level (mAoD)	Strata Depth (thickness) (m)	Ease of Dig	Description of Strata	Legend	GW
ES	0.10			(0.35)	E	Soft dark brown slightly silty slightly gravelly CLAY with rare cobbles and frequent rootlets near surface of strata. Gravel is fine to coarse subangular to subrounded quartzite and limestone. Cobbles are subangular to subrounded limestone. (TOPSOIL)		
D	0.50		113.20	0.35	M/H	Orangish yellowish brown slightly clayey GRAVEL with frequent cobbles. Gravel is fine to coarse angular to subangular limestone. Cobbles are angular to subangular limestone. (WHITE LIMESTONE FORMATION)		
D	0.90		112.70	0.85	H/VH	Light yellowish cream slightly clayey GRAVEL with frequent cobbles and rare to occasional boulders. Gravel is fine to coarse subangular to subrounded tabular limestone. Cobbles and boulders are angular to subangular tabular fossiliferous limestone. (WHITE LIMESTONE FORMATION)		
D	1.80		111.76	1.80	VH	Moderately strong thinly bedded creamy brownish white fossiliferous LIMESTONE recovered as gravel and frequent cobbles of fine to coarse subangular tabular limestone. (WHITE LIMESTONE FORMATION)		
B	2.00		111.36	(0.40)				
						End of Trial Pit at 2.20m		

Method: Wheeled backhoe excavator

Groundwater: Groundwater not encountered.

Stability: Stable but slight collapse of sides between 0.85m and 1.85m bgl.

Remarks: Terminated at 2.20m bgl due to competent rock strength strata. Trial pit backfilled with arisings on completion.

Length:	2.20m
Width:	0.60m
Logged:	KM
Checked:	AS

TRIAL PIT LOG

TP21

Project Land adjacent to Junction 10, M40, Ardley

Project No.

AG3268-21

Client Albion Land Ltd

Sheet

1 of 1

Date 25/05/2021

Scale

1:25

Ground Level 121.18m AOD

Coordinates E 454266.16 N 229045.48

Total Depth

1.45m

Sample / Test Type	Depth (m)	Result	Level (mAoD)	Strata Depth (thickness) (m)	Ease of Dig	Description of Strata	Legend	GW
ES	0.20		120.88	(0.30)	E	Soft dark brown slightly silty slightly gravelly CLAY with occasional cobbles and occasional to frequent rootlets. Gravel is fine to coarse subangular to subrounded quartzite and limestone. Cobbles are subangular to subrounded limestone. (TOPSOIL)		
D	0.50		120.43	(0.45)	E/M	Dark orangish brown clayey GRAVEL with frequent cobbles. Gravel is fine to coarse angular to subangular limestone. Cobbles are angular to subangular limestone. (WHITE LIMESTONE FORMATION)		
D	0.80			(0.45)	M	Light creamy brownish white locally orange clayey GRAVEL with frequent cobbles. Gravel is fine to coarse angular to subangular limestone. Cobbles are angular to subangular limestone. (WHITE LIMESTONE FORMATION)		
D	1.20		119.98	1.20	VH	Moderately strong thinly bedded light creamy brownish white fossiliferous LIMESTONE recovered as gravel, cobbles and boulders (maximum 0.30m x 0.30m) of fine to coarse angular to subangular tabular limestone. (WHITE LIMESTONE FORMATION)		
B	1.30		119.73	1.45				
						End of Trial Pit at 1.45m		

Method: Wheeled backhoe excavator.

Groundwater: Groundwater not encountered.

Stability: Stable

Remarks: Terminated at 1.45m bgl due to competent rock strength strata. Trial pit backfilled with arisings on completion.

Length:	2.30m
Width:	0.60m
Logged:	KM
Checked:	AS

TRIAL PIT LOG

TP22

Project Land adjacent to Junction 10, M40, Ardley

Project No.

AG3268-21

Client Albion Land Ltd

Sheet

1 of 1

Date 24/05/2021

Scale

1:25

Ground Level 120.37m AOD

Coordinates E 454258.85 N 228971.58

Total Depth

1.90m

Sample / Test Type	Depth (m)	Result	Level (mAoD)	Strata Depth (thickness) (m)	Ease of Dig	Description of Strata	Legend	GW
ES	0.10		120.07	(0.30) 0.30	E	Soft dark brown slightly silty slightly gravelly CLAY with occasional cobbles and occasional rootlets. Gravel is fine to coarse subangular to subrounded quartzite and limestone. Cobbles are subangular to subrounded limestone. (TOPSOIL)		
D	0.50		119.27	(0.80) 1.10	M/H	Dark orange brown slightly clayey GRAVEL with frequent cobbles and rare boulders. Gravel is fine to coarse angular to subangular limestone. Cobbles and boulders (maximum 0.30 x 0.30m) are angular to subangular limestone. (WHITE LIMESTONE FORMATION)		
D	1.20		118.57	(0.70) 1.80	H	Light creamy brownish white slightly clayey GRAVEL with frequent cobbles. Gravel is fine to coarse angular to subangular limestone. Cobbles are angular to subangular tabular limestone. (WHITE LIMESTONE FORMATION)		
D B	1.70 1.80		118.47	(0.10) 1.90	H/VH	Moderately strong thinly bedded creamy brownish fossiliferous LIMESTONE recovered as gravel, cobbles and boulders of fine to coarse angular to subangular tabular limestone. (WHITE LIMESTONE FORMATION)		
						End of Trial Pit at 1.90m		

Method: Wheeled backhoe excavator.

Groundwater: Groundwater not encountered.

Stability: Stable.

Remarks: Terminated at 1.90m bgl due to competent rock strength strata. Trial pit backfilled with arisings on completion.

Length:	2.30m
Width:	0.60m
Logged:	KM
Checked:	AS

TRIAL PIT LOG

TP23

Project Land adjacent to Junction 10, M40, Ardley

Project No.

AG3268-21

Client Albion Land Ltd

Sheet

1 of 1

Date 21/05/2021

Scale

1:25

Ground Level 120.42m AOD

Coordinates E 454283.11 N 228921.00

Total Depth

1.80m

Sample / Test Type	Depth (m)	Result	Level (mAoD)	Strata Depth (thickness) (m)	Ease of Dig	Description of Strata	Legend	GW
ES	0.20		120.12	(0.30)	E	Soft dark brown slightly gravelly slightly silty CLAY with rare to occasional cobbles. Gravel is fine to coarse subangular to subrounded quartzite and limestone. Cobbles are subangular to subrounded limestone. (TOPSOIL)		
			119.82	(0.30)	E	Soft dark reddish brown slightly gravelly slightly silty CLAY with rare to occasional. Gravel is fine to coarse subangular to subrounded limestone. Cobbles are angular to subangular limestone. (SUBSOIL)		
D	0.70		119.42	(0.40)	M	Dark orangish brown slightly clayey GRAVEL with frequent cobbles. Gravel is fine to coarse angular to subangular limestone. Cobbles are angular to subangular limestone. (WHITE LIMESTONE FORMATION)		
				(0.70)	M/H	Light creamy brownish white slightly clayey GRAVEL with frequent cobbles. Gravel is fine to coarse angular to subangular limestone. Cobbles are angular to subangular tabular limestone. (WHITE LIMESTONE FORMATION)		
B	1.70		118.72	1.70	VH	Moderately strong thinly bedded creamy brownish white fossiliferous LIMESTONE recovered as gravel, cobbles and boulders of fine to coarse angular to subangular tabular limestone. (WHITE LIMESTONE FORMATION)		
D	1.70		118.62	1.80				
						End of Trial Pit at 1.80m		

Method: Wheeled backhoe excavator.

Groundwater: Groundwater not encountered.

Stability: Stable.

Remarks: Terminated at 1.80m bgl due to competent rock strength strata. Trial pit backfilled with arisings on completion.

Length:	2.30m
Width:	0.60m
Logged:	KM
Checked:	AS

TRIAL PIT LOG

TP24

Project Land adjacent to Junction 10, M40, Ardley

Project No.

AG3268-21

Client Albion Land Ltd

Sheet

1 of 1

Date 04/06/2021

Scale

1:25

Ground Level 125.63m AOD

Coordinates

E 454311.11 N 229455.22

Total Depth

2.50m

Sample / Test Type	Depth (m)	Result	Level (mAoD)	Strata Depth (thickness) (m)	Ease of Dig	Description of Strata	Legend	GW
ES	0.20					Soft to firm dark reddish brown slightly silty slightly gravelly CLAY with rare to occasional cobbles and occasional rootlets. Gravel is fine to coarse angular to subrounded limestone. Cobbles are angular to subrounded limestone (near surface only). (POSSIBLE MADE GROUND)		
LB	0.90			(1.30)	E			
D	1.20		124.33	1.30		<i>Below 1.20m bgl: becoming orangish red.</i>		
D	1.80			(0.80)	E/M	Soft to firm dark orangish brown mottled slightly orange slightly silty CLAY with possible organic material present (black in colour). (POSSIBLE MADE GROUND)		
B D	2.40 2.40		123.53 123.13	2.10 2.50	(0.40) H	Firm to stiff dark orangish brown mottled orange slightly gravelly CLAY with occasional to frequent cobbles and occasional boulders. Gravel is fine to coarse angular to subangular limestone. Cobbles and boulders are angular to subangular tabular limestone. (WHITE LIMESTONE FORMATION)		
						End of Trial Pit at 2.50m		

Method: Wheeled backhoe excavator.

Groundwater: Groundwater not encountered.

Stability: Stable

Remarks: Terminated at 2.50m bgl due to competent rock strength strata. Trial pit backfilled with arisings on completion.

Length:	2.30m
Width:	0.60m
Logged:	KM
Checked:	AS

TRIAL PIT LOG

TP25

Project Land adjacent to Junction 10, M40, Ardley

Project No.

AG3268-21

Client Albion Land Ltd

Sheet

1 of 1

Date 26/05/2021

Scale

1:25

Ground Level 124.93m AOD

Coordinates

E 454322.44 N 229389.40

Total Depth

1.20m

Sample / Test Type	Depth (m)	Result	Level (mAoD)	Strata Depth (thickness) (m)	Ease of Dig	Description of Strata	Legend	GW
ES	0.20		124.63	(0.30)	E	Soft dark brown slightly silty slightly gravelly CLAY with frequent rootlets and occasional cobbles. Gravel is fine to coarse subangular to subrounded limestone and quartzite. Cobbles are angular to subrounded limestone. (TOPSOIL)		
D	0.40		124.33	(0.30)	E	Soft to firm dark reddish brown slightly silty slightly gravelly CLAY with occasional cobbles and rare to occasional rootlets. Gravel is fine to coarse angular to subangular limestone. Cobbles are angular to subangular limestone. (SUBSOIL)		
D	0.90			(0.55)	M	Orangish brown very clayey GRAVEL with frequent cobbles. Gravel is fine to coarse angular to subangular limestone. Cobbles are angular to subangular limestone. (WHITE LIMESTONE FORMATION)		
B D	1.15 1.15		123.78 123.73	1.15 (0.05) 1.20	H/VH	Moderately strong thinly bedded creamy orangish brown LIMESTONE recovered as gravel, cobbles and boulders (maximum 0.30m x 0.30m) of fine to coarse angular to subangular tabular limestone. (WHITE LIMESTONE FORMATION) End of Trial Pit at 1.20m		

Method: Wheeled backhoe excavator.

Groundwater: Groundwater not encountered.

Stability: Stable

Remarks: Terminated at 1.20m bgl due to competent rock strength strata. Trial pit backfilled with arisings on completion.

Length:	2.30m
Width:	0.60m
Logged:	KM
Checked:	AS

TRIAL PIT LOG

TP26

Project Land adjacent to Junction 10, M40, Ardley

Project No.

AG3268-21

Client Albion Land Ltd

Sheet

1 of 1

Date 26/05/2021

Scale

1:25

Ground Level 124.34m AOD

Coordinates E 454327.38 N 229320.53

Total Depth

2.00m

Sample / Test Type	Depth (m)	Result	Level (mAoD)	Strata Depth (thickness) (m)	Ease of Dig	Description of Strata	Legend	GW
ES	0.10		124.09	(0.25)	E	Soft dark brown slightly silty slightly gravelly CLAY with frequent to occasional rootlets and occasional cobbles. Gravel is fine to coarse subangular to subrounded quartzite and limestone. Cobbles are angular to subangular to subrounded limestone.		
D	0.40		123.84	(0.25)	E/M	(TOPSOIL)		
D	0.60			0.50		Orangish brown slightly clayey to clayey GRAVEL with frequent cobbles. Gravel is fine to coarse angular to subangular limestone. Cobbles are angular to subangular limestone.		
						(WHITE LIMESTONE FORMATION)		
				(0.70)	H	Light orangish yellowish brown slightly clayey to clayey GRAVEL with frequent cobbles. Gravel is fine to coarse angular to subangular limestone. Cobbles are angular to subangular limestone.		
						(WHITE LIMESTONE FORMATION)		
D	1.20		123.14	1.20		Firm to stiff light creamy grey slightly mottled brown very gravelly CLAY with frequent cobbles. Gravel is fine to coarse angular to subangular limestone. Cobbles are angular to subangular limestone.		
						(WHITE LIMESTONE FORMATION)		
				(0.70)	H/VH			
B	1.90		122.44	1.90		Moderately strong thinly bedded creamy brownish white fossiliferous LIMESTONE recovered as gravel, cobbles and boulders (maximum 0.30m x 0.30m) of fine to coarse and angular to subangular limestone.		
D	1.90		122.34	(0.10)				
				2.00				
						End of Trial Pit at 2.00m		

Method: Wheeled backhoe excavator.

Groundwater: Groundwater not encountered.

Stability: Stable

Remarks: Terminated at 2.00m bgl due to competent rock strength strata. Trial pit backfilled with arisings on completion.

Length:	2.10m
Width:	0.60m
Logged:	KM
Checked:	AS

TRIAL PIT LOG

TP27

Project Land adjacent to Junction 10, M40, Ardley

Project No.

AG3268-21

Client Albion Land Ltd

Sheet

1 of 1

Date 26/05/2021

Scale

1:25

Ground Level 123.83m AOD

Coordinates E 454332.07 N 229257.60

Total Depth

2.20m

Sample / Test Type	Depth (m)	Result	Level (mAoD)	Strata Depth (thickness) (m)	Ease of Dig	Description of Strata	Legend	GW
ES	0.10		123.53	(0.30) 0.30	E	Soft dark brown slightly silty slightly gravelly CLAY with occasional cobbles and occasional to frequent rootlets. Gravel is fine to coarse angular to subrounded limestone and quartzite. Cobbles are angular to subrounded limestone. (TOPSOIL)		
D	0.50		123.23	(0.30) 0.60	E/M	Orangish brown slightly clayey GRAVEL with frequent cobbles. Gravel is fine to coarse angular to subangular limestone. Cobbles are angular to subangular limestone. (WHITE LIMESTONE FORMATION)		
D	0.70			(0.70)	M/H	Light orangish yellowish brown clayey GRAVEL with frequent cobbles. Gravel is fine to coarse angular to subangular limestone. Cobbles are angular to subangular limestone. (WHITE LIMESTONE FORMATION)		
D	1.40		122.53 122.33	1.30 (0.20) 1.50	M/H	Firm light creamy brownish grey slightly mottled orange very gravelly CLAY with frequent cobbles. Gravel is fine to coarse angular to subangular limestone. Cobbles are angular to subangular limestone. (WHITE LIMESTONE FORMATION)		
D	1.90			(0.69)	H/VH	Light orangish creamy brown clayey GRAVEL with frequent cobbles. Gravel is fine to coarse angular to subangular limestone. Cobbles are angular to subangular limestone. (WHITE LIMESTONE FORMATION)		
B	2.10		121.64 121.63	2.19 (0.01) 2.20	VH	Moderately strong thinly bedded light creamy orangish brownish white fossiliferous LIMESTONE recovered as gravel, cobbles and boulders of fine to coarse angular to subangular tabular limestone. (WHITE LIMESTONE FORMATION)		
						End of Trial Pit at 2.20m		

Method: Wheeled backhoe excavator.

Groundwater: Groundwater not encountered.

Stability: Stable

Remarks: Terminated at 2.20m bgl due to competent rock strength strata. Trial pit backfilled with arisings on completion.

Length:	2.30m
Width:	0.60m
Logged:	KM
Checked:	AS

TRIAL PIT LOG

TP28

Project Land adjacent to Junction 10, M40, Ardley

Project No.

AG3268-21

Client Albion Land Ltd

Sheet

1 of 1

Date 26/05/2021

Scale

1:25

Ground Level 122.82m AOD

Coordinates

E 454330.64 N 229176.82

Total Depth

2.15m

Sample / Test Type	Depth (m)	Result	Level (mAoD)	Strata Depth (thickness) (m)	Ease of Dig	Description of Strata	Legend	GW
ES	0.30		122.52	(0.30)	E	Soft dark brown slightly silty slightly gravelly CLAY with occasional to frequent rootlets and occasional cobbles. Gravel is fine to coarse subangular to subrounded quartzite and limestone. Cobbles are subangular to subrounded limestone and quartzite.		
B	0.50		122.42	(0.10)	E	(TOPSOIL)		
D	0.60			0.40		Soft to firm reddish brown slightly silty slightly gravelly CLAY with rare to occasional roots and rootlets and occasional cobbles. Gravel is fine to coarse subangular to subrounded limestone. Cobbles are angular to subrounded limestone.		
						(SUBSOIL)		
D	1.20			(1.50)	M/H	Orangish yellowish brown clayey GRAVEL with frequent cobbles. Gravel is fine to coarse angular to subangular limestone. Cobbles are angular to subangular limestone. (WHITE LIMESTONE FORMATION) <i>Below 1.20m bgl: rare boulders (maximum 0.40m x 0.40m).</i>		
D	1.70							
D	1.90		120.92	1.90				
B	2.00			(0.24)	H/VH	Light creamy orangish brownish white clayey GRAVEL with frequent cobbles. Gravel is fine to coarse angular to subangular limestone. Cobbles are angular to subangular tabular limestone.		
			120.68	2.14		(WHITE LIMESTONE FORMATION)		
			120.67	(0.01)		Moderately strong thinly bedded light creamy orangish brownish white fossiliferous LIMESTONE recovered as gravel, cobbles and boulders of fine to coarse angular to subangular tabular limestone.		
				2.15		(WHITE LIMESTONE FORMATION) End of Trial Pit at 2.15m		

Method: Wheeled backhoe excavator.

Groundwater: Groundwater not encountered.

Stability: Stable

Remarks: Terminated at 2.15m bgl due to competent rock strength strata. Trial pit backfilled with arisings on completion.

Length:	2.20m
Width:	0.60m
Logged:	KM
Checked:	AS

TRIAL PIT LOG

TP29

Project Land adjacent to Junction 10, M40, Ardley

Project No.

AG3268-21

Client Albion Land Ltd

Sheet

1 of 1

Date 26/05/2021

Scale

1:25

Ground Level 122.14m AOD

Coordinates E 454311.31 N 229111.90

Total Depth

1.85m

Sample / Test Type	Depth (m)	Result	Level (mAoD)	Strata Depth (thickness) (m)	Ease of Dig	Description of Strata	Legend	GW
ES	0.20		121.84	(0.30)	E	Soft dark brown slightly silty slightly gravelly CLAY with occasional cobbles and occasional to frequent rootlets. Gravel is fine to coarse subangular to subrounded quartzite and limestone. Cobbles are subangular to subrounded limestone.		
			121.74	(0.10)	E	(TOPSOIL)		
				0.40				
D	0.70			(0.60)	M/H	Soft reddish brown slightly silty slightly gravelly CLAY with rare to occasional rootlets and rare to occasional cobbles. Gravel is fine to coarse subangular to subrounded limestone and quartzite. Cobbles are subangular to subrounded limestone.		
						(SUBSOIL)		
			121.14	1.00		Orangish brown slightly clayey GRAVEL with frequent cobbles. Gravel is fine to coarse angular to subangular limestone. Cobbles are angular to subangular limestone.		
						(WHITE LIMESTONE FORMATION)		
D	1.30			(0.84)	H/VH	Light creamy brownish white clayey GRAVEL with frequent cobbles. Gravel is fine to coarse angular to subangular limestone. Cobbles are angular to subangular tabular limestone.		
						(WHITE LIMESTONE FORMATION)		
B	1.70		120.30	1.84				
D	1.70		120.29	(0.01)				
				1.85		Moderately strong thinly bedded light creamy brownish white fossiliferous LIMESTONE recovered as gravel, cobbles and boulders of fine to coarse angular to subangular tabular limestone.		
						(WHITE LIMESTONE FORMATION)		
						End of Trial Pit at 1.85m		

Method: Wheeled backhoe excavator.

Groundwater: Groundwater not encountered.

Stability: Stable

Remarks: Terminated at 1.85m bgl due to competent rock strength strata. Trial pit backfilled with arisings on completion.

Length:	2.20m
Width:	0.60m
Logged:	KM
Checked:	AS

TRIAL PIT LOG

TP30

Project Land adjacent to Junction 10, M40, Ardley

Project No.

AG3268-21

Client Albion Land Ltd

Sheet

1 of 1

Date 24/05/2021

Scale

1:25

Ground Level 120.47m AOD

Coordinates E 454333.56 N 229042.82

Total Depth

1.45m

Sample / Test Type	Depth (m)	Result	Level (mAoD)	Strata Depth (thickness) (m)	Ease of Dig	Description of Strata	Legend	GW
ES	0.30		120.22	(0.25)	E	Soft dark brown slightly silty slightly gravelly CLAY with occasional cobbles and occasional to frequent rootlets. Gravel is fine to coarse subangular to subrounded quartzite and limestone. Cobbles are subangular to subrounded limestone.		
D	0.50		120.07	(0.15)	E	(TOPSOIL)		
ES	0.70		119.87	(0.40)	E/M	Soft to firm dark reddish brown slightly silty slightly gravelly CLAY with occasional cobbles. Gravel is fine to coarse angular to subangular limestone. Cobbles are angular to subangular limestone.		
				(0.20)		(SUBSOIL)		
				(0.60)				
				(0.50)	M/H	Dark orangish brown slightly clayey GRAVEL with frequent cobbles. Gravel is fine to coarse angular to subangular limestone. Cobbles are angular to subangular limestone.		
				(1.10)		(WHITE LIMESTONE FORMATION)		
B	1.30		119.37	(0.35)	H/VH	Light creamy brownish white slightly clayey to clayey GRAVEL with frequent cobbles and rare boulders. Gravel is fine to coarse angular to subangular limestone. Cobbles are angular to subangular limestone. Boulders are angular to subangular tabular limestone.		
D	1.30		119.02	1.45		(WHITE LIMESTONE FORMATION)		
						Moderately strong thinly bedded creamy brownish white fossiliferous LIMESTONE recovered as gravel, cobbles and boulders of fine to coarse angular to subangular tabular limestone.		
						(WHITE LIMESTONE FORMATION)		
						End of Trial Pit at 1.45m		

Method: Wheeled backhoe excavator.

Groundwater: Groundwater not encountered.

Stability: Stable.

Remarks: Terminated at 1.45m bgl due to competent rock strength strata. Trial pit backfilled with arisings on completion.

Length:	2.40m
Width:	0.60m
Logged:	KM
Checked:	AS

TRIAL PIT LOG

TP31

Project Land adjacent to Junction 10, M40, Ardley

Project No.

AG3268-21

Client Albion Land Ltd

Sheet

1 of 1

Date 18/05/2021

Scale

1:25

Ground Level 119.24m AOD

Coordinates E 454329.10 N 228971.75

Total Depth

1.70m

Sample / Test Type	Depth (m)	Result	Level (mAoD)	Strata Depth (thickness) (m)	Ease of Dig	Description of Strata	Legend	GW
ES	0.20		118.94	(0.30) 0.30	E	Soft dark brown slightly silty slightly gravelly CLAY with occasional cobbles and occasional rootlets. Gravel is fine to coarse subangular to subrounded quartzite and limestone. Cobbles are subangular to subrounded limestone. (TOPSOIL)		
D B	0.60 0.70			(0.80)	E/M	Soft to firm orangish yellowish brown very gravelly CLAY with frequent cobbles. Gravel is fine to coarse subangular to subrounded limestone. Cobbles are angular to subangular limestone. (WHITE LIMESTONE FORMATION)		
D	1.20		118.14	1.10 (0.35)	M/H	Light creamy yellowish white slightly clayey GRAVEL with frequent cobbles. Gravel is fine to coarse subangular to subrounded limestone. Cobbles are subangular tabular limestone. (WHITE LIMESTONE FORMATION)		
D B	1.50 1.60		117.79 117.54	1.45 1.70 (0.25)	VH	Moderately strong thinly bedded creamy brownish white fossiliferous LIMESTONE recovered as gravel, cobbles and boulders of fine to coarse and angular to subrounded tabular limestone. (WHITE LIMESTONE FORMATION)		
						End of Trial Pit at 1.70m		

Method: Wheeled backhoe excavator.

Groundwater: Groundwater not encountered.

Stability: Stable

Remarks: Terminated at 1.70m bgl due to competent rock strength strata. Trial pit backfilled with arisings on completion.

Length:	2.20m
Width:	0.60m
Logged:	KM
Checked:	AS

TRIAL PIT LOG

TP32

Project Land adjacent to Junction 10, M40, Ardley

Project No.

AG3268-21

Client Albion Land Ltd

Sheet

1 of 1

Date 18/05/2021

Scale

1:25

Ground Level 119.80m AOD

Coordinates E 454329.22 N 228901.22

Total Depth

1.60m

Sample / Test Type	Depth (m)	Result	Level (mAoD)	Strata Depth (thickness) (m)	Ease of Dig	Description of Strata	Legend	GW
ES	0.10		119.50	(0.30)	E	Soft dark brown slightly silty slightly gravelly CLAY with rare to occasional cobbles and occasional rootlets. Gravel is fine to coarse subangular to subrounded quartzite and limestone. Cobbles are subangular to subrounded limestone. (TOPSOIL)		
D	0.50		119.06	(0.45)	M	Orangish brown clayey GRAVEL with frequent cobbles. Gravel is fine to coarse subangular to subrounded limestone. Cobbles are angular to subangular limestone. (WHITE LIMESTONE FORMATION)		
D	0.80		118.60	(0.45)	M/H	Light yellowish creamy white locally yellowish orange slightly clayey GRAVEL with occasional to frequent cobbles. Gravel is fine to coarse subangular to subrounded limestone. Cobbles are subangular to angular tabular limestone. (WHITE LIMESTONE FORMATION)		
B	1.50		118.20	(0.40)	VH	Moderately strong thinly bedded light creamy brownish white fossiliferous LIMESTONE recovered as gravel, cobbles and boulders of fine to coarse angular to subangular tabular limestone. (WHITE LIMESTONE FORMATION)		
D	1.50			1.60		End of Trial Pit at 1.60m		

Method: Wheeled backhoe excavator.

Groundwater: Groundwater not encountered.

Stability: Stable

Remarks: Terminated at 1.60m bgl due to competent rock strength strata. Trial pit backfilled with arisings on completion.

Length:	2.20m
Width:	0.60m
Logged:	KM
Checked:	AS

TRIAL PIT LOG

TP33

Project Land adjacent to Junction 10, M40, Ardley

Project No.

AG3268-21

Client Albion Land Ltd

Sheet

1 of 1

Date 20/05/2021

Scale





1:25

Ground Level 119.72m AOD

Coordinates E 454343.67 N 228841.24

Total Depth

1.70m

Sample / Test Type	Depth (m)	Result	Level (mAoD)	Strata Depth (thickness) (m)	Ease of Dig	Description of Strata	Legend	GW
ES	0.20		119.42	(0.30)	E	Soft dark brown slightly gravelly slightly silty CLAY with occasional rootlets and occasional cobbles. Gravel is fine to coarse subangular to subrounded limestone and quartzite. Cobbles are subangular to subrounded limestone. (TOPSOIL)		
D	0.40			0.30	M	Orangish brown clayey slightly sandy GRAVEL with frequent cobbles. Gravel is fine to coarse subangular to subrounded limestone. Cobbles are angular to subangular limestone. (WHITE LIMESTONE FORMATION)		
LB	0.60		118.97	(0.45)		Light creamy orangish brown clayey GRAVEL with frequent cobbles. Gravel is fine to coarse angular to subangular limestone. Cobbles are angular to subangular limestone. (WHITE LIMESTONE FORMATION) <i>Below 1.00m bgl: Light creamy orangish brownish white and slightly clayey</i>		
D	1.00			(0.55)	M/H	Moderately strong thinly bedded light creamy white fossiliferous LIMESTONE recovered as gravel, cobbles and boulders of fine to coarse angular to subangular tabular limestone. (WHITE LIMESTONE FORMATION)		
D	1.40		118.42	(0.40)	VH	End of Trial Pit at 1.70m		
B	1.60		118.02	1.70				

Method: Wheeled backhoe excavator.

Groundwater: Groundwater not encountered.

Stability: Stable

Remarks: Terminated at 1.70m bgl due to competent rock strength strata. Trial pit backfilled with arisings on completion.

Length:	2.30m
Width:	0.60m
Logged:	KM
Checked:	AS

TRIAL PIT LOG

TP34

Project Land adjacent to Junction 10, M40, Ardley

Project No.

AG3268-21

Client Albion Land Ltd

Sheet

1 of 1

Date 26/05/2021

Scale

1:25

Ground Level 124.18m AOD

Coordinates E 454400.39 N 229392.00

Total Depth

0.80m

Sample / Test Type	Depth (m)	Result	Level (mAoD)	Strata Depth (thickness) (m)	Ease of Dig	Description of Strata	Legend	GW
ES	0.30		123.93	(0.25) 0.25	E	Soft dark brown slightly silty slightly gravelly CLAY with occasional to frequent cobbles and rootlets. Gravel is fine to coarse subangular to subrounded quartzite and limestone. Cobbles are angular to subangular limestone and quartzite. (TOPSOIL)		
D	0.50		123.68	(0.25) 0.50	E	Soft to firm reddish brown slightly gravelly slightly silty CLAY with rare to occasional rootlets and cobbles. Gravel is fine to coarse subangular to subrounded limestone. Cobbles are angular to subangular limestone.		
B	0.70		123.39 123.38	(0.29) 0.79 (0.01) 0.80	M VH	Firm orangish brown gravelly CLAY with frequent cobbles. Gravel is fine to coarse angular to subangular limestone. Cobbles are angular to subangular limestone. (WHITE LIMESTONE FORMATION) Moderately strong thinly bedded light creamy brownish white fossiliferous LIMESTONE recovered as gravel, cobbles and boulders of fine to coarse and angular to subangular tabular limestone. (WHITE LIMESTONE FORMATION) End of Trial Pit at 0.80m		

Method: Wheeled backhoe excavator.

Groundwater: Groundwater not encountered.

Stability: Stable

Remarks: Terminated at 0.80m bgl due to competent rock strength strata. Trial pit backfilled with arisings on completion.

Length: 2.10m

Width: 0.60m

Logged: KM

Checked: AS

TRIAL PIT LOG

TP35

Project Land adjacent to Junction 10, M40, Ardley

Project No.

AG3268-21

Client Albion Land Ltd

Sheet

1 of 1

Date 26/05/2021

Scale

1:25

Ground Level 124.11m AOD

Coordinates

E 454376.83 N 229323.05

Total Depth

2.05m

Sample / Test Type	Depth (m)	Result	Level (mAoD)	Strata Depth (thickness) (m)	Ease of Dig	Description of Strata	Legend	GW
ES	0.10		123.91	(0.20)	E	Soft dark brown slightly silty slightly gravelly CLAY with occasional to frequent rootlets and occasional cobbles. Gravel is fine to coarse subangular to subrounded quartzite and limestone. Cobbles are subangular to subrounded limestone.		
				0.20	E	(TOPSOIL)		
D	0.60		123.64	(0.30)	E	Soft to firm reddish brown slightly silty slightly gravelly CLAY with rare to occasional rootlets and cobbles. Gravel is fine to coarse subangular to subrounded limestone. Cobbles are angular to subangular limestone.		
B	0.70			(0.40)	E/M	(SUBSOIL)		
			123.21	0.90	E/M	Orangish brown slightly clayey GRAVEL with frequent cobbles. Gravel is fine to coarse angular to subangular limestone. Cobbles are angular to subangular limestone.		
					E/M	(WHITE LIMESTONE FORMATION)		
					E/M	Light creamy brownish orangish white slightly clayey to clayey GRAVEL with frequent cobbles. Gravel is fine to coarse angular to subangular limestone. Cobbles are angular to subangular tabular limestone.		
D	1.50			(1.14)	M/H	(WHITE LIMESTONE FORMATION)		
B	1.90							
D	1.90		122.07	2.04				
			122.06	(0.01)				
				2.05				
						Moderately strong thinly bedded light creamy brownish white fossiliferous LIMESTONE recovered as gravel, cobbles and boulders of fine to coarse angular to subangular tabular limestone.		
						(WHITE LIMESTONE FORMATION)		
						End of Trial Pit at 2.05m		

Method: Wheeled backhoe excavator.

Groundwater: Groundwater not encountered.

Stability: Slight collapse of sides below 1.00m bgl.

Remarks: Terminated at 2.05m bgl due to competent rock strength strata. Trial pit backfilled with arisings on completion.

Length:	2.10m
Width:	0.60m
Logged:	KM
Checked:	AS

TRIAL PIT LOG

TP36

Project Land adjacent to Junction 10, M40, Ardley

Project No.

AG3268-21

Client Albion Land Ltd

Sheet

1 of 1

Date 18/05/2021

Scale

1:25





Ground Level 123.51m AOD

Coordinates

E 454399.24 N 229251.12

Total Depth

2.10m

Sample / Test Type	Depth (m)	Result	Level (mAoD)	Strata Depth (thickness) (m)	Ease of Dig	Description of Strata	Legend	GW
ES	0.20		123.21	(0.30) 0.30		Soft dark reddish brown slightly gravelly slightly silty CLAY with occasional cobbles and frequent rootlets. Gravel is fine to coarse subangular to subrounded limestone and quartzite. Cobbles are subangular to subrounded limestone. (TOPSOIL)		
D	0.80		122.51	(0.70) 1.00		Orangish brown slightly clayey GRAVEL with frequent cobbles. Gravel is fine to coarse subangular to subrounded limestone. Cobbles are angular to subangular limestone. (WHITE LIMESTONE FORMATION)		
D	1.10		121.81	(0.70) 1.70		Light creamy greyish brown locally light brown slightly clayey GRAVEL with frequent cobbles. Gravel is fine to coarse subangular to subrounded limestone. Cobbles are subangular tabular fossiliferous limestone. (WHITE LIMESTONE FORMATION)		
D	1.60					<i>Between 1.60m and 1.70m bgl: pocket of firm greyish mottled orange clay.</i>		
D	1.80			(0.40) 2.10		Moderately strong thinly bedded creamy brownish white fossiliferous LIMESTONE recovered as gravel and frequent cobbles of fine to coarse subangular to subrounded tabular limestone. (WHITE LIMESTONE FORMATION)		
B	2.00		121.41			End of Trial Pit at 2.10m		

Method: Wheeled backhoe excavator.

Groundwater: Groundwater not encountered.

Stability: Stable

Remarks: Terminated at 2.10m bgl due to competent rock strength strata. Trial pit backfilled with arisings on completion.

Length: 2.20m

Width: 0.60m

Logged: KM

Checked: AS

TRIAL PIT LOG

TP37

Project Land adjacent to Junction 10, M40, Ardley

Project No.

AG3268-21

Client Albion Land Ltd

Sheet

1 of 1

Date 24/05/2021

Scale

1:25

Ground Level 122.37m AOD

Coordinates

E 454403.82 N 229178.85

Total Depth

2.30m

Sample / Test Type	Depth (m)	Result	Level (mAoD)	Strata Depth (thickness) (m)	Ease of Dig	Description of Strata	Legend	GW
ES	0.20			(0.35)	E	Soft dark brown slightly silty slightly gravelly CLAY with occasional cobbles and rootlets. Gravel is fine to coarse subangular to subrounded quartzite and limestone. Cobbles are subangular to subrounded quartzite and limestone. (TOPSOIL)		
B	0.40		122.02	0.35	M	Dark orangish brown slightly clayey GRAVEL with frequent cobbles. Gravel is fine to coarse angular to subangular limestone. Cobbles are angular to subangular limestone. (WHITE LIMESTONE FORMATION)		
D	0.50		121.77	(0.25)				
D	0.70			0.60				
				(1.60)	M/H			
D	1.60				H/VH	Moderately strong thinly bedded light creamy whitish brown fossiliferous LIMESTONE recovered as slightly clayey gravel, cobbles and boulders of fine to coarse angular to subangular limestone. (WHITE LIMESTONE FORMATION)		
D	2.00							
B	2.20		120.17 120.07	2.20 (0.10) 2.30				
						End of Trial Pit at 2.30m		

Method: Wheeled backhoe excavator.

Groundwater: Groundwater not encountered.

Stability: Stable.

Remarks: Terminated at 2.30m bgl due to competent rock strength strata. Trial pit backfilled with arisings on completion.

Length:	2.40m
Width:	0.60m
Logged:	KM
Checked:	AS

TRIAL PIT LOG

TP38

Project Land adjacent to Junction 10, M40, Ardley

Project No.

AG3268-21

Client Albion Land Ltd

Sheet

1 of 1

Date 18/05/2021

Scale

1:25

Ground Level 121.38m AOD

Coordinates E 454400.14 N 229111.34

Total Depth

1.95m

Sample / Test Type	Depth (m)	Result	Level (mAoD)	Strata Depth (thickness) (m)	Ease of Dig	Description of Strata	Legend	GW
ES	0.10		121.13	(0.25) 0.25	E	Soft dark reddish brown slightly gravelly CLAY with occasional cobbles and frequent rootlets. Gravel is fine to coarse subangular to subrounded quartzite and limestone. Cobbles are subangular to subrounded limestone. (TOPSOIL)		
D	0.40			(0.65)	E/M	Orangish brown clayey GRAVEL with frequent cobbles and rare to occasional boulders. Gravel is fine to coarse angular to subangular limestone. Cobbles and boulders are angular to subangular tabular limestone. (WHITE LIMESTONE FORMATION)		
B	0.80		120.48	0.90				
D	1.00			(0.60)	H	Light creamy brownish grey slightly clayey GRAVEL with frequent cobbles. Gravel is fine to coarse angular to subangular limestone. Cobbles are angular to subangular tabular fossiliferous limestone. (WHITE LIMESTONE FORMATION)		
D	1.50		119.88	1.50				
B	1.60		119.63	(0.25) 1.75	VH	Moderately strong thinly bedded creamy brownish grey fossiliferous LIMESTONE. Recovered as gravel, cobbles and boulders of fine to course angular to subangular tabular limestone. (WHITE LIMESTONE FORMATION)		
						End of Trial Pit at 1.95m		

Method: Wheeled backhoe excavator.

Groundwater: Groundwater not encountered.

Stability: Stable

Remarks: Terminated at 1.95m bgl due to competent rock strength strata. Trial pit backfilled with arisings on completion.

Length:	2.20m
Width:	0.60m
Logged:	KM
Checked:	AS

TRIAL PIT LOG

TP38A

Project Land adjacent to Junction 10, M40, Ardley

Project No.

AG3268-21

Client Albion Land Ltd

Sheet

1 of 1

Date 02/06/2021

Scale

1:25

Ground Level 121.38m AOD

Coordinates E 454400.14 N 229111.34

Total Depth

1.65m

Sample / Test Type	Depth (m)	Result	Level (mAoD)	Strata Depth (thickness) (m)	Ease of Dig	Description of Strata	Legend	GW
			121.13	(0.25) 0.25	E	Soft to firm dark brown slightly silty slightly gravelly CLAY with occasional cobbles and occasional to frequent rootlets. Gravel is fine to coarse angular to subrounded limestone and quartzite. Cobbles are angular to subrounded limestone. (TOPSOIL)		
				(0.95)	M	Dark orangish brown slightly clayey GRAVEL with frequent cobbles. Gravel is fine to coarse angular to subangular limestone. Cobbles are angular to subangular limestone. (WHITE LIMESTONE FORMATION)		
			120.18	1.20 (0.45)	H/VH	Light creamy brown slightly clayey GRAVEL with frequent cobbles and rare boulders. Gravel is fine to coarse angular to subangular limestone. Cobbles and boulders are angular to subangular tabular fossiliferous limestone. (WHITE LIMESTONE FORMATION)		
			119.73	1.65		At 1.65m bgl: moderately strong LIMESTONE - unable to penetrate. End of Trial Pit at 1.65m		

Method: Wheeled backhoe excavator.

Groundwater: Groundwater not encountered.

Stability: Stable

Remarks: Terminated at 1.65m bgl due to competent rock strength strata. Trial pit used for soakaway test prior to being backfilled with arisings on completion of the test see separate sheet for soakaway test results.

Length:	2.50m
Width:	0.60m
Logged:	KM
Checked:	AS

TRIAL PIT LOG

TP39

Project Land adjacent to Junction 10, M40, Ardley

Project No.

AG3268-21

Client Albion Land Ltd

Sheet

1 of 1

Date 24/05/2021

Scale

1:25

Ground Level 119.97m AOD

Coordinates E 454397.37 N 229058.46

Total Depth

1.45m

Sample / Test Type	Depth (m)	Result	Level (mAoD)	Strata Depth (thickness) (m)	Ease of Dig	Description of Strata	Legend	GW
ES	0.10		119.72	(0.25) 0.25		Soft dark brown slightly silty slightly gravelly CLAY with occasional cobbles and occasional rootlets. Gravel is fine to coarse angular to subrounded quartzite and limestone. Cobbles are angular to subrounded limestone and rare quartzite. (TOPSOIL)		
D	0.40		119.42	(0.30) 0.55		Dark orangish brown slightly clayey GRAVEL with frequent cobbles. Gravel is fine to coarse angular to subangular limestone. Cobbles are angular to subangular limestone. (WHITE LIMESTONE FORMATION)		
D	0.70			(0.65)		Light creamy brownish white slightly clayey GRAVEL with frequent cobbles. Gravel is fine to coarse angular to subangular limestone. Cobbles are angular to subangular tabular limestone. (WHITE LIMESTONE FORMATION)		
D	1.20		118.77	1.20		Moderately strong thinly bedded creamy brownish white fossiliferous LIMESTONE recovered as slightly clayey gravel, cobbles and boulders of fine to coarse angular to subangular tabular limestone. (WHITE LIMESTONE FORMATION)		
B	1.30		118.52	(0.25) 1.45				
						End of Trial Pit at 1.45m		

Method: Wheeled backhoe excavator.

Groundwater: Groundwater not encountered.

Stability: Slightly unstable sides between 0.55m and 1.20m bgl

Remarks: Terminated at 1.45m bgl due to competent rock strength strata. Trial pit backfilled with arisings on completion.

Length:	2.20m
Width:	0.60m
Logged:	KM
Checked:	AS

TRIAL PIT LOG

TP40

Project Land adjacent to Junction 10, M40, Ardley

Project No.

AG3268-21

Client Albion Land Ltd

Sheet

1 of 1

Date 18/05/2021

Scale

1:25











Ground Level 118.27m AOD

Coordinates

E 454398.35 N 228973.23

Total Depth

1.70m

Sample / Test Type	Depth (m)	Result	Level (mAoD)	Strata Depth (thickness) (m)	Ease of Dig	Description of Strata	Legend	GW
ES	0.10		118.07	(0.20)	E	Soft dark brown slightly gravelly slightly silty CLAY with occasional cobbles and occasional rootlets. Gravel is fine to coarse subangular to subrounded quartzite and limestone.		
			117.92	(0.15)	M	(TOPSOIL)		
D	0.50			(0.35)	M/H	Soft reddish brown slightly gravelly CLAY with occasional cobbles. Gravel is fine to coarse subangular to subrounded limestone. Cobbles are subangular to angular limestone.		
				(0.40)		(WHITE LIMESTONE FORMATION)		
			117.52	0.75		Firm orangish brown very gravelly CLAY with frequent cobbles. Gravel is fine to coarse subangular to angular limestone. Cobbles are angular to subangular limestone.		
						(WHITE LIMESTONE FORMATION)		
D	1.00			(0.75)	H	Light creamy brownish white slightly clayey GRAVEL with frequent cobbles. Gravel is fine to coarse angular to subangular limestone. Cobbles are subangular tabular fossiliferous limestone.		
						(WHITE LIMESTONE FORMATION)		
B	1.60		116.77	1.50		Moderately strong thinly bedded creamy white fossiliferous LIMESTONE recovered as gravel, cobbles and boulders of fine to coarse subangular to subrounded tabular limestone.		
D	1.60		116.57	1.70	VH	(WHITE LIMESTONE FORMATION)		
						End of Trial Pit at 1.70m		

Method: Wheeled backhoe excavator.

Groundwater: Groundwater not encountered.

Stability: Stable

Remarks: Terminated at 1.70m bgl due to competent rock strength strata. Trial pit backfilled with arisings on completion.

Length:	2.30m
Width:	0.60m
Logged:	KM
Checked:	AS

TRIAL PIT LOG

TP41

Project Land adjacent to Junction 10, M40, Ardley

Project No.

AG3268-21

Client Albion Land Ltd

Sheet

1 of 1

Date 18/05/2021

Scale

1:25

Ground Level 117.98m AOD

Coordinates

E 454397.77 N 228902.28

Total Depth

1.90m

Sample / Test Type	Depth (m)	Result	Level (mAoD)	Strata Depth (thickness) (m)	Ease of Dig	Description of Strata	Legend	GW
ES	0.40		117.68	(0.30)	E	Soft dark brown slightly silty slightly gravelly CLAY with occasional cobbles and occasional rootlets. Gravel is fine to coarse subangular to subrounded quartzite and limestone. Cobbles are angular to subangular limestone. (TOPSOIL)		
			117.42	(0.25)	E	Soft dark reddish brown slightly silty slightly gravelly CLAY with occasional cobbles. Gravel is fine to coarse subangular to subrounded limestone. Cobbles are subangular to subrounded limestone. (WHITE LIMESTONE FORMATION)		
D	0.80			(0.55)	M/H	Orangish brown clayey GRAVEL with frequent cobbles. Gravel is fine to coarse subangular to subrounded limestone. Cobbles are angular to subangular limestone. (WHITE LIMESTONE FORMATION)		
			116.88	(0.60)		Light creamy greyish white slightly clayey slightly sandy GRAVEL with frequent cobbles. Gravel is fine to coarse subangular to subrounded limestone. Cobbles are angular to subangular tabular fossiliferous limestone. (WHITE LIMESTONE FORMATION)		
B	1.80		116.28	(0.20)		Moderately strong thinly bedded creamy white fossiliferous LIMESTONE recovered as gravel, cobbles and boulders of fine to coarse angular to subangular tabular limestone. (WHITE LIMESTONE FORMATION)		▼
D	1.80		116.08	1.90		End of Trial Pit at 1.90m		▼

Method: Wheeled backhoe excavator.

Groundwater: Seepage at 1.75m bgl. Fast seepage at 1.90m bgl.

Stability: Stable

Remarks: Terminated at 1.90m bgl due to competent rock strength strata. Trial pit backfilled with arisings on completion.

Length:	2.20m
Width:	0.60m
Logged:	KM
Checked:	AS

TRIAL PIT LOG

TP42

Project Land adjacent to Junction 10, M40, Ardley

Project No.

AG3268-21

Client Albion Land Ltd

Sheet

1 of 1

Date 20/05/2021

Scale





1:25

Ground Level 118.67m AOD

Coordinates E 454388.67 N 228827.98

Total Depth

1.85m

Sample / Test Type	Depth (m)	Result	Level (mAoD)	Strata Depth (thickness) (m)	Ease of Dig	Description of Strata	Legend	GW
ES	0.20		118.37	(0.30)	E	Soft dark brown slightly gravelly slightly silty CLAY with occasional cobbles and rootlets. Gravel is fine to coarse subangular to subrounded limestone and quartzite. Cobbles are subangular to subrounded limestone. (TOPSOIL)		
D	0.40			(0.50)	M/H	Orangish brown slightly clayey GRAVEL with frequent cobbles. Gravel is fine to coarse angular to subangular limestone. Cobbles are angular to subangular limestone. (WHITE LIMESTONE FORMATION)		
B	0.80		117.87	(0.40)	M/H	Light creamy brownish white slightly clayey GRAVEL with frequent cobbles. Gravel is fine to coarse angular to subangular limestone. Cobbles are angular to subangular tabular fossiliferous limestone. (WHITE LIMESTONE FORMATION)		
D	1.50		117.47	(0.65)	VH	Moderately strong thinly bedded creamy yellowish white fossiliferous LIMESTONE recovered as gravel, cobbles and boulders of fine to coarse angular to subangular tabular limestone. (WHITE LIMESTONE FORMATION)		
B	1.70		116.82	1.85		End of Trial Pit at 1.85m		

Method: Wheeled backhoe excavator.

Groundwater: Groundwater not encountered.

Stability: Slight collapse of sides below 1.20m bgl.

Remarks: Terminated at 1.85m bgl due to competent rock strength strata. Trial pit backfilled with arisings on completion.

Length:	2.20m
Width:	0.60m
Logged:	KM
Checked:	AS

TRIAL PIT LOG

TP43

Project Land adjacent to Junction 10, M40, Ardley

Project No.

AG3268-21

Client Albion Land Ltd

Sheet

1 of 1

Date 02/06/2021

Scale

1:25

Ground Level 118.67m AOD

Coordinates

E 454409.84 N 228772.14

Total Depth

1.65m

Sample / Test Type	Depth (m)	Result	Level (mAoD)	Strata Depth (thickness) (m)	Ease of Dig	Description of Strata	Legend	GW
ES	0.10		118.47	(0.20) 0.20	E	Soft dark brown slightly clayey GRAVEL with occasional cobbles and rootlets. Gravel is fine to coarse angular to subrounded limestone. Cobbles are angular to subrounded limestone. (TOPSOIL)		
D	0.40		118.02	(0.45)	E/M	Orangish brown slightly clayey GRAVEL with frequent cobbles. Gravel is fine to coarse angular to subangular limestone. Cobbles are angular to subangular limestone. (WHITE LIMESTONE FORMATION)		
D	0.70			0.65 (0.70)	M	Light creamy orangish brown very clayey GRAVEL with frequent cobbles. Gravel is fine to coarse angular to subangular limestone. Cobbles are angular to subangular limestone. (WHITE LIMESTONE FORMATION)		
D B	1.40 1.50		117.32 117.02	1.35 (0.30) 1.65	M/H	Light greyish brownish white clayey GRAVEL with frequent cobbles and rare boulders. Gravel is fine to coarse angular to subangular limestone. Cobbles and boulders are angular to subangular tabular fossiliferous limestone. (WHITE LIMESTONE FORMATION) <i>At 1.65m bgl: moderately strong LIMESTONE - unable to penetrate.</i> End of Trial Pit at 1.65m		

Method: Wheeled backhoe excavator.

Groundwater: Groundwater not encountered.

Stability: Stable

Remarks: Terminated at 1.65m bgl due to competent rock strength strata. Trial pit backfilled with arisings on completion.

Length: 2.10m

Width: 0.60m

Logged: KM

Checked: AS

TRIAL PIT LOG

TP44

Project Land adjacent to Junction 10, M40, Ardley

Project No.

AG3268-21

Client Albion Land Ltd

Sheet

1 of 1

Date 24/05/2021

Scale

1:25

Ground Level 124.03m AOD

Coordinates

E 454458.70 N 229375.52

Total Depth

2.50m

Sample / Test Type	Depth (m)	Result	Level (mAoD)	Strata Depth (thickness) (m)	Ease of Dig	Description of Strata	Legend	GW
ES	0.10		123.78	(0.25)	E	Soft dark brown slightly silty slightly gravelly CLAY with occasional cobbles and frequent rootlets. Gravel is fine to coarse subangular to subrounded quartzite and limestone. Cobbles are angular to subrounded quartzite and limestone. (TOPSOIL)		
D	0.40		123.53	(0.25)	M	Orangish brown slightly clayey GRAVEL with frequent cobbles. Gravel is fine to coarse angular to subangular limestone. Cobbles are angular to subangular limestone. (WHITE LIMESTONE FORMATION)		
LB	0.80					Light creamy brown slightly clayey GRAVEL with frequent cobbles. Gravel is fine to coarse angular to subangular limestone. Cobbles are angular to subangular tabular limestone. (WHITE LIMESTONE FORMATION)		
D	1.50			(1.99)	M/H			
D	1.90					<i>Between 1.90m and 2.00m bgl: Large pocket or possible layer of firm to stiff light grey mottled orange slightly gravelly clay. Gravel is fine to medium angular to rounded limestone.</i>		
B D	2.40 2.40		121.54 121.53	2.49 (0.01) 2.50		LIMESTONE (Unable to penetrate). (WHITE LIMESTONE FORMATION)		
						End of Trial Pit at 2.50m		

Method: Wheeled backhoe excavator.

Groundwater: Groundwater not encountered.

Stability: Stable

Remarks: Terminated at 2.50m bgl due to competent rock strength strata. Trial pit backfilled with arisings on completion.

Length:	2.30m
Width:	0.60m
Logged:	KM
Checked:	AS

TRIAL PIT LOG

TP45

Project Land adjacent to Junction 10, M40, Ardley

Project No.

AG3268-21

Client Albion Land Ltd

Sheet

1 of 1

Date 24/05/2021

Scale

1:25

Ground Level 123.64m AOD

Coordinates

E 454464.54 N 229322.62

Total Depth

2.25m

Sample / Test Type	Depth (m)	Result	Level (mAoD)	Strata Depth (thickness) (m)	Ease of Dig	Description of Strata	Legend	GW
ES	0.10		123.40	(0.25) 0.25	E	Soft dark brown slightly gravelly slightly silty CLAY with occasional cobbles and occasional to frequent rootlets. Gravel is fine to coarse subangular to subrounded quartzite and limestone. Cobbles are subangular to subrounded limestone. (TOPSOIL)		
D	0.50		122.94	(0.45) 0.70	E/M	Dark orangish brown slightly clayey GRAVEL with frequent rootlets and cobbles. Gravel is fine to coarse angular to subangular limestone. Cobbles are angular to subangular limestone. (WHITE LIMESTONE FORMATION)		
D	1.00					Light creamy slightly orangish brown slightly clayey GRAVEL with frequent cobbles. Gravel is fine to coarse angular to subangular limestone. Cobbles are angular to subangular slightly tabular limestone. (WHITE LIMESTONE FORMATION)		
D	1.60			(1.54)	M	<i>Below 1.40m bgl: becoming very clayey.</i>		
B D	2.00 2.10		121.40 121.40	2.24 (0.01) 2.25		LIMESTONE (Unable to penetrate). (WHITE LIMESTONE FORMATION) End of Trial Pit at 2.25m		

Method: Wheeled backhoe excavator.

Groundwater: Groundwater not encountered.

Stability: Stable

Remarks: Terminated at 2.25m bgl due to competent rock strength strata. Trial pit backfilled with arisings on completion.

Length:	2.40m
Width:	0.60m
Logged:	KM
Checked:	AS

TRIAL PIT LOG

TP46

Project Land adjacent to Junction 10, M40, Ardley

Project No.

AG3268-21

Client Albion Land Ltd

Sheet

1 of 1

Date 25/05/2021

Scale

1:25

Ground Level 122.93m AOD

Coordinates E 454465.72 N 229253.41

Total Depth

2.00m

Sample / Test Type	Depth (m)	Result	Level (mAoD)	Strata Depth (thickness) (m)	Ease of Dig	Description of Strata	Legend	GW
ES	0.10		122.68	(0.25) 0.25	E	Soft dark brown slightly silty slightly gravelly CLAY with occasional to frequent rootlets and occasional cobbles. Gravel is fine to coarse subangular to subrounded limestone and quartzite. Cobbles are angular to subrounded limestone. (TOPSOIL)		
D	0.50		122.03	(0.65)	M	Dark orangish brown slightly clayey GRAVEL with frequent cobbles. Gravel is fine to coarse angular to subangular limestone. Cobbles are angular to subangular limestone. (WHITE LIMESTONE FORMATION)		
D	1.30			(1.09)	M/H	Light creamy orangish brown white clayey GRAVEL with frequent cobbles. Gravel is fine to coarse angular to subangular limestone. Cobbles are angular to subangular limestone. (WHITE LIMESTONE FORMATION)		
D	1.70					<i>At 1.60m bgl: localised dark orange colour.</i>		
B	1.80		120.94 120.93	1.99 (0.01) 2.00		Moderately strong thinly bedded light creamy orangish brown fossiliferous LIMESTONE recovered as gravel, cobbles and boulders of fine to coarse angular to subangular. Cobbles and boulders are angular to subangular tabular limestone. (WHITE LIMESTONE FORMATION)		
						End of Trial Pit at 2.00m		

Method: Wheeled backhoe excavator.

Groundwater: Groundwater not encountered.

Stability: Stable

Remarks: Terminated at 2.00m bgl due to competent rock strength strata. Trial pit backfilled with arisings on completion.

Length:	2.30m
Width:	0.60m
Logged:	KM
Checked:	AS

TRIAL PIT LOG

TP47

Project Land adjacent to Junction 10, M40, Ardley

Project No.

AG3268-21

Client Albion Land Ltd

Sheet

1 of 1

Date 25/05/2021

Scale

1:25

Ground Level 122.08m AOD

Coordinates

E 454468.55 N 229181.59

Total Depth

2.90m

Sample / Test Type	Depth (m)	Result	Level (mAoD)	Strata Depth (thickness) (m)	Ease of Dig	Description of Strata	Legend	GW
ES	0.40		121.78	(0.30)	E	Soft dark brown slightly silty slightly gravelly CLAY with occasional to frequent rootlets and occasional cobbles. Gravel is fine to coarse subangular to subrounded quartzite and limestone. Cobbles are subangular to subrounded limestone. (TOPSOIL)		
			121.38	(0.40)	E	Soft firm reddish brown slightly silty slightly gravelly CLAY with rare cobbles. Gravel is fine to coarse subangular to subrounded quartzite and rare limestone. Cobbles are subangular to subrounded limestone. (SUBSOIL)		
D	0.90		120.98	(0.40)	M	Dark orangish brown slightly clayey GRAVEL with frequent cobbles. Gravel is fine to coarse angular to subangular limestone. Cobbles are angular to subangular limestone. (WHITE LIMESTONE FORMATION)		
			120.28	(0.70)	M/H	Light creamy orangish brownish white clayey GRAVEL with frequent cobbles. Gravel is fine to coarse angular to subangular limestone. Cobbles are angular to subangular tabular limestone. (WHITE LIMESTONE FORMATION)		
D	1.70		120.03	(0.25)	M/H	Light creamy brownish white slightly clayey GRAVEL with frequent cobbles. Gravel is fine to coarse angular to subangular limestone. Cobbles are angular to subangular limestone. (WHITE LIMESTONE FORMATION)		
			119.18	(0.85)	VH	Moderately strong thinly bedded light creamy brownish white fossiliferous LIMESTONE recovered as gravel, cobbles and boulders of fine to coarse angular to subangular tabular limestone. (WHITE LIMESTONE FORMATION)		
B	2.80		119.18	2.90		End of Trial Pit at 2.90m		

Method: Wheeled backhoe excavator.

Groundwater: Groundwater not encountered.

Stability: Stable

Remarks: Terminated at 2.90m bgl due to competent rock strength strata. Trial pit backfilled with arisings on completion.

Length:	2.40m
Width:	0.60m
Logged:	KM
Checked:	AS

TRIAL PIT LOG

TP48

Project Land adjacent to Junction 10, M40, Ardley

Project No.

AG3268-21

Client Albion Land Ltd

Sheet

1 of 1

Date 25/05/2021

Scale

1:25

Ground Level 112.72m AOD

Coordinates E 454883.41 N 228483.59

Total Depth

1.85m

Sample / Test Type	Depth (m)	Result	Level (mAoD)	Strata Depth (thickness) (m)	Ease of Dig	Description of Strata	Legend	GW
ES	0.10		112.47	(0.25)	E	Soft dark brown slightly silty slightly gravelly CLAY with occasional to frequent rootlets and occasional cobbles. Gravel is fine to coarse subangular to subrounded quartzite and limestone. Cobbles are angular to subrounded limestone.		
			112.27	0.25 (0.20)	E	(TOPSOIL)		
B	0.50			0.45	E/M	Soft to firm reddish brown slightly silty slightly gravelly CLAY with rare to occasional cobbles and rare rootlets. Gravel is fine to coarse subangular to subrounded limestone. Cobbles are angular to subrounded limestone.		
D	0.70			(0.55)	M	Dark orangish brown slightly clayey GRAVEL with frequent cobbles. Gravel is fine to coarse angular to subangular limestone. Cobbles are angular to subangular limestone.		
			111.72	1.00		(WHITE LIMESTONE FORMATION) <i>Below 0.65m bgl: orangish brown and clayey.</i>		
D	1.30			(0.80)	H	Light creamy yellowish brownish white clayey GRAVEL with frequent cobbles. Gravel is fine to coarse angular to subangular limestone. Cobbles are angular to subangular tabular limestone.		
						(WHITE LIMESTONE FORMATION)		
D	1.70							
B	1.80		110.92 110.87	1.80 (0.05) 1.85	VH	Moderately strong thinly bedded light creamy brownish white fossiliferous LIMESTONE recovered as gravel, cobbles and boulders (maximum 0.30m x 0.30m) of fine to coarse angular to subangular tabular limestone.		
						End of Trial Pit at 1.85m		

Method: Wheeled backhoe excavator.

Groundwater: Groundwater not encountered.

Stability: Stable

Remarks: Terminated at 1.85m bgl due to competent rock strength strata. Trial pit backfilled with arisings on completion.

Length:	2.30m
Width:	0.60m
Logged:	KM
Checked:	AS

TRIAL PIT LOG

TP49

Project Land adjacent to Junction 10, M40, Ardley

Project No.

AG3268-21

Client Albion Land Ltd

Sheet

1 of 1

Date 21/05/2021

Scale

1:25

Ground Level 119.96m AOD

Coordinates

E 454465.40 N 229045.55

Total Depth

2.20m

Sample / Test Type	Depth (m)	Result	Level (mAoD)	Strata Depth (thickness) (m)	Ease of Dig	Description of Strata	Legend	GW
ES	0.10		119.76	(0.20) 0.20	E	Soft dark brown slightly gravelly slightly silty CLAY with occasional cobbles and occasional rootlets. Gravel is fine to coarse subangular to subrounded quartzite and limestone. Cobbles are angular to subrounded limestone. (TOPSOIL)		
D	0.50			(0.40)	M	Dark orangish brown slightly clayey GRAVEL with frequent cobbles. Gravel is fine to coarse subangular to subrounded limestone. Cobbles are angular to subrounded limestone. (SUBSOIL)		
D	0.60		119.36	0.60		Light creamy brownish white clayey GRAVEL with frequent cobbles. Gravel is fine to coarse angular to subangular limestone. Cobbles are angular to subangular limestone. (WHITE LIMESTONE FORMATION)		
				(0.80)	M			
D	1.20							
			118.56	1.40	H/VH	Moderately strong thinly bedded light creamy brownish white fossiliferous LIMESTONE recovered as gravel, cobbles, and boulders of fine to coarse angular to subangular tabular limestone. (WHITE LIMESTONE FORMATION)		
				(0.80)				
D	2.00							
B	2.10		117.76	2.20	VH			
						End of Trial Pit at 2.20m		

Method: Wheeled backhoe excavator.

Groundwater: Groundwater not encountered.

Stability: Stable

Remarks: Terminated at 2.20m bgl due to competent rock strength strata. Trial pit backfilled with arisings on completion.

Length:	2.30m
Width:	0.60m
Logged:	KM
Checked:	AS

TRIAL PIT LOG

TP50

Project Land adjacent to Junction 10, M40, Ardley

Project No.

AG3268-21

Client Albion Land Ltd

Sheet

1 of 1

Date 21/05/2021

Scale

1:25

Ground Level 119.27m AOD

Coordinates E 454468.91 N 228972.08

Total Depth

1.80m

Sample / Test Type	Depth (m)	Result	Level (mAoD)	Strata Depth (thickness) (m)	Ease of Dig	Description of Strata	Legend	GW
ES	0.20		118.97	(0.30)	E	Soft dark brown slightly silty slightly gravelly CLAY with occasional cobbles and rootlets. Gravel is fine to coarse subangular to subrounded limestone and quartzite. Cobbles are angular to subrounded limestone. (TOPSOIL)		
D	0.40			0.30		Dark orangish brown slightly clayey GRAVEL with frequent cobbles. Gravel is fine to coarse angular to subangular limestone. Cobbles are angular to subangular limestone. (WHITE LIMESTONE FORMATION)		
B	0.90		118.17	(0.80)	M			
D	1.40		117.77	(0.40)	H	Light creamy brownish white slightly clayey GRAVEL with frequent cobbles. Gravel is fine to coarse angular to subangular limestone. Cobbles are angular to subangular limestone. (WHITE LIMESTONE FORMATION)		
B	1.60			(0.30)		Moderately strong thinly bedded creamy brownish fossiliferous LIMESTONE recovered as gravel, cobbles and boulders of fine to coarse subangular to subrounded tabular limestone. (WHITE LIMESTONE FORMATION)		
D	1.70		117.47	1.80	H/VH	End of Trial Pit at 1.80m		

Method: Wheeled backhoe excavator.

Groundwater: Groundwater not encountered.

Stability: Stable

Remarks: Terminated at 1.80m bgl due to competent rock strength strata. Trial pit backfilled with arisings on completion.

Length:	2.30m
Width:	0.60m
Logged:	KM
Checked:	AS