

From: Plater, Roger - Communities <Roger.Plater@Oxfordshire.gov.uk>

Sent: Thursday, November 14, 2019 7:43 PM

To: Michael Sackey <Michael.Sackey@Cherwell-DC.gov.uk>

Cc: DC Support <DC.Support@cherwell-dc.gov.uk>; Cllr Dan Sames <Dan.Sames@Oxfordshire.gov.uk>

Subject: 19-01297-DISC Meadow Barn Merton Road Ambrosden

Hi Michael,

I have looked over the above application and have the following comments to make.

Planning application: 19/01297/DISC
Location: Meadow Barn Merton Road Ambrosden OX25 2LZ
Description: Discharge of Conditions 3 (brick sample) 4 (tiles) 5 (doors, windows and rooflights) 6 (turning area) 7 Archaeological scheme) 8 (archaeological evaluation programme) 9 (hard landscaping scheme) 17 (waste storage and collection) of 19/00055/F
Type: Discharge Of Conditions
Case Officer: Michael Sackey

Recommendation:

Condition 6	No objection
Conditions 3, 4, 5, 7, 8, 9 and 17	No comment

Kind regards

Roger

Roger Plater
Transport Planner, Transport Development Control
(Cherwell and West Oxfordshire)
Oxfordshire County Council

This email, including attachments, may contain confidential information. If you have received it in error, please notify the sender by reply and delete it immediately. Views expressed by the sender may not be those of Oxfordshire County Council. Council emails are subject to the Freedom of Information Act 2000. [email disclaimer](#). For information about how Oxfordshire County Council manages your personal information please see our [Privacy Notice](#).