

Comment for planning application 22/01995/TEL

Application Number	<input type="text" value="22/01995/TEL"/>
Location	<input type="text" value="Chamber Cabinet Peregrine Way Bicester"/>
Proposal	<input type="text" value="Proposed 5G telecommunications installation: street pole and 3 additional ancillary equipment cabinets and associated ancillary works"/>
Case Officer	<input type="text" value="Dale Jones"/>
Organisation Name	<input type="text" value="Keith Tong"/>
Address	<input type="text" value="17 Merlin Way,Bicester,OX26 6YG"/>
Type of Comment	<input type="text" value="Objection"/>
Type	<input type="text" value="neighbour"/>
Comments	<input type="text" value="This proposal is going be a real eyesore not only for those premises in the immediate vicinity of the proposed pole but for all those that will pass it on a daily basis. This is a residential area and is not the place for a commercial type of erection. There is also the lack of evidence available for the safety of these facilities with a lot of national publicity emphasising the potential dangers of cancer type illnesses. There appears to be no studies done by our elected local government on the effect this would have on those living in the proximity of this proposal. I would earnestly ask that the planning application is withdrawn as the time of consultation and little or no notification appears to be steamrolling this proposal through with very little time allowed for consideration and debate."/>
Received Date	<input type="text" value="14/07/2022 21:35:57"/>
Attachments	