Sign ref.	TSRGD ref.	Sign face						Supports				Foundation(s)								
		Width (mm)	Height (mm)	Area (m²)	X-Height (mm)	Material Class	Mounting height (mm)	Туре	Post Diameter and Wall Thickness		Post Illum Centre nate	Passiv		Depth (mm)	Width (mm)	Length (mm)	Cover (mm)	Foundation Type A or B	Setback (mm)	Notes
A3-01	S13.9	2380	1150	2.74	100.00	RA2	2000 2	Steel circular section S27	5 88.9mm O.D. 4mm thick	4000	1780		1	800	2300	1000	150	В	1200	Approx.200m in advance of junction
A3-02	S13.9	2135	800	1.71	100.00	RA2	1500 2	Steel circular section S27	75 76.1mm O.D. 3.2mm thick	3150	1503	√	1	800	1900	700	150	В	1200	Approx.35m in advance of junction
A3-03	7301 (Non-Pres.Variant)	1050	750	0.79	n/a	RA2	2000 1	Steel circular section S27	75 76.1mm O.D. 3.2mm thick	3600	n/a	✓	1	800	700	900	150	А	2000	in verge at the junctions
A3-04	7301 (Non-Pres.Variant)	1050	750	0.79	n/a	RA2	2000 1	Steel circular section S27	6 76.1mm O.D. 3.2mm thick	3601	n/a	✓	1	800	700	900	150	А	1200	in verge at the junctions
Passing Place Sign 70	7011-60	1050	750	0.79	n/a	RA2	2000		for further information p	lease refer	to drawing No. 1	33735_2	A-EWR	R-OXD-XX-N	12-CH-010	254	•		1200	to be mounted back to back of sign face A3-04
A3-05	7301	1420	775	1.1	100.00	RA2	2000 1	Steel circular section S27	75 76.1mm O.D. 4mm thick	3625	n/a	✓	1	800	700	1100	150	Α	1200	Approx.65m in advance of junction
A3-06	S13.9	945	575	0.50	100.00	RA2	n/a n/a	n/a	n/a	n/a	n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	mounted on backing board with A3-07
A3-07	S13.9	945	575	0.50	100.00	RA2	n/a n/a	n/a	n/a	n/a	n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	mounted on backing board with A3-06
A3-06 & 07 Backing Board	n/a	2495	700	1.75	100.00	NR1	1500 2	Steel circular section S27	76.1mm O.D. 5mm thick	3050	1505	✓	1	800	1900	700	150	В	back of verge	backing board for signs A3-06 and 07 in verge at the junctions
A3-08	S13.9	2320	1100	2.55	100.00	RA2	1500 2	Steel circular section S27	75 76.1mm O.D. 3.2mm thick	3450	1388	✓	1	800	1700	1000	150	В	1200	Approx.150m in advance of junction
A3-09	S13.9	1040	775	0.81	100.00	RA2	2000 1	Steel circular section S27	6 76.1mm O.D. 3.2mm thick	3625	n/a	✓	1	800	700	900	150	Α	back of verge	in verge at the junctions


NETWORK RAIL (EAST WEST RAIL WESTERN SECTION PHASE 2)

NOTES:

- 1. FOR DETAILS OF FOUNDATIONS PLEASE REFER TO DRAWING No. 133735_RW_EWR-XX-XX-DR-CH-000214.
- 2. FOR DETAILS OF SIGN LOCATIONS PLEASE REFER TO DRAWING NoS.

133735_RW_EWR-XX-CC_A2-DR-CH-010101 TO 010138.

- 3. THE MINIMUM MOUNTING HEIGHT FOR SIGNS IS 1500mm, WHERE THERE IS A SLOPE POST LENGTHS HAVE **NOT** BEEN ADJUSTED ACCORDINGLY.
- 4. INDIVIDUAL SIGN DESIGN ASSUMPTIONS AND ADDITIONAL RELEVANT INFORMATION IS SHOWN IN THE NOTES COLUMN.
- 5. THE POSTS SHALL END 100mm FROM THE BASE OF FOUNDATION AND WHERE CHS OR RHS POSTS ARE USED THERE SHALL BE AN EARTH COVER OF 150mm.
- 6. FINAL SIGN LOCATION TO BE APPROVED ON SITE BY CONTRACTOR IN ACCORDANCE WITH THE TRAFFIC SIGNS MANUALS.
- 7. FOR DETAILS OF ALL PASSIVELY SAFE POSTS PLEASE REFER TO 1200 SERIES APPENDICES DOCUMENT No. 133735_RW-EWR-XX-XX-SP-CH-001200.





East West Rail (Western Section)

COMPOUND A3 MARSH GIBBON CONSTRUCTION ACCESS ROUTE SIGNING SCHEDULE

Phase 2

Designed	Nagoth Thom	as Ravi Kuma	r ^{Signed} N.	T. R. K	umar	Date	07/02/20			
Drawn	Shiva Murthy		Signed	S. Murt	hy	Date 05/02/20				
Checked	Sharon Hulm	е	Signed	S. Huln	ne	Date 10/02/20				
Approved	Stephen Abe		Signed	S. Ab	Э	Date	10/02/20			
Scale(s)		ELR - Project Chainage (Miles Yards)								
1:1000		XX -								
Design Pack	age Risk Classific	ation		Sheet						
-	N	ormal			2	of 2				

Normal

133735_RW-EWR-XX-CC_A3-DR-CH-010140

✓ APPROVED

Revision B01