

Vertase FLI Limited
1 Middle Bridge Business Park
Bristol Road
Portishead, Bristol
BS20 6PN

FAO M J Parry
30 September 2011

Dear M J Parry

Test Report Number 59538
Your Project Reference 1246 DOR

Please find enclosed the results of analysis for the samples received 26 September 2011.

All soil samples will be retained for a period of one month and all water samples will be retained for 7 days following the date of the test report. Should you require an extended retention period then please detail your requirements in an email to customerservices@chemtest.co.uk. Please be aware that charges may be applicable for extended sample storage.

If you require any further assistance, please do not hesitate to contact the Customer Services team.

Yours sincerely



Authorised Signatory

<input type="checkbox"/> Darrell Hall	Director
<input checked="" type="checkbox"/> Phil Hellier	Director
<input type="checkbox"/> Keith Jones	Technical Manager
<input type="checkbox"/> John Crawford	Quality Manager
<input type="checkbox"/> Malcolm Avis	Director



2183



Notes to accompany report:

- The sign < means 'less than'
- Tests marked 'U' hold UKAS accreditation
- Tests marked 'M' hold MCertS (and UKAS) accreditation
- Tests marked 'N' do not currently hold UKAS accreditation
- Tests marked 'S' were subcontracted to an approved laboratory
- n/e means 'not evaluated'
- i/s means 'insufficient sample'
- u/s means 'unsuitable sample'
- Comments or interpretations are outside of the scope of UKAS accreditation
- The results relate only to the items tested
- Stones represent the quantity of material removed prior to analysis
- All results are expressed on a dry weight basis
- The following tests were analysed on samples as received and the results subsequently corrected to a dry weight basis TPH, BTEX, VOCs, SVOCs, PCBs, phenols
- For all other tests the samples were dried at < 37°C prior to analysis
- Uncertainties of measurement for the determinands tested are available upon request
- Soil descriptions, including colour and texture, are beyond the scope of MCertS accreditation
- None of the test results included in this report have been recovery corrected

Test Report 59538 Cover Sheet

Vertase FLI Limited
1 Middle Bridge Business Park
Bristol Road
Portishead, Bristol
BS20 6PN

FAO M J Parry

LABORATORY TEST REPORT

Results of analysis of 3 samples
received 26 September 2011

1246 DOR



Report Date
17 January 2012

Login Batch No

Chemtest LIMS ID

Sample ID

Sample No

Sampling Date

Depth

Matrix

SOP↓ Determinand↓

CAS No↓

Units↓

*

1670 TPH (Aqueous Phase)

µg l⁻¹

U

59538

AG50812

AG50813

AG50814

POL5A

POL5B

POL6

21/9/2011

21/9/2011

21/9/2011

WATER

WATER

WATER

<10

<10

<10

All tests undertaken between 28-Sep-2011 and 28-Sep-2011

* Accreditation status

This report should be interpreted in conjunction with the notes on the accompanying cover page

Column page 1

Report page 1 of 1

Report sample ID range AG50812 to AG50814

Vertase FLI Limited
1 Middle Bridge Business Park
Bristol Road
Portishead, Bristol
BS20 6PN

FAO Jonathan Lewis
15 September 2011

Dear Jonathan Lewis

Test Report Number **119556a Amended Test Report**
Your Project Reference **1246 DOR**

Please find enclosed the results of analysis for the samples received 7 September 2011.

Please find amended TPH results. Disregard all previous reports.

All soil samples will be retained for a period of one month and all water samples will be retained for 7 days following the date of the test report. Should you require an extended retention period then please detail your requirements in an email to customerservices@chemtest.co.uk. Please be aware that charges may be applicable for extended sample storage.

If you require any further assistance, please do not hesitate to contact the Customer Services team.

Yours sincerely



Authorised Signatory

<input type="checkbox"/> Darrell Hall	Director
<input type="checkbox"/> Phil Hellier	Director
<input checked="" type="checkbox"/> Keith Jones	Technical Manager
<input type="checkbox"/> John Crawford	Quality Manager
<input type="checkbox"/> Malcolm Avis	Director



2183



Notes to accompany report:

- The sign < means 'less than'
- Tests marked 'U' hold UKAS accreditation
- Tests marked 'M' hold MCertS (and UKAS) accreditation
- Tests marked 'N' do not currently hold UKAS accreditation
- Tests marked 'S' were subcontracted to an approved laboratory
- n/e means 'not evaluated'
- i/s means 'insufficient sample'
- u/s means 'unsuitable sample'
- Comments or interpretations are beyond the scope of UKAS accreditation
- The results relate only to the items tested

Test Report 119556 Cover Sheet

Vertase FLI Limited
1 Middle Bridge Business Park
Bristol Road
Portishead, Bristol
BS20 6PN

FAO Jonathan Lewis

AMENDED LABORATORY TEST REPORT

Results of analysis of 6 samples
received 7 September 2011

1246 DOR



Report Date
15 September 2011

Login Batch No

Chemtest LIMS ID

Sample ID

Sample No

Sampling Date

Depth

Matrix

SOP↓ Determinand↓

CAS No↓

Units↓

*

1670 TPH (Aqueous Phase)

119556

AG43604	AG43605	AG43606	AG43607	AG43608	AG43609
POL16	POL17	POL17	POL17	POL17	POL17
A	A	B	C	D	F
05/09/2011	05/09/2011	05/09/2011	06/09/2011	06/09/2011	06/09/2011
WATER	WATER	WATER	WATER	WATER	WATER
120	230	<10	10	<10	22

All tests undertaken between 08/09/2011 and 08/09/2011

* Accreditation status

This report should be interpreted in conjunction with the notes on the accompanying cover page.

Column page 1

Report page 1 of 1

LIMS sample ID range AG43604 to AG43609

Vertase FLI Limited
1 Middle Bridge Business Park
Bristol Road
Portishead, Bristol
BS20 6PN

FAO Jonathan Lewis
14 September 2011

Dear Jonathan Lewis

Test Report Number 119584
Your Project Reference 1246DOR

Please find enclosed the results of analysis for the samples received 8 September 2011.

All soil samples will be retained for a period of one month and all water samples will be retained for 7 days following the date of the test report. Should you require an extended retention period then please detail your requirements in an email to customerservices@chemtest.co.uk. Please be aware that charges may be applicable for extended sample storage.

If you require any further assistance, please do not hesitate to contact the Customer Services team.

Yours sincerely



Authorised Signatory

<input type="checkbox"/> Darrell Hall	Director
<input type="checkbox"/> Phil Hellier	Director
<input checked="" type="checkbox"/> Keith Jones	Technical Manager
<input type="checkbox"/> John Crawford	Quality Manager
<input type="checkbox"/> Malcolm Avis	Director



2183



Notes to accompany report:

- The sign < means 'less than'
- Tests marked 'U' hold UKAS accreditation
- Tests marked 'M' hold MCertS (and UKAS) accreditation
- Tests marked 'N' do not currently hold UKAS accreditation
- Tests marked 'S' were subcontracted to an approved laboratory
- n/e means 'not evaluated'
- i/s means 'insufficient sample'
- u/s means 'unsuitable sample'
- Comments or interpretations are beyond the scope of UKAS accreditation
- The results relate only to the items tested

Vertase FLI Limited
1 Middle Bridge Business Park
Bristol Road
Portishead, Bristol
BS20 6PN

FAO Jonathan Lewis

LABORATORY TEST REPORT

Results of analysis of 4 samples
received 8 September 2011

1246DOR



Report Date
14 September 2011

Login Batch No

Chemtest LIMS ID

Sample ID

Sample No

Sampling Date

Depth

Matrix

SOP↓ Determinand↓

CAS No↓

Units↓

*

1670	TPH (Aqueous Phase)		µg l ⁻¹	U	700	<10	100	<10
------	---------------------	--	--------------------	---	-----	-----	-----	-----

119584

AG44153	AG44154	AG44155	AG44156
POL17	POL17	POL17	POL17
K	L	M	J
06/09/2011	06/09/2011	06/09/2011	07/09/2011
WATER	WATER	WATER	WATER

All tests undertaken between 14/09/2011 and 14/09/2011

* Accreditation status

This report should be interpreted in conjunction with the notes on the accompanying cover page.

Column page 1

Report page 1 of 1

LIMS sample ID range AG44153 to AG44156

Vertase FLI Limited
1 Middle Bridge Business Park
Bristol Road
Portishead, Bristol
BS20 6PN

FAO Jonathan Lewis
14 September 2011

Dear Jonathan Lewis

Test Report Number 119585
Your Project Reference 1246 DOR

Please find enclosed the results of analysis for the samples received 8 September 2011.

All soil samples will be retained for a period of one month and all water samples will be retained for 7 days following the date of the test report. Should you require an extended retention period then please detail your requirements in an email to customerservices@chemtest.co.uk. Please be aware that charges may be applicable for extended sample storage.

If you require any further assistance, please do not hesitate to contact the Customer Services team.

Yours sincerely



Authorised Signatory

<input type="checkbox"/> Darrell Hall	Director
<input type="checkbox"/> Phil Hellier	Director
<input checked="" type="checkbox"/> Keith Jones	Technical Manager
<input type="checkbox"/> John Crawford	Quality Manager
<input type="checkbox"/> Malcolm Avis	Director



Notes to accompany report:

- The sign < means 'less than'
- Tests marked 'U' hold UKAS accreditation
- Tests marked 'M' hold MCertS (and UKAS) accreditation
- Tests marked 'N' do not currently hold UKAS accreditation
- Tests marked 'S' were subcontracted to an approved laboratory
- n/e means 'not evaluated'
- i/s means 'insufficient sample'
- u/s means 'unsuitable sample'
- Comments or interpretations are beyond the scope of UKAS accreditation
- The results relate only to the items tested

Test Report 119585 Cover Sheet

Vertase FLI Limited
1 Middle Bridge Business Park
Bristol Road
Portishead, Bristol
BS20 6PN

FAO Jonathan Lewis

LABORATORY TEST REPORT

Results of analysis of 6 samples
received 8 September 2011

1246 DOR



Report Date
14 September 2011

Login Batch No

Chemtest LIMS ID

Sample ID

Sample No

Sampling Date

Depth

Matrix

SOP↓ Determinand↓

CAS No↓

Units↓

*

1670 TPH (Aqueous Phase)

µg l⁻¹

U

119585

AG44159	AG44160	AG44161	AG44162	AG44163	AG44164
POL17	POL17	POL9	POL9	POL10	POL10
G	H	A	B	A	B
07/09/2011	07/09/2011	07/09/2011	07/09/2011	07/09/2011	07/09/2011
WATER	WATER	WATER	WATER	WATER	WATER
<10	<10	2000	<10	<10	<10

All tests undertaken between 14/09/2011 and 14/09/2011

* Accreditation status

This report should be interpreted in conjunction with the notes on the accompanying cover page.

Column page 1

Report page 1 of 1

LIMS sample ID range AG44159 to AG44164

Vertase FLI Limited
1 Middle Bridge Business Park
Bristol Road
Portishead, Bristol
BS20 6PN

FAO M J Parry
21 September 2011

Dear M J Parry

Test Report Number 119619
Your Project Reference 1246 DOR

Please find enclosed the results of analysis for the samples received 19 September 2011.

All soil samples will be retained for a period of one month and all water samples will be retained for 7 days following the date of the test report. Should you require an extended retention period then please detail your requirements in an email to customerservices@chemtest.co.uk. Please be aware that charges may be applicable for extended sample storage.

If you require any further assistance, please do not hesitate to contact the Customer Services team.

Yours sincerely,


Authorised Signatory

<input checked="" type="checkbox"/> Darrell Hall	Director
<input type="checkbox"/> Phil Hellier	Director
<input type="checkbox"/> Keith Jones	Technical Manager
<input type="checkbox"/> John Crawford	Quality Manager
<input type="checkbox"/> Malcolm Avis	Director



2183



Notes to accompany report:

- The sign < means 'less than'
- Tests marked 'U' hold UKAS accreditation
- Tests marked 'M' hold MCertS (and UKAS) accreditation
- Tests marked 'N' do not currently hold UKAS accreditation
- Tests marked 'S' were subcontracted to an approved laboratory
- n/e means 'not evaluated'
- i/s means 'insufficient sample'
- u/s means 'unsuitable sample'
- Comments or interpretations are beyond the scope of UKAS accreditation
- The results relate only to the items tested

Vertase FLI Limited
1 Middle Bridge Business Park
Bristol Road
Portishead, Bristol
BS20 6PN
FAO M J Parry

LABORATORY TEST REPORT

Results of analysis of 7 samples
received 19 September 2011



Report Date
21 September 2011

1246 DOR

Login Batch No

Chemtest LIMS ID

Sample ID

Sample No

Sampling Date

Depth

Matrix

SOP↓ Determinand↓

CAS No↓

Units↓

*

1670	TPH (Aqueous Phase)		µg l ⁻¹	U	<10	4700	1400	1700	10000	<10	15000
------	---------------------	--	--------------------	---	-----	------	------	------	-------	-----	-------

119619

AG47831	AG47832	AG47833	AG47834	AG47835	AG47836	AG47837
POL	POL	POL	POL	POL	POL	POL
2 Basement	20I	20J	20K	20L	23A	23B
16/09/2011	14/09/2011	14/09/2011	14/09/2011	14/09/2011	15/06/2011	16/09/2011
WATER	WATER	WATER	WATER	WATER	WATER	WATER

All tests undertaken between 21/09/2011 and 21/09/2011

* Accreditation status

This report should be interpreted in conjunction with the notes on the accompanying cover page.

Column page 1

Report page 1 of 1

LIMS sample ID range AG47831 to AG47837

Vertase FLI Limited
1 Middle Bridge Business Park
Bristol Road
Portishead, Bristol
BS20 6PN

FAO M J Parry
27 September 2011

Dear M J Parry

Test Report Number 119684
Your Project Reference 1246 DOR

Please find enclosed the results of analysis for the samples received 21 September 2011.

All soil samples will be retained for a period of one month and all water samples will be retained for 7 days following the date of the test report. Should you require an extended retention period then please detail your requirements in an email to customerservices@chemtest.co.uk. Please be aware that charges may be applicable for extended sample storage.

If you require any further assistance, please do not hesitate to contact the Customer Services team.

Yours sincerely



Authorised Signatory

<input type="checkbox"/> Darrell Hall	Director
<input checked="" type="checkbox"/> Phil Hellier	Director
<input type="checkbox"/> Keith Jones	Technical Manager
<input type="checkbox"/> John Crawford	Quality Manager
<input type="checkbox"/> Malcolm Avis	Director



2183



Notes to accompany report:

- The sign < means 'less than'
- Tests marked 'U' hold UKAS accreditation
- Tests marked 'M' hold MCertS (and UKAS) accreditation
- Tests marked 'N' do not currently hold UKAS accreditation
- Tests marked 'S' were subcontracted to an approved laboratory
- n/e means 'not evaluated'
- i/s means 'insufficient sample'
- u/s means 'unsuitable sample'
- Comments or interpretations are beyond the scope of UKAS accreditation
- The results relate only to the items tested

Test Report 119684 Cover Sheet

Newmarket • Tamworth • Glasgow

Registered in England & Wales - Registration Number 6511736 - Registered Office: 11 Depot Road Newmarket Suffolk CB8 0AL.

Vertase FLI Limited
1 Middle Bridge Business Park
Bristol Road
Portishead, Bristol
BS20 6PN
FAO M J Parry

LABORATORY TEST REPORT

Results of analysis of 5 samples
received 21 September 2011

1246 DOR



Report Date
27 September 2011

Login Batch No

Chemtest LIMS ID

Sample ID

Sample No

Sampling Date

Depth

Matrix

SOP↓ Determinand↓

CAS No↓

Units↓

*

1670	TPH (Aqueous Phase)		µg l ⁻¹	U	40000	6800	2700	23000	34000
------	---------------------	--	--------------------	---	-------	------	------	-------	-------

119684

AG49094	AG49095	AG49096	AG49097	AG49098
POL	POL	POL	POL	POL
3A	3B	21A	21B	21C
19/09/2011	19/09/2011	19/09/2011	19/09/2011	19/09/2011
WATER	WATER	WATER	WATER	WATER

All tests undertaken between 16/09/2011 and 23/09/2011

* Accreditation status

This report should be interpreted in conjunction with the notes on the accompanying cover page.

Column page 1

Report page 1 of 1

LIMS sample ID range AG49094 to AG49098

Vertase FLI Limited
1 Middle Bridge Business Park
Bristol Road
Portishead, Bristol
BS20 6PN

FAO Jonathan Lewis
13 September 2011

Dear Jonathan Lewis

Test Report Number 139389
Your Project Reference 1246DOR

Please find enclosed the results of analysis for the samples received 9 September 2011.

All soil samples will be retained for a period of one month and all water samples will be retained for 7 days following the date of the test report. Should you require an extended retention period then please detail your requirements in an email to customerservices@chemtest.co.uk. Please be aware that charges may be applicable for extended sample storage.

If you require any further assistance, please do not hesitate to contact the Customer Services team.

Yours sincerely



Authorised Signatory

<input type="checkbox"/> Darrell Hall	Director
<input checked="" type="checkbox"/> Phil Hellier	Director
<input type="checkbox"/> Keith Jones	Technical Manager
<input type="checkbox"/> John Crawford	Quality Manager
<input type="checkbox"/> Malcolm Avis	Director



2183



Notes to accompany report:

- The sign < means 'less than'
- Tests marked 'U' hold UKAS accreditation
- Tests marked 'M' hold MCertS (and UKAS) accreditation
- Tests marked 'N' do not currently hold UKAS accreditation
- Tests marked 'S' were subcontracted to an approved laboratory
- n/e means 'not evaluated'
- i/s means 'insufficient sample'
- u/s means 'unsuitable sample'
- Comments or interpretations are outside of the scope of UKAS accreditation
- The results relate only to the items tested
- Stones represent the quantity of material removed prior to analysis
- All results are expressed on a dry weight basis
- The following tests were analysed on samples as received and the results subsequently corrected to a dry weight basis TPH, BTEX, VOCs, SVOCs, PCBs, phenols
- For all other tests the samples were dried at < 37°C prior to analysis
- Uncertainties of measurement for the determinands tested are available upon request
- Soil descriptions, including colour and texture, are beyond the scope of MCertS accreditation
- None of the test results included in this report have been recovery corrected

Test Report 139389 Cover Sheet

Vertase FLI Limited
1 Middle Bridge Business Park
Bristol Road
Portishead, Bristol
BS20 6PN

FAO Jonathan Lewis

LABORATORY TEST REPORT

Results of analysis of 5 samples
received 09 September 2011

1246DOR



Report Date
17 January 2012

Login Batch No

Chemtest LIMS ID

Sample ID

Sample No

Sampling Date

Depth

Matrix

SOP↓ Determinand↓

CAS No↓

Units↓

*

1670 TPH (Aqueous Phase)

µg l⁻¹

U

139389

AG44714

AG44715

AG44716

AG44717

AG44718

POL11A

POL14A

POL14B

POL12A

POL12B

8/9/2011

8/9/2011

8/9/2011

8/9/2011

8/9/2011

WATER

WATER

WATER

WATER

WATER

<10

17000

730

83

3100

All tests undertaken between 13-Sep-2011 and 13-Sep-2011

* Accreditation status

This report should be interpreted in conjunction with the notes on the accompanying cover page

Column page 1

Report page 1 of 1

Report sample ID range AG44714 to AG44718

Vertase FLI Limited
1 Middle Bridge Business Park
Bristol Road
Portishead, Bristol
BS20 6PN

FAO Jonathan Lewis
16 September 2011

Dear Jonathan Lewis

Test Report Number 139443
Your Project Reference 1246DOR

Please find enclosed the results of analysis for the samples received 12 September 2011.

All soil samples will be retained for a period of one month and all water samples will be retained for 7 days following the date of the test report. Should you require an extended retention period then please detail your requirements in an email to customerservices@chemtest.co.uk. Please be aware that charges may be applicable for extended sample storage.

If you require any further assistance, please do not hesitate to contact the Customer Services team.

Yours sincerely



Authorised Signatory

<input type="checkbox"/> Darrell Hall	Director
<input checked="" type="checkbox"/> Phil Hellier	Director
<input type="checkbox"/> Keith Jones	Technical Manager
<input type="checkbox"/> John Crawford	Quality Manager
<input type="checkbox"/> Malcolm Avis	Director



2183



Notes to accompany report:

- The sign < means 'less than'
- Tests marked 'U' hold UKAS accreditation
- Tests marked 'M' hold MCertS (and UKAS) accreditation
- Tests marked 'N' do not currently hold UKAS accreditation
- Tests marked 'S' were subcontracted to an approved laboratory
- n/e means 'not evaluated'
- i/s means 'insufficient sample'
- u/s means 'unsuitable sample'
- Comments or interpretations are beyond the scope of UKAS accreditation
- The results relate only to the items tested

Test Report 139443 Cover Sheet

Vertase FLI Limited
1 Middle Bridge Business Park
Bristol Road
Portishead, Bristol
BS20 6PN

FAO Jonathan Lewis

LABORATORY TEST REPORT

Results of analysis of 1 sample
received 12 September 2011

1246DOR



Report Date
16 September 2011

Login Batch No

Chemtest LIMS ID

Sample ID

Sample No

Sampling Date

Depth

Matrix

SOP↓ Determinand↓

CAS No↓

Units↓

139443
AG45207
POL22A
08/09/2011
WATER

*

1670	TPH (Aqueous Phase)		µg l ⁻¹	U	18000
------	---------------------	--	--------------------	---	-------

All tests undertaken between 14/09/2011 and 14/09/2011

* Accreditation status

This report should be interpreted in conjunction with the notes on the accompanying cover page.

Column page 1

Report page 1 of 1

LIMS sample ID range AG45207 to AG45207

Vertase FLI Limited
1 Middle Bridge Business Park
Bristol Road
Portishead, Bristol
BS20 6PN

FAO Jonathan Lewis
20 September 2011

Dear Jonathan Lewis

Test Report Number 139562
Your Project Reference 1246DOR

Please find enclosed the results of analysis for the samples received 14 September 2011.

All soil samples will be retained for a period of one month and all water samples will be retained for 7 days following the date of the test report. Should you require an extended retention period then please detail your requirements in an email to customerservices@chemtest.co.uk. Please be aware that charges may be applicable for extended sample storage.

If you require any further assistance, please do not hesitate to contact the Customer Services team.

Yours sincerely



Authorised Signatory

<input type="checkbox"/> Darrell Hall	Director
<input type="checkbox"/> Phil Hellier	Director
<input checked="" type="checkbox"/> Keith Jones	Technical Manager
<input type="checkbox"/> John Crawford	Quality Manager
<input type="checkbox"/> Malcolm Avis	Director



2183



Notes to accompany report:

- The sign < means 'less than'
- Tests marked 'U' hold UKAS accreditation
- Tests marked 'M' hold MCertS (and UKAS) accreditation
- Tests marked 'N' do not currently hold UKAS accreditation
- Tests marked 'S' were subcontracted to an approved laboratory
- n/e means 'not evaluated'
- i/s means 'insufficient sample'
- u/s means 'unsuitable sample'
- Comments or interpretations are beyond the scope of UKAS accreditation
- The results relate only to the items tested

Test Report 139562 Cover Sheet

Vertase FLI Limited
1 Middle Bridge Business Park
Bristol Road
Portishead, Bristol
BS20 6PN

FAO Jonathan Lewis

LABORATORY TEST REPORT

Results of analysis of 5 samples
received 14 September 2011

1246DOR



Report Date
20 September 2011

Login Batch No

Chemtest LIMS ID

Sample ID

Sample No

Sampling Date

Depth

Matrix

SOP↓ Determinand↓

CAS No↓

Units↓

*

1670	TPH (Aqueous Phase)		µg l ⁻¹	U	<10	<10	840	32000	44000
------	---------------------	--	--------------------	---	-----	-----	-----	-------	-------

139562

AG46318	AG46319	AG46320	AG46321	AG46322
POL	POL	POL	POL	POL
7	8	20A	20B	20C
13/09/2011	13/09/2011	13/09/2011	13/09/2011	13/09/2011
WATER	WATER	WATER	WATER	WATER

All tests undertaken between 16/09/2011 and 16/09/2011

* Accreditation status

This report should be interpreted in conjunction with the notes on the accompanying cover page.

Column page 1

Report page 1 of 1

LIMS sample ID range AG46318 to AG46322

Vertase FLI Limited
1 Middle Bridge Business Park
Bristol Road
Portishead, Bristol
BS20 6PN

FAO Jonathan Lewis
20 September 2011

Dear Jonathan Lewis

Test Report Number 139564
Your Project Reference 1246DOR

Please find enclosed the results of analysis for the samples received 14 September 2011.

All soil samples will be retained for a period of one month and all water samples will be retained for 7 days following the date of the test report. Should you require an extended retention period then please detail your requirements in an email to customerservices@chemtest.co.uk. Please be aware that charges may be applicable for extended sample storage.

If you require any further assistance, please do not hesitate to contact the Customer Services team.

Yours sincerely



Authorised Signatory

<input type="checkbox"/> Darrell Hall	Director
<input type="checkbox"/> Phil Hellier	Director
<input checked="" type="checkbox"/> Keith Jones	Technical Manager
<input type="checkbox"/> John Crawford	Quality Manager
<input type="checkbox"/> Malcolm Avis	Director



2183



Notes to accompany report:

- The sign < means 'less than'
- Tests marked 'U' hold UKAS accreditation
- Tests marked 'M' hold MCertS (and UKAS) accreditation
- Tests marked 'N' do not currently hold UKAS accreditation
- Tests marked 'S' were subcontracted to an approved laboratory
- n/e means 'not evaluated'
- i/s means 'insufficient sample'
- u/s means 'unsuitable sample'
- Comments or interpretations are beyond the scope of UKAS accreditation
- The results relate only to the items tested

Test Report 139564 Cover Sheet

Vertase FLI Limited
1 Middle Bridge Business Park
Bristol Road
Portishead, Bristol
BS20 6PN

FAO Jonathan Lewis

LABORATORY TEST REPORT

Results of analysis of 8 samples
received 14 September 2011

1246DOR



Report Date
20 September 2011

Login Batch No

Chemtest LIMS ID

Sample ID

Sample No

Sampling Date

Depth

Matrix

SOP↓ Determinand↓

CAS No↓

Units↓

*

1670	TPH (Aqueous Phase)		µg l ⁻¹	U	1300	360	580	640	6100	<10	<10	<10
------	---------------------	--	--------------------	---	------	-----	-----	-----	------	-----	-----	-----

139564

AG46327	AG46328	AG46329	AG46330	AG46331	AG46332	AG46333	AG46334
POL	POL	POL	POL	POL	POL	POL	POL
2A	2B	2C	2D	2E	13	15B	15C
12/09/2011	12/09/2011	12/09/2011	12/09/2011	12/09/2011	12/09/2011	12/09/2011	12/09/2011
WATER	WATER	WATER	WATER	WATER	WATER	WATER	WATER

All tests undertaken between 16/09/2011 and 16/09/2011

* Accreditation status

This report should be interpreted in conjunction with the notes on the accompanying cover page.

Column page 1

Report page 1 of 1

LIMS sample ID range AG46327 to AG46334

Vertase FLI Limited
1 Middle Bridge Business Park
Bristol Road
Portishead, Bristol
BS20 6PN

FAO Jonathan Lewis
21 September 2011

Dear Jonathan Lewis


Test Report Number 139611
Your Project Reference 1246DOR

Please find enclosed the results of analysis for the samples received 15 September 2011.

All soil samples will be retained for a period of one month and all water samples will be retained for 7 days following the date of the test report. Should you require an extended retention period then please detail your requirements in an email to customerservices@chemtest.co.uk. Please be aware that charges may be applicable for extended sample storage.

If you require any further assistance, please do not hesitate to contact the Customer Services team.

Yours sincerely



Authorised Signatory

<input checked="" type="checkbox"/> Darrell Hall	Director
<input type="checkbox"/> Phil Hellier	Director
<input type="checkbox"/> Keith Jones	Technical Manager
<input type="checkbox"/> John Crawford	Quality Manager
<input type="checkbox"/> Malcolm Avis	Director



2183



Notes to accompany report:

- The sign < means 'less than'
- Tests marked 'U' hold UKAS accreditation
- Tests marked 'M' hold MCertS (and UKAS) accreditation
- Tests marked 'N' do not currently hold UKAS accreditation
- Tests marked 'S' were subcontracted to an approved laboratory
- n/e means 'not evaluated'
- i/s means 'insufficient sample'
- u/s means 'unsuitable sample'
- Comments or interpretations are beyond the scope of UKAS accreditation
- The results relate only to the items tested

Test Report 139611 Cover Sheet

Vertase FLI Limited
1 Middle Bridge Business Park
Bristol Road
Portishead, Bristol
BS20 6PN

FAO Jonathan Lewis

LABORATORY TEST REPORT

Results of analysis of 7 samples
received 15 September 2011

1246DOR



Report Date
21 September 2011

Login Batch No

Chemtest LIMS ID

Sample ID

Sample No

Sampling Date

Depth

Matrix

SOP↓ Determinand↓

CAS No↓

Units↓

*

1670	TPH (Aqueous Phase)		µg l ⁻¹	U	330	3200	37000	860	5000	3200	22000
------	---------------------	--	--------------------	---	-----	------	-------	-----	------	------	-------

139611

AG46756	AG46757	AG46758	AG46759	AG46760	AG46761	AG46762
POL	POL	POL	POL	POL	POL	POL
2F	20D	20E	20F	20G	20H	22
14/09/2011	14/09/2011	14/09/2011	14/09/2011	14/09/2011	14/09/2011	14/09/2011
WATER	WATER	WATER	WATER	WATER	WATER	WATER

All tests undertaken between 19/09/2011 and 19/09/2011

* Accreditation status

This report should be interpreted in conjunction with the notes on the accompanying cover page.

Column page 1

Report page 1 of 1

LIMS sample ID range AG46756 to AG46762

Vertase FLI Limited
1 Middle Bridge Business Park
Bristol Road
Portishead, Bristol
BS20 6PN

FAO Jonathan Lewis
04 October 2011

Dear Jonathan Lewis

Test Report Number 139991
Your Project Reference 1246DOR

Please find enclosed the results of analysis for the samples received 28 September 2011.

All soil samples will be retained for a period of one month and all water samples will be retained for 7 days following the date of the test report. Should you require an extended retention period then please detail your requirements in an email to customerservices@chemtest.co.uk. Please be aware that charges may be applicable for extended sample storage.

If you require any further assistance, please do not hesitate to contact the Customer Services team.

Yours sincerely



Authorised Signatory

<input type="checkbox"/> Darrell Hall	Director
<input checked="" type="checkbox"/> Phil Hellier	Director
<input type="checkbox"/> Keith Jones	Technical Manager
<input type="checkbox"/> John Crawford	Quality Manager
<input type="checkbox"/> Malcolm Avis	Director



Notes to accompany report:

- The sign < means 'less than'
- Tests marked 'U' hold UKAS accreditation
- Tests marked 'M' hold MCertS (and UKAS) accreditation
- Tests marked 'N' do not currently hold UKAS accreditation
- Tests marked 'S' were subcontracted to an approved laboratory
- n/e means 'not evaluated'
- i/s means 'insufficient sample'
- u/s means 'unsuitable sample'
- Comments or interpretations are beyond the scope of UKAS accreditation
- The results relate only to the items tested

Test Report 139991 Cover Sheet

Vertase FLI Limited
1 Middle Bridge Business Park
Bristol Road
Portishead, Bristol
BS20 6PN

FAO Jonathan Lewis

LABORATORY TEST REPORT

Results of analysis of 9 samples
received 28 September 2011

1246DOR



Report Date
04 October 2011

Login Batch No

Chemtest LIMS ID

Sample ID

Sample No

Sampling Date

Depth

Matrix

SOP↓ Determinand↓

CAS No↓

Units↓

*

1670	TPH (Aqueous Phase)		µg l ⁻¹	U	110000	85000	1100	120000	260	3000	150	160
------	---------------------	--	--------------------	---	--------	-------	------	--------	-----	------	-----	-----

139991

AG51829	AG51830	AG51831	AG51832	AG51833	AG51834	AG51835	AG51836
POL	POL	POL	POL	POL	POL	POL	POL
2G	2H	2J	2K	2L	2M	25A	25B
26/09/2011	26/09/2011	26/09/2011	26/09/2011	26/09/2011	26/09/2011	26/09/2011	26/09/2011
WATER	WATER	WATER	WATER	WATER	WATER	WATER	WATER

All tests undertaken between 30/09/2011 and 03/10/2011

* Accreditation status

This report should be interpreted in conjunction with the notes on the accompanying cover page.

Column page 1

Report page 1 of 1

LIMS sample ID range AG51829 to AG51837

Vertase FLI Limited
1 Middle Bridge Business Park
Bristol Road
Portishead, Bristol
BS20 6PN

FAO Jonathan Lewis

LABORATORY TEST REPORT

Results of analysis of 9 samples
received 28 September 2011

1246DOR



Report Date
04 October 2011

Login Batch No

Chemtest LIMS ID

Sample ID

Sample No

Sampling Date

Depth

Matrix

SOP↓ Determinand↓

CAS No↓

Units↓

1670 TPH (Aqueous Phase)

µg l⁻¹

U

139991

AG51837

POL

1

26/09/2011

WATER

120

* Accreditation status

This report should be interpreted in conjunction with the notes on the accompanying cover page.

Column page 2

Report page 1 of 1

LIMS sample ID range AG51829 to AG51837