

Appendix L.A02

Tree Survey: Nicholsons Nurseries

Sorted by Category

16 August 2007



**TOTAL CATEGORY A TREES Heyford Park Nicholson's Tree Survey November 2006**

| Group No | Tag      | Species (Botanical)                         | Diam (mm) | Stems | Ht m. (est) | Branch Spread |      |      |      | Increase in canopy radius (m) | Crown Ht | Age Class | Physiological Condition | Structural Condition                       | Preliminary Management | Priority | Remaining Contribution | Category Grading | Root Protection Zone Radius (m) | Root Protection zone (m2). Capped at 707m2 |
|----------|----------|---|-----------|-------|-------------|---------------|------|------|------|-------------------------------|----------|-----------|-------------------------|--|------------------------|----------|------------------------|------------------|---------------------------------|--|
|          |          |   |           |       |             | N             | S    | E    | W    |                               |          |           |                         |  |                        |          |                        |                  |                                 |  |
|          | 1        | Acer pseudoplatanus Sycamore                | 669       | 1     | 17          | 5.0           | 2.0  | 3.0  | 6.0  | 2                             | 6        | M         | Good                    | Av multiple stems from 2m                  | Deadwood               | P        | 40+                    | A1               | 8.03                            | 202.50                                     |
|          | 3        | Acer pseudoplatanus Sycamore                | 635       | 1     | 17          | 2.0           | 3.0  | 5.0  | 7.0  | 2                             | 6        | M         | Fair                    | Average condition                          | Deadwood               | P        | 40+                    | A1               | 7.62                            | 182.44                                     |
|          | 4        | Acer pseudoplatanus Sycamore                | 671       | 1     | 17          | 2.5           | 4.0  | 4.0  | 10.0 | 2                             | 6        | M         | Fair                    | Av small decay pocket in main fork at 1.6m | Nil                    | N/A      | 40+                    | A1               | 8.05                            | 203.71                                     |
|          | 6        | Acer pseudoplatanus Sycamore                | 459       | 1     | 17          | 2.5           | 1.0  | 5.0  | 10.0 | 2                             | 7        | M         | Fair                    | Average condition                          | Deadwood               | P        | 40+                    | A1               | 5.51                            | 95.32                                      |
|          | 7        | Acer pseudoplatanus Sycamore                | 704       | 1     | 17          | 4.0           | 4.0  | 6.0  | 11.0 | 2                             | 8        | M         | Fair                    | Av tight fork at 3m included bark          | Nil                    | N/A      | 40+                    | A1               | 8.45                            | 224.24                                     |
|          | 9        | Acer pseudoplatanus Sycamore                | 722       | 1     | 17          | 2.0           | 6.0  | 4.5  | 6.0  | 2                             | 7        | M         | Fair                    | Av tight forks at 2 & 3m included bark     | Deadwood               | P        | 40+                    | A1               | 8.66                            | 235.85                                     |
|          | 10       | Acer pseudoplatanus Sycamore                | 656       | 1     | 17          | 2.0           | 6.0  | 10.0 | 5.0  | 2                             | 6        | M         | Fair                    | Av minor buttress damage w                 | Nil                    | N/A      | 40+                    | A1               | 7.87                            | 194.70                                     |
|          | 13       | Acer pseudoplatanus Sycamore                | 460       | 1     | 17          | 4.0           | 5.0  | 10.0 | 5.0  | 2                             | 9        | M         | Fair                    | Average condition                          | Deadwood               | P        | 40+                    | A1               | 5.52                            | 95.74                                      |
|          | 14       | Acer pseudoplatanus Sycamore                | 570       | 1     | 17          | 4.0           | 2.0  | 10.0 | 5.0  | 2                             | 7        | M         | Fair                    | Av small decay pocket in main fork at 2m   | Deadwood               | P        | 40+                    | A1               | 6.84                            | 147.00                                     |
|          | 17       | Acer pseudoplatanus Sycamore                | 420       | 1     | 17          | 2.0           | 1.0  | 10.0 | 4.0  | 2                             | 7        | M         | Fair                    | Average condition                          | Nil                    | N/A      | 40+                    | A1               | 5.04                            | 79.81                                      |
|          | 18       | Acer pseudoplatanus Sycamore                | 492       | 1     | 17          | 2.0           | 3.0  | 10.0 | 4.0  | 2                             | 7        | M         | Fair                    | Average condition                          | Nil                    | N/A      | 40+                    | A1               | 5.90                            | 109.52                                     |
|          | 19       | Acer pseudoplatanus Sycamore                | 523       | 1     | 17          | 2.0           | 3.0  | 10.0 | 6.0  | 2                             | 7        | M         | Fair                    | Average condition                          | Nil                    | N/A      | 40+                    | A1               | 6.28                            | 123.76                                     |
|          | 36       | Cedrus deodara Deodar                       | 856       | MS    | 17          | 8.0           | 7.0  | 4.0  | 5.0  | 2                             | 3        | M         | Good                    | Average condition                          | Nil                    | N/A      | 40+                    | A1               | 8.56                            | 230.23                                     |
|          | 104      | Cedrus deodara Deodar                       | 575       | 1     | 14          | 6.0           | 6.0  | 5.5  | 4.0  | 2                             | 4        | M         | Fair                    | Average condition                          | Nil                    | N/A      | 40+                    | A1               | 6.90                            | 149.59                                     |
|          | 113      | Fagus sylvatica Beech                       | 735       | 1     | 13          | 9.0           | 5.0  | 10.0 | 7.0  | 2                             | 5        | M         | Good                    | Minor bark wound 1.0 w                     | Nil                    | N/A      | 40+                    | A1               | 8.82                            | 244.42                                     |
|          | 628      | Acer pseudoplatanus Sycamore                | 536       | 1     | 15          | 5.0           | 5.0  | 6.0  | 4.0  | 3                             | 2        | M         | Good                    | Ivy obscured base                          | Nil                    | N/A      | 20-40                  | A1,2             | 4.01                            | 129.99                                     |
|          | 638      | Acer platanoides Norway maple               | 476       | 1     | 14          | 6.0           | 4.0  | 5.0  | 4.0  | 2                             | 3        | M         | Good                    | Minor deadwood to crown                    | Nil                    | N/A      | 20-40                  | A1,2             | 3.90                            | 102.51                                     |
|          | 641      | Aesculus hippocastanum Horse Chestnut       | 558       | 1     | 14          | 5.0           | 4.0  | 5.0  | 5.0  | 3                             | 2        | M         | Good                    | Many included bark unions                  | Nil                    | N/A      | 20-40                  | A1,2             | 4.12                            | 140.88                                     |
|          | 655      | Acer pseudoplatanus Sycamore                | 334       | 1     | 12          | 4.0           | 4.0  | 4.0  | 4.0  | 2                             | 1        | M         | Good                    | No visible defects                         | Nil                    | N/A      | 20-40                  | A1               | 4.01                            | 50.47                                      |
|          | 687      | Acer platanoides Norway maple               | 325       | 1     | 7           | 3.5           | 3.5  | 3.5  | 3.5  | 3                             | 3        | M         | Good                    | No visible defects                         | None                   | N/A      | 40+                    | A1               | 3.90                            | 47.79                                      |
|          | 688      | Acer platanoides Norway maple               | 343       | 1     | 8           | 3.0           | 3.0  | 3.0  | 4.0  | 3                             | 2.5      | M         | Good                    | No visible defects                         | None                   | N/A      | 40+                    | A1               | 4.12                            | 53.23                                      |
|          | 694      | Acer pseudoplatanus Sycamore                | 362       | 1     | 10          | 4.0           | 4.0  | 4.0  | 4.0  | 3                             | 3        | M         | Good                    | No visible defects                         | None                   | N/A      | 40+                    | A1               | 4.34                            | 59.29                                      |
|          | 726      | Salix sepulcralis chysoccoma Weeping willow | 475       | 1     | 8           | 4.0           | 4.0  | 5.0  | 5.0  | 0                             | 4        | M         | Good                    | Minor dead wood                            | Crown clean            | P        | 40+                    | A2               | 5.70                            | 102.08                                     |
|          | 727      | Salix sepulcralis chysoccoma Weeping willow | 485       | 1     | 8           | 4.0           | 4.0  | 5.0  | 5.0  | 0                             | 4        | M         | Good                    | Minor dead wood                            | Crown clean            | P        | 40+                    | A2               | 5.82                            | 106.43                                     |
|          | 788      | Tilia europaea Common Lime                  | 280       | 1     | 7           | 3.0           | 3.0  | 3.0  | 3.0  | 3                             | 2        | M         | Good                    | No visible defects                         | None                   | N/A      | 40+                    | A1               | 3.29                            | 35.47                                      |
|          | 791      | Tilia cordata Small leaved lime             | 377       | 1     | 7           | 4.0           | 4.0  | 4.0  | 4.0  | 3                             | 2        | M         | Good                    | No visible defects                         | None                   | N/A      | 40+                    | A1               | 5.30                            | 64.31                                      |
|          | 805      | Acer pseudoplatanus Sycamore                | 501       | 1     | 8           | 5.0           | 5.0  | 5.0  | 5.0  | 3                             | 3        | M         | Good                    | No visible defects                         | None                   | N/A      | 40+                    | A1               | 5.42                            | 113.56                                     |
|          | 806      | Malus domestica Apple                       | 274       | 1     | 8           | 2.0           | 2.0  | 2.0  | 2.0  | 1                             | 3        | M         | Good                    | No visible defects                         | None                   | N/A      | 40+                    | A1               | 7.56                            | 33.97                                      |
|          | 829      | Platanus hispanica London plane             | 442       | 1     | 16          | 5.0           | 4.0  | 6.0  | 4.0  | 3                             | 2        | M         | Good                    | No visible defects                         | Nil                    | N/A      | 40+                    | A1               | 5.62                            | 88.39                                      |
|          | 911      | Acer pseudoplatanus Sycamore                | 452       | 1     | 9           | 4.0           | 4.0  | 4.0  | 4.0  | 3                             | 2        | M         | Good                    | No visible defects                         | None                   | N/A      | 40+                    | A1               | 5.42                            | 92.44                                      |
|          | 2074     | Acer platanoides Norway maple               | 630       | 1     | 13          | 4.0           | 4.0  | 5.0  | 5.0  | 2                             | 2        | M         | Good                    | Crossing branches                          | Nil                    | N/A      | 40+                    | A1,2             | 7.56                            | 179.58                                     |
|          | 2224     | Ulmus glabra Wych Elm                       | 468       | 1     | 15          | 5.0           | 5.0  | 5.0  | 5.0  | 4                             | 0        | M         | Good                    | No visible defects                         | Nil                    | N/A      | 40+                    | A1               | 5.62                            | 99.10                                      |
|          | 2255     | Tilia europaea Common Lime                  | 588       | 1     | 8           | 4.0           | 4.0  | 4.0  | 4.0  | 2                             | 2        | M         | Good                    | No visible defects                         | Nil                    | N/A      | 40+                    | A1               | 7.06                            | 156.43                                     |
|          | G60 4755 | Fagus sylvatica Beech                       | 719       | 1     | 18          | 7.0           | 7.0  | 5.0  | 6.0  | 3                             | 2        | M         | Good                    | No visible defects                         | None                   | N/A      | 40+                    | A2               | 8.63                            | 233.90                                     |
|          | G60 4756 | Fagus sylvatica Beech                       | 649       | 1     | 18          | 7.0           | 7.0  | 6.0  | 6.0  | 3                             | 2        | M         | Good                    | Minor deadwood                             | None                   | N/A      | 40+                    | A2               | 7.79                            | 190.57                                     |
|          | G60 4757 | Fagus sylvatica Beech                       | 732       | 1     | 18          | 7.0           | 7.0  | 7.0  | 6.0  | 3                             | 2        | M         | Good                    | No visible defects                         | None                   | N/A      | 40+                    | A2               | 8.78                            | 242.43                                     |
|          | G60 4759 | Fagus sylvatica Beech                       | 600       | 1     | 16          | 6.5           | 6.5  | 6.5  | 6.5  | 2                             | 2        | M         | Good                    | No visible defects                         | None                   | N/A      | 40+                    | A2               | 7.20                            | 162.88                                     |
|          | G61 4760 | Fagus sylvatica Beech                       | 499       | 1     | 18          | 10.0          | 10.0 | 6.0  | 6.0  | 3                             | 2        | M         | Good                    | No visible defects                         | None                   | N/A      | 40+                    | A2               | 5.99                            | 112.66                                     |
|          | G61 4764 | Fagus sylvatica Beech                       | 779       | 1     | 18          | 6.0           | 7.0  | 6.0  | 6.0  | 3                             | 2        | M         | Good                    | No visible defects                         | None                   | N/A      | 40+                    | A1               | 9.35                            | 274.56                                     |
|          | G62 4781 | Fagus sylvatica Beech                       | 569       | 1     | 17          | 4.0           | 5.0  | 6.0  | 6.0  | 3                             | 2        | M         | Good                    | No visible defects                         | None                   | N/A      | 40+                    | A2               | 6.83                            | 146.49                                     |
|          | G62 4782 | Fagus sylvatica Beech                       | 492       | 1     | 17          | 4.0           | 6.0  | 6.0  | 5.0  | 3                             | 2        | M         | Good                    | No visible defects                         | None                   | N/A      | 40+                    | A2               | 5.90                            | 109.52                                     |
|          | G62 4783 | Fagus sylvatica Beech                       | 548       | 1     | 17          | 6.0           | 6.0  | 6.0  | 6.0  | 3                             | 2        | M         | Good                    | Tight forks                                | None                   | N/A      | 40+                    | A2               | 6.58                            | 135.87                                     |
|          | G62 4784 | Tilia europaea Common Lime                  | 399       | 1     | 13          | 4.0           | 4.0  | 5.0  | 5.0  | 2                             | 2        | M         | Good                    | No visible defects                         | None                   | N/A      | 40+                    | A2               | 4.79                            | 72.03                                      |
|          | G62 4785 | Tilia europaea Common Lime                  | 407       | 1     | 12          | 4.0           | 4.0  | 5.0  | 5.0  | 2                             | 2        | M         | Good                    | No visible defects                         | None                   | N/A      | 40+                    | A2               | 4.88                            | 74.95                                      |
|          | G62 4786 | Fagus sylvatica Beech                       | 448       | 1     | 16          | 5.0           | 5.0  | 5.0  | 6.0  | 2                             | 2        | M         | Good                    | Stem injury at 2.5 m north                 | None                   | N/A      | 40+                    | A2               | 5.38                            | 90.81                                      |
|          | G62 4787 | Fagus sylvatica Beech                       | 615       | 1     | 17          | 5.0           | 5.0  | 5.0  | 6.0  | 2                             | 2        | M         | Good                    | No visible defects                         | None                   | N/A      | 40+                    | A2               | 7.38                            | 171.13                                     |
|          | G62 4789 | Fagus sylvatica Beech                       | 476       | 1     | 16          | 5.0           | 5.0  | 5.0  | 6.0  | 2                             | 2        | M         | Good                    | Historic flush cut wound at 2.5 m south    | None                   | N/A      | 40+                    | A2               | 5.71                            | 102.51                                     |
|          | G62 4790 | Fagus sylvatica Beech                       | 577       | 1     | 17          | 5.0           | 5.0  | 5.0  | 6.0  | 2                             | 2        | M         | Good                    | No visible defects                         | None                   | N/A      | 40+                    | A2               | 6.92                            | 150.63                                     |
|          | G62 4791 | Fagus sylvatica Beech                       | 620       | 1     | 17          | 5.0           | 5.0  | 5.0  | 6.0  | 2                             | 2        | M         | Good                    | Mower damage to root plane area            | None                   | N/A      | 40+                    | A2               | 7.44                            | 173.92                                     |
|          | G62 4793 | Fagus sylvatica Beech                       | 663       | 1     | 19          | 5.0           | 5.0  | 5.0  | 6.0  | 2                             | 3        | M         | Good                    | No visible defects                         | None                   | N/A      | 40+                    | A2               | 7.96                            | 198.88                                     |
|          | G62 4794 | Fagus sylvatica Beech                       | 880       | 1     | 22          | 4.0           | 5.0  | 6.0  | 5.0  | 2                             | 3        | M         | Good                    | No visible defects                         | None                   | N/A      | 40+                    | A2               | 10.56                           | 350.38                                     |
|          | G63 4795 | Fagus sylvatica Beech                       | 760       | 1     | 16          | 4.0           | 6.0  | 6.0  | 5.0  | 2                             | 2        | M         | Good                    | No visible defects                         | None                   | N/A      | 40+                    | A2               | 9.12                            | 261.33                                     |
|          | G63 4797 | Fagus sylvatica Beech                       | 561       | MS    | 17          | 4.0           | 4.0  | 6.0  | 5.0  | 2                             | 2        | M         | Good                    | No visible defects                         | None                   | N/A      | 40+                    | A2               | 5.61                            | 98.89                                      |
|          | G63 4798 | Fagus sylvatica Beech                       | 453       | 1     | 16          | 4.0           | 4.0  | 6.0  | 5.0  | 2                             | 2        | M         | Good                    | No visible defects                         | None                   | N/A      | 40+                    | A2               | 5.44                            | 92.85                                      |
|          | G63 4799 | Fagus sylvatica Beech                       | 534       | 1     | 16          | 4.0           | 4.0  | 6.0  | 5.0  | 2                             | 2        | M         | Good                    | No visible defects                         | None                   | N/A      | 40+                    | A2               | 6.41                            | 129.02                                     |
|          | G63 4800 | Fagus sylvatica Beech                       | 393       | 1     | 16          | 4.0           | 4.0  | 6.0  | 5.0  | 2                             | 2        | M         | Good                    | Minor stem defect at 3-4 m                 | None                   | N/A      | 40+                    | A2               | 4.72                            | 69.88                                      |
|          | G63 4801 | Fagus sylvatica Beech                       | 585       | 1     | 17          | 4.0           | 4.0  | 6.0  | 5.0  | 2                             | 2        | M         | Good                    | No visible defects                         | None                   | N/A      | 40+                    | A2               | 7.02                            | 154.84                                     |
|          | G63 4802 | Fagus sylvatica Beech                       | 616       | 1     | 18          | 6.0           | 4.0  | 6.0  | 5.0  | 2                             | 2        | M         | Good                    | No visible defects                         | None                   | N/A      | 40+                    | A2               | 7.39                            | 171.68                                     |
|          | G72 4877 | Acer platanoides Norway maple               | 564       | 1     | 16          | 6.0           | 4.0  | 5.0  | 4.0  | 3                             | 3        | M         | Good                    | No visible defects                         | Nil                    | N/A      | 20-40                  | A1,2             | 6.77                            | 143.92                                     |
|          | G77 4919 | Tilia europaea Common Lime                  | 379       | 1     | 14          | 4.0           | 4.0  | 4.0  | 4.0  | 2                             | 1        | M         | Good                    | Occluded old wounds to main stem.          | Nil                    | N/A      | 20-40                  | A1               | 4.55                            | 64.99                                      |
|          | G87 5010 | Aesculus hippocastanum Horse chestnut       | 556       | 1     | 12          | 4.0           | 5.0  | 4.0  | 5.0  | 3                             | 1        | M         | Good                    | Possible rot pocket to main fork           | Check main fork        | P        | 20-40                  | A1               | 6.67                            | 139.87                                     |
|          | G96 5063 | Fraxinus excelsior Ash                      | 127       | 1     | 7           | 1.0           | 1.0  | 1.0  | 1.0  | 4                             | 3.5      | SM        | Good                    | No visible defects                         | None                   | N/A      | 40+                    | A1               | 1.52                            | 7.30                                       |
|          | G97 5069 | Fraxinus excelsior Ash                      | 202       | 1     | 8           | 3.0           | 3.0  | 3.0  | 3.0  | 3                             | 3        | SM        | Good                    | No visible defects                         | None                   | N/A      | 40+                    | A1               | 2.42                            | 18.46                                      |
|          | G97 5074 | Crataegus monogyna Hawthorn                 | 249       | 1     | 6           | 2.0           | 2.0  | 2.0  | 2.0  | 2                             | 1        | M         | Good                    | No visible defects                         | None                   | N/A      | 40+                    | A1               | 2.99                            | 28.05                                      |
|          | G97 5075 | Fraxinus excelsior Ash                      | 155       | 1     | 7           | 2.0           | 2.0  | 2.0  | 2.0  | 3                             | 2.5      | SM        | Good                    | No visible defects                         | None                   | N/A      | 40+                    | A1               | 1.86                            | 10.87                                      |
|          | G98 5081 | Fraxinus excelsior Ash                      | 208       | 1     | 7           | 3.0           | 3.0  | 3.0  | 3.0  | 3                             | 2.5      | M         | Good                    | No visible defects                         | None                   | N/A      | 40+                    | A1               | 2.50                            | 19.57                                      |

**TOTAL CATEGORY A TREES Heyford Park Nicholson's Tree Survey November 2006**

| Group No | Tag  | Species (Botanical)           | Diam (mm) | Stems | Ht m. (est) | Branch Spread |     |     |     | Increase in canopy radius (m) | Crown Ht | Age Class | Physiological Condition | Structural Condition                    | Preliminary Management | Priority | Remaining Contribution | Category Grading | Root Protection Zone Radius (m) | Root Protection zone (m2). Capped at 707m2 |
|----------|------|-------------------------------|-----------|-------|-------------|---------------|-----|-----|-----|-------------------------------|----------|-----------|-------------------------|---|------------------------|----------|------------------------|------------------|---------------------------------|--|
|          |      |                               |           |       |             | N             | S   | E   | W   |                               |          |           |                         |   |                        |          |                        |                  |                                 |  |
| G100     | 5087 | Acer pseudoplatanus Sycamore  | 329       | 1     | 11          | 4.0           | 4.0 | 4.0 | 4.0 | 2                             | 2        | M         | Good                    | No visible defects                      | None                   | N/A      | 40+                    | A1               | 3.95                            | 48.97                                      |
| G100     | 5089 | Acer pseudoplatanus Sycamore  | 274       | 1     | 9           | 4.0           | 4.0 | 4.0 | 4.0 | 2                             | 2        | M         | Good                    | No visible defects                      | None                   | N/A      | 40+                    | A1               | 3.29                            | 33.97                                      |
| G101     | 5090 | Sorbus aucuparia Rowan        | 195       | 1     | 6           | 2.5           | 2.5 | 2.5 | 2.5 | 1                             | 2.5      | M         | Good                    | No visible defects                      | None                   | N/A      | 20-40                  | A1               | 2.34                            | 17.20                                      |
| G103     | 5093 | Fraxinus excelsior Ash        | 214       | 1     | 7           | 3.0           | 3.0 | 3.0 | 3.0 | 2                             | 2        | M         | Good                    | No visible defects                      | None                   | N/A      | 40+                    | A2               | 2.57                            | 20.72                                      |
| G105     | 5103 | Acer pseudoplatanus Sycamore  | 275       | 1     | 7           | 4.0           | 4.0 | 4.0 | 4.0 | 3                             | 2        | M         | Good                    | No visible defects                      | None                   | N/A      | 40+                    | A2               | 3.30                            | 34.22                                      |
| G105     | 5104 | Acer pseudoplatanus Sycamore  | 261       | 1     | 8           | 4.0           | 4.0 | 4.0 | 4.0 | 3                             | 2        | M         | Good                    | No visible defects                      | None                   | N/A      | 40+                    | A2               | 3.13                            | 30.82                                      |
| G105     | 5105 | Acer pseudoplatanus Sycamore  | 368       | 1     | 9           | 4.0           | 4.0 | 4.0 | 4.0 | 3                             | 2        | M         | Good                    | No visible defects                      | None                   | N/A      | 40+                    | A2               | 4.42                            | 61.27                                      |
| G105     | 5106 | Acer pseudoplatanus Sycamore  | 262       | 1     | 10          | 3.0           | 3.0 | 3.0 | 3.0 | 3                             | 3        | M         | Good                    | Tight forks                             | None                   | N/A      | 40+                    | A2               | 3.14                            | 31.06                                      |
| G105     | 5107 | Acer pseudoplatanus Sycamore  | 296       | 1     | 12          | 3.0           | 3.0 | 3.0 | 3.0 | 3                             | 2        | M         | Good                    | No visible defects                      | None                   | N/A      | 40+                    | A2               | 3.55                            | 39.64                                      |
| G105     | 5108 | Acer pseudoplatanus Sycamore  | 363       | 1     | 12          | 4.0           | 4.0 | 4.0 | 4.0 | 3                             | 2        | M         | Good                    | No visible defects                      | None                   | N/A      | 40+                    | A2               | 4.36                            | 59.62                                      |
| G124     | 5240 | Picea omorika Serbian spruce  | 157       | 1     | 8           | 1.0           | 1.0 | 1.0 | 1.0 | 1                             | 0        | M         | Good                    | No visible defects                      | None                   | N/A      | 40+                    | A1               | 1.88                            | 11.15                                      |
| G127     | 5255 | Acer platanoides Norway maple | 217       | 1     | 7           | 4.0           | 4.0 | 4.0 | 4.0 | 2                             | 2.5      | M         | Good                    | No visible defects                      | None                   | N/A      | 40+                    | A1               | 2.60                            | 21.31                                      |
| G129     | 5265 | Acer platanoides Norway maple | 293       | 1     | 11          | 3.5           | 3.5 | 3.5 | 3.5 | 2                             | 1.5      | M         | Good                    | No visible defects                      | None                   | N/A      | 40+                    | A1               | 3.52                            | 38.84                                      |
| G131     | 5281 | Acer platanoides Norway maple | 316       | 1     | 7           | 4.0           | 3.0 | 2.0 | 4.0 | 2                             | 2        | M         | Good                    | No visible defects                      | None                   | N/A      | 40+                    | A2               | 3.79                            | 45.18                                      |
| G131     | 5282 | Acer platanoides Norway maple | 350       | 1     | 10          | 4.0           | 4.0 | 3.0 | 3.0 | 2                             | 2        | M         | Good                    | No visible defects                      | None                   | N/A      | 40+                    | A2               | 4.20                            | 55.42                                      |
| G131     | 5283 | Acer platanoides Norway maple | 359       | 1     | 10          | 4.0           | 4.0 | 3.0 | 3.0 | 2                             | 2        | M         | Good                    | Tight forks included bark               | Crown clean            | P        | 40+                    | A2               | 4.31                            | 58.31                                      |
| G131     | 5284 | Acer platanoides Norway maple | 281       | 1     | 7           | 4.0           | 3.0 | 3.0 | 2.0 | 2                             | 2        | M         | Good                    | Basal bark wounds                       | None                   | N/A      | 40+                    | A2               | 3.37                            | 35.73                                      |
| G131     | 5285 | Acer saccharinum Silver maple | 304       | 1     | 9           | 5.0           | 4.0 | 3.0 | 3.0 | 1                             | 2        | M         | Good                    | No visible defects                      | None                   | N/A      | 40+                    | A2               | 3.65                            | 41.81                                      |
| G131     | 5286 | Acer platanoides Norway maple | 222       | 1     | 8           | 2.0           | 3.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects                      | None                   | N/A      | 40+                    | A2               | 2.66                            | 22.30                                      |
| G131     | 5287 | Acer platanoides Norway maple | 284       | 1     | 9           | 2.0           | 3.0 | 3.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects                      | None                   | N/A      | 40+                    | A2               | 3.41                            | 36.49                                      |
| G131     | 5288 | Acer platanoides Norway maple | 299       | 1     | 8           | 4.0           | 3.0 | 3.0 | 3.0 | 1                             | 2        | M         | Good                    | No visible defects                      | None                   | N/A      | 40+                    | A2               | 3.59                            | 40.45                                      |
| G131     | 5289 | Acer platanoides Norway maple | 440       | 1     | 9           | 5.0           | 5.0 | 4.0 | 4.0 | 1                             | 2        | M         | Good                    | No visible defects                      | None                   | N/A      | 40+                    | A2               | 5.28                            | 87.59                                      |
| G131     | 5290 | Acer platanoides Norway maple | 304       | 1     | 9           | 4.0           | 3.0 | 5.0 | 3.0 | 1                             | 2        | M         | Good                    | No visible defects                      | None                   | N/A      | 40+                    | A2               | 3.65                            | 41.81                                      |
| G131     | 5291 | Acer saccharinum Silver maple | 316       | 1     | 8           | 5.0           | 3.0 | 3.0 | 2.0 | 2                             | 2.5      | M         | Good                    | No visible defects                      | None                   | N/A      | 40+                    | A2               | 3.79                            | 45.18                                      |
| G134     | 5305 | Acer pseudoplatanus Sycamore  | 381       | 1     | 9           | 4.0           | 4.0 | 4.0 | 4.0 | 3                             | 2        | M         | Good                    | No visible defects                      | None                   | N/A      | 40+                    | A2               | 4.57                            | 65.68                                      |
| G134     | 5306 | Acer platanoides Norway maple | 326       | 1     | 8           | 3.0           | 3.0 | 3.0 | 3.0 | 3                             | 2        | M         | Good                    | No visible defects                      | None                   | N/A      | 40+                    | A2               | 3.91                            | 48.08                                      |
| G134     | 5307 | Acer platanoides Norway maple | 235       | 1     | 7           | 4.0           | 4.0 | 4.0 | 4.0 | 3                             | 2        | M         | Good                    | No visible defects                      | None                   | N/A      | 40+                    | A2               | 2.82                            | 24.99                                      |
| G134     | 5308 | Acer pseudoplatanus Sycamore  | 292       | 1     | 8           | 3.0           | 3.0 | 3.0 | 3.0 | 3                             | 2        | M         | Good                    | No visible defects                      | None                   | N/A      | 40+                    | A2               | 3.50                            | 38.58                                      |
| G134     | 5309 | Acer pseudoplatanus Sycamore  | 251       | 1     | 7           | 2.0           | 2.0 | 2.0 | 2.0 | 3                             | 2        | M         | Good                    | No visible defects                      | None                   | N/A      | 40+                    | A2               | 3.01                            | 28.50                                      |
| G134     | 5310 | Acer pseudoplatanus Sycamore  | 305       | 1     | 9           | 4.0           | 4.0 | 4.0 | 4.0 | 3                             | 2        | M         | Good                    | No visible defects                      | None                   | N/A      | 40+                    | A2               | 3.66                            | 42.09                                      |
| G134     | 5312 | Acer pseudoplatanus Sycamore  | 281       | 1     | 9           | 3.0           | 3.0 | 3.0 | 3.0 | 3                             | 2        | M         | Good                    | No visible defects                      | None                   | N/A      | 40+                    | A2               | 3.37                            | 35.73                                      |
| G134     | 5313 | Acer pseudoplatanus Sycamore  | 227       | 1     | 7           | 4.0           | 4.0 | 4.0 | 4.0 | 3                             | 2        | M         | Good                    | No visible defects                      | None                   | N/A      | 40+                    | A2               | 2.72                            | 23.31                                      |
| G134     | 5314 | Acer pseudoplatanus Sycamore  | 310       | 1     | 9           | 3.0           | 3.0 | 3.0 | 3.0 | 3                             | 2        | M         | Good                    | No visible defects                      | None                   | N/A      | 40+                    | A2               | 3.72                            | 43.48                                      |
| G134     | 5315 | Acer pseudoplatanus Sycamore  | 221       | 1     | 9           | 3.0           | 3.0 | 3.0 | 3.0 | 3                             | 2        | M         | Good                    | No visible defects                      | None                   | N/A      | 40+                    | A2               | 2.65                            | 22.10                                      |
| G134     | 5316 | Acer pseudoplatanus Sycamore  | 295       | 1     | 8           | 3.0           | 3.0 | 3.0 | 3.0 | 3                             | 2        | M         | Good                    | No visible defects                      | None                   | N/A      | 40+                    | A2               | 3.54                            | 39.37                                      |
| G134     | 5317 | Acer pseudoplatanus Sycamore  | 263       | 1     | 8           | 3.0           | 3.0 | 3.0 | 3.0 | 3                             | 2        | M         | Good                    | No visible defects                      | None                   | N/A      | 40+                    | A2               | 3.16                            | 31.30                                      |
| G134     | 5318 | Acer pseudoplatanus Sycamore  | 287       | 1     | 8           | 4.0           | 4.0 | 4.0 | 4.0 | 3                             | 2        | M         | Good                    | No visible defects                      | None                   | N/A      | 40+                    | A2               | 3.44                            | 37.27                                      |
| G134     | 5319 | Acer pseudoplatanus Sycamore  | 267       | 1     | 8           | 3.0           | 3.0 | 3.0 | 3.0 | 3                             | 2        | M         | Good                    | No visible defects                      | None                   | N/A      | 40+                    | A2               | 3.20                            | 32.25                                      |
| G136     | 5324 | Acer pseudoplatanus Sycamore  | 272       | 1     | 7           | 3.0           | 3.0 | 3.0 | 3.0 | 3                             | 2        | M         | Fair                    | Sparse canopy                           | None                   | N/A      | 40+                    | A2               | 3.26                            | 33.47                                      |
| G136     | 5325 | Acer pseudoplatanus Sycamore  | 208       | 1     | 7           | 2.0           | 2.0 | 2.0 | 2.0 | 3                             | 2        | M         | Fair                    | No visible defects                      | None                   | N/A      | 40+                    | A2               | 2.50                            | 19.57                                      |
| G136     | 5326 | Acer pseudoplatanus Sycamore  | 255       | 1     | 7           | 3.0           | 3.0 | 3.0 | 3.0 | 3                             | 2        | M         | Good                    | Bark wound at base                      | None                   | N/A      | 40+                    | A2               | 3.06                            | 29.42                                      |
| G138     | 5342 | Fraxinus excelsior Ash        | 168       | 1     | 8           | 2.0           | 2.0 | 2.0 | 2.0 | 4                             | 2        | M         | Good                    | No visible defects                      | None                   | N/A      | 40+                    | A1               | 2.02                            | 12.77                                      |
| G143     | 5356 | Fraxinus excelsior Ash        | 179       | 1     | 8           | 2.0           | 2.0 | 2.0 | 2.0 | 4                             | 2        | M         | Good                    | No visible defects                      | None                   | N/A      | 40+                    | A1               | 2.15                            | 14.50                                      |
| G144     | 5362 | Acer pseudoplatanus Sycamore  | 238       | 1     | 7           | 2.0           | 2.0 | 2.0 | 2.0 | 3                             | 2        | M         | Good                    | No visible defects                      | None                   | N/A      | 40+                    | A2               | 2.86                            | 25.63                                      |
| G144     | 5364 | Fraxinus excelsior Ash        | 193       | 1     | 8           | 2.0           | 2.0 | 2.0 | 2.0 | 3.5                           | 2        | M         | Good                    | No visible defects                      | None                   | N/A      | 40+                    | A2               | 2.32                            | 16.85                                      |
| G145     | 5365 | Alnus cordata Italian alder   | 277       | 1     | 11          | 2.0           | 2.0 | 2.0 | 2.0 | 1.5                           | 2        | M         | Good                    | No visible defects                      | None                   | N/A      | 40+                    | A1               | 3.32                            | 34.72                                      |
| G146     | 5371 | Tilia europaea Common Lime    | 197       | 1     | 8           | 2.5           | 2.5 | 2.5 | 2.5 | 4                             | 2        | SM        | Good                    | No visible defects                      | None                   | N/A      | 40+                    | A1               | 2.36                            | 17.56                                      |
| G161     | 5501 | Acer platanoides Norway maple | 255       | 1     | 6           | 1.0           | 3.0 | 3.0 | 3.0 | 3                             | 2        | Y         | Good                    | No visible defects, possible transplant | Nil                    | N/A      | 40+                    | A1               | 3.06                            | 29.42                                      |
| G161     | 5502 | Acer platanoides Norway maple | 201       | 1     | 6           | 1.0           | 2.0 | 3.0 | 1.0 | 3                             | 2        | Y         | Fair                    | No visible defects, possible transplant | Nil                    | N/A      | 40+                    | A1               | 2.41                            | 18.28                                      |
| G102     | 5878 | Fraxinus excelsior Ash        | 222       | 1     | 7           | 3.0           | 3.0 | 3.0 | 3.0 | 3                             | 2        | SM        | Good                    | No visible defects                      | None                   | N/A      | 40+                    | A1               | 2.66                            | 22.30                                      |

**TOTAL CATEGORY B TREES Heyford Park Nicholson's Tree Survey November 2006**

| Group No | Tag | Species (Botanical)                   | Diam (mm) | Stems | Ht m. (est) | Branch Spread |     |      |      | Increase in canopy radius (m) | Crown Ht | Age Class | Physiological Condition | Structural Condition  | Preliminary Management                                      | Priority | Remaining Contribution | Category Grading | Root Protection Zone Radius (m) | Root Protection zone (m2). Capped at 707m2 |
|----------|-----|---------------------------------------|-----------|-------|-------------|---------------|-----|------|------|-------------------------------|----------|-----------|-------------------------|---|---|----------|------------------------|------------------|---------------------------------|--|
|          |     |                                       |           |       |             | N             | S   | E    | W    |                               |          |           |                         |   |   |          |                        |                  |                                 |  |
|          | 8   | Acer pseudoplatanus Sycamore          | 717       | 1     | 17          | 3.0           | 3.0 | 4.0  | 10.0 | 2                             | 6        | M         | Fair                    | Av tight fork at 6m included bark potential recent movement   | Inspect fork  | P        | 20-40                  | B1               | 8.60                            | 232.60                                     |
|          | 11  | Acer pseudoplatanus Sycamore          | 351       | 1     | 17          | 1.0           | 2.0 | 4.0  | 4.0  | 2                             | 11       | M         | Fair                    | Average condition   | Nil   | N/A      | 20-40                  | B1               | 4.21                            | 55.74                                      |
|          | 12  | Acer pseudoplatanus Sycamore          | 347       | 1     | 17          | 1.0           | 2.0 | 5.0  | 2.0  | 2                             | 12       | M         | Fair                    | Average condition   | Nil   | N/A      | 20-40                  | B1               | 4.16                            | 54.48                                      |
|          | 15  | Acer pseudoplatanus Sycamore          | 729       | MS    | 17          | 1.0           | 7.0 | 11.0 | 5.0  | 2                             | 7        | M         | Fair                    | Av minor buttress damage ne tight fork at 1.2 with 3 stems carising and decay pocket with elder growing | Nil   | N/A      | 20-40                  | B1               | 7.29                            | 166.98                                     |
|          | 20  | Acer pseudoplatanus Sycamore          | 550       | 1     | 17          | 3.0           | 3.0 | 10.0 | 8.0  | 2                             | 9        | M         | Fair                    | Av tight main fork at 3.5 with included bark  | Nil   | N/A      | 20-40                  | B1               | 6.60                            | 136.87                                     |
|          | 100 | Acer pseudoplatanus Sycamore          | 930       | 1     | 17          | 9.0           | 9.0 | 9.0  | 9.0  | 1                             | 4        | M         | Good                    | Average condition   | Crown clean   | P        | 40+                    | B1               | 11.16                           | 391.32                                     |
|          | 129 | Acer platanoides Norway maple         | 601       | 1     | 13          | 7.0           | 8.0 | 7.0  | 7.0  | 2                             | 3        | M         | Good                    | Average condition   | Nil   | N/A      | 40+                    | B1               | 7.21                            | 163.42                                     |
|          | 153 | Pinus sylvestris Scots pine           | 553       | 1     | 16          | 3.0           | 5.0 | 3.0  | 5.0  | 0                             | 8        | M         | Fair                    | Average condition   | Nil   | N/A      | 20-40                  | B1               | 6.64                            | 138.36                                     |
|          | 154 | Fagus sylvatica Beech                 | 840       | 1     | 17          | 3.0           | 7.0 | 7.0  | 8.0  | 1                             | 9        | M         | Fair                    | included bark at 1.0 in main forkgl   | Nil   | N/A      | 40+                    | B1               | 10.08                           | 319.25                                     |
|          | 569 | Acer pseudoplatanus Sycamore          | 369       | 1     | 14          | 4.0           | 4.0 | 4.0  | 4.0  | 5                             | 5        | M         | Good                    | Small multiple branch wounds at 3 m   | None  | N/A      | 40+                    | B1               | 4.43                            | 61.61                                      |
|          | 632 | Betula alba Silver birch              | 485       | 1     | 15          | 6.0           | 6.0 | 4.0  | 4.0  | 0                             | 4        | M         | Good                    | Occasional wounds to main stem (decay?)   | Nil   | N/A      | 10-20                  | B1               | 3.84                            | 106.43                                     |
|          | 645 | Malus domestica Apple                 | 369       | MS    | 8           | 3.0           | 4.0 | 3.0  | 3.0  | 1                             | 3        | M         | Fair                    | Deadwood in crown, < 50 mm  | Nil   | N/A      | 10-20                  | B1               | 3.69                            | 42.78                                      |
|          | 648 | Sorbus aria Whitebeam                 | 281       | 1     | 5           | 2.0           | 2.0 | 2.0  | 3.0  | 1                             | 2        | M         | Good                    | No visible defects  | Nil   | N/A      | 20-40                  | B1               | 2.10                            | 35.73                                      |
|          | 652 | Betula alba Silver birch              | 320       | 1     | 15          | 3.0           | 2.0 | 3.0  | 2.0  | 1                             | 2        | M         | Good                    | In raised bed, else No visible defects  | Nil   | N/A      | 10-20                  | B1               | 3.84                            | 46.33                                      |
|          | 653 | Sorbus aria Whitebeam                 | 229       | 1     | 9           | 2.0           | 2.0 | 3.0  | 3.0  | 2                             | 2        | M         | Good                    | In existing bed, else No visible defects  | Nil   | N/A      | 10-20                  | B1               | 2.75                            | 23.73                                      |
|          | 654 | Sorbus aria Whitebeam                 | 175       | 1     | 7           | 2.0           | 2.0 | 2.0  | 2.0  | 3                             | 2        | M         | Good                    | In existing bed, else No visible defects  | Nil   | N/A      | 10-20                  | B1               | 2.10                            | 13.86                                      |
|          | 658 | Acer pseudoplatanus Sycamore          | 522       | 1     | 11          | 4.0           | 6.0 | 5.0  | 5.0  | 2                             | 2        | M         | Good                    | Possible rot pocket in main fork union at 2 m   | Check main fork union                                       | U        | 10-20                  | B1               | 6.26                            | 123.28                                     |
|          | 659 | Acer pseudoplatanus Sycamore          | 390       | 1     | 10          | 4.0           | 5.0 | 5.0  | 1.0  | 2                             | 3        | M         | Fair                    | Restricted rooting? Occluded old pruning wounds to main stems, possible decay                           | Nil   | N/A      | 10-20                  | B1               | 4.68                            | 68.82                                      |
|          | 660 | Acer pseudoplatanus Sycamore          | 704       | 1     | 16          | 6.0           | 6.0 | 6.0  | 6.0  | 1                             | 3        | M         | Good                    | Occasional deadwood > 50 m. Included bark occasionally in main branches at 4.5 m height                 | Deadwood. Reduce end loading of branches with included bark | U        | 10-20                  | B1               | 8.45                            | 224.24                                     |
|          | 663 | Crataegus monogyna Hawthorn           | 230       | 1     | 5           | 3.0           | 3.0 | 3.0  | 3.0  | 1                             | 5        | M         | Good                    | Deadwood < 50 mm  | Nil   | N/A      | 10-20                  | B1               | 2.76                            | 23.93                                      |
|          | 664 | Crataegus monogyna Hawthorn           | 303       | MS    | 5           | 3.0           | 3.0 | 5.0  | 0.0  | 1                             | 1        | M         | Fair                    | Significant decay to main stem  | Nil   | N/A      | 10-20                  | B1               | 3.03                            | 28.85                                      |
|          | 665 | Malus sylvestris Crab Apple           | 334       | 1     | 7           | 3.0           | 4.0 | 1.0  | 3.0  | 1                             | 2        | M         | Fair                    | Several old pruning wounds to main stem (decay?). Deadwood < 50mm                                       | Nil   | N/A      | 10-20                  | B1               | 4.01                            | 50.47                                      |
|          | 667 | Aesculus hippocastanum Horse Chestnut | 488       | 1     | 10          | 5.0           | 4.0 | 4.0  | 5.0  | 2                             | 2        | M         | Good                    | Minor bleeding canker   | Nil   | N/A      | 20-40                  | B1               | 5.86                            | 107.75                                     |
|          | 669 | Fraxinus excelsior Ash (Jaspida)      | 373       | 1     | 12          | 4.0           | 5.0 | 3.0  | 3.0  | 1                             | 3        | M         | Good                    | Included bark at spring of crown  | Nil   | N/A      | 20-40                  | B1               | 4.48                            | 62.95                                      |
|          | 676 | Acer pseudoplatanus Sycamore          | 792       | MS    | 13          | 5.0           | 5.0 | 4.0  | 5.0  | 2                             | 3        | M         | Good                    | Old pruning wounds to stems, good recovery  | Nil   | N/A      | 20-40                  | B1               | 7.92                            | 197.09                                     |
|          | 680 | Fagus sylvatica Beech                 | 875       | 1     | 15          | 6.0           | 6.0 | 6.0  | 4.0  | 1                             | 2        | M         | Good                    | Multiple included bark at spring of crown   | Nil   | N/A      | 20-40                  | B1               | 10.50                           | 346.41                                     |
|          | 681 | Carpinus betulus Hornbeam             | 559       | 1     | 15          | 5.0           | 5.0 | 4.0  | 5.0  | 1                             | 2        | M         | Good                    | No visible defects  | Nil   | N/A      | 20-40                  | B1               | 6.71                            | 141.38                                     |
|          | 685 | Tilia europaea Common Lime            | 786       | 1     | 18          | 6.5           | 6.5 | 6.5  | 6.5  | 2                             | 2        | M         | Good                    | Tight fork with rib formation, minor dead wood  | Crown clean   | P        | 40+                    | B1               | 9.43                            | 279.52                                     |
|          | 689 | Aesculus hippocastanum Horse Chestnut | 713       | 1     | 12          | 4.0           | 6.0 | 5.0  | 5.0  | 2                             | 3        | M         | Good                    | Bleeding canker, minor dead wood  | None  | N/A      | 40+                    | B1               | 8.56                            | 230.01                                     |
|          | 692 | Acer pseudoplatanus Sycamore          | 298       | 1     | 9           | 3.0           | 3.0 | 4.0  | 4.0  | 3                             | 2.5      | M         | Good                    | Minor deadwood  | Crown clean   | P        | 40+                    | B1               | 3.58                            | 40.18                                      |
|          | 693 | Acer pseudoplatanus Sycamore          | 268       | 1     | 7           | 3.0           | 3.0 | 3.0  | 3.0  | 3                             | 3        | M         | Fair                    | No visible defects  | None  | N/A      | 40+                    | B1               | 3.22                            | 32.50                                      |
|          | 695 | Prunus Flowering Cherry               | 421       | 1     | 6           | 5.0           | 5.0 | 5.0  | 5.0  | 2                             | 2        | M         | Good                    | No visible defects  | None  | N/A      | 20-40                  | B1               | 5.05                            | 80.19                                      |
|          | 697 | Malus domestica Apple                 | 115       | 1     | 5           | 2.0           | 2.0 | 3.0  | 3.0  | 1                             | 1        | M         | Good                    | No visible defects  | None  | N/A      | 40+                    | B1               | 1.38                            | 5.98                                       |
|          | 708 | Sorbus intermedia Swedish Whitebeam   | 478       | MS    | 5           | 3.0           | 3.0 | 3.0  | 3.0  | 2                             | 0        | M         | Fair                    | Minor dead wood   | Crown clean   | P        | 20-40                  | B1               | 4.78                            | 71.79                                      |
|          | 717 | Juniperus communis Juniper            | 525       | MS    | 8           | 1.5           | 1.5 | 1.5  | 1.5  | 0                             | 1.5      | M         | Good                    | No visible defects  | None  | N/A      | 20-40                  | B1               | 5.25                            | 86.60                                      |
|          | 718 | Prunus Atropurpurea Pissards Plum     | 219       | 1     | 6           | 2.0           | 2.0 | 2.0  | 2.0  | 0.5                           | 1        | M         | Good                    | No visible defects  | None  | N/A      | 20-40                  | B1               | 2.63                            | 21.70                                      |
|          | 719 | Betula alba Silver birch              | 482       | 1     | 12          | 5.0           | 7.0 | 6.0  | 6.0  | 2                             | 0        | M         | Good                    | No visible defects  | None  | N/A      | 20-40                  | B1               | 5.78                            | 105.11                                     |
|          | 723 | Pinus wallichiana Bhutan pine         | 242       | 1     | 6           | 3.0           | 3.0 | 3.0  | 3.0  | 0                             | 3        | M         | Good                    | No visible defects  | Remove stake  | P        | 40+                    | B1               | 2.90                            | 26.50                                      |
|          | 739 | Acer pseudoplatanus Sycamore          | 357       | 1     | 6           | 4.0           | 4.0 | 4.0  | 4.0  | 2                             | 2.5      | M         | Good                    | No visible defects  | None  | N/A      | 40+                    | B1               | 4.28                            | 57.66                                      |
|          | 740 | Tilia europaea Common Lime            | 196       | 1     | 6           | 3.0           | 2.5 | 2.5  | 2.5  | 3                             | 1        | SM        | Good                    | No visible defects  | None  | N/A      | 40+                    | B1               | 2.35                            | 17.38                                      |
|          | 749 | Tilia europaea Common Lime            | 189       | 1     | 6           | 2.0           | 2.0 | 2.0  | 2.0  | 3                             | 2        | SM        | Good                    | No visible defects  | None  | N/A      | 40+                    | B1               | 2.27                            | 16.16                                      |
|          | 750 | Tilia europaea Common Lime            | 188       | 1     | 6           | 2.0           | 2.0 | 2.0  | 2.0  | 3                             | 2        | SM        | Good                    | No visible defects  | None  | N/A      | 40+                    | B1               | 2.26                            | 15.99                                      |
|          | 752 | Juglans regia Walnut                  | 230       | 1     | 6.5         | 3.0           | 3.0 | 3.0  | 3.0  | 3                             | 2        | SM        | Good                    | No visible defects  | None  | N/A      | 40+                    | B1               | 2.76                            | 23.93                                      |
|          | 753 | Juglans regia Walnut                  | 214       | 1     | 7           | 3.0           | 3.0 | 3.0  | 3.0  | 3                             | 2        | SM        | Good                    | No visible defects  | None  | N/A      | 40+                    | B1               | 2.57                            | 20.72                                      |
|          | 758 | Tilia europaea Common Lime            | 204       | 1     | 6           | 3.0           | 2.0 | 2.0  | 2.0  | 3                             | 1        | SM        | Good                    | No visible defects  | None  | N/A      | 40+                    | B1               | 2.45                            | 18.83                                      |
|          | 764 | Juglans regia Walnut                  | 178       | 1     | 6           | 3.0           | 3.0 | 3.0  | 3.0  | 3                             | 1.5      | SM        | Good                    | No visible defects  | None  | N/A      | 40+                    | B1               | 2.14                            | 14.34                                      |
|          | 766 | Prunus Flowering Cherry               | 421       | 1     | 7           | 4.0           | 3.0 | 4.0  | 3.0  | 1                             | 2        | M         | Good                    | No visible defects  | None  | N/A      | 20-40                  | B1               | 5.05                            | 80.19                                      |
|          | 767 | Juglans regia Walnut                  | 184       | 1     | 6           | 2.0           | 2.0 | 2.0  | 2.0  | 3                             | 1        | SM        | Good                    | No visible defects  | None  | N/A      | 40+                    | B1               | 2.53                            | 15.32                                      |
|          | 776 | Prunus Flowering Cherry               | 429       | 1     | 7           | 6.0           | 6.0 | 7.0  | 6.0  | 1                             | 2        | M         | Good                    | No visible defects  | None  | N/A      | 20-40                  | B1               | 3.74                            | 83.27                                      |
|          | 778 | Juglans regia Walnut                  | 216       | 1     | 7           | 3.5           | 3.5 | 3.5  | 3.5  | 3                             | 1.5      | SM        | Good                    | No visible defects  | None  | N/A      | 40+                    | B1               | 5.58                            | 21.11                                      |
|          | 779 | Robinia pseudoacacia False acacia     | 211       | 1     | 5           | 2.5           | 2.5 | 2.5  | 2.5  | 3                             | 1.5      | SM        | Good                    | No visible defects  | None  | N/A      | 40+                    | B1               | 4.44                            | 20.14                                      |

**TOTAL CATEGORY B TREES Heyford Park Nicholson's Tree Survey November 2006**

| Group No | Tag | Species (Botanical)                        | Diam (mm) | Stems | Ht m. (est) | Branch Spread |     |     |     | Increase in canopy radius (m) | Crown Ht | Age Class | Physiological Condition | Structural Condition                             | Preliminary Management | Priority | Remaining Contribution | Category Grading | Root Protection Zone Radius (m) | Root Protection zone (m2). Capped at 707m2 |
|----------|-----|--|-----------|-------|-------------|---------------|-----|-----|-----|-------------------------------|----------|-----------|-------------------------|--|------------------------|----------|------------------------|------------------|---------------------------------|--|
|          |     |  |           |       |             | N             | S   | E   | W   |                               |          |           |                         |  |                        |          |                        |                  |                                 |  |
| 782      |     | Prunus Flowering Cherry                    | 312       | 1     | 6           | 2.5           | 2.5 | 2.5 | 2.5 | 1                             | 2        | M         | Good                    | SM cavity base                                   | None                   | N/A      | 20-40                  | B1               | 4.18                            | 44.04                                      |
| 783      |     | Aesculus hippocastanum Horse Chestnut      | 558       | MS    | 6           | 4.5           | 4.5 | 4.5 | 4.5 | 3                             | 2        | M         | Good                    | Low forks tight junctions                        | None                   | N/A      | 40+                    | B1               | 3.88                            | 97.83                                      |
| 785      |     | Acer pseudoplatanus Sycamore               | 370       | 1     | 9           | 4.0           | 3.0 | 3.0 | 3.0 | 3                             | 2        | M         | Good                    | No visible defects                               | None                   | N/A      | 40+                    | B1               | 1.84                            | 61.94                                      |
| 786      |     | Tilia cordata Small leaved lime            | 348       | 1     | 7           | 5.0           | 5.0 | 5.0 | 4.0 | 4                             | 1.5      | M         | Good                    | No visible defects                               | None                   | N/A      | 40+                    | B1               | 2.96                            | 54.79                                      |
| 793      |     | Prunus Flowering Cherry                    | 323       | 1     | 6           | 4.0           | 5.0 | 4.0 | 4.0 | 1                             | 3        | M         | Good                    | No visible defects                               | None                   | N/A      | 20-40                  | B1               | 7.51                            | 47.20                                      |
| 794      |     | Juglans regia Walnut                       | 153       | 1     | 5           | 2.0           | 2.0 | 1.5 | 2.0 | 5                             | 2        | SM        | Good                    | No visible defects                               | None                   | N/A      | 40+                    | B1               | 1.98                            | 10.59                                      |
| 807      |     | Acer platanoides Norway maple              | 247       | 1     | 7           | 3.0           | 3.0 | 3.0 | 3.0 | 3                             | 2        | M         | Good                    | Tight forks included bark                        | None                   | N/A      | 40+                    | B1               | 1.82                            | 27.60                                      |
| 811      |     | Acer pseudoplatanus Sycamore               | 626       | 1     | 9           | 5.0           | 5.0 | 5.0 | 5.0 | 2                             | 3        | M         | Good                    | No visible defects                               | None                   | N/A      | 40+                    | B1               | 4.74                            | 177.30                                     |
| 824      |     | Acer platanoides Norway maple              | 165       | 1     | 8           | 3.0           | 2.0 | 2.0 | 2.0 | 3                             | 2        | Y         | Good                    | No visible defects                               | Nil                    | N/A      | 20-40                  | B1               | 4.68                            | 12.32                                      |
| 826      |     | Crataegus monogyna Hawthorn                | 152       | 1     | 5           | 3.0           | 3.0 | 3.0 | 3.0 | 1                             | 2        | Y         | Good                    | No visible defects                               | Nil                    | N/A      | 20-40                  | B1               | 6.40                            | 10.45                                      |
| 830      |     | Acer platanoides Norway maple              | 395       | 1     | 10          | 4.0           | 4.0 | 4.0 | 4.0 | 2                             | 2        | M         | Good                    | No visible defects                               | Nil                    | N/A      | 20-40                  | B1               | 8.76                            | 70.59                                      |
| 831      |     | Betula alba Silver birch                   | 390       | 1     | 10          | 6.0           | 5.0 | 5.0 | 5.0 | 1                             | 2        | M         | Good                    | No visible defects                               | Nil                    | N/A      | 10-20                  | B1               | 4.68                            | 68.82                                      |
| 834      |     | Acer platanoides Norway maple              | 533       | 1     | 12          | 5.0           | 5.0 | 4.0 | 5.0 | 2                             | 1        | M         | Good                    | No visible defects                               | Nil                    | N/A      | 20-40                  | B1               | 6.40                            | 128.54                                     |
| 854      |     | Cupressocyparis leylandii Leyland cypress  | 876       | MS    | 17          | 3.0           | 3.0 | 3.0 | 4.0 | 2                             | 0        | M         | Good                    | No visible defects                               | Nil                    | N/A      | 20-40                  | B1               | 8.76                            | 241.11                                     |
| 857      |     | Cupressocyparis leylandii Leyland cypress  | 938       | MS    | 16          | 3.0           | 3.0 | 3.0 | 3.0 | 2                             | 1        | M         | Good                    | No visible defects                               | Nil                    | N/A      | 20-40                  | B1               | 9.38                            | 276.45                                     |
| 858      |     | Cupressocyparis leylandii Leyland cypress  | 830       | MS    | 16          | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 1        | M         | Good                    | No visible defects                               | Nil                    | N/A      | 20-40                  | B1               | 8.30                            | 216.45                                     |
| 859      |     | Acer platanoides Norway maple              | 194       | 1     | 10          | 1.0           | 3.0 | 3.0 | 3.0 | 3                             | 2        | M         | Good                    | No visible defects                               | Nil                    | N/A      | 40+                    | B1               | 2.33                            | 17.03                                      |
| 860      |     | Tilia europaea Common Lime                 | 528       | 1     | 16          | 1.0           | 6.0 | 5.0 | 5.0 | 2                             | 2        | M         | Good                    | Adjacent to building, crown absent on north side | Nil                    | N/A      | 20-40                  | B1               | 6.34                            | 126.14                                     |
| 861      |     | Tilia europaea Common Lime                 | 287       | 1     | 10          | 4.0           | 3.0 | 3.0 | 3.0 | 2                             | 2        | M         | Good                    | Growing in hard surface, else No visible defects | Nil                    | N/A      | 40+                    | B1               | 3.44                            | 37.27                                      |
| 866      |     | Acer platanoides Norway maple              | 239       | 1     | 8           | 3.0           | 3.0 | 3.0 | 3.0 | 3                             | 3        | M         | Good                    | No visible defects                               | None                   | N/A      | 40+                    | B1               | 3.34                            | 25.84                                      |
| 872      |     | Prunus Flowering Cherry                    | 358       | 1     | 7           | 4.0           | 4.0 | 4.0 | 4.0 | 2                             | 2        | M         | Good                    | No visible defects                               | None                   | N/A      | 20-40                  | B1               | 2.51                            | 57.99                                      |
| 874      |     | Chamaecyparis lawsoniana Lawsons cypress   | 516       | MS    | 7           | 2.0           | 2.0 | 2.0 | 2.0 | 0.5                           | 0        | M         | Good                    | No visible defects                               | None                   | N/A      | 20-40                  | B1               | 2.20                            | 83.66                                      |
| 875      |     | Prunus avium plena Cherry                  | 278       | 1     | 7           | 3.0           | 3.0 | 4.0 | 4.0 | 1                             | 2        | M         | Good                    | No visible defects                               | None                   | N/A      | 20-40                  | B1               | 2.71                            | 34.97                                      |
| 884      |     | Prunus Atropurpurea Pissards Plum          | 251       | MS    | 5           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 1        | SM        | Good                    | No visible defects                               | None                   | N/A      | 40+                    | B1               | 2.51                            | 19.79                                      |
| 885      |     | Fraxinus excelsior Ash                     | 183       | 1     | 5           | 2.0           | 2.0 | 2.0 | 2.0 | 4                             | 1        | SM        | Good                    | No visible defects                               | None                   | N/A      | 40+                    | B1               | 2.10                            | 15.15                                      |
| 886      |     | Fraxinus excelsior Ash                     | 226       | 1     | 7           | 2.0           | 2.0 | 2.0 | 2.0 | 4                             | 1        | SM        | Good                    | No visible defects                               | None                   | N/A      | 40+                    | B1               | 2.47                            | 23.11                                      |
| 887      |     | Fraxinus excelsior Ash                     | 167       | 1     | 5           | 3.0           | 3.0 | 3.0 | 3.0 | 4                             | 1        | SM        | Good                    | No visible defects                               | None                   | N/A      | 40+                    | B1               | 2.34                            | 12.62                                      |
| 892      |     | Juglans regia Walnut                       | 175       | 1     | 5           | 3.0           | 3.0 | 3.0 | 3.0 | 3                             | 1        | SM        | Good                    | No visible defects                               | None                   | N/A      | 40+                    | B1               | 2.88                            | 13.86                                      |
| 893      |     | Juglans regia Walnut                       | 206       | 1     | 6           | 2.5           | 2.5 | 2.5 | 2.5 | 4                             | 1        | SM        | Good                    | No visible defects                               | None                   | N/A      | 40+                    | B1               | 2.92                            | 19.20                                      |
| 895      |     | Tilia europaea Common Lime                 | 195       | 1     | 7           | 2.5           | 2.5 | 2.5 | 2.5 | 4                             | 1        | SM        | Good                    | No visible defects                               | None                   | N/A      | 40+                    | B1               | 2.34                            | 17.20                                      |
| 897      |     | Robinia pseudoacacia False acacia          | 240       | 1     | 5           | 3.0           | 3.0 | 3.0 | 3.0 | 3                             | 2        | SM        | Good                    | No visible defects                               | None                   | N/A      | 40+                    | B1               | 2.88                            | 26.06                                      |
| 898      |     | Robinia pseudoacacia False acacia          | 243       | 1     | 5           | 2.0           | 2.0 | 2.0 | 2.0 | 3                             | 2        | SM        | Good                    | No visible defects                               | None                   | N/A      | 40+                    | B1               | 2.92                            | 26.72                                      |
| 900      |     | Prunus Atropurpurea Pissards Plum          | 217       | 1     | 5           | 2.0           | 2.0 | 3.0 | 3.0 | 1                             | 2        | M         | Good                    | No visible defects                               | None                   | N/A      | 40+                    | B1               | 2.60                            | 21.31                                      |
| 901      |     | Fraxinus excelsior Ash                     | 231       | 1     | 7           | 2.0           | 2.0 | 2.0 | 2.0 | 4                             | 2        | SM        | Good                    | No visible defects                               | None                   | N/A      | 40+                    | B1               | 2.77                            | 24.14                                      |
| 905      |     | Fraxinus excelsior Ash                     | 272       | 1     | 7           | 2.5           | 2.5 | 2.5 | 2.5 | 4                             | 2        | SM        | Good                    | No visible defects                               | None                   | N/A      | 40+                    | B1               | 3.26                            | 33.47                                      |
| 909      |     | Tilia platyphyllos Large leaf lime         | 212       | 1     | 8           | 2.5           | 2.5 | 2.5 | 2.5 | 2                             | 2.5      | M         | Good                    | No visible defects                               | None                   | N/A      | 40+                    | B1               | 2.54                            | 20.33                                      |
| 910      |     | Tilia europaea Common Lime                 | 243       | 1     | 8           | 3.0           | 3.0 | 3.0 | 3.0 | 2                             | 2.5      | M         | Good                    | No visible defects                               | None                   | N/A      | 40+                    | B1               | 2.92                            | 26.72                                      |
| 912      |     | Juglans regia Walnut                       | 224       | 1     | 6           | 3.0           | 3.0 | 3.0 | 3.0 | 3                             | 1.5      | SM        | Good                    | No visible defects                               | None                   | N/A      | 40+                    | B1               | 2.69                            | 22.70                                      |
| 915      |     | Tilia europaea Common Lime                 | 210       | 1     | 5           | 2.0           | 2.0 | 2.0 | 2.0 | 3                             | 2        | SM        | Good                    | No visible defects                               | None                   | N/A      | 40+                    | B1               | 2.52                            | 19.95                                      |
| 916      |     | Tilia europaea Common Lime                 | 232       | 1     | 5.5         | 3.0           | 2.0 | 2.0 | 2.0 | 3                             | 1        | SM        | Good                    | No visible defects                               | None                   | N/A      | 40+                    | B1               | 2.78                            | 24.35                                      |
| 919      |     | Juglans regia Walnut                       | 247       | 1     | 6.5         | 2.5           | 2.0 | 2.0 | 2.0 | 3                             | 2        | SM        | Good                    | No visible defects                               | None                   | N/A      | 40+                    | B1               | 2.96                            | 27.60                                      |
| 921      |     | Salix sepulcralis chysocoma Weeping willow | 467       | 1     | 6.5         | 2.0           | 2.0 | 2.0 | 2.0 | 3                             | 2        | M         | Good                    | No visible defects                               | None                   | N/A      | 40+                    | B1               | 5.60                            | 98.67                                      |
| 922      |     | Tilia europaea Common Lime                 | 260       | 1     | 7           | 4.0           | 4.0 | 4.0 | 4.0 | 3                             | 2        | SM        | Good                    | No visible defects                               | None                   | N/A      | 40+                    | B1               | 3.12                            | 30.59                                      |
| 923      |     | Tilia europaea Common Lime                 | 217       | 1     | 7           | 3.0           | 2.0 | 3.0 | 3.0 | 3                             | 3        | SM        | Good                    | No visible defects                               | None                   | N/A      | 40+                    | B1               | 2.60                            | 21.31                                      |
| 924      |     | Fraxinus excelsior Ash                     | 253       | 1     | 7           | 3.0           | 2.0 | 2.0 | 2.0 | 3                             | 2.5      | SM        | Good                    | No visible defects                               | None                   | N/A      | 40+                    | B1               | 3.04                            | 28.96                                      |
| 927      |     | Tilia europaea Common Lime                 | 228       | 1     | 7           | 3.5           | 3.5 | 3.5 | 3.5 | 3                             | 1        | M         | Good                    | No visible defects                               | None                   | N/A      | 40+                    | B1               | 2.74                            | 23.52                                      |
| 929      |     | Fraxinus excelsior Ash                     | 243       | 1     | 6           | 3.0           | 3.0 | 3.0 | 3.0 | 4                             | 2        | SM        | Good                    | No visible defects                               | None                   | N/A      | 40+                    | B1               | 2.92                            | 26.72                                      |
| 2053     |     | Picea abies Norway spruce                  | 237       | 1     | 9           | 2.0           | 2.0 | 2.0 | 2.0 | 3                             | 2        | M         | Good                    | No visible defects                               | None                   | N/A      | 40+                    | B1               | 2.84                            | 25.41                                      |
| 2148     |     | Sorbus aria Whitebeam                      | 258       | 1     | 8           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 2        | M         | Good                    | No visible defects                               | Nil                    | N/A      | 20-40                  | B1               | 3.10                            | 30.12                                      |
| 2153     |     | Chamaecyparis lawsoniana Lawsons cypress   | 395       | MS    | 3           | 1.0           | 1.0 | 1.0 | 1.0 | 3                             | 0        | Y         | Good                    | Topped at 1.5 m                                  | Nil                    | N/A      | 20-40                  | B1               | 3.95                            | 49.02                                      |
| 2154     |     | Chamaecyparis lawsoniana Lawsons cypress   | 418       | MS    | 3           | 1.0           | 1.0 | 1.0 | 1.0 | 3                             | 0        | Y         | Good                    | Topped at 1.5 m                                  | Nil                    | N/A      | 20-40                  | B1               | 4.18                            | 54.90                                      |
| 2155     |     | Conifer                                    | 206       | MS    | 3           | 1.0           | 1.0 | 1.0 | 1.0 | 3                             | 0        | Y         | Good                    | Topped at 1.5m                                   | Nil                    | N/A      | 20-40                  | B1               | 2.06                            | 13.33                                      |
| 2171     |     | Acer platanoides Copper Norway Maple       | 207       | 1     | 6           | 2.5           | 3.0 | 3.0 | 3.0 | 2                             | 2        | SM        | Good                    | No visible defects                               | Nil                    | N/A      | 40+                    | B1               | 2.48                            | 19.39                                      |
| 2172     |     | Acer platanoides Copper Norway Maple       | 199       | 1     | 6           | 3.0           | 2.5 | 3.0 | 3.0 | 3                             | 2        | SM        | Good                    | No visible defects                               | Nil                    | N/A      | 40+                    | B1               | 2.39                            | 17.92                                      |
| 2173     |     | Acer platanoides Copper Norway Maple       | 142       | 1     | 5           | 2.0           | 2.0 | 2.0 | 2.0 | 4                             | 2        | SM        | Good                    | No visible defects                               | Nil                    | N/A      | 40+                    | B1               | 1.70                            | 9.12                                       |
| 2174     |     | Acer pseudoplatanus Sycamore               | 381       | 1     | 6           | 5.0           | 5.0 | 5.0 | 5.0 | 2                             | 2.5      | M         | Good                    | No visible defects                               | Nil                    | N/A      | 40+                    | B1               | 4.57                            | 65.68                                      |

**TOTAL CATEGORY B TREES Heyford Park Nicholson's Tree Survey November 2006**

| Group No | Tag  | Species (Botanical)                           | Diam (mm) | Stems | Ht m. (est) | Branch Spread |     |     |     | Increase in canopy radius (m) | Crown Ht | Age Class | Physiological Condition | Structural Condition   | Preliminary Management                | Priority | Remaining Contribution | Category Grading | Root Protection Zone Radius (m) | Root Protection zone (m2). Capped at 707m2 |
|----------|------|---|-----------|-------|-------------|---------------|-----|-----|-----|-------------------------------|----------|-----------|-------------------------|--|---------------------------------------|----------|------------------------|------------------|---------------------------------|--|
|          |      |   |           |       |             | N             | S   | E   | W   |                               |          |           |                         |  |                                       |          |                        |                  |                                 |  |
|          | 2181 | Prunus avium plena Cherry                     | 121       | 1     | 5           | 1.5           | 1.5 | 1.5 | 1.5 | 3                             | 1.2      | SM        | Good                    | No visible defects   | Nil                                   | N/A      | 20-40                  | B1               | 1.45                            | 6.62                                       |
|          | 2185 | Fagus sylvatica- common Fagus sylvatica Beech | 204       | 1     | 7           | 2.0           | 3.5 | 2.0 | 2.0 | 6                             | 2        | SM        | Good                    | No visible defects   | Nil                                   | N/A      | 40+                    | B1               | 2.45                            | 18.83                                      |
|          | 2186 | Acer saccharinum Silver maple                 | 115       | 1     | 5           | 2.0           | 2.0 | 2.0 | 2.0 | 4                             | 2.5      | SM        | Fair                    | No visible defects   | Nil                                   | N/A      | 40+                    | B1               | 1.38                            | 5.98                                       |
|          | 2202 | Chamaecyparis lawsoniana Lawsons cypress      | 245       | 1     | 9           | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 2        | Y         | Good                    | Growing within laurel hedge  | Nil                                   | N/A      | 10-20                  | B1               | 2.94                            | 27.16                                      |
|          | 2203 | Chamaecyparis lawsoniana Lawsons cypress      | 168       | 1     | 8           | 1.0           | 1.0 | 1.0 | 1.0 | 2                             | 2        | Y         | Good                    | Growing within laurel hedge  | Nil                                   | N/A      | 10-20                  | B1               | 2.02                            | 12.77                                      |
|          | 2236 | Calocedrus decurrens Incence cedar            | 140       | 1     | 6           | 1.0           | 1.0 | 1.0 | 1.0 | 1                             | 0.5      | M         | Good                    | No visible defects   | Nil                                   | N/A      | 40+                    | B1               | 1.68                            | 8.87                                       |
|          | 2237 | Calocedrus decurrens Incence cedar            | 140       | 1     | 6           | 1.0           | 1.0 | 1.0 | 1.0 | 1                             | 0.5      | M         | Good                    | No visible defects   | Nil                                   | N/A      | 40+                    | B1               | 1.68                            | 8.87                                       |
|          | 2238 | Calocedrus decurrens Incence cedar            | 140       | 1     | 6           | 1.0           | 1.0 | 1.0 | 1.0 | 1                             | 0.5      | M         | Good                    | No visible defects   | Nil                                   | N/A      | 40+                    | B1               | 1.68                            | 8.87                                       |
|          | 2241 | Calocedrus decurrens Incence cedar            | 130       | 1     | 6           | 0.5           | 1.0 | 0.5 | 0.5 | 2                             | 0.5      | M         | Good                    | No visible defects   | Nil                                   | N/A      | 40+                    | B1               | 1.56                            | 7.65                                       |
|          | 2242 | Calocedrus decurrens Incence cedar            | 130       | 1     | 6           | 0.5           | 1.0 | 0.5 | 0.5 | 2                             | 0.5      | M         | Good                    | No visible defects   | Nil                                   | N/A      | 40+                    | B1               | 1.56                            | 7.65                                       |
|          | 2245 | Thuja plicata Western Red Cedar               | 140       | 1     | 7           | 1.0           | 1.0 | 1.0 | 1.5 | 2                             | 0.5      | M         | Good                    | N, suppressed by 2244  | Nil                                   | N/A      | 40+                    | B1               | 1.68                            | 8.87                                       |
|          | 2247 | Juglans regia Walnut                          | 243       | 1     | 7           | 3.0           | 3.0 | 3.0 | 3.0 | 3                             | 2        | SM        | Good                    | No visible defects   | Nil                                   | N/A      | 40+                    | B1               | 2.92                            | 26.72                                      |
|          | 2256 | Picea abies Norway spruce                     | 177       | 1     | 6           | 2.0           | 2.0 | 2.0 | 2.0 | 3                             | 0        | SM        | Good                    | No visible defects   | Nil                                   | N/A      | 40+                    | B1               | 2.12                            | 14.17                                      |
|          | 2269 | Crataegus monogyna Hawthorn                   | 141       | 1     | 6           | 3.0           | 3.0 | 1.0 | 3.0 | 1                             | 2        | M         | Good                    | No visible defects   | Nil                                   | N/A      | 20-40                  | B1               | 1.69                            | 9.00                                       |
|          | 2305 | Prunus Atropurpurea Pissards Plum             | 237       | 1     | 5           | 2.0           | 2.0 | 2.0 | 1.5 | 1                             | 2        | M         | Good                    | No visible defects   | None                                  | N/A      | 40+                    | B1               | 2.84                            | 25.41                                      |
|          | 2306 | Fraxinus excelsior Ash                        | 245       | 1     | 7           | 3.0           | 3.0 | 2.0 | 3.0 | 4                             | 2        | SM        | Good                    | No visible defects   | None                                  | N/A      | 40+                    | B1               | 2.94                            | 27.16                                      |
| G64      | 4803 | Chamaecyparis lawsoniana Lawsons cypress      | 317       | 1     | 11          | 1.0           | 1.0 | 1.0 | 1.0 | 0.5                           | 0        | M         | Good                    | No visible defects   | None                                  | N/A      | 40+                    | B1               | 3.80                            | 45.47                                      |
| G64      | 4804 | Juniperus communis Juniper                    | 223       | 1     | 1.5         | 1.0           | 1.0 | 1.0 | 1.0 | 0.5                           | 0        | M         | Fair                    | No visible defects   | None                                  | N/A      | 40+                    | B1               | 2.68                            | 22.50                                      |
| G73      | 4887 | Betula alba Silver birch                      | 356       | 1     | 14          | 4.0           | 4.0 | 2.0 | 5.0 | 0                             | 2        | M         | Good                    | No visible defects   | Nil                                   | N/A      | 10-20                  | B1               | 4.27                            | 57.34                                      |
| G73      | 4889 | Betula alba Silver birch                      | 346       | 1     | 14          | 4.0           | 4.0 | 1.0 | 4.0 | 0                             | 2        | M         | Good                    | No visible defects   | Nil                                   | N/A      | 10-20                  | B1               | 4.15                            | 54.17                                      |
| G73      | 4890 | Betula alba Silver birch                      | 270       | 1     | 12          | 4.0           | 4.0 | 3.0 | 1.0 | 0                             | 2        | M         | Good                    | No visible defects   | Nil                                   | N/A      | 10-20                  | B1               | 3.24                            | 32.98                                      |
| G73      | 4893 | Betula alba Silver birch                      | 275       | MS    | 13          | 4.0           | 3.0 | 4.0 | 1.0 | 0                             | 2        | M         | Fair                    | No visible defects   | Nil                                   | N/A      | 10-20                  | B1               | 2.75                            | 23.76                                      |
| G73      | 4896 | Betula alba Silver birch                      | 366       | 1     | 13          | 4.0           | 4.0 | 4.0 | 4.0 | 0                             | 2        | M         | Good                    | No visible defects   | Nil                                   | N/A      | 10-20                  | B1               | 4.39                            | 60.61                                      |
| G73      | 4900 | Betula alba Silver birch                      | 396       | 1     | 14          | 3.0           | 4.0 | 3.0 | 2.0 | 0                             | 0        | M         | Good                    | No visible defects   | Nil                                   | N/A      | 10-20                  | B1               | 4.75                            | 70.95                                      |
| G73      | 4901 | Betula alba Silver birch                      | 390       | 1     | 14          | 4.0           | 4.0 | 2.0 | 4.0 | 0                             | 1        | M         | Good                    | No visible defects   | Nil                                   | N/A      | 10-20                  | B1               | 4.68                            | 68.82                                      |
| G73      | 4902 | Betula alba Silver birch                      | 305       | 1     | 14          | 2.0           | 3.0 | 2.0 | 3.0 | 0                             | 3        | M         | Good                    | No visible defects   | Nil                                   | N/A      | 10-20                  | B1               | 3.66                            | 42.09                                      |
| G77      | 4912 | Tilia europaea Common Lime                    | 486       | 1     | 13          | 6.0           | 4.0 | 5.0 | 5.0 | 2                             | 2        | M         | Good                    | Occluded old wounds to main stem                                       | Nil                                   | N/A      | 20-40                  | B1               | 5.83                            | 106.87                                     |
| G77      | 4913 | Tilia cordata Small leaved lime               | 473       | 1     | 14          | 3.0           | 4.0 | 4.0 | 5.0 | 3                             | 2        | M         | Good                    | Occasional pruning wounds to main stem, else No visible defects        | Nil                                   | N/A      | 20-40                  | B1               | 5.68                            | 101.23                                     |
| G77      | 4914 | Acer pseudoplatanus Sycamore                  | 482       | 1     | 14          | 5.0           | 3.0 | 5.0 | 5.0 | 2                             | 4        | M         | Good                    | Occasional pruning wounds to main stem                                 | Nil                                   | N/A      | 10-20                  | B1               | 5.78                            | 105.11                                     |
| G77      | 4917 | Tilia europaea Common Lime                    | 359       | 1     | 12          | 5.0           | 3.0 | 5.0 | 5.0 | 2                             | 1        | M         | Good                    | Occluded pruning wounds to main stem, else No visible defects          | Nil                                   | N/A      | 20-40                  | B1               | 4.31                            | 58.31                                      |
| G77      | 4921 | Picea abies Norway spruce                     | 349       | 1     | 14          | 3.0           | 3.0 | 3.0 | 2.0 | 3                             | 4        | M         | Fair                    | Crown restricted by neighbours, else No visible defects                | Nil                                   | N/A      | 20-40                  | B1               | 4.19                            | 55.11                                      |
| G80      | 4939 | Betula alba Silver birch                      | 315       | 1     | 16          | 3.0           | 3.0 | 3.0 | 1.0 | 0                             | 4        | M         | Good                    | No visible defects   | Nil                                   | N/A      | 10-20                  | B1               | 3.78                            | 44.89                                      |
| G80      | 4942 | Acer pseudoplatanus Sycamore                  | 463       | 1     | 15          | 5.0           | 5.0 | 3.0 | 4.0 | 1                             | 4        | M         | Good                    | No visible defects   | Nil                                   | N/A      | 10-20                  | B1               | 5.56                            | 96.99                                      |
| G80      | 4944 | Betula alba Silver birch                      | 265       | 1     | 12          | 2.0           | 3.0 | 2.0 | 2.0 | 0                             | 1        | M         | Good                    | Witches brooms   | Nil                                   | N/A      | 10-20                  | B1               | 3.18                            | 31.77                                      |
| G80      | 4946 | Crataegus monogyna Hawthorn                   | 223       | MS    | 6           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 2        | M         | Good                    | No visible defects   | Nil                                   | N/A      | 10-20                  | B1               | 2.23                            | 15.62                                      |
| G80      | 4947 | Acer pseudoplatanus Sycamore                  | 532       | 1     | 14          | 4.0           | 4.0 | 6.0 | 3.0 | 2                             | 3        | M         | Good                    | Occluded old wounds to main stem, else No visible defects              | Nil                                   | N/A      | 10-20                  | B1               | 6.38                            | 128.05                                     |
| G80      | 4948 | Acer pseudoplatanus Sycamore                  | 370       | 1     | 13          | 5.0           | 3.0 | 5.0 | 1.0 | 1                             | 3        | M         | Fair                    | Deadwood in crown  | Remove deadwood                       | U        | 10-20                  | B1               | 4.44                            | 61.94                                      |
| G80      | 4949 | Acer platanoides Norway maple                 | 424       | 1     | 14          | 4.0           | 6.0 | 5.0 | 3.0 | 2                             | 2        | M         | Good                    | Branch union hollowing to secondary stem                               | Remove secondary upright stem to East | P        | 20-40                  | B1               | 5.09                            | 81.34                                      |
| G80      | 4950 | Acer pseudoplatanus Sycamore                  | 518       | 1     | 15          | 5.0           | 7.0 | 4.0 | 4.0 | 1                             | 5        | M         | Fair                    | Many occluded pruning wounds, else No visible defects                  | Nil                                   | N/A      | 10-20                  | B1               | 6.22                            | 121.40                                     |
| G80      | 4951 | Acer pseudoplatanus Sycamore                  | 461       | 1     | 15          | 5.0           | 6.0 | 3.0 | 5.0 | 1                             | 3        | M         | Fair                    | Many occluded pruning wounds, else No visible defects                  | Nil                                   | N/A      | 10-20                  | B1               | 5.53                            | 96.15                                      |
| G83      | 4984 | Chamaecyparis                                 | 143       | MS    | 6           | 1.0           | 1.0 | 1.0 | 1.0 | 3                             | 0        | SM        | Good                    | In raised bed, else No visible defects                                 | Nil                                   | N/A      | 20-40                  | B1               | 1.43                            | 6.43                                       |
| G83      | 4986 | Chamaecyparis                                 | 137       | 1     | 5           | 1.0           | 1.0 | 1.0 | 1.0 | 3                             | 0        | SM        | Good                    | In raised bed, else No visible defects                                 | Nil                                   | N/A      | 10-20                  | B1               | 1.64                            | 8.49                                       |
| G85      | 4998 | Aesculus hippocastanum Horse chestnut         | 357       | 1     | 9           | 3.0           | 2.0 | 3.0 | 3.0 | 2                             | 2        | M         | Good                    | Advanced decay to old pruning wounds at 2 m ht                         | Nil                                   | N/A      | 10-20                  | B1               | 4.28                            | 57.66                                      |
| G85      | 4999 | Aesculus hippocastanum Horse chestnut         | 383       | 1     | 10          | 3.0           | 2.0 | 3.0 | 3.0 | 2                             | 2        | M         | Good                    | Decay to old pruning wounds adjacent to main fork                      | Nil                                   | N/A      | 10-20                  | B1               | 4.60                            | 66.37                                      |
| G85      | 5001 | Aesculus hippocastanum Horse chestnut         | 477       | 1     | 12          | 3.0           | 3.0 | 4.0 | 4.0 | 2                             | 2        | M         | Good                    | Suspect weak fork union at 2 m ht affecting north side of entire crown | Investigate                           | P        | 10-20                  | B1               | 5.72                            | 102.95                                     |
| G85      | 5002 | Aesculus hippocastanum Horse chestnut         | 659       | 1     | 12          | 3.0           | 3.0 | 4.0 | 4.0 | 2                             | 2        | M         | Good                    | Tight fork unions / included bark at 2 m ht                            | Nil                                   | N/A      | 10-20                  | B1               | 7.91                            | 196.49                                     |
| G86      | 5003 | Aesculus hippocastanum Horse chestnut         | 658       | 1     | 12          | 3.0           | 2.0 | 3.0 | 3.0 | 2                             | 2        | M         | Good                    | Significant decay to old pruning wound at 2 m ht                       | Nil                                   | N/A      | 10-20                  | B1               | 7.90                            | 195.89                                     |
| G86      | 5004 | Aesculus hippocastanum Horse chestnut         | 668       | 1     | 12          | 2.0           | 3.0 | 5.0 | 6.0 | 2                             | 2        | M         | Good                    | Significant decay to old pruning wound at 2 m ht                       | Nil                                   | N/A      | 10-20                  | B1               | 8.02                            | 201.89                                     |
| G87      | 5007 | Aesculus hippocastanum Horse chestnut         | 527       | 1     | 12          | 3.0           | 2.0 | 5.0 | 6.0 | 2                             | 3        | M         | Good                    | Significant decay to old pruning wounds. Included bark to main fork    | Nil                                   | N/A      | 10-20                  | B1               | 6.32                            | 125.66                                     |
| G87      | 5009 | Aesculus hippocastanum Horse chestnut         | 461       | 1     | 12          | 4.0           | 4.0 | 4.0 | 2.0 | 2                             | 2        | M         | Good                    | Occluding old pruning wounds to main branches                          | Nil                                   | N/A      | 10-20                  | B1               | 5.53                            | 96.15                                      |

**TOTAL CATEGORY B TREES Heyford Park Nicholson's Tree Survey November 2006**

| Group No | Tag  | Species (Botanical)                       | Diam (mm) | Stems | Ht m. (est) | Branch Spread |     |     |     | Increase in canopy radius (m) | Crown Ht | Age Class | Physiological Condition | Structural Condition  | Preliminary Management                              | Priority | Remaining Contribution | Category Grading | Root Protection Zone Radius (m) | Root Protection zone (m2). Capped at 707m2 |
|----------|------|---|-----------|-------|-------------|---------------|-----|-----|-----|-------------------------------|----------|-----------|-------------------------|---|---|----------|------------------------|------------------|---------------------------------|--|
|          |      |   |           |       |             | N             | S   | E   | W   |                               |          |           |                         |   |   |          |                        |                  |                                 |  |
| G91      | 5034 | Sorbus aria Whitebeam                     | 147       | 1     | 6           | 1.0           | 1.0 | 1.0 | 1.0 | 1                             | 3        | M         | Fair                    | Damage, decay to base of stem   | Nil   | N/A      | 20-40                  | B1               | 1.76                            | 9.78                                       |
| G97      | 5071 | Fraxinus excelsior Ash                    | 182       | 1     | 8           | 2.5           | 2.5 | 2.5 | 2.5 | 3                             | 3        | SM        | Good                    | No visible defects  | None  | N/A      | 40+                    | B1               | 2.18                            | 14.99                                      |
| G97      | 5072 | Fraxinus excelsior Ash                    | 181       | 1     | 7.5         | 2.0           | 2.0 | 2.0 | 2.0 | 3                             | 3        | SM        | Fair                    | Sparse canopy   | None  | N/A      | 40+                    | B1               | 2.17                            | 14.82                                      |
| G97      | 5073 | Fraxinus excelsior Ash                    | 163       | 1     | 7           | 2.0           | 2.0 | 2.0 | 2.0 | 3                             | 2        | SM        | Good                    | No visible defects  | None  | N/A      | 40+                    | B1               | 1.96                            | 12.02                                      |
|          | 5085 | Acer platanoides Norway maple             | 194       | 1     | 5           | 3.0           | 3.0 | 3.0 | 3.0 | 2                             | 2        | M         | Good                    | No visible defects  | None  | N/A      | 40+                    | B1               | 2.33                            | 17.03                                      |
| G99      | 5086 | Acer platanoides Norway maple             | 181       | 1     | 4.5         | 3.0           | 3.0 | 3.0 | 3.0 | 2                             | 2        | M         | Good                    | No visible defects  | None  | N/A      | 40+                    | B1               | 2.17                            | 14.82                                      |
| G100     | 5088 | Acer pseudoplatanus Sycamore              | 278       | 1     | 9           | 4.0           | 4.0 | 4.0 | 4.0 | 2                             | 2        | M         | Fair                    | No visible defects  | None  | N/A      | 40+                    | B1               | 3.34                            | 34.97                                      |
| G127     | 5252 | Acer platanoides Norway maple             | 285       | 1     | 8           | 3.0           | 3.0 | 3.0 | 3.0 | 2                             | 2        | M         | Good                    | Tight forks included bark   | None  | N/A      | 40+                    | B1               | 3.42                            | 36.75                                      |
| G146     | 5372 | Tilia europaea Common Lime                | 126       | 1     | 6           | 1.0           | 1.0 | 1.0 | 1.0 | 4                             | 2        | SM        | Fair                    | No visible defects  | None  | N/A      | 40+                    | B1               | 1.51                            | 7.18                                       |
| G151     | 5374 | Fraxinus excelsior Ash                    | 107       | 1     | 5           | 1.0           | 1.0 | 1.0 | 1.0 | 2                             | 3        | SM        | Good                    | Minor damage  | None  | N/A      | 40+                    | B1               | 1.28                            | 5.18                                       |
| G151     | 5378 | Sorbus aucuparia Rowan                    | 133       | 1     | 6           | 1.0           | 1.0 | 1.0 | 1.0 | 0.5                           | 2.5      | M         | Good                    | No visible defects  | None  | N/A      | 20-40                  | B1               | 1.60                            | 8.00                                       |
| G151     | 5382 | Fraxinus excelsior Ash                    | 160       | 1     | 6           | 2.0           | 2.0 | 2.0 | 2.0 | 3                             | 2        | SM        | Good                    | No visible defects  | None  | N/A      | 40+                    | B1               | 1.92                            | 11.58                                      |
| G151     | 5385 | Alnus cordata Italian alder               | 160       | 1     | 6           | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 2        | SM        | Good                    | No visible defects  | None  | N/A      | 20-40                  | B1               | 1.92                            | 11.58                                      |
| G151     | 5386 | Alnus cordata Italian alder               | 90        | MS    | 3.5         | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 0        | SM        | Fair                    | No visible defects  | None  | N/A      | 20-40                  | B1               | 0.90                            | 2.55                                       |
| G148     | 5425 | Cupressocyparis leylandii Leyland cypress | 1326      | MS    | 15          | 3.0           | 4.0 | 4.0 | 3.0 | 0.5                           | 2        | M         | Good                    | No visible defects  | None  | N/A      | 40+                    | B1               | 13.26                           | 552.45                                     |
| G155     | 5462 | Prunus avium plena Cherry                 | 337       | 1     | 8           | 4.0           | 3.0 | 3.0 | 3.0 | 1                             | 2        | M         | Good                    | No visible defects  | None  | N/A      | 20-40                  | B1               | 4.04                            | 51.38                                      |
| G156     | 5465 | Sorbus aucuparia Rowan                    | 289       | 1     | 6           | 3.0           | 3.0 | 4.0 | 4.0 | 0.5                           | 2        | SM        | Good                    | No visible defects  | None  | N/A      | 10-20                  | B1               | 3.47                            | 37.79                                      |
| G156     | 5466 | Fraxinus excelsior Ash                    | 152       | 1     | 6           | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 2        | SM        | Good                    | No visible defects  | None  | N/A      | 40+                    | B1               | 1.82                            | 10.45                                      |
| G156     | 5467 | Fraxinus excelsior Ash                    | 120       | 1     | 5           | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 2        | SM        | Good                    | No visible defects  | None  | N/A      | 40+                    | B1               | 1.44                            | 6.52                                       |
| G156     | 5468 | Fraxinus excelsior Ash                    | 150       | 1     | 6           | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 2        | SM        | Good                    | No visible defects  | None  | N/A      | 40+                    | B1               | 1.80                            | 10.18                                      |
| G156     | 5469 | Fraxinus excelsior Ash                    | 176       | 1     | 6           | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 2        | SM        | Good                    | No visible defects  | None  | N/A      | 40+                    | B1               | 2.11                            | 14.02                                      |
| G156     | 5470 | Fraxinus excelsior Ash                    | 140       | 1     | 6           | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 2        | SM        | Good                    | No visible defects  | None  | N/A      | 40+                    | B1               | 1.68                            | 8.87                                       |
| G157     | 5471 | Robinia pseudoacacia False acacia         | 225       | 1     | 7           | 3.0           | 3.0 | 3.0 | 3.0 | 2                             | 2        | SM        | Good                    | No visible defects  | None  | N/A      | 40+                    | B1               | 2.70                            | 22.91                                      |
| G157     | 5472 | Robinia pseudoacacia False acacia         | 255       | 1     | 7           | 3.0           | 3.0 | 3.0 | 3.0 | 2                             | 2        | SM        | Good                    | No visible defects  | None  | N/A      | 40+                    | B1               | 3.06                            | 29.42                                      |
| G157     | 5473 | Robinia pseudoacacia False acacia         | 236       | 1     | 7           | 3.0           | 3.0 | 3.0 | 3.0 | 2                             | 2        | SM        | Good                    | No visible defects  | None  | N/A      | 40+                    | B1               | 2.83                            | 25.20                                      |
| G158     | 5474 | Prunus avium plena Cherry                 | 217       | 1     | 9           | 3.0           | 3.0 | 3.0 | 3.0 | 2                             | 2        | M         | Good                    | Broken low branch   | Crown clean, lift over road                         | P        | 20-40                  | B1               | 2.60                            | 21.31                                      |
| G158     | 5475 | Acer platanoides Norway maple             | 201       | 1     | 7           | 3.0           | 2.0 | 3.0 | 2.0 | 3                             | 1.5      | SM        | Good                    | No visible defects  | Lift over road                                      | P        | 40+                    | B1               | 2.41                            | 18.28                                      |
| G158     | 5482 | Prunus avium plena Cherry                 | 130       | 1     | 5           | 1.5           | 1.5 | 1.5 | 1.5 | 2                             | 2.5      | M         | Good                    | No visible defects  | None  | N/A      | 20-40                  | B1               | 1.56                            | 7.65                                       |
| G158     | 5484 | Prunus Flowering Cherry                   | 168       | 1     | 6           | 3.0           | 3.0 | 3.0 | 3.0 | 2                             | 3        | M         | Good                    | No visible defects  | None  | N/A      | 20-40                  | B1               | 2.02                            | 12.77                                      |
| G158     | 5485 | Prunus avium plena Cherry                 | 167       | 1     | 6           | 3.0           | 3.0 | 3.0 | 3.0 | 2                             | 3        | M         | Good                    | No visible defects  | None  | N/A      | 20-40                  | B1               | 2.00                            | 12.62                                      |
| G158     | 5488 | Prunus avium plena Cherry                 | 177       | 1     | 7           | 1.0           | 3.0 | 3.0 | 3.0 | 2                             | 2.5      | M         | Good                    | No visible defects  | None  | N/A      | 20-40                  | B1               | 2.12                            | 14.17                                      |
| G159     | 5490 | Acer platanoides Norway maple             | 268       | 1     | 8           | 3.0           | 2.0 | 3.0 | 2.0 | 3                             | 2        | M         | Fair                    | Significant dead wood < 50 mm   | Nil   | N/A      | 20-40                  | B1               | 3.22                            | 32.50                                      |
| G159     | 5491 | Acer platanoides Norway maple             | 299       | 1     | 8           | 4.0           | 4.0 | 4.0 | 4.0 | 3                             | 2        | M         | Good                    | No visible defects  | Nil   | N/A      | 20-40                  | B1               | 3.59                            | 40.45                                      |
| G159     | 5492 | Acer platanoides Norway maple             | 235       | 1     | 9           | 3.0           | 2.0 | 3.0 | 3.0 | 4                             | 2        | M         | Good                    | No visible defects  | Nil   | N/A      | 20-40                  | B1               | 2.82                            | 24.99                                      |
| G159     | 5493 | Acer platanoides Norway maple             | 245       | 1     | 7           | 3.0           | 3.0 | 2.0 | 2.0 | 3                             | 2        | M         | Good                    | Mower damage to base of stem  | Nil   | N/A      | 20-40                  | B1               | 2.94                            | 27.16                                      |
| G159     | 5494 | Acer platanoides Norway maple             | 290       | 1     | 10          | 4.0           | 1.0 | 3.0 | 3.0 | 3                             | 2        | M         | Good                    | Included bark developing in main fork   | Remove northern main stem to overcome included bark | P        | 20-40                  | B1               | 3.48                            | 38.05                                      |
| G159     | 5496 | Acer platanoides Norway maple             | 257       | 1     | 9           | 4.0           | 3.0 | 3.0 | 3.0 | 3                             | 2        | M         | Good                    | No visible defects  | Nil   | N/A      | 20-40                  | B1               | 3.08                            | 29.88                                      |
| G159     | 5497 | Acer platanoides Norway maple             | 256       | 1     | 9           | 1.0           | 3.0 | 3.0 | 4.0 | 3                             | 3        | M         | Good                    | No visible defects  | Nil   | N/A      | 20-40                  | B1               | 3.07                            | 29.65                                      |
| G159     | 5499 | Acer platanoides Norway maple             | 236       | 1     | 8           | 3.0           | 2.0 | 3.0 | 1.0 | 3                             | 1        | M         | Good                    | Crown unbalanced by influence of 5498   | Nil   | N/A      | 20-40                  | B1               | 2.83                            | 25.20                                      |
| G165     | 5508 | Maple                                     | 131       | 1     | 8           | 3.0           | 2.0 | 1.0 | 1.0 | 3                             | 2        | Y         | Good                    | Crown unbalanced to north   | remove basal branches                               | P        | 20-40                  | B1               | 1.57                            | 7.76                                       |
| G165     | 5509 | Maple                                     | 140       | 1     | 8           | 3.0           | 2.0 | 3.0 | 1.0 | 3                             | 2        | Y         | Good                    | Crown unbalanced to north   | Nil   | N/A      | 20-40                  | B1               | 1.68                            | 8.87                                       |
| G165     | 5510 | Maple                                     | 167       | 1     | 8           | 2.0           | 2.0 | 2.0 | 2.0 | 3                             | 2        | Y         | Good                    | Basal branching, else No visible defects  | remove basal branches                               | P        | 20-40                  | B1               | 2.00                            | 12.62                                      |
| G165     | 5511 | Acer saccharinum Silver maple             | 178       | 1     | 9           | 2.0           | 2.0 | 4.0 | 3.0 | 3                             | 3        | Y         | Good                    | No visible defects  | Remove basal branching                              | P        | 20-40                  | B1               | 2.14                            | 14.34                                      |
| G165     | 5512 | Acer platanoides Norway maple             | 233       | 1     | 6           | 3.0           | 2.0 | 3.0 | 3.0 | 3                             | 2        | Y         | Good                    | Basal branching, else No visible defects  | Remove basal branches                               | P        | 20-40                  | B1               | 2.80                            | 24.56                                      |
| G165     | 5513 | Maple                                     | 244       | 1     | 9           | 4.0           | 4.0 | 4.0 | 4.0 | 2                             | 2        | Y         | Good                    | Basal branching, else No visible defects  | Remove basal branches                               | P        | 20-40                  | B1               | 2.93                            | 26.94                                      |
| G165     | 5514 | Acer saccharinum Silver maple             | 208       | 1     | 9           | 4.0           | 3.0 | 3.0 | 3.0 | 3                             | 3        | Y         | Good                    | Basal branching, else No visible defects  | Remove basal branches                               | P        | 20-40                  | B1               | 2.50                            | 19.57                                      |
| G175     | 5573 | Sorbus aria Whitebeam                     | 192       | 1     | 8           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 2        | Y         | Fair                    | No visible defects  | Nil   | N/A      | 20-40                  | B1               | 2.30                            | 16.68                                      |
| G175     | 5575 | Sorbus aria Whitebeam                     | 235       | 1     | 8           | 3.0           | 1.0 | 3.0 | 3.0 | 1                             | 2        | Y         | Fair                    | No visible defects  | Nil   | N/A      | 20-40                  | B1               | 2.82                            | 24.99                                      |
| 630      |      | Acer pseudoplatanus Sycamore              | 466       | 1     | 14          | 6.0           | 5.0 | 5.0 | 3.0 | 3                             | 3        | M         | Good                    | Rot pocket to main stem   | Nil   | N/A      | 20-40                  | B1,2             | 7.13                            | 98.25                                      |
| 634      |      | Aesculus hippocastanum Horse Chestnut     | 608       | 1     | 14          | 6.0           | 4.0 | 5.0 | 4.0 | 3                             | 2        | M         | Good                    | Occasional wounds to main stem (decay?)   | Nil   | N/A      | 20-40                  | B1,2             | 8.42                            | 167.25                                     |
| 635      |      | Maple                                     | 461       | 1     | 14          | 6.0           | 4.0 | 4.0 | 4.0 | 2                             | 3        | M         | Fair                    | Bark necrosis to main stem  | Nil   | N/A      | 10-20                  | B1,2             | 3.78                            | 96.15                                      |
| 639      |      | Aesculus hippocastanum Horse Chestnut     | 594       | 1     | 15          | 5.0           | 5.0 | 4.0 | 4.0 | 3                             | 2        | M         | Good                    | Bleeding canker to main stem  | Monitor canker                                      | P        | 20-40                  | B1,2             | 5.88                            | 159.64                                     |
| 818      |      | Aesculus hippocastanum Horse Chestnut     | 702       | 1     | 13          | 5.0           | 4.0 | 4.0 | 4.0 | 1                             | 0        | M         | Good                    | Some bleeding canker to main stem. Occasional significant deadwood. In hardstanding with numerous service runs adjacent | Remove deadwood                                     | P        | 20-40                  | B1,2             | 3.14                            | 222.97                                     |
| 821      |      | Acer platanoides Norway maple             | 315       | 1     | 13          | 4.0           | 3.0 | 3.0 | 3.0 | 3                             | 2        | M         | Good                    | No visible defects  | Cut branch ends away from building                  | P        | 20-40                  | B1,2             | 10.68                           | 44.89                                      |
| 849      |      | Tilia europaea Common Lime                | 490       | 1     | 15          | 4.0           | 4.0 | 4.0 | 4.0 | 2                             | 2        | M         | Good                    | No visible defects (epicormics)   | Nil   | N/A      | 20-40                  | B1,2             | 5.88                            | 108.63                                     |
| 853      |      | Acer pseudoplatanus Sycamore              | 262       | 1     | 10          | 3.0           | 3.0 | 3.0 | 3.0 | 2                             | 2        | M         | Fair                    | No visible defects (good specimen)  | Nil   | N/A      | 20-40                  | B1,2             | 3.14                            | 31.06                                      |
| 863      |      | Cupressocyparis leylandii Leyland cypress | 1068      | MS    | 16          | 3.0           | 3.0 | 3.0 | 3.0 | 1                             | 0        | M         | Good                    | No visible defects  | Nil   | N/A      | 20-40                  | B1,2             | 10.68                           | 358.38                                     |
| 864      |      | Acer pseudoplatanus Sycamore              | 289       | 1     | 11          | 4.0           | 4.0 | 4.0 | 4.0 | 2                             | 2        | M         | Good                    | No visible defects  | Nil   | N/A      | 20-40                  | B1,2             | 3.47                            | 37.79                                      |
| 865      |      | Acer platanoides Norway maple             | 370       | 1     | 12          | 3.0           | 3.0 | 5.0 | 4.0 | 3                             | 2        | M         | Good                    | Close to kerb line, else No visible defects   | Nil   | N/A      | 20-40                  | B1,2             | 4.44                            | 61.94                                      |



**TOTAL CATEGORY B TREES Heyford Park Nicholson's Tree Survey November 2006**

| Group No | Tag  | Species (Botanical)                      | Diam (mm) | Stems | Ht m. (est) | Branch Spread |     |     |     | Increase in canopy radius (m) | Crown Ht | Age Class | Physiological Condition | Structural Condition   | Preliminary Management | Priority | Remaining Contribution | Category Grading | Root Protection Zone Radius (m) | Root Protection zone (m2). Capped at 707m2 |
|----------|------|--|-----------|-------|-------------|---------------|-----|-----|-----|-------------------------------|----------|-----------|-------------------------|--|------------------------|----------|------------------------|------------------|---------------------------------|--|
|          |      |  |           |       |             | N             | S   | E   | W   |                               |          |           |                         |  |                        |          |                        |                  |                                 |  |
|          | 2260 | Carpinus betulus Hornbeam (fastigiata)   | 311       | 1     | 12          | 4.0           | 3.0 | 3.0 | 3.0 | 1                             | 3        | M         | Good                    | No visible defects   | Nil                    | N/A      | 20-40                  | B1,2             | 3.73                            | 43.76                                      |
|          | 2313 | Tilia cordata Small leaved lime          | 302       | 1     | 10          | 4.0           | 3.0 | 3.0 | 3.0 | 2                             | 2        | M         | Good                    | Multiple included bark to main branch unions                                   | Nil                    | N/A      | 20-40                  | B1,2             | 3.62                            | 41.27                                      |
| H17      | 4544 | Thuja plicata Westen Red Cedar           | 362       | 1     | 12          | 2.0           | 2.0 | 2.0 | 1.0 | 2                             | 2        | M         | Good                    | No visible defects   | Nil                    | N/A      | 20-40                  | B1,2             | 4.34                            | 59.29                                      |
| H17      | 4545 | Thuja plicata Westen Red Cedar           | 355       | 1     | 13          | 2.0           | 2.0 | 1.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects   | Nil                    | N/A      | 20-40                  | B1,2             | 4.26                            | 57.02                                      |
| H17      | 4547 | Thuja plicata Westen Red Cedar           | 310       | 1     | 13          | 2.0           | 2.0 | 1.0 | 1.0 | 2                             | 2        | M         | Good                    | No visible defects   | Nil                    | N/A      | 20-40                  | B1,2             | 3.72                            | 43.48                                      |
| H17      | 4548 | Thuja plicata Westen Red Cedar           | 321       | 1     | 13          | 2.0           | 2.0 | 1.0 | 0.0 | 2                             | 2        | M         | Good                    | No visible defects   | Nil                    | N/A      | 20-40                  | B1,2             | 3.85                            | 46.62                                      |
| H17      | 4549 | Thuja plicata Westen Red Cedar           | 346       | 1     | 13          | 2.0           | 2.0 | 2.0 | 1.0 | 2                             | 2        | M         | Good                    | No visible defects   | Nil                    | N/A      | 20-40                  | B1,2             | 4.15                            | 54.17                                      |
| H17      | 4554 | Thuja plicata Westen Red Cedar           | 234       | 1     | 12          | 2.0           | 2.0 | 1.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects   | Nil                    | N/A      | 20-40                  | B1,2             | 2.81                            | 24.77                                      |
| H17      | 4557 | Thuja plicata Westen Red Cedar           | 380       | 1     | 13          | 2.0           | 2.0 | 1.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects   | Nil                    | N/A      | 20-40                  | B1,2             | 4.56                            | 65.33                                      |
| H17      | 4565 | Thuja plicata Westen Red Cedar           | 495       | 1     | 13          | 2.0           | 2.0 | 1.0 | 1.0 | 2                             | 2        | M         | Good                    | No visible defects   | Nil                    | N/A      | 20-40                  | B1,2             | 5.94                            | 110.86                                     |
| H17      | 4566 | Thuja plicata Westen Red Cedar           | 257       | 1     | 12          | 2.0           | 2.0 | 1.0 | 1.0 | 2                             | 2        | M         | Good                    | Some damage to main stem, calloused over                                       | Nil                    | N/A      | 20-40                  | B1,2             | 3.08                            | 29.88                                      |
| H17      | 4567 | Thuja plicata Westen Red Cedar           | 302       | 1     | 12          | 2.0           | 2.0 | 1.0 | 1.0 | 2                             | 2        | M         | Good                    | No visible defects   | Nil                    | N/A      | 20-40                  | B1,2             | 3.62                            | 41.27                                      |
| H17      | 4568 | Thuja plicata Westen Red Cedar           | 352       | 1     | 12          | 2.0           | 2.0 | 1.0 | 1.0 | 2                             | 2        | M         | Good                    | No visible defects   | Nil                    | N/A      | 20-40                  | B1,2             | 4.22                            | 56.06                                      |
| H17      | 4569 | Thuja plicata Westen Red Cedar           | 354       | 2     | 12          | 2.0           | 2.0 | 2.0 | 1.0 | 2                             | 2        | M         | Good                    | No visible defects   | Nil                    | N/A      | 20-40                  | B1,2             | 4.25                            | 56.70                                      |
| H17      | 4573 | Thuja plicata Westen Red Cedar           | 264       | 1     | 12          | 1.0           | 2.0 | 1.0 | 2.0 | 2                             | 1        | M         | Good                    | No visible defects   | Nil                    | N/A      | 20-40                  | B1,2             | 3.17                            | 31.53                                      |
| H17      | 4574 | Thuja plicata Westen Red Cedar           | 239       | 1     | 12          | 1.0           | 1.0 | 1.0 | 2.0 | 2                             | 1        | M         | Good                    | No visible defects   | Nil                    | N/A      | 20-40                  | B1,2             | 2.87                            | 25.84                                      |
| H17      | 4576 | Thuja plicata Westen Red Cedar           | 342       | 1     | 15          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 1        | M         | Good                    | No visible defects   | Nil                    | N/A      | 20-40                  | B1,2             | 4.10                            | 52.92                                      |
| H17      | 4579 | Thuja plicata Westen Red Cedar           | 425       | 1     | 15          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects   | Nil                    | N/A      | 20-40                  | B1,2             | 5.10                            | 81.72                                      |
| H17      | 4580 | Thuja plicata Westen Red Cedar           | 235       | 1     | 13          | 1.0           | 1.0 | 2.0 | 1.0 | 2                             | 2        | M         | Good                    | No visible defects   | Nil                    | N/A      | 20-40                  | B1,2             | 2.82                            | 24.99                                      |
| H17      | 4581 | Thuja plicata Westen Red Cedar           | 219       | 1     | 12          | 1.0           | 1.0 | 1.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects   | Nil                    | N/A      | 20-40                  | B1,2             | 2.63                            | 21.70                                      |
| H17      | 4582 | Thuja plicata Westen Red Cedar           | 372       | 1     | 15          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects   | Nil                    | N/A      | 20-40                  | B1,2             | 4.46                            | 62.61                                      |
| H17      | 4583 | Thuja plicata Westen Red Cedar           | 400       | 1     | 14          | 2.0           | 1.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects   | Nil                    | N/A      | 20-40                  | B1,2             | 4.80                            | 72.39                                      |
| H17      | 4584 | Thuja plicata Westen Red Cedar           | 594       | 1     | 14          | 1.0           | 2.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects   | Nil                    | N/A      | 20-40                  | B1,2             | 7.13                            | 159.64                                     |
| H17      | 4590 | Thuja plicata Westen Red Cedar           | 351       | 1     | 14          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects   | remove ivy             | P        | 20-40                  | B1,2             | 4.21                            | 55.74                                      |
| H17      | 4591 | Thuja plicata Westen Red Cedar           | 330       | 1     | 14          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects   | remove ivy             | P        | 20-40                  | B1,2             | 3.96                            | 49.27                                      |
| H17      | 4592 | Thuja plicata Westen Red Cedar           | 221       | 1     | 12          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects   | Nil                    | N/A      | 20-40                  | B1,2             | 2.65                            | 22.10                                      |
| H17      | 4593 | Thuja plicata Westen Red Cedar           | 382       | 1     | 14          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects   | Nil                    | N/A      | 20-40                  | B1,2             | 4.58                            | 66.02                                      |
| H17      | 4596 | Thuja plicata Westen Red Cedar           | 323       | 1     | 14          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects   | Nil                    | N/A      | 20-40                  | B1,2             | 3.88                            | 47.20                                      |
| H17      | 4597 | Thuja plicata Westen Red Cedar           | 350       | 1     | 14          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects   | Nil                    | N/A      | 20-40                  | B1,2             | 4.20                            | 55.42                                      |
| H17      | 4598 | Thuja plicata Westen Red Cedar           | 340       | 1     | 14          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | Lower main stem sweeps to S. else no visible defects                           | Nil                    | N/A      | 20-40                  | B1,2             | 4.08                            | 52.30                                      |
|          | 4599 | Thuja plicata Westen Red Cedar           | 423       | 1     | 14          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects   | Nil                    | N/A      | 20-40                  | B1,2             | 5.08                            | 80.96                                      |
| H17      | 4601 | Thuja plicata Westen Red Cedar           | 275       | 1     | 14          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects   | Nil                    | N/A      | 20-40                  | B1,2             | 3.30                            | 34.22                                      |
| H17      | 4602 | Thuja plicata Westen Red Cedar           | 211       | 1     | 12          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects   | Nil                    | N/A      | 20-40                  | B1,2             | 2.53                            | 20.14                                      |
|          | 4603 | Thuja plicata Westen Red Cedar           | 472       | 1     | 14          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects   | Nil                    | N/A      | 20-40                  | B1,2             | 5.66                            | 100.80                                     |
| H17      | 4605 | Thuja plicata Westen Red Cedar           | 472       | 1     | 14          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects   | Nil                    | N/A      | 20-40                  | B1,2             | 5.66                            | 100.80                                     |
| H17      | 4606 | Thuja plicata Westen Red Cedar           | 266       | 1     | 14          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects   | Nil                    | N/A      | 20-40                  | B1,2             | 3.19                            | 32.01                                      |
| H17      | 4607 | Thuja plicata Westen Red Cedar           | 379       | 1     | 14          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects   | Nil                    | N/A      | 20-40                  | B1,2             | 4.55                            | 64.99                                      |
| H17      | 4608 | Thuja plicata Westen Red Cedar           | 306       | 1     | 14          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects   | Nil                    | N/A      | 20-40                  | B1,2             | 3.67                            | 42.37                                      |
| H17      | 4609 | Thuja plicata Westen Red Cedar           | 228       | 1     | 14          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects   | Nil                    | N/A      | 20-40                  | B1,2             | 2.74                            | 23.52                                      |
| H17      | 4610 | Thuja plicata Westen Red Cedar           | 190       | 1     | 13          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects   | Nil                    | N/A      | 20-40                  | B1,2             | 2.28                            | 16.33                                      |
| H17      | 4611 | Thuja plicata Westen Red Cedar           | 481       | 1     | 14          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects   | Nil                    | N/A      | 20-40                  | B1,2             | 5.77                            | 104.68                                     |
| H17      | 4612 | Thuja plicata Westen Red Cedar           | 302       | 1     | 14          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects   | Nil                    | N/A      | 20-40                  | B1,2             | 3.62                            | 41.27                                      |
| H17      | 4613 | Thuja plicata Westen Red Cedar           | 255       | 1     | 13          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects   | Nil                    | N/A      | 20-40                  | B1,2             | 3.06                            | 29.42                                      |
| H17      | 4614 | Thuja plicata Westen Red Cedar           | 329       | 1     | 13          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects   | Nil                    | N/A      | 20-40                  | B1,2             | 3.95                            | 48.97                                      |
| H17      | 4617 | Thuja plicata Westen Red Cedar           | 272       | 1     | 10          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects   | Nil                    | N/A      | 20-40                  | B1,2             | 3.26                            | 33.47                                      |
|          | 4621 | Thuja plicata Westen Red Cedar           | 284       | 1     | 12          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects   | Nil                    | N/A      | 20-40                  | B1,2             | 3.41                            | 36.49                                      |
| H17      | 4623 | Thuja plicata Westen Red Cedar           | 220       | 1     | 12          | 1.0           | 1.0 | 0.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects   | Nil                    | N/A      | 20-40                  | B1,2             | 2.64                            | 21.90                                      |
| H17      | 4624 | Thuja plicata Westen Red Cedar           | 375       | 1     | 13          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects   | Nil                    | N/A      | 20-40                  | B1,2             | 4.50                            | 63.63                                      |
| H17      | 4625 | Thuja plicata Westen Red Cedar           | 245       | 1     | 12          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects   | Nil                    | N/A      | 20-40                  | B1,2             | 2.94                            | 27.16                                      |
| H17      | 4626 | Thuja plicata Westen Red Cedar           | 181       | 1     | 10          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects   | Nil                    | N/A      | 20-40                  | B1,2             | 2.17                            | 14.82                                      |
| H17      | 4627 | Chamaecyparis lawsoniana lawsons cypress | 414       | 1     | 13          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects   | Nil                    | N/A      | 20-40                  | B1,2             | 4.97                            | 77.55                                      |
| H17      | 4628 | Thuja plicata Westen Red Cedar           | 294       | 1     | 12          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects   | Nil                    | N/A      | 20-40                  | B1,2             | 3.53                            | 39.11                                      |
| H17      | 4629 | Thuja plicata Westen Red Cedar           | 394       | 1     | 12          | 2.0           | 1.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects   | remove ivy             | P        | 20-40                  | B1,2             | 4.73                            | 70.24                                      |
| G72      | 4878 | Aesculus hippocastanum Horse chestnut    | 441       | 1     | 15          | 5.0           | 5.0 | 4.0 | 3.0 | 3                             | 2        | M         | Good                    | Included bark developing at spring of crown                                    | Nil                    | N/A      | 10-20                  | B1,2             | 5.29                            | 87.99                                      |
| G73      | 4884 | Betula alba Silver birch                 | 327       | 1     | 14          | 4.0           | 3.0 | 2.0 | 1.0 | 0                             | 2        | M         | Fair                    | No visible defects   | Nil                    | N/A      | <10                    | B1,2             | 3.92                            | 48.38                                      |
| G73      | 4885 | Betula alba Silver birch                 | 296       | 1     | 14          | 4.0           | 4.0 | 1.0 | 1.0 | 0                             | 2        | M         | Fair                    | No visible defects   | Nil                    | N/A      | <10                    | B1,2             | 3.55                            | 39.64                                      |
| G73      | 4886 | Betula alba Silver birch                 | 332       | 1     | 14          | 4.0           | 4.0 | 2.0 | 1.0 | 0                             | 2        | M         | Fair                    | Partially occluded wound to main stem at 2 m ht                                | Nil                    | N/A      | <10                    | B1,2             | 3.98                            | 49.87                                      |
| G74      | 4904 | Acer platanooides Norway maple           | 397       | 1     | 13          | 4.0           | 4.0 | 3.0 | 4.0 | 3                             | 3        | M         | Good                    | No visible defects   | Nil                    | N/A      | 10-20                  | B1,2             | 4.76                            | 71.31                                      |
| G74      | 4906 | Acer platanooides Norway maple           | 425       | 1     | 13          | 4.0           | 3.0 | 3.0 | 4.0 | 3                             | 3        | M         | Good                    | No visible defects   | Nil                    | N/A      | 10-20                  | B1,2             | 5.10                            | 81.72                                      |
| G75      | 4907 | Betula alba Silver birch                 | 261       | 1     | 14          | 2.0           | 2.0 | 3.0 | 2.0 | 0                             | 2        | M         | Good                    | Occluded wounds to main stem, else No visible defects                          | Nil                    | N/A      | 10-20                  | B1,2             | 3.13                            | 30.82                                      |
| G75      | 4910 | Betula alba Silver birch                 | 405       | 1     | 15          | 4.0           | 5.0 | 3.0 | 4.0 | 0                             | 3        | M         | Good                    | Old pruning wounds to upper stem   | Nil                    | N/A      | 10-20                  | B1,2             | 4.86                            | 74.21                                      |
| G75      | 4911 | Betula alba Silver birch                 | 363       | 1     | 16          | 4.0           | 4.0 | 3.0 | 5.0 | 0                             | 2        | M         | Good                    | Old pruning wounds to upper stem. Chestnut pale fencing growing into main stem | Remove chestnut pale   | P        | 10-20                  | B1,2             | 4.36                            | 59.62                                      |

**TOTAL CATEGORY B TREES Heyford Park Nicholson's Tree Survey November 2006**

| Group No | Tag  | Species (Botanical)                       | Diam (mm) | Stems | Ht m. (est) | Branch Spread |     |     |     | Increase in canopy radius (m) | Crown Ht | Age Class | Physiological Condition | Structural Condition   | Preliminary Management   | Priority | Remaining Contribution | Category Grading | Root Protection Zone Radius (m) | Root Protection zone (m2). Capped at 707m2 |
|----------|------|---|-----------|-------|-------------|---------------|-----|-----|-----|-------------------------------|----------|-----------|-------------------------|--|--|----------|------------------------|------------------|---------------------------------|--|
|          |      |   |           |       |             | N             | S   | E   | W   |                               |          |           |                         |  |  |          |                        |                  |                                 |  |
| G79      | 4930 | Tilia europaea Common Lime                | 439       | 1     | 15          | 4.0           | 2.0 | 4.0 | 5.0 | 2                             | 3        | M         | Good                    | Epicormics, else No visible defects                            | Nil  | N/A      | 20-40                  | B1,2             | 5.27                            | 87.20                                      |
| G79      | 4931 | Tilia europaea Common Lime                | 376       | 1     | 14          | 3.0           | 3.0 | 3.0 | 5.0 | 2                             | 2        | M         | Good                    | Old wounds to main stem occluding satisfactorily               | Nil  | N/A      | 20-40                  | B1,2             | 4.51                            | 63.97                                      |
| G79      | 4932 | Tilia europaea Common Lime                | 572       | 1     | 15          | 5.0           | 4.0 | 4.0 | 6.0 | 2                             | 5        | M         | Good                    | Large limb on western side with included bark. Deadwood        | Reduce terminal weight of branch on western side, Remove dead wood | P        | 20-40                  | B1,2             | 6.86                            | 148.03                                     |
| G79      | 4933 | Tilia europaea Common Lime                | 346       | MS    | 14          | 3.0           | 4.0 | 3.0 | 5.0 | 2                             | 4        | M         | Good                    | No visible defects   | Nil  | N/A      | 20-40                  | B1,2             | 3.46                            | 37.61                                      |
| G79      | 4934 | Acer pseudoplatanus Sycamore              | 383       | 1     | 15          | 4.0           | 3.0 | 3.0 | 4.0 | 2                             | 4        | M         | Good                    | No visible defects   | Nil  | N/A      | 20-40                  | B1,2             | 4.60                            | 66.37                                      |
| G79      | 4935 | Tilia europaea Common Lime                | 447       | 1     | 15          | 4.0           | 3.0 | 4.0 | 5.0 | 1                             | 2        | M         | Good                    | No visible defects   | Nil  | N/A      | 20-40                  | B1,2             | 5.36                            | 90.40                                      |
| G79      | 4937 | Aesculus hippocastanum Horse chestnut     | 486       | 1     | 15          | 2.0           | 3.0 | 3.0 | 4.0 | 2                             | 3        | M         | Good                    | Old pruning wound to main stem, occluded some bleeding canker  | Nil  | N/A      | 20-40                  | B1,2             | 5.83                            | 106.87                                     |
| G79      | 4938 | Acer pseudoplatanus Sycamore              | 464       | 1     | 15          | 4.0           | 2.0 | 3.0 | 5.0 | 2                             | 4        | M         | Good                    | Old pruning wounds, decay to stem and branches. Dead wood      | Remove dead wood   | U        | 20-40                  | B1,2             | 5.57                            | 97.41                                      |
| G76      | 4965 | Betula alba Silver birch                  | 354       | 1     | 16          | 6.0           | 5.0 | 3.0 | 5.0 | 0                             | 2        | M         | Good                    | No visible defects   | Nil  | N/A      | <10                    | B1,2             | 4.25                            | 56.70                                      |
| G76      | 4968 | Betula alba Silver birch                  | 344       | 1     | 15          | 6.0           | 6.0 | 3.0 | 4.0 | 0                             | 3        | M         | Good                    | Minor old pruning wounds to main stem, else No visible defects | Nil  | N/A      | <10                    | B1,2             | 4.13                            | 53.54                                      |
| G76      | 4969 | Betula alba Silver birch                  | 412       | 1     | 15          | 6.0           | 5.0 | 4.0 | 3.0 | 0                             | 3        | M         | Good                    | Decay to old branch stub at fork at 2.5 m                      | Nil  | N/A      | <10                    | B1,2             | 4.94                            | 76.80                                      |
| G76      | 4970 | Betula alba Silver birch                  | 234       | 1     | 14          | 3.0           | 3.0 | 2.0 | 2.0 | 0                             | 3        | M         | Fair                    | Occluded wounds to main stem                                   | Nil  | N/A      | <10                    | B1,2             | 2.81                            | 24.77                                      |
| G81      | 4972 | Fraxinus excelsior Ash (jaspidea)         | 341       | 1     | 14          | 5.0           | 5.0 | 4.0 | 3.0 | 2                             | 3        | M         | Good                    | No visible defects   | Nil  | N/A      | 20-40                  | B1,2             | 4.09                            | 52.61                                      |
| G81      | 4973 | Fraxinus excelsior Ash (jaspidea)         | 330       | 1     | 14          | 5.0           | 5.0 | 2.0 | 4.0 | 2                             | 2        | M         | Good                    | Branch broken out in upper crown                               | Nil  | N/A      | 20-40                  | B1,2             | 3.96                            | 49.27                                      |
| G81      | 4974 | Acer pseudoplatanus Sycamore              | 565       | 1     | 13          | 6.0           | 5.0 | 3.0 | 5.0 | 2                             | 3        | M         | Good                    | Old pruning wounds to branches and main stem (decay?)          | Nil  | N/A      | 20-40                  | B1,2             | 6.78                            | 144.43                                     |
| G81      | 4976 | Acer pseudoplatanus Sycamore              | 544       | 1     | 14          | 5.0           | 5.0 | 3.0 | 3.0 | 2                             | 5        | M         | Good                    | Old pruning wounds to branches and main stem (decay?)          | Nil  | N/A      | 20-40                  | B1,2             | 6.53                            | 133.90                                     |
| G81      | 4977 | Acer pseudoplatanus Sycamore              | 442       | MS    | 13          | 3.0           | 5.0 | 3.0 | 2.0 | 2                             | 5        | M         | Good                    | Old pruning wounds to branches and main stem (decay?)          | Nil  | N/A      | 20-40                  | B1,2             | 4.42                            | 61.38                                      |
| G81      | 4978 | Acer pseudoplatanus Sycamore              | 317       | 1     | 13          | 3.0           | 3.0 | 3.0 | 2.0 | 2                             | 3        | M         | Good                    | Old pruning wounds to branches and main stem (decay?)          | Nil  | N/A      | 20-40                  | B1,2             | 3.80                            | 45.47                                      |
| G81      | 4979 | Acer pseudoplatanus Sycamore              | 437       | 1     | 12          | 2.0           | 3.0 | 4.0 | 5.0 | 2                             | 4        | M         | Good                    | Old pruning wounds to branches and main stem (decay?)          | Nil  | N/A      | 20-40                  | B1,2             | 5.24                            | 86.40                                      |
| G84      | 4988 | Aesculus hippocastanum Horse chestnut     | 544       | 1     | 11          | 4.0           | 4.0 | 4.0 | 3.0 | 3                             | 2        | M         | Good                    | Old pruning wounds, decay?                                     | Nil  | N/A      | 10-20                  | B1,2             | 6.53                            | 133.90                                     |
| G84      | 4989 | Aesculus hippocastanum Horse chestnut     | 476       | 1     | 11          | 4.0           | 4.0 | 2.0 | 2.0 | 3                             | 2        | M         | Good                    | Old damage/decay to main stem at 1 m                           | Nil  | N/A      | 10-20                  | B1,2             | 5.71                            | 102.51                                     |
| G84      | 4990 | Aesculus hippocastanum Horse chestnut     | 454       | 1     | 11          | 4.0           | 4.0 | 2.0 | 3.0 | 3                             | 2        | M         | Good                    | Old pruning wounds, decay to main branches                     | Nil  | N/A      | 10-20                  | B1,2             | 5.45                            | 93.26                                      |
| G84      | 4991 | Aesculus hippocastanum Horse chestnut     | 401       | 1     | 11          | 4.0           | 4.0 | 4.0 | 3.0 | 3                             | 2        | M         | Good                    | Old pruning wounds (occluded to stem and main branches)        | Nil  | N/A      | 10-20                  | B1,2             | 4.81                            | 72.75                                      |
| G84      | 4992 | Aesculus hippocastanum Horse chestnut     | 411       | 1     | 9           | 4.0           | 4.0 | 2.0 | 3.0 | 3                             | 2        | M         | Good                    | Occluded old pruning wounds to main stem and branches          | Nil  | N/A      | 10-20                  | B1,2             | 4.93                            | 76.43                                      |
| G84      | 4993 | Aesculus hippocastanum Horse chestnut     | 404       | 1     | 10          | 4.0           | 4.0 | 2.0 | 2.0 | 3                             | 3        | M         | Good                    | Occluded old pruning wounds. Damage, decay to branch           | Remove branch on north side  | P        | 10-20                  | B1,2             | 4.85                            | 73.85                                      |
| G84      | 4995 | Aesculus hippocastanum Horse chestnut     | 372       | 1     | 11          | 4.0           | 4.0 | 2.0 | 3.0 | 3                             | 2        | M         | Good                    | Damage, decay to a main branch                                 | Nil  | N/A      | 10-20                  | B1,2             | 4.46                            | 62.61                                      |
| G84      | 4996 | Aesculus hippocastanum Horse chestnut     | 390       | 1     | 11          | 4.0           | 4.0 | 2.0 | 4.0 | 3                             | 2        | M         | Good                    | Minor old pruning wounds to main stem                          | Nil  | N/A      | 10-20                  | B1,2             | 4.68                            | 68.82                                      |
| G89      | 5023 | Aesculus hippocastanum Horse chestnut     | 631       | 1     | 12          | 4.0           | 4.0 | 4.0 | 5.0 | 2                             | 1        | M         | Good                    | Crow's nest. Occluded old pruning wounds                       | Nil  | N/A      | 10-20                  | B1,2             | 7.57                            | 180.15                                     |
| G89      | 5024 | Aesculus hippocastanum Horse chestnut     | 527       | 1     | 11          | 4.0           | 4.0 | 4.0 | 4.0 | 2                             | 1        | M         | Good                    | Old pruning wounds to stem (decay?)                            | Nil  | N/A      | 10-20                  | B1,2             | 6.32                            | 125.66                                     |
| G90      | 5028 | Aesculus hippocastanum Horse chestnut     | 431       | 1     | 11          | 4.0           | 3.0 | 3.0 | 4.0 | 2                             | 2        | M         | Good                    | Base of stem affected by footpath concrete                     | Nil  | N/A      | 20-40                  | B1,2             | 5.17                            | 84.05                                      |
| G147     | 5390 | Cupressocyparis leylandii Leyland cypress | 534       | 1     | 15          | 2.0           | 2.0 | 1.0 | 2.0 | 1                             | 2        | M         | Good                    | No visible defects   | Nil  | N/A      | 20-40                  | B1,2             | 6.41                            | 129.02                                     |
| G147     | 5391 | Cupressocyparis leylandii Leyland cypress | 419       | 1     | 15          | 2.0           | 2.0 | 2.0 | 1.0 | 1                             | 2        | M         | Good                    | No visible defects   | Nil  | N/A      | 20-40                  | B1,2             | 5.03                            | 79.43                                      |
| G147     | 5396 | Cupressocyparis leylandii Leyland cypress | 379       | 1     | 15          | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 2        | M         | Good                    | Previous wind damage, else No visible defects                  | Remove broken branches   | P        | 20-40                  | B1,2             | 4.55                            | 64.99                                      |
| G147     | 5397 | Cupressocyparis leylandii Leyland cypress | 374       | MS    | 15          | 2.0           | 2.0 | 0.0 | 2.0 | 1                             | 2        | M         | Good                    | No visible defects   | Nil  | N/A      | 20-40                  | B1,2             | 3.74                            | 43.95                                      |
| G147     | 5398 | Cupressocyparis leylandii Leyland cypress | 475       | 1     | 15          | 2.0           | 2.0 | 1.0 | 1.0 | 1                             | 2        | M         | Good                    | No visible defects   | Nil  | N/A      | 20-40                  | B1,2             | 5.70                            | 102.08                                     |
| G147     | 5399 | Cupressocyparis leylandii Leyland cypress | 490       | 1     | 15          | 2.0           | 2.0 | 2.0 | 1.0 | 1                             | 2        | M         | Good                    | No visible defects   | Nil  | N/A      | 20-40                  | B1,2             | 5.88                            | 108.63                                     |
| G147     | 5408 | Cupressocyparis leylandii Leyland cypress | 358       | 1     | 13          | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects   | Nil  | N/A      | 20-40                  | B1,2             | 4.30                            | 57.99                                      |
| G149     | 5409 | Acer pseudoplatanus Sycamore              | 357       | 1     | 13          | 4.0           | 5.0 | 4.0 | 4.0 | 3                             | 2        | M         | Good                    | Crossing branches, else No visible defects                     | Tree surgery to remove crossing branches                           | P        | 20-40                  | B1,2             | 4.28                            | 57.66                                      |
| G149     | 5410 | Acer platanoides Norway maple             | 373       | 1     | 12          | 5.0           | 5.0 | 5.0 | 5.0 | 3                             | 2        | M         | Good                    | No visible defects   | Nil  | N/A      | 20-40                  | B1,2             | 4.48                            | 62.95                                      |

**TOTAL CATEGORY B TREES Heyford Park Nicholson's Tree Survey November 2006**

| Group No | Tag  | Species (Botanical)                       | Diam (mm) | Stems | Ht m. (est) | Branch Spread |     |     |     | Increase in canopy radius (m) | Crown Ht | Age Class | Physiological Condition | Structural Condition  | Preliminary Management   | Priority | Remaining Contribution | Category Grading | Root Protection Zone Radius (m) | Root Protection zone (m2). Capped at 707m2 |
|----------|------|---|-----------|-------|-------------|---------------|-----|-----|-----|-------------------------------|----------|-----------|-------------------------|---|--|----------|------------------------|------------------|---------------------------------|--|
|          |      |   |           |       |             | N             | S   | E   | W   |                               |          |           |                         |   |  |          |                        |                  |                                 |  |
| G149     | 5412 | Acer platanoides Norway maple             | 379       | 1     | 13          | 3.0           | 4.0 | 5.0 | 5.0 | 2                             | 4        | M         | Good                    | Old pruning wounds, decay to main stem and branches                     | Nil  | N/A      | 20-40                  | B1,2             | 4.55                            | 64.99                                      |
| G149     | 5413 | Acer platanoides Norway maple             | 397       | 1     | 14          | 5.0           | 2.0 | 5.0 | 5.0 | 2                             | 4        | M         | Good                    | Included bark to main spring of crown                                   | Nil  | N/A      | 20-40                  | B1,2             | 4.76                            | 71.31                                      |
| G167     | 5517 | Aesculus hippocastanum Horse Chestnut     | 437       | 1     | 11          | 5.0           | 3.0 | 5.0 | 5.0 | 2                             | 4        | M         | Good                    | Occluded old wounds to main stem, bleeding canker                       | Nil  | N/A      | 10-20                  | B1,2             | 5.24                            | 86.40                                      |
| G167     | 5520 | Aesculus hippocastanum Horse Chestnut     | 502       | 1     | 12          | 5.0           | 4.0 | 4.0 | 4.0 | 2                             | 4        | M         | Good                    | Occasional dead wood.   | Remove dead wood   | P        | 10-20                  | B1,2             | 6.02                            | 114.02                                     |
| G169     | 5530 | Aesculus hippocastanum Horse Chestnut     | 462       | 1     | 11          | 4.0           | 4.0 | 3.0 | 3.0 | 2                             | 2        | M         | Good                    | No visible defects  | Nil  | N/A      | 20-40                  | B1,2             | 5.54                            | 96.57                                      |
| G169     | 5531 | Aesculus hippocastanum Horse Chestnut     | 510       | 1     | 12          | 5.0           | 4.0 | 2.0 | 3.0 | 2                             | 2        | M         | Good                    | No visible defects  | Nil  | N/A      | 20-40                  | B1,2             | 6.12                            | 117.68                                     |
| G169     | 5532 | Aesculus hippocastanum Horse Chestnut     | 481       | 1     | 12          | 4.0           | 4.0 | 4.0 | 2.0 | 2                             | 2        | M         | Good                    | Lateral split to main branch to north. Some bleeding canker             | Remove split branch  | U        | 20-40                  | B1,2             | 5.77                            | 104.68                                     |
| G171     | 5534 | Maple                                     | 256       | 1     | 10          | 4.0           | 4.0 | 3.0 | 4.0 | 2                             | 2        | M         | Good                    | No visible defects  | Nil  | N/A      | 20-40                  | B1,2             | 3.07                            | 29.65                                      |
| G171     | 5535 | Acer platanoides Norway maple             | 340       | 1     | 10          | 3.0           | 4.0 | 2.0 | 4.0 | 2                             | 1        | M         | Good                    | No visible defects  | Nil  | N/A      | 20-40                  | B1,2             | 4.08                            | 52.30                                      |
| G171     | 5536 | Acer platanoides Norway maple             | 267       | 1     | 10          | 3.0           | 2.0 | 2.0 | 3.0 | 1                             | 2        | M         | Fair                    | No visible defects  | Nil  | N/A      | 20-40                  | B1,2             | 3.20                            | 32.25                                      |
| G171     | 5538 | Acer platanoides Norway maple             | 372       | 1     | 13          | 3.0           | 3.0 | 3.0 | 3.0 | 2                             | 2        | M         | Good                    | No visible defects  | Nil  | N/A      | 20-40                  | B1,2             | 4.46                            | 62.61                                      |
| G171     | 5540 | Acer pseudoplatanus Sycamore              | 713       | 1     | 16          | 5.0           | 5.0 | 5.0 | 6.0 | 1                             | 4        | M         | Good                    | Included bark developing in major branches in crown                     | Crown thin to reduce terminal weight on upright stems with included bark at base | P        | 20-40                  | B1,2             | 8.56                            | 230.01                                     |
| G173     | 5556 | Cupressocyparis leylandii Leyland cypress | 352       | 1     | 15          | 3.0           | 3.0 | 3.0 | 3.0 | 2                             | 2        | M         | Good                    | No visible defects  | Nil  | N/A      | 20-40                  | B1,2             | 4.22                            | 56.06                                      |
| G173     | 5558 | Cupressocyparis leylandii Leyland cypress | 362       | 1     | 15          | 3.0           | 3.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | Included bark to main forks   | Nil  | N/A      | 20-40                  | B1,2             | 4.34                            | 59.29                                      |
| G173     | 5559 | Cupressocyparis leylandii Leyland cypress | 362       | 1     | 15          | 3.0           | 2.0 | 3.0 | 3.0 | 2                             | 2        | M         | Good                    | No visible defects  | Nil  | N/A      | 20-40                  | B1,2             | 4.34                            | 59.29                                      |
| G173     | 5560 | Cupressocyparis leylandii Leyland cypress | 455       | MS    | 16          | 3.0           | 3.0 | 3.0 | 2.0 | 2                             | 2        | M         | Good                    | Included bark to main forks   | Nil  | N/A      | 20-40                  | B1,2             | 4.55                            | 65.05                                      |
| G173     | 5561 | Cupressocyparis leylandii Leyland cypress | 313       | 1     | 15          | 3.0           | 3.0 | 1.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects  | Nil  | N/A      | 20-40                  | B1,2             | 3.76                            | 44.33                                      |
| G173     | 5562 | Cupressocyparis leylandii Leyland cypress | 250       | 1     | 15          | 1.0           | 2.0 | 0.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects  | Nil  | N/A      | 20-40                  | B1,2             | 3.00                            | 28.28                                      |
| G173     | 5564 | Cupressocyparis leylandii Leyland cypress | 325       | 1     | 15          | 3.0           | 3.0 | 2.0 | 3.0 | 2                             | 2        | M         | Good                    | No visible defects  | Nil  | N/A      | 20-40                  | B1,2             | 3.90                            | 47.79                                      |
| G173     | 5565 | Cupressocyparis leylandii Leyland cypress | 355       | 1     | 15          | 3.0           | 3.0 | 1.0 | 3.0 | 2                             | 2        | M         | Good                    | No visible defects  | Nil  | N/A      | 20-40                  | B1,2             | 4.26                            | 57.02                                      |
| G173     | 5567 | Acer pseudoplatanus Sycamore              | 260       | 1     | 13          | 4.0           | 0.0 | 3.0 | 3.0 | 3                             | 3        | M         | Good                    | No visible defects  | Nil  | N/A      | 20-40                  | B1,2             | 3.12                            | 30.59                                      |
| G173     | 5572 | Acer platanoides Norway maple             | 322       | 1     | 8           | 4.0           | 4.0 | 4.0 | 4.0 | 2                             | 1        | M         | Good                    | No visible defects  | Nil  | N/A      | 20-40                  | B1,2             | 3.86                            | 46.91                                      |
| G177     | 5577 | Acer pseudoplatanus Sycamore              | 318       | 1     | 10          | 5.0           | 4.0 | 4.0 | 4.0 | 2                             | 2        | M         | Good                    | No visible defects  | Nil  | N/A      | 20-40                  | B1,2             | 3.82                            | 45.75                                      |
| G177     | 5579 | Acer platanoides Norway maple             | 220       | 1     | 8           | 3.0           | 2.0 | 3.0 | 3.0 | 3                             | 2        | M         | Good                    | No visible defects  | Nil  | N/A      | 20-40                  | B1,2             | 2.64                            | 21.90                                      |
| G177     | 5580 | Acer platanoides Norway maple             | 226       | 1     | 8           | 2.0           | 3.0 | 3.0 | 3.0 | 3                             | 2        | M         | Fair                    | No visible defects  | Nil  | N/A      | 20-40                  | B1,2             | 2.71                            | 23.11                                      |
| G79A     | 5809 | Acer pseudoplatanus Sycamore              | 215       | 1     | 11          | 0.0           | 3.0 | 1.0 | 1.0 | 3                             | 4        | M         | Good                    | NVD   | Nil  | N/A      | 20-40                  | B1,2             | 4.13                            | 20.91                                      |
| G79A     | 5810 | Acer pseudoplatanus Sycamore              | 215       | 1     | 8           | 0.0           | 1.0 | 1.0 | 1.0 | 3                             | 4        | M         | Good                    | NVD   | Nil  | N/A      | 20-40                  | B1,2             | 4.94                            | 20.91                                      |
| G79A     | 5811 | Acer pseudoplatanus Sycamore              | 190       | 1     | 11          | 3.0           | 0.0 | 1.0 | 1.0 | 3                             | 4        | M         | Good                    | NVD   | Nil  | N/A      | 20-40                  | B1,2             | 2.81                            | 16.33                                      |
| H29      | 5830 | Acer pseudoplatanus Sycamore              | 340       | MS    | 11          | 4.0           | 3.0 | 3.0 | 3.0 | 2                             | 3        | M         | Good                    | Potential included bark in main fork. Growing on bank, stability?       | Nil  | N/A      | 10-20                  | B1,2             | 4.09                            | 36.32                                      |
| H29      | 5837 | Acer pseudoplatanus Sycamore              | 780       | MS    | 18          | 4.0           | 3.0 | 5.0 | 4.0 | 2                             | 4        | M         | Good                    | Significant included bark to multiple stm unions                        | Nil  | N/A      | 20-40                  | B1,2             | 3.96                            | 191.16                                     |
| H29      | 5840 | Acer pseudoplatanus Sycamore              | 140       | 1     | 10          | 1.0           | 1.0 | 1.0 | 1.0 | 3                             | 2        | M         | Good                    | NVD   | Nil  | N/A      | 20-40                  | B1,2             | 6.78                            | 8.87                                       |
| H29      | 5841 | Prunus avium plena Cherry                 | 120       | 1     | 10          | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 3        | Y         | Good                    | NVD   | Remove larger limb to W and crossing branches                                    | P        | 20-40                  | B1,2             | 6.53                            | 6.52                                       |
| H29      | 5843 | Acer pseudoplatanus Sycamore              | 680       | MS    | 11          | 4.0           | 4.0 | 4.0 | 4.0 | 3                             | 3        | M         | Good                    | Ingrown wire, decay to branch   | Remove damaged limb to W   | P        | 20-40                  | B1,2             | 4.42                            | 145.29                                     |
| H29      | 5849 | Acer pseudoplatanus Sycamore              | 175       | 1     | 6           | 2.0           | 2.0 | 2.0 | 2.0 | 4                             | 2        | Y         | Good                    | Tight forks in crown. Potential included bark.                          | Nil  | N/A      | 20-40                  | B1,2             | 3.80                            | 13.86                                      |
| H29      | 5850 | Acer pseudoplatanus Sycamore              | 155       | 1     | 10          | 1.0           | 1.0 | 1.0 | 1.0 | 4                             | 3        | Y         | Good                    | NVD   | Nil  | N/A      | 20-40                  | B1,2             | 5.24                            | 10.87                                      |
| H29      | 5853 | Acer pseudoplatanus Sycamore              | 480       | 1     | 10          | 4.0           | 4.0 | 3.0 | 5.0 | 2                             | 3        | M         | Good                    | Ivy covered.  | Nil  | N/A      | 20-40                  | B1,2             | 6.53                            | 104.24                                     |
| H29      | 5854 | Crataegus monogyna Hawthorn               | 480       | 1     | 12          | 4.0           | 3.0 | 3.0 | 4.0 | 0                             | 3        | M         | Good                    | Ivy covered. Old wound, decay at 2m ht                                  | Nil  | N/A      | 20-40                  | B1,2             | 5.71                            | 104.24                                     |
| H29      | 5855 | Fraxinus excelsior Ash                    | 1200      | MS    | 12          | 5.0           | 4.0 | 4.0 | 5.0 | 1                             | 5        | M         | Good                    | Potential included bark at base. Crossing branches, decay in crown      | Nil  | N/A      | 20-40                  | B1,2             | 5.45                            | 452.45                                     |
| G81      | 4975 | Acer pseudoplatanus Sycamore              | 380       | 1     | 14          | 4.0           | 4.0 | 3.0 | 2.0 | 2                             | 5        | M         | Good                    | Old pruning wounds to branches and main stem (decay?)                   | Nil  | N/A      | 20-40                  | B1,2             | 4.56                            | 65.33                                      |
| G79      | 4927 | Tilia europaea Common Lime                | 369       | 1     | 14          | 3.0           | 4.0 | 3.0 | 4.0 | 2                             | 2        | M         | Good                    | Old pruning wound to main stem, probable decay, else No visible defects | Nil  | N/A      | 20-40                  | B1,2             | 4.43                            | 61.61                                      |
| G173     | 5566 | Cupressocyparis leylandii Leyland cypress | 419       | MS    | 15          | 2.0           | 1.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects  | Nil  | N/A      | 20-40                  | B1,2             | 4.19                            | 55.16                                      |
|          | 633  | Acer pseudoplatanus Sycamore              | 518       | 1     | 14          | 5.0           | 4.0 | 5.0 | 4.0 | 3                             | 3        | M         | Good                    | Occasional wounds to main stem (decay?)                                 | Nil  | N/A      | 20-40                  | B1,2             | 5.82                            | 121.40                                     |
| G171     | 5541 | Tilia europaea Common Lime                | 546       | 1     | 15          | 4.0           | 3.0 | 4.0 | 5.0 | 2                             | 3        | M         | Good                    | Epicormics, else No visible defects                                     | Nil  | N/A      | 20-40                  | B1,2             | 6.55                            | 134.88                                     |
| G147     | 5393 | Cupressocyparis leylandii Leyland cypress | 478       | 1     | 15          | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 2        | M         | Good                    | No visible defects  | Nil  | N/A      | 20-40                  | B1,2             | 5.74                            | 103.38                                     |
|          | 24   | Fraxinus excelsior Ash                    | 485       | 1     | 14          | 5.0           | 5.0 | 5.0 | 6.0 | 3                             | 6        | M         | Fair                    | Average condition   | Nil  | N/A      | 40+                    | B2               | 5.82                            | 106.43                                     |

**TOTAL CATEGORY B TREES Heyford Park Nicholson's Tree Survey November 2006**

| Group No | Tag | Species (Botanical)                      | Diam (mm) | Stems | Ht m. (est) | Branch Spread |      |      |      | Increase in canopy radius (m) | Crown Ht | Age Class | Physiological Condition | Structural Condition   | Preliminary Management                | Priority | Remaining Contribution | Category Grading | Root Protection Zone Radius (m) | Root Protection zone (m2). Capped at 707m2 |
|----------|-----|--|-----------|-------|-------------|---------------|------|------|------|-------------------------------|----------|-----------|-------------------------|--|---------------------------------------|----------|------------------------|------------------|---------------------------------|--|
|          |     |  |           |       |             | N             | S    | E    | W    |                               |          |           |                         |  |                                       |          |                        |                  |                                 |  |
| 38       |     | Prunus avium Cherry                      | 315       | 1     | 16          | 2.0           | 3.0  | 2.0  | 4.0  | 1                             | 8        | M         | Fair                    | Average condition  | Nil                                   | N/A      | 20-40                  | B2               | 3.78                            | 44.89                                      |
| 39       |     | Aesculus hippocastanum Horse Chestnut    | 509       | 1     | 15          | 3.0           | 6.0  | 5.0  | 7.0  | 3                             | 5        | M         | Good                    | Average central leader lost in past                            | Nil                                   | N/A      | 40+                    | B2               | 6.11                            | 117.22                                     |
| 40       |     | Acer pseudoplatanus Sycamore             | 417       | 1     | 16          | 6.0           | 4.0  | 4.0  | 4.0  | 3                             | 4        | M         | Fair                    | Average condition  | Nil                                   | N/A      | 40+                    | B2               | 5.00                            | 78.68                                      |
| 42       |     | Acer pseudoplatanus Sycamore             | 819       | 1     | 17          | 6.0           | 6.0  | 2.0  | 6.0  | 3                             | 7        | M         | Fair                    | Multiple arising stems from 1.4 included bark and elder growth | Nil                                   | N/A      | 20-40                  | B2               | 9.83                            | 303.48                                     |
| 43       |     | Acer pseudoplatanus Sycamore             | 554       | 1     | 17          | 9.0           | 4.0  | 4.0  | 1.5  | 3                             | 4        | M         | Fair                    | Average condition  | Nil                                   | N/A      | 40+                    | B2               | 6.65                            | 138.86                                     |
| 45       |     | Juglans regia Walnut                     | 451       | 1     | 15          | 7.0           | 7.0  | 5.0  | 7.0  | 1                             | 7        | M         | Fair                    | Average condition  | Nil                                   | N/A      | 40+                    | B2               | 5.41                            | 92.03                                      |
| 50       |     | Juglans regia Walnut                     | 388       | 1     | 17          | 6.0           | 2.0  | 1.0  | 5.0  | 2                             | 11       | M         | Fair                    | Average condition  | Nil                                   | N/A      | 40+                    | B2               | 4.66                            | 68.11                                      |
| 51       |     | Acer pseudoplatanus Sycamore             | 738       | 1     | 17          | 3.5           | 6.0  | 2.0  | 5.0  | 3                             | 7        | M         | Fair                    | Average condition  | Nil                                   | N/A      | 40+                    | B2               | 8.86                            | 246.42                                     |
| 52       |     | Acer pseudoplatanus Sycamore             | 802       | 1     | 18          | 8.0           | 8.0  | 6.0  | 6.0  | 2                             | 7        | M         | Fair                    | Av main fork at 4m included bark                               | Nil                                   | N/A      | 40+                    | B2               | 9.62                            | 291.02                                     |
| 56       |     | Aesculus hippocastanum Horse Chestnut    | 955       | 1     | 16          | 12.0          | 13.0 | 9.0  | 10.0 | 0                             | 5        | M         | Good                    | Extended limbs to s and n (over road and bus stop)             | Reduce cover road and bus stop by 25% | P        | 40+                    | B2               | 11.46                           | 412.64                                     |
| 57       |     | Chamaecyparis lawsoniana Lawsons cypress | 318       | 1     | 15          | 2.0           | 2.0  | 2.0  | 2.0  | 0                             | n/a      | M         | Fair                    | Gone   | Nil                                   | N/A      | 20-40                  | B2               | 3.82                            | 45.75                                      |
| 58       |     | Acer pseudoplatanus Sycamore             | 639       | 1     | 15          | 7.0           | 6.0  | 2.0  | 5.0  | 2                             | 5        | M         | Fair                    | Limited wound at 1.2 w   | Nil                                   | N/A      | 20-40                  | B2               | 7.67                            | 184.74                                     |
| 60       |     | Acer pseudoplatanus Sycamore             | 716       | 1     | 17          | 8.0           | 12.0 | 5.0  | 3.0  | 2                             | 5        | M         | Fair                    | Average condition  | Nil                                   | N/A      | 40+                    | B2               | 8.59                            | 231.95                                     |
| 62       |     | Acer pseudoplatanus Sycamore             | 518       | 1     | 16          | 7.0           | 7.0  | 2.0  | 3.0  | 3                             | 5        | M         | Fair                    | Average condition  | Nil                                   | N/A      | 40+                    | B2               | 6.22                            | 121.40                                     |
| 63       |     | Acer pseudoplatanus Sycamore             | 630       | 1     | 17          | 8.0           | 10.0 | 6.0  | 2.0  | 2                             | 6        | M         | Fair                    | Average condition  | Nil                                   | N/A      | 40+                    | B2               | 7.56                            | 179.58                                     |
| 68       |     | Acer platanoides Norway maple            | 496       | 1     | 15          | 4.0           | 5.0  | 5.5  | 5.0  | 2                             | 6        | M         | Fair                    | Average condition  | Nil                                   | N/A      | 20-40                  | B2               | 5.95                            | 111.31                                     |
| 69       |     | Chamaecyparis lawsoniana Lawsons cypress | 484       | 1     | 17          | 2.0           | 2.0  | 2.0  | 2.0  | 1                             | 3        | M         | Good                    | Gone   | Nil                                   | N/A      | 40+                    | B2               | 5.81                            | 105.99                                     |
| 73       |     | Aesculus hippocastanum Horse Chestnut    | 1126      | 1     | 15          | 1.0           | 7.0  | 7.0  | 8.0  | 2                             | 8        | M         | Good                    | Av one sided due to competition with adjacent tree now removed | Nil                                   | N/A      | 20-40                  | B2               | 13.51                           | 573.65                                     |
| 75       |     | Acer pseudoplatanus Sycamore             | 826       | 1     | 17          | 3.0           | 2.0  | 10.0 | 9.0  | 2                             | 8        | M         | Fair                    | Wet decay pocket in central fork 1.2m                          | Nil                                   | N/A      | 40+                    | B2               | 9.91                            | 308.69                                     |
| 87       |     | Betula alba Silver birch                 | 378       | 1     | 11          | 4.0           | 5.0  | 5.0  | 6.0  | 1                             | 4        | M         | Fair                    | Average condition  | Nil                                   | N/A      | 20-40                  | B2               | 4.54                            | 64.65                                      |
| 89       |     | Betula alba Silver birch                 | 531       | 1     | 11          | 5.0           | 4.0  | 3.0  | 7.0  | 2                             | 7        | M         | Fair                    | Average condition  | Nil                                   | N/A      | 10-20                  | B2               | 6.37                            | 127.57                                     |
| 91       |     | Betula alba Silver birch                 | 582       | 1     | 11          | 5.0           | 3.0  | 4.0  | 5.0  | 2                             | 4        | M         | Fair                    | Average condition  | Nil                                   | N/A      | 20-40                  | B2               | 6.98                            | 153.25                                     |
| 92       |     | Betula alba Silver birch                 | 259       | 1     | 9           | 3.0           | 4.0  | 3.5  | 6.0  | 2                             | 3        | M         | Fair                    | Average condition  | Nil                                   | N/A      | 20-40                  | B2               | 3.11                            | 30.35                                      |
| 94       |     | Betula alba Silver birch                 | 241       | 1     | 11          | 3.0           | 3.0  | 3.0  | 3.0  | 2                             | 5        | M         | Fair                    | Average condition  | Nil                                   | N/A      | 20-40                  | B2               | 2.89                            | 26.28                                      |
| 96       |     | Betula alba Silver birch                 | 312       | 1     | 11          | 5.0           | 2.0  | 5.5  | 3.5  | 1                             | 6        | M         | Fair                    | Average condition  | Nil                                   | N/A      | 20-40                  | B2               | 3.74                            | 44.04                                      |
| 99       |     | Betula alba Silver birch                 | 316       | 1     | 11          | 4.0           | 4.0  | 4.0  | 4.0  | 1                             | 4        | M         | Good                    | Average condition  | Nil                                   | N/A      | 20-40                  | B2               | 3.79                            | 45.18                                      |
| 105      |     | Crataegus prunifolia Cockspur thorn      | 218       | 1     | 8           | 2.0           | 4.0  | 2.0  | 2.0  | 3                             | 3        | M         | Fair                    | Average condition  | Nil                                   | N/A      | 20-40                  | B2               | 2.62                            | 21.50                                      |
| 107      |     | Laburnum anagyroides Common laburnum     | 611       | MS    | 10          | 3.0           | 4.0  | 3.0  | 3.0  | 0                             | 7        | M         | Fair                    | Trunk split typical of species                                 | Nil                                   | N/A      | 20-40                  | B2               | 6.11                            | 117.30                                     |
| 114      |     | Thuja plicata Western Red Cedar          | 504       | 1     | 14          | 3.0           | 3.0  | 3.0  | 3.0  | 1                             | 5        | M         | Fair                    | Average condition  | Nil                                   | N/A      | 20-40                  | B2               | 6.05                            | 114.93                                     |
| 120      |     | Betula alba Silver birch                 | 372       | 1     | 13          | 4.0           | 3.0  | 4.0  | 4.0  | 2                             | 5        | M         | Fair                    | Average condition  | Nil                                   | N/A      | 20-40                  | B2               | 4.46                            | 62.61                                      |
| 124      |     | Fagus sylvatica Beech                    | 594       | 1     | 16          | 4.0           | 8.0  | 3.0  | 8.0  | 2                             | 6        | M         | Fair                    | Asymmetric to west   | Nil                                   | N/A      | 40+                    | B2               | 7.13                            | 159.64                                     |
| 125      |     | Acer pseudoplatanus Sycamore             | 770       | MS    | 15          | 9.0           | 5.0  | 6.0  | 7.0  | 2                             | 5        | M         | Fair                    | Included bark at gl  | Nil                                   | N/A      | 40+                    | B2               | 7.70                            | 186.29                                     |
| 127      |     | Pinus sylvestris Scots pine              | 351       | 1     | 14          | 1.0           | 5.0  | 2.0  | 3.0  | 0                             | 7        | M         | Fair                    | Average condition  | Deadwood                              | P        | 40+                    | B2               | 4.21                            | 55.74                                      |
| 128      |     | Acer pseudoplatanus Sycamore             | 600       | 1     | 13          | 3.0           | 6.0  | 5.5  | 4.0  | 3                             | 7        | M         | Fair                    | Included bark at gl  | Nil                                   | N/A      | 20-40                  | B2               | 7.20                            | 162.88                                     |
| 130      |     | Pinus sylvestris Scots pine              | 320       | 1     | 9           | 3.0           | 3.0  | 3.5  | 2.5  | 1                             | 4        | M         | Fair                    | Average condition  | Nil                                   | N/A      | 20-40                  | B2               | 3.84                            | 46.33                                      |
| 131      |     | Acer pseudoplatanus Sycamore             | 593       | MS    | 15          | 7.0           | 5.0  | 1.0  | 9.0  | 2                             | 5        | M         | Fair                    | Average condition  | Nil                                   | N/A      | 20-40                  | B2               | 5.93                            | 110.49                                     |
| 132      |     | Acer pseudoplatanus Sycamore             | 860       | 1     | 16          | 1.0           | 7.0  | 5.0  | 5.0  | 2                             | 5        | M         | Fair                    | Average condition  | Nil                                   | N/A      | 20-40                  | B2               | 10.32                           | 334.63                                     |
| 133      |     | Acer pseudoplatanus Sycamore             | 477       | 1     | 16          | 8.0           | 1.0  | 6.0  | 4.0  | 2                             | 5        | M         | Fair                    | Average condition  | Nil                                   | N/A      | 20-40                  | B2               | 5.72                            | 102.95                                     |
| 136      |     | Acer pseudoplatanus Sycamore             | 498       | 1     | 16          | 6.0           | 6.0  | 5.0  | 4.0  | 2                             | 6        | M         | Fair                    | Average condition  | Crown clean                           | P        | 40+                    | B2               | 5.98                            | 112.21                                     |
| 138      |     | Acer pseudoplatanus Sycamore             | 598       | 1     | 16          | 6.0           | 7.0  | 6.0  | 6.0  | 2                             | 7        | M         | Fair                    | Average condition  | Nil                                   | N/A      | 40+                    | B2               | 7.18                            | 161.80                                     |
| 139      |     | Acer pseudoplatanus Sycamore             | 391       | 1     | 16          | 2.0           | 7.0  | 4.0  | 2.0  | 2                             | 5        | M         | Fair                    | Average condition  | Crown clean                           | P        | 40+                    | B2               | 4.69                            | 69.17                                      |
| 140      |     | Acer pseudoplatanus Sycamore             | 717       | MS    | 16          | 4.0           | 7.0  | 4.0  | 5.0  | 2                             | 5        | M         | Fair                    | Average condition  | Nil                                   | N/A      | 20-40                  | B2               | 7.17                            | 161.53                                     |
| 141      |     | Acer pseudoplatanus Sycamore             | 528       | 1     | 15          | 6.0           | 3.0  | 4.0  | 7.0  | 2                             | 7        | M         | Fair                    | Average condition  | Nil                                   | N/A      | 40+                    | B2               | 6.34                            | 126.14                                     |
| 142      |     | Acer pseudoplatanus Sycamore             | 462       | 1     | 15          | 6.0           | 2.0  | 6.0  | 2.0  | 2                             | 7        | M         | Fair                    | Average condition  | Nil                                   | N/A      | 40+                    | B2               | 5.54                            | 96.57                                      |
| 143      |     | Acer pseudoplatanus Sycamore             | 400       | 1     | 14          | 5.0           | 2.0  | 1.0  | 6.0  | 2                             | 4        | M         | Fair                    | Average condition  | Nil                                   | N/A      | 40+                    | B2               | 4.80                            | 72.39                                      |
| 144      |     | Robinia pseudoacacia False acacia        | 314       | 1     | 9           | 4.0           | 4.0  | 4.0  | 4.0  | 2                             | 5        | M         | Fair                    | Average condition  | Nil                                   | N/A      | 20-40                  | B2               | 3.77                            | 44.61                                      |
| 145      |     | Robinia pseudoacacia False acacia        | 445       | 1     | 12          | 3.5           | 4.5  | 4.0  | 4.0  | 2                             | 5        | M         | Fair                    | Average condition  | Nil                                   | N/A      | 20-40                  | B2               | 5.34                            | 89.60                                      |
| 155      |     | Aesculus hippocastanum Horse Chestnut    | 763       | 1     | 13          | 5.0           | 7.0  | 7.5  | 7.0  | 1                             | 5        | M         | Fair                    | Average condition  | Nil                                   | N/A      | 20-40                  | B2               | 9.16                            | 263.40                                     |
| 157      |     | Acer pseudoplatanus Sycamore             | 665       | 1     | 15          | 6.0           | 8.0  | 6.0  | 6.0  | 2                             | 5        | M         | Fair                    | Wound on s stem at 3.0 1.0x100                                 | Nil                                   | N/A      | 20-40                  | B2               | 7.98                            | 200.08                                     |
| 158      |     | Acer pseudoplatanus Sycamore             | 508       | 1     | 15          | 7.0           | 6.0  | 6.0  | 6.0  | 2                             | 4        | M         | Fair                    | Average condition  | Nil                                   | N/A      | 40+                    | B2               | 6.10                            | 116.76                                     |
| 162      |     | Betula alba Silver birch                 | 441       | 1     | 15          | 5.0           | 5.0  | 5.0  | 5.0  | 0                             | 3.5      | M         | Good                    | Average condition  | Nil                                   | N/A      | 20-40                  | B2               | 5.29                            | 87.99                                      |
| 164      |     | Betula alba Silver birch                 | 354       | 1     | 12          | 6.0           | 4.0  | 5.0  | 2.0  | 0                             | 4        | M         | Fair                    | Average condition  | Nil                                   | N/A      | 20-40                  | B2               | 4.25                            | 56.70                                      |
| 165      |     | Crataegus monogyna Hawthorn              | 267       | MS    | 7           | 3.0           | 3.0  | 4.0  | 3.0  | 0                             | 3        | M         | Fair                    | Average condition  | Nil                                   | N/A      | 20-40                  | B2               | 2.67                            | 22.40                                      |
| 167      |     | Crataegus monogyna Hawthorn              | 274       | MS    | 7           | 3.0           | 3.0  | 2.0  | 5.0  | 0                             | 3.5      | M         | Fair                    | Average condition  | Nil                                   | N/A      | 20-40                  | B2               | 2.74                            | 23.59                                      |
| 168      |     | Betula alba Silver birch                 | 337       | 1     | 12          | 4.0           | 6.0  | 5.0  | 5.0  | 0                             | 3.5      | M         | Fair                    | Average condition  | Nil                                   | N/A      | 20-40                  | B2               | 4.04                            | 51.38                                      |
| 170      |     | Betula alba Silver birch                 | 214       | 1     | 10          | 3.0           | 3.0  | 3.0  | 3.0  | 0                             | 4        | M         | Fair                    | Average condition  | Nil                                   | N/A      | 20-40                  | B2               | 2.57                            | 20.72                                      |
| 172      |     | Prunus Atropurpurea Pissards Plum        | 304       | MS    | 8           | 3.0           | 4.0  | 3.5  | 2.0  | 0                             | 3        | M         | Fair                    | Basal wound n Pt ffb   | Nil                                   | N/A      | 10-20                  | B2               | 3.04                            | 29.04                                      |
| 173      |     | Betula alba Silver birch                 | 338       | 1     | 12          | 3.0           | 5.0  | 4.0  | 5.0  | 0                             | 4        | M         | Fair                    | Average condition  | Nil                                   | N/A      | 20-40                  | B2               | 4.06                            | 51.69                                      |
| 174      |     | Prunus Atropurpurea Pissards Plum        | 463       | MS    | 7           | 5.0           | 5.0  | 4.0  | 3.0  | 0                             | 3        | M         | Fair                    | Split at gl decay in n stem                                    | Nil                                   | N/A      | 10-20                  | B2               | 4.63                            | 67.35                                      |
| 175      |     | Betula alba Silver birch                 | 529       | MS    | 13          | 5.0           | 3.0  | 5.0  | 4.0  | 0                             | 7        | M         | Fair                    | Decay pocket in union 1.0                                      | Nil                                   | N/A      | 10-20                  | B2               | 5.29                            | 87.93                                      |
| 179      |     | Prunus avium Cherry                      | 220       | 1     | 7           | 3.0           | 4.0  | 3.0  | 2.0  | 0                             | 3        | M         | Fair                    | Average condition  | Nil                                   | N/A      | 20-40                  | B2               | 2.64                            | 21.90                                      |

**TOTAL CATEGORY B TREES Heyford Park Nicholson's Tree Survey November 2006**

| Group No | Tag | Species (Botanical)                      | Diam (mm) | Stems | Ht m. (est) | Branch Spread |     |     |     | Increase in canopy radius (m) | Crown Ht | Age Class | Physiological Condition | Structural Condition                                       | Preliminary Management | Priority | Remaining Contribution | Category Grading | Root Protection Zone Radius (m) | Root Protection zone (m2). Capped at 707m2 |
|----------|-----|--|-----------|-------|-------------|---------------|-----|-----|-----|-------------------------------|----------|-----------|-------------------------|--|------------------------|----------|------------------------|------------------|---------------------------------|--|
|          |     |  |           |       |             | N             | S   | E   | W   |                               |          |           |                         |  |                        |          |                        |                  |                                 |  |
| 180      |     | Prunus avium Cherry                      | 319       | 1     | 9           | 4.0           | 5.0 | 5.0 | 3.0 | 0                             | 5        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | B2               | 3.83                            | 46.04                                      |
| 186      |     | Acer pseudoplatanus Sycamore             | 488       | 1     | 15          | 7.0           | 5.0 | 4.0 | 7.0 | 2                             | 6        | M         | Fair                    | Average condition  | Nil                    | N/A      | 40+                    | B2               | 5.86                            | 107.75                                     |
| 187      |     | Acer pseudoplatanus Sycamore             | 316       | 1     | 12          | 5.0           | 5.0 | 1.0 | 5.0 | 2                             | 6        | M         | Fair                    | Average condition  | Nil                    | N/A      | 40+                    | B2               | 3.79                            | 45.18                                      |
| 188      |     | Fagus sylvatica Beech                    | 580       | 1     | 14          | 6.0           | 6.0 | 8.0 | 4.0 | 2                             | 5        | M         | Fair                    | Average condition  | Nil                    | N/A      | 40+                    | B2               | 6.96                            | 152.20                                     |
| 189      |     | Fagus sylvatica Beech                    | 669       | 1     | 14          | 8.0           | 8.0 | 4.0 | 7.0 | 2                             | 7        | M         | Good                    | Average condition  | Nil                    | N/A      | 40+                    | B2               | 8.03                            | 202.50                                     |
| 194      |     | Crataegus monogyna Hawthorn              | 382       | MS    | 7           | 3.0           | 3.0 | 3.0 | 3.0 | 0                             | 3        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | B2               | 3.82                            | 45.85                                      |
| 198      |     | Betula alba Silver birch                 | 428       | 1     | 12          | 4.0           | 5.0 | 5.0 | 2.0 | 0                             | 6        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | B2               | 5.14                            | 82.88                                      |
| 199      |     | Prunus avium Cherry                      | 441       | 1     | 10          | 2.0           | 6.0 | 3.0 | 7.0 | 2                             | 4        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | B2               | 5.29                            | 87.99                                      |
| 200      |     | Betula alba Silver birch                 | 361       | 1     | 13          | 5.0           | 2.0 | 5.0 | 4.0 | 0                             | 8        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | B2               | 4.33                            | 58.96                                      |
| 202      |     | Betula alba Silver birch                 | 303       | 1     | 8           | 1.0           | 6.0 | 5.0 | 0.0 | 0                             | 5        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | B2               | 3.64                            | 41.54                                      |
| 207      |     | Betula alba Silver birch                 | 309       | 1     | 10          | 5.0           | 4.0 | 4.0 | 2.0 | 1                             | 5        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | B2               | 3.71                            | 43.20                                      |
| 209      |     | Betula alba Silver birch                 | 349       | 1     | 12          | 4.0           | 5.0 | 3.5 | 3.5 | 1                             | 4        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | B2               | 4.19                            | 55.11                                      |
| 210      |     | Betula alba Silver birch                 | 505       | 1     | 14          | 5.0           | 4.0 | 4.0 | 6.0 | 1                             | 6        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | B2               | 6.06                            | 115.39                                     |
| 211      |     | Prunus avium Cherry                      | 455       | MS    | 11          | 2.0           | 4.0 | 3.5 | 4.0 | 1                             | 4        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | B2               | 4.55                            | 65.05                                      |
| 212      |     | Acer pseudoplatanus Sycamore             | 267       | 1     | 10          | 5.0           | 3.0 | 3.5 | 4.0 | 3                             | 2        | M         | Fair                    | Average condition  | Nil                    | N/A      | 40+                    | B2               | 3.20                            | 32.25                                      |
| 213      |     | Prunus avium Cherry                      | 512       | 1     | 10          | 5.0           | 6.0 | 5.0 | 6.0 | 0                             | 5        | M         | Fair                    | Included bark and cavity in main fork                      | Nil                    | N/A      | 10-20                  | B2               | 6.14                            | 118.61                                     |
| 214      |     | Chamaecyparis lawsoniana Lawsons cypress | 340       | 1     | 13          | 3.0           | 3.0 | 3.0 | 3.0 | 1                             | 0        | M         | Good                    | Average condition  | Nil                    | N/A      | 20-40                  | B2               | 4.08                            | 52.30                                      |
| 215      |     | Acer platanoides Norway maple            | 369       | 1     | 14          | 3.0           | 4.0 | 6.0 | 4.0 | 2                             | 7        | M         | Fair                    | Average condition  | Nil                    | N/A      | 40+                    | B2               | 4.43                            | 61.61                                      |
| 216      |     | Acer platanoides Norway maple            | 449       | 1     | 14          | 4.5           | 7.0 | 4.0 | 4.0 | 2                             | 7        | M         | Fair                    | Stem wound at 1.2n   | Nil                    | N/A      | 40+                    | B2               | 5.39                            | 91.21                                      |
| 217      |     | Acer platanoides Norway maple            | 531       | 1     | 14          | 8.0           | 6.0 | 6.5 | 6.0 | 2                             | 8        | M         | Fair                    | Large hooked limbs at 3.0e and 5.0 n                       | Nil                    | N/A      | 20-40                  | B2               | 6.37                            | 127.57                                     |
| 221      |     | Betula alba Silver birch                 | 244       | 1     | 12          | 1.0           | 3.0 | 2.0 | 4.0 | 0                             | 3        | M         | Fair                    | Average condition  | Nil                    | N/A      | 10-20                  | B2               | 2.93                            | 26.94                                      |
| 222      |     | Prunus avium Cherry                      | 437       | 1     | 8           | 3.0           | 7.0 | 7.0 | 6.0 | 0                             | 4        | M         | Fair                    | Average condition  | Nil                    | N/A      | 10-20                  | B2               | 5.24                            | 86.40                                      |
| 223      |     | Crataegus monogyna Hawthorn              | 281       | MS    | 7           | 3.0           | 2.0 | 1.0 | 4.0 | 0                             | 3        | M         | Fair                    | Average condition  | Nil                    | N/A      | 10-20                  | B2               | 2.81                            | 24.81                                      |
| 224      |     | Betula alba Silver birch                 | 478       | 1     | 13          | 5.0           | 5.0 | 6.0 | 4.0 | 0                             | 3        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | B2               | 5.74                            | 103.38                                     |
| 226      |     | Sorbus intermedia Swedish Whitebeam      | 534       | 1     | 11          | 4.0           | 5.0 | 5.0 | 4.0 | 1                             | 4        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | B2               | 6.41                            | 129.02                                     |
| 228      |     | Sorbus intermedia Swedish Whitebeam      | 637       | 1     | 11          | 3.5           | 5.0 | 4.0 | 4.0 | 1                             | 4        | M         | Fair                    | Average condition  | Nil                    | N/A      | 10-20                  | B2               | 7.64                            | 183.59                                     |
| 231      |     | Betula alba Silver birch                 | 454       | 1     | 12          | 5.0           | 7.0 | 6.0 | 3.0 | 1                             | 5        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | B2               | 5.45                            | 93.26                                      |
| 232      |     | Crataegus monogyna Hawthorn              | 158       | 1     | 5           | 2.0           | 3.0 | 3.0 | 3.0 | 1                             | 2        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | B2               | 1.90                            | 11.29                                      |
| 233      |     | Crataegus monogyna Hawthorn              | 212       | 1     | 5           | 2.0           | 3.0 | 2.5 | 3.0 | 1                             | 2        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | B2               | 2.54                            | 20.33                                      |
| 234      |     | Sorbus intermedia Swedish Whitebeam      | 449       | 1     | 9           | 4.0           | 4.0 | 4.0 | 3.0 | 1                             | 4        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | B2               | 5.39                            | 91.21                                      |
| 235      |     | Sorbus intermedia Swedish Whitebeam      | 584       | 1     | 9           | 4.0           | 4.0 | 5.0 | 3.0 | 1                             | 4        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | B2               | 7.01                            | 154.31                                     |
| 236      |     | Sorbus intermedia Swedish Whitebeam      | 546       | 1     | 10          | 4.0           | 3.0 | 4.0 | 3.0 | 1                             | 4        | M         | Fair                    | Large basal wound w large stem wound 1.5w                  | Nil                    | N/A      | 10-20                  | B2               | 6.55                            | 134.88                                     |
| 238      |     | Betula alba Silver birch                 | 294       | 1     | 12          | 2.0           | 4.0 | 3.5 | 3.0 | 1                             | 5        | M         | Fair                    | Average condition  | Nil                    | N/A      | 10-20                  | B2               | 3.53                            | 39.11                                      |
| 250      |     | Betula alba Silver birch                 | 306       | 1     | 13          | 2.0           | 3.0 | 5.5 | 2.0 | 0                             | 6        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | B2               | 3.67                            | 42.37                                      |
| 254      |     | Acer platanoides Norway maple            | 542       | 1     | 14          | 6.0           | 6.0 | 7.0 | 7.0 | 2                             | 6        | M         | Fair                    | Average condition  | Nil                    | N/A      | 40+                    | B2               | 6.50                            | 132.91                                     |
| 255      |     | Populus nigra Italica Lombardy Poplar    | 323       | 1     | 21          | 2.0           | 4.0 | 3.0 | 3.0 | 1                             | 8        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | B2               | 3.88                            | 47.20                                      |
| 256      |     | Acer pseudoplatanus Sycamore             | 434       | 1     | 14          | 2.0           | 7.0 | 7.0 | 5.0 | 2                             | 6        | M         | Fair                    | Average condition  | Nil                    | N/A      | 40+                    | B2               | 5.21                            | 85.22                                      |
| 257      |     | Thuja plicata Western Red Cedar          | 535       | 1     | 16          | 3.0           | 5.0 | 3.0 | 5.0 | 1                             | 4        | M         | Fair                    | Basal wound n  | Nil                    | N/A      | 20-40                  | B2               | 6.42                            | 129.50                                     |
| 262      |     | Sorbus intermedia Swedish Whitebeam      | 461       | 1     | 10          | 4.0           | 4.0 | 4.0 | 5.0 | 0                             | 4        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | B2               | 5.53                            | 96.15                                      |
| 265      |     | Betula alba Silver birch                 | 399       | 1     | 11          | 5.0           | 3.0 | 4.0 | 4.0 | 1                             | 5        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | B2               | 4.79                            | 72.03                                      |
| 267      |     | Betula alba Silver birch                 | 371       | 1     | 11          | 3.0           | 5.0 | 4.0 | 5.0 | 1                             | 5        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | B2               | 4.45                            | 62.28                                      |
| 268      |     | Acer platanoides Norway maple            | 393       | 1     | 11          | 5.0           | 3.0 | 3.0 | 6.0 | 2                             | 6        | M         | Fair                    | Average condition  | Nil                    | N/A      | 40+                    | B2               | 4.72                            | 69.88                                      |
| 270      |     | Acer platanoides Norway maple            | 397       | 1     | 11          | 1.0           | 5.0 | 4.0 | 5.0 | 2                             | 7        | M         | Fair                    | Average condition  | Nil                    | N/A      | 40+                    | B2               | 4.76                            | 71.31                                      |
| 273      |     | Aesculus hippocastanum Horse Chestnut    | 706       | 1     | 16          | 6.0           | 7.0 | 7.0 | 7.0 | 2                             | 6        | M         | Good                    | Average condition  | Nil                    | N/A      | 40+                    | B2               | 8.47                            | 225.52                                     |
| 283      |     | Acer pseudoplatanus Sycamore             | 353       | 1     | 12          | 4.0           | 5.0 | 5.0 | 5.0 | 2                             | 5        | M         | Fair                    | Average condition  | Nil                    | N/A      | 40+                    | B2               | 4.24                            | 56.38                                      |
| 286      |     | Fraxinus excelsior Ash                   | 534       | 1     | 12          | 6.0           | 6.0 | 6.0 | 6.0 | 2                             | 3        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | B2               | 6.41                            | 129.02                                     |
| 292      |     | Acer pseudoplatanus Sycamore             | 533       | 1     | 12          | 4.0           | 3.0 | 4.0 | 4.0 | 2                             | 6        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | B2               | 6.40                            | 128.54                                     |
| 304      |     | Fagus sylvatica Beech                    | 447       | 1     | 16          | 3.0           | 4.0 | 3.0 | 5.0 | 2                             | 6        | M         | Fair                    | Significant stem wound at gl to 1.5 n major dead limb 4.0w | Crown clean            | P        | 20-40                  | B2               | 5.36                            | 90.40                                      |
| 305      |     | Acer pseudoplatanus Sycamore             | 548       | MS    | 12          | 1.0           | 7.0 | 8.0 | 2.0 | 2                             | 4        | M         | Fair                    | V tight main fork at 0.5 included bark                     | Nil                    | N/A      | 20-40                  | B2               | 5.48                            | 94.36                                      |
| 306      |     | Acer pseudoplatanus Sycamore             | 557       | 1     | 15          | 5.5           | 3.0 | 8.0 | 3.0 | 2                             | 5        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | B2               | 6.68                            | 140.37                                     |
| 309      |     | Populus nigra Italica Lombardy Poplar    | 709       | 1     | 19          | 5.0           | 4.0 | 3.0 | 3.0 | 1                             | 5        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | B2               | 8.51                            | 227.44                                     |
| 314      |     | Betula alba Silver birch                 | 354       | 1     | 11          | 1.0           | 6.0 | 4.0 | 5.0 | 1                             | 5        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | B2               | 4.25                            | 56.70                                      |
| 318      |     | Crataegus monogyna Hawthorn              | 343       | MS    | 9           | 3.0           | 3.0 | 3.5 | 2.0 | 1                             | 4        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | B2               | 3.43                            | 36.97                                      |
| 320      |     | Betula alba Silver birch                 | 394       | 1     | 13          | 4.0           | 4.0 | 4.0 | 4.0 | 1                             | 4        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | B2               | 4.73                            | 70.24                                      |
| 323      |     | Betula alba Silver birch                 | 340       | 1     | 10          | 3.0           | 4.0 | 3.0 | 3.0 | 2                             | 4        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | B2               | 4.08                            | 52.30                                      |
| 324      |     | Acer platanoides Norway maple            | 516       | 1     | 9           | 5.0           | 5.0 | 5.0 | 4.0 | 2                             | 4        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | B2               | 6.19                            | 120.47                                     |
| 326      |     | Betula alba Silver birch                 | 371       | 1     | 9           | 5.0           | 3.0 | 5.0 | 3.0 | 1                             | 6        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | B2               | 4.45                            | 62.28                                      |
| 327      |     | Betula alba Silver birch                 | 296       | 1     | 9           | 4.0           | 4.0 | 2.0 | 5.0 | 1                             | 4        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | B2               | 3.55                            | 39.64                                      |

**TOTAL CATEGORY B TREES Heyford Park Nicholson's Tree Survey November 2006**

| Group No | Tag | Species (Botanical)                   | Diam (mm) | Stems | Ht m. (est) | Branch Spread |     |     |     | Increase in canopy radius (m) | Crown Ht | Age Class | Physiological Condition | Structural Condition   | Preliminary Management           | Priority | Remaining Contribution | Category Grading | Root Protection Zone Radius (m) | Root Protection zone (m2). Capped at 707m2 |
|----------|-----|---------------------------------------|-----------|-------|-------------|---------------|-----|-----|-----|-------------------------------|----------|-----------|-------------------------|--|----------------------------------|----------|------------------------|------------------|---------------------------------|--|
|          |     |                                       |           |       |             | N             | S   | E   | W   |                               |          |           |                         |  |                                  |          |                        |                  |                                 |  |
| 328      |     | Crataegus monogyna Hawthorn           | 287       | MS    | 5           | 3.0           | 3.0 | 3.0 | 1.0 | 1                             | 3        | M         | Fair                    | Average condition  | Nil                              | N/A      | 20-40                  | B2               | 2.87                            | 25.88                                      |
| 329      |     | Crataegus monogyna Hawthorn           | 325       | 1     | 6           | 3.0           | 3.0 | 3.0 | 3.0 | 1                             | 3        | M         | Fair                    | Average condition  | Nil                              | N/A      | 20-40                  | B2               | 3.90                            | 47.79                                      |
| 332      |     | Betula alba Silver birch              | 403       | 1     | 11          | 6.0           | 3.0 | 3.0 | 5.0 | 1                             | 6        | M         | Fair                    | Average condition  | Nil                              | N/A      | 20-40                  | B2               | 4.84                            | 73.48                                      |
| 333      |     | Betula alba Silver birch              | 389       | 1     | 10          | 0.0           | 7.0 | 5.0 | 0.0 | 1                             | 6        | M         | Fair                    | Average condition  | Nil                              | N/A      | 20-40                  | B2               | 4.67                            | 68.46                                      |
| 334      |     | Crataegus monogyna Hawthorn           | 241       | 1     | 7           | 4.0           | 2.0 | 3.0 | 3.0 | 1                             | 4        | M         | Fair                    | Average condition  | Nil                              | N/A      | 20-40                  | B2               | 2.89                            | 26.28                                      |
| 336      |     | Betula alba Silver birch              | 224       | 1     | 8           | 2.0           | 3.0 | 3.0 | 2.0 | 1                             | 3        | M         | Fair                    | Average condition  | Nil                              | N/A      | 20-40                  | B2               | 2.69                            | 22.70                                      |
| 338      |     | Tilia europaea Common Lime            | 360       | 1     | 10          | 4.0           | 5.0 | 4.0 | 5.0 | 2                             | 5        | M         | Fair                    | Average condition  | Nil                              | N/A      | 40+                    | B2               | 4.32                            | 58.64                                      |
| 341      |     | Populus nigra Italica Lombardy Poplar | 666       | 1     | 19          | 4.0           | 3.0 | 5.0 | 2.0 | 1                             | 5        | M         | Fair                    | Average condition  | Nil                              | N/A      | 20-40                  | B2               | 7.99                            | 200.69                                     |
| 342      |     | Populus nigra Italica Lombardy Poplar | 622       | 1     | 16          | 3.0           | 2.0 | 3.0 | 2.0 | 1                             | 5        | M         | Fair                    | Average condition  | Nil                              | N/A      | 20-40                  | B2               | 7.46                            | 175.04                                     |
| 343      |     | Carpinus betulus Hornbeam             | 250       | 1     | 9           | 2.5           | 2.5 | 2.0 | 4.0 | 3                             | 4        | M         | Fair                    | Average condition  | Nil                              | N/A      | 40+                    | B2               | 3.00                            | 28.28                                      |
| 344      |     | Populus nigra Italica Lombardy Poplar | 708       | 1     | 20          | 3.0           | 3.0 | 3.5 | 3.0 | 1                             | 4        | M         | Fair                    | Average condition  | Nil                              | N/A      | 20-40                  | B2               | 8.50                            | 226.80                                     |
| 345      |     | Populus nigra Italica Lombardy Poplar | 579       | 1     | 20          | 3.0           | 3.0 | 3.0 | 2.0 | 1                             | 5        | M         | Fair                    | Average condition  | Nil                              | N/A      | 20-40                  | B2               | 6.95                            | 151.68                                     |
| 346      |     | Acer pseudoplatanus Sycamore          | 297       | 1     | 9           | 3.0           | 3.0 | 3.0 | 3.0 | 3                             | 4        | M         | Fair                    | Average condition  | Nil                              | N/A      | 40+                    | B2               | 3.56                            | 39.91                                      |
| 347      |     | Populus nigra Italica Lombardy Poplar | 552       | 1     | 20          | 2.0           | 2.5 | 3.0 | 2.0 | 1                             | 8        | M         | Fair                    | Average condition  | Nil                              | N/A      | 20-40                  | B2               | 6.62                            | 137.86                                     |
| 348      |     | Populus nigra Italica Lombardy Poplar | 559       | 1     | 20          | 3.0           | 2.0 | 3.0 | 2.0 | 1                             | 5        | M         | Fair                    | Average condition  | Nil                              | N/A      | 20-40                  | B2               | 6.71                            | 141.38                                     |
| 350      |     | Populus nigra Italica Lombardy Poplar | 385       | 1     | 20          | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 11       | M         | Fair                    | Average condition  | Nil                              | N/A      | 20-40                  | B2               | 4.62                            | 67.06                                      |
| 351      |     | Populus nigra Italica Lombardy Poplar | 579       | 1     | 18          | 3.0           | 2.0 | 6.0 | 1.0 | 1                             | 6        | M         | Fair                    | Average condition  | Nil                              | N/A      | 20-40                  | B2               | 6.95                            | 151.68                                     |
| 352      |     | Populus nigra Italica Lombardy Poplar | 438       | 1     | 21          | 2.0           | 2.0 | 2.0 | 1.0 | 1                             | 10       | M         | Fair                    | Major dead wood  | Crown clean                      | U        | 20-40                  | B2               | 5.26                            | 86.80                                      |
| 353      |     | Populus nigra Italica Lombardy Poplar | 560       | 1     | 18          | 5.0           | 2.0 | 3.0 | 4.0 | 1                             | 7        | M         | Fair                    | Major dead wood  | Crown clean                      | U        | 20-40                  | B2               | 6.72                            | 141.89                                     |
| 359      |     | Acer pseudoplatanus Sycamore          | 619       | 1     | 15          | 4.5           | 6.0 | 5.0 | 5.0 | 2                             | 5        | M         | Fair                    | Average condition  | Nil                              | N/A      | 40+                    | B2               | 7.43                            | 173.36                                     |
| 360      |     | Pinus sylvestris Scots pine           | 463       | 1     | 11          | 6.0           | 4.0 | 5.0 | 5.0 | 0                             | 7        | M         | Fair                    | Average condition  | Nil                              | N/A      | 20-40                  | B2               | 5.56                            | 96.99                                      |
| 362      |     | Pinus sylvestris Scots pine           | 286       | 1     | 10          | 4.0           | 2.0 | 2.0 | 3.0 | 0                             | 5        | M         | Fair                    | Average condition  | Nil                              | N/A      | 20-40                  | B2               | 3.43                            | 37.01                                      |
| 364      |     | Crataegus monogyna Hawthorn           | 424       | 1     | 8           | 3.0           | 3.0 | 3.0 | 3.0 | 0                             | 2        | M         | Fair                    | Average condition  | Nil                              | N/A      | 40+                    | B2               | 5.09                            | 81.34                                      |
| 369      |     | Pinus sylvestris Scots pine           | 704       | 1     | 15          | 3.0           | 4.0 | 4.0 | 4.5 | 0                             | 8        | M         | Fair                    | Average condition  | Nil                              | N/A      | 20-40                  | B2               | 8.45                            | 224.24                                     |
| 371      |     | Acer pseudoplatanus Sycamore          | 431       | 1     | 14          | 5.0           | 5.0 | 5.0 | 4.0 | 2                             | 5        | M         | Fair                    | Average condition  | Nil                              | N/A      | 40+                    | B2               | 5.17                            | 84.05                                      |
| 372      |     | Acer pseudoplatanus Sycamore          | 600       | 1     | 14          | 2.0           | 8.0 | 5.0 | 5.0 | 2                             | 5        | M         | Fair                    | Basal wound gl s   | Nil                              | N/A      | 20-40                  | B2               | 7.20                            | 162.88                                     |
| 375      |     | Acer pseudoplatanus Sycamore          | 455       | 1     | 11          | 4.0           | 6.0 | 3.0 | 5.0 | 2                             | 5        | M         | Fair                    | Average condition  | Nil                              | N/A      | 40+                    | B2               | 5.46                            | 93.67                                      |
| 376      |     | Quercus ilex Holm Oak                 | 1380      | MS    | 12          | 6.0           | 5.0 | 6.0 | 5.0 | 3                             | 4        | M         | Fair                    | Significant decay in central stem widely spaced on coppice stool | Remove central stem              | U        | 40+                    | B2               | 13.80                           | 598.36                                     |
| 377      |     | Fraxinus excelsior Ash                | 601       | 1     | 14          | 7.0           | 7.0 | 7.0 | 9.0 | 1                             | 5        | M         | Fair                    | Average condition  | Nil                              | N/A      | 40+                    | B2               | 7.21                            | 163.42                                     |
| 381      |     | Pinus sylvestris Scots pine           | 692       | MS    | 13          | 4.0           | 6.0 | 4.0 | 6.0 | 0                             | 7        | M         | Fair                    | Average condition  | Nil                              | N/A      | 20-40                  | B2               | 6.92                            | 150.46                                     |
| 384      |     | Fraxinus excelsior Ash                | 449       | 1     | 14          | 3.0           | 4.0 | 2.0 | 3.0 | 2                             | 6        | M         | Fair                    | Average condition  | Nil                              | N/A      | 40+                    | B2               | 5.39                            | 91.21                                      |
| 385      |     | Pinus sylvestris Scots pine           | 732       | 1     | 14          | 6.0           | 3.0 | 4.0 | 4.0 | 0                             | 6        | M         | Fair                    | Average condition  | Nil                              | N/A      | 20-40                  | B2               | 8.78                            | 242.43                                     |
| 386      |     | Pinus sylvestris Scots pine           | 696       | 1     | 15          | 5.0           | 5.0 | 6.0 | 5.0 | 0                             | 8        | M         | Fair                    | Average condition  | Nil                              | N/A      | 20-40                  | B2               | 8.35                            | 219.17                                     |
| 387      |     | Pinus sylvestris Scots pine           | 790       | 1     | 14          | 7.0           | 5.0 | 7.0 | 4.0 | 0                             | 8        | M         | Fair                    | Average condition  | Nil                              | N/A      | 20-40                  | B2               | 9.48                            | 282.37                                     |
| 388      |     | Fraxinus excelsior Ash                | 381       | 1     | 12          | 4.0           | 2.0 | 2.0 | 3.0 | 2                             | 6        | M         | Fair                    | Average condition  | Nil                              | N/A      | 40+                    | B2               | 4.57                            | 65.68                                      |
| 389      |     | Pinus sylvestris Scots pine           | 381       | 1     | 12          | 2.0           | 4.0 | 2.0 | 3.0 | 0                             | 6        | M         | Fair                    | Average condition  | Nil                              | N/A      | 20-40                  | B2               | 4.57                            | 65.68                                      |
| 392      |     | Pinus sylvestris Scots pine           | 701       | 1     | 15          | 5.0           | 4.0 | 1.0 | 2.0 | 0                             | 10       | M         | Fair                    | Average condition  | Nil                              | N/A      | 20-40                  | B2               | 8.41                            | 222.33                                     |
| 393      |     | Fraxinus excelsior Ash                | 557       | 1     | 14          | 4.0           | 8.0 | 4.0 | 6.0 | 1                             | 7        | M         | Fair                    | Average condition  | Nil                              | N/A      | 20-40                  | B2               | 6.68                            | 140.37                                     |
| 394      |     | Taxus baccata Yew                     | 392       | 1     | 6           | 4.0           | 4.0 | 4.0 | 4.0 | 1                             | 2        | M         | Fair                    | Average condition  | Nil                              | N/A      | 40+                    | B2               | 4.70                            | 69.52                                      |
| 395      |     | Fraxinus excelsior Ash                | 595       | 1     | 15          | 6.0           | 6.0 | 6.0 | 6.0 | 1                             | 6        | M         | Fair                    | Average condition  | Nil                              | N/A      | 40+                    | B2               | 7.14                            | 160.18                                     |
| 399      |     | Acer pseudoplatanus Sycamore          | 1020      | MS    | 12          | 5.0           | 5.0 | 5.0 | 5.0 | 2                             | 6        | M         | Fair                    | Average condition  | Nil                              | N/A      | 20-40                  | B2               | 10.20                           | 326.89                                     |
| 400      |     | Pinus sylvestris Scots pine           | 542       | 1     | 14          | 5.0           | 5.0 | 2.0 | 5.0 | 0                             | 4        | M         | Fair                    | Average condition  | Nil                              | N/A      | 20-40                  | B2               | 6.50                            | 132.91                                     |
| 401      |     | Acer pseudoplatanus Sycamore          | 420       | 1     | 12          | 4.0           | 4.0 | 1.0 | 4.0 | 2                             | 5        | M         | Fair                    | Average condition  | Nil                              | N/A      | 40+                    | B2               | 5.04                            | 79.81                                      |
| 402      |     | Acer pseudoplatanus Sycamore          | 358       | 1     | 13          | 4.0           | 4.0 | 4.0 | 1.0 | 2                             | 6        | M         | Fair                    | Average condition  | Nil                              | N/A      | 40+                    | B2               | 4.30                            | 57.99                                      |
| 403      |     | Acer pseudoplatanus Sycamore          | 689       | 1     | 12          | 5.0           | 2.0 | 2.0 | 2.0 | 1                             | 6        | M         | Fair                    | Dead in top  | remove dead                      | P        | 20-40                  | B2               | 8.27                            | 214.79                                     |
| 404      |     | Acer pseudoplatanus Sycamore          | 353       | 1     | 12          | 3.0           | 3.0 | 3.0 | 3.0 | 2                             | 4        | M         | Fair                    | Average condition  | Nil                              | N/A      | 40+                    | B2               | 4.24                            | 56.38                                      |
| 405      |     | Pinus sylvestris Scots pine           | 681       | 1     | 14          | 4.0           | 4.0 | 5.0 | 4.0 | 0                             | 8        | M         | Fair                    | Average condition  | Nil                              | N/A      | 20-40                  | B2               | 8.17                            | 209.83                                     |
| 406      |     | Pinus sylvestris Scots pine           | 730       | 1     | 14          | 4.0           | 2.0 | 3.0 | 3.0 | 0                             | 7        | M         | Fair                    | Average condition  | Nil                              | N/A      | 20-40                  | B2               | 8.76                            | 241.11                                     |
| 407      |     | Pinus sylvestris Scots pine           | 764       | 1     | 15          | 4.0           | 4.0 | 4.0 | 4.0 | 0                             | 8        | M         | Fair                    | Average condition  | Nil                              | N/A      | 20-40                  | B2               | 9.17                            | 264.09                                     |
| 409      |     | Acer pseudoplatanus Sycamore          | 471       | 1     | 12          | 5.0           | 5.0 | 3.0 | 6.0 | 2                             | 4        | M         | Fair                    | Average condition  | Nil                              | N/A      | 40+                    | B2               | 5.65                            | 100.37                                     |
| 410      |     | Acer pseudoplatanus Sycamore          | 821       | 1     | 14          | 8.0           | 7.0 | 3.0 | 3.0 | 2                             | 8        | M         | Fair                    | Ivy clad stem  | Cut ivy to allow full inspection | P        | 20-40                  | B2               | 9.85                            | 304.97                                     |
| 411      |     | Aesculus hippocastanum Horse Chestnut | 805       | 1     | 13          | 8.0           | 6.0 | 6.0 | 5.0 | 0                             | 6        | M         | Fair                    | Basal decay n stem cavity 3.0 n                                  | Nil                              | N/A      | 20-40                  | B2               | 9.66                            | 293.20                                     |
| 412      |     | Fraxinus excelsior Ash                | 458       | 1     | 15          | 4.0           | 5.0 | 4.0 | 6.0 | 2                             | 6        | M         | Fair                    | aav  | Nil                              | N/A      | 40+                    | B2               | 5.50                            | 94.91                                      |
| 414      |     | Fraxinus excelsior Ash                | 555       | 1     | 16          | 3.0           | 5.0 | 5.0 | 4.0 | 2                             | 5        | M         | Fair                    | Average condition  | Nil                              | N/A      | 40+                    | B2               | 6.66                            | 139.37                                     |
| 415      |     | Fraxinus excelsior Ash                | 675       | 1     | 15          | 6.0           | 7.0 | 4.0 | 4.0 | 1                             | 9        | M         | Fair                    | Ivy clad stem  | Cut ivy to allow full inspection | P        | 20-40                  | B2               | 8.10                            | 206.15                                     |
| 416      |     | Fraxinus excelsior Ash                | 835       | 1     | 15          | 8.0           | 8.0 | 8.0 | 8.0 | 0                             | 5        | M         | Fair                    | Average condition  | Nil                              | N/A      | 20-40                  | B2               | 10.02                           | 315.46                                     |
| 418      |     | Larix eurolepis European Larch        | 343       | 1     | 13          | 3.0           | 3.0 | 3.0 | 3.0 | 0                             | 5        | M         | Fair                    | Average condition  | Nil                              | N/A      | 20-40                  | B2               | 4.12                            | 53.23                                      |

**TOTAL CATEGORY B TREES Heyford Park Nicholson's Tree Survey November 2006**

| Group No | Tag | Species (Botanical)                        | Diam (mm) | Stems | Ht m. (est) | Branch Spread |     |     |     | Increase in canopy radius (m) | Crown Ht | Age Class | Physiological Condition | Structural Condition  | Preliminary Management | Priority | Remaining Contribution | Category Grading | Root Protection Zone Radius (m) | Root Protection zone (m2). Capped at 707m2 |
|----------|-----|--|-----------|-------|-------------|---------------|-----|-----|-----|-------------------------------|----------|-----------|-------------------------|---|------------------------|----------|------------------------|------------------|---------------------------------|--|
|          |     |  |           |       |             | N             | S   | E   | W   |                               |          |           |                         |   |                        |          |                        |                  |                                 |  |
| 419      |     | Fraxinus excelsior Ash                     | 464       | 1     | 13          | 5.0           | 5.0 | 5.0 | 5.0 | 2                             | 6        | M         | Fair                    | Average condition   | Nil                    | N/A      | 40+                    | B2               | 5.57                            | 97.41                                      |
| 425      |     | Acer platanoides Norway maple              | 440       | 1     | 10          | 4.0           | 5.0 | 4.0 | 5.0 | 2                             | 4        | M         | Fair                    | Average condition   | Nil                    | N/A      | 20-40                  | B2               | 5.28                            | 87.59                                      |
| 429      |     | Populus nigra Italica Lombardy Poplar      | 642       | 1     | 20          | 2.0           | 4.0 | 3.0 | 2.0 | 0                             | 6        | M         | Fair                    | Average condition   | Nil                    | N/A      | 20-40                  | B2               | 7.70                            | 186.48                                     |
| 430      |     | Populus nigra Italica Lombardy Poplar      | 584       | 1     | 18          | 3.0           | 2.0 | 2.0 | 2.0 | 0                             | 6        | M         | Fair                    | Average condition   | Nil                    | N/A      | 20-40                  | B2               | 7.01                            | 154.31                                     |
| 431      |     | Populus nigra Italica Lombardy Poplar      | 612       | 1     | 20          | 2.0           | 4.0 | 2.0 | 3.0 | 0                             | 5        | M         | Fair                    | Average condition   | Nil                    | N/A      | 20-40                  | B2               | 7.34                            | 169.46                                     |
| 432      |     | Populus nigra Hybrid black poplar          | 571       | 1     | 19          | 2.0           | 3.0 | 7.0 | 2.0 | 1                             | 10       | M         | Fair                    | Average condition   | Nil                    | N/A      | 20-40                  | B2               | 6.85                            | 147.52                                     |
| 441      |     | Tilia europaea Common Lime                 | 408       | 1     | 11          | 5.0           | 5.0 | 5.0 | 5.0 | 2                             | 3        | M         | Fair                    | Average condition   | Nil                    | N/A      | 40+                    | B2               | 4.90                            | 75.32                                      |
| 443      |     | Tilia europaea Common Lime                 | 448       | 1     | 13          | 5.0           | 5.0 | 5.0 | 5.0 | 2                             | 4        | M         | Fair                    | Average condition   | Nil                    | N/A      | 40+                    | B2               | 5.38                            | 90.81                                      |
| 447      |     | Betula alba Silver birch                   | 446       | 1     | 11          | 4.0           | 3.0 | 5.0 | 3.0 | 1                             | 3        | M         | Fair                    | Stem wound 1.5 e  | Nil                    | N/A      | 10-20                  | B2               | 5.35                            | 90.00                                      |
| 448      |     | Betula alba Silver birch                   | 459       | 1     | 12          | 4.0           | 4.0 | 5.0 | 5.0 | 1                             | 4        | M         | Fair                    | Basal cavity  | Nil                    | N/A      | 10-20                  | B2               | 5.51                            | 95.32                                      |
| 470      |     | Betula alba Silver birch                   | 571       | 1     | 15          | 5.0           | 7.0 | 5.5 | 5.0 | 1                             | 6        | M         | Fair                    | Average condition   | Nil                    | N/A      | 20-40                  | B2               | 6.85                            | 147.52                                     |
| 476      |     | Tilia europaea Common Lime                 | 660       | 1     | 16          | 6.0           | 5.0 | 4.0 | 6.0 | 2                             | 4        | M         | Fair                    | Average condition   | Nil                    | N/A      | 40+                    | B2               | 7.92                            | 197.09                                     |
| 477      |     | Fagus sylvatica Beech                      | 602       | 1     | 16          | 5.0           | 5.0 | 5.0 | 2.0 | 2                             | 6        | M         | Fair                    | Average condition   | Nil                    | N/A      | 40+                    | B2               | 7.22                            | 163.97                                     |
| 488      |     | Acer pseudoplatanus Sycamore               | 859       | MS    | 17          | 5.0           | 6.0 | 5.0 | 5.0 | 2                             | 5        | M         | Fair                    | Forked at 1.0 4 stems decay in union  | Nil                    | N/A      | 20-40                  | B2               | 8.59                            | 231.84                                     |
| 511      |     | Pinus sylvestris Scots pine                | 432       | 1     | 11          | 3.0           | 3.0 | 3.0 | 4.0 | 1                             | 4        | M         | Fair                    | Average condition   | Nil                    | N/A      | 40+                    | B2               | 5.18                            | 84.44                                      |
| 519      |     | Acer pseudoplatanus Sycamore               | 642       | 1     | 10          | 6.0           | 8.0 | 7.0 | 7.0 | 1                             | 3        | M         | Fair                    | Average condition   | Nil                    | N/A      | 20-40                  | B2               | 7.70                            | 186.48                                     |
| 525      |     | Chamaecyparis lawsoniana Lawsons cypress   | 460       | 1     | 13          | 2.0           | 2.0 | 2.0 | 2.0 | 0                             | 4        | M         | Fair                    | Average condition   | Nil                    | N/A      | 20-40                  | B2               | 5.52                            | 95.74                                      |
| 535      |     | Acer pseudoplatanus Sycamore               | 850       | MS    | 15          | 6.0           | 7.0 | 2.0 | 8.0 | 1                             | 4        | M         | Fair                    | Multi stem from 1.0 with wet decay pockets  | Nil                    | N/A      | 20-40                  | B2               | 8.50                            | 227.01                                     |
| 536      |     | Thuja plicata Western Red Cedar            | 468       | 1     | 15          | 3.0           | 2.0 | 1.0 | 4.0 | 0                             | 2        | M         | Fair                    | Average condition   | Nil                    | N/A      | 20-40                  | B2               | 5.62                            | 99.10                                      |
| 550      |     | Acer platanoides Norway maple              | 937       | 1     | 15          | 7.0           | 7.0 | 7.0 | 7.0 | 1                             | 5        | M         | Fair                    | Multi stem from 3.0 with included bark evident in all unions, very tight forks above in upper crown more inc bark | Nil                    | N/A      | 20-40                  | B2               | 11.24                           | 397.24                                     |
| 553      |     | Taxus baccata fastigiata Irish Yew         | 435       | MS    | 8           | 2.0           | 2.0 | 2.0 | 2.0 | 0                             | 0.3      | M         | Fair                    | Average condition   | Nil                    | N/A      | 40+                    | B2               | 4.35                            | 59.45                                      |
| 554      |     | Betula alba Silver birch                   | 217       | 1     | 11          | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 4        | M         | Fair                    | Average condition   | Nil                    | N/A      | 20-40                  | B2               | 2.60                            | 21.31                                      |
| 555      |     | Sorbus intermedia Swedish Whitebeam        | 821       | MS    | 11          | 5.0           | 5.0 | 5.0 | 5.0 | 0                             | 4        | M         | Fair                    | Dead split limb in crown  | Remove dead split limb | P        | 20-40                  | B2               | 8.21                            | 211.78                                     |
| 556      |     | Sorbus intermedia Swedish Whitebeam        | 644       | 1     | 11          | 5.0           | 5.0 | 4.0 | 5.0 | 0                             | 5        | M         | Fair                    | Average condition   | Nil                    | N/A      | 20-40                  | B2               | 7.73                            | 187.65                                     |
| 559      |     | Tilia europaea Common Lime                 | 473       | 1     | 17          | 5.0           | 6.0 | 2.0 | 6.0 | 1                             | 6        | M         | Fair                    | Average condition   | Nil                    | N/A      | 40+                    | B2               | 5.68                            | 101.23                                     |
| 560      |     | Acer pseudoplatanus Sycamore               | 998       | MS    | 17          | 7.0           | 6.0 | 7.0 | 3.0 | 1                             | 6        | M         | Fair                    | Four stems from gl with included bark and cavity, more inc bark in forks in upper canopy                          | Nil                    | N/A      | 10-20                  | B2               | 9.98                            | 312.94                                     |
| 574      |     | Sorbus intermedia Swedish Whitebeam        | 595       | 1     | 11          | 4.0           | 4.0 | 4.0 | 4.0 | 0                             | 3        | M         | Fair                    | Average Condition   | Nil                    | N/A      | 20-40                  | B2               | 7.14                            | 160.18                                     |
| 577      |     | Sorbus intermedia Swedish Whitebeam        | 770       | MS    | 9           | 4.0           | 4.0 | 4.0 | 4.0 | 0                             | 2        | M         | Fair                    | Average condition   | Nil                    | N/A      | 10-20                  | B2               | 7.70                            | 186.29                                     |
| 581      |     | Acer pseudoplatanus Sycamore               | 437       | 1     | 9           | 5.0           | 5.0 | 5.0 | 5.0 | 2                             | 2        | M         | Fair                    | Dead limb removed from 2.0 s  | Nil                    | N/A      | 40+                    | B2               | 5.24                            | 86.40                                      |
| 598      |     | Pinus nigra var maritima Corsican Pine     | 370       | 1     | 8           | 3.0           | 3.0 | 3.0 | 3.0 | 2                             | 2        | M         | Fair                    | Average condition   | Nil                    | N/A      | 40+                    | B2               | 4.44                            | 61.94                                      |
| 603      |     | Betula alba Silver birch                   | 505       | 1     | 13          | 5.0           | 5.0 | 5.0 | 5.0 | 0                             | 4        | M         | Fair                    | Small decay pockets on stem associated with previous branch removals  | Nil                    | N/A      | 20-40                  | B2               | 6.06                            | 115.39                                     |
| 608      |     | Prunus Flowering Cherry                    | 477       | 1     | 7           | 4.0           | 4.0 | 4.0 | 4.0 | 1                             | 4        | M         | Fair                    | Average condition   | Nil                    | N/A      | 20-40                  | B2               | 5.72                            | 102.95                                     |
| 614      |     | Copper maple                               | 561       | 1     | 13          | 5.0           | 5.0 | 5.0 | 5.0 | 2                             | 4        | M         | Fair                    | Forked at 1.8   | Nil                    | N/A      | 40+                    | B2               | 6.73                            | 142.39                                     |
| 622      |     | Salix chycosoma Weeping willow             | 673       | 1     | 11          | 7.0           | 6.0 | 6.0 | 7.0 | 1                             | 6        | M         | Fair                    | Average condition   | Nil                    | N/A      | 20-40                  | B2               | 8.08                            | 204.93                                     |
| 625      |     | Sorbus aria Whitebeam                      | 544       | 1     | 13          | 4.0           | 3.0 | 2.0 | 4.0 | 2                             | 2        | M         | Good                    | No visible defects  | Nil                    | N/A      | 20-40                  | B2               | 4.80                            | 133.90                                     |
| 677      |     | Pinus sylvestris Scots pine                | 409       | 1     | 10          | 3.0           | 3.0 | 3.0 | 3.0 | 1                             | 3        | M         | Good                    | No visible defects  | None                   | N/A      | 40+                    | B2               | 2.70                            | 75.69                                      |
| 691      |     | Fraxinus excelsior Ash                     | 707       | MS    | 12          | 5.0           | 6.0 | 6.0 | 6.0 | 1                             | 2        | M         | Fair                    | Minor deadwood  | None                   | N/A      | 40+                    | B2               | 7.07                            | 157.05                                     |
| 696      |     | Acer saccharinum Silver maple              | 400       | 1     | 8           | 3.5           | 3.5 | 3.5 | 3.5 | 2                             | 3        | M         | Good                    | Basal suckers   | Remove suckers         | P        | 40+                    | B2               | 4.80                            | 72.39                                      |
| 698      |     | Betula alba Silver birch                   | 270       | MS    | 9           | 4.0           | 4.0 | 5.0 | 4.0 | 2                             | 1        | M         | Good                    | No visible defects  | None                   | N/A      | 20-40                  | B2               | 2.70                            | 22.91                                      |
| 699      |     | Fraxinus excelsior Ash                     | 250       | 1     | 6           | 3.0           | 2.0 | 3.0 | 3.0 | 2                             | 3        | SM        | Good                    | No visible defects  | None                   | N/A      | 40+                    | B2               | 3.00                            | 28.28                                      |
| 700      |     | Fraxinus excelsior Ash                     | 272       | 1     | 6           | 2.0           | 3.0 | 3.0 | 3.0 | 2                             | 3        | SM        | Good                    | No visible defects  | None                   | N/A      | 40+                    | B2               | 3.26                            | 33.47                                      |
| 702      |     | Quercus rubra Red oak                      | 176       | 1     | 5           | 3.0           | 3.0 | 3.0 | 3.0 | 1.5                           | 4        | SM        | Good                    | No visible defects  | None                   | N/A      | 40+                    | B2               | 2.11                            | 14.02                                      |
| 709      |     | Acer platanoides Norway maple              | 313       | 1     | 9           | 4.0           | 4.0 | 4.0 | 4.0 | 2                             | 2        | M         | Good                    | No visible defects  | None                   | N/A      | 40+                    | B2               | 3.76                            | 44.33                                      |
| 710      |     | Salix sepulcralis chycosoma Weeping willow | 321       | 1     | 8           | 4.0           | 3.0 | 3.0 | 4.0 | 2.5                           | 2        | M         | Good                    | Minor dead wood   | Crown clean            | P        | 40+                    | B2               | 3.85                            | 46.62                                      |
| 712      |     | Cupressocyparis leylandii Leyland cypress  | 305       | 1     | 6           | 1.5           | 1.5 | 1.5 | 1.5 | 1                             | 1        | M         | Good                    | No visible defects  | None                   | N/A      | 40+                    | B2               | 3.66                            | 42.09                                      |
| 721      |     | Acer pseudoplatanus Sycamore               | 302       | 1     | 7           | 4.0           | 4.0 | 4.0 | 4.0 | 1.5                           | 5        | M         | Good                    | No visible defects  | Crown lift to 2.5 m    | P        | 40+                    | B2               | 3.62                            | 41.27                                      |
| 725      |     | Salix sepulcralis chycosoma Weeping willow | 204       | 1     | 4           | 2.0           | 2.0 | 2.0 | 2.0 | 0                             | 6        | M         | Good                    | No visible defects  | None                   | N/A      | 40+                    | B2               | 2.45                            | 18.83                                      |
| 738      |     | Acer platanoides Norway maple              | 320       | 1     | 8           | 3.0           | 3.0 | 3.0 | 3.0 | 2                             | 3        | M         | Good                    | No visible defects  | None                   | N/A      | 20-40                  | B2               | 3.84                            | 46.33                                      |
| 2014     |     | Acer pseudoplatanus Sycamore               | 541       | 1     | 12          | 5.0           | 6.0 | 4.0 | 5.0 | 2                             | 4        | M         | Fair                    | Average condition   | Nil                    | N/A      | 40+                    | B2               | 6.49                            | 132.42                                     |
| 2025     |     | Acer pseudoplatanus Sycamore               | 399       | 1     | 13          | 4.0           | 4.0 | 5.0 | 2.0 | 2                             | 4        | M         | Fair                    | Average condition   | Nil                    | N/A      | 40+                    | B2               | 4.79                            | 72.03                                      |
| 2026     |     | Crataegus monogyna Hawthorn                | 398       | MS    | 6           | 3.0           | 2.0 | 2.0 | 2.0 | 1                             | 2        | M         | Fair                    | Average condition   | Nil                    | N/A      | 40+                    | B2               | 3.98                            | 49.77                                      |
| 2190     |     | Acer pseudoplatanus Sycamore               | 571       | MS    | 12          | 4.0           | 4.0 | 4.0 | 4.0 | 2                             | 5        | M         | Fair                    | Broken limb   | Remove broken limb     | P        | 40+                    | B2               | 5.71                            | 102.44                                     |



**TOTAL CATEGORY B TREES Heyford Park Nicholson's Tree Survey November 2006**

| Group No | Tag  | Species (Botanical)                        | Diam (mm) | Stems | Ht m. (est) | Branch Spread |     |     |     | Increase in canopy radius (m) | Crown Ht | Age Class | Physiological Condition | Structural Condition   | Preliminary Management | Priority | Remaining Contribution | Category Grading | Root Protection Zone Radius (m) | Root Protection zone (m2). Capped at 707m2 |
|----------|------|--|-----------|-------|-------------|---------------|-----|-----|-----|-------------------------------|----------|-----------|-------------------------|--|------------------------|----------|------------------------|------------------|---------------------------------|--|
|          |      |  |           |       |             | N             | S   | E   | W   |                               |          |           |                         |  |                        |          |                        |                  |                                 |  |
| G1       | 4001 | Acer pseudoplatanus Sycamore               | 461       | 1     | 17          | 3.0           | 2.0 | 2.0 | 8.0 | 1                             | 8        | M         | Fair                    | Average condition  | Nil                    | N/A      | 40+                    | B2               | 5.53                            | 96.15                                      |
| G1       | 4002 | Acer pseudoplatanus Sycamore               | 521       | 1     | 17          | 2.0           | 3.0 | 8.0 | 8.0 | 1                             | 6        | M         | Fair                    | Average condition  | Nil                    | N/A      | 40+                    | B2               | 6.25                            | 122.81                                     |
| G1       | 4003 | Acer pseudoplatanus Sycamore               | 375       | 1     | 15          | 2.0           | 2.0 | 7.0 | 1.0 | 1                             | 7        | M         | Fair                    | Average condition  | Nil                    | N/A      | 40+                    | B2               | 4.50                            | 63.63                                      |
| G1       | 4004 | Acer pseudoplatanus Sycamore               | 353       | 1     | 15          | 2.0           | 3.0 | 6.0 | 4.0 | 1                             | 6        | M         | Fair                    | Average condition  | Nil                    | N/A      | 40+                    | B2               | 4.24                            | 56.38                                      |
| G1       | 4005 | Acer pseudoplatanus Sycamore               | 568       | 1     | 17          | 3.0           | 3.0 | 6.0 | 7.0 | 1                             | 7        | M         | Fair                    | Multi stem from 3m some included bark  | Nil                    | N/A      | 40+                    | B2               | 6.82                            | 145.97                                     |
| G1       | 4006 | Acer pseudoplatanus Sycamore               | 264       | 1     | 14          | 2.0           | 3.0 | 6.0 | 2.0 | 1                             | 3        | M         | Fair                    | Average condition  | Nil                    | N/A      | 40+                    | B2               | 3.17                            | 31.53                                      |
| G1       | 4007 | Acer pseudoplatanus Sycamore               | 313       | 1     | 15          | 1.0           | 2.0 | 6.0 | 3.0 | 1                             | 8        | M         | Fair                    | Average condition  | Nil                    | N/A      | 40+                    | B2               | 3.76                            | 44.33                                      |
| G1       | 4008 | Acer pseudoplatanus Sycamore               | 575       | 1     | 15          | 2.0           | 3.0 | 6.0 | 2.0 | 1                             | 7        | M         | Fair                    | Average condition  | Nil                    | N/A      | 40+                    | B2               | 6.90                            | 149.59                                     |
| G1       | 4009 | Acer pseudoplatanus Sycamore               | 340       | 1     | 15          | 2.0           | 1.0 | 8.0 | 3.0 | 1                             | 4        | M         | Fair                    | Average condition  | Nil                    | N/A      | 40+                    | B2               | 4.08                            | 52.30                                      |
| G1       | 4010 | Acer pseudoplatanus Sycamore               | 411       | MS    | 14          | 5.0           | 2.0 | 6.0 | 6.0 | 1                             | 5        | M         | Fair                    | Average condition  | Nil                    | N/A      | 40+                    | B2               | 4.11                            | 53.07                                      |
| G3       | 4026 | Acer pseudoplatanus Sycamore               | 311       | 1     | 16          | 4.0           | 4.0 | 2.0 | 3.0 | 2                             | 11       | M         | Fair                    | Average condition  | Nil                    | N/A      | 40+                    | B2               | 3.73                            | 43.76                                      |
| G3       | 4027 | Acer pseudoplatanus Sycamore               | 355       | 1     | 16          | 2.0           | 4.0 | 4.0 | 4.0 | 2                             | 8        | M         | Fair                    | Average condition  | Nil                    | N/A      | 40+                    | B2               | 4.26                            | 57.02                                      |
| G3       | 4028 | Acer pseudoplatanus Sycamore               | 315       | 1     | 16          | 3.0           | 2.0 | 4.0 | 4.0 | 2                             | 9        | M         | Fair                    | Average condition  | Nil                    | N/A      | 40+                    | B2               | 3.78                            | 44.89                                      |
| G3       | 4029 | Acer pseudoplatanus Sycamore               | 281       | 1     | 17          | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 10       | M         | Fair                    | Average condition  | Nil                    | N/A      | 40+                    | B2               | 3.37                            | 35.73                                      |
| G3       | 4030 | Acer pseudoplatanus Sycamore               | 253       | 1     | 16          | 2.0           | 2.0 | 2.0 | 3.0 | 2                             | 9        | M         | Fair                    | Average condition  | Nil                    | N/A      | 40+                    | B2               | 3.04                            | 28.96                                      |
| G3       | 4031 | Acer pseudoplatanus Sycamore               | 335       | 1     | 17          | 3.0           | 3.0 | 4.0 | 4.0 | 2                             | 10       | M         | Fair                    | Average condition  | Nil                    | N/A      | 40+                    | B2               | 4.02                            | 50.78                                      |
| G3       | 4032 | Prunus avium Cherry                        | 235       | 1     | 16          | 2.0           | 2.0 | 3.0 | 2.0 | 1                             | 7        | M         | Fair                    | Average condition  | Deadwood               | P        | 20-40                  | B2               | 2.82                            | 24.99                                      |
| G3       | 4033 | Acer pseudoplatanus Sycamore               | 336       | 1     | 17          | 1.0           | 2.0 | 3.0 | 2.0 | 2                             | 11       | M         | Fair                    | Average condition  | Nil                    | N/A      | 40+                    | B2               | 4.03                            | 51.08                                      |
| G3       | 4034 | Acer pseudoplatanus Sycamore               | 354       | 1     | 16          | 4.0           | 2.0 | 3.0 | 2.0 | 2                             | 6        | M         | Fair                    | Average condition  | Nil                    | N/A      | 40+                    | B2               | 4.25                            | 56.70                                      |
| G3       | 4035 | Acer pseudoplatanus Sycamore               | 427       | 1     | 14          | 4.0           | 2.0 | 2.0 | 4.0 | 2                             | 6        | M         | Fair                    | Average condition  | Nil                    | N/A      | 40+                    | B2               | 5.12                            | 82.49                                      |
| G3       | 4036 | Acer pseudoplatanus Sycamore               | 318       | 1     | 15          | 2.0           | 2.0 | 1.0 | 5.0 | 2                             | 6        | M         | Fair                    | Average condition  | Nil                    | N/A      | 40+                    | B2               | 3.82                            | 45.75                                      |
| G3       | 4037 | Acer pseudoplatanus Sycamore               | 380       | 1     | 16          | 2.0           | 2.0 | 2.0 | 5.0 | 2                             | 5        | M         | Fair                    | Average condition  | Nil                    | N/A      | 40+                    | B2               | 4.56                            | 65.33                                      |
| G3       | 4039 | Acer pseudoplatanus Sycamore               | 411       | 1     | 16          | 2.0           | 2.0 | 2.0 | 6.0 | 2                             | 7        | M         | Fair                    | Av small unidentified ffb at base e (saprophytic?)                               | Deadwood               | P        | 40+                    | B2               | 4.93                            | 76.43                                      |
| G3       | 4040 | Acer pseudoplatanus Sycamore               | 280       | 1     | 15          | 1.0           | 2.0 | 1.0 | 5.0 | 2                             | 5        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | B2               | 3.36                            | 35.47                                      |
| G3       | 4041 | Acer pseudoplatanus Sycamore               | 245       | 1     | 12          | 1.0           | 1.0 | 1.0 | 5.0 | 2                             | 5        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | B2               | 2.94                            | 27.16                                      |
| G3       | 4042 | Acer pseudoplatanus Sycamore               | 208       | 1     | 11          | 1.0           | 1.0 | 1.0 | 5.0 | 2                             | 6        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | B2               | 2.50                            | 19.57                                      |
| G3       | 4043 | Acer pseudoplatanus Sycamore               | 315       | 1     | 15          | 1.0           | 3.0 | 1.0 | 5.0 | 2                             | 6        | M         | Fair                    | Average condition  | Nil                    | N/A      | 40+                    | B2               | 3.78                            | 44.89                                      |
| G3       | 4044 | Acer pseudoplatanus Sycamore               | 328       | 1     | 14          | 2.0           | 2.0 | 2.0 | 5.0 | 2                             | 6        | M         | Fair                    | Average condition  | Deadwood               | P        | 40+                    | B2               | 3.94                            | 48.68                                      |
| G3       | 4045 | Acer pseudoplatanus Sycamore               | 274       | 1     | 14          | 2.0           | 2.0 | 2.0 | 5.0 | 2                             | 7        | M         | Fair                    | Average condition  | Nil                    | N/A      | 40+                    | B2               | 3.29                            | 33.97                                      |
| G3       | 4046 | Acer pseudoplatanus Sycamore               | 304       | 1     | 14          | 2.0           | 2.0 | 2.0 | 5.0 | 2                             | 7        | M         | Fair                    | Av minor stem wounds   | Nil                    | N/A      | 20-40                  | B2               | 3.65                            | 41.81                                      |
| G3       | 4047 | Acer pseudoplatanus Sycamore               | 624       | 1     | 16          | 4.0           | 6.0 | 4.0 | 8.0 | 2                             | 6        | M         | Fair                    | Average condition  | Deadwood               | P        | 40+                    | B2               | 7.49                            | 176.17                                     |
| G5       | 4052 | Betula alba Silver birch                   | 311       | 1     | 12          | 4.0           | 4.0 | 4.0 | 4.0 | 1                             | 5        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | B2               | 3.73                            | 43.76                                      |
| G5       | 4054 | Betula alba Silver birch                   | 281       | 1     | 13          | 4.0           | 4.0 | 3.0 | 3.0 | 1                             | 4        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | B2               | 3.37                            | 35.73                                      |
| G5       | 4056 | Betula alba Silver birch                   | 279       | 1     | 11          | 3.0           | 3.0 | 2.0 | 3.0 | 1                             | 5        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | B2               | 3.35                            | 35.22                                      |
| G5       | 4057 | Betula alba Silver birch                   | 335       | 1     | 11          | 3.0           | 5.0 | 3.0 | 4.0 | 1                             | 2        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | B2               | 4.02                            | 50.78                                      |
| G5       | 4058 | Betula alba Silver birch                   | 334       | 1     | 14          | 4.0           | 5.0 | 3.5 | 2.0 | 1                             | 3        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | B2               | 4.01                            | 50.47                                      |
| G5       | 4059 | Betula alba Silver birch                   | 266       | 1     | 14          | 2.0           | 4.0 | 2.0 | 2.0 | 1                             | 5        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | B2               | 3.19                            | 32.01                                      |
| G5       | 4060 | Betula alba Silver birch                   | 308       | 1     | 13          | 4.0           | 3.0 | 2.0 | 4.0 | 1                             | 5        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | B2               | 3.70                            | 42.92                                      |
| G6       | 4061 | Betula alba Silver birch                   | 303       | 1     | 12          | 4.0           | 4.0 | 3.5 | 3.0 | 1                             | 5        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | B2               | 3.64                            | 41.54                                      |
| G6       | 4062 | Betula alba Silver birch                   | 286       | 1     | 11          | 3.5           | 4.0 | 2.0 | 3.0 | 1                             | 3.5      | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | B2               | 3.43                            | 37.01                                      |
| G6       | 4063 | Betula alba Silver birch                   | 334       | 1     | 14          | 4.0           | 4.0 | 4.0 | 2.0 | 1                             | 4        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | B2               | 4.01                            | 50.47                                      |
| G6       | 4064 | Betula alba Silver birch                   | 279       | 1     | 12          | 3.5           | 4.0 | 3.0 | 4.0 | 1                             | 5        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | B2               | 3.35                            | 35.22                                      |
| G6       | 4065 | Betula alba Silver birch                   | 207       | 1     | 10          | 3.0           | 4.0 | 1.5 | 2.5 | 1                             | 5        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | B2               | 2.48                            | 19.39                                      |
| G6       | 4066 | Betula alba Silver birch                   | 321       | 1     | 14          | 4.0           | 4.0 | 3.0 | 4.0 | 1                             | 7        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | B2               | 3.85                            | 46.62                                      |
| G6       | 4067 | Betula alba Silver birch                   | 221       | 1     | 13          | 2.0           | 3.0 | 2.0 | 2.0 | 1                             | 7        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | B2               | 2.41                            | 18.28                                      |
| G6       | 4068 | Betula alba Silver birch                   | 223       | 1     | 12          | 1.0           | 5.0 | 1.5 | 3.0 | 1                             | 5        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | B2               | 2.68                            | 22.50                                      |
| G6       | 4069 | Betula alba Silver birch                   | 302       | 1     | 14          | 3.0           | 5.0 | 3.0 | 3.0 | 1                             | 6        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | B2               | 3.62                            | 41.27                                      |
| G6       | 4070 | Betula alba Silver birch                   | 226       | 1     | 12          | 2.0           | 3.0 | 3.0 | 3.0 | 1                             | 7        | M         | Fair                    | Split limb in upper crown over path  | remove split limb      | U        | 20-40                  | B2               | 2.71                            | 23.11                                      |
| G8       | 4079 | Acer platanoides Norway maple (Drummondii) | 168       | 1     | 9           | 3.0           | 3.0 | 3.0 | 3.0 | 3                             | 5        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | B2               | 2.02                            | 12.77                                      |
| G9       | 4080 | Fraxinus excelsior Ash                     | 256       | 1     | 11          | 3.5           | 3.0 | 2.5 | 3.0 | 3                             | 4        | M         | Good                    | Gone   | Nil                    | N/A      | 40+                    | B2               | 3.07                            | 29.65                                      |
| G9       | 4081 | Fraxinus excelsior Ash                     | 182       | 1     | 9           | 2.0           | 2.0 | 2.0 | 2.0 | 3                             | 4        | M         | Good                    | Gone   | Nil                    | N/A      | 40+                    | B2               | 2.18                            | 14.99                                      |
| G9       | 4082 | Fraxinus excelsior Ash                     | 279       | 1     | 9           | 4.0           | 4.0 | 3.0 | 4.0 | 3                             | 4        | M         | Good                    | Gone   | Nil                    | N/A      | 40+                    | B2               | 3.35                            | 35.22                                      |
| G9       | 4083 | Fraxinus excelsior Ash                     | 182       | 1     | 9           | 2.0           | 2.0 | 2.0 | 3.0 | 3                             | 5        | M         | Good                    | Gone   | Nil                    | N/A      | 40+                    | B2               | 2.18                            | 14.99                                      |
| G9       | 4084 | Fraxinus excelsior Ash                     | 178       | 1     | 10          | 2.0           | 2.0 | 3.0 | 2.0 | 3                             | 6        | M         | Good                    | Gone   | Nil                    | N/A      | 40+                    | B2               | 2.14                            | 14.34                                      |
| G9       | 4085 | Fraxinus excelsior Ash                     | 229       | 1     | 10          | 4.0           | 3.0 | 4.0 | 4.0 | 3                             | 3        | M         | Good                    | Gone   | Nil                    | N/A      | 40+                    | B2               | 2.75                            | 23.73                                      |
| G10      | 4090 | Acer platanoides Norway maple              | 230       | 1     | 10          | 4.0           | 3.0 | 3.0 | 3.0 | 4                             | 3        | M         | Good                    | Gone   | Nil                    | N/A      | 40+                    | B2               | 2.76                            | 23.93                                      |
| G11      | 4091 | Prunus avium Cherry                        | 280       | 1     | 8           | 3.5           | 4.0 | 3.0 | 4.0 | 3                             | 4        | M         | Good                    | Gone   | Nil                    | N/A      | 40+                    | B2               | 3.36                            | 35.47                                      |
| G11      | 4092 | Prunus avium Cherry                        | 162       | 1     | 8           | 2.0           | 3.0 | 2.0 | 3.0 | 3                             | 3        | M         | Good                    | Average condition  | Nil                    | N/A      | 40+                    | B2               | 1.94                            | 11.87                                      |
| G11      | 4093 | Prunus avium Cherry                        | 300       | 1     | 10          | 5.0           | 5.0 | 5.0 | 3.0 | 3                             | 3        | M         | Good                    | Average condition  | Nil                    | N/A      | 40+                    | B2               | 3.60                            | 40.72                                      |
| G14      | 4101 | Pinus sylvestris Scots pine                | 430       | 1     | 12          | 4.0           | 5.0 | 6.0 | 3.0 | 1                             | 9        | M         | Fair                    | Average condition  | Nil                    | N/A      | 40+                    | B2               | 5.16                            | 83.66                                      |
| G14      | 4102 | Pinus sylvestris Scots pine                | 423       | 1     | 14          | 2.0           | 4.0 | 4.0 | 3.0 | 1                             | 9        | M         | Fair                    | occluded wound at gl e   | Nil                    | N/A      | 40+                    | B2               | 5.08                            | 80.96                                      |
| G14      | 4103 | Pinus sylvestris Scots pine                | 439       | 1     | 12          | 3.0           | 3.0 | 4.0 | 3.0 | 1                             | 9        | M         | Fair                    | occluded wound at gl w tight fork at 7m included bark and signs of past movement | Cable                  | P        | 20-40                  | B2               | 5.27                            | 87.20                                      |
| G14      | 4104 | Pinus sylvestris Scots pine                | 366       | 1     | 10          | 1.0           | 3.0 | 1.0 | 5.0 | 1                             | 7        | M         | Fair                    | Average condition  | Nil                    | N/A      | 40+                    | B2               | 4.39                            | 60.61                                      |
| G14      | 4105 | Pinus sylvestris Scots pine                | 415       | 1     | 12          | 2.0           | 3.0 | 2.0 | 5.0 | 1                             | 9        | M         | Fair                    | Average condition  | Nil                    | N/A      | 40+                    | B2               | 4.98                            | 77.92                                      |
| G14      | 4108 | Acer pseudoplatanus Sycamore               | 407       | 1     | 14          | 5.0           | 6.0 | 7.0 | 4.0 | 2                             | 6        | M         | Fair                    | Average condition  | Nil                    | N/A      | 40+                    | B2               | 4.88                            | 74.95                                      |
| G14      | 4109 | Pinus sylvestris Scots pine                | 319       | 1     | 13          | 2.0           | 2.0 | 2.0 | 1.0 | 1                             | 7        | M         | Fair                    | Occluding wound at gl n and 1.0w   | Nil                    | N/A      | 40+                    | B2               | 3.83                            | 46.04                                      |



**TOTAL CATEGORY B TREES Heyford Park Nicholson's Tree Survey November 2006**

| Group No | Tag  | Species (Botanical)                   | Diam (mm) | Stems | Ht m. (est) | Branch Spread |     |     |     | Increase in canopy radius (m) | Crown Ht | Age Class | Physiological Condition | Structural Condition                       | Preliminary Management        | Priority | Remaining Contribution | Category Grading | Root Protection Zone Radius (m) | Root Protection zone (m2). Capped at 707m2 |
|----------|------|---------------------------------------|-----------|-------|-------------|---------------|-----|-----|-----|-------------------------------|----------|-----------|-------------------------|--|-------------------------------|----------|------------------------|------------------|---------------------------------|--|
|          |      |                                       |           |       |             | N             | S   | E   | W   |                               |          |           |                         |  |                               |          |                        |                  |                                 |  |
| G14      | 4110 | Acer pseudoplatanus Sycamore          | 517       | 1     | 15          | 6.0           | 7.0 | 8.0 | 1.0 | 2                             | 6        | M         | Fair                    | Average condition                          | Nil                           | N/A      | 40+                    | B2               | 6.20                            | 120.93                                     |
| G14      | 4111 | Acer pseudoplatanus Sycamore          | 494       | 1     | 17          | 7.0           | 1.0 | 3.0 | 8.0 | 1                             | 6        | M         | Fair                    | Average condition                          | Nil                           | N/A      | 40+                    | B2               | 5.93                            | 110.41                                     |
| G14      | 4112 | Pinus sylvestris Scots pine           | 319       | 1     | 17          | 1.0           | 1.0 | 1.0 | 1.0 | 1                             | 14       | M         | Fair                    | Drawn up specimen due to surrounding trees | Nil                           | N/A      | 20-40                  | B2               | 3.83                            | 46.04                                      |
| G15      | 4113 | Pinus sylvestris Scots pine           | 389       | 1     | 15          | 1.0           | 5.0 | 4.0 | 2.0 | 1                             | 7        | M         | Fair                    | Average condition                          | Nil                           | N/A      | 40+                    | B2               | 4.67                            | 68.46                                      |
| G15      | 4114 | Pinus sylvestris Scots pine           | 296       | 1     | 13          | 1.0           | 3.0 | 3.0 | 2.0 | 1                             | 7        | M         | Fair                    | Average condition                          | Nil                           | N/A      | 40+                    | B2               | 3.55                            | 39.64                                      |
| G15      | 4115 | Pinus sylvestris Scots pine           | 408       | 1     | 14          | 3.0           | 3.0 | 4.0 | 2.0 | 1                             | 8        | M         | Fair                    | Average condition                          | Nil                           | N/A      | 40+                    | B2               | 4.90                            | 75.32                                      |
| G15      | 4116 | Acer pseudoplatanus Sycamore          | 328       | 1     | 14          | 6.0           | 4.0 | 4.0 | 1.0 | 2                             | 6        | M         | Fair                    | Average condition                          | Nil                           | N/A      | 40+                    | B2               | 3.94                            | 48.68                                      |
| G15      | 4117 | Acer pseudoplatanus Sycamore          | 370       | 1     | 14          | 4.0           | 4.0 | 2.0 | 1.0 | 2                             | 7        | M         | Fair                    | Average condition                          | Nil                           | N/A      | 40+                    | B2               | 4.44                            | 61.94                                      |
| G15      | 4118 | Fagus sylvatica Beech                 | 660       | MS    | 16          | 8.0           | 6.0 | 2.0 | 2.0 | 2                             | 6        | M         | Fair                    | Included bark in union                     | Cable                         | P        | 40+                    | B2               | 6.60                            | 136.87                                     |
| G15      | 4119 | Pinus sylvestris Scots pine           | 358       | 1     | 14          | 3.0           | 1.0 | 0.0 | 3.0 | 1                             | 8        | M         | Fair                    | Minor wound at gl e                        | Nil                           | N/A      | 40+                    | B2               | 4.30                            | 57.99                                      |
| G15      | 4120 | Acer pseudoplatanus Sycamore          | 269       | 1     | 14          | 1.0           | 3.0 | 2.0 | 2.0 | 2                             | 8        | M         | Fair                    | Minor wound at gl n                        | Nil                           | N/A      | 40+                    | B2               | 3.23                            | 32.74                                      |
| G15      | 4121 | Acer pseudoplatanus Sycamore          | 551       | MS    | 14          | 1.0           | 6.0 | 4.0 | 6.0 | 2                             | 6        | M         | Fair                    | Included bark in union                     | Cable                         | P        | 40+                    | B2               | 5.51                            | 95.39                                      |
| G15      | 4122 | Fagus sylvatica Beech                 | 512       | 1     | 15          | 4.0           | 5.0 | 3.0 | 6.0 | 2                             | 6        | M         | Fair                    | Average condition                          | Nil                           | N/A      | 40+                    | B2               | 6.14                            | 118.61                                     |
| G18      | 4145 | Acer pseudoplatanus Sycamore          | 331       | 1     | 12          | 3.0           | 5.0 | 4.0 | 5.0 | 2                             | 4        | M         | Fair                    | Average condition                          | Nil                           | N/A      | 40+                    | B2               | 3.97                            | 49.57                                      |
| G18      | 4146 | Acer pseudoplatanus Sycamore          | 320       | 1     | 12          | 3.0           | 2.0 | 4.0 | 5.0 | 2                             | 6        | M         | Fair                    | Minor stem wound at 1.8n and 2.0w          | Nil                           | N/A      | 40+                    | B2               | 3.84                            | 46.33                                      |
| G18      | 4147 | Acer pseudoplatanus Sycamore          | 365       | 1     | 11          | 4.0           | 3.0 | 5.0 | 5.0 | 1                             | 6        | M         | Fair                    | Average condition                          | Nil                           | N/A      | 20-40                  | B2               | 4.38                            | 60.28                                      |
| G18      | 4148 | Acer pseudoplatanus Sycamore          | 333       | 1     | 12          | 4.0           | 3.0 | 5.0 | 5.0 | 2                             | 5        | M         | Fair                    | Minor stem wound at 2.5w                   | Nil                           | N/A      | 40+                    | B2               | 4.00                            | 50.17                                      |
| G18      | 4149 | Acer pseudoplatanus Sycamore          | 309       | 1     | 10          | 3.0           | 3.0 | 5.0 | 4.0 | 2                             | 4        | M         | Fair                    | Average condition                          | Nil                           | N/A      | 40+                    | B2               | 3.71                            | 43.20                                      |
| G18      | 4150 | Acer pseudoplatanus Sycamore          | 325       | 1     | 12          | 2.5           | 4.0 | 5.0 | 5.0 | 2                             | 4        | M         | Fair                    | Average condition                          | Nil                           | N/A      | 40+                    | B2               | 3.90                            | 47.79                                      |
| G18      | 4151 | Acer pseudoplatanus Sycamore          | 438       | 1     | 12          | 4.5           | 4.0 | 4.0 | 6.0 | 2                             | 7        | M         | Fair                    | Average condition                          | Nil                           | N/A      | 40+                    | B2               | 5.26                            | 86.80                                      |
| G18      | 4152 | Acer pseudoplatanus Sycamore          | 318       | 1     | 11          | 3.0           | 3.0 | 6.0 | 6.0 | 2                             | 6        | M         | Fair                    | Average condition                          | Nil                           | N/A      | 40+                    | B2               | 3.82                            | 45.75                                      |
| G18      | 4153 | Acer pseudoplatanus Sycamore          | 417       | 1     | 12          | 3.0           | 4.0 | 5.0 | 5.0 | 1                             | 5        | M         | Poor                    | Average condition                          | Nil                           | N/A      | 20-40                  | B2               | 5.00                            | 78.68                                      |
| G18      | 4154 | Acer pseudoplatanus Sycamore          | 444       | 1     | 12          | 3.0           | 3.0 | 6.0 | 6.0 | 2                             | 5        | M         | Fair                    | Minor stem wound at 4.0e                   | Nil                           | N/A      | 40+                    | B2               | 5.33                            | 89.19                                      |
| G18      | 4155 | Acer pseudoplatanus Sycamore          | 547       | 1     | 13          | 5.0           | 4.0 | 7.0 | 6.0 | 2                             | 6        | M         | Fair                    | Minor stem wound at 2.0w                   | Nil                           | N/A      | 40+                    | B2               | 6.56                            | 135.38                                     |
| G18      | 4156 | Acer pseudoplatanus Sycamore          | 375       | 1     | 10          | 3.0           | 2.0 | 6.0 | 5.0 | 1                             | 5        | M         | Poor                    | Stem wounds and cavities                   | Nil                           | N/A      | 20-40                  | B2               | 4.50                            | 63.63                                      |
| G18      | 4157 | Acer pseudoplatanus Sycamore          | 470       | 1     | 12          | 3.0           | 4.0 | 5.0 | 4.0 | 2                             | 5        | M         | Fair                    | Minor cavity 3.5w                          | Nil                           | N/A      | 40+                    | B2               | 5.64                            | 99.95                                      |
| G18      | 4158 | Acer pseudoplatanus Sycamore          | 394       | 1     | 11          | 2.0           | 4.0 | 5.0 | 5.0 | 2                             | 4        | M         | Fair                    | Average condition                          | Nil                           | N/A      | 40+                    | B2               | 4.73                            | 70.24                                      |
| G18      | 4159 | Acer pseudoplatanus Sycamore          | 442       | 1     | 12          | 1.0           | 5.0 | 7.0 | 6.0 | 2                             | 5        | M         | Fair                    | Minor cavity at 3.0e                       | Nil                           | N/A      | 40+                    | B2               | 5.30                            | 88.39                                      |
| G18      | 4160 | Acer pseudoplatanus Sycamore          | 566       | 1     | 15          | 4.0           | 6.0 | 7.0 | 7.0 | 2                             | 6        | M         | Fair                    | Average condition                          | Nil                           | N/A      | 40+                    | B2               | 6.79                            | 144.94                                     |
| G18      | 4161 | Acer platanoides Norway maple         | 466       | 1     | 12          | 7.0           | 3.0 | 6.0 | 8.0 | 2                             | 5        | M         | Fair                    | Average condition                          | Nil                           | N/A      | 40+                    | B2               | 5.59                            | 98.25                                      |
| G18      | 4162 | Acer pseudoplatanus Sycamore          | 531       | 1     | 14          | 3.5           | 4.5 | 6.0 | 6.0 | 2                             | 5        | M         | Fair                    | Average condition                          | Nil                           | N/A      | 40+                    | B2               | 6.37                            | 127.57                                     |
| G18      | 4164 | Acer pseudoplatanus Sycamore          | 502       | 1     | 13          | 5.0           | 6.0 | 6.0 | 6.0 | 2                             | 5        | M         | Fair                    | Average condition                          | Nil                           | N/A      | 40+                    | B2               | 6.02                            | 114.02                                     |
| G18      | 4165 | Acer pseudoplatanus Sycamore          | 348       | 1     | 12          | 5.0           | 4.0 | 5.0 | 5.0 | 2                             | 5        | M         | Fair                    | Average condition                          | Nil                           | N/A      | 40+                    | B2               | 4.18                            | 54.79                                      |
| G18      | 4166 | Acer pseudoplatanus Sycamore          | 357       | 1     | 12          | 2.0           | 3.0 | 4.0 | 4.0 | 1                             | 5        | M         | Fair                    | Average condition                          | Nil                           | N/A      | 20-40                  | B2               | 4.28                            | 57.66                                      |
| G18      | 4167 | Acer pseudoplatanus Sycamore          | 269       | 1     | 10          | 3.0           | 2.0 | 3.0 | 3.0 | 1                             | 5        | M         | Poor                    | Average condition                          | Nil                           | N/A      | 10-20                  | B2               | 3.23                            | 32.74                                      |
| G18      | 4168 | Acer pseudoplatanus Sycamore          | 351       | 1     | 12          | 4.0           | 3.0 | 4.0 | 5.0 | 1                             | 5        | M         | Fair                    | Average condition                          | Nil                           | N/A      | 20-40                  | B2               | 4.21                            | 55.74                                      |
| G18      | 4169 | Acer pseudoplatanus Sycamore          | 367       | 1     | 12          | 3.0           | 4.0 | 5.0 | 4.0 | 1                             | 5        | M         | Fair                    | Average condition                          | Nil                           | N/A      | 20-40                  | B2               | 4.40                            | 60.94                                      |
| G18      | 4170 | Acer pseudoplatanus Sycamore          | 339       | 1     | 12          | 3.0           | 4.0 | 4.0 | 5.0 | 1                             | 5        | M         | Fair                    | Average condition                          | Nil                           | N/A      | 20-40                  | B2               | 4.07                            | 52.00                                      |
| G18      | 4171 | Acer pseudoplatanus Sycamore          | 346       | 1     | 12          | 3.0           | 4.0 | 4.0 | 6.0 | 1                             | 6        | M         | Fair                    | Average condition                          | Nil                           | N/A      | 20-40                  | B2               | 4.15                            | 54.17                                      |
| G18      | 4172 | Acer pseudoplatanus Sycamore          | 225       | 1     | 10          | 2.0           | 4.0 | 4.0 | 3.0 | 2                             | 5        | M         | Fair                    | Average condition                          | Nil                           | N/A      | 20-40                  | B2               | 2.70                            | 22.91                                      |
| G18      | 4173 | Acer pseudoplatanus Sycamore          | 363       | 1     | 12          | 3.0           | 4.0 | 4.0 | 4.0 | 1                             | 6        | M         | Fair                    | Average condition                          | Nil                           | N/A      | 20-40                  | B2               | 4.36                            | 59.62                                      |
| G18      | 4174 | Acer pseudoplatanus Sycamore          | 262       | 1     | 10          | 3.0           | 3.0 | 3.0 | 3.0 | 1                             | 5        | M         | Fair                    | Average condition                          | Nil                           | N/A      | 20-40                  | B2               | 3.14                            | 31.06                                      |
| G18      | 4175 | Acer pseudoplatanus Sycamore          | 286       | 1     | 10          | 3.0           | 2.0 | 4.0 | 4.0 | 1                             | 5        | M         | Fair                    | Average condition                          | Nil                           | N/A      | 20-40                  | B2               | 3.43                            | 37.01                                      |
| G18      | 4176 | Acer pseudoplatanus Sycamore          | 455       | 1     | 13          | 5.0           | 4.0 | 6.0 | 7.0 | 2                             | 6        | M         | Fair                    | Average condition                          | Nil                           | N/A      | 20-40                  | B2               | 5.46                            | 93.67                                      |
| G18      | 4177 | Acer pseudoplatanus Sycamore          | 333       | 1     | 13          | 2.0           | 2.0 | 5.0 | 3.0 | 1                             | 7        | M         | Poor                    | Average condition                          | Nil                           | N/A      | 20-40                  | B2               | 4.00                            | 50.17                                      |
| G19      | 4178 | Pinus sylvestris Scots pine           | 226       | 1     | 9           | 1.0           | 2.0 | 1.0 | 4.0 | 0                             | 7        | M         | Fair                    | Average condition                          | Nil                           | N/A      | 20-40                  | B2               | 2.71                            | 23.11                                      |
| G19      | 4179 | Pinus sylvestris Scots pine           | 278       | 1     | 12          | 2.0           | 1.0 | 1.0 | 4.0 | 0                             | 9        | M         | Fair                    | Average condition                          | Nil                           | N/A      | 20-40                  | B2               | 3.34                            | 34.97                                      |
| G19      | 4180 | Pinus sylvestris Scots pine           | 349       | 1     | 11          | 4.5           | 1.0 | 1.0 | 2.0 | 0                             | 9        | M         | Fair                    | Average condition                          | Nil                           | N/A      | 20-40                  | B2               | 4.19                            | 55.11                                      |
| G19      | 4181 | Pinus sylvestris Scots pine           | 187       | 1     | 11          | 0.0           | 1.0 | 1.0 | 1.0 | 0                             | 10       | M         | Fair                    | Average condition                          | Nil                           | N/A      | 20-40                  | B2               | 2.24                            | 15.82                                      |
| G19      | 4182 | Fagus sylvatica Beech                 | 410       | 1     | 14          | 7.0           | 2.0 | 2.0 | 5.0 | 1                             | 6        | M         | Fair                    | Included bark in union at 4.0              | Nil                           | N/A      | 20-40                  | B2               | 4.92                            | 76.06                                      |
| G19      | 4183 | Fagus sylvatica Beech                 | 420       | 1     | 14          | 6.0           | 2.0 | 7.0 | 2.0 | 2                             | 7        | M         | Fair                    | Average condition                          | Nil                           | N/A      | 20-40                  | B2               | 5.04                            | 79.81                                      |
| G19      | 4185 | Fagus sylvatica Beech                 | 505       | 1     | 14          | 4.0           | 4.0 | 5.0 | 3.0 | 2                             | 6        | M         | Fair                    | Average condition                          | Nil                           | N/A      | 40+                    | B2               | 6.06                            | 115.39                                     |
| G19      | 4186 | Acer pseudoplatanus Sycamore          | 300       | 1     | 14          | 2.0           | 4.0 | 2.0 | 3.0 | 2                             | 9        | M         | Fair                    | Average condition                          | Nil                           | N/A      | 40+                    | B2               | 3.60                            | 40.72                                      |
| G19      | 4187 | Fagus sylvatica Beech                 | 538       | 1     | 15          | 8.0           | 7.0 | 2.0 | 6.0 | 2                             | 7        | M         | Fair                    | Minor stem bleeding n                      | Nil                           | N/A      | 20-40                  | B2               | 6.46                            | 130.96                                     |
| G19      | 4188 | Pinus sylvestris Scots pine           | 242       | 1     | 12          | 3.0           | 2.0 | 1.0 | 3.0 | 0                             | 9        | M         | Fair                    | Average condition                          | Nil                           | N/A      | 20-40                  | B2               | 2.90                            | 26.50                                      |
| G19      | 4189 | Acer pseudoplatanus Sycamore          | 324       | 1     | 13          | 0.0           | 5.0 | 3.0 | 5.0 | 1                             | 7        | M         | Poor                    | Average condition                          | Nil                           | N/A      | 10-20                  | B2               | 3.89                            | 47.50                                      |
| G19      | 4190 | Acer pseudoplatanus Sycamore          | 370       | 1     | 14          | 2.5           | 2.5 | 2.5 | 3.0 | 1                             | 7        | M         | Fair                    | Basal wound se                             | Nil                           | N/A      | 20-40                  | B2               | 4.44                            | 61.94                                      |
| G20      | 4193 | Acer pseudoplatanus Sycamore          | 502       | 1     | 13          | 7.0           | 5.0 | 3.0 | 7.0 | 1                             | 4        | M         | Fair                    | Average condition                          | Nil                           | N/A      | 20-40                  | B2               | 6.02                            | 114.02                                     |
| G20      | 4194 | Pinus sylvestris Scots pine           | 290       | 1     | 13          | 2.0           | 3.0 | 5.0 | 0.0 | 0                             | 9        | M         | Fair                    | Average condition                          | Nil                           | N/A      | 20-40                  | B2               | 3.48                            | 38.05                                      |
| G20      | 4195 | Pinus sylvestris Scots pine           | 348       | 1     | 12          | 5.0           | 1.0 | 5.0 | 1.0 | 0                             | 7        | M         | Fair                    | Extended upper limb/stem to ne             | reduce upper limb/stem by 25% | P        | 20-40                  | B2               | 4.18                            | 54.79                                      |
| G20      | 4196 | Pinus sylvestris Scots pine           | 373       | 1     | 12          | 4.0           | 3.0 | 4.0 | 2.0 | 0                             | 4        | M         | Fair                    | Average condition                          | Nil                           | N/A      | 20-40                  | B2               | 4.48                            | 62.95                                      |
| G20      | 4197 | Acer pseudoplatanus Sycamore          | 387       | 1     | 13          | 4.0           | 5.0 | 4.0 | 5.0 | 2                             | 6        | M         | Fair                    | Average condition                          | Nil                           | N/A      | 40+                    | B2               | 4.64                            | 67.76                                      |
| G21      | 4198 | Acer pseudoplatanus Sycamore          | 518       | 1     | 14          | 6.0           | 6.0 | 6.0 | 3.0 | 2                             | 7        | M         | Fair                    | Average condition                          | Nil                           | N/A      | 40+                    | B2               | 6.22                            | 121.40                                     |
| G21      | 4199 | Aesculus hippocastanum Horse chestnut | 653       | 1     | 14          | 6.5           | 6.0 | 5.0 | 7.0 | 2                             | 7        | M         | Good                    | Average condition                          | Nil                           | N/A      | 20-40                  | B2               | 7.84                            | 192.93                                     |
| G21      | 4200 | Aesculus hippocastanum Horse chestnut | 634       | 1     | 13          | 5.5           | 8.0 | 7.0 | 6.0 | 2                             | 6        | M         | Good                    | Average condition                          | Nil                           | N/A      | 20-40                  | B2               | 7.61                            | 181.86                                     |
| G21      | 4201 | Aesculus hippocastanum Horse chestnut | 480       | 1     | 13          | 6.0           | 6.0 | 6.0 | 3.0 | 2                             | 5        | M         | Good                    | Average condition                          | Nil                           | N/A      | 20-40                  | B2               | 5.76                            | 104.24                                     |

**TOTAL CATEGORY B TREES Heyford Park Nicholson's Tree Survey November 2006**

| Group No | Tag  | Species (Botanical)                   | Diam (mm) | Stems | Ht m. (est) | Branch Spread |     |     |     | Increase in canopy radius (m) | Crown Ht | Age Class | Physiological Condition | Structural Condition                              | Preliminary Management   | Priority | Remaining Contribution | Category Grading | Root Protection Zone Radius (m) | Root Protection zone (m2). Capped at 707m2 |
|----------|------|---------------------------------------|-----------|-------|-------------|---------------|-----|-----|-----|-------------------------------|----------|-----------|-------------------------|---|--------------------------|----------|------------------------|------------------|---------------------------------|--|
|          |      |                                       |           |       |             | N             | S   | E   | W   |                               |          |           |                         |   |                          |          |                        |                  |                                 |  |
| G21      | 4202 | Acer pseudoplatanus Sycamore          | 503       | 1     | 13          | 4.0           | 7.0 | 4.0 | 2.0 | 1                             | 5        | M         | Fair                    | Average condition                                 | Nil                      | N/A      | 20-40                  | B2               | 6.04                            | 114.47                                     |
| G21      | 4203 | Aesculus hippocastanum Horse chestnut | 491       | 1     | 13          | 7.0           | 8.0 | 5.0 | 4.0 | 2                             | 5        | M         | Good                    | Average condition                                 | Nil                      | N/A      | 20-40                  | B2               | 5.89                            | 109.08                                     |
| G21      | 4204 | Fagus sylvatica Beech                 | 483       | 1     | 13          | 7.0           | 6.0 | 3.0 | 3.0 | 3                             | 6        | M         | Good                    | Average condition                                 | Nil                      | N/A      | 40+                    | B2               | 5.80                            | 105.55                                     |
| G21      | 4205 | Acer pseudoplatanus Sycamore          | 433       | 1     | 13          | 6.0           | 7.0 | 3.5 | 3.5 | 1                             | 5        | M         | Fair                    | Average condition                                 | Nil                      | N/A      | 20-40                  | B2               | 5.20                            | 84.83                                      |
| G21      | 4206 | Fagus sylvatica Beech                 | 671       | 1     | 14          | 8.0           | 7.0 | 6.0 | 4.0 | 2                             | 5        | M         | Fair                    | Average condition                                 | Nil                      | N/A      | 20-40                  | B2               | 8.05                            | 203.71                                     |
| G21      | 4207 | Aesculus hippocastanum Horse chestnut | 440       | 1     | 12          | 4.5           | 5.0 | 3.0 | 4.0 | 2                             | 6        | M         | Fair                    | Previously pollarded                              | Nil                      | N/A      | 20-40                  | B2               | 5.28                            | 87.59                                      |
| G21      | 4208 | Aesculus hippocastanum Horse chestnut | 569       | 1     | 12          | 6.0           | 6.0 | 6.0 | 4.0 | 2                             | 6        | M         | Fair                    | Average condition                                 | Nil                      | N/A      | 20-40                  | B2               | 6.83                            | 146.49                                     |
| G21      | 4209 | Fagus sylvatica Beech                 | 530       | 1     | 13          | 6.0           | 7.0 | 4.0 | 6.0 | 2                             | 5        | M         | Good                    | Average condition                                 | Nil                      | N/A      | 40+                    | B2               | 6.36                            | 127.09                                     |
| G21      | 4210 | Aesculus hippocastanum Horse chestnut | 608       | 1     | 13          | 5.0           | 5.0 | 6.0 | 4.0 | 2                             | 7        | M         | Fair                    | Average condition                                 | Nil                      | N/A      | 20-40                  | B2               | 7.30                            | 167.25                                     |
| G21      | 4211 | Fagus sylvatica Beech                 | 579       | 1     | 14          | 8.0           | 8.0 | 4.0 | 5.0 | 2                             | 7        | M         | Fair                    | Average condition                                 | Nil                      | N/A      | 40+                    | B2               | 6.95                            | 151.68                                     |
| G21      | 4212 | Acer pseudoplatanus Sycamore          | 500       | 1     | 13          | 6.0           | 7.0 | 4.0 | 6.0 | 1                             | 6        | M         | Poor                    | Average condition                                 | Nil                      | N/A      | 20-40                  | B2               | 6.00                            | 113.11                                     |
| G23      | 4216 | Sorbus intermedia Swedish Whitebeam   | 534       | 1     | 11          | 3.0           | 4.0 | 5.0 | 3.0 | 1                             | 4        | M         | Fair                    | Average condition                                 | Nil                      | N/A      | 20-40                  | B2               | 6.41                            | 129.02                                     |
| G23      | 4218 | Sorbus intermedia Swedish Whitebeam   | 512       | 1     | 10          | 3.0           | 4.0 | 4.0 | 3.0 | 1                             | 4        | M         | Fair                    | Stem wounds at 0.4n                               | Nil                      | N/A      | 10-20                  | B2               | 6.14                            | 118.61                                     |
| G23      | 4219 | Sorbus intermedia Swedish Whitebeam   | 544       | 1     | 11          | 3.0           | 4.0 | 5.0 | 4.0 | 1                             | 4        | M         | Fair                    | Average condition                                 | Nil                      | N/A      | 20-40                  | B2               | 6.53                            | 133.90                                     |
| G24      | 4220 | Fagus sylvatica Beech                 | 438       | 1     | 13          | 6.0           | 5.0 | 5.0 | 7.0 | 2                             | 6        | M         | Fair                    | Average condition                                 | Nil                      | N/A      | 40+                    | B2               | 5.26                            | 86.80                                      |
| G24      | 4221 | Aesculus hippocastanum Horse chestnut | 562       | 1     | 14          | 5.0           | 5.0 | 3.5 | 5.0 | 2                             | 7        | M         | Fair                    | Average condition                                 | Nil                      | N/A      | 20-40                  | B2               | 6.74                            | 142.90                                     |
| G24      | 4222 | Fagus sylvatica Beech                 | 505       | 1     | 14          | 4.0           | 5.0 | 3.0 | 3.0 | 2                             | 7        | M         | Fair                    | Average condition                                 | Nil                      | N/A      | 40+                    | B2               | 6.06                            | 115.39                                     |
| G24      | 4223 | Aesculus hippocastanum Horse chestnut | 473       | 1     | 12          | 5.0           | 6.0 | 4.0 | 3.0 | 1                             | 6        | M         | Fair                    | included bark and historic split in fork 3.0w     | Check condition on split | U        | 10-20                  | B2               | 5.68                            | 101.23                                     |
| G24      | 4224 | Fagus sylvatica Beech                 | 542       | 1     | 14          | 6.0           | 5.0 | 3.0 | 3.0 | 2                             | 6        | M         | Fair                    | Average condition                                 | Nil                      | N/A      | 40+                    | B2               | 6.50                            | 132.91                                     |
| G24      | 4225 | Aesculus hippocastanum Horse chestnut | 438       | 1     | 13          | 5.0           | 6.0 | 5.5 | 5.0 | 2                             | 3        | M         | Fair                    | Included bark in fork 4.0                         | Nil                      | N/A      | 20-40                  | B2               | 5.26                            | 86.80                                      |
| G24      | 4226 | Aesculus hippocastanum Horse chestnut | 488       | 1     | 13          | 5.0           | 6.0 | 4.5 | 6.0 | 2                             | 4        | M         | Fair                    | Average condition                                 | Nil                      | N/A      | 40+                    | B2               | 5.86                            | 107.75                                     |
| G24      | 4227 | Fagus sylvatica Beech                 | 558       | 1     | 14          | 6.0           | 7.0 | 5.0 | 3.0 | 2                             | 6        | M         | Fair                    | Stem wound 1.2 e                                  | Nil                      | N/A      | 40+                    | B2               | 6.70                            | 140.88                                     |
| G24      | 4228 | Aesculus hippocastanum Horse chestnut | 539       | 1     | 12          | 4.0           | 5.0 | 5.0 | 3.0 | 2                             | 6        | M         | Fair                    | Average condition                                 | Nil                      | N/A      | 40+                    | B2               | 6.47                            | 131.45                                     |
| G25      | 4229 | Sorbus intermedia Swedish Whitebeam   | 542       | 1     | 10          | 4.0           | 5.0 | 3.0 | 5.0 | 1                             | 4        | M         | Fair                    | Average condition                                 | Nil                      | N/A      | 20-40                  | B2               | 6.50                            | 132.91                                     |
| G25      | 4230 | Aesculus hippocastanum Horse chestnut | 406       | 1     | 11          | 4.0           | 5.0 | 4.0 | 4.0 | 2                             | 6        | M         | Fair                    | Average condition                                 | Nil                      | N/A      | 40+                    | B2               | 4.87                            | 74.58                                      |
| G25      | 4231 | Sorbus intermedia Swedish Whitebeam   | 463       | MS    | 10          | 4.0           | 3.0 | 4.0 | 3.0 | 1                             | 4        | M         | Fair                    | Average condition                                 | Nil                      | N/A      | 20-40                  | B2               | 4.63                            | 67.35                                      |
| G25      | 4232 | Sorbus intermedia Swedish Whitebeam   | 462       | 1     | 8           | 3.0           | 4.0 | 3.0 | 4.0 | 1                             | 4        | M         | Fair                    | Woodpecker holeson main stem                      | Nil                      | N/A      | 20-40                  | B2               | 5.54                            | 96.57                                      |
| G25      | 4233 | Sorbus intermedia Swedish Whitebeam   | 470       | 1     | 10          | 5.0           | 4.0 | 4.0 | 4.0 | 1                             | 5        | M         | Fair                    | Average condition                                 | Nil                      | N/A      | 20-40                  | B2               | 5.64                            | 99.95                                      |
| G25      | 4234 | Sorbus intermedia Swedish Whitebeam   | 489       | 1     | 10          | 3.0           | 4.0 | 4.0 | 4.0 | 1                             | 5        | M         | Fair                    | Average condition                                 | Nil                      | N/A      | 20-40                  | B2               | 5.87                            | 108.19                                     |
| G25      | 4235 | Sorbus intermedia Swedish Whitebeam   | 648       | 1     | 10          | 5.0           | 3.0 | 3.0 | 5.0 | 1                             | 5        | M         | Fair                    | Average condition                                 | Nil                      | N/A      | 20-40                  | B2               | 7.78                            | 189.98                                     |
| G25      | 4236 | Sorbus intermedia Swedish Whitebeam   | 536       | 1     | 10          | 3.0           | 4.5 | 4.0 | 4.5 | 1                             | 3        | M         | Fair                    | Average condition                                 | Nil                      | N/A      | 20-40                  | B2               | 6.43                            | 129.99                                     |
| G25      | 4237 | Sorbus intermedia Swedish Whitebeam   | 645       | 1     | 10          | 4.5           | 4.0 | 4.0 | 5.0 | 1                             | 5        | M         | Fair                    | Average condition                                 | Nil                      | N/A      | 20-40                  | B2               | 7.74                            | 188.23                                     |
| G25      | 4238 | Sorbus intermedia Swedish Whitebeam   | 500       | 1     | 10          | 3.5           | 4.0 | 3.0 | 4.0 | 1                             | 4        | M         | Fair                    | old ffb on stem to e possibly In. hisp stem split | Remove e stem            | U        | 10-20                  | B2               | 6.00                            | 113.11                                     |
| G26      | 4240 | Sorbus intermedia Swedish Whitebeam   | 508       | 1     | 10          | 5.0           | 3.0 | 4.0 | 4.0 | 1                             | 5        | M         | Fair                    | Average condition                                 | Nil                      | N/A      | 20-40                  | B2               | 6.10                            | 116.76                                     |
| G26      | 4241 | Sorbus intermedia Swedish Whitebeam   | 601       | 1     | 10          | 4.0           | 5.0 | 4.0 | 5.0 | 1                             | 5        | M         | Fair                    | Average condition                                 | Nil                      | N/A      | 20-40                  | B2               | 7.21                            | 163.42                                     |
| G28      | 4246 | Acer pseudoplatanus Sycamore          | 485       | 1     | 14          | 3.0           | 7.0 | 4.0 | 3.0 | 2                             | 7        | M         | Fair                    | Average condition                                 | Nil                      | N/A      | 40+                    | B2               | 5.82                            | 106.43                                     |
| G28      | 4247 | Fraxinus excelsior Ash                | 255       | 1     | 12          | 1.5           | 5.0 | 3.0 | 1.0 | 2                             | 8        | M         | Fair                    | Average condition                                 | Nil                      | N/A      | 40+                    | B2               | 3.06                            | 29.42                                      |
| G28      | 4248 | Fraxinus excelsior Ash                | 344       | 1     | 14          | 2.0           | 8.0 | 3.0 | 3.0 | 2                             | 7        | M         | Fair                    | Average condition                                 | Nil                      | N/A      | 40+                    | B2               | 4.13                            | 53.54                                      |
| G28      | 4249 | Acer pseudoplatanus Sycamore          | 364       | 1     | 14          | 1.0           | 6.0 | 2.0 | 4.0 | 2                             | 6        | M         | Fair                    | Average condition                                 | Nil                      | N/A      | 40+                    | B2               | 4.37                            | 59.95                                      |
| G28      | 4250 | Fagus sylvatica Beech                 | 448       | 1     | 14          | 3.0           | 7.0 | 4.0 | 4.0 | 2                             | 5        | M         | Fair                    | Average condition                                 | Nil                      | N/A      | 40+                    | B2               | 5.38                            | 90.81                                      |
| G28      | 4251 | Acer pseudoplatanus Sycamore          | 433       | 1     | 14          | 1.0           | 6.0 | 2.0 | 4.0 | 2                             | 7        | M         | Fair                    | Average condition                                 | Nil                      | N/A      | 40+                    | B2               | 5.20                            | 84.83                                      |
| G28      | 4252 | Acer pseudoplatanus Sycamore          | 365       | MS    | 13          | 1.0           | 3.0 | 1.0 | 2.0 | 1                             | 9        | M         | Fair                    | Average condition                                 | Nil                      | N/A      | 20-40                  | B2               | 3.65                            | 41.86                                      |
| G28      | 4253 | Fagus sylvatica Beech                 | 204       | 1     | 14          | 2.0           | 1.0 | 1.0 | 1.0 | 1                             | 8        | M         | Fair                    | Average condition                                 | Nil                      | N/A      | 20-40                  | B2               | 2.45                            | 18.83                                      |
| G28      | 4254 | Fagus sylvatica Beech                 | 333       | 1     | 15          | 2.0           | 4.0 | 3.0 | 4.0 | 2                             | 8        | M         | Fair                    | Average condition                                 | Nil                      | N/A      | 40+                    | B2               | 4.00                            | 50.17                                      |
| G28      | 4256 | Fagus sylvatica Beech                 | 297       | 1     | 14          | 2.0           | 4.0 | 2.0 | 3.0 | 3                             | 8        | M         | Fair                    | Average condition                                 | Nil                      | N/A      | 40+                    | B2               | 3.56                            | 39.91                                      |

**TOTAL CATEGORY B TREES Heyford Park Nicholson's Tree Survey November 2006**

| Group No | Tag  | Species (Botanical)           | Diam (mm) | Stems | Ht m. (est) | Branch Spread |     |     |     | Increase in canopy radius (m) | Crown Ht | Age Class | Physiological Condition | Structural Condition                               | Preliminary Management                        | Priority | Remaining Contribution | Category Grading | Root Protection Zone Radius (m) | Root Protection zone (m2). Capped at 707m2 |
|----------|------|-------------------------------|-----------|-------|-------------|---------------|-----|-----|-----|-------------------------------|----------|-----------|-------------------------|--|---|----------|------------------------|------------------|---------------------------------|--|
|          |      |                               |           |       |             | N             | S   | E   | W   |                               |          |           |                         |  |   |          |                        |                  |                                 |  |
| G28      | 4257 | Carpinus betulus Hornbeam     | 384       | MS    | 10          | 2.0           | 3.0 | 6.0 | 4.0 | 2                             | 4        | M         | Fair                    | Average condition                                  | Nil   | N/A      | 40+                    | B2               | 3.84                            | 46.33                                      |
| G28      | 4258 | Acer pseudoplatanus Sycamore  | 333       | MS    | 13          | 2.0           | 4.0 | 3.0 | 3.0 | 2                             | 7        | M         | Fair                    | Average condition                                  | Nil   | N/A      | 40+                    | B2               | 3.33                            | 34.84                                      |
| G28      | 4259 | Fagus sylvatica Beech         | 258       | 1     | 13          | 0.0           | 8.0 | 4.0 | 0.0 | 2                             | 8        | M         | Fair                    | Average condition                                  | Nil   | N/A      | 20-40                  | B2               | 3.10                            | 30.12                                      |
| G28      | 4260 | Fagus sylvatica Beech         | 347       | 1     | 14          | 2.0           | 3.0 | 5.0 | 2.0 | 2                             | 9        | M         | Fair                    | Average condition                                  | Nil   | N/A      | 40+                    | B2               | 4.16                            | 54.48                                      |
| G28      | 4261 | Carpinus betulus Hornbeam     | 626       | MS    | 13          | 3.0           | 7.0 | 7.0 | 6.0 | 2                             | 6        | M         | Fair                    | Average condition                                  | Nil   | N/A      | 40+                    | B2               | 6.26                            | 123.13                                     |
| G28      | 4262 | Fagus sylvatica Beech         | 496       | 1     | 15          | 8.0           | 5.0 | 6.0 | 3.0 | 2                             | 4        | M         | Fair                    | Average condition                                  | Nil   | N/A      | 40+                    | B2               | 5.95                            | 111.31                                     |
| G28      | 4265 | Fagus sylvatica Beech         | 403       | 1     | 15          | 6.0           | 4.0 | 5.0 | 3.0 | 2                             | 6        | M         | Fair                    | Average condition                                  | Nil   | N/A      | 40+                    | B2               | 4.84                            | 73.48                                      |
| G28      | 4266 | Fagus sylvatica Beech         | 179       | 1     | 11          | 2.0           | 2.0 | 3.0 | 1.0 | 2                             | 5        | M         | Fair                    | Average condition                                  | Nil   | N/A      | 20-40                  | B2               | 2.15                            | 14.50                                      |
| G28      | 4267 | Acer pseudoplatanus Sycamore  | 677       | 1     | 16          | 7.0           | 5.0 | 4.0 | 3.0 | 1                             | 6        | M         | Fair                    | Average condition                                  | Nil   | N/A      | 40+                    | B2               | 8.12                            | 207.37                                     |
| G28      | 4268 | Fagus sylvatica Beech         | 276       | 1     | 14          | 1.0           | 3.0 | 2.0 | 2.0 | 2                             | 9        | M         | Fair                    | Average condition                                  | Nil   | N/A      | 40+                    | B2               | 3.31                            | 34.47                                      |
| G28      | 4269 | Fagus sylvatica Beech         | 603       | 1     | 15          | 7.0           | 7.0 | 5.0 | 7.0 | 2                             | 8        | M         | Fair                    | Average condition                                  | Nil   | N/A      | 40+                    | B2               | 7.24                            | 164.51                                     |
| G28      | 4270 | Fagus sylvatica Beech         | 343       | 1     | 13          | 1.0           | 5.0 | 2.0 | 4.0 | 2                             | 6        | M         | Fair                    | Average condition                                  | Nil   | N/A      | 20-40                  | B2               | 4.12                            | 53.23                                      |
| G28      | 4271 | Fagus sylvatica Beech         | 441       | 1     | 15          | 6.0           | 4.0 | 5.0 | 3.0 | 2                             | 7        | M         | Fair                    | Tight fork at 7                                    | Nil   | N/A      | 20-40                  | B2               | 5.29                            | 87.99                                      |
| G28      | 4272 | Fagus sylvatica Beech         | 274       | 1     | 8           | 6.0           | 0.0 | 2.0 | 3.0 | 1                             | 6        | M         | Fair                    | Leaning  | Nil   | N/A      | 20-40                  | B2               | 3.29                            | 33.97                                      |
| G28      | 4273 | Fagus sylvatica Beech         | 705       | 1     | 16          | 6.0           | 3.0 | 5.0 | 7.0 | 2                             | 7        | M         | Fair                    | Tight fork at 1.2 included bark                    | Cable   | P        | 20-40                  | B2               | 8.46                            | 224.88                                     |
| G28      | 4275 | Fagus sylvatica Beech         | 500       | 1     | 14          | 6.0           | 3.0 | 5.0 | 5.0 | 2                             | 5        | M         | Fair                    | Average condition                                  | Nil   | N/A      | 40+                    | B2               | 6.00                            | 113.11                                     |
| G28      | 4276 | Fagus sylvatica Beech         | 544       | 1     | 16          | 4.0           | 6.0 | 4.0 | 4.0 | 2                             | 7        | M         | Fair                    | V tight fork at 2.0 included bark                  | Cable   | P        | 20-40                  | B2               | 6.53                            | 133.90                                     |
| G28      | 4277 | Fagus sylvatica Beech         | 395       | 1     | 16          | 0.0           | 9.0 | 3.0 | 2.0 | 2                             | 4        | M         | Fair                    | Average condition                                  | Nil   | N/A      | 40+                    | B2               | 4.74                            | 70.59                                      |
| G28      | 4278 | Fagus sylvatica Beech         | 433       | 1     | 15          | 4.0           | 5.0 | 4.0 | 3.0 | 2                             | 6        | M         | Fair                    | Average condition                                  | Nil   | N/A      | 40+                    | B2               | 5.20                            | 84.83                                      |
| G28      | 4279 | Fagus sylvatica Beech         | 834       | 1     | 17          | 5.0           | 9.0 | 4.0 | 5.0 | 2                             | 5        | M         | Fair                    | V tight forks at 1.6 & 2.0 included bark           | Cable   | P        | 20-40                  | B2               | 10.01                           | 314.70                                     |
| G28      | 4280 | Acer pseudoplatanus Sycamore  | 331       | MS    | 14          | 2.0           | 1.0 | 3.0 | 3.0 | 2                             | 7        | M         | Fair                    | Average condition                                  | Nil   | N/A      | 20-40                  | B2               | 3.31                            | 34.42                                      |
| G28      | 4281 | Fagus sylvatica Beech         | 350       | MS    | 12          | 4.0           | 3.0 | 3.0 | 3.0 | 2                             | 5        | M         | Fair                    | Average condition                                  | Nil   | N/A      | 40+                    | B2               | 3.50                            | 38.49                                      |
| G28      | 4283 | Acer pseudoplatanus Sycamore  | 452       | 1     | 12          | 5.0           | 6.0 | 4.0 | 2.0 | 2                             | 5        | M         | Fair                    | Stem wound at 0.5 se                               | Nil   | N/A      | 20-40                  | B2               | 5.42                            | 92.44                                      |
| G28      | 4284 | Acer pseudoplatanus Sycamore  | 535       | 1     | 12          | 7.0           | 7.0 | 2.0 | 6.0 | 2                             | 6        | M         | Fair                    | Average condition                                  | Nil   | N/A      | 40+                    | B2               | 6.42                            | 129.50                                     |
| G28      | 4285 | Acer pseudoplatanus Sycamore  | 491       | 1     | 13          | 7.0           | 7.0 | 5.0 | 4.0 | 2                             | 4        | M         | Fair                    | Average condition                                  | Nil   | N/A      | 40+                    | B2               | 5.89                            | 109.08                                     |
| G28      | 4286 | Fagus sylvatica Beech         | 752       | 1     | 15          | 8.0           | 7.0 | 8.0 | 7.0 | 2                             | 4        | M         | Fair                    | included bark and decay pocket in main fork at 1.0 | Nil   | N/A      | 20-40                  | B2               | 9.02                            | 255.86                                     |
| G28      | 4287 | Acer pseudoplatanus Sycamore  | 534       | 1     | 15          | 7.0           | 6.0 | 5.0 | 5.0 | 2                             | 4        | M         | Fair                    | Average condition                                  | Nil   | N/A      | 40+                    | B2               | 6.41                            | 129.02                                     |
| G28      | 4288 | Acer pseudoplatanus Sycamore  | 580       | 1     | 14          | 5.0           | 7.0 | 4.0 | 4.0 | 2                             | 5        | M         | Fair                    | Average condition                                  | Nil   | N/A      | 40+                    | B2               | 6.96                            | 152.20                                     |
| G28      | 4289 | Fagus sylvatica Beech         | 558       | 1     | 16          | 2.0           | 8.0 | 5.0 | 5.0 | 2                             | 6        | M         | Fair                    | Average condition                                  | Nil   | N/A      | 40+                    | B2               | 6.70                            | 140.88                                     |
| G28      | 4290 | Acer pseudoplatanus Sycamore  | 410       | 1     | 14          | 3.0           | 2.0 | 3.0 | 2.0 | 1                             | 6        | M         | Fair                    | Average condition                                  | Nil   | N/A      | 20-40                  | B2               | 4.92                            | 76.06                                      |
| G28      | 4291 | Acer pseudoplatanus Sycamore  | 427       | MS    | 11          | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 6        | M         | Fair                    | Average condition                                  | Nil   | N/A      | 20-40                  | B2               | 4.27                            | 57.29                                      |
| G28      | 4293 | Acer pseudoplatanus Sycamore  | 643       | 1     | 15          | 7.0           | 3.0 | 3.0 | 4.0 | 2                             | 6        | M         | Fair                    | Average condition                                  | Nil   | N/A      | 20-40                  | B2               | 7.72                            | 187.06                                     |
| G29      | 4294 | Crataegus monogyna Hawthorn   | 262       | 1     | 5           | 0.0           | 2.0 | 2.0 | 2.0 | 0                             | 3        | M         | Fair                    | Average condition                                  | Nil   | N/A      | 10-20                  | B2               | 3.14                            | 31.06                                      |
| G30      | 4300 | Acer pseudoplatanus Sycamore  | 490       | 1     | 14          | 5.0           | 3.0 | 3.0 | 3.0 | 2                             | 6        | M         | Fair                    | Major dead limb in lower crown                     | Crown clean                                   | U        | 20-40                  | B2               | 5.88                            | 108.63                                     |
| G30      | 4301 | Fagus sylvatica Beech         | 435       | 1     | 17          | 5.0           | 3.0 | 3.0 | 4.0 | 3                             | 6        | M         | Fair                    | Average condition                                  | Nil   | N/A      | 40+                    | B2               | 5.22                            | 85.61                                      |
| G31      | 4304 | Acer pseudoplatanus Sycamore  | 470       | 1     | 12          | 4.0           | 5.0 | 5.0 | 6.0 | 2                             | 5        | M         | Fair                    | Average condition                                  | Nil   | N/A      | 40+                    | B2               | 5.64                            | 99.95                                      |
| G31      | 4305 | Acer pseudoplatanus Sycamore  | 407       | 1     | 13          | 5.0           | 5.0 | 4.5 | 5.0 | 1                             | 6        | M         | Fair                    | Average condition                                  | Nil   | N/A      | 20-40                  | B2               | 4.88                            | 74.95                                      |
| G31      | 4306 | Acer pseudoplatanus Sycamore  | 404       | 1     | 13          | 6.0           | 5.0 | 5.5 | 6.0 | 1                             | 6        | M         | Fair                    | Average condition                                  | Nil   | N/A      | 20-40                  | B2               | 4.85                            | 73.85                                      |
| G32      | 4307 | Betula alba Silver birch      | 450       | 1     | 11          | 2.0           | 5.0 | 5.0 | 2.0 | 1                             | 4        | M         | Fair                    | Average condition                                  | Nil   | N/A      | 20-40                  | B2               | 5.40                            | 91.62                                      |
| G32      | 4308 | Betula alba Silver birch      | 279       | 1     | 11          | 4.0           | 4.0 | 2.0 | 4.0 | 2                             | 5        | M         | Fair                    | Central stem with significant decay                | Reduce central stem to suitable growing point | P        | 20-40                  | B2               | 3.35                            | 35.22                                      |
| G32      | 4309 | Betula alba Silver birch      | 194       | 1     | 9           | 4.0           | 1.0 | 1.0 | 4.0 | 1                             | 4        | M         | Fair                    | Average condition                                  | Nil   | N/A      | 20-40                  | B2               | 2.33                            | 17.03                                      |
| G32      | 4310 | Crataegus monogyna Hawthorn   | 183       | 1     | 7           | 3.0           | 1.0 | 3.0 | 2.0 | 1                             | 4        | M         | Fair                    | Average condition                                  | Nil   | N/A      | 20-40                  | B2               | 2.20                            | 15.15                                      |
| G33      | 4311 | Betula alba Silver birch      | 477       | 1     | 13          | 3.0           | 5.0 | 3.0 | 4.0 | 1                             | 4        | M         | Fair                    | Average condition                                  | Nil   | N/A      | 20-40                  | B2               | 5.72                            | 102.95                                     |
| G33      | 4313 | Betula alba Silver birch      | 277       | 1     | 13          | 3.0           | 2.0 | 5.0 | 4.0 | 1                             | 7        | M         | Fair                    | Average condition                                  | Nil   | N/A      | 20-40                  | B2               | 3.32                            | 34.72                                      |
| G33      | 4314 | Betula alba Silver birch      | 219       | 1     | 11          | 5.0           | 1.0 | 1.0 | 3.0 | 1                             | 5        | M         | Fair                    | Average condition                                  | Nil   | N/A      | 20-40                  | B2               | 2.63                            | 21.70                                      |
| G33      | 4315 | Betula alba Silver birch      | 294       | 1     | 12          | 4.0           | 2.0 | 6.0 | 1.0 | 1                             | 4        | M         | Fair                    | Average condition                                  | Nil   | N/A      | 20-40                  | B2               | 3.53                            | 39.11                                      |
| G34      | 4316 | Acer pseudoplatanus Sycamore  | 360       | 1     | 12          | 5.0           | 2.0 | 4.0 | 6.0 | 2                             | 4        | M         | Fair                    | Average condition                                  | Nil   | N/A      | 40+                    | B2               | 4.32                            | 58.64                                      |
| G34      | 4317 | Acer pseudoplatanus Sycamore  | 393       | 1     | 12          | 4.0           | 6.0 | 5.0 | 5.0 | 2                             | 6        | M         | Fair                    | Average condition                                  | Nil   | N/A      | 40+                    | B2               | 4.72                            | 69.88                                      |
| G34      | 4318 | Acer pseudoplatanus Sycamore  | 317       | 1     | 12          | 3.0           | 5.0 | 1.0 | 6.0 | 2                             | 6        | M         | Fair                    | Average condition                                  | Nil   | N/A      | 40+                    | B2               | 3.80                            | 45.47                                      |
| G34      | 4319 | Acer pseudoplatanus Sycamore  | 351       | 1     | 14          | 2.0           | 2.0 | 3.0 | 3.0 | 2                             | 7        | M         | Fair                    | Average condition                                  | Nil   | N/A      | 40+                    | B2               | 4.21                            | 55.74                                      |
| G34      | 4320 | Acer pseudoplatanus Sycamore  | 283       | 1     | 14          | 2.0           | 4.0 | 3.0 | 4.0 | 2                             | 7        | M         | Fair                    | Average condition                                  | Nil   | N/A      | 40+                    | B2               | 3.40                            | 36.24                                      |
| G34      | 4321 | Acer pseudoplatanus Sycamore  | 399       | 1     | 14          | 5.0           | 6.0 | 6.0 | 4.0 | 2                             | 5        | M         | Fair                    | Average condition                                  | Nil   | N/A      | 40+                    | B2               | 4.79                            | 72.03                                      |
| G34      | 4322 | Acer platanoides Norway maple | 301       | 1     | 12          | 3.0           | 4.0 | 5.0 | 5.0 | 2                             | 6        | M         | Fair                    | Average condition                                  | Nil   | N/A      | 20-40                  | B2               | 3.61                            | 40.99                                      |
| G34      | 4323 | Acer pseudoplatanus Sycamore  | 328       | 1     | 12          | 3.0           | 4.0 | 3.0 | 4.0 | 2                             | 5        | M         | Fair                    | Average condition                                  | Nil   | N/A      | 40+                    | B2               | 3.94                            | 48.68                                      |
| G34      | 4324 | Acer pseudoplatanus Sycamore  | 384       | 1     | 14          | 4.0           | 4.0 | 3.0 | 5.0 | 2                             | 7        | M         | Fair                    | Average condition                                  | Nil   | N/A      | 40+                    | B2               | 4.61                            | 66.72                                      |
| G34      | 4325 | Acer pseudoplatanus Sycamore  | 489       | 1     | 14          | 5.0           | 6.0 | 5.0 | 3.0 | 2                             | 6        | M         | Fair                    | Average condition                                  | Nil   | N/A      | 40+                    | B2               | 5.87                            | 108.19                                     |
| G34      | 4326 | Acer pseudoplatanus Sycamore  | 441       | 1     | 14          | 4.0           | 3.0 | 7.0 | 1.0 | 2                             | 4        | M         | Fair                    | Average condition                                  | Nil   | N/A      | 40+                    | B2               | 5.29                            | 87.99                                      |
| G34      | 4327 | Acer pseudoplatanus Sycamore  | 407       | 1     | 14          | 1.0           | 5.0 | 5.0 | 2.0 | 2                             | 5        | M         | Fair                    | Average condition                                  | Nil   | N/A      | 40+                    | B2               | 4.88                            | 74.95                                      |
| G35      | 4328 | Pinus sylvestris Scots pine   | 282       | 1     | 9           | 2.0           | 2.5 | 3.0 | 2.5 | 0                             | 5        | M         | Fair                    | Average condition                                  | Nil   | N/A      | 20-40                  | B2               | 3.38                            | 35.98                                      |
| G35      | 4329 | Pinus sylvestris Scots pine   | 468       | 1     | 16          | 5.0           | 3.0 | 5.0 | 3.0 | 0                             | 7        | M         | Fair                    | Average condition                                  | Nil   | N/A      | 20-40                  | B2               | 5.62                            | 99.10                                      |
| G35      | 4330 | Pinus sylvestris Scots pine   | 517       | 1     | 16          | 4.0           | 6.0 | 4.0 | 5.0 | 0                             | 6        | M         | Fair                    | Average condition                                  | Nil   | N/A      | 20-40                  | B2               | 6.20                            | 120.93                                     |
| G35      | 4331 | Pinus sylvestris Scots pine   | 319       | 1     | 11          | 2.0           | 2.0 | 2.0 | 2.0 | 0                             | 5        | M         | Fair                    | Average condition                                  | Nil   | N/A      | 20-40                  | B2               | 3.83                            | 46.04                                      |
| G35      | 4332 | Pinus sylvestris Scots pine   | 367       | 1     | 9           | 4.0           | 5.0 | 4.0 | 4.0 | 0                             | 5        | M         | Fair                    | Average condition                                  | Nil   | N/A      | 20-40                  | B2               | 4.40                            | 60.94                                      |
| G35      | 4333 | Pinus sylvestris Scots pine   | 355       | 1     | 13          | 3.0           | 3.0 | 3.0 | 4.0 | 0                             | 7        | M         | Fair                    | Average condition                                  | Nil   | N/A      | 20-40                  | B2               | 4.26                            | 57.02                                      |
| G36      | 4334 | Corylus avellana Hazel        | 750       | MS    | 7           | 4.0           | 5.0 | 4.5 | 4.0 | 1                             | 2        | M         | Fair                    | Average condition                                  | Nil   | N/A      | 40+                    | B2               | 7.50                            | 176.74                                     |
| G40      | 4343 | Tilia europaea Common Lime    | 417       | 1     | 13          | 4.0           | 4.0 | 6.0 | 4.0 | 2                             | 6        | M         | Fair                    | Average condition                                  | Nil   | N/A      | 40+                    | B2               | 5.00                            | 78.68                                      |
| G40      | 4344 | Carpinus betulus Hornbeam     | 336       | 1     | 13          | 4.0           | 3.0 | 3.0 | 5.0 | 2                             | 6        | M         | Fair                    | Average condition                                  | Nil   | N/A      | 40+                    | B2               | 4.03                            | 51.08                                      |

**TOTAL CATEGORY B TREES Heyford Park Nicholson's Tree Survey November 2006**

| Group No | Tag  | Species (Botanical)           | Diam (mm) | Stems | Ht m. (est) | Branch Spread |     |     |     | Increase in canopy radius (m) | Crown Ht | Age Class | Physiological Condition | Structural Condition                                   | Preliminary Management | Priority | Remaining Contribution | Category Grading | Root Protection Zone Radius (m) | Root Protection zone (m2). Capped at 707m2 |
|----------|------|-------------------------------|-----------|-------|-------------|---------------|-----|-----|-----|-------------------------------|----------|-----------|-------------------------|--|------------------------|----------|------------------------|------------------|---------------------------------|--|
|          |      |                               |           |       |             | N             | S   | E   | W   |                               |          |           |                         |  |                        |          |                        |                  |                                 |  |
| G40      | 4346 | Tilia europaea Common Lime    | 448       | 1     | 14          | 4.0           | 7.0 | 3.0 | 6.0 | 2                             | 8        | M         | Fair                    | Average condition                                      | Nil                    | N/A      | 40+                    | B2               | 5.38                            | 90.81                                      |
| G40      | 4347 | Carpinus betulus Hornbeam     | 402       | 1     | 14          | 5.0           | 6.0 | 3.0 | 6.0 | 2                             | 6        | M         | Fair                    | Average condition                                      | Nil                    | N/A      | 40+                    | B2               | 4.82                            | 73.12                                      |
| G40      | 4348 | Tilia europaea Common Lime    | 436       | 1     | 15          | 4.0           | 7.0 | 4.0 | 6.0 | 2                             | 8        | M         | Fair                    | Average condition                                      | Nil                    | N/A      | 40+                    | B2               | 5.23                            | 86.01                                      |
| G40      | 4349 | Fraxinus excelsior Ash        | 442       | 1     | 14          | 5.0           | 6.0 | 7.0 | 5.0 | 2                             | 7        | M         | Fair                    | Average condition                                      | Nil                    | N/A      | 20-40                  | B2               | 5.30                            | 88.39                                      |
| G40      | 4350 | Tilia europaea Common Lime    | 456       | 1     | 14          | 3.0           | 5.0 | 4.0 | 4.0 | 2                             | 7        | M         | Fair                    | Average condition                                      | Nil                    | N/A      | 40+                    | B2               | 5.47                            | 94.08                                      |
| G40      | 4351 | Acer platanoides Norway maple | 382       | 1     | 12          | 3.0           | 4.0 | 4.0 | 4.0 | 2                             | 6        | M         | Fair                    | Average condition                                      | Nil                    | N/A      | 20-40                  | B2               | 4.58                            | 66.02                                      |
| G40      | 4352 | Tilia europaea Common Lime    | 207       | 1     | 13          | 4.0           | 5.0 | 4.0 | 5.0 | 2                             | 6        | M         | Fair                    | Average condition                                      | Nil                    | N/A      | 40+                    | B2               | 2.48                            | 19.39                                      |
| G40      | 4353 | Carpinus betulus Hornbeam     | 207       | 1     | 8           | 3.0           | 1.0 | 2.0 | 2.0 | 4                             | 3        | M         | Fair                    | Average condition                                      | Nil                    | N/A      | 40+                    | B2               | 2.48                            | 19.39                                      |
| G40      | 4354 | Acer platanoides Norway maple | 398       | 1     | 12          | 1.0           | 7.0 | 4.0 | 4.0 | 2                             | 7        | M         | Fair                    | Average condition                                      | Nil                    | N/A      | 20-40                  | B2               | 4.78                            | 71.67                                      |
| G40      | 4355 | Tilia europaea Common Lime    | 318       | 1     | 13          | 3.0           | 3.0 | 3.0 | 3.0 | 2                             | 6        | M         | Fair                    | Average condition                                      | Nil                    | N/A      | 40+                    | B2               | 3.82                            | 45.75                                      |
| G40      | 4356 | Tilia europaea Common Lime    | 401       | 1     | 13          | 4.0           | 4.0 | 4.0 | 4.0 | 2                             | 6        | M         | Fair                    | Average condition                                      | Nil                    | N/A      | 40+                    | B2               | 4.81                            | 72.75                                      |
| G40      | 4357 | Carpinus betulus Hornbeam     | 364       | 1     | 12          | 4.0           | 3.0 | 4.0 | 4.0 | 2                             | 5        | M         | Fair                    | Average condition                                      | Nil                    | N/A      | 40+                    | B2               | 4.37                            | 59.95                                      |
| G40      | 4359 | Tilia europaea Common Lime    | 495       | 1     | 14          | 5.0           | 5.0 | 5.0 | 5.0 | 2                             | 6        | M         | Fair                    | Average condition                                      | Nil                    | N/A      | 40+                    | B2               | 5.94                            | 110.86                                     |
| G41      | 4360 | Crataegus monogyna Hawthorn   | 281       | MS    | 7           | 2.5           | 3.0 | 3.0 | 3.0 | 1                             | 2.5      | M         | Fair                    | Average condition                                      | Nil                    | N/A      | 20-40                  | B2               | 2.81                            | 24.81                                      |
| G41      | 4364 | Betula alba Silver birch      | 337       | 1     | 12          | 3.0           | 5.0 | 2.0 | 5.0 | 1                             | 5        | M         | Fair                    | Average condition                                      | Nil                    | N/A      | 20-40                  | B2               | 4.04                            | 51.38                                      |
| G41      | 4366 | Betula alba Silver birch      | 382       | 1     | 12          | 4.0           | 5.0 | 4.0 | 4.0 | 1                             | 3        | M         | Fair                    | Average condition                                      | Nil                    | N/A      | 20-40                  | B2               | 4.58                            | 66.02                                      |
| G41      | 4368 | Betula alba Silver birch      | 325       | 1     | 12          | 3.0           | 5.0 | 5.0 | 5.0 | 1                             | 4        | M         | Fair                    | Average condition                                      | Nil                    | N/A      | 20-40                  | B2               | 3.90                            | 47.79                                      |
| G41      | 4369 | Crataegus monogyna Hawthorn   | 277       | 1     | 6           | 5.0           | 3.0 | 2.0 | 4.0 | 1                             | 2.5      | M         | Fair                    | Average condition                                      | Nil                    | N/A      | 20-40                  | B2               | 3.32                            | 34.72                                      |
| G41      | 4370 | Betula alba Silver birch      | 268       | 1     | 12          | 4.0           | 4.0 | 5.0 | 4.0 | 1                             | 4        | M         | Fair                    | Average condition                                      | Nil                    | N/A      | 20-40                  | B2               | 3.22                            | 32.50                                      |
| G41      | 4371 | Crataegus monogyna Hawthorn   | 180       | 1     | 7           | 3.0           | 2.0 | 2.0 | 4.0 | 1                             | 3        | M         | Fair                    | Average condition                                      | Nil                    | N/A      | 20-40                  | B2               | 2.16                            | 14.66                                      |
| G41      | 4373 | Betula alba Silver birch      | 332       | 1     | 9           | 3.0           | 4.0 | 3.0 | 4.0 | 1                             | 3        | M         | Fair                    | Average condition                                      | Nil                    | N/A      | 20-40                  | B2               | 3.98                            | 49.87                                      |
| G42      | 4374 | Acer platanoides Norway maple | 403       | 1     | 12          | 3.5           | 6.0 | 3.5 | 4.0 | 3                             | 6        | M         | Fair                    | Average condition                                      | Nil                    | N/A      | 40+                    | B2               | 4.84                            | 73.48                                      |
| G42      | 4375 | Carpinus betulus Hornbeam     | 387       | 1     | 12          | 5.0           | 7.0 | 3.0 | 5.0 | 3                             | 3        | M         | Fair                    | Average condition                                      | Nil                    | N/A      | 40+                    | B2               | 4.64                            | 67.76                                      |
| G42      | 4376 | Acer platanoides Norway maple | 400       | 1     | 12          | 4.0           | 9.0 | 4.0 | 5.0 | 2                             | 4        | M         | Fair                    | Average condition                                      | Nil                    | N/A      | 20-40                  | B2               | 4.80                            | 72.39                                      |
| G42      | 4377 | Carpinus betulus Hornbeam     | 372       | 1     | 11          | 5.0           | 8.0 | 5.0 | 3.0 | 2                             | 3        | M         | Fair                    | Average condition                                      | Nil                    | N/A      | 40+                    | B2               | 4.46                            | 62.61                                      |
| G42      | 4378 | Acer platanoides Norway maple | 574       | 1     | 16          | 4.0           | 9.0 | 7.5 | 6.0 | 2                             | 6        | M         | Fair                    | Average condition                                      | Nil                    | N/A      | 40+                    | B2               | 6.89                            | 149.07                                     |
| G42      | 4380 | Carpinus betulus Hornbeam     | 375       | 1     | 10          | 6.0           | 4.0 | 4.0 | 6.0 | 3                             | 3        | M         | Fair                    | Average condition                                      | Nil                    | N/A      | 40+                    | B2               | 4.50                            | 63.63                                      |
| G42      | 4381 | Carpinus betulus Hornbeam     | 283       | 1     | 10          | 4.0           | 5.0 | 5.0 | 4.0 | 3                             | 2        | M         | Fair                    | Average condition                                      | Nil                    | N/A      | 40+                    | B2               | 3.40                            | 36.24                                      |
| G42      | 4382 | Carpinus betulus Hornbeam     | 324       | 1     | 10          | 4.0           | 6.0 | 5.0 | 5.0 | 3                             | 3        | M         | Fair                    | Average condition                                      | Nil                    | N/A      | 40+                    | B2               | 3.89                            | 47.50                                      |
| G42      | 4383 | Tilia euclora Lime            | 342       | 1     | 9           | 4.0           | 5.0 | 4.0 | 3.0 | 3                             | 3        | M         | Fair                    | Average condition                                      | Nil                    | N/A      | 40+                    | B2               | 4.10                            | 52.92                                      |
| G43      | 4384 | Tilia europaea Common Lime    | 555       | 1     | 13          | 7.0           | 5.0 | 6.0 | 7.0 | 2                             | 5        | M         | Fair                    | Average condition                                      | Nil                    | N/A      | 40+                    | B2               | 6.66                            | 139.37                                     |
| G43      | 4386 | Carpinus betulus Hornbeam     | 198       | 1     | 7           | 3.0           | 3.0 | 3.0 | 3.0 | 4                             | 4        | M         | Fair                    | Average condition                                      | Nil                    | N/A      | 40+                    | B2               | 2.38                            | 17.74                                      |
| G43      | 4387 | Acer platanoides Norway maple | 411       | 1     | 12          | 3.0           | 5.0 | 2.0 | 5.0 | 2                             | 4        | M         | Fair                    | Stem wound at 1.5 w                                    | Nil                    | N/A      | 10-20                  | B2               | 4.93                            | 76.43                                      |
| G43      | 4388 | Tilia euclora Lime            | 291       | 1     | 13          | 3.0           | 2.0 | 3.5 | 4.0 | 3                             | 6        | M         | Fair                    | Average condition                                      | Nil                    | N/A      | 40+                    | B2               | 3.49                            | 38.31                                      |
| G43      | 4389 | Acer platanoides Norway maple | 277       | 1     | 12          | 3.0           | 3.5 | 2.5 | 5.0 | 3                             | 6        | M         | Fair                    | Basal wound  | Nil                    | N/A      | 20-40                  | B2               | 3.32                            | 34.72                                      |
| G43      | 4390 | Acer platanoides Norway maple | 532       | 1     | 15          | 5.0           | 8.0 | 7.0 | 6.0 | 1                             | 6        | M         | Fair                    | Average condition                                      | Nil                    | N/A      | 20-40                  | B2               | 6.38                            | 128.05                                     |
| G43      | 4392 | Tilia euclora Lime            | 426       | 1     | 13          | 2.0           | 6.0 | 2.0 | 7.0 | 2                             | 4        | M         | Fair                    | Average condition                                      | Nil                    | N/A      | 40+                    | B2               | 5.11                            | 82.11                                      |
| G43      | 4393 | Acer platanoides Norway maple | 536       | 1     | 14          | 5.0           | 5.0 | 4.0 | 4.0 | 3                             | 7        | M         | Fair                    | Average condition                                      | Nil                    | N/A      | 40+                    | B2               | 6.43                            | 129.99                                     |
| G44      | 4394 | Acer pseudoplatanus Sycamore  | 433       | 1     | 11          | 4.0           | 7.0 | 3.0 | 6.0 | 2                             | 4        | M         | Fair                    | Average condition                                      | Nil                    | N/A      | 40+                    | B2               | 5.20                            | 84.83                                      |
| G44      | 4395 | Tilia europaea Common Lime    | 463       | 1     | 11          | 6.0           | 6.0 | 6.0 | 4.0 | 2                             | 4        | M         | Fair                    | Average condition                                      | Nil                    | N/A      | 40+                    | B2               | 5.56                            | 96.99                                      |
| G44      | 4396 | Tilia europaea Common Lime    | 420       | 1     | 12          | 3.0           | 6.0 | 5.0 | 5.0 | 2                             | 6        | M         | Fair                    | Average condition                                      | Nil                    | N/A      | 40+                    | B2               | 5.04                            | 79.81                                      |
| G44      | 4397 | Tilia europaea Common Lime    | 524       | 1     | 12          | 5.0           | 2.0 | 5.5 | 2.0 | 2                             | 5        | M         | Fair                    | Very tight forks with included bark                    | Nil                    | N/A      | 20-40                  | B2               | 6.29                            | 124.23                                     |
| G44      | 4398 | Acer pseudoplatanus Sycamore  | 343       | 1     | 12          | 5.0           | 4.0 | 2.5 | 3.0 | 3                             | 7        | M         | Fair                    | Average condition                                      | Nil                    | N/A      | 40+                    | B2               | 4.12                            | 53.23                                      |
| G44      | 4399 | Tilia europaea Common Lime    | 385       | 1     | 12          | 5.0           | 3.0 | 2.0 | 6.0 | 3                             | 5        | M         | Fair                    | Average condition                                      | Nil                    | N/A      | 40+                    | B2               | 4.62                            | 67.06                                      |
| G44      | 4400 | Acer pseudoplatanus Sycamore  | 307       | 1     | 11          | 1.0           | 4.0 | 3.0 | 5.0 | 3                             | 5        | M         | Fair                    | Average condition                                      | Nil                    | N/A      | 40+                    | B2               | 3.68                            | 42.64                                      |
| G45      | 4401 | Acer pseudoplatanus Sycamore  | 421       | 1     | 12          | 6.0           | 3.0 | 6.0 | 6.0 | 2                             | 4        | M         | Fair                    | Average condition                                      | Nil                    | N/A      | 40+                    | B2               | 5.05                            | 80.19                                      |
| G45      | 4403 | Acer pseudoplatanus Sycamore  | 486       | 1     | 14          | 4.0           | 4.0 | 7.0 | 7.0 | 2                             | 6        | M         | Fair                    | Average condition                                      | Nil                    | N/A      | 40+                    | B2               | 5.83                            | 106.87                                     |
| G45      | 4404 | Acer pseudoplatanus Sycamore  | 355       | 1     | 12          | 1.0           | 3.0 | 5.0 | 1.0 | 2                             | 5        | M         | Fair                    | Average condition                                      | Nil                    | N/A      | 20-40                  | B2               | 4.26                            | 57.02                                      |
| G45      | 4405 | Acer pseudoplatanus Sycamore  | 438       | 1     | 13          | 3.0           | 6.0 | 7.0 | 8.0 | 0                             | 5        | M         | Poor                    | Average condition                                      | Nil                    | N/A      | 10-20                  | B2               | 5.26                            | 86.80                                      |
| G46      | 4406 | Crataegus monogyna Hawthorn   | 363       | 1     | 8           | 3.0           | 3.0 | 3.0 | 3.0 | 1                             | 3        | M         | Fair                    | Basal wound  | Nil                    | N/A      | 20-40                  | B2               | 4.36                            | 59.62                                      |
| G46      | 4407 | Crataegus monogyna Hawthorn   | 244       | MS    | 6           | 2.0           | 3.0 | 3.0 | 2.0 | 1                             | 2        | M         | Fair                    | Average condition                                      | Nil                    | N/A      | 10-20                  | B2               | 2.44                            | 18.71                                      |
| G46      | 4409 | Crataegus monogyna Hawthorn   | 306       | 1     | 8           | 2.0           | 3.0 | 3.0 | 3.0 | 1                             | 3        | M         | Fair                    | Average condition                                      | Nil                    | N/A      | 20-40                  | B2               | 3.67                            | 42.37                                      |
| G48      | 4425 | Acer pseudoplatanus Sycamore  | 514       | MS    | 14          | 2.0           | 5.0 | 5.0 | 6.0 | 2                             | 5        | M         | Fair                    | Average condition                                      | Nil                    | N/A      | 20-40                  | B2               | 5.14                            | 83.01                                      |
| G48      | 4426 | Fagus sylvatica Beech         | 507       | 1     | 15          | 6.0           | 4.0 | 6.0 | 7.0 | 1                             | 6        | M         | Fair                    | Average condition                                      | Nil                    | N/A      | 40+                    | B2               | 6.08                            | 116.30                                     |
| G48      | 4427 | Fagus sylvatica Beech         | 441       | 1     | 14          | 4.0           | 5.0 | 6.0 | 2.0 | 1                             | 6        | M         | Fair                    | Average condition                                      | Nil                    | N/A      | 40+                    | B2               | 5.29                            | 87.99                                      |
| G48      | 4428 | Acer pseudoplatanus Sycamore  | 298       | 1     | 14          | 2.0           | 2.0 | 2.0 | 3.0 | 2                             | 6        | M         | Fair                    | Average condition                                      | Nil                    | N/A      | 20-40                  | B2               | 3.58                            | 40.18                                      |
| G48      | 4429 | Acer pseudoplatanus Sycamore  | 615       | MS    | 14          | 6.0           | 3.0 | 4.0 | 4.0 | 1                             | 7        | M         | Fair                    | Forked at gl included bark                             | Nil                    | N/A      | 20-40                  | B2               | 6.15                            | 118.84                                     |
| G48      | 4430 | Fagus sylvatica Beech         | 588       | MS    | 14          | 7.0           | 5.0 | 4.0 | 7.0 | 1                             | 6        | M         | Fair                    | Tight fork with included bark at 1.2 stem wound at 4.0 | Nil                    | N/A      | 20-40                  | B2               | 5.88                            | 108.63                                     |
| G48      | 4431 | Fagus sylvatica Beech         | 640       | MS    | 14          | 4.0           | 8.0 | 5.0 | 7.0 | 1                             | 6        | M         | Fair                    | Tight fork with included bark at 1.2 and 3.0           | Nil                    | N/A      | 20-40                  | B2               | 6.40                            | 128.70                                     |
| G48      | 4432 | Pinus sylvestris Scots pine   | 262       | 1     | 11          | 0.0           | 3.0 | 3.0 | 3.0 | 0                             | 9        | M         | Fair                    | Average condition                                      | Nil                    | N/A      | 20-40                  | B2               | 3.14                            | 31.06                                      |
| G48      | 4433 | Fagus sylvatica Beech         | 315       | 1     | 13          | 4.0           | 4.0 | 4.0 | 4.0 | 2                             | 6        | M         | Fair                    | Average condition                                      | Nil                    | N/A      | 40+                    | B2               | 3.78                            | 44.89                                      |
| G48      | 4435 | Fagus sylvatica Beech         | 500       | 1     | 14          | 6.0           | 2.0 | 9.0 | 6.0 | 1                             | 6        | M         | Fair                    | Average condition                                      | Nil                    | N/A      | 40+                    | B2               | 6.00                            | 113.11                                     |
| G48      | 4437 | Pinus sylvestris Scots pine   | 315       | 1     | 12          | 1.0           | 1.0 | 0.0 | 5.0 | 0                             | 8        | M         | Fair                    | Average condition                                      | Nil                    | N/A      | 20-40                  | B2               | 3.78                            | 44.89                                      |
| G48      | 4438 | Acer pseudoplatanus Sycamore  | 404       | 1     | 12          | 7.0           | 4.0 | 5.0 | 7.0 | 2                             | 2        | M         | Fair                    | Average condition                                      | Nil                    | N/A      | 40+                    | B2               | 4.85                            | 73.85                                      |
| G48      | 4439 | Fagus sylvatica Beech         | 888       | 1     | 14          | 7.0           | 7.0 | 7.0 | 7.0 | 1                             | 4        | M         | Fair                    | Main forks at 1.0 & 2.5 with included bark             | Nil                    | N/A      | 20-40                  | B2               | 10.66                           | 356.78                                     |
| G48      | 4440 | Carpinus betulus Hornbeam     | 268       | 1     | 6           | 5.0           | 4.0 | 4.0 | 4.0 | 3                             | 2        | M         | Fair                    | Average condition                                      | Nil                    | N/A      | 40+                    | B2               | 3.22                            | 32.50                                      |
| G49      | 4441 | Pinus sylvestris Scots pine   | 326       | 1     | 9           | 0.0           | 4.0 | 5.0 | 0.0 | 0                             | 6        | M         | Fair                    | Leader snapped out in past                             | Nil                    | N/A      | 10-20                  | B2               | 3.91                            | 48.08                                      |
| G49      | 4442 | Pinus sylvestris Scots pine   | 265       | 1     | 11          | 0.0           | 2.0 | 2.0 | 0.0 | 0                             | 9        | M         | Fair                    | Bark scars on main stem                                | Nil                    | N/A      | 10-20                  | B2               | 3.18                            | 31.77                                      |

**TOTAL CATEGORY B TREES Heyford Park Nicholson's Tree Survey November 2006**

| Group No | Tag  | Species (Botanical)           | Diam (mm) | Stems | Ht m. (est) | Branch Spread |     |     |     | Increase in canopy radius (m) | Crown Ht | Age Class | Physiological Condition | Structural Condition                     | Preliminary Management | Priority | Remaining Contribution | Category Grading | Root Protection Zone Radius (m) | Root Protection zone (m2). Capped at 707m2 |
|----------|------|-------------------------------|-----------|-------|-------------|---------------|-----|-----|-----|-------------------------------|----------|-----------|-------------------------|--|------------------------|----------|------------------------|------------------|---------------------------------|--|
|          |      |                               |           |       |             | N             | S   | E   | W   |                               |          |           |                         |  |                        |          |                        |                  |                                 |  |
| G49      | 4443 | Acer pseudoplatanus Sycamore  | 527       | 1     | 14          | 6.0           | 3.0 | 5.0 | 4.0 | 1                             | 6        | M         | Fair                    | Average condition                        | Nil                    | N/A      | 40+                    | B2               | 6.32                            | 125.66                                     |
| G49      | 4444 | Fagus sylvatica Beech         | 578       | 1     | 14          | 2.0           | 7.0 | 6.0 | 6.0 | 2                             | 4        | M         | Fair                    | Average condition                        | Nil                    | N/A      | 40+                    | B2               | 6.94                            | 151.16                                     |
| G49      | 4445 | Fagus sylvatica Beech         | 481       | 1     | 14          | 3.0           | 2.0 | 4.0 | 6.0 | 2                             | 7        | M         | Fair                    | Basal wound                              | Nil                    | N/A      | 20-40                  | B2               | 5.77                            | 104.68                                     |
| G50      | 4447 | Fagus sylvatica Beech         | 744       | MS    | 16          | 5.0           | 7.0 | 6.0 | 6.0 | 2                             | 4        | M         | Fair                    | Very tight fork at gl with included bark | Nil                    | N/A      | 20-40                  | B2               | 7.44                            | 173.92                                     |
| G50      | 4448 | Acer pseudoplatanus Sycamore  | 707       | MS    | 14          | 7.0           | 6.0 | 6.0 | 3.0 | 2                             | 4        | M         | Fair                    | Decay pocket in main fork                | Nil                    | N/A      | 20-40                  | B2               | 7.07                            | 157.05                                     |
| G50      | 4449 | Pinus sylvestris Scots pine   | 206       | 1     | 9           | 0.0           | 2.0 | 1.0 | 1.0 | 0                             | 7        | M         | Fair                    | Average condition                        | Nil                    | N/A      | 20-40                  | B2               | 2.47                            | 19.20                                      |
| G50      | 4450 | Acer pseudoplatanus Sycamore  | 594       | MS    | 11          | 2.0           | 6.0 | 5.0 | 2.0 | 2                             | 4        | M         | Fair                    | Average condition                        | Nil                    | N/A      | 20-40                  | B2               | 5.94                            | 110.86                                     |
| G50      | 4451 | Acer pseudoplatanus Sycamore  | 482       | 1     | 12          | 3.0           | 7.0 | 2.0 | 5.0 | 2                             | 5        | M         | Fair                    | Average condition                        | Nil                    | N/A      | 20-40                  | B2               | 5.78                            | 105.11                                     |
| G50      | 4452 | Tilia euchlora Lime           | 466       | 1     | 14          | 3.0           | 3.0 | 3.0 | 5.0 | 2                             | 5        | M         | Fair                    | Average condition                        | Nil                    | N/A      | 40+                    | B2               | 5.59                            | 98.25                                      |
| G50      | 4453 | Tilia euchlora Lime           | 385       | 1     | 11          | 5.0           | 2.0 | 5.0 | 6.0 | 2                             | 3        | M         | Fair                    | Average condition                        | Nil                    | N/A      | 40+                    | B2               | 4.62                            | 67.06                                      |
| G50      | 4454 | Carpinus betulus Hornbeam     | 305       | 1     | 11          | 5.0           | 5.0 | 5.0 | 5.0 | 3                             | 3        | M         | Fair                    | Average condition                        | Nil                    | N/A      | 40+                    | B2               | 3.66                            | 42.09                                      |
| G50      | 4455 | Pinus sylvestris Scots pine   | 296       | 1     | 10          | 0.0           | 3.0 | 2.0 | 1.0 | 0                             | 6        | M         | Fair                    | Average condition                        | Nil                    | N/A      | 20-40                  | B2               | 3.55                            | 39.64                                      |
| G50      | 4456 | Pinus sylvestris Scots pine   | 209       | 1     | 8           | 2.0           | 2.0 | 1.0 | 1.0 | 0                             | 6        | M         | Fair                    | Average condition                        | Nil                    | N/A      | 20-40                  | B2               | 2.51                            | 19.76                                      |
| G50      | 4457 | Acer pseudoplatanus Sycamore  | 641       | MS    | 14          | 4.0           | 6.0 | 5.0 | 1.0 | 2                             | 6        | M         | Fair                    | Average condition                        | Nil                    | N/A      | 40+                    | B2               | 6.41                            | 129.10                                     |
| G50      | 4458 | Acer pseudoplatanus Sycamore  | 545       | MS    | 12          | 2.0           | 5.0 | 2.0 | 6.0 | 2                             | 5        | M         | Fair                    | Decay pocket in main fork                | Nil                    | N/A      | 20-40                  | B2               | 5.45                            | 93.33                                      |
| G50      | 4459 | Acer pseudoplatanus Sycamore  | 764       | MS    | 14          | 4.0           | 8.0 | 3.0 | 5.0 | 2                             | 7        | M         | Fair                    | Decay pocket in main fork                | Nil                    | N/A      | 20-40                  | B2               | 7.64                            | 183.40                                     |
| G50      | 4460 | Pinus sylvestris Scots pine   | 196       | 1     | 10          | 1.0           | 0.0 | 3.0 | 0.0 | 0                             | 8        | M         | Fair                    | Average condition                        | Nil                    | N/A      | 20-40                  | B2               | 2.35                            | 17.38                                      |
| G50      | 4461 | Acer pseudoplatanus Sycamore  | 621       | MS    | 12          | 5.0           | 4.0 | 6.0 | 4.0 | 1                             | 4        | M         | Fair                    | Decay pocket in main fork                | Nil                    | N/A      | 20-40                  | B2               | 6.21                            | 121.17                                     |
| G50      | 4462 | Fagus sylvatica Beech         | 453       | 1     | 15          | 7.0           | 4.0 | 5.0 | 4.0 | 2                             | 7        | M         | Fair                    | Average condition                        | Nil                    | N/A      | 40+                    | B2               | 5.44                            | 92.85                                      |
| G50      | 4463 | Acer pseudoplatanus Sycamore  | 265       | 1     | 13          | 4.0           | 2.0 | 3.0 | 1.0 | 3                             | 6        | M         | Fair                    | Average condition                        | Nil                    | N/A      | 40+                    | B2               | 3.18                            | 31.77                                      |
| G50      | 4464 | Acer pseudoplatanus Sycamore  | 493       | MS    | 13          | 4.0           | 4.0 | 2.0 | 3.0 | 2                             | 6        | M         | Fair                    | Decay pocket in main fork                | Nil                    | N/A      | 20-40                  | B2               | 4.93                            | 76.37                                      |
| G50      | 4466 | Fagus sylvatica Beech         | 436       | 1     | 14          | 3.0           | 4.0 | 4.0 | 7.0 | 2                             | 6        | M         | Fair                    | Average condition                        | Nil                    | N/A      | 40+                    | B2               | 5.23                            | 86.01                                      |
| G50      | 4467 | Acer pseudoplatanus Sycamore  | 646       | 1     | 14          | 6.0           | 2.0 | 4.0 | 7.0 | 1                             | 6        | M         | Fair                    | Average condition                        | Nil                    | N/A      | 40+                    | B2               | 7.75                            | 188.81                                     |
| G50      | 4468 | Acer pseudoplatanus Sycamore  | 756       | 1     | 13          | 8.0           | 8.0 | 8.0 | 8.0 | 1                             | 3        | M         | Fair                    | Average condition                        | Nil                    | N/A      | 40+                    | B2               | 9.07                            | 258.59                                     |
| G51      | 4469 | Pinus wallichiana Bhutan pine | 320       | 1     | 13          | 4.0           | 5.0 | 4.0 | 5.0 | 4                             | 4        | M         | Fair                    | Significant resin bleeding on e stem     | Nil                    | N/A      | 20-40                  | B2               | 3.84                            | 46.33                                      |
| G52      | 4477 | Pinus sylvestris Scots pine   | 296       | 1     | 13          | 1.0           | 4.0 | 4.0 | 0.0 | 1                             | 5        | M         | Fair                    | Tree house attached                      | Nil                    | N/A      | 20-40                  | B2               | 3.55                            | 39.64                                      |
| G52      | 4478 | Pinus sylvestris Scots pine   | 404       | 1     | 13          | 2.0           | 4.0 | 0.0 | 3.0 | 1                             | 6        | M         | Fair                    | Tree house attached                      | Nil                    | N/A      | 20-40                  | B2               | 4.85                            | 73.85                                      |
| G52      | 4479 | Pinus sylvestris Scots pine   | 288       | 1     | 13          | 2.0           | 2.0 | 3.0 | 1.0 | 1                             | 7        | M         | Fair                    | Tree house attached                      | Nil                    | N/A      | 20-40                  | B2               | 3.46                            | 37.53                                      |
| G52      | 4480 | Pinus sylvestris Scots pine   | 427       | 1     | 13          | 3.0           | 2.0 | 5.0 | 1.0 | 1                             | 6        | M         | Fair                    | Average condition                        | Nil                    | N/A      | 20-40                  | B2               | 5.12                            | 82.49                                      |
| G53      | 4487 | Acer pseudoplatanus Sycamore  | 601       | 1     | 16          | 1.0           | 6.0 | 5.0 | 5.0 | 1                             | 6        | M         | Fair                    | Tight fork at 4                          | Nil                    | N/A      | 20-40                  | B2               | 7.21                            | 163.42                                     |
| G53      | 4488 | Acer pseudoplatanus Sycamore  | 434       | 1     | 13          | 1.0           | 5.0 | 6.0 | 3.0 | 1                             | 5        | M         | Fair                    | Average condition                        | Nil                    | N/A      | 20-40                  | B2               | 5.21                            | 85.22                                      |
| G53      | 4489 | Acer pseudoplatanus Sycamore  | 429       | MS    | 12          | 2.0           | 4.0 | 2.0 | 4.0 | 1                             | 3        | M         | Fair                    | Average condition                        | Nil                    | N/A      | 20-40                  | B2               | 4.29                            | 57.83                                      |
| G53      | 4492 | Acer pseudoplatanus Sycamore  | 399       | 1     | 13          | 2.0           | 5.0 | 5.0 | 2.0 | 1                             | 7        | M         | Fair                    | Major dead wood present                  | Crown clean            | U        | 20-40                  | B2               | 4.79                            | 72.03                                      |
| G53      | 4493 | Acer pseudoplatanus Sycamore  | 388       | 1     | 13          | 2.0           | 5.0 | 3.0 | 4.0 | 1                             | 4        | M         | Fair                    | Average condition                        | Nil                    | N/A      | 40+                    | B2               | 4.66                            | 68.11                                      |
| G53      | 4496 | Acer pseudoplatanus Sycamore  | 247       | 1     | 13          | 1.0           | 2.0 | 4.0 | 2.0 | 2                             | 6        | M         | Fair                    | Average condition                        | Nil                    | N/A      | 40+                    | B2               | 2.96                            | 27.60                                      |
| G53      | 4499 | Acer pseudoplatanus Sycamore  | 371       | 1     | 13          | 3.0           | 4.0 | 2.0 | 4.0 | 2                             | 7        | M         | Fair                    | Occluding wound at 2-4m s                | Nil                    | N/A      | 20-40                  | B2               | 4.45                            | 62.28                                      |
| G53      | 4500 | Fraxinus excelsior Ash        | 361       | 1     | 13          | 5.0           | 5.0 | 4.0 | 5.0 | 1                             | 5        | M         | Fair                    | Average condition                        | Nil                    | N/A      | 20-40                  | B2               | 4.33                            | 58.96                                      |
| G53      | 4501 | Acer pseudoplatanus Sycamore  | 347       | 1     | 12          | 5.0           | 3.0 | 2.0 | 4.0 | 1                             | 7        | M         | Fair                    | Average condition                        | Nil                    | N/A      | 40+                    | B2               | 4.16                            | 54.48                                      |
| G53      | 4502 | Acer pseudoplatanus Sycamore  | 265       | 1     | 11          | 2.0           | 2.0 | 2.0 | 3.0 | 3                             | 5        | M         | Fair                    | Ring bulge at 1.2 (included wire?)       | Nil                    | N/A      | 40+                    | B2               | 3.18                            | 31.77                                      |
| G53      | 4503 | Fraxinus excelsior Ash        | 335       | 1     | 13          | 4.0           | 4.0 | 4.0 | 2.0 | 2                             | 6        | M         | Fair                    | Average condition                        | Nil                    | N/A      | 40+                    | B2               | 4.02                            | 50.78                                      |
| G53      | 4504 | Fraxinus excelsior Ash        | 437       | 1     | 13          | 4.0           | 5.0 | 6.0 | 4.0 | 2                             | 6        | M         | Fair                    | Average condition                        | Nil                    | N/A      | 40+                    | B2               | 5.24                            | 86.40                                      |
| G53      | 4505 | Fraxinus excelsior Ash        | 384       | 1     | 13          | 5.0           | 4.0 | 2.0 | 4.0 | 2                             | 7        | M         | Fair                    | Average condition                        | Nil                    | N/A      | 40+                    | B2               | 4.61                            | 66.72                                      |
| G53      | 4506 | Fraxinus excelsior Ash        | 353       | 1     | 11          | 3.0           | 3.0 | 1.0 | 6.0 | 2                             | 7        | M         | Fair                    | Average condition                        | Nil                    | N/A      | 40+                    | B2               | 4.24                            | 56.38                                      |
| G53      | 4507 | Fraxinus excelsior Ash        | 495       | 1     | 14          | 4.0           | 3.0 | 5.0 | 4.0 | 2                             | 8        | M         | Fair                    | Average condition                        | Nil                    | N/A      | 40+                    | B2               | 5.94                            | 110.86                                     |
| G53      | 4511 | Fraxinus excelsior Ash        | 345       | 1     | 13          | 4.0           | 4.0 | 4.0 | 3.0 | 3                             | 6        | M         | Fair                    | Average condition                        | Nil                    | N/A      | 40+                    | B2               | 4.14                            | 53.85                                      |
| G53      | 4512 | Fraxinus excelsior Ash        | 345       | 1     | 13          | 4.0           | 4.0 | 8.0 | 5.0 | 2                             | 5        | M         | Fair                    | Average condition                        | Nil                    | N/A      | 40+                    | B2               | 4.14                            | 53.85                                      |
| G53      | 4513 | Fraxinus excelsior Ash        | 521       | 1     | 15          | 6.0           | 7.0 | 7.0 | 5.0 | 2                             | 5        | M         | Fair                    | Tight fork at 2.5                        | Nil                    | N/A      | 20-40                  | B2               | 6.25                            | 122.81                                     |
| G53      | 4514 | Acer pseudoplatanus Sycamore  | 471       | 1     | 11          | 2.0           | 6.0 | 7.0 | 5.0 | 2                             | 4        | M         | Fair                    | Suppressed under adjacent tree           | Nil                    | N/A      | 20-40                  | B2               | 5.65                            | 100.37                                     |
| G53      | 4515 | Fraxinus excelsior Ash        | 526       | 1     | 16          | 8.0           | 6.0 | 6.0 | 6.0 | 2                             | 9        | M         | Fair                    | Average condition                        | Nil                    | N/A      | 20-40                  | B2               | 6.31                            | 125.18                                     |
| G53      | 4516 | Acer pseudoplatanus Sycamore  | 339       | 1     | 13          | 7.0           | 1.0 | 5.0 | 2.0 | 2                             | 4        | M         | Fair                    | Average condition                        | Nil                    | N/A      | 20-40                  | B2               | 4.07                            | 52.00                                      |
| G53      | 4517 | Acer pseudoplatanus Sycamore  | 321       | 1     | 13          | 2.0           | 3.0 | 4.0 | 3.0 | 3                             | 5        | M         | Fair                    | Average condition                        | Nil                    | N/A      | 40+                    | B2               | 3.85                            | 46.62                                      |
| G53      | 4518 | Acer pseudoplatanus Sycamore  | 291       | 1     | 13          | 7.0           | 2.0 | 1.0 | 4.0 | 3                             | 6        | M         | Fair                    | Average condition                        | Nil                    | N/A      | 40+                    | B2               | 3.49                            | 38.31                                      |
| G53      | 4519 | Fraxinus excelsior Ash        | 439       | 1     | 15          | 3.0           | 5.0 | 4.0 | 5.0 | 2                             | 7        | M         | Fair                    | Average condition                        | Nil                    | N/A      | 40+                    | B2               | 5.27                            | 87.20                                      |
| G53      | 4520 | Fraxinus excelsior Ash        | 531       | 1     | 15          | 5.0           | 5.0 | 5.0 | 6.0 | 2                             | 4        | M         | Fair                    | Average condition                        | Nil                    | N/A      | 40+                    | B2               | 6.37                            | 127.57                                     |
| G53      | 4521 | Acer pseudoplatanus Sycamore  | 364       | 1     | 12          | 2.0           | 3.0 | 4.0 | 2.0 | 3                             | 5        | M         | Fair                    | Bark damage up trunk drought damage      | Nil                    | N/A      | 40+                    | B2               | 4.37                            | 59.95                                      |
| G53      | 4522 | Acer pseudoplatanus Sycamore  | 403       | 1     | 12          | 3.0           | 5.0 | 2.0 | 5.0 | 2                             | 5        | M         | Fair                    | Average condition                        | Nil                    | N/A      | 40+                    | B2               | 4.84                            | 73.48                                      |
| G53      | 4523 | Acer pseudoplatanus Sycamore  | 354       | 1     | 13          | 6.0           | 2.0 | 2.0 | 5.0 | 2                             | 5        | M         | Fair                    | Average condition                        | Nil                    | N/A      | 40+                    | B2               | 4.25                            | 56.70                                      |
| G53      | 4524 | Acer pseudoplatanus Sycamore  | 337       | 1     | 12          | 4.0           | 2.0 | 5.0 | 2.0 | 2                             | 7        | M         | Fair                    | Average condition                        | Nil                    | N/A      | 40+                    | B2               | 4.04                            | 51.38                                      |
| G53      | 4525 | Acer pseudoplatanus Sycamore  | 521       | 1     | 13          | 5.0           | 5.0 | 5.5 | 6.0 | 2                             | 5        | M         | Fair                    | Average condition                        | Nil                    | N/A      | 20-40                  | B2               | 6.25                            | 122.81                                     |
| G53      | 4527 | Acer pseudoplatanus Sycamore  | 320       | 1     | 11          | 2.0           | 4.0 | 0.0 | 5.0 | 3                             | 7        | M         | Fair                    | Minor squirrel damage                    | Nil                    | N/A      | 20-40                  | B2               | 3.84                            | 46.33                                      |
| G53      | 4529 | Acer pseudoplatanus Sycamore  | 313       | 1     | 12          | 4.0           | 4.0 | 5.0 | 2.0 | 2                             | 5        | M         | Fair                    | Average condition                        | Nil                    | N/A      | 20-40                  | B2               | 3.76                            | 44.33                                      |
| G53      | 4530 | Acer pseudoplatanus Sycamore  | 386       | 1     | 13          | 5.0           | 4.0 | 3.5 | 4.0 | 3                             | 4        | M         | Fair                    | Bark damage up trunk drought damage      | Nil                    | N/A      | 40+                    | B2               | 4.63                            | 67.41                                      |
| G53      | 4531 | Acer pseudoplatanus Sycamore  | 538       | 1     | 13          | 5.0           | 6.0 | 6.0 | 5.0 | 2                             | 5        | M         | Fair                    | V tight fork at 2.5 included bark        | Nil                    | N/A      | 20-40                  | B2               | 6.46                            | 130.96                                     |
| G53      | 4533 | Acer pseudoplatanus Sycamore  | 369       | 1     | 11          | 0.0           | 5.0 | 2.0 | 6.0 | 2                             | 6        | M         | Fair                    | Average condition                        | Nil                    | N/A      | 20-40                  | B2               | 4.43                            | 61.61                                      |
| G53      | 4534 | Acer pseudoplatanus Sycamore  | 288       | 1     | 13          | 1.0           | 3.0 | 3.0 | 4.0 | 3                             | 8        | M         | Fair                    | Average condition                        | Nil                    | N/A      | 40+                    | B2               | 3.46                            | 37.53                                      |
| G53      | 4535 | Acer pseudoplatanus Sycamore  | 394       | 1     | 13          | 4.5           | 3.0 | 3.0 | 4.0 | 3                             | 6        | M         | Fair                    | Average condition                        | Nil                    | N/A      | 40+                    | B2               | 4.73                            | 70.24                                      |
| G53      | 4536 | Acer pseudoplatanus Sycamore  | 467       | 1     | 13          | 6.0           | 2.0 | 7.0 | 3.0 | 2                             | 4        | M         | Fair                    | Average condition                        | Nil                    | N/A      | 40+                    | B2               | 5.60                            | 98.67                                      |
| G53      | 4538 | Acer pseudoplatanus Sycamore  | 348       | 1     | 11          | 5.0           | 3.0 | 5.0 | 5.0 | 2                             | 4        | M         | Fair                    | Trunk wound at 1.0 n                     | Nil                    | N/A      | 20-40                  | B2               | 4.18                            | 54.79                                      |
| G54      | 4630 | Larix eurolepis Larch         | 379       | 1     | 14          | 5.0           | 2.0 | 3.0 | 5.0 | 0                             | 5        | M         | Fair                    | Average condition                        | Nil                    | N/A      | 20-40                  | B2               | 4.55                            | 64.99                                      |

**TOTAL CATEGORY B TREES Heyford Park Nicholson's Tree Survey November 2006**

| Group No | Tag  | Species (Botanical)                 | Diam (mm) | Stems | Ht m. (est) | Branch Spread |     |     |     | Increase in canopy radius (m) | Crown Ht | Age Class | Physiological Condition | Structural Condition                                  | Preliminary Management | Priority | Remaining Contribution | Category Grading | Root Protection Zone Radius (m) | Root Protection zone (m2). Capped at 707m2 |
|----------|------|-------------------------------------|-----------|-------|-------------|---------------|-----|-----|-----|-------------------------------|----------|-----------|-------------------------|---|------------------------|----------|------------------------|------------------|---------------------------------|--|
|          |      |                                     |           |       |             | N             | S   | E   | W   |                               |          |           |                         |   |                        |          |                        |                  |                                 |  |
| G54      | 4631 | Larix eurolepis Larch               | 330       | 1     | 15          | 2.0           | 2.0 | 2.0 | 5.0 | 0                             | 3        | M         | Fair                    | Average condition                                     | Nil                    | N/A      | 20-40                  | B2               | 3.96                            | 49.27                                      |
| G54      | 4633 | Larix eurolepis Larch               | 309       | 1     | 10          | 1.0           | 3.0 | 2.0 | 1.0 | 0                             | 4        | M         | Fair                    | Apical dominance finished                             | Nil                    | N/A      | 20-40                  | B2               | 3.71                            | 43.20                                      |
| G54      | 4634 | Larix eurolepis Larch               | 513       | 1     | 16          | 6.0           | 3.0 | 3.0 | 8.0 | 0                             | 4        | M         | Fair                    | Average condition                                     | Nil                    | N/A      | 20-40                  | B2               | 6.16                            | 119.07                                     |
| G54      | 4635 | Larix eurolepis Larch               | 370       | 1     | 12          | 5.0           | 1.0 | 3.0 | 6.0 | 0                             | 5        | M         | Fair                    | Distorted main stem                                   | Nil                    | N/A      | 20-40                  | B2               | 4.44                            | 61.94                                      |
| G54      | 4637 | Larix eurolepis Larch               | 561       | 1     | 14          | 3.0           | 4.0 | 3.0 | 7.0 | 0                             | 4        | M         | Fair                    | Average condition                                     | Nil                    | N/A      | 20-40                  | B2               | 6.73                            | 142.39                                     |
| G54      | 4640 | Larix eurolepis Larch               | 349       | 1     | 14          | 3.0           | 3.0 | 1.0 | 4.0 | 0                             | 8        | M         | Fair                    | Average condition                                     | Nil                    | N/A      | 20-40                  | B2               | 4.19                            | 55.11                                      |
| G54      | 4643 | Larix eurolepis Larch               | 387       | 1     | 13          | 3.0           | 4.0 | 2.0 | 5.0 | 0                             | 5        | M         | Fair                    | Average condition                                     | Nil                    | N/A      | 20-40                  | B2               | 4.64                            | 67.76                                      |
| G54      | 4645 | Larix eurolepis Larch               | 330       | 1     | 14          | 2.0           | 2.0 | 3.0 | 5.0 | 0                             | 9        | M         | Fair                    | Average condition                                     | Nil                    | N/A      | 20-40                  | B2               | 3.96                            | 49.27                                      |
| G54      | 4646 | Pinus sylvestris Scots pine         | 385       | 1     | 12          | 1.0           | 2.0 | 2.0 | 3.0 | 0                             | 9        | M         | Fair                    | Ivy clad stem   | Nil                    | N/A      | 20-40                  | B2               | 4.62                            | 67.06                                      |
| G54      | 4647 | Pinus sylvestris Scots pine         | 392       | 1     | 12          | 1.0           | 3.0 | 2.0 | 5.0 | 0                             | 3        | M         | Fair                    | Average condition                                     | Nil                    | N/A      | 20-40                  | B2               | 4.70                            | 69.52                                      |
| G55      | 4648 | Acer pseudoplatanus Sycamore        | 570       | MS    | 15          | 4.0           | 4.0 | 5.0 | 2.0 | 2                             | 5        | M         | Fair                    | Very tight fork at gl with included bark              | Nil                    | N/A      | 20-40                  | B2               | 5.70                            | 102.08                                     |
| G55      | 4652 | Acer pseudoplatanus Sycamore        | 845       | MS    | 15          | 5.0           | 5.0 | 5.0 | 5.0 | 1                             | 5        | M         | Fair                    | Threestems from gl included bark and wet decay pocket | Nil                    | N/A      | 10-20                  | B2               | 8.45                            | 224.35                                     |
| G55      | 4654 | Acer platanoides Norway maple       | 403       | 1     | 13          | 6.0           | 5.0 | 4.0 | 2.0 | 2                             | 4        | M         | Fair                    | Main fork at 2.5                                      | Nil                    | N/A      | 20-40                  | B2               | 4.84                            | 73.48                                      |
| G55      | 4655 | Prunus avium Cherry                 | 391       | 1     | 9           | 0.0           | 4.0 | 3.0 | 2.0 | 1                             | 4        | M         | Fair                    | Cavity in main stem at 1.0s                           | Nil                    | N/A      | 10-20                  | B2               | 4.69                            | 69.17                                      |
| G55      | 4658 | Acer pseudoplatanus Sycamore        | 1160      | MS    | 17          | 7.0           | 7.0 | 7.0 | 3.0 | 0                             | 5        | M         | Fair                    | Four stems from gl included bark and wet decay pocket | Nil                    | N/A      | 10-20                  | B2               | 11.60                           | 422.79                                     |
| G57      | 4673 | Acer platanoides Norway maple       | 651       | 1     | 16          | 6.0           | 6.0 | 2.0 | 7.0 | 1                             | 5        | M         | Fair                    | Northern limbs appear to be defoliating early         | Nil                    | N/A      | 10-20                  | B2               | 7.81                            | 191.75                                     |
| G57      | 4674 | Acer platanoides Norway maple       | 637       | 1     | 16          | 7.0           | 2.0 | 7.0 | 5.0 | 1                             | 7        | M         | Fair                    | Cavity in main stem at 3.5                            | Nil                    | N/A      | 20-40                  | B2               | 7.64                            | 183.59                                     |
| G57      | 4675 | Acer platanoides Norway maple       | 452       | 1     | 16          | 2.0           | 6.0 | 5.0 | 5.0 | 1                             | 9        | M         | Fair                    | Large limb removed at 3.0s                            | Nil                    | N/A      | 20-40                  | B2               | 5.42                            | 92.44                                      |
| G57      | 4676 | Sorbus intermedia Swedish Whitebeam | 567       | 1     | 11          | 2.0           | 5.0 | 5.0 | 2.0 | 0                             | 4        | M         | Fair                    | Average condition                                     | Nil                    | N/A      | 20-40                  | B2               | 6.80                            | 145.46                                     |
| G54      | 4679 | Pinus sylvestris Scots pine         | 492       | 1     | 15          | 3.0           | 3.0 | 5.0 | 1.0 | 0                             | 7        | M         | Fair                    | Average condition                                     | Nil                    | N/A      | 20-40                  | B2               | 5.90                            | 109.52                                     |
| G54      | 4680 | Pinus sylvestris Scots pine         | 225       | 1     | 12          | 2.0           | 1.0 | 1.0 | 1.0 | 0                             | 9        | M         | Fair                    | Average condition                                     | Nil                    | N/A      | 20-40                  | B2               | 2.70                            | 22.91                                      |
| G54      | 4683 | Pinus sylvestris Scots pine         | 406       | 1     | 16          | 2.0           | 2.0 | 2.0 | 2.0 | 0                             | 10       | M         | Fair                    | Average condition                                     | Nil                    | N/A      | 20-40                  | B2               | 4.87                            | 74.58                                      |
| G54      | 4684 | Larix eurolepis Larch               | 358       | 1     | 15          | 2.0           | 3.0 | 5.0 | 2.0 | 0                             | 6        | M         | Fair                    | Average condition                                     | Nil                    | N/A      | 20-40                  | B2               | 4.30                            | 57.99                                      |
| G54      | 4685 | Pinus sylvestris Scots pine         | 214       | 1     | 12          | 1.0           | 1.0 | 1.0 | 1.0 | 0                             | 9        | M         | Fair                    | Average condition                                     | Nil                    | N/A      | 20-40                  | B2               | 2.57                            | 20.72                                      |
| G54      | 4686 | Larix eurolepis Larch               | 299       | 1     | 14          | 2.0           | 2.0 | 5.0 | 2.0 | 0                             | 6        | M         | Fair                    | Average condition                                     | Nil                    | N/A      | 20-40                  | B2               | 3.59                            | 40.45                                      |
| G54      | 4687 | Larix eurolepis Larch               | 299       | 1     | 14          | 1.0           | 3.0 | 1.0 | 3.0 | 0                             | 8        | M         | Fair                    | Average condition                                     | Nil                    | N/A      | 20-40                  | B2               | 3.59                            | 40.45                                      |
| G54      | 4688 | Larix eurolepis Larch               | 350       | 1     | 14          | 2.0           | 1.0 | 5.0 | 1.0 | 0                             | 6        | M         | Fair                    | Average condition                                     | Nil                    | N/A      | 20-40                  | B2               | 4.20                            | 55.42                                      |
| G54      | 4689 | Pinus sylvestris Scots pine         | 361       | 1     | 13          | 2.0           | 1.0 | 1.0 | 4.0 | 0                             | 6        | M         | Fair                    | Average condition                                     | Nil                    | N/A      | 20-40                  | B2               | 4.33                            | 58.96                                      |
| G54      | 4691 | Pinus sylvestris Scots pine         | 363       | 1     | 14          | 2.0           | 3.0 | 0.0 | 5.0 | 0                             | 6        | M         | Fair                    | Twisted main stem                                     | Nil                    | N/A      | 20-40                  | B2               | 4.36                            | 59.62                                      |
| G54      | 4692 | Pinus sylvestris Scots pine         | 390       | 1     | 15          | 2.0           | 2.0 | 6.0 | 0.0 | 0                             | 7        | M         | Fair                    | Average condition                                     | Nil                    | N/A      | 20-40                  | B2               | 4.68                            | 68.82                                      |
| G54      | 4693 | Pinus sylvestris Scots pine         | 533       | 1     | 16          | 3.0           | 3.0 | 5.0 | 5.0 | 0                             | 6        | M         | Fair                    | Average condition                                     | Nil                    | N/A      | 20-40                  | B2               | 6.40                            | 128.54                                     |
| G54      | 4694 | Pinus sylvestris Scots pine         | 427       | 1     | 16          | 2.0           | 2.0 | 3.0 | 1.0 | 0                             | 8        | M         | Fair                    | Average condition                                     | Nil                    | N/A      | 20-40                  | B2               | 5.12                            | 82.49                                      |
| G54      | 4696 | Pinus sylvestris Scots pine         | 250       | 1     | 14          | 1.0           | 1.0 | 1.0 | 1.0 | 0                             | 9        | M         | Fair                    | Average condition                                     | Nil                    | N/A      | 20-40                  | B2               | 3.00                            | 28.28                                      |
| G54      | 4697 | Pinus sylvestris Scots pine         | 333       | 1     | 13          | 0.0           | 1.0 | 0.0 | 6.0 | 0                             | 8        | M         | Fair                    | Average condition                                     | Nil                    | N/A      | 20-40                  | B2               | 4.00                            | 50.17                                      |
| G54      | 4698 | Larix eurolepis Larch               | 461       | 1     | 16          | 1.0           | 4.0 | 4.0 | 6.0 | 0                             | 6        | M         | Fair                    | Average condition                                     | Nil                    | N/A      | 20-40                  | B2               | 5.53                            | 96.15                                      |
| G54      | 4699 | Larix eurolepis Larch               | 335       | 1     | 11          | 1.0           | 2.0 | 5.0 | 1.0 | 0                             | 5        | M         | Fair                    | Average condition                                     | Nil                    | N/A      | 20-40                  | B2               | 4.02                            | 50.78                                      |
| G54      | 4700 | Larix eurolepis Larch               | 350       | 1     | 14          | 2.0           | 2.0 | 4.0 | 2.0 | 0                             | 7        | M         | Fair                    | Average condition                                     | Nil                    | N/A      | 20-40                  | B2               | 4.20                            | 55.42                                      |
| G54      | 4701 | Pinus sylvestris Scots pine         | 346       | 1     | 15          | 2.0           | 2.0 | 3.0 | 2.0 | 0                             | 10       | M         | Fair                    | Average condition                                     | Nil                    | N/A      | 20-40                  | B2               | 4.15                            | 54.17                                      |
| G54      | 4702 | Pinus sylvestris Scots pine         | 341       | 1     | 15          | 2.0           | 2.0 | 4.0 | 1.0 | 0                             | 7        | M         | Fair                    | Average condition                                     | Nil                    | N/A      | 20-40                  | B2               | 4.09                            | 52.61                                      |
| G54      | 4704 | Pinus sylvestris Scots pine         | 367       | 1     | 15          | 3.0           | 1.0 | 3.0 | 4.0 | 0                             | 10       | M         | Fair                    | Average condition                                     | Nil                    | N/A      | 20-40                  | B2               | 4.40                            | 60.94                                      |
| G54      | 4705 | Larix eurolepis Larch               | 293       | 1     | 14          | 2.0           | 1.0 | 5.0 | 1.0 | 0                             | 6        | M         | Fair                    | Leaning to e  | Nil                    | N/A      | 20-40                  | B2               | 3.52                            | 38.84                                      |
| G54      | 4706 | Pinus sylvestris Scots pine         | 306       | 1     | 12          | 4.0           | 1.0 | 1.0 | 5.0 | 0                             | 6        | M         | Fair                    | Apical dominance finished                             | Nil                    | N/A      | 20-40                  | B2               | 3.67                            | 42.37                                      |
| G54      | 4707 | Larix eurolepis Larch               | 306       | 1     | 11          | 2.0           | 1.0 | 6.0 | 2.0 | 0                             | 7        | M         | Fair                    | Average condition                                     | Nil                    | N/A      | 20-40                  | B2               | 3.67                            | 42.37                                      |
| G54      | 4708 | Pinus sylvestris Scots pine         | 272       | 1     | 15          | 1.0           | 2.0 | 3.0 | 3.0 | 0                             | 10       | M         | Fair                    | Average condition                                     | Nil                    | N/A      | 20-40                  | B2               | 3.26                            | 33.47                                      |
| G54      | 4710 | Pinus sylvestris Scots pine         | 491       | 1     | 16          | 3.0           | 3.0 | 5.0 | 1.0 | 0                             | 8        | M         | Fair                    | Forked at 11m   | Nil                    | N/A      | 20-40                  | B2               | 5.89                            | 109.08                                     |
| G54      | 4711 | Pinus sylvestris Scots pine         | 355       | 1     | 16          | 2.0           | 2.0 | 1.0 | 2.0 | 0                             | 7        | M         | Fair                    | Average condition                                     | Nil                    | N/A      | 20-40                  | B2               | 4.26                            | 57.02                                      |
| G54      | 4714 | Larix eurolepis Larch               | 304       | 1     | 15          | 1.0           | 2.0 | 1.0 | 6.0 | 0                             | 7        | M         | Fair                    | Average condition                                     | Nil                    | N/A      | 20-40                  | B2               | 3.65                            | 41.81                                      |
| G54      | 4717 | Larix eurolepis Larch               | 354       | 1     | 15          | 3.0           | 2.0 | 5.0 | 2.0 | 0                             | 9        | M         | Fair                    | Average condition                                     | Nil                    | N/A      | 20-40                  | B2               | 4.25                            | 56.70                                      |
| G54      | 4720 | Pinus sylvestris Scots pine         | 275       | 1     | 15          | 2.0           | 2.0 | 2.0 | 2.0 | 0                             | 10       | M         | Fair                    | Average condition                                     | Nil                    | N/A      | 20-40                  | B2               | 3.30                            | 34.22                                      |
| G54      | 4721 | Pinus sylvestris Scots pine         | 251       | 1     | 14          | 2.0           | 2.0 | 2.0 | 1.0 | 0                             | 8        | M         | Fair                    | Average condition                                     | Nil                    | N/A      | 20-40                  | B2               | 3.01                            | 28.50                                      |
| G54      | 4722 | Pinus sylvestris Scots pine         | 327       | 1     | 12          | 4.0           | 1.0 | 1.0 | 6.0 | 0                             | 5        | M         | Fair                    | Average condition                                     | Nil                    | N/A      | 20-40                  | B2               | 3.92                            | 48.38                                      |
| G54      | 4723 | Pinus sylvestris Scots pine         | 329       | 1     | 15          | 2.0           | 2.0 | 2.0 | 2.0 | 0                             | 6        | M         | Fair                    | Average condition                                     | Nil                    | N/A      | 20-40                  | B2               | 3.95                            | 48.97                                      |
| G54      | 4725 | Pinus sylvestris Scots pine         | 387       | 1     | 15          | 4.0           | 1.0 | 3.0 | 3.0 | 0                             | 9        | M         | Fair                    | Average condition                                     | Nil                    | N/A      | 20-40                  | B2               | 4.64                            | 67.76                                      |
| G54      | 4726 | Pinus sylvestris Scots pine         | 229       | 1     | 10          | 1.0           | 1.0 | 1.0 | 1.0 | 1                             | 6        | M         | Fair                    | Average condition                                     | Nil                    | N/A      | 20-40                  | B2               | 2.75                            | 23.73                                      |
| G54      | 4727 | Larix eurolepis Larch               | 326       | 1     | 14          | 2.0           | 3.0 | 2.0 | 2.0 | 0                             | 5        | M         | Fair                    | Ivy clad stem   | Nil                    | N/A      | 20-40                  | B2               | 3.91                            | 48.08                                      |
| G54      | 4728 | Pinus sylvestris Scots pine         | 308       | 1     | 14          | 2.0           | 2.0 | 0.0 | 2.0 | 0                             | 7        | M         | Fair                    | Average condition                                     | Nil                    | N/A      | 20-40                  | B2               | 3.70                            | 42.92                                      |
| G54      | 4730 | Pinus sylvestris Scots pine         | 319       | 1     | 13          | 0.0           | 2.0 | 0.0 | 3.0 | 0                             | 6        | M         | Fair                    | Ivy clad stem   | Nil                    | N/A      | 20-40                  | B2               | 3.83                            | 46.04                                      |
| G54      | 4731 | Larix eurolepis Larch               | 313       | 1     | 14          | 3.0           | 2.0 | 4.0 | 1.0 | 0                             | 6        | M         | Fair                    | Ivy clad stem   | Nil                    | N/A      | 20-40                  | B2               | 3.76                            | 44.33                                      |
| G54      | 4732 | Larix eurolepis Larch               | 365       | 1     | 13          | 3.0           | 1.0 | 1.0 | 4.0 | 0                             | 5        | M         | Fair                    | Ivy clad stem   | Nil                    | N/A      | 20-40                  | B2               | 4.38                            | 60.28                                      |
| G54      | 4733 | Larix eurolepis Larch               | 352       | 1     | 14          | 3.0           | 3.0 | 5.0 | 1.0 | 0                             | 3        | M         | Fair                    | Ivy clad stem   | Nil                    | N/A      | 20-40                  | B2               | 4.22                            | 56.06                                      |
| G54      | 4734 | Pinus sylvestris Scots pine         | 259       | 1     | 12          | 1.0           | 1.0 | 4.0 | 0.0 | 0                             | 6        | M         | Fair                    | Average condition                                     | Nil                    | N/A      | 20-40                  | B2               | 3.11                            | 30.35                                      |
| G54      | 4735 | Larix eurolepis Larch               | 404       | 1     | 14          | 2.0           | 2.0 | 1.0 | 5.0 | 0                             | 3        | M         | Fair                    | Ivy clad stem   | Nil                    | N/A      | 20-40                  | B2               | 4.85                            | 73.85                                      |
| G54      | 4736 | Larix eurolepis Larch               | 405       | 1     | 14          | 2.0           | 2.0 | 5.0 | 1.0 | 0                             | 4        | M         | Fair                    | Ivy clad stem   | Nil                    | N/A      | 20-40                  | B2               | 4.86                            | 74.21                                      |
| G54      | 4737 | Larix eurolepis Larch               | 379       | 1     | 15          | 1.0           | 2.0 | 2.0 | 4.0 | 0                             | 9        | M         | Fair                    | Ivy clad stem   | Nil                    | N/A      | 20-40                  | B2               | 4.55                            | 64.99                                      |
| G54      | 4738 | Pinus sylvestris Scots pine         | 345       | 1     | 15          | 2.0           | 1.0 | 2.0 | 4.0 | 0                             | 6        | M         | Fair                    | Ivy clad stem   | Nil                    | N/A      | 20-40                  | B2               | 4.14                            | 53.85                                      |
| G54      | 4740 | Larix eurolepis Larch               | 320       | 1     | 14          | 1.0           | 1.0 | 2.0 | 4.0 | 0                             | 9        | M         | Fair                    | Ivy clad stem   | Nil                    | N/A      | 20-40                  | B2               | 3.84                            | 46.33                                      |

**TOTAL CATEGORY B TREES Heyford Park Nicholson's Tree Survey November 2006**

| Group No | Tag  | Species (Botanical)                 | Diam (mm) | Stems | Ht m. (est) | Branch Spread |     |     |     | Increase in canopy radius (m) | Crown Ht | Age Class | Physiological Condition | Structural Condition                       | Preliminary Management             | Priority | Remaining Contribution | Category Grading | Root Protection Zone Radius (m) | Root Protection zone (m2). Capped at 707m2 |
|----------|------|-------------------------------------|-----------|-------|-------------|---------------|-----|-----|-----|-------------------------------|----------|-----------|-------------------------|--|------------------------------------|----------|------------------------|------------------|---------------------------------|--|
|          |      |                                     |           |       |             | N             | S   | E   | W   |                               |          |           |                         |  |                                    |          |                        |                  |                                 |  |
| G54      | 4741 | Pinus sylvestris Scots pine         | 336       | 1     | 11          | 2.0           | 1.0 | 0.0 | 4.0 | 0                             | 4        | M         | Fair                    | Ivy clad stem                              | Nil                                | N/A      | 20-40                  | B2               | 4.03                            | 51.08                                      |
| G54      | 4742 | Larix eurolepis Larch               | 438       | 1     | 15          | 3.0           | 3.0 | 5.0 | 2.0 | 0                             | 6        | M         | Fair                    | Average condition                          | Nil                                | N/A      | 20-40                  | B2               | 5.26                            | 86.80                                      |
| G54      | 4744 | Pinus sylvestris Scots pine         | 277       | 1     | 15          | 1.0           | 1.0 | 2.0 | 4.0 | 0                             | 8        | M         | Fair                    | Average condition                          | Nil                                | N/A      | 20-40                  | B2               | 3.32                            | 34.72                                      |
| G54      | 4745 | Larix eurolepis Larch               | 359       | 1     | 16          | 4.0           | 1.0 | 4.0 | 4.0 | 0                             | 5        | M         | Fair                    | Average condition                          | Nil                                | N/A      | 20-40                  | B2               | 4.31                            | 58.31                                      |
| G54      | 4746 | Pinus sylvestris Scots pine         | 327       | 1     | 15          | 3.0           | 1.0 | 2.0 | 4.0 | 0                             | 7        | M         | Fair                    | Average condition                          | Nil                                | N/A      | 20-40                  | B2               | 3.92                            | 48.38                                      |
| G54      | 4748 | Larix eurolepis Larch               | 386       | 1     | 16          | 1.0           | 3.0 | 3.0 | 4.0 | 0                             | 7        | M         | Fair                    | Average condition                          | Nil                                | N/A      | 20-40                  | B2               | 4.63                            | 67.41                                      |
| G54      | 4749 | Larix eurolepis Larch               | 305       | 1     | 15          | 2.0           | 1.0 | 2.0 | 3.0 | 0                             | 7        | M         | Fair                    | stem canker at 4.0s                        | Nil                                | N/A      | 20-40                  | B2               | 3.66                            | 42.09                                      |
| G54      | 4751 | Pinus sylvestris Scots pine         | 257       | 1     | 14          | 1.0           | 1.0 | 3.0 | 1.0 | 0                             | 7        | M         | Fair                    | Average condition                          | Nil                                | N/A      | 20-40                  | B2               | 3.08                            | 29.88                                      |
| G54      | 4752 | Larix eurolepis Larch               | 300       | 1     | 14          | 1.0           | 1.0 | 3.0 | 3.0 | 0                             | 6        | M         | Fair                    | Average condition                          | Nil                                | N/A      | 20-40                  | B2               | 3.60                            | 40.72                                      |
| G54      | 4753 | Larix eurolepis Larch               | 450       | 1     | 15          | 3.0           | 2.0 | 6.0 | 5.0 | 0                             | 4        | M         | Fair                    | Ivy clad stem                              | Nil                                | N/A      | 20-40                  | B2               | 5.40                            | 91.62                                      |
| G54      | 4767 | Larix eurolepis Larch               | 324       | 1     | 15          | 2.0           | 2.0 | 4.0 | 3.0 | 0                             | 7        | M         | Fair                    | Average condition                          | Nil                                | N/A      | 20-40                  | B2               | 3.89                            | 47.50                                      |
| G54      | 4768 | Larix eurolepis Larch               | 290       | 1     | 12          | 1.0           | 2.0 | 5.0 | 1.0 | 0                             | 6        | M         | Fair                    | Average condition                          | Nil                                | N/A      | 20-40                  | B2               | 3.48                            | 38.05                                      |
| G54      | 4769 | Pinus sylvestris Scots pine         | 346       | 1     | 14          | 2.0           | 2.0 | 5.0 | 0.0 | 0                             | 8        | M         | Fair                    | Average condition                          | Nil                                | N/A      | 20-40                  | B2               | 4.15                            | 54.17                                      |
| G54      | 4771 | Larix eurolepis Larch               | 265       | 1     | 14          | 2.0           | 2.0 | 5.0 | 1.0 | 0                             | 4        | M         | Fair                    | Stem kinks at 8                            | Nil                                | N/A      | 20-40                  | B2               | 3.18                            | 31.77                                      |
| G54      | 4772 | Pinus sylvestris Scots pine         | 311       | 1     | 13          | 1.0           | 1.0 | 5.0 | 0.0 | 0                             | 8        | M         | Fair                    | Leaning to e                               | Nil                                | N/A      | 20-40                  | B2               | 3.73                            | 43.76                                      |
| G54      | 4774 | Larix eurolepis Larch               | 381       | 1     | 15          | 2.0           | 2.0 | 5.0 | 5.0 | 0                             | 6        | M         | Fair                    | Average condition                          | Nil                                | N/A      | 20-40                  | B2               | 4.57                            | 65.68                                      |
| G54      | 4775 | Larix eurolepis Larch               | 414       | 1     | 15          | 2.0           | 2.0 | 5.0 | 4.0 | 0                             | 5        | M         | Fair                    | Average condition                          | Nil                                | N/A      | 20-40                  | B2               | 4.97                            | 77.55                                      |
| G54      | 4776 | Pinus sylvestris Scots pine         | 236       | 1     | 15          | 1.0           | 1.0 | 2.0 | 2.0 | 0                             | 10       | M         | Fair                    | Average condition                          | Nil                                | N/A      | 20-40                  | B2               | 2.83                            | 25.20                                      |
| G54      | 4777 | Larix eurolepis Larch               | 390       | 1     | 15          | 2.0           | 2.0 | 5.0 | 1.0 | 0                             | 6        | M         | Fair                    | Average condition                          | Nil                                | N/A      | 20-40                  | B2               | 4.68                            | 68.82                                      |
| G54      | 4778 | Larix eurolepis Larch               | 294       | 1     | 15          | 2.0           | 2.0 | 4.0 | 4.0 | 0                             | 6        | M         | Fair                    | Average condition                          | Nil                                | N/A      | 20-40                  | B2               | 3.53                            | 39.11                                      |
| G62      | 4780 | Quercus rubra Red oak               | 169       | 1     | 5           | 3.5           | 3.5 | 3.5 | 3.5 | 3                             | 1.5      | SM        | Fair                    | Wound damage to stem at 0.5 m              | None                               | N/A      | 40+                    | B2               | 2.03                            | 12.92                                      |
| G70      | 4835 | Fraxinus excelsior Ash              | 411       | 1     | 13          | 4.0           | 5.0 | 4.0 | 4.0 | 2                             | 4        | M         | Fair                    | Average condition                          | Nil                                | N/A      | 40+                    | B2               | 4.93                            | 76.43                                      |
| G70      | 4838 | Pinus sylvestris Scots pine         | 749       | 1     | 15          | 5.0           | 6.0 | 3.0 | 4.0 | 0                             | 5        | M         | Fair                    | Ivy clad stem                              | Sever ivy and reinspect            | P        | 20-40                  | B2               | 8.99                            | 253.82                                     |
| G70      | 4839 | Pinus sylvestris Scots pine         | 396       | 1     | 13          | 2.0           | 4.0 | 6.0 | 1.0 | 0                             | 9        | M         | Fair                    | Ivy clad stem                              | Sever ivy and reinspect            | P        | 20-40                  | B2               | 4.75                            | 70.95                                      |
| G70      | 4841 | Pinus sylvestris Scots pine         | 378       | 1     | 12          | 1.0           | 2.0 | 2.0 | 3.0 | 0                             | 5        | M         | Fair                    | Ivy clad stem                              | Sever ivy and reinspect            | P        | 20-40                  | B2               | 4.54                            | 64.65                                      |
| G70      | 4843 | Pinus sylvestris Scots pine         | 500       | 1     | 14          | 2.0           | 4.0 | 3.0 | 3.0 | 0                             | 6        | M         | Fair                    | Ivy clad stem                              | Sever ivy and reinspect            | P        | 20-40                  | B2               | 6.00                            | 113.11                                     |
| G70      | 4844 | Pinus sylvestris Scots pine         | 573       | 1     | 15          | 3.0           | 3.0 | 3.0 | 3.0 | 0                             | 8        | M         | Fair                    | Ivy clad stem                              | Sever ivy and reinspect            | P        | 20-40                  | B2               | 6.88                            | 148.55                                     |
| G70      | 4848 | Acer pseudoplatanus Sycamore        | 407       | 1     | 13          | 5.0           | 5.0 | 5.0 | 5.0 | 2                             | 5        | M         | Fair                    | Average condition                          | Nil                                | N/A      | 40+                    | B2               | 4.88                            | 74.95                                      |
| G70      | 4849 | Pinus sylvestris Scots pine         | 475       | 1     | 14          | 4.0           | 4.0 | 4.0 | 4.0 | 0                             | 6        | M         | Fair                    | Ivy clad stem                              | Sever ivy and reinspect            | P        | 20-40                  | B2               | 5.70                            | 102.08                                     |
| G70      | 4857 | Fraxinus excelsior Ash              | 587       | 1     | 14          | 6.0           | 6.0 | 6.0 | 6.0 | 1                             | 5        | M         | Fair                    | Average condition                          | Nil                                | N/A      | 40+                    | B2               | 7.04                            | 155.90                                     |
| G70      | 4859 | Pinus sylvestris Scots pine         | 585       | 1     | 15          | 3.0           | 4.0 | 4.0 | 5.0 | 0                             | 8        | M         | Fair                    | Average condition                          | Nil                                | N/A      | 20-40                  | B2               | 7.02                            | 154.84                                     |
| G70      | 4862 | Pinus sylvestris Scots pine         | 609       | 1     | 14          | 5.0           | 2.0 | 3.0 | 4.0 | 0                             | 6        | M         | Fair                    | Average condition                          | Nil                                | N/A      | 20-40                  | B2               | 7.31                            | 167.80                                     |
| G95      | 5057 | Sorbus intermedia Swedish Whitebeam | 676       | 1     | 10          | 4.0           | 5.0 | 4.0 | 4.0 | 0                             | 2        | M         | Fair                    | Vehicle damage                             | Crown clean, lift statutory height | P        | 10-20                  | B2               | 8.11                            | 206.76                                     |
| G95      | 5059 | Sorbus intermedia Swedish Whitebeam | 635       | 1     | 10          | 4.0           | 4.0 | 3.0 | 4.0 | 0                             | 2        | M         | Good                    | No visible defects                         | None                               | N/A      | 10-20                  | B2               | 7.62                            | 182.44                                     |
| G96      | 5062 | Fraxinus excelsior Ash              | 149       | 1     | 7           | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 2.5      | SM        | Fair                    | Bark stripped south                        | None                               | N/A      | 40+                    | B2               | 1.79                            | 10.04                                      |
| G96      | 5064 | Fraxinus excelsior Ash              | 110       | 1     | 6           | 1.0           | 1.0 | 1.0 | 1.0 | 3                             | 2.5      | SM        | Fair                    | No visible defects                         | None                               | N/A      | 40+                    | B2               | 1.32                            | 5.47                                       |
| G96      | 5065 | Fraxinus excelsior Ash              | 131       | 1     | 6           | 2.0           | 2.0 | 2.0 | 1.0 | 3                             | 2.5      | SM        | Good                    | No visible defects                         | None                               | N/A      | 40+                    | B2               | 1.57                            | 7.76                                       |
| G97      | 5066 | Fraxinus excelsior Ash              | 137       | 1     | 8           | 2.0           | 2.0 | 2.0 | 2.0 | 4                             | 3.5      | SM        | Fair                    | No visible defects                         | None                               | N/A      | 40+                    | B2               | 1.64                            | 8.49                                       |
| G97      | 5067 | Fraxinus excelsior Ash              | 195       | 1     | 7           | 2.0           | 2.0 | 2.0 | 2.0 | 2.5                           | 3        | SM        | Good                    | Bark wounds                                | None                               | N/A      | 40+                    | B2               | 2.34                            | 17.20                                      |
| G97      | 5068 | Fraxinus excelsior Ash              | 177       | 1     | 7           | 4.0           | 3.0 | 3.0 | 3.0 | 2.5                           | 3        | SM        | Good                    | No visible defects                         | None                               | N/A      | 40+                    | B2               | 2.12                            | 14.17                                      |
| G97      | 5070 | Crataegus monogyna Hawthorn         | 211       | 1     | 5           | 2.5           | 2.5 | 2.5 | 2.5 | 1                             | 2        | M         | Good                    | No visible defects                         | None                               | N/A      | 20-40                  | B2               | 2.53                            | 20.14                                      |
| G98      | 5076 | Acer pseudoplatanus Sycamore        | 210       | 1     | 7           | 2.5           | 2.5 | 2.5 | 2.5 | 3                             | 2        | M         | Good                    | No visible defects                         | None                               | N/A      | 40+                    | B2               | 2.52                            | 19.95                                      |
| G98      | 5077 | Acer platanoides Norway maple       | 110       | 1     | 6           | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 2.5      | SM        | Good                    | No visible defects                         | None                               | N/A      | 40+                    | B2               | 1.32                            | 5.47                                       |
| G98      | 5078 | Acer platanoides Norway maple       | 162       | 1     | 6           | 1.0           | 2.0 | 2.0 | 2.0 | 3                             | 3        | M         | Good                    | Lowest limb, tight fork and included bark  | Remove low limb                    | P        | 40+                    | B2               | 1.94                            | 11.87                                      |
| G98      | 5079 | Acer platanoides Norway maple       | 181       | 1     | 6.5         | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 2.5      | M         | Good                    | No visible defects                         | None                               | N/A      | 40+                    | B2               | 2.17                            | 14.82                                      |
| G98      | 5080 | Acer platanoides Norway maple       | 181       | 1     | 7           | 2.0           | 2.0 | 2.0 | 1.0 | 2                             | 2.5      | M         | Good                    | No visible defects                         | None                               | N/A      | 40+                    | B2               | 2.17                            | 14.82                                      |
| G106     | 5109 | Acer platanoides Norway maple       | 352       | 1     | 13          | 3.0           | 4.0 | 4.0 | 3.0 | 2                             | 1.5      | M         | Good                    | No visible defects                         | Lift roadside to statutory height  | P        | 20-40                  | B2               | 4.22                            | 56.06                                      |
| G106     | 5110 | Acer platanoides Norway maple       | 284       | 1     | 13          | 2.0           | 4.0 | 3.0 | 3.0 | 2                             | 1.5      | M         | Good                    | Tight forks with included bark             | Nil                                | N/A      | 20-40                  | B2               | 3.41                            | 36.49                                      |
| G106     | 5112 | Acer platanoides Norway maple       | 350       | 1     | 14          | 4.0           | 3.0 | 4.0 | 3.0 | 2                             | 1.5      | M         | Good                    | Minor vehicle branch damage (north)        | Crown lift roadside                | P        | 20-40                  | B2               | 4.20                            | 55.42                                      |
| G106     | 5113 | Acer platanoides Norway maple       | 293       | 1     | 13          | 3.0           | 2.0 | 3.0 | 3.0 | 2                             | 1.5      | M         | Good                    | Minor stem bark, damage/tight fork at 1.8m | Crown lift roadside                | P        | 20-40                  | B2               | 3.52                            | 38.84                                      |
| G106     | 5114 | Acer platanoides Norway maple       | 235       | 1     | 8           | 3.0           | 3.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects                         | Crown lift roadside                | P        | 20-40                  | B2               | 2.82                            | 24.99                                      |
| G106     | 5115 | Acer platanoides Norway maple       | 318       | 1     | 9           | 4.0           | 3.0 | 3.0 | 3.0 | 2                             | 2        | M         | Good                    | No visible defects                         | Crown lift roadside                | P        | 20-40                  | B2               | 3.82                            | 45.75                                      |
| G106     | 5116 | Acer platanoides Norway maple       | 302       | 1     | 9           | 3.0           | 3.0 | 3.0 | 3.0 | 2                             | 2        | M         | Good                    | Tight forks including bark                 | Lift roadside                      | P        | 20-40                  | B2               | 3.62                            | 41.27                                      |
| G107     | 5117 | Sorbus intermedia Swedish Whitebeam | 284       | 1     | 6           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 2        | M         | Good                    | No visible defects                         | Minor crown lift                   | P        | 20-40                  | B2               | 3.41                            | 36.49                                      |
| G107     | 5118 | Sorbus intermedia Swedish Whitebeam | 238       | 1     | 6           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 2        | M         | Good                    | No visible defects                         | Minor crown lift                   | P        | 20-40                  | B2               | 2.86                            | 25.63                                      |
| G107     | 5119 | Sorbus intermedia Swedish Whitebeam | 271       | 1     | 6           | 2.5           | 2.0 | 2.0 | 2.0 | 1                             | 2        | M         | Good                    | No visible defects                         | Minor crown lift                   | P        | 20-40                  | B2               | 3.25                            | 33.23                                      |
| G107     | 5120 | Sorbus intermedia Swedish Whitebeam | 237       | 1     | 6           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 2        | M         | Good                    | No visible defects                         | Minor crown lift                   | P        | 20-40                  | B2               | 2.84                            | 25.41                                      |
| G107     | 5121 | Sorbus intermedia Swedish Whitebeam | 316       | 1     | 6           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 2        | M         | Good                    | No visible defects                         | Minor crown lift                   | P        | 20-40                  | B2               | 3.79                            | 45.18                                      |
| G107     | 5122 | Sorbus intermedia Swedish Whitebeam | 251       | 1     | 6           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 2        | M         | Good                    | No visible defects                         | Minor crown lift                   | P        | 20-40                  | B2               | 3.01                            | 28.50                                      |
| G107     | 5123 | Sorbus intermedia Swedish Whitebeam | 212       | 1     | 5           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 2        | M         | Fair                    | No visible defects                         | Minor crown lift                   | P        | 20-40                  | B2               | 2.54                            | 20.33                                      |



**TOTAL CATEGORY B TREES Heyford Park Nicholson's Tree Survey November 2006**

| Group No | Tag  | Species (Botanical)                   | Diam (mm) | Stems | Ht m. (est) | Branch Spread |     |     |     | Increase in canopy radius (m) | Crown Ht | Age Class | Physiological Condition | Structural Condition                               | Preliminary Management      | Priority | Remaining Contribution | Category Grading | Root Protection Zone Radius (m) | Root Protection zone (m2). Capped at 707m2 |
|----------|------|---------------------------------------|-----------|-------|-------------|---------------|-----|-----|-----|-------------------------------|----------|-----------|-------------------------|--|-----------------------------|----------|------------------------|------------------|---------------------------------|--|
|          |      |                                       |           |       |             | N             | S   | E   | W   |                               |          |           |                         |  |                             |          |                        |                  |                                 |  |
| G107     | 5124 | Sorbus domestica Bastard service tree | 228       | 1     | 6           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 2.5      | M         | Good                    | No visible defects                                 | Nil                         | N/A      | 20-40                  | B2               | 2.74                            | 23.52                                      |
| G107     | 5125 | Sorbus intermedia Swedish Whitebeam   | 240       | 1     | 6           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 2        | M         | Fair                    | No visible defects                                 | Minor crown lift            | P        | 20-40                  | B2               | 2.88                            | 26.06                                      |
| G107     | 5126 | Sorbus intermedia Swedish Whitebeam   | 256       | 1     | 6           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 2        | M         | Good                    | No visible defects                                 | Minor crown lift            | P        | 20-40                  | B2               | 3.07                            | 29.65                                      |
| G107     | 5127 | Sorbus intermedia Swedish Whitebeam   | 233       | 1     | 6           | 2.5           | 2.5 | 2.5 | 2.5 | 2                             | 2        | M         | Fair                    | No visible defects                                 | Minor crown lift            | P        | 20-40                  | B2               | 2.80                            | 24.56                                      |
| G107     | 5128 | Sorbus intermedia Swedish Whitebeam   | 241       | 1     | 6           | 2.5           | 2.5 | 2.5 | 2.5 | 2                             | 2        | M         | Fair                    | No visible defects                                 | Minor crown lift            | P        | 20-40                  | B2               | 2.89                            | 26.28                                      |
| G108     | 5129 | Acer platanoides Norway maple         | 224       | 1     | 7           | 3.0           | 3.0 | 4.0 | 3.0 | 2                             | 2.5      | M         | Good                    | No visible defects                                 | Nil                         | N/A      | 20-40                  | B2               | 2.69                            | 22.70                                      |
| G108     | 5130 | Acer platanoides Norway maple         | 299       | 1     | 7           | 4.0           | 5.0 | 4.0 | 4.0 | 2                             | 1        | M         | Good                    | No visible defects                                 | Crown lift by 1.5 m         | P        | 20-40                  | B2               | 3.59                            | 40.45                                      |
| G108     | 5132 | Acer platanoides Norway maple         | 324       | 1     | 7           | 4.0           | 4.0 | 4.0 | 3.0 | 2                             | 2.5      | M         | Good                    | Included bark/weak branch                          | Crown clean                 | P        | 20-40                  | B2               | 3.89                            | 47.50                                      |
| G108     | 5133 | Acer platanoides Norway maple         | 227       | 1     | 7           | 3.0           | 3.0 | 3.0 | 3.0 | 2                             | 2        | M         | Good                    | No visible defects                                 | Crown lift roadside         | P        | 20-40                  | B2               | 2.72                            | 23.31                                      |
| G108     | 5134 | Acer platanoides Norway maple         | 314       | 1     | 7           | 4.0           | 4.0 | 4.0 | 4.0 | 2                             | 2.8      | M         | Good                    | No visible defects                                 | Crown lift roadside         | P        | 20-40                  | B2               | 3.77                            | 44.61                                      |
| G109     | 5135 | Acer pseudoplatanus Sycamore          | 344       | 1     | 7           | 4.0           | 3.0 | 3.0 | 3.0 | 3                             | 3        | M         | Good                    | No visible defects                                 | None                        | N/A      | 20-40                  | B2               | 4.13                            | 53.54                                      |
| G109     | 5138 | Acer platanoides Norway maple         | 238       | 1     | 6           | 3.0           | 3.0 | 3.0 | 3.0 | 2                             | 2        | M         | Good                    | No visible defects                                 | None                        | N/A      | 20-40                  | B2               | 2.86                            | 25.63                                      |
| G110     | 5141 | Sorbus intermedia Swedish Whitebeam   | 191       | 1     | 4           | 2.5           | 2.5 | 2.0 | 2.0 | 1                             | 1.5      | M         | Fair                    | Minor bark stem wounds                             | Lift over road              | P        | 20-40                  | B2               | 2.29                            | 16.51                                      |
| G110     | 5142 | Sorbus intermedia Swedish Whitebeam   | 178       | 1     | 4           | 2.5           | 2.5 | 2.0 | 2.0 | 1                             | 1.5      | M         | Fair                    | No visible defects                                 | Lift over road              | P        | 20-40                  | B2               | 2.14                            | 14.34                                      |
| G110     | 5143 | Sorbus intermedia Swedish Whitebeam   | 204       | 1     | 4           | 2.5           | 2.5 | 2.0 | 2.0 | 1                             | 1.5      | M         | Good                    | Minor bark wound                                   | Lift over road              | P        | 20-40                  | B2               | 2.45                            | 18.83                                      |
| G110     | 5144 | Sorbus intermedia Swedish Whitebeam   | 157       | 1     | 4           | 2.5           | 2.5 | 2.0 | 2.0 | 1                             | 1.5      | M         | Fair                    | No visible defects                                 | Lift over road              | P        | 20-40                  | B2               | 1.88                            | 11.15                                      |
| G110     | 5145 | Sorbus intermedia Swedish Whitebeam   | 203       | 1     | 4           | 2.5           | 2.5 | 2.0 | 2.0 | 1                             | 1.5      | M         | Fair                    | No visible defects                                 | Lift over road              | P        | 20-40                  | B2               | 2.44                            | 18.64                                      |
| G110     | 5146 | Sorbus intermedia Swedish Whitebeam   | 222       | 1     | 4           | 2.5           | 2.5 | 2.0 | 2.0 | 1                             | 1.5      | M         | Fair                    | No visible defects                                 | Lift over road              | P        | 20-40                  | B2               | 2.66                            | 22.30                                      |
| G110     | 5147 | Sorbus intermedia Swedish Whitebeam   | 195       | 1     | 4           | 2.5           | 2.5 | 2.0 | 2.0 | 1                             | 1.5      | M         | Fair                    | No visible defects                                 | Lift over road              | P        | 20-40                  | B2               | 2.34                            | 17.20                                      |
| G110     | 5148 | Sorbus intermedia Swedish Whitebeam   | 215       | 1     | 4           | 2.5           | 2.5 | 2.0 | 2.0 | 1                             | 1.5      | M         | Fair                    | No visible defects                                 | Lift over road              | P        | 20-40                  | B2               | 2.58                            | 20.91                                      |
| G110     | 5149 | Sorbus intermedia Swedish Whitebeam   | 190       | 1     | 4           | 2.5           | 2.5 | 2.0 | 2.0 | 1                             | 1.5      | M         | Fair                    | Minor stem bark                                    | Lift over road              | P        | 20-40                  | B2               | 2.28                            | 16.33                                      |
| G110     | 5150 | Sorbus intermedia Swedish Whitebeam   | 195       | 1     | 4           | 2.5           | 2.5 | 2.0 | 2.0 | 1                             | 1.5      | M         | Fair                    | Minor stem bark                                    | Lift over road              | P        | 20-40                  | B2               | 2.34                            | 17.20                                      |
| G110     | 5151 | Sorbus intermedia Swedish Whitebeam   | 181       | 1     | 4           | 2.5           | 2.5 | 2.0 | 2.0 | 1                             | 1.5      | M         | Good                    | Minor stem bark                                    | Lift over road              | P        | 20-40                  | B2               | 2.17                            | 14.82                                      |
| G110     | 5152 | Sorbus intermedia Swedish Whitebeam   | 197       | 1     | 4           | 2.5           | 2.5 | 2.0 | 2.0 | 1                             | 1.5      | M         | Fair                    | Minor stem bark                                    | Lift over road              | P        | 20-40                  | B2               | 2.36                            | 17.56                                      |
| G110     | 5153 | Sorbus intermedia Swedish Whitebeam   | 214       | 1     | 4           | 2.5           | 2.5 | 2.0 | 2.0 | 1                             | 1.5      | M         | Fair                    | Minor stem bark                                    | Lift over road              | P        | 20-40                  | B2               | 2.57                            | 20.72                                      |
| G110     | 5154 | Sorbus intermedia Swedish Whitebeam   | 227       | 1     | 4           | 2.5           | 2.5 | 2.0 | 2.0 | 1                             | 1.5      | M         | Fair                    | Minor stem bark                                    | Lift over road              | P        | 20-40                  | B2               | 2.72                            | 23.31                                      |
| G110     | 5155 | Sorbus intermedia Swedish Whitebeam   | 240       | 1     | 4           | 2.5           | 2.5 | 2.0 | 2.0 | 1                             | 1.5      | M         | Fair                    | Minor stem bark wounds                             | Lift over road              | P        | 20-40                  | B2               | 2.88                            | 26.06                                      |
| G111     | 5156 | Acer platanoides Norway maple         | 283       | 1     | 8           | 3.0           | 4.0 | 4.0 | 4.0 | 1                             | 2        | M         | Good                    | No visible defects                                 | None                        | N/A      | 20-40                  | B2               | 3.40                            | 36.24                                      |
| G111     | 5157 | Acer platanoides Norway maple         | 308       | 1     | 8           | 4.0           | 3.0 | 4.0 | 4.0 | 3                             | 2        | M         | Good                    | Tight fork/include bark at 2 m                     | None                        | N/A      | 20-40                  | B2               | 3.70                            | 42.92                                      |
| G111     | 5158 | Acer platanoides Norway maple         | 310       | 1     | 8           | 3.0           | 4.0 | 4.0 | 3.0 | 3                             | 2        | M         | Good                    | Tight fork/include bark Minor dead wood            | Crown clean                 | P        | 20-40                  | B2               | 3.72                            | 43.48                                      |
| G111     | 5160 | Acer platanoides Norway maple         | 202       | 1     | 7           | 3.0           | 2.0 | 3.0 | 2.0 | 3                             | 2.5      | M         | Good                    | No visible defects                                 | None                        | N/A      | 20-40                  | B2               | 2.42                            | 18.46                                      |
| G111     | 5161 | Acer platanoides Norway maple         | 212       | 1     | 7           | 2.0           | 3.0 | 3.0 | 2.0 | 3                             | 2        | M         | Good                    | Basal epicormics <20o lean                         | None                        | N/A      | 20-40                  | B2               | 2.54                            | 20.33                                      |
| G111     | 5162 | Acer platanoides Norway maple         | 179       | 1     | 7           | 2.0           | 2.0 | 2.0 | 2.0 | 3                             | 2        | M         | Good                    | Tight forks included bark                          | None                        | N/A      | 20-40                  | B2               | 2.15                            | 14.50                                      |
| G111     | 5163 | Acer platanoides Norway maple         | 146       | 1     | 6           | 2.0           | 2.0 | 2.0 | 2.0 | 3                             | 2        | M         | Good                    | No visible defects                                 | None                        | N/A      | 20-40                  | B2               | 1.75                            | 9.64                                       |
| G111     | 5164 | Acer platanoides Norway maple         | 164       | 1     | 7           | 2.0           | 2.0 | 2.0 | 2.0 | 3                             | 2        | M         | Good                    | No visible defects                                 | None                        | N/A      | 20-40                  | B2               | 1.97                            | 12.17                                      |
| G111     | 5165 | Acer platanoides Norway maple         | 233       | 1     | 8           | 2.0           | 2.0 | 3.0 | 3.0 | 3                             | 2        | M         | Good                    | No visible defects                                 | None                        | N/A      | 40+                    | B2               | 2.80                            | 24.56                                      |
| G111     | 5167 | Acer platanoides Norway maple         | 354       | 1     | 9           | 4.0           | 3.0 | 4.0 | 4.0 | 3                             | 2        | M         | Good                    | Included bark                                      | None                        | N/A      | 40+                    | B2               | 4.25                            | 56.70                                      |
| G112     | 5168 | Sorbus intermedia Swedish Whitebeam   | 393       | 1     | 6           | 3.0           | 3.0 | 3.0 | 3.0 | 0                             | 3        | M         | Good                    | Hollow cavity at 1.5 m                             | None                        | N/A      | 20-40                  | B2               | 4.72                            | 69.88                                      |
| G112     | 5169 | Acer pseudoplatanus Sycamore          | 524       | 1     | 10          | 5.0           | 5.0 | 5.0 | 5.0 | 1                             | 3.5      | M         | Good                    | Stem cavity at 2 m                                 | Lift over road              | P        | 40+                    | B2               | 6.29                            | 124.23                                     |
| G112     | 5170 | Fraxinus excelsior Ash                | 550       | 1     | 11          | 6.0           | 6.0 | 6.0 | 6.0 | 1                             | 3.5      | M         | Good                    | Multiple branch removals at 2 m and minor deadwood | Crown clean, lift over road | P        | 40+                    | B2               | 6.60                            | 136.87                                     |
| G112     | 5171 | Sorbus intermedia Swedish Whitebeam   | 579       | 1     | 9           | 4.0           | 4.0 | 4.0 | 4.0 | 0                             | 3        | M         | Good                    | Minor cavity at 2 m                                | None                        | N/A      | 20-40                  | B2               | 6.95                            | 151.68                                     |
| G112     | 5172 | Sorbus intermedia Swedish Whitebeam   | 531       | 1     | 9           | 3.0           | 4.0 | 4.0 | 4.0 | 0                             | 3        | M         | Good                    | Minor dead wood                                    | Crown clean                 | P        | 20-40                  | B2               | 6.37                            | 127.57                                     |
| G112     | 5174 | Fraxinus excelsior Ash                | 568       | 1     | 12          | 5.0           | 5.0 | 5.0 | 5.0 | 1                             | 2        | M         | Good                    | Dead wood  | Crown clean                 | P        | 40+                    | B2               | 6.82                            | 145.97                                     |
| G114     | 5181 | Sorbus intermedia Swedish Whitebeam   | 665       | 1     | 8           | 4.0           | 5.0 | 4.0 | 3.0 | 3                             | 2        | M         | Good                    | Minor dead wood                                    | Crown clean                 | P        | 20-40                  | B2               | 7.98                            | 200.08                                     |



**TOTAL CATEGORY B TREES Heyford Park Nicholson's Tree Survey November 2006**

| Group No | Tag  | Species (Botanical)                       | Diam (mm) | Stems | Ht m. (est) | Branch Spread |     |     |     | Increase in canopy radius (m) | Crown Ht | Age Class | Physiological Condition | Structural Condition                                   | Preliminary Management | Priority | Remaining Contribution | Category Grading | Root Protection Zone Radius (m) | Root Protection zone (m2). Capped at 707m2 |
|----------|------|---|-----------|-------|-------------|---------------|-----|-----|-----|-------------------------------|----------|-----------|-------------------------|--|------------------------|----------|------------------------|------------------|---------------------------------|--|
|          |      |   |           |       |             | N             | S   | E   | W   |                               |          |           |                         |  |                        |          |                        |                  |                                 |  |
| G114     | 5182 | Sorbus intermedia Swedish Whitebeam       | 641       | 1     | 7           | 4.0           | 4.0 | 3.0 | 3.0 | 0                             | 2        | M         | Good                    | Dead wood  | Crown clean            | P        | 20-40                  | B2               | 7.69                            | 185.90                                     |
| G114     | 5183 | Sorbus intermedia Swedish Whitebeam       | 394       | 1     | 6.5         | 3.0           | 3.0 | 3.0 | 3.0 | 0                             | 2        | M         | Fair                    | Dead wood  | Crown clean            | P        | 20-40                  | B2               | 4.73                            | 70.24                                      |
| G114     | 5184 | Sorbus intermedia Swedish Whitebeam       | 504       | 1     | 6.5         | 4.0           | 4.5 | 3.5 | 3.0 | 0                             | 2        | M         | Fair                    | Minor dead wood and crossing branches                  | Crown clean            | P        | 20-40                  | B2               | 6.05                            | 114.93                                     |
| G114     | 5185 | Sorbus intermedia Swedish Whitebeam       | 507       | MS    | 7           | 2.5           | 4.0 | 3.0 | 3.0 | 0                             | 2        | M         | Fair                    | Minor dead wood  | Crown clean            | P        | 20-40                  | B2               | 5.07                            | 80.76                                      |
| G114     | 5186 | Sorbus intermedia Swedish Whitebeam       | 466       | 1     | 7           | 2.5           | 3.0 | 2.5 | 3.0 | 0                             | 2        | M         | Fair                    | Minor dead wood inonotus bracket                       | Crown clean            | P        | 20-40                  | B2               | 5.59                            | 98.25                                      |
| G114     | 5187 | Sorbus intermedia Swedish Whitebeam       | 469       | 1     | 7           | 3.0           | 4.0 | 2.5 | 3.0 | 0                             | 2        | M         | Fair                    | Minor dead wood  | Crown clean            | P        | 20-40                  | B2               | 5.63                            | 99.52                                      |
| G114     | 5188 | Sorbus intermedia Swedish Whitebeam       | 496       | MS    | 7           | 4.0           | 3.5 | 3.0 | 4.0 | 0                             | 2        | M         | Good                    | Tight fork with included bark/minor bark wound         | Crown clean            | P        | 20-40                  | B2               | 4.96                            | 77.30                                      |
| G115     | 5191 | Acer pseudoplatanus Sycamore              | 545       | 1     | 8           | 4.0           | 4.0 | 5.0 | 4.0 | 1                             | 3        | M         | Good                    | No visible defects                                     | None                   | N/A      | 40+                    | B2               | 6.54                            | 134.39                                     |
| G115     | 5192 | Acer platanoides Norway maple             | 451       | 1     | 8           | 5.0           | 3.0 | 5.0 | 5.0 | 1                             | 2        | M         | Good                    | Old pruning wound at 10 m/minor dead wood              | Crown clean            | P        | 40+                    | B2               | 5.41                            | 92.03                                      |
| G115     | 5193 | Chamaecyparis lawsoniana Lawsons cypress  | 529       | MS    | 7           | 2.0           | 2.0 | 2.0 | 2.0 | 0.5                           | 0        | M         | Good                    | No visible defects                                     | None                   | N/A      | 40+                    | B2               | 5.29                            | 87.93                                      |
| G116     | 5197 | Sorbus intermedia Swedish Whitebeam       | 475       | MS    | 6           | 3.0           | 3.5 | 3.0 | 3.0 | 0                             | 2        | M         | Fair                    | Minor dead wood  | Crown clean            | P        | 20-40                  | B2               | 4.75                            | 70.89                                      |
| G116     | 5199 | Sorbus intermedia Swedish Whitebeam       | 486       | 1     | 6           | 3.0           | 3.0 | 3.0 | 3.0 | 0.5                           | 2        | M         | Good                    | Minor dead wood  | Crown clean            | P        | 20-40                  | B2               | 5.83                            | 106.87                                     |
| G117     | 5200 | Cupressocyparis leylandii Leyland cypress | 540       | MS    | 9           | 2.0           | 2.0 | 2.0 | 2.0 | 0.5                           | 0        | M         | Good                    | No visible defects                                     | None                   | N/A      | 20-40                  | B2               | 5.40                            | 91.62                                      |
| G117     | 5201 | Chamaecyparis lawsoniana Lawsons cypress  | 566       | MS    | 9           | 2.0           | 2.0 | 2.0 | 2.0 | 0.5                           | 0        | M         | Good                    | No visible defects                                     | None                   | N/A      | 20-40                  | B2               | 5.66                            | 100.66                                     |
| G117     | 5202 | Chamaecyparis lawsoniana Lawsons cypress  | 921       | MS    | 10          | 1.5           | 1.5 | 0.0 | 3.0 | 0.5                           | 0        | M         | Good                    | No visible defects                                     | None                   | N/A      | 20-40                  | B2               | 9.21                            | 266.52                                     |
| G117     | 5203 | Chamaecyparis lawsoniana Lawsons cypress  | 488       | MS    | 10          | 1.5           | 1.5 | 3.0 | 0.0 | 0.5                           | 0        | M         | Good                    | No visible defects                                     | None                   | N/A      | 20-40                  | B2               | 4.88                            | 74.82                                      |
| G118     | 5204 | Betula alba Silver birch                  | 313       | 1     | 8           | 5.0           | 4.0 | 5.0 | 4.0 | 0                             | 2        | M         | Good                    | No visible defects                                     | Crown clean            | P        | 20-40                  | B2               | 3.76                            | 44.33                                      |
| G118     | 5205 | Betula alba Silver birch                  | 440       | 1     | 8           | 5.0           | 5.0 | 5.0 | 5.0 | 0                             | 2        | M         | Good                    | No visible defects                                     | Crown clean            | P        | 20-40                  | B2               | 5.28                            | 87.59                                      |
| G118     | 5206 | Betula alba Silver birch                  | 525       | 1     | 8           | 5.0           | 5.0 | 5.0 | 5.0 | 0                             | 2        | M         | Good                    | Some minor dead wood                                   | Crown clean            | P        | 20-40                  | B2               | 6.30                            | 124.71                                     |
| G118     | 5207 | Betula alba Silver birch                  | 349       | 1     | 8           | 5.0           | 5.0 | 5.0 | 5.0 | 0                             | 2        | M         | Good                    | Witch's broom, minor dead wood                         | None                   | N/A      | 20-40                  | B2               | 4.19                            | 55.11                                      |
| G118     | 5208 | Betula alba Silver birch                  | 437       | 1     | 8           | 3.0           | 4.0 | 4.0 | 3.0 | 0                             | 2        | M         | Good                    | No visible defects                                     | None                   | N/A      | 20-40                  | B2               | 5.24                            | 86.40                                      |
| G119     | 5209 | Sorbus intermedia Swedish Whitebeam       | 442       | 1     | 6           | 4.0           | 4.0 | 4.0 | 4.0 | 0                             | 1        | M         | Good                    | No visible defects                                     | None                   | N/A      | 20-40                  | B2               | 5.30                            | 88.39                                      |
| G119     | 5210 | Aesculus hippocastanum Horse Chestnut     | 659       | MS    | 8           | 4.0           | 4.0 | 4.0 | 5.0 | 3                             | 2        | M         | Fair                    | Tight fork included bark                               | None                   | N/A      | 40+                    | B2               | 6.59                            | 136.45                                     |
| G119     | 5211 | Fraxinus excelsior Ash                    | 474       | 1     | 9           | 5.0           | 5.0 | 5.0 | 5.0 | 2                             | 2        | M         | Good                    | Dead wood  | Crown clean            | P        | 40+                    | B2               | 5.69                            | 101.65                                     |
| G119     | 5212 | Sorbus intermedia Swedish Whitebeam       | 409       | 1     | 6           | 4.0           | 4.0 | 4.0 | 4.0 | 0                             | 2        | M         | Fair                    | Minor dead wood  | Crown clean            | N/A      | 10-20                  | B2               | 4.91                            | 75.69                                      |
| G119     | 5213 | Aesculus hippocastanum Horse Chestnut     | 537       | 1     | 7.5         | 5.0           | 4.0 | 5.0 | 5.0 | 3                             | 2        | M         | Good                    | Cameraria orridella affecting foliage                  | None                   | N/A      | 40+                    | B2               | 6.44                            | 130.47                                     |
| G119     | 5214 | Fraxinus excelsior Ash                    | 335       | 1     | 8           | 5.0           | 3.0 | 4.0 | 4.0 | 2                             | 1        | M         | Good                    | No visible defects                                     | None                   | N/A      | 40+                    | B2               | 4.02                            | 50.78                                      |
| G119     | 5215 | Sorbus intermedia Swedish Whitebeam       | 424       | 1     | 6           | 3.0           | 3.0 | 3.0 | 3.0 | 0                             | 1.5      | M         | Fair                    | No visible defects                                     | Crown clean            | P        | 20-40                  | B2               | 5.09                            | 81.34                                      |
| G121     | 5224 | Cupressocyparis leylandii Leyland cypress | 399       | 1     | 13          | 3.0           | 1.0 | 3.0 | 3.0 | 1                             | 2        | M         | Fair                    | No visible defects, power and phone lines              | None                   | N/A      | 20-40                  | B2               | 4.79                            | 72.03                                      |
| G121     | 5225 | Cupressocyparis leylandii Leyland cypress | 431       | 1     | 13          | 1.0           | 3.0 | 2.5 | 2.5 | 1                             | 2        | M         | Fair                    | No visible defects, power and phone lines              | None                   | N/A      | 20-40                  | B2               | 5.17                            | 84.05                                      |
| G121     | 5226 | Cupressocyparis leylandii Leyland cypress | 491       | 1     | 15          | 3.0           | 2.0 | 3.0 | 1.0 | 1                             | 2        | M         | Fair                    | No visible defects, power line through centre of crown | None                   | N/A      | 20-40                  | B2               | 5.89                            | 109.08                                     |
| G122     | 5232 | Picea abies Norway spruce                 | 359       | MS    | 9           | 2.5           | 2.5 | 2.5 | 2.5 | 3                             | 1.5      | M         | Fair                    | Twin leader  | None                   | N/A      | 20-40                  | B2               | 3.59                            | 40.49                                      |
| G123     | 5235 | Prunus Flowering Cherry                   | 185       | 1     | 6           | 2.5           | 2.5 | 2.5 | 2.5 | 1                             | 1.5      | M         | Fair                    | No visible defects                                     | None                   | N/A      | 20-40                  | B2               | 2.22                            | 15.49                                      |
| G123     | 5236 | Prunus Flowering Cherry                   | 372       | 1     | 8.5         | 4.5           | 4.0 | 4.0 | 3.0 | 1                             | 1        | M         | Fair                    | Some minor dead wood                                   | Crown clean            | P        | 20-40                  | B2               | 4.46                            | 62.61                                      |
| G123     | 5237 | Prunus Flowering Cherry                   | 360       | 1     | 8.5         | 4.0           | 4.0 | 3.0 | 4.0 | 1                             | 2        | M         | Good                    | Branch wound on low western limb                       | None                   | N/A      | 20-40                  | B2               | 4.32                            | 58.64                                      |
| G123     | 5238 | Sorbus intermedia Swedish Whitebeam       | 414       | 1     | 7           | 3.0           | 3.0 | 2.5 | 3.0 | 1                             | 2        | M         | Good                    | No visible defects                                     | None                   | N/A      | 20-40                  | B2               | 4.97                            | 77.55                                      |
| G125     | 5241 | Acer platanoides Norway maple             | 92        | 1     | 5           | 1.5           | 1.5 | 1.5 | 1.5 | 5                             | 1.5      | M         | Good                    | Old basal damage                                       | None                   | N/A      | 40+                    | B2               | 1.10                            | 3.83                                       |
| G126     | 5245 | Acer saccharinum Silver maple             | 333       | 1     | 8.5         | 3.5           | 2.0 | 3.5 | 3.5 | 3                             | 1.5      | M         | Good                    | Basal suckers  | Crown clean            | P        | 40+                    | B2               | 4.00                            | 50.17                                      |
| G126     | 5246 | Acer platanoides Norway maple             | 280       | 1     | 9           | 2.0           | 4.0 | 4.0 | 2.0 | 3                             | 1.5      | M         | Good                    | No visible defects                                     | None                   | N/A      | 40+                    | B2               | 3.36                            | 35.47                                      |
| G126     | 5247 | Acer saccharinum Silver maple             | 305       | 1     | 10          | 3.0           | 4.0 | 2.0 | 3.0 | 3                             | 1.5      | M         | Good                    | Basal suckers  | Crown clean            | P        | 40+                    | B2               | 3.66                            | 42.09                                      |
| G126     | 5248 | Acer saccharinum Silver maple             | 487       | 1     | 10          | 4.0           | 4.0 | 4.0 | 4.0 | 3                             | 1.5      | M         | Good                    | Basal suckers  | Crown clean            | P        | 40+                    | B2               | 5.84                            | 107.31                                     |
| G126     | 5249 | Acer platanoides Norway maple             | 253       | 1     | 8           | 3.0           | 3.0 | 4.0 | 3.0 | 2                             | 2        | M         | Good                    | No visible defects                                     | None                   | N/A      | 40+                    | B2               | 3.04                            | 28.96                                      |
| G126     | 5250 | Acer platanoides Norway maple             | 311       | 1     | 8           | 3.0           | 2.0 | 4.0 | 3.0 | 2                             | 2        | M         | Good                    | Tight forks included bark                              | None                   | N/A      | 40+                    | B2               | 3.73                            | 43.76                                      |
| G126     | 5251 | Acer platanoides Norway maple             | 340       | 1     | 8           | 2.0           | 4.0 | 4.0 | 4.0 | 2                             | 1        | M         | Good                    | Minor dead wood  | Crown clean            | P        | 40+                    | B2               | 4.08                            | 52.30                                      |
| G127     | 5253 | Acer pseudoplatanus Sycamore              | 349       | 1     | 7           | 3.0           | 4.0 | 4.0 | 4.0 | 2                             | 2        | M         | Good                    | Tight forks included bark                              | None                   | N/A      | 40+                    | B2               | 4.19                            | 55.11                                      |
| G127     | 5254 | Acer platanoides Norway maple             | 239       | 1     | 7           | 3.0           | 2.0 | 3.0 | 3.0 | 2                             | 2.5      | M         | Good                    | No visible defects                                     | None                   | N/A      | 40+                    | B2               | 2.87                            | 25.84                                      |

**TOTAL CATEGORY B TREES Heyford Park Nicholson's Tree Survey November 2006**

| Group No | Tag  | Species (Botanical)                       | Diam (mm) | Stems | Ht m. (est) | Branch Spread |     |     |     | Increase in canopy radius (m) | Crown Ht | Age Class | Physiological Condition | Structural Condition           | Preliminary Management | Priority | Remaining Contribution | Category Grading | Root Protection Zone Radius (m) | Root Protection zone (m2). Capped at 707m2 |
|----------|------|---|-----------|-------|-------------|---------------|-----|-----|-----|-------------------------------|----------|-----------|-------------------------|--------------------------------|------------------------|----------|------------------------|------------------|---------------------------------|--|
|          |      |   |           |       |             | N             | S   | E   | W   |                               |          |           |                         |                                |                        |          |                        |                  |                                 |  |
| G128     | 5256 | Acer platanoides Norway maple             | 253       | 1     | 7           | 3.0           | 2.0 | 3.0 | 2.0 | 2                             | 2.5      | M         | Good                    | No visible defects             | None                   | N/A      | 40+                    | B2               | 3.04                            | 28.96                                      |
| G128     | 5257 | Acer platanoides Norway maple             | 278       | 1     | 7           | 4.0           | 3.0 | 3.0 | 3.0 | 2                             | 2        | M         | Good                    | No visible defects             | None                   | N/A      | 40+                    | B2               | 3.34                            | 34.97                                      |
| G128     | 5258 | Acer platanoides Norway maple             | 374       | 1     | 9.5         | 3.0           | 3.0 | 3.0 | 3.0 | 2                             | 2        | M         | Good                    | No visible defects             | None                   | N/A      | 40+                    | B2               | 4.49                            | 63.29                                      |
| G128     | 5260 | Acer platanoides Norway maple             | 229       | 1     | 9           | 3.0           | 2.0 | 2.0 | 3.0 | 2                             | 1.5      | M         | Good                    | No visible defects             | None                   | N/A      | 40+                    | B2               | 2.75                            | 23.73                                      |
| G128     | 5261 | Acer platanoides Norway maple             | 307       | 1     | 10          | 2.0           | 4.0 | 4.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects             | None                   | N/A      | 40+                    | B2               | 3.68                            | 42.64                                      |
| G128     | 5262 | Acer platanoides Norway maple             | 311       | 1     | 10          | 2.0           | 3.0 | 3.5 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects             | None                   | N/A      | 40+                    | B2               | 3.73                            | 43.76                                      |
| G128     | 5263 | Acer platanoides Norway maple             | 282       | 1     | 10          | 3.0           | 2.0 | 2.0 | 3.0 | 2                             | 2        | M         | Good                    | No visible defects             | None                   | N/A      | 40+                    | B2               | 3.38                            | 35.98                                      |
| G128     | 5264 | Acer platanoides Norway maple             | 280       | 1     | 10          | 3.0           | 2.0 | 4.0 | 3.0 | 2                             | 1        | M         | Good                    | No visible defects             | None                   | N/A      | 40+                    | B2               | 3.36                            | 35.47                                      |
| G129     | 5266 | Acer platanoides Norway maple             | 263       | 1     | 9           | 3.5           | 3.5 | 3.5 | 3.5 | 2                             | 1.5      | M         | Good                    | Basal suckers                  | Crown clean            | P        | 40+                    | B2               | 3.16                            | 31.30                                      |
| G129     | 5267 | Acer platanoides Norway maple             | 237       | 1     | 8           | 4.0           | 4.0 | 4.0 | 4.0 | 2                             | 2        | M         | Good                    | Basal suckers                  | Crown clean            | P        | 40+                    | B2               | 2.84                            | 25.41                                      |
| G129     | 5268 | Acer platanoides Norway maple             | 162       | 1     | 9.5         | 2.0           | 2.0 | 2.0 | 2.5 | 2                             | 3        | M         | Good                    | No visible defects             | None                   | N/A      | 40+                    | B2               | 1.94                            | 11.87                                      |
| G129     | 5269 | Acer platanoides Norway maple             | 179       | 1     | 6.5         | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects             | None                   | N/A      | 40+                    | B2               | 2.15                            | 14.50                                      |
| G129     | 5270 | Acer platanoides Norway maple             | 230       | 1     | 7           | 3.5           | 3.5 | 3.5 | 3.5 | 2                             | 1.5      | M         | Good                    | Some basal suckers             | Crown clean            | P        | 40+                    | B2               | 2.76                            | 23.93                                      |
| G130     | 5271 | Acer platanoides Norway maple             | 337       | 1     | 9           | 3.0           | 3.0 | 3.0 | 3.0 | 2                             | 2        | M         | Fair                    | Some dead wood                 | Crown clean            | P        | 40+                    | B2               | 4.04                            | 51.38                                      |
| G130     | 5272 | Acer platanoides Norway maple             | 162       | 1     | 7           | 2.0           | 2.0 | 1.5 | 1.5 | 3                             | 2        | M         | Good                    | No visible defects             | None                   | N/A      | 40+                    | B2               | 1.94                            | 11.87                                      |
| G130     | 5273 | Acer platanoides Norway maple             | 262       | 1     | 9           | 3.5           | 3.5 | 3.5 | 3.5 | 2                             | 2.5      | M         | Good                    | No visible defects             | None                   | N/A      | 40+                    | B2               | 3.14                            | 31.06                                      |
| G130     | 5275 | Acer platanoides Norway maple             | 376       | 1     | 10          | 4.0           | 4.0 | 4.0 | 4.0 | 2                             | 3        | M         | Good                    | Tight forks included bark      | Crown clean            | P        | 40+                    | B2               | 4.51                            | 63.97                                      |
| G130     | 5276 | Acer platanoides Norway maple             | 228       | 1     | 9           | 2.0           | 2.0 | 2.0 | 2.0 | 3                             | 2        | M         | Good                    | Some dead wood                 | Crown clean            | P        | 40+                    | B2               | 2.74                            | 23.52                                      |
| G130     | 5277 | Acer platanoides Norway maple             | 190       | 1     | 6           | 2.0           | 2.0 | 2.0 | 2.0 | 3                             | 2        | M         | Good                    | No visible defects             | None                   | N/A      | 40+                    | B2               | 2.28                            | 16.33                                      |
| G130     | 5278 | Acer platanoides Norway maple             | 190       | 1     | 8           | 2.0           | 2.0 | 2.0 | 2.0 | 3                             | 2        | M         | Good                    | No visible defects             | None                   | N/A      | 40+                    | B2               | 2.28                            | 16.33                                      |
| G130     | 5279 | Acer saccharinum Silver maple             | 264       | 1     | 9           | 2.0           | 2.5 | 2.5 | 2.5 | 3                             | 2        | M         | Good                    | No visible defects             | None                   | N/A      | 40+                    | B2               | 3.17                            | 31.53                                      |
| G131     | 5292 | Acer platanoides Norway maple             | 230       | 1     | 9           | 3.0           | 4.0 | 1.0 | 2.0 | 2                             | 2        | M         | Good                    | Minor dead wood                | None                   | N/A      | 40+                    | B2               | 2.76                            | 23.93                                      |
| G131     | 5293 | Acer saccharinum Silver maple             | 295       | 1     | 10          | 5.0           | 1.0 | 3.0 | 3.0 | 2                             | 2        | M         | Good                    | No visible defects             | None                   | N/A      | 40+                    | B2               | 3.54                            | 39.37                                      |
| G131     | 5294 | Acer pseudoplatanus Sycamore              | 333       | 1     | 10          | 3.0           | 3.0 | 6.0 | 3.0 | 2                             | 3        | M         | Good                    | No visible defects             | None                   | N/A      | 40+                    | B2               | 4.00                            | 50.17                                      |
| G131     | 5295 | Acer pseudoplatanus Sycamore              | 342       | 1     | 9           | 2.0           | 4.0 | 5.0 | 3.0 | 2                             | 2.5      | M         | Good                    | No visible defects             | None                   | N/A      | 40+                    | B2               | 4.10                            | 52.92                                      |
| G132     | 5296 | Acer saccharinum Silver maple             | 266       | 1     | 7           | 3.0           | 3.0 | 3.0 | 3.0 | 3                             | 2        | M         | Good                    | No visible defects             | None                   | N/A      | 40+                    | B2               | 3.19                            | 32.01                                      |
| G132     | 5298 | Acer saccharinum Silver maple             | 309       | 1     | 7           | 3.0           | 3.0 | 3.0 | 3.0 | 3                             | 2        | M         | Fair                    | No visible defects             | None                   | N/A      | 40+                    | B2               | 3.71                            | 43.20                                      |
| G132     | 5300 | Acer cappadocium Maple                    | 303       | 1     | 8           | 3.0           | 3.0 | 3.0 | 3.0 | 3                             | 1        | M         | Good                    | No visible defects             | None                   | N/A      | 40+                    | B2               | 3.64                            | 41.54                                      |
| G133     | 5301 | Acer platanoides Norway maple             | 323       | 1     | 8           | 3.0           | 5.0 | 5.0 | 4.0 | 2                             | 2        | M         | Good                    | Tight forks included bark      | None                   | N/A      | 40+                    | B2               | 3.88                            | 47.20                                      |
| G133     | 5302 | Acer platanoides Norway maple             | 386       | 1     | 8.5         | 3.0           | 2.0 | 4.0 | 4.0 | 2                             | 2.5      | M         | Good                    | No visible defects             | None                   | N/A      | 40+                    | B2               | 4.63                            | 67.41                                      |
| G133     | 5303 | Acer platanoides Norway maple             | 321       | 1     | 8           | 3.0           | 3.0 | 3.0 | 3.0 | 2                             | 2        | M         | Good                    | No visible defects             | None                   | N/A      | 40+                    | B2               | 3.85                            | 46.62                                      |
| G133     | 5304 | Acer platanoides Norway maple             | 354       | 1     | 8           | 4.0           | 3.0 | 4.0 | 4.0 | 2                             | 2        | M         | Good                    | Tight forks with included bark | None                   | N/A      | 40+                    | B2               | 4.25                            | 56.70                                      |
| G134     | 5311 | Acer pseudoplatanus Sycamore              | 280       | 1     | 9           | 3.0           | 3.0 | 3.0 | 3.0 | 3                             | 2        | M         | Fair                    | Sparse canopy                  | None                   | N/A      | 40+                    | B2               | 3.36                            | 35.47                                      |
| G134     | 5320 | Acer pseudoplatanus Sycamore              | 206       | 1     | 7           | 2.5           | 2.0 | 3.0 | 2.0 | 3                             | 2        | M         | Fair                    | No visible defects             | None                   | N/A      | 40+                    | B2               | 2.47                            | 19.20                                      |
| G135     | 5321 | Cupressocyparis leylandii Leyland cypress | 266       | 1     | 9           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 1.5      | M         | Good                    | No visible defects             | None                   | N/A      | 20-40                  | B2               | 3.19                            | 32.01                                      |
| G135     | 5322 | Cupressocyparis leylandii Leyland cypress | 259       | 1     | 9           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 1.5      | M         | Good                    | No visible defects             | None                   | N/A      | 20-40                  | B2               | 3.11                            | 30.35                                      |
| G135     | 5323 | Cupressocyparis leylandii Leyland cypress | 282       | MS    | 9           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 1.5      | M         | Good                    | No visible defects             | None                   | N/A      | 20-40                  | B2               | 2.82                            | 24.99                                      |
| G137     | 5327 | Prunus avium plena Cherry                 | 124       | 1     | 4           | 2.0           | 2.0 | 3.0 | 1.5 | 1.5                           | 2        | SM        | Fair                    | Central leader missing         | None                   | N/A      | 10-20                  | B2               | 1.49                            | 6.96                                       |
| G137     | 5328 | Sorbus intermedia Swedish Whitebeam       | 113       | 1     | 4.5         | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 2        | SM        | Good                    | No visible defects             | None                   | N/A      | 10-20                  | B2               | 1.36                            | 5.78                                       |
| G137     | 5329 | Sorbus intermedia Swedish Whitebeam       | 152       | MS    | 5           | 1.5           | 1.5 | 1.5 | 1.5 | 2                             | 2.5      | SM        | Good                    | No visible defects             | None                   | N/A      | 10-20                  | B2               | 1.52                            | 7.26                                       |
| G137     | 5330 | Sorbus intermedia Swedish Whitebeam       | 112       | 1     | 4           | 1.5           | 1.5 | 1.5 | 1.5 | 1.5                           | 2        | SM        | Fair                    | Basal bark wound               | None                   | N/A      | 10-20                  | B2               | 1.34                            | 5.68                                       |
| G137     | 5331 | Sorbus intermedia Swedish Whitebeam       | 105       | 1     | 4           | 1.5           | 1.5 | 1.5 | 1.5 | 1.5                           | 2        | SM        | Good                    | No visible defects             | None                   | N/A      | 10-20                  | B2               | 1.26                            | 4.99                                       |
| G137     | 5332 | Sorbus intermedia Swedish Whitebeam       | 107       | 1     | 4           | 1.5           | 1.5 | 1.5 | 1.0 | 1.5                           | 2        | SM        | Fair                    | No visible defects             | None                   | N/A      | 10-20                  | B2               | 1.28                            | 5.18                                       |
| G137     | 5333 | Sorbus intermedia Swedish Whitebeam       | 125       | 1     | 4           | 1.5           | 1.5 | 1.5 | 1.5 | 1.5                           | 2        | SM        | Good                    | No visible defects             | None                   | N/A      | 10-20                  | B2               | 1.50                            | 7.07                                       |
| G137     | 5334 | Prunus avium plena Cherry                 | 235       | 1     | 6           | 3.0           | 3.0 | 4.0 | 1.0 | 2                             | 2        | M         | Good                    | No visible defects             | None                   | N/A      | 20-40                  | B2               | 2.82                            | 24.99                                      |
| G137     | 5335 | Sorbus intermedia Swedish Whitebeam       | 129       | 1     | 3           | 1.5           | 1.5 | 1.5 | 1.5 | 1.5                           | 2        | M         | Good                    | No visible defects             | None                   | N/A      | 20-40                  | B2               | 1.55                            | 7.53                                       |
| G137     | 5336 | Sorbus intermedia Swedish Whitebeam       | 137       | MS    | 3           | 1.0           | 1.0 | 1.0 | 1.0 | 1                             | 2        | M         | Good                    | Basal bark wound               | None                   | N/A      | 20-40                  | B2               | 1.37                            | 5.90                                       |
| G137     | 5338 | Sorbus intermedia Swedish Whitebeam       | 134       | 1     | 4           | 1.0           | 1.5 | 1.5 | 1.0 | 1                             | 2        | M         | Good                    | Stem bark wound                | None                   | N/A      | 20-40                  | B2               | 1.61                            | 8.12                                       |
| G137     | 5340 | Sorbus intermedia Swedish Whitebeam       | 155       | MS    | 3.5         | 2.0           | 2.0 | 2.0 | 1.0 | 0.5                           | 1.5      | M         | Good                    | Basal bark wound               | None                   | N/A      | 10-20                  | B2               | 1.55                            | 7.55                                       |
| G138     | 5343 | Fraxinus excelsior Ash                    | 142       | 1     | 8           | 1.0           | 2.0 | 2.0 | 2.0 | 4                             | 2        | M         | Fair                    | No visible defects             | None                   | N/A      | 40+                    | B2               | 1.70                            | 9.12                                       |
| G138     | 5344 | Fraxinus excelsior Ash                    | 236       | 1     | 9           | 3.0           | 2.0 | 2.0 | 2.0 | 4                             | 2        | M         | Good                    | No visible defects             | None                   | N/A      | 40+                    | B2               | 2.83                            | 25.20                                      |
| G139     | 5346 | Acer pseudoplatanus Sycamore              | 170       | 1     | 9           | 4.5           | 5.0 | 5.0 | 3.0 | 4                             | 2        | M         | Fair                    | No visible defects             | None                   | N/A      | 40+                    | B2               | 2.04                            | 13.08                                      |
| G139     | 5347 | Fraxinus excelsior Ash                    | 484       | 1     | 9           | 2.0           | 1.0 | 3.0 | 2.0 | 4                             | 2        | M         | Good                    | No visible defects             | None                   | N/A      | 40+                    | B2               | 5.81                            | 105.99                                     |
| G140     | 5348 | Sorbus aucuparia Rowan                    | 191       | 1     | 5           | 1.0           | 1.0 | 1.0 | 1.0 | 0.5                           | 2        | M         | Good                    | No visible defects             | None                   | N/A      | 10-20                  | B2               | 2.29                            | 16.51                                      |
| G138     | 5349 | Fraxinus excelsior Ash                    | 134       | 1     | 8           | 2.0           | 1.0 | 2.0 | 1.0 | 4                             | 2        | M         | Good                    | No visible defects             | None                   | N/A      | 40+                    | B2               | 1.61                            | 8.12                                       |
| G141     | 5351 | Fraxinus excelsior Ash                    | 181       | 1     | 8           | 2.0           | 2.0 | 2.0 | 2.0 | 4                             | 2        | M         | Good                    | No visible defects             | None                   | N/A      | 40+                    | B2               | 2.17                            | 14.82                                      |

**TOTAL CATEGORY B TREES Heyford Park Nicholson's Tree Survey November 2006**

| Group No | Tag  | Species (Botanical)                    | Diam (mm) | Stems | Ht m. (est) | Branch Spread |     |     |     | Increase in canopy radius (m) | Crown Ht | Age Class | Physiological Condition | Structural Condition                 | Preliminary Management | Priority | Remaining Contribution | Category Grading | Root Protection Zone Radius (m) | Root Protection zone (m2). Capped at 707m2 |
|----------|------|--|-----------|-------|-------------|---------------|-----|-----|-----|-------------------------------|----------|-----------|-------------------------|--------------------------------------|------------------------|----------|------------------------|------------------|---------------------------------|--|
|          |      |  |           |       |             | N             | S   | E   | W   |                               |          |           |                         |                                      |                        |          |                        |                  |                                 |  |
| G141     | 5352 | Fraxinus excelsior Ash                 | 254       | 1     | 8           | 2.0           | 2.0 | 2.0 | 2.0 | 4                             | 2        | M         | Good                    | No visible defects                   | None                   | N/A      | 40+                    | B2               | 3.05                            | 29.19                                      |
| G142     | 5355 | Sorbus aucuparia Rowan                 | 157       | 1     | 5           | 1.5           | 1.5 | 1.5 | 1.5 | 1                             | 1.5      | M         | Good                    | No visible defects                   | None                   | N/A      | 10-20                  | B2               | 1.88                            | 11.15                                      |
| G143     | 5357 | Sorbus aucuparia Rowan                 | 224       | 1     | 6           | 1.5           | 1.5 | 1.5 | 1.5 | 1                             | 2        | M         | Good                    | No visible defects                   | None                   | N/A      | 10-20                  | B2               | 2.69                            | 22.70                                      |
| G144     | 5358 | Acer pseudoplatanus Sycamore           | 171       | 1     | 6           | 2.0           | 2.0 | 2.0 | 2.0 | 3                             | 2        | M         | Good                    | No visible defects                   | None                   | N/A      | 40+                    | B2               | 2.05                            | 13.23                                      |
| G144     | 5360 | Fraxinus excelsior Ash                 | 129       | 1     | 7           | 2.0           | 2.0 | 2.0 | 2.0 | 3                             | 2        | SM        | Poor                    | Sparse canopy                        | None                   | N/A      | 20-40                  | B2               | 1.55                            | 7.53                                       |
| G144     | 5361 | Acer pseudoplatanus Sycamore           | 208       | 1     | 7           | 3.0           | 3.0 | 3.0 | 3.0 | 3                             | 2        | M         | Fair                    | No visible defects                   | None                   | N/A      | 40+                    | B2               | 2.50                            | 19.57                                      |
| G145     | 5366 | Prunus avium plena Cherry              | 145       | 1     | 6           | 1.0           | 1.0 | 2.0 | 1.0 | 1.5                           | 3        | M         | Good                    | Broken branches                      | Crown clean            | P        | 20-40                  | B2               | 1.74                            | 9.51                                       |
| G145     | 5367 | Sorbus aucuparia Rowan                 | 183       | 1     | 5.5         | 1.5           | 1.5 | 1.5 | 1.5 | 1.5                           | 2        | M         | Good                    | No visible defects                   | None                   | N/A      | 20-40                  | B2               | 2.20                            | 15.15                                      |
| G146     | 5368 | Acer pseudoplatanus Sycamore           | 131       | 1     | 5           | 1.0           | 1.0 | 1.0 | 1.0 | 4                             | 2        | SM        | Good                    | No visible defects                   | None                   | N/A      | 40+                    | B2               | 1.57                            | 7.76                                       |
| G146     | 5369 | Juglans regia Walnut                   | 149       | 1     | 5           | 2.0           | 2.0 | 2.0 | 2.0 | 3                             | 2        | SM        | Good                    | No visible defects                   | None                   | N/A      | 40+                    | B2               | 1.79                            | 10.04                                      |
| G146     | 5370 | Juglans regia Walnut                   | 161       | 1     | 5           | 2.0           | 2.0 | 2.0 | 2.0 | 3                             | 2        | SM        | Good                    | No visible defects                   | None                   | N/A      | 40+                    | B2               | 1.93                            | 11.73                                      |
| G153     | 5445 | Acer platanoides Norway maple          | 249       | 1     | 6           | 3.0           | 2.0 | 2.0 | 2.0 | 2                             | 2        | SM        | Good                    | No visible defects                   | None                   | N/A      | 40+                    | B2               | 2.99                            | 28.05                                      |
| G153     | 5446 | Acer platanoides Norway maple          | 268       | 1     | 6           | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 2        | SM        | Good                    | Tight fork included bark             | None                   | N/A      | 20-40                  | B2               | 3.22                            | 32.50                                      |
| G153     | 5447 | Acer platanoides Norway maple          | 277       | 1     | 6           | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 2        | SM        | Good                    | Tight fork included bark             | None                   | N/A      | 20-40                  | B2               | 3.32                            | 34.72                                      |
| G154     | 5448 | Acer platanoides Norway maple          | 286       | 1     | 7           | 3.0           | 3.0 | 3.0 | 3.0 | 2                             | 2        | M         | Good                    | No visible defects                   | None                   | N/A      | 40+                    | B2               | 3.43                            | 37.01                                      |
| G154     | 5449 | Acer platanoides Norway maple          | 274       | 1     | 7           | 3.0           | 3.0 | 3.0 | 3.0 | 2                             | 2        | M         | Good                    | Tight fork included bark             | None                   | N/A      | 40+                    | B2               | 3.29                            | 33.97                                      |
| G160     | 5581 | Acer platanoides Norway maple          | 227       | 1     | 6           | 2.5           | 2.5 | 3.0 | 3.0 | 2                             | 2.5      | M         | Good                    | Minor branch injuries                | Crown clean            | P        | 40+                    | B2               | 2.72                            | 23.31                                      |
| G160     | 5582 | Acer platanoides Norway maple          | 232       | 1     | 7           | 3.0           | 3.0 | 3.0 | 3.0 | 2                             | 2.5      | M         | Good                    | Minor branch wound east              | Crown clean            | P        | 40+                    | B2               | 2.78                            | 24.35                                      |
| G160     | 5583 | Acer platanoides Norway maple          | 274       | 1     | 7           | 4.0           | 3.0 | 3.0 | 3.0 | 2                             | 2.5      | M         | Good                    | Surface root bark mower wounds       | None                   | N/A      | 40+                    | B2               | 3.29                            | 33.97                                      |
| G160     | 5584 | Acer platanoides Norway maple          | 239       | 1     | 7           | 3.0           | 3.0 | 3.0 | 3.0 | 2                             | 2.5      | M         | Good                    | No visible defects                   | None                   | N/A      | 40+                    | B2               | 2.87                            | 25.84                                      |
| G180     | 5590 | Alnus incana Grev Alder                | 319       | 1     | 10          | 5.0           | 5.0 | 5.0 | 5.0 | 3                             | 3        | M         | Good                    | 10o lean to east                     | None                   | N/A      | 40+                    | B2               | 3.83                            | 46.04                                      |
| G180     | 5591 | Alnus incana Grey Alder                | 264       | 1     | 9           | 3.0           | 2.0 | 3.0 | 3.0 | 3                             | 3.5      | M         | Good                    | Minor base injury                    | None                   | N/A      | 40+                    | B2               | 3.17                            | 31.53                                      |
| G180     | 5592 | Alnus incana Grev Alder                | 202       | 1     | 9           | 2.0           | 2.0 | 3.0 | 2.0 | 3                             | 2        | M         | Good                    | Basal epicormic                      | None                   | N/A      | 40+                    | B2               | 2.42                            | 18.46                                      |
| G186     | 5647 | Pinus nigra var maritima Corsican Pine | 378       | 1     | 12          | 4.0           | 4.0 | 4.0 | 4.0 | 2                             | 4        | M         | Fair                    | Average condition                    | Nil                    | N/A      | 40+                    | B2               | 4.54                            | 64.65                                      |
|          | 156  | Crataegus monogyna Hawthorn            | 527       | 1     | 9           | 5.0           | 3.0 | 3.0 | 4.0 | 1                             | 4        | M         | Fair                    | Average condition                    | Nil                    | N/A      | 20-40                  | B3               | 6.32                            | 125.66                                     |
| G14      | 4106 | Pinus sylvestris Scots pine            | 399       | 1     | 13          | 2.0           | 3.0 | 3.0 | 2.0 | 1                             | 10       | M         | Fair                    | Average condition                    | Nil                    | N/A      | 40+                    | B3               | 4.79                            | 72.03                                      |
| G53      | 4490 | Fraxinus excelsior Ash                 | 328       | 1     | 12          | 5.0           | 5.0 | 3.0 | 2.0 | 1                             | 4        | M         | Fair                    | Average condition                    | Nil                    | N/A      | 40+                    | B3               | 3.94                            | 48.68                                      |
| G54      | 4779 | Pinus sylvestris Scots pine            | 304       | 1     | 15          | 3.0           | 2.0 | 3.0 | 1.0 | 0                             | 10       | M         | Fair                    | Stem kinks at 8                      | Nil                    | N/A      | 20-40                  | B3               | 3.65                            | 41.81                                      |
| G113     | 5177 | Salix fragilis Willow                  | 387       | 1     | 11          | 3.0           | 4.0 | 5.0 | 3.0 | 0                             | 2        | M         | Good                    | Minor dead wood                      | Crown clean pollard    | P        | 40+                    | B3               | 4.64                            | 67.76                                      |
| G113     | 5178 | Salix fragilis Willow                  | 157       | 1     | 10          | 0.5           | 0.5 | 3.0 | 0.0 | 0                             | 2        | M         | Fair                    | No visible defects                   | (Pollard) Dead wood    | P        | 40+                    | B3               | 1.88                            | 11.15                                      |
| G113     | 5179 | Salix fragilis Willow                  | 621       | MS    | 11          | 6.0           | 3.0 | 5.0 | 1.0 | 0                             | 2        | M         | Good                    | 30o lean over road. Basal bark wound | (Pollard) Dead wood    | P        | 40+                    | B3               | 6.21                            | 121.17                                     |
| G113     | 5180 | Salix fragilis Willow                  | 760       | MS    | 11          | 6.0           | 6.0 | 3.0 | 5.0 | 0                             | 2        | M         | Good                    | Some dead wood. Basal bark wound     | (Pollard) Dead wood    | P        | 40+                    | B3               | 7.60                            | 181.48                                     |
| G125     | 5242 | Malus domestica Apple                  | 241       | MS    | 4.5         | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 0        | M         | Good                    | No visible defects                   | -                      | N/A      | 40+                    | B3               | 2.41                            | 18.25                                      |

**TOTAL CATEGORY C TREES Heyford Park Nicholson's Tree Survey November 2006**

| Group No | Tag | Species (Botanical)                       | Diam (mm) | Stems | Ht m. (est) | Branch Spread |     |     |     | Increase in canopy radius (m) | Crown Ht | Age Class | Physiological Condition | Structural Condition   | Preliminary Management | Priority | Remaining Contribution | Category Grading | Root Protection Zone Radius (m) | Root Protection zone (m2). Capped at 707m2 |
|----------|-----|---|-----------|-------|-------------|---------------|-----|-----|-----|-------------------------------|----------|-----------|-------------------------|--|------------------------|----------|------------------------|------------------|---------------------------------|--|
|          |     |   |           |       |             | N             | S   | E   | W   |                               |          |           |                         |  |                        |          |                        |                  |                                 |  |
|          | 573 | Sorbus intermedia Swedish Whitebeam       | 695       | MS    | 11          | 5.0           | 5.0 | 5.0 | 5.0 | 0                             | 2        | M         | Good                    | Included bark at base of main stem   | None                   | N/A      | 10-20                  | C1,2             | 8.34                            | 218.54                                     |
|          | 2   | Acer pseudoplatanus Sycamore              | 293       | 1     | 17          | 1.0           | 1.0 | 5.0 | 6.0 | 2                             | 5        | M         | Fair                    | Av suppressed  | Nil                    | N/A      | 20-40                  | C1               | 3.52                            | 38.84                                      |
|          | 16  | Acer pseudoplatanus Sycamore              | 486       | 1     | 17          | 1.0           | 4.0 | 9.0 | 6.0 | 2                             | 7        | M         | Fair                    | Decay pocket in base s   | Monitor                | P        | 10-20                  | C1               | 5.83                            | 106.87                                     |
|          | 23  | Buxus sempervirens Box                    | 250       | MS    | 6           | 2.5           | 2.5 | 2.5 | 2.5 | 0                             | 3        | M         | Good                    | Average condition  | Nil                    | N/A      | 40+                    | C1               | 2.50                            | 19.64                                      |
|          | 32  | Chamaecyparis thyoides White Cedar        | 391       | MS    | 10          | 1.0           | 1.0 | 1.0 | 2.0 | 0                             | 3        | M         | Fair                    | Av tight fork at gl included bark  | Nil                    | N/A      | 10                     | C1               | 3.91                            | 48.04                                      |
|          | 33  | Chamaecyparis thyoides White Cedar        | 518       | MS    | 9           | 1.5           | 1.5 | 1.5 | 1.5 | 0                             | 2        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | C1               | 5.18                            | 84.31                                      |
|          | 34  | Chamaecyparis thyoides White Cedar        | 658       | MS    | 10          | 2.0           | 2.0 | 2.0 | 2.0 | 0                             | n/a      | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | C1               | 6.58                            | 136.04                                     |
|          | 35  | Chamaecyparis thyoides White Cedar        | 665       | MS    | 10          | 2.0           | 2.0 | 2.0 | 2.0 | 0                             | n/a      | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | C1               | 6.65                            | 138.95                                     |
|          | 37  | Fraxinus excelsior Ash                    | 349       | 1     | 16          | 3.0           | 2.0 | 1.0 | 5.0 | 2                             | 7        | M         | Poor                    | Average condition  | Nil                    | N/A      | 10-20                  | C1               | 4.19                            | 55.11                                      |
|          | 76  | Chamaecyparis lawsoniana Lawsons cypress  | 580       | MS    | 11          | 1.0           | 1.0 | 1.0 | 1.0 | 0                             | n/a      | M         | Good                    | Gone   | Nil                    | N/A      | 40+                    | C1               | 5.80                            | 105.70                                     |
|          | 77  | Chamaecyparis lawsoniana Lawsons cypress  | 720       | MS    | 11          | 1.0           | 1.0 | 1.0 | 1.0 | 0                             | n/a      | M         | Good                    | Gone   | Nil                    | N/A      | 40+                    | C1               | 7.20                            | 162.88                                     |
|          | 78  | Chamaecyparis lawsoniana Lawsons cypress  | 415       | 1     | 11          | 1.0           | 1.0 | 1.0 | 1.0 | 0                             | n/a      | M         | Good                    | Gone   | Nil                    | N/A      | 40+                    | C1               | 4.98                            | 77.92                                      |
|          | 79  | Chamaecyparis lawsoniana Lawsons cypress  | 655       | MS    | 11          | 1.0           | 1.0 | 1.0 | 1.0 | 0                             | n/a      | M         | Good                    | Gone   | Nil                    | N/A      | 40+                    | C1               | 6.55                            | 134.80                                     |
|          | 80  | Chamaecyparis lawsoniana Lawsons cypress  | 507       | MS    | 11          | 1.0           | 1.0 | 1.0 | 1.0 | 0                             | n/a      | M         | Good                    | Gone   | Nil                    | N/A      | 40+                    | C1               | 5.07                            | 80.76                                      |
|          | 86  | Prunus Atropurpurea Pissards Plum         | 258       | MS    | 5           | 4.0           | 2.0 | 5.0 | 3.0 | 1                             | 2        | M         | Fair                    | Average condition  | Nil                    | N/A      | 10-20                  | C1               | 2.58                            | 20.91                                      |
|          | 88  | Prunus Atropurpurea Pissards Plum         | 201       | 1     | 3           | 4.0           | 3.0 | 4.0 | 1.0 | 1                             | 2        | M         | Fair                    | Av stem wound at gl e  | Nil                    | N/A      | 10-20                  | C1               | 2.41                            | 18.28                                      |
|          | 90  | Quercus robur Pedunculate oak             | 106       | 1     | 7           | 2.0           | 1.0 | 1.5 | 1.5 | 7                             | 3        | Y         | Good                    | Gone   | Nil                    | N/A      | 40+                    | C1               | 1.27                            | 5.08                                       |
|          | 109 | Laburnum anagyroides Common laburnum      | 561       | MS    | 8           | 4.5           | 3.0 | 3.0 | 5.0 | 0                             | 5        | M         | Poor                    | Average condition  | Nil                    | N/A      | 10-20                  | C1               | 5.61                            | 98.89                                      |
|          | 111 | Lilac                                     | 184       | 1     | 4           | 2.0           | 1.0 | 3.0 | 1.0 | 0                             | 2        | M         | Fair                    | Average condition  | Nil                    | N/A      | 10-20                  | C1               | 2.21                            | 15.32                                      |
|          | 112 | Laburnum anagyroides Common laburnum      | 664       | MS    | 9           | 6.0           | 3.0 | 5.0 | 2.5 | 0                             | 5        | M         | Fair                    | Trunk split typical of species   | Nil                    | N/A      | 10-20                  | C1               | 6.64                            | 138.53                                     |
|          | 115 | Prunus Atropurpurea Pissards Plum         | 198       | 1     | 6           | 3.0           | 3.0 | 3.5 | 1.0 | 1                             | 2        | M         | Fair                    | Average condition  | Nil                    | N/A      | 10-20                  | C1               | 2.38                            | 17.74                                      |
|          | 121 | Aesculus hippocastanum Horse Chestnut     | 521       | 1     | 11          | 4.5           | 5.0 | 4.0 | 6.0 | 3                             | 4        | M         | Good                    | stem bleeding 1.0 w  | Nil                    | N/A      | 10-20                  | C1               | 6.25                            | 122.81                                     |
|          | 122 | Sorbus aucuparia Rowan                    | 218       | 1     | 7           | 3.0           | 3.0 | 3.0 | 1.5 | 0                             | 4        | M         | Fair                    | Average condition  | Nil                    | N/A      | 10-20                  | C1               | 2.62                            | 21.50                                      |
|          | 123 | Fraxinus excelsior Ash                    | 263       | 1     | 10          | 4.0           | 5.0 | 3.5 | 3.0 | 4                             | 4        | M         | Poor                    | Average condition  | Nil                    | N/A      | 10-20                  | C1               | 3.16                            | 31.30                                      |
|          | 146 | Sorbus aucuparia Rowan                    | 209       | 1     | 9           | 3.0           | 3.0 | 3.0 | 3.0 | 0                             | 4        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | C1               | 2.51                            | 19.76                                      |
|          | 147 | Sorbus aucuparia Rowan                    | 162       | 1     | 7           | 3.0           | 3.0 | 3.0 | 3.0 | 0                             | 4        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | C1               | 1.94                            | 11.87                                      |
|          | 150 | Prunus avium Cherry                       | 201       | 1     | 5           | 3.0           | 5.0 | 4.0 | 4.0 | 0                             | 2        | M         | Fair                    | Average condition  | Nil                    | N/A      | 10-20                  | C1               | 2.41                            | 18.28                                      |
|          | 152 | Malus domestica Apple                     | 89        | 1     | 4           | 1.0           | 1.0 | 2.0 | 1.0 | 1                             | 1.5      | M         | Fair                    | Average condition  | Nil                    | N/A      | 10-20                  | C1               | 1.07                            | 3.58                                       |
|          | 433 | Populus nigra Hybrid black poplar         | 1136      | 1     | 19          | 8.0           | 6.0 | 6.0 | 8.0 | 0                             | 6        | M         | Poor                    | Forked at 2.0  | Nil                    | N/A      | 10-20                  | C1               | 13.63                           | 583.88                                     |
|          | 435 | Populus nigra Italica Lombardy Poplar     | 828       | 1     | 19          | 5.0           | 6.0 | 4.0 | 4.0 | 2                             | 5        | M         | Fair                    | Decay pocket in main fork at 2.0   | Inspect                | U        | 10-20                  | C1               | 9.94                            | 310.19                                     |
|          | 564 | Cupressocyparis leylandii Leyland cypress | 511       | 1     | 10          | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 0        | M         | Good                    | No visible defects   | None                   | N/A      | 20-40                  | C1               | 6.13                            | 118.14                                     |
|          | 565 | Chamaecyparis lawsoniana Lawsons cypress  | 300       | 1     | 5           | 1.0           | 1.0 | 1.0 | 1.0 | 1                             | 0        | M         | Fair                    | Suppressed by 566  | None                   | N/A      | 20-40                  | C1               | 3.60                            | 40.72                                      |
|          | 566 | Cupressocyparis leylandii Leyland cypress | 426       | 1     | 10          | 2.0           | 2.0 | 2.0 | 1.0 | 1                             | 0        | M         | Good                    | No visible defects   | None                   | N/A      | 40+                    | C1               | 5.11                            | 82.11                                      |
|          | 570 | Malus domestica Apple                     | 368       | 1     | 6           | 3.0           | 4.0 | 4.0 | 4.0 | 0                             | 1.5      | M         | Poor                    | Minor deadwood   | None                   | N/A      | 10-20                  | C1               | 4.42                            | 61.27                                      |
|          | 571 | Sorbus intermedia Swedish Whitebeam       | 689       | MS    | 7           | 5.0           | 5.0 | 5.0 | 5.0 | 0                             | 2        | OM        | Fair                    | 10o stem lean (N)  | None                   | N/A      | 10-20                  | C1               | 6.89                            | 149.16                                     |
|          | 572 | Malus domestica Apple                     | 394       | 1     | 5           | 2.0           | 4.0 | 3.0 | 3.0 | 1                             | 2        | M         | Poor                    | No visible defects   | None                   | N/A      | 10-20                  | C1               | 4.73                            | 70.24                                      |
|          | 626 | Prunus Flowering Cherry                   | 568       | 1     | 12          | 4.0           | 4.0 | 4.0 | 4.0 | 1                             | 2        | M         | Fair                    | Occluded bark to stem, deadwood less than 50mm diameter                                | Nil                    | N/A      | 10-20                  | C1               | 5.56                            | 145.97                                     |
|          | 627 | Prunus Flowering Cherry                   | 405       | 1     | 8           | 5.0           | 4.0 | 3.0 | 4.0 | 0                             | 2        | M         | Fair                    | Occluded pruning wounds to spring of crown (decay?)                                    | Nil                    | N/A      | 20-40                  | C1               | 4.42                            | 74.21                                      |
|          | 642 | Aesculus hippocastanum Horse Chestnut     | 657       | 1     | 15          | 5.0           | 4.0 | 4.0 | 4.0 | 3                             | 4        | M         | Good                    | Significant included barkdevelopment at 2 m ht (possible future instability) (2 forks) | Nil                    | N/A      | 20-40                  | C1               | 4.88                            | 195.30                                     |
|          | 644 | Thuja plicata Western Red Cedar           | 556       | MS    | 14          | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects   | Nil                    | N/A      | 10-20                  | C1               | 5.56                            | 97.13                                      |
|          | 646 | Malus domestica Apple                     | 442       | MS    | 7           | 4.0           | 4.0 | 4.0 | 4.0 | 1                             | 2        | M         | Fair                    | Significant decay in main branches   | Nil                    | N/A      | <10                    | C1               | 4.42                            | 61.38                                      |

**TOTAL CATEGORY C TREES Heyford Park Nicholson's Tree Survey November 2006**

| Group No | Tag | Species (Botanical)                              | Diam (mm) | Stems | Ht m. (est) | Branch Spread |     |     |     | Increase in canopy radius (m) | Crown Ht | Age Class | Physiological Condition | Structural Condition                                     | Preliminary Management          | Priority | Remaining Contribution | Category Grading | Root Protection Zone Radius (m) | Root Protection zone (m2). Capped at 707m2 |
|----------|-----|--|-----------|-------|-------------|---------------|-----|-----|-----|-------------------------------|----------|-----------|-------------------------|--|---------------------------------|----------|------------------------|------------------|---------------------------------|--|
|          |     |  |           |       |             | N             | S   | E   | W   |                               |          |           |                         |  |                                 |          |                        |                  |                                 |  |
| 657      |     | Acer pseudoplatanus Sycamore                     | 407       | 1     | 12          | 3.0           | 4.0 | 3.0 | 4.0 | 1                             | 4        | M         | Poor                    | Included bark to main branch on north side, poor foliage | Nil                             | N/A      | <10                    | C1               | 4.88                            | 74.95                                      |
| 662      |     | Crataegus monogyna Hawthorn                      | 431       | MS    | 6           | 4.0           | 4.0 | 3.0 | 1.0 | 1                             | 4        | M         | Good                    | Decay to main fork at ground level                       | Nil                             | N/A      | <10                    | C1               | 4.31                            | 58.37                                      |
| 666      |     | Crataegus monogyna Hawthorn                      | 182       | MS    | 3           | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 2        | M         | Fair                    | Damage/decay to main stem                                | Nil                             | N/A      | 10-20                  | C1               | 1.82                            | 10.41                                      |
| 668      |     | Fraxinus excelsior Ash                           | 278       | 1     | 11          | 5.0           | 4.0 | 4.0 | 1.0 | 2                             | 2        | M         | Fair                    | Foliage thin   | Nil                             | N/A      | 10-20                  | C1               | 3.34                            | 34.97                                      |
| 670      |     | Fraxinus excelsior Ash                           | 231       | 1     | 11          | 4.0           | 4.0 | 0.0 | 3.0 | 1                             | 2        | M         | Fair                    | Crown unbalanced by 669                                  | Nil                             | N/A      | 10-20                  | C1               | 2.77                            | 24.14                                      |
| 671      |     | Sorbus aria Whitebeam                            | 777       | 1     | 10          | 4.0           | 4.0 | 4.0 | 3.0 | 1                             | 2        | M         | Fair                    | Old pruning wounds (occluded)                            | Nil                             | N/A      | 10-20                  | C1               | 9.32                            | 273.16                                     |
| 672      |     | Sorbus intermedia Swedish Whitebeam              | 646       | 1     | 10          | 5.0           | 4.0 | 3.0 | 4.0 | 1                             | 4        | M         | Fair                    | Old pruning wounds (occluded)                            | Nil                             | N/A      | 10-20                  | C1               | 7.75                            | 188.81                                     |
| 675      |     | Prunus Flowering Cherry                          | 376       | MS    | 9           | 3.0           | 2.0 | 3.0 | 3.0 | 2                             | 2        | M         | Good                    | Included bark to codominant stems at ground level        | tree worked , jan 2007          | N/A      | 10-20                  | C1               | 3.76                            | 44.42                                      |
| 678      |     | Chamaecyparis lawsoniana Lawsons cypress         | 501       | MS    | 10          | 2.0           | 2.0 | 2.0 | 2.0 | 0.5                           | 0.5      | M         | Fair                    | No visible defects                                       | None                            | N/A      | 40+                    | C1               | 2.43                            | 78.86                                      |
| 679      |     | Chamaecyparis lawsoniana Lawsons cypress         | 594       | MS    | 10          | 2.0           | 2.0 | 2.0 | 2.0 | 0.5                           | 0.5      | M         | Fair                    | No visible defects                                       | None                            | N/A      | 40+                    | C1               | 2.76                            | 110.86                                     |
| 682      |     | Acer platanoides - Acer platanoides Norway maple | 619       | 1     | 7           | 3.0           | 1.5 | 3.0 | 3.0 | 3                             | 1.5      | M         | Good                    | Girdling root with bark damage                           | None                            | N/A      | 40+                    | C1               | 7.43                            | 173.36                                     |
| 684      |     | Crataegus monogyna Hawthorn                      | 243       | MS    | 4           | 2.0           | 2.0 | 1.0 | 1.0 | 0.5                           | 2.5      | M         | Fair                    | Dead wood  | Crown clean                     | P        | 10-20                  | C1               | 2.43                            | 18.55                                      |
| 686      |     | Acer platanoides Norway maple                    | 230       | 1     | 6           | 3.0           | 3.0 | 3.0 | 3.0 | 3                             | 2.5      | M         | Good                    | No visible defects                                       | None                            | N/A      | 40+                    | C1               | 2.76                            | 23.93                                      |
| 690      |     | Acer pseudoplatanus Sycamore                     | 349       | 1     | 9           | 2.0           | 2.0 | 2.0 | 1.0 | 2                             | 3        | M         | Fair                    | Supressed by 691 - 689                                   | None                            | N/A      | 40+                    | C1               | 4.19                            | 55.11                                      |
| 707      |     | Acer platanoides Norway maple                    | 456       | MS    | 8           | 3.0           | 3.0 | 4.0 | 4.0 | 2                             | 3        | M         | Fair                    | Tight forks included bark                                | None                            | N/A      | 10-20                  | C1               | 4.56                            | 65.33                                      |
| 713      |     | Sorbus aucuparia Rowan                           | 273       | 1     | 5           | 2.5           | 2.5 | 3.0 | 2.0 | 1.5                           | 1        | M         | Fair                    | Basal suckers  | Remove basal suckers            | P        | 10-20                  | C1               | 3.28                            | 33.72                                      |
| 714      |     | Chamaecyparis lawsoniana Lawsons cypress         | 284       | 1     | 7           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 1        | M         | Good                    | No visible defects                                       | None                            | N/A      | 20-40                  | C1               | 3.41                            | 36.49                                      |
| 715      |     | Chamaecyparis lawsoniana Lawsons cypress         | 349       | MS    | 7           | 2.0           | 2.0 | 2.0 | 2.0 | 0                             | 1        | M         | Good                    | No visible defects                                       | None                            | N/A      | 20-40                  | C1               | 3.49                            | 38.27                                      |
| 716      |     | Prunus Flowering Cherry                          | 268       | MS    | 6           | 1.5           | 1.5 | 1.5 | 1.5 | 2                             | 1        | M         | Fair                    | Supressed by 5715  | None                            | N/A      | 10-20                  | C1               | 2.68                            | 22.57                                      |
| 731      |     | Picea abies Norway spruce                        | 457       | MS    | 10          | 2.5           | 2.5 | 2.5 | 2.5 | 0                             | 2        | M         | Good                    | Competing sub-leader                                     | Remove competing leader at base | P        | 40+                    | C1               | 4.57                            | 65.62                                      |
| 732      |     | Prunus Flowering Cherry                          | 280       | 1     | 8           | 3.0           | 3.0 | 3.0 | 3.0 | 3                             | 2        | M         | Good                    | No visible defects                                       | None                            | N/A      | 20-40                  | C1               | 3.36                            | 35.47                                      |
| 734      |     | Chamaecyparis lawsoniana Lawsons cypress         | 525       | MS    | 7           | 2.5           | 2.5 | 2.5 | 2.5 | 0                             | 0.5      | M         | Good                    | No visible defects                                       | None                            | N/A      | 20-40                  | C1               | 5.25                            | 86.60                                      |
| 735      |     | Malus domestica Apple                            | 291       | 1     | 5           | 3.0           | 3.0 | 3.0 | 3.0 | 0                             | 1        | M         | Good                    | No visible defects                                       | None                            | N/A      | 40+                    | C1               | 3.49                            | 38.31                                      |
| 736      |     | Cupressocyparis leylandii Leyland cypress        | 165       | MS    | 15          | 3.0           | 3.0 | 3.0 | 3.0 | 0                             | 0.5      | M         | Good                    | Phone lines through crown                                | None                            | N/A      | 40+                    | C1               | 1.65                            | 8.55                                       |
| 741      |     | Eucalyptus cider gum                             | 591       | MS    | 11          | 2.0           | 3.0 | 4.0 | 2.0 | 3                             | 2        | M         | Good                    | Tight fork at base                                       | Remove secondary limb           | P        | 40+                    | C1               | 5.91                            | 109.74                                     |
| 742      |     | Sorbus aucuparia Rowan                           | 166       | 1     | 6           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 2.5      | M         | Fair                    | Stem wound at branching                                  | None                            | N/A      | 10-20                  | C1               | 1.99                            | 12.47                                      |
| 743      |     | Cupressocyparis leylandii Leyland cypress        | 546       | MS    | 11          | 3.0           | 2.0 | 3.0 | 3.0 | 2                             | 2        | M         | Fair                    | Broken branch  | None                            | N/A      | 40+                    | C1               | 5.46                            | 93.67                                      |
| 744      |     | Cupressocyparis leylandii Leyland cypress        | 519       | 1     | 11          | 1.0           | 3.0 | 3.0 | 3.0 | 2                             | 2        | M         | Fair                    | No visible defects                                       | None                            | N/A      | 40+                    | C1               | 6.23                            | 121.87                                     |
| 745      |     | Sorbus aucuparia Rowan                           | 220       | 1     | 8           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 2.5      | M         | Good                    | Tight fork and included bark                             | None                            | N/A      | 10-20                  | C1               | 2.64                            | 21.90                                      |
| 746      |     | Prunus Flowering Cherry                          | 308       | 1     | 7           | 3.0           | 2.0 | 2.0 | 4.0 | 2                             | 2        | M         | Fair                    | Weak fork @ 2.5 m  | None                            | N/A      | 10-20                  | C1               | 3.70                            | 42.92                                      |
| 748      |     | Sorbus aucuparia Rowan                           | 236       | 1     | 7           | 2.0           | 2.0 | 2.0 | 1.5 | 0.5                           | 2        | M         | Good                    | No visible defects                                       | None                            | N/A      | 10-20                  | C1               | 2.83                            | 25.20                                      |
| 754      |     | Prunus Flowering Cherry                          | 302       | 1     | 5           | 3.5           | 3.5 | 3.5 | 2.0 | 2                             | 2        | M         | Fair                    | Tight fork included bark                                 | None                            | N/A      | 20-40                  | C1               | 3.62                            | 41.27                                      |
| 755      |     | Acer pseudoplatanus Sycamore                     | 148       | 1     | 5           | 2.0           | 2.0 | 2.0 | 2.0 | 4                             | 1.5      | SM        | Good                    | Small basal cavity                                       | None                            | N/A      | 40+                    | C1               | 1.78                            | 9.91                                       |
| 756      |     | Robinia pseudoacacia False acacia                | 203       | 1     | 4           | 2.0           | 2.0 | 2.0 | 2.0 | 3                             | 2        | SM        | Fair                    | Minor dead wood  | Crown clean                     | P        | 40+                    | C1               | 2.44                            | 18.64                                      |
| 759      |     | Acer pseudoplatanus Sycamore                     | 124       | 1     | 5           | 2.0           | 2.0 | 2.0 | 2.0 | 6                             | 2        | SM        | Good                    | No visible defects                                       | None                            | N/A      | 40+                    | C1               | 1.49                            | 6.96                                       |
| 760      |     | Salix caprea Goat willow                         | 507       | MS    | 6           | 3.0           | 5.0 | 3.0 | 3.0 | 2                             | 2        | M         | Good                    | Minor cavity (W)   | None                            | N/A      | 20-40                  | C1               | 5.07                            | 80.76                                      |
| 761      |     | Fraxinus excelsior Ash                           | 125       | 1     | 5           | 2.0           | 2.0 | 2.0 | 2.0 | 4                             | 2        | SM        | Good                    | No visible defects                                       | None                            | N/A      | 40+                    | C1               | 1.50                            | 7.07                                       |
| 762      |     | Fraxinus excelsior Ash                           | 129       | 1     | 4           | 1.0           | 1.0 | 1.0 | 1.0 | 4                             | 2        | SM        | Good                    | No visible defects                                       | None                            | N/A      | 40+                    | C1               | 1.55                            | 7.53                                       |
| 763      |     | Juglans regia Walnut                             | 112       | 1     | 5           | 2.0           | 2.0 | 2.0 | 2.0 | 3                             | 1.5      | SM        | Good                    | No visible defects                                       | None                            | N/A      | 40+                    | C1               | 1.34                            | 5.68                                       |
| 771      |     | Betula alba Silver birch                         | 160       | 1     | 5           | 2.0           | 2.0 | 2.0 | 2.0 | 3                             | 0.5      | SM        | Good                    | No visible defects                                       | None                            | N/A      | 20-40                  | C1               | 1.60                            | 11.58                                      |
| 773      |     | Cupressocyparis leylandii Leyland cypress        | 368       | 1     | 7           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 0        | SM        | Good                    | No visible defects                                       | None                            | N/A      | 40+                    | C1               | 3.78                            | 61.27                                      |
| 775      |     | Prunus Flowering Cherry                          | 319       | 1     | 6           | 3.0           | 3.0 | 4.0 | 3.0 | 2                             | 2        | M         | Good                    | No visible defects                                       | None                            | N/A      | 20-40                  | C1               | 5.44                            | 46.04                                      |
| 781      |     | Fraxinus excelsior Ash                           | 133       | 1     | 5           | 2.0           | 2.0 | 2.0 | 2.0 | 3                             | 2        | M         | Good                    | No visible defects                                       | None                            | N/A      | 40+                    | C1               | 2.78                            | 8.00                                       |
| 784      |     | Acer pseudoplatanus Sycamore                     | 315       | 1     | 8           | 3.5           | 3.5 | 3.5 | 3.5 | 3                             | 2        | M         | Good                    | No visible defects                                       | None                            | N/A      | 40+                    | C1               | 1.45                            | 44.89                                      |
| 787      |     | Alnus cordata Italian alder                      | 544       | MS    | 8           | 3.0           | 4.0 | 5.0 | 4.0 | 2                             | 2        | M         | Good                    | Tight forks/included bark at base                        | None                            | N/A      | 20-40                  | C1               | 1.46                            | 92.98                                      |
| 792      |     | Juglans regia Walnut                             | 232       | 1     | 9           | 4.0           | 4.0 | 4.0 | 4.0 | 3                             | 2        | M         | Good                    | Old basal cavity/wound                                   | None                            | N/A      | 40+                    | C1               | 1.46                            | 24.35                                      |
| 795      |     | Sorbus aucuparia Rowan                           | 121       | 1     | 5           | 1.0           | 1.0 | 1.0 | 1.0 | 0.5                           | 2        | M         | Fair                    | Basal wounds   | None                            | N/A      | 10-20                  | C1               | 1.48                            | 6.62                                       |
| 796      |     | Sorbus aucuparia Rowan                           | 122       | 1     | 5           | 1.0           | 1.0 | 1.0 | 1.0 | 0.5                           | 2        | M         | Good                    | Stem lean (N), basal wounds                              | None                            | N/A      | 10-20                  | C1               | 5.13                            | 6.73                                       |
| 797      |     | Sorbus aucuparia Rowan                           | 122       | 1     | 5           | 1.0           | 1.0 | 1.0 | 1.0 | 0.5                           | 2        | M         | Good                    | Basal wounds   | None                            | N/A      | 10-20                  | C1               | 3.24                            | 6.73                                       |
| 798      |     | Sorbus aucuparia Rowan                           | 123       | 1     | 5           | 1.0           | 1.0 | 1.0 | 1.0 | 0.5                           | 2        | M         | Good                    | Basal wounds   | None                            | N/A      | 10-20                  | C1               | 3.40                            | 6.85                                       |
| 801      |     | Alnus incana Grey alder                          | 513       | MS    | 8           | 3.0           | 3.0 | 3.0 | 3.0 | 2                             | 1        | M         | Fair                    | Tight forks included bark                                | None                            | N/A      | 20-40                  | C1               | 6.46                            | 82.69                                      |
| 804      |     | Acer pseudoplatanus Sycamore                     | 324       | MS    | 8           | 2.0           | 3.0 | 3.0 | 3.0 | 3                             | 3        | M         | Good                    | Included bark bark                                       | None                            | N/A      | 40+                    | C1               | 5.56                            | 32.98                                      |
| 808      |     | Acer platanoides Norway maple                    | 283       | 1     | 7           | 4.0           | 4.0 | 4.0 | 4.0 | 3                             | 2        | M         | Good                    | Tight forks included bark                                | None                            | N/A      | 40+                    | C1               | 2.76                            | 36.24                                      |
| 810      |     | Acer pseudoplatanus Sycamore                     | 538       | 1     | 10          | 5.0           | 5.0 | 5.0 | 5.0 | 1                             | 3        | M         | Fair                    | Major stem wounds  | None                            | N/A      | 20-40                  | C1               | 2.88                            | 130.96                                     |

**TOTAL CATEGORY C TREES Heyford Park Nicholson's Tree Survey November 2006**

| Group No | Tag | Species (Botanical)                       | Diam (mm) | Stems | Ht m. (est) | Branch Spread |     |     |     | Increase in canopy radius (m) | Crown Ht | Age Class | Physiological Condition | Structural Condition   | Preliminary Management      | Priority | Remaining Contribution | Category Grading | Root Protection Zone Radius (m) | Root Protection zone (m2). Capped at 707m2 |
|----------|-----|---|-----------|-------|-------------|---------------|-----|-----|-----|-------------------------------|----------|-----------|-------------------------|--|-----------------------------|----------|------------------------|------------------|---------------------------------|--|
|          |     |   |           |       |             | N             | S   | E   | W   |                               |          |           |                         |  |                             |          |                        |                  |                                 |  |
| 812      |     | Acer pseudoplatanus Sycamore              | 463       | 1     | 7           | 5.0           | 5.0 | 5.0 | 5.0 | 2                             | 3        | M         | Fair                    | No visible defects   | None                        | N/A      | 40+                    | C1               | 6.54                            | 96.99                                      |
| 814      |     | Cotoneaster                               | 230       | 1     | 6           | 3.0           | 2.0 | 3.0 | 3.0 | 1                             | 2        | M         | Good                    | Included bark to large branch (south)                                    | Remove included bark branch | P        | <10                    | C1               | 6.98                            | 23.93                                      |
| 819      |     | Sorbus aria Whitebeam                     | 240       | 1     | 5           | 2.0           | 1.0 | 2.0 | 1.0 | 2                             | 2        | M         | Fair                    | Included bark to main fork   | Nil                         | N/A      | 10-20                  | C1               | 2.64                            | 26.06                                      |
| 822      |     | Sorbus aria Whitebeam                     | 545       | 1     | 9           | 4.0           | 4.0 | 3.0 | 4.0 | 0                             | 2        | M         | Fair                    | Old wounds and rot pocket to spring of crown (decay?)                    | Nil                         | N/A      | 10-20                  | C1               | 3.44                            | 134.39                                     |
| 823      |     | Sorbus aria Whitebeam                     | 582       | 1     | 11          | 4.0           | 4.0 | 3.0 | 4.0 | 0                             | 2        | M         | Fair                    | No visible defects   | Nil                         | N/A      | 10-20                  | C1               | 6.82                            | 153.25                                     |
| 827      |     | Carpinus betulus Hornbeam (fastigata)     | 264       | MS    | 10          | 3.0           | 3.0 | 3.0 | 3.0 | 2                             | 3        | M         | Good                    | Included bark at spring of crown at 1.5 m                                | Nil                         | N/A      | 20-40                  | C1               | 2.88                            | 21.90                                      |
| 828      |     | Acer platanoides Norway maple             | 287       | 1     | 15          | 4.0           | 1.0 | 3.0 | 3.0 | 3                             | 2        | M         | Good                    | Included bark at 2 m height  | Nil                         | N/A      | 20-40                  | C1               | 4.54                            | 37.27                                      |
| 835      |     | Prunus Flowering Cherry                   | 568       | 1     | 8           | 4.0           | 4.0 | 5.0 | 4.0 | 1                             | 2        | M         | Fair                    | No visible defects   | Nil                         | N/A      | 10-20                  | C1               | 6.82                            | 145.97                                     |
| 836      |     | Acer platanoides Norway maple             | 240       | 1     | 9           | 4.0           | 4.0 | 3.0 | 4.0 | 1                             | 3        | M         | Fair                    | Mower damage to base of stem   | Nil                         | N/A      | 20-40                  | C1               | 2.88                            | 26.06                                      |
| 837      |     | Acer platanoides Norway maple             | 378       | 1     | 9           | 5.0           | 4.0 | 5.0 | 4.0 | 1                             | 2        | M         | Good                    | Included bark to main stem forks   | Nil                         | N/A      | 20-40                  | C1               | 4.54                            | 64.65                                      |
| 856      |     | Cupressocyparis leylandii Leyland cypress | 553       | 1     | 16          | 3.0           | 3.0 | 2.0 | 3.0 | 2                             | 4        | M         | Good                    | Included bark to main fork   | Nil                         | N/A      | 10-20                  | C1               | 6.64                            | 138.36                                     |
| 868      |     | Fraxinus excelsior Ash                    | 152       | 1     | 6           | 2.0           | 2.0 | 2.0 | 2.0 | 3                             | 2        | SM        | Good                    | No visible defects   | None                        | N/A      | 40+                    | C1               | 3.66                            | 10.45                                      |
| 869      |     | Fraxinus excelsior Ash                    | 152       | 1     | 5.5         | 3.0           | 3.0 | 3.0 | 3.0 | 3                             | 2        | SM        | Good                    | No visible defects   | None                        | N/A      | 40+                    | C1               | 4.60                            | 10.45                                      |
| 870      |     | Fraxinus excelsior Ash                    | 150       | 1     | 6           | 2.0           | 2.0 | 2.0 | 2.0 | 3                             | 2        | SM        | Good                    | No visible defects   | None                        | N/A      | 40+                    | C1               | 2.21                            | 10.18                                      |
| 876      |     | Crataegus monogyna Hawthorn               | 366       | MS    | 5           | 1.0           | 2.5 | 2.5 | 2.5 | 0.5                           | 1        | M         | Fair                    | No visible defects   | None                        | N/A      | 40+                    | C1               | 3.66                            | 42.09                                      |
| 877      |     | Prunus Flowering Cherry                   | 383       | 1     | 6           | 1.0           | 2.0 | 1.5 | 2.0 | 2                             | 3        | M         | Good                    | No visible defects   | None                        | N/A      | 20-40                  | C1               | 3.90                            | 66.37                                      |
| 879      |     | Prunus Flowering Cherry                   | 184       | 1     | 5           | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects   | None                        | N/A      | 20-40                  | C1               | 3.64                            | 15.32                                      |
| 880      |     | Prunus Flowering Cherry                   | 320       | 1     | 8           | 4.0           | 4.0 | 4.0 | 4.0 | 2                             | 2        | M         | Good                    | No visible defects   | None                        | N/A      | 20-40                  | C1               | 1.76                            | 46.33                                      |
| 881      |     | Prunus Flowering Cherry                   | 325       | 1     | 8           | 4.0           | 4.0 | 4.0 | 4.0 | 2                             | 2.5      | M         | Good                    | Ntight forks included bark   | None                        | N/A      | 20-40                  | C1               | 2.64                            | 47.79                                      |
| 888      |     | Chamaecyparis lawsoniana Lawsons cypress  | 364       | MS    | 5           | 0.5           | 0.5 | 0.5 | 0.5 | 1                             | 0        | M         | Good                    | No visible defects   | None                        | N/A      | 20-40                  | C1               | 3.64                            | 41.63                                      |
| 891      |     | Juglans regia Walnut                      | 147       | 1     | 5           | 2.0           | 2.0 | 2.0 | 3.0 | 3                             | 1        | SM        | Good                    | No visible defects   | None                        | N/A      | 40+                    | C1               | 2.62                            | 9.78                                       |
| 894      |     | Prunus Flowering Cherry                   | 220       | 1     | 5           | 2.0           | 2.0 | 2.0 | 2.0 | 3                             | 1.5      | SM        | Fair                    | No visible defects   | None                        | N/A      | 20-40                  | C1               | 2.64                            | 21.90                                      |
| 904      |     | Prunus cerasifera Myrobalan Plum          | 315       | MS    | 5           | 3.0           | 3.0 | 3.0 | 3.0 | 1                             | 1.5      | M         | Fair                    | Basal sucker, stubs and dead wood  | Crown clean                 | P        | 20-40                  | C1               | 3.15                            | 31.18                                      |
| 906      |     | Alnus cordata Italian alder               | 218       | 1     | 8           | 2.0           | 2.0 | 2.5 | 2.0 | 1                             | 1.5      | SM        | Fair                    | No visible defects   | None                        | N/A      | 20-40                  | C1               | 2.62                            | 21.50                                      |
| 908      |     | Robinia pseudoacacia False acacia         | 152       | 1     | 5           | 1.0           | 2.0 | 1.0 | 2.0 | 4                             | 2.5      | SM        | Good                    | No visible defects   | None                        | N/A      | 40+                    | C1               | 1.82                            | 10.45                                      |
| 914      |     | Prunus Atropurpurea Pissards Plum         | 158       | 1     | 4           | 2.0           | 1.0 | 2.0 | 2.0 | 1.5                           | 1        | SM        | Fair                    | No visible defects   | None                        | N/A      | 20-40                  | C1               | 1.90                            | 11.29                                      |
| 917      |     | Prunus Flowering Cherry                   | 393       | 1     | 5           | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 2        | SM        | Good                    | No visible defects   | None                        | N/A      | 20-40                  | C1               | 4.72                            | 69.88                                      |
| 920      |     | Juglans regia Walnut                      | 228       | 1     | 6           | 2.0           | 2.0 | 2.0 | 2.0 | 3                             | 2        | SM        | Fair                    | Festooned in creeper   | Crown clean                 | P        | 40+                    | C1               | 2.74                            | 23.52                                      |
| 931      |     | Acer pseudoplatanus Sycamore              | 386       | 1     | 9           | 4.0           | 4.0 | 4.0 | 4.0 | 3                             | 2.5      | M         | Good                    | No visible defects   | None                        | N/A      | 40+                    | C1               | 4.63                            | 67.41                                      |
| 932      |     | Sorbus aucuparia Rowan                    | 115       | 1     | 4           | 1.5           | 1.5 | 0.0 | 2.0 | 2                             | 2        | M         | Fair                    | No visible defects   | None                        | N/A      | 10-20                  | C1               | 1.38                            | 5.98                                       |
| 2001     |     | Robinia pseudoacacia False acacia         | 180       | 1     | 9           | 2.0           | 4.0 | 3.0 | 4.0 | 2                             | 4        | M         | Fair                    | Average condition  | Nil                         | N/A      | 20-40                  | C1               | 2.16                            | 14.66                                      |
| 2010     |     | Fagus sylvatica Beech                     | 81        | 1     | 6           | 1.0           | 1.0 | 1.0 | 1.0 | 8                             | 1.5      | SM        | Fair                    | Average condition  | Nil                         | N/A      | 40+                    | C1               | 0.97                            | 2.97                                       |
| 2043     |     | Juglans regia Walnut                      | 94        | 1     | 3           | 1.0           | 1.0 | 1.0 | 1.0 | 8                             | 0        | Y         | Good                    | No visible defects, untagged   | None                        | N/A      | 40+                    | C1               | 1.13                            | 4.00                                       |
| 2044     |     | Betula utilis Himalayan birch             | 110       | 1     | 6           | 1.0           | 1.0 | 1.0 | 1.0 | 3                             | 2        | Y         | Good                    | No visible defects, untagged   | Remove stake                | P        | 40+                    | C1               | 1.32                            | 5.47                                       |
| 2045     |     | Eucalyptus gunni Eucalyptus               | 148       | 1     | 9           | 1.0           | 1.0 | 1.0 | 1.0 | 5                             | 3        | SM        | Good                    | No visible defects   | None                        | N/A      | 40+                    | C1               | 1.78                            | 9.91                                       |
| 2046     |     | Eucalyptus gunni Eucalyptus               | 135       | 1     | 9           | 1.0           | 1.0 | 1.0 | 1.0 | 5                             | 3        | SM        | Good                    | No visible defects   | None                        | N/A      | 40+                    | C1               | 1.62                            | 8.25                                       |
| 2050     |     | Acer pseudoplatanus Sycamore              | 105       | 1     | 3           | 1.0           | 1.0 | 1.0 | 1.0 | 8                             | 0.5      | Y         | Good                    | No visible defects   | None                        | N/A      | 40+                    | C1               | 1.26                            | 4.99                                       |
| 2051     |     | Acer pseudoplatanus Sycamore              | 77        | 1     | 5           | 2.0           | 2.0 | 2.0 | 2.0 | 6                             | 1        | Y         | Good                    | No visible defects   | None                        | N/A      | 40+                    | C1               | 0.92                            | 2.68                                       |
| 2052     |     | Acer pseudoplatanus Sycamore              | 159       | 1     | 5           | 2.0           | 2.0 | 2.0 | 2.0 | 6                             | 1        | Y         | Good                    | No visible defects   | None                        | N/A      | 40+                    | C1               | 1.91                            | 11.44                                      |
| 2054     |     | Fraxinus excelsior Ash                    | 84        | 1     | 3           | 1.0           | 1.0 | 1.0 | 1.0 | 8                             | 0.5      | Y         | Good                    | No visible defects   | None                        | N/A      | 40+                    | C1               | 1.01                            | 3.19                                       |
| 2075     |     | Aesculus hippocastanum Horse Chestnut     | 432       | 1     | 12          | 1.0           | 2.0 | 2.0 | 3.0 | 3                             | 2        | M         | Fair                    | Old stem damage, occluded. Basal bleeding. Crown suppressed either side. | Nil                         | N/A      | 10-20                  | C1               | 5.18                            | 84.44                                      |
| 2091     |     | Acer pseudoplatanus Sycamore              | 101       | 1     | 4           | 1.0           | 1.0 | 1.0 | 1.0 | 6                             | 2        | Y         | Good                    | In raised bed, transplant ?  | Nil                         | N/A      | 10-20                  | C1               | 1.21                            | 4.62                                       |
| 2100     |     | Crataegus monogyna Hawthorn               | 201       | MS    | 4           | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 1        | M         | Good                    | Damage, decay to main stem   | Nil                         | N/A      | 10-20                  | C1               | 2.01                            | 12.69                                      |
| 2101     |     | Crataegus monogyna Hawthorn               | 181       | 1     | 4           | 2.0           | 1.0 | 2.0 | 1.0 | 2                             | 1        | M         | Good                    | Damage, decay to main stem   | Nil                         | N/A      | 10-20                  | C1               | 2.17                            | 14.82                                      |
| 2102     |     | Crataegus monogyna Hawthorn               | 215       | 1     | 4           | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | Damage, decay to main stem   | Nil                         | N/A      | 10-20                  | C1               | 2.58                            | 20.91                                      |
| 2108     |     | Crataegus monogyna Hawthorn               | 182       | MS    | 6           | 1.0           | 2.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | Damage, decay to main stem   | Nil                         | N/A      | 10-20                  | C1               | 1.82                            | 10.41                                      |
| 2109     |     | Crataegus monogyna Hawthorn               | 152       | MS    | 5           | 1.0           | 2.0 | 2.0 | 1.0 | 1                             | 2        | M         | Fair                    | No visible defects   | Nil                         | N/A      | 10-20                  | C1               | 1.52                            | 7.26                                       |
| 2113     |     | Crataegus monogyna Hawthorn               | 158       | MS    | 5           | 1.0           | 1.0 | 2.0 | 0.0 | 2                             | 2        | M         | Fair                    | Damage, decay to main stem   | Nil                         | N/A      | 10-20                  | C1               | 1.58                            | 7.84                                       |
| 2114     |     | Crataegus monogyna Hawthorn               | 136       | MS    | 4           | 2.0           | 1.0 | 2.0 | 2.0 | 2                             | 1        | M         | Fair                    | Damage, decay to main stem   | Nil                         | N/A      | 10-20                  | C1               | 1.36                            | 5.81                                       |
| 2115     |     | Crataegus monogyna Hawthorn               | 180       | MS    | 4           | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 0        | M         | Good                    | No visible defects   | Nil                         | N/A      | 10-20                  | C1               | 1.80                            | 10.18                                      |
| 2116     |     | Crataegus monogyna Hawthorn               | 204       | MS    | 5           | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | Damage, decay to main stem   | Nil                         | N/A      | 10-20                  | C1               | 2.04                            | 13.08                                      |
| 2118     |     | Crataegus monogyna Hawthorn               | 193       | MS    | 4           | 1.0           | 1.0 | 1.0 | 1.0 | 2                             | 1        | M         | Good                    | Damage, decay to main stem   | Nil                         | N/A      | 10-20                  | C1               | 1.93                            | 11.70                                      |
| 2119     |     | Crataegus monogyna Hawthorn               | 181       | MS    | 4           | 1.0           | 1.0 | 1.0 | 1.0 | 2                             | 0        | M         | Fair                    | No visible defects   | Nil                         | N/A      | 10-20                  | C1               | 1.81                            | 10.29                                      |
| 2120     |     | Betula alba Silver birch                  | 227       | 1     | 10          | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 3        | M         | Fair                    | Leaning to north   | Nil                         | N/A      | 10-20                  | C1               | 2.72                            | 23.31                                      |
| 2149     |     | Sorbus aria Whitebeam                     | 263       | 1     | 7           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 2        | M         | Good                    | Severe lean to north   | Nil                         | N/A      | 20-40                  | C1               | 3.16                            | 31.30                                      |
| 2150     |     | Sorbus aria Whitebeam                     | 244       | 1     | 6           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 2        | M         | Good                    | Severe lean to east  | Nil                         | N/A      | 20-40                  | C1               | 2.93                            | 26.94                                      |
| 2151     |     | Sorbus aria Whitebeam                     | 258       | 1     | 6           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 2        | M         | Good                    | Severe lean to east  | Nil                         | N/A      | 20-40                  | C1               | 3.10                            | 30.12                                      |
| 2152     |     | Sorbus aria Whitebeam                     | 197       | 1     | 5           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 2        | M         | Good                    | Severe lean to east  | Nil                         | N/A      | 20-40                  | C1               | 2.36                            | 17.56                                      |
| 2175     |     | Prunus avium plena Cherry                 | 101       | 1     | 5           | 1.0           | 1.0 | 1.0 | 1.0 | 4                             | 2        | SM        | Good                    | No visible defects   | Nil                         | N/A      | 20-40                  | C1               | 1.21                            | 4.62                                       |
| 2176     |     | Prunus avium plena Cherry                 | 92        | 1     | 5           | 1.0           | 1.0 | 1.0 | 1.0 | 4                             | 2        | SM        | Good                    | No visible defects   | Nil                         | N/A      | 20-40                  | C1               | 1.10                            | 3.83                                       |
| 2177     |     | Prunus avium plena Cherry                 | 75        | 1     | 5           | 1.0           | 1.0 | 1.0 | 1.0 | 4                             | 2        | SM        | Good                    | No visible defects   | Nil                         | N/A      | 20-40                  | C1               | 0.90                            | 2.55                                       |
| 2178     |     | Prunus avium plena Cherry                 | 87        | 1     | 4.5         | 1.0           | 2.0 | 2.0 | 2.0 | 3                             | 2        | Y         | Good                    | No visible defects   | Nil                         | N/A      | 20-40                  | C1               | 1.04                            | 3.42                                       |

**TOTAL CATEGORY C TREES Heyford Park Nicholson's Tree Survey November 2006**

| Group No | Tag | Species (Botanical)                       | Diam (mm) | Stems | Ht m. (est) | Branch Spread |     |     |     | Increase in canopy radius (m) | Crown Ht | Age Class | Physiological Condition | Structural Condition                               | Preliminary Management     | Priority | Remaining Contribution | Category Grading | Root Protection Zone Radius (m) | Root Protection zone (m2). Capped at 707m2 |
|----------|-----|---|-----------|-------|-------------|---------------|-----|-----|-----|-------------------------------|----------|-----------|-------------------------|--|----------------------------|----------|------------------------|------------------|---------------------------------|--|
|          |     |   |           |       |             | N             | S   | E   | W   |                               |          |           |                         |  |                            |          |                        |                  |                                 |  |
| 2179     |     | Prunus avium plena Cherry                 | 106       | 1     | 5           | 2.0           | 2.0 | 2.0 | 2.0 | 3                             | 2        | Y         | Good                    | No visible defects                                 | Nil                        | N/A      | 20-40                  | C1               | 1.27                            | 5.08                                       |
| 2180     |     | Prunus avium plena Cherry                 | 88        | 1     | 5           | 2.0           | 2.0 | 2.0 | 2.0 | 3                             | 2        | Y         | Good                    | No visible defects                                 | Nil                        | N/A      | 20-40                  | C1               | 1.06                            | 3.50                                       |
| 2182     |     | Sorbus aucuparia Rowan                    | 151       | 1     | 5           | 2.0           | 2.0 | 2.0 | 2.0 | 0.5                           | 2.5      | M         | Good                    | No visible defects                                 | Nil                        | N/A      | 10-20                  | C1               | 1.81                            | 10.32                                      |
| 2183     |     | Sorbus aucuparia Rowan                    | 161       | 1     | 5           | 2.0           | 2.0 | 2.0 | 2.0 | 0.5                           | 2.5      | M         | Good                    | No visible defects                                 | Nil                        | N/A      | 10-20                  | C1               | 1.93                            | 11.73                                      |
| 2204     |     | Salix caprea Goat willow                  | 566       | MS    | 6           | 5.0           | 5.0 | 4.0 | 4.0 | 2                             | 2        | M         | Good                    | Tight fork/included bark                           | Nil                        | N/A      | 20-40                  | C1               | 5.66                            | 100.66                                     |
| 2205     |     | Cupressocyparis leylandii Leyland cypress | 236       | MS    | 4.5         | 0.5           | 0.5 | 0.5 | 0.5 | 1                             | 0        | M         | Fair                    | No visible defects                                 | Nil                        | N/A      | 20-40                  | C1               | 2.36                            | 17.50                                      |
| 2206     |     | Cupressocyparis leylandii Leyland cypress | 225       | MS    | 4.5         | 0.5           | 0.5 | 0.5 | 0.5 | 1                             | 0        | M         | Fair                    | No visible defects                                 | Nil                        | N/A      | 20-40                  | C1               | 2.25                            | 15.91                                      |
| 2209     |     | Salix fragilis Willow                     | 451       | 1     | 13          | 3.0           | 3.0 | 3.0 | 3.0 | 3                             | 0        | M         | Fair                    | No visible defects(ivy covered)                    | Nil                        | N/A      | 20-40                  | C1               | 5.41                            | 92.03                                      |
| 2210     |     | Pinus wallichiana Bhutan pine             | 255       | MS    | 6           | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 0        | M         | Good                    | Thin stems at 0.3 m                                | Fell as thinning operation | P        | 10-20                  | C1               | 2.55                            | 20.43                                      |
| 2215     |     | Chamaecyparis lawsoniana Lawsons cypress  | 758       | MS    | 5           | 1.5           | 1.5 | 1.5 | 1.5 | 0                             | 0        | M         | Fair                    | Loosing columner form                              | Nil                        | N/A      | 10-20                  | C1               | 7.58                            | 180.53                                     |
| 2218     |     | Chamaecyparis lawsoniana Lawsons cypress  | 254       | 1     | 5           | 1.0           | 2.0 | 2.0 | 2.0 | 1                             | 0        | M         | Good                    | No visible defects                                 | Nil                        | N/A      | 20-40                  | C1               | 3.05                            | 29.19                                      |
| 2219     |     | Chamaecyparis lawsoniana Lawsons cypress  | 520       | 1     | 5           | 1.0           | 1.0 | 1.5 | 1.5 | 1                             | 0        | M         | Good                    | No visible defects                                 | Nil                        | N/A      | 20-40                  | C1               | 6.24                            | 122.34                                     |
| 2220     |     | Chamaecyparis lawsoniana Lawsons cypress  | 725       | 1     | 5           | 1.0           | 1.5 | 1.0 | 1.0 | 1                             | 0        | M         | Good                    | No visible defects                                 | Nil                        | N/A      | 20-40                  | C1               | 8.70                            | 237.82                                     |
| 2222     |     | Cupressocyparis leylandii Leyland cypress | 390       | 1     | 16          | 2.0           | 3.0 | 2.0 | 2.5 | 1                             | 2        | M         | Good                    | No visible defects                                 | Nil                        | N/A      | 40+                    | C1               | 4.68                            | 68.82                                      |
| 2223     |     | Cupressocyparis leylandii Leyland cypress | 390       | 1     | 16          | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 2        | M         | Good                    | No visible defects                                 | Nil                        | N/A      | 40+                    | C1               | 4.68                            | 68.82                                      |
| 2227     |     | Malus domestica Apple                     | 80        | 1     | 3.5         | 1.5           | 1.5 | 1.0 | 1.0 | 2                             | 1        | M         | Good                    | No visible defects                                 | Nil                        | N/A      | 10-20                  | C1               | 0.96                            | 2.90                                       |
| 2228     |     | Acer saccharinum Silver maple             | 154       | 1     | 4           | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 3        | M         | Fair                    | No visible defects                                 | Nil                        | N/A      | 10-20                  | C1               | 1.85                            | 10.73                                      |
| 2229     |     | Acer saccharinum Silver maple             | 168       | 1     | 6           | 3.0           | 2.0 | 3.0 | 2.0 | 2                             | 2.5      | M         | Good                    | No visible defects                                 | Nil                        | N/A      | 20-40                  | C1               | 2.02                            | 12.77                                      |
| 2230     |     | Crataegus monogyna Hawthorn               | 45        | 1     | 3           | 0.5           | 1.0 | 1.0 | 0.5 | 4                             | 1.5      | SM        | Fair                    | No visible defects                                 | Nil                        | N/A      | 20-40                  | C1               | 0.54                            | 0.92                                       |
| 2231     |     | Prunus Flowering Cherry                   | 52        | MS    | 6           | 2.0           | 2.0 | 2.0 | 0.5 | 2                             | 2        | M         | Good                    | No visible defects                                 | Nil                        | N/A      | 10-20                  | C1               | 0.52                            | 0.85                                       |
| 2239     |     | Cupressocyparis leylandii Leyland cypress | 122       | MS    | 7           | 2.0           | 2.0 | 3.0 | 2.0 | 2                             | 0        | M         | Fair                    | No visible defects                                 | Nil                        | N/A      | 20-40                  | C1               | 1.22                            | 4.68                                       |
| 2240     |     | Cupressocyparis leylandii Leyland cypress | 210       | 1     | 8           | 2.0           | 2.0 | 1.5 | 2.0 | 2                             | 0        | M         | Good                    | No visible defects                                 | Nil                        | N/A      | 20-40                  | C1               | 2.52                            | 19.95                                      |
| 2248     |     | Eucalyptus gunni Eucalyptus               | 96        | 1     | 4           | 1.0           | 1.0 | 1.0 | 1.0 | 6                             | 0.5      | Y         | Good                    | No visible defects                                 | Nil                        | N/A      | 40+                    | C1               | 1.15                            | 4.17                                       |
| 2250     |     | Chamaecyparis lawsoniana Lawsons cypress  | 176       | MS    | 3           | 0.5           | 0.0 | 0.5 | 0.5 | 0.5                           | 0        | SM        | Fair                    | No visible defects                                 | Nil                        | N/A      | 20-40                  | C1               | 1.76                            | 9.73                                       |
| 2251     |     | Chamaecyparis lawsoniana Lawsons cypress  | 153       | 1     | 3           | 0.5           | 0.0 | 0.5 | 0.5 | 0.5                           | 0        | SM        | Fair                    | No visible defects                                 | Nil                        | N/A      | 20-40                  | C1               | 1.84                            | 10.59                                      |
| 2252     |     | Chamaecyparis lawsoniana Lawsons cypress  | 197       | 1     | 3           | 0.5           | 0.0 | 0.5 | 0.5 | 0.5                           | 0        | SM        | Fair                    | No visible defects                                 | Nil                        | N/A      | 20-40                  | C1               | 2.36                            | 17.56                                      |
| 2253     |     | Sorbus aucuparia Rowan                    | 130       | 1     | 5           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 2        | SM        | Fair                    | No visible defects                                 | Nil                        | N/A      | 10-20                  | C1               | 1.56                            | 7.65                                       |
| 2254     |     | Alnus cordata Italian alder               | 427       | MS    | 8           | 5.0           | 3.0 | 4.0 | 3.0 | 3                             | 2        | M         | Good                    | Included bark, tight forks at 0.25                 | Nil                        | N/A      | 10-20                  | C1               | 4.27                            | 57.29                                      |
| 2257     |     | Juniperus communis Juniper                | 244       | MS    | 3.5         | 1.0           | 1.0 | 1.0 | 1.0 | 1                             | 0        | M         | Fair                    | No visible defects                                 | Nil                        | N/A      | 10-20                  | C1               | 2.44                            | 18.71                                      |
| 2258     |     | Pinus sylvestris Scots pine               | 334       | 1     | 7           | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 4        | M         | Fair                    | Poor previous pruning                              | Nil                        | N/A      | 20-40                  | C1               | 4.01                            | 50.47                                      |
| 2259     |     | Rhus typhina Sumach                       | 251       | MS    | 2           | 1.0           | 3.0 | 4.0 | 0.0 | 1                             | 1        | M         | Fair                    | No visible defects                                 | Nil                        | N/A      | 10-20                  | C1               | 2.51                            | 19.79                                      |
| 2267     |     | Acer pseudoplatanus Sycamore              | 155       | MS    | 6           | 2.0           | 2.0 | 2.0 | 1.0 | 3                             | 1        | Y         | Good                    | Growing in ornamental bed, else No visible defects | Nil                        | N/A      | 10-20                  | C1               | 1.55                            | 7.55                                       |
| 2268     |     | Pyrus communis Common Pear                | 84        | 1     | 6           | 1.0           | 1.0 | 1.0 | 1.0 | 2                             | 2        | Y         | Good                    | Growing very close to foundations, transplant ?    | Nil                        | N/A      | 10-20                  | C1               | 1.01                            | 3.19                                       |
| 2277     |     | Sorbus aria Whitebeam                     | 384       | 1     | 10          | 4.0           | 4.0 | 3.0 | 4.0 | 1                             | 2        | M         | Good                    | Included bark to main forks                        | Nil                        | N/A      | 10-20                  | C1               | 4.61                            | 66.72                                      |
| 2281     |     | Salix fragilis Willow                     | 154       | MS    | 4           | 2.0           | 2.0 | 2.0 | 2.0 | 5                             | 0        | Y         | Good                    | No visible defects                                 | None                       | N/A      | 40+                    | C1               | 1.54                            | 7.45                                       |
| 2282     |     | Cupressocyparis leylandii Leyland cypress | 305       | 1     | 8           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 1        | M         | Fair                    | Included bark in main fork                         | Nil                        | N/A      | 10-20                  | C1               | 3.66                            | 42.09                                      |
| 2284     |     | Crataegus monogyna Hawthorn               | 118       | 1     | 5           | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 3        | M         | Fair                    | No visible defects                                 | Nil                        | N/A      | 20-40                  | C1               | 1.42                            | 6.30                                       |
| 2285     |     | Crataegus monogyna Hawthorn               | 94        | 1     | 5           | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 3        | M         | Fair                    | No visible defects                                 | Nil                        | N/A      | 20-40                  | C1               | 1.13                            | 4.00                                       |
| 2286     |     | Crataegus monogyna Hawthorn               | 132       | 1     | 6           | 2.0           | 2.0 | 1.0 | 3.0 | 2                             | 3        | M         | Good                    | No visible defects                                 | Nil                        | N/A      | 20-40                  | C1               | 1.58                            | 7.88                                       |
| 2296     |     | Malus domestica Apple                     | 129       | 1     | 6           | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 3        | SM        | Good                    | No visible defects                                 | None                       | N/A      | 20-40                  | C1               | 1.55                            | 7.53                                       |
| 2297     |     | Malus domestica Apple                     | 131       | 1     | 6           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 3        | SM        | Good                    | No visible defects                                 | None                       | N/A      | 20-40                  | C1               | 1.57                            | 7.76                                       |
| 2298     |     | Chamaecyparis lawsoniana Lawsons cypress  | 146       | MS    | 3           | 0.5           | 0.5 | 0.5 | 0.5 | 0.5                           | 0        | SM        | Good                    | No visible defects                                 | None                       | N/A      | 20-40                  | C1               | 1.46                            | 6.70                                       |
| 2299     |     | Chamaecyparis lawsoniana Lawsons cypress  | 146       | MS    | 3           | 0.5           | 0.5 | 0.5 | 0.5 | 0.5                           | 0        | SM        | Good                    | No visible defects                                 | None                       | N/A      | 20-40                  | C1               | 1.46                            | 6.70                                       |
| 2300     |     | Chamaecyparis lawsoniana Lawsons cypress  | 424       | MS    | 4           | 0.5           | 0.5 | 0.5 | 0.5 | 0.5                           | 0        | M         | Good                    | No visible defects                                 | None                       | N/A      | 10-20                  | C1               | 4.24                            | 56.49                                      |
| 2301     |     | Eucalyptus gunni Eucalyptus               | 120       | 1     | 7           | 2.0           | 2.0 | 2.0 | 2.0 | 4                             | 2        | SM        | Poor                    | Stem tie constriction No tag                       | Remove stake and tie       | P        | 20-40                  | C1               | 1.44                            | 6.52                                       |
| 2302     |     | Eucalyptus gunni Eucalyptus               | 93        | 1     | 6           | 1.0           | 1.0 | 1.0 | 1.0 | 4                             | 0.5      | Y         | Good                    | No visible defects                                 | None                       | N/A      | 20-40                  | C1               | 1.12                            | 3.91                                       |
| 2303     |     | Cedrus deodara Deodara                    | 94        | 1     | 5           | 1.0           | 1.0 | 1.0 | 1.0 | 3                             | 0        | Y         | Good                    | No visible defects                                 | None                       | N/A      | 40+                    | C1               | 1.13                            | 4.00                                       |

**TOTAL CATEGORY C TREES Heyford Park Nicholson's Tree Survey November 2006**

| Group No | Tag  | Species (Botanical)  | Diam (mm) | Stems | Ht m. (est) | Branch Spread |     |     |     | Increase in canopy radius (m) | Crown Ht | Age Class | Physiological Condition | Structural Condition   | Preliminary Management | Priority | Remaining Contribution | Category Grading | Root Protection Zone Radius (m) | Root Protection zone (m2). Capped at 707m2 |
|----------|------|--|-----------|-------|-------------|---------------|-----|-----|-----|-------------------------------|----------|-----------|-------------------------|--|------------------------|----------|------------------------|------------------|---------------------------------|--|
|          |      |  |           |       |             | N             | S   | E   | W   |                               |          |           |                         |  |                        |          |                        |                  |                                 |  |
|          | 2304 | Prunus Atropurpurea Pissards Plum                              | 106       | 1     | 4           | 1.5           | 1.5 | 1.5 | 1.5 | 2                             | 0.5      | M         | Good                    | No visible defects   | None                   | N/A      | 40+                    | C1               | 1.27                            | 5.08                                       |
|          | 2308 | Acer pseudoplatanus Sycamore                                   | 370       | 1     | 7           | 4.0           | 3.0 | 3.0 | 3.0 | 3                             | 2        | M         | Good                    | Previous poor pruning practice                               | Crown clean            | P        | 10-20                  | C1               | 4.44                            | 61.94                                      |
|          | 2309 | Salix caprea Goat willow                                       | 136       | 1     | 5           | 2.0           | 2.0 | 2.0 | 2.0 | 3                             | 1        | M         | Fair                    | No visible defects   | None                   | N/A      | 10-20                  | C1               | 1.63                            | 8.37                                       |
|          | 2310 | Salix babalonica Var perkinensis<br>Tortuensa Corkscrew willow | 118       | MS    | 4           | 0.0           | 1.0 | 1.0 | 1.0 | 3                             | 0.5      | SM        | Good                    | Very close to building                                       | None                   | N/A      | 20-40                  | C1               | 1.18                            | 4.37                                       |
|          | 2311 | Eucalyptus gunni Eucalyptus                                    | 107       | 1     | 7           | 1.5           | 1.5 | 1.5 | 0.5 | 4                             | 0.5      | Y         | Fair                    | No visible defects   | None                   | N/A      | 40+                    | C1               | 1.28                            | 5.18                                       |
|          | 2312 | Eucalyptus gunni Eucalyptus                                    | 130       | 1     | 6           | 2.0           | 2.0 | 2.0 | 3.0 | 3                             | 0        | Y         | Good                    | Pollarded at 2.4 m   | None                   | N/A      | 20-40                  | C1               | 1.56                            | 7.65                                       |
| G2       | 4011 | Thuja plicata Westen Red Cedar                                 | 303       | MS    | 8           | 2.5           | 1.0 | 1.0 | 1.0 | 1                             | n/a      | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | C1               | 3.03                            | 28.85                                      |
| G2       | 4012 | Thuja plicata Westen Red Cedar                                 | 187       | 1     | 10          | 1.0           | 1.0 | 1.0 | 1.0 | 1                             | n/a      | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | C1               | 2.24                            | 15.82                                      |
| G2       | 4013 | Thuja plicata Westen Red Cedar                                 | 256       | 1     | 10          | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | n/a      | M         | Poor                    | Average condition  | Nil                    | N/A      | 10-20                  | C1               | 3.07                            | 29.65                                      |
| G2       | 4014 | Thuja plicata Westen Red Cedar                                 | 354       | 1     | 16          | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | n/a      | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | C1               | 4.25                            | 56.70                                      |
| G2       | 4015 | Thuja plicata Westen Red Cedar                                 | 521       | MS    | 16          | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | n/a      | M         | Fair                    | Av top 6m dead   | Remove dead section    | P        | 10-20                  | C1               | 5.21                            | 85.29                                      |
| G2       | 4016 | Thuja plicata Westen Red Cedar                                 | 441       | 1     | 16          | 2.0           | 2.0 | 3.0 | 2.0 | 1                             | n/a      | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | C1               | 5.29                            | 87.99                                      |
| G2       | 4017 | Thuja plicata Westen Red Cedar                                 | 471       | MS    | 16          | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | n/a      | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | C1               | 4.71                            | 69.70                                      |
| G2       | 4018 | Thuja plicata Westen Red Cedar                                 | 212       | 1     | 10          | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | n/a      | M         | Fair                    | Average condition  | Nil                    | N/A      | 10-20                  | C1               | 2.54                            | 20.33                                      |
| G2       | 4019 | Thuja plicata Westen Red Cedar                                 | 699       | MS    | 17          | 3.0           | 2.0 | 2.0 | 3.0 | 1                             | n/a      | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | C1               | 6.99                            | 153.52                                     |
| G2       | 4020 | Thuja plicata Westen Red Cedar                                 | 353       | 1     | 15          | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | n/a      | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | C1               | 4.24                            | 56.38                                      |
| G2       | 4021 | Thuja plicata Westen Red Cedar                                 | 240       | 1     | 10          | 1.0           | 2.0 | 1.0 | 2.0 | 1                             | n/a      | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | C1               | 2.88                            | 26.06                                      |
| G2       | 4022 | Thuja plicata Westen Red Cedar                                 | 415       | 1     | 17          | 1.0           | 2.0 | 2.0 | 2.0 | 1                             | n/a      | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | C1               | 4.98                            | 77.92                                      |
| G2       | 4023 | Thuja plicata Westen Red Cedar                                 | 271       | 1     | 9           | 2.0           | 2.0 | 1.0 | 4.0 | 1                             | 2        | M         | Fair                    | Average condition  | Nil                    | N/A      | 10-20                  | C1               | 3.25                            | 33.23                                      |
| G2       | 4024 | Thuja plicata Westen Red Cedar                                 | 394       | MS    | 9           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | n/a      | M         | Fair                    | Average condition  | Nil                    | N/A      | 10-20                  | C1               | 3.94                            | 48.78                                      |
| G2       | 4025 | Thuja plicata Westen Red Cedar                                 | 273       | 1     | 14          | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | n/a      | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | C1               | 3.28                            | 33.72                                      |
| G4       | 4048 | Conifer  | 364       | MS    | 5           | 0.5           | 0.5 | 0.5 | 0.5 | 0                             | n/a      | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | C1               | 3.64                            | 41.63                                      |
| G4       | 4049 | Conifer  | 591       | MS    | 6           | 1.0           | 1.0 | 1.0 | 1.0 | 0                             | n/a      | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | C1               | 5.91                            | 109.74                                     |
| G4       | 4050 | Conifer  | 568       | MS    | 7           | 1.0           | 1.0 | 1.0 | 1.0 | 0                             | n/a      | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | C1               | 5.68                            | 101.37                                     |
| G4       | 4051 | Conifer  | 640       | MS    | 6           | 1.0           | 1.0 | 1.0 | 1.0 | 0                             | n/a      | M         | Fair                    | Av spreading stems   | Nil                    | N/A      | 10-20                  | C1               | 6.40                            | 128.70                                     |
| G5       | 4055 | Betula alba Silver birch                                       | 282       | 1     | 11          | 2.0           | 3.0 | 2.0 | 2.0 | 1                             | 3        | M         | Poor                    | Average condition  | Nil                    | N/A      | 10-20                  | C1               | 3.38                            | 35.98                                      |
| G8       | 4073 | Acer platanoides Norway maple                                  | 160       | 1     | 9           | 3.0           | 3.0 | 3.0 | 1.0 | 5                             | 3        | M         | Good                    | Average condition  | Nil                    | N/A      | 40+                    | C1               | 1.92                            | 11.58                                      |
| G8       | 4074 | Acer platanoides Norway maple                                  | 153       | 1     | 9           | 3.0           | 3.0 | 3.0 | 1.0 | 5                             | 3        | M         | Good                    | Average condition  | Nil                    | N/A      | 40+                    | C1               | 1.84                            | 10.59                                      |
| G8       | 4075 | Acer platanoides Norway maple                                  | 143       | 1     | 7           | 3.0           | 2.0 | 3.0 | 3.0 | 5                             | 2        | M         | Fair                    | Average condition  | Nil                    | N/A      | 40+                    | C1               | 1.72                            | 9.25                                       |
| G8       | 4077 | Acer platanoides Norway maple<br>(Purple)                      | 148       | 1     | 8           | 2.0           | 3.0 | 2.0 | 3.0 | 5                             | 3        | M         | Fair                    | Average condition  | Nil                    | N/A      | 40+                    | C1               | 1.78                            | 9.91                                       |
| G8       | 4078 | Acer platanoides Norway maple<br>(Drummondii)                  | 154       | 1     | 8           | 2.0           | 3.0 | 3.0 | 3.0 | 3                             | 4        | M         | Fair                    | Split limb in upper crown and reverting                      | Nil                    | N/A      | 10-20                  | C1               | 1.85                            | 10.73                                      |
| G10      | 4086 | Acer platanoides Norway maple                                  | 169       | 1     | 8           | 2.0           | 2.0 | 3.0 | 2.0 | 4                             | 3        | M         | Good                    | Average condition  | Nil                    | N/A      | 40+                    | C1               | 2.03                            | 12.92                                      |
| G10      | 4087 | Acer platanoides Norway maple                                  | 149       | 1     | 7           | 2.0           | 2.0 | 2.0 | 2.0 | 4                             | 4        | M         | Good                    | Average condition  | Nil                    | N/A      | 40+                    | C1               | 1.79                            | 10.04                                      |
| G10      | 4088 | Acer platanoides Norway maple                                  | 166       | 1     | 8           | 2.0           | 2.0 | 2.0 | 2.0 | 4                             | 3        | M         | Good                    | Average condition  | Nil                    | N/A      | 40+                    | C1               | 1.99                            | 12.47                                      |
| G10      | 4089 | Acer platanoides Norway maple                                  | 219       | 1     | 8           | 2.5           | 3.0 | 3.0 | 3.0 | 4                             | 3        | M         | Good                    | Gone   | Nil                    | N/A      | 40+                    | C1               | 2.63                            | 21.70                                      |
| G12      | 4094 | Chamaecyparis lawsoniana lawsons<br>cypress                    | 230       | MS    | 4           | 1.0           | 1.0 | 1.0 | 1.0 | 0                             | n/a      | M         | Good                    | Average condition  | Nil                    | N/A      | 20-40                  | C1               | 2.30                            | 16.62                                      |
| G12      | 4095 | Chamaecyparis lawsoniana lawsons<br>cypress                    | 244       | MS    | 5           | 1.0           | 1.0 | 1.0 | 1.0 | 0                             | n/a      | M         | Good                    | Average condition  | Nil                    | N/A      | 20-40                  | C1               | 2.44                            | 18.71                                      |
| G12      | 4096 | Chamaecyparis lawsoniana lawsons<br>cypress                    | 197       | MS    | 5           | 1.0           | 1.0 | 1.0 | 1.0 | 0                             | n/a      | M         | Good                    | Average condition  | Nil                    | N/A      | 20-40                  | C1               | 1.97                            | 12.19                                      |
| G12      | 4097 | Chamaecyparis lawsoniana lawsons<br>cypress                    | 199       | MS    | 5           | 1.0           | 1.0 | 1.0 | 1.0 | 0                             | n/a      | M         | Good                    | Average condition  | Nil                    | N/A      | 20-40                  | C1               | 1.99                            | 12.44                                      |
| G13      | 4098 | Chamaecyparis lawsoniana lawsons<br>cypress                    | 220       | MS    | 4           | 1.0           | 1.0 | 1.0 | 1.0 | 0                             | n/a      | M         | Good                    | Average condition  | Nil                    | N/A      | 20-40                  | C1               | 2.20                            | 15.21                                      |
| G13      | 4099 | Chamaecyparis lawsoniana lawsons<br>cypress                    | 225       | MS    | 5           | 1.0           | 1.0 | 1.0 | 1.0 | 0                             | n/a      | M         | Good                    | Average condition  | Nil                    | N/A      | 20-40                  | C1               | 2.25                            | 15.91                                      |
| G13      | 4100 | Chamaecyparis lawsoniana lawsons<br>cypress                    | 205       | MS    | 5           | 1.0           | 1.0 | 1.0 | 1.0 | 0                             | n/a      | M         | Good                    | Average condition  | Nil                    | N/A      | 20-40                  | C1               | 2.05                            | 13.20                                      |
| G14      | 4107 | Pinus sylvestris Scots pine                                    | 291       | 1     | 15          | 1.0           | 1.0 | 4.0 | 0.0 | 1                             | 10       | M         | Fair                    | Kinked stem at 10m end loaded                                | Nil                    | N/A      | 10-20                  | C1               | 3.49                            | 38.31                                      |
| G60      | 4765 | Prunus laurocerasus Cherry Laurel                              | 475       | MS    | 3           | 2.0           | 2.0 | 2.0 | 2.0 | 3+                            | 0        | SM        | Fair                    | No visible defects   | None                   | N/A      | 10-20                  | C1               | 4.75                            | 70.89                                      |
| G63      | 4796 | Fagus sylvatica Beech  | 575       | 1     | 16          | 4.0           | 4.0 | 5.0 | 5.0 | 2                             | 2        | M         | Poor                    | Deadwood major ganaderma at base                             | Fell to ground level   | P        | <10                    | C1               | 6.90                            | 149.59                                     |
| G72      | 4882 | Acer platanoides Norway maple                                  | 462       | 1     | 13          | 3.0           | 4.0 | 4.0 | 4.0 | 3                             | 3        | M         | Fair                    | Patches of crown die back and coccus growth<br>(declining ?) | Nil                    | N/A      | 10-20                  | C1               | 5.54                            | 96.57                                      |
| G73      | 4883 | Betula alba Silver birch                                       | 416       | 1     | 14          | 4.0           | 4.0 | 3.0 | 1.0 | 0                             | 2        | M         | Fair                    | No visible defects   | Nil                    | N/A      | <10                    | C1               | 4.99                            | 78.30                                      |
| G73      | 4888 | Betula alba Silver birch                                       | 277       | 1     | 14          | 1.0           | 4.0 | 2.0 | 1.0 | 0                             | 2        | M         | Fair                    | No visible defects   | Nil                    | N/A      | <10                    | C1               | 3.32                            | 34.72                                      |
| G73      | 4891 | Betula alba Silver birch                                       | 267       | 1     | 12          | 4.0           | 3.0 | 2.0 | 1.0 | 0                             | 2        | M         | Fair                    | Occluded wound on main stem (decay ?)<br>crown off centre    | Nil                    | N/A      | <10                    | C1               | 3.20                            | 32.25                                      |
| G73      | 4892 | Betula alba Silver birch                                       | 362       | 1     | 13          | 5.0           | 3.0 | 3.0 | 5.0 | 0                             | 3        | M         | Fair                    | No visible defects   | Nil                    | N/A      | <10                    | C1               | 4.34                            | 59.29                                      |
| G73      | 4895 | Betula alba Silver birch                                       | 292       | 1     | 12          | 4.0           | 3.0 | 2.0 | 3.0 | 0                             | 1.5      | M         | Poor                    | No visible defects   | Nil                    | N/A      | 10-20                  | C1               | 3.50                            | 38.58                                      |
| G73      | 4899 | Betula alba Silver birch                                       | 357       | 1     | 14          | 4.0           | 4.0 | 3.0 | 3.0 | 0                             | 2        | M         | Fair                    | No visible defects   | Nil                    | N/A      | 10-20                  | C1               | 4.28                            | 57.66                                      |
| G74      | 4903 | Aesculus hippocastanum Horse<br>chestnut                       | 635       | 1     | 15          | 4.0           | 4.0 | 4.0 | 3.0 | 3                             | 2        | M         | Good                    | Included bark in main stem at 1.5 m ht                       | Nil                    | N/A      | <10                    | C1               | 7.62                            | 182.44                                     |
| G74      | 4905 | Acer platanoides Norway maple                                  | 456       | 1     | 14          | 4.0           | 4.0 | 3.0 | 3.0 | 3                             | 3        | M         | Good                    | Significant rot pocket to main stem at 1.5 m<br>ht           | Nil                    | N/A      | 10-20                  | C1               | 5.47                            | 94.08                                      |



**TOTAL CATEGORY C TREES Heyford Park Nicholson's Tree Survey November 2006**

| Group No | Tag  | Species (Botanical)                       | Diam (mm) | Stems | Ht m. (est) | Branch Spread |     |     |     | Increase in canopy radius (m) | Crown Ht | Age Class | Physiological Condition | Structural Condition  | Preliminary Management                   | Priority | Remaining Contribution | Category Grading | Root Protection Zone Radius (m) | Root Protection zone (m2). Capped at 707m2 |
|----------|------|---|-----------|-------|-------------|---------------|-----|-----|-----|-------------------------------|----------|-----------|-------------------------|---|--|----------|------------------------|------------------|---------------------------------|--|
|          |      |   |           |       |             | N             | S   | E   | W   |                               |          |           |                         |   |  |          |                        |                  |                                 |  |
| G77      | 4920 | Aesculus hippocastanum Horse chestnut     | 333       | 1     | 13          | 3.0           | 3.0 | 4.0 | 3.0 | 3                             | 2        | M         | Good                    | Large wound to base of one main stem, serious                                     | Nil                                      | N/A      | <10                    | C1               | 4.00                            | 50.17                                      |
| G79      | 4929 | Tilia europaea Common Lime                | 549       | MS    | 15          | 2.0           | 4.0 | 4.0 | 5.0 | 2                             | 3        | M         | Fair                    | Included bark to fork at ground level, foliage poor                               | Nil                                      | N/A      | 20-40                  | C1               | 5.49                            | 94.70                                      |
| G80      | 4940 | Acer pseudoplatanus Sycamore              | 450       | 1     | 14          | 5.0           | 4.0 | 5.0 | 4.0 | 1                             | 2        | M         | Good                    | Wet rot pocket to main stem. Decay in main fork union                             | Nil                                      | N/A      | 10-20                  | C1               | 5.40                            | 91.62                                      |
| G80      | 4941 | Acer pseudoplatanus Sycamore              | 562       | MS    | 14          | 4.0           | 5.0 | 3.0 | 3.0 | 1                             | 4        | M         | Good                    | Included bark and probable deep rot pocket to main fork at 2 m ht                 | Investigate extent of decay in main stem | U        | <10                    | C1               | 5.62                            | 99.24                                      |
| G80      | 4943 | Betula alba Silver birch                  | 307       | 1     | 14          | 0.0           | 4.0 | 3.0 | 4.0 | 0                             | 5        | M         | Fair                    | Unbalanced crown  | Nil                                      | N/A      | <10                    | C1               | 3.68                            | 42.64                                      |
| G80      | 4952 | Lilac                                     | 198       | MS    | 4           | 3.0           | 3.0 | 3.0 | 3.0 | 0                             | 1        | M         | Good                    | Damage, decay to main branches  | Nil                                      | N/A      | <10                    | C1               | 1.98                            | 12.32                                      |
| G80      | 4956 | Laburnum anagyroides Common laburnum      | 372       | MS    | 14          | 4.0           | 2.0 | 4.0 | 4.0 | 0                             | 3        | M         | Good                    | Leaning. Rot pocket in main fork  | Nil                                      | N/A      | <10                    | C1               | 3.72                            | 43.48                                      |
| G82      | 4980 | Prunus avium Cherry                       | 376       | 1     | 9           | 4.0           | 5.0 | 4.0 | 4.0 | 0                             | 3        | M         | Fair                    | Main limb encroaching on roof of wooden shed. Old pruning wounds and foliage thin | Remove old shed                          | P        | <10                    | C1               | 4.51                            | 63.97                                      |
| G83      | 4982 | Crataegus monogyna Hawthorn               | 205       | 1     | 4           | 1.0           | 2.0 | 2.0 | 2.0 | 2                             | 3        | M         | Fair                    | Old damage, decay to main stem  | Nil                                      | N/A      | <10                    | C1               | 2.46                            | 19.01                                      |
| G85      | 4997 | Aesculus hippocastanum Horse chestnut     | 377       | 1     | 9           | 3.0           | 2.0 | 3.0 | 3.0 | 2                             | 2        | M         | Fair                    | Advanced decay to old pruning wounds at 2 m ht                                    | Nil                                      | N/A      | <10                    | C1               | 4.52                            | 64.31                                      |
| G86      | 5005 | Aesculus hippocastanum Horse chestnut     | 579       | 1     | 12          | 3.0           | 4.0 | 5.0 | 7.0 | 2                             | 2        | M         | Good                    | Included bark to upright co dominant stem   | Nil                                      | N/A      | <10                    | C1               | 6.95                            | 151.68                                     |
| G86      | 5006 | Aesculus hippocastanum Horse chestnut     | 692       | 1     | 12          | 3.0           | 5.0 | 5.0 | 4.0 | 2                             | 2        | M         | Good                    | Included bark to main forks at 2 m height   | Nil                                      | N/A      | <10                    | C1               | 8.30                            | 216.66                                     |
| G87      | 5008 | Aesculus hippocastanum Horse chestnut     | 538       | 1     | 12          | 3.0           | 3.0 | 6.0 | 4.0 | 2                             | 2        | M         | Good                    | Significant decay to old pruning wounds in main fork. Bark necrosis on stem       | Nil                                      | N/A      | <10                    | C1               | 6.46                            | 130.96                                     |
| G91      | 5030 | Crataegus monogyna Hawthorn               | 234       | MS    | 4           | 3.0           | 3.0 | 2.0 | 1.0 | 2                             | 2        | M         | Good                    | Damage, decay to main stem  | Nil                                      | N/A      | 10-20                  | C1               | 2.34                            | 17.20                                      |
| G91      | 5031 | Crataegus monogyna Hawthorn               | 202       | MS    | 4           | 1.0           | 1.0 | 1.0 | 1.0 | 2                             | 2        | M         | Good                    | Damage, decay to main stem  | Nil                                      | N/A      | 10-20                  | C1               | 2.02                            | 12.82                                      |
| G91      | 5032 | Crataegus monogyna Hawthorn               | 193       | MS    | 4           | 1.0           | 1.0 | 1.0 | 0.0 | 2                             | 2        | M         | Good                    | Damage, decay to main stem  | Nil                                      | N/A      | 10-20                  | C1               | 1.93                            | 11.70                                      |
| G91      | 5033 | Crataegus monogyna Hawthorn               | 242       | MS    | 5           | 2.0           | 2.0 | 1.0 | 2.0 | 2                             | 2        | M         | Good                    | Damage, decay to main stem  | Nil                                      | N/A      | 10-20                  | C1               | 2.42                            | 18.40                                      |
| G95      | 5058 | Sorbus intermedia Swedish Whitebeam       | 655       | 1     | 10          | 3.0           | 4.0 | 3.0 | 3.0 | 0                             | 2.5      | M         | Fair                    | Major dead limb and wood, stem decays   | Crown clean and reduce by 30%            | P        | 10-20                  | C1               | 7.86                            | 194.11                                     |
| G95      | 5060 | Sorbus intermedia Swedish Whitebeam       | 598       | 1     | 10          | 4.0           | 4.0 | 3.0 | 3.0 | 0                             | 2        | M         | Fair                    | Minor dead wood   | Crown clean                              | P        | 10-20                  | C1               | 7.18                            | 161.80                                     |
| G95      | 5061 | Sorbus intermedia Swedish Whitebeam       | 677       | 1     | 10          | 4.0           | 5.0 | 4.0 | 4.0 | 0                             | 2.5      | M         | Poor                    | Inonotus bracket, roadside damage limb  | Crown reduce by 30%                      | P        | 10-20                  | C1               | 8.12                            | 207.37                                     |
| G98      | 5082 | Fraxinus excelsior Ash                    | 127       | 1     | 6           | 2.0           | 2.0 | 2.0 | 2.0 | 3                             | 2.5      | SM        | Good                    | No visible defects  | None                                     | N/A      | 40+                    | C1               | 1.52                            | 7.30                                       |
| G98      | 5083 | Fraxinus excelsior Ash                    | 132       | 1     | 5           | 2.0           | 2.0 | 2.0 | 2.0 | 3                             | 2.5      | SM        | Fair                    | Sparse foliage  | None                                     | N/A      | 40+                    | C1               | 1.58                            | 7.88                                       |
| G99      | 5084 | Acer cappadocicum Maple                   | 91        | 1     | 3.5         | 1.5           | 1.5 | 1.5 | 1.5 | 1                             | 2.5      | SM        | Fair                    | Basal bark wound  | None                                     | N/A      | 20-40                  | C1               | 1.09                            | 3.75                                       |
| G138     | 5341 | Fraxinus excelsior Ash                    | 75        | 1     | 4           | 1.0           | 1.0 | 1.0 | 1.0 | 4                             | 1.5      | Y         | Good                    | No visible defects  | None                                     | N/A      | 40+                    | C1               | 0.90                            | 2.55                                       |
| G151     | 5373 | Fraxinus excelsior Ash                    | 95        | 1     | 5           | 1.0           | 2.0 | 2.0 | 1.0 | 2                             | 2        | SM        | Fair                    | No visible defects  | None                                     | N/A      | 20-40                  | C1               | 1.14                            | 4.08                                       |
| G151     | 5375 | Prunus avium plena Cherry                 | 193       | 1     | 4           | 3.0           | 2.0 | 4.0 | 4.0 | 1                             | 2        | M         | Fair                    | Basal suckers   | None                                     | N/A      | 10-20                  | C1               | 2.32                            | 16.85                                      |
| G151     | 5376 | Alnus cordata Italian alder               | 260       | 1     | 9           | 3.0           | 3.0 | 3.0 | 3.0 | 2                             | 2        | M         | Good                    | No visible defects  | None                                     | N/A      | 20-40                  | C1               | 3.12                            | 30.59                                      |
| G151     | 5377 | Sorbus aucuparia Rowan                    | 130       | 1     | 4.5         | 1.5           | 1.5 | 1.5 | 1.5 | 0.5                           | 2.5      | M         | Good                    | No visible defects  | None                                     | N/A      | 10-20                  | C1               | 1.56                            | 7.65                                       |
| G151     | 5379 | Prunus avium plena Cherry                 | 75        | 1     | 5           | 1.0           | 1.0 | 1.0 | 1.0 | 3                             | 2        | SM        | Good                    | No visible defects  | None                                     | N/A      | 20-40                  | C1               | 0.90                            | 2.55                                       |
| G151     | 5380 | Alnus cordata Italian alder               | 113       | 1     | 6           | 1.0           | 1.0 | 1.0 | 1.0 | 3                             | 0.5      | SM        | Good                    | No visible defects  | None                                     | N/A      | 20-40                  | C1               | 1.36                            | 5.78                                       |
| G151     | 5381 | Alnus cordata Italian alder               | 201       | 1     | 7           | 2.5           | 2.5 | 3.0 | 3.0 | 2                             | 1.5      | M         | Fair                    | Tight fork included bark  | None                                     | N/A      | 20-40                  | C1               | 2.41                            | 18.28                                      |
| G151     | 5384 | Chamaecyparis lawsoniana Lawson's cypress | 257       | 1     | 5           | 0.5           | 0.5 | 0.5 | 0.5 | 1                             | 0.5      | M         | Good                    | No visible defects  | None                                     | N/A      | 20-40                  | C1               | 3.08                            | 29.88                                      |
| G152     | 5438 | Cupressocyparis leylandii Leyland cypress | 1414      | MS    | 15          | 3.0           | 3.0 | 4.0 | 5.0 | 1                             | 0        | M         | Fair                    | Bark stripping injury   | None                                     | N/A      | 40+                    | C1               | 14.14                           | 628.21                                     |
| G152     | 5439 | Prunus avium plena Cherry                 | 267       | 1     | 7           | 3.0           | 4.0 | 5.0 | 4.0 | 3                             | 2        | M         | Good                    | No visible defects  | None                                     | N/A      | 20-40                  | C1               | 3.20                            | 32.25                                      |
| G152     | 5440 | Prunus avium plena Cherry                 | 243       | 1     | 5           | 5.0           | 5.0 | 5.0 | 5.0 | 2                             | 2        | M         | Good                    | Tight forks included bark   | None                                     | N/A      | 20-40                  | C1               | 2.92                            | 26.72                                      |
| G152     | 5441 | Prunus avium plena Cherry                 | 242       | 1     | 6           | 4.0           | 4.0 | 4.0 | 5.0 | 3                             | 2        | M         | Good                    | No visible defects  | None                                     | N/A      | 20-40                  | C1               | 2.90                            | 26.50                                      |
| G152     | 5442 | Prunus avium plena Cherry                 | 198       | 1     | 5           | 4.0           | 4.0 | 4.0 | 3.0 | 3                             | 2        | M         | Fair                    | Tight forks   | None                                     | N/A      | 20-40                  | C1               | 2.38                            | 17.74                                      |
| G152     | 5443 | Prunus avium plena Cherry                 | 239       | 1     | 5           | 4.0           | 4.0 | 4.0 | 4.0 | 3                             | 2        | M         | Good                    | No visible defects  | None                                     | N/A      | 20-40                  | C1               | 2.87                            | 25.84                                      |
| G152     | 5444 | Prunus avium plena Cherry                 | 319       | 1     | 6           | 5.0           | 5.0 | 5.0 | 5.0 | 3                             | 2        | M         | Good                    | No visible defects  | None                                     | N/A      | 20-40                  | C1               | 3.83                            | 46.04                                      |
| G154     | 5451 | Sorbus aucuparia Rowan                    | 110       | 1     | 4           | 2.0           | 2.0 | 2.0 | 2.0 | 0.5                           | 3        | M         | Fair                    | No visible defects  | None                                     | N/A      | 10-20                  | C1               | 1.32                            | 5.47                                       |
| G154     | 5452 | Sorbus aucuparia Rowan                    | 104       | 1     | 5           | 0.5           | 1.0 | 1.0 | 1.0 | 0.5                           | 3        | M         | Fair                    | 15o stem lean (SE)  | None                                     | N/A      | 10-20                  | C1               | 1.25                            | 4.89                                       |
| G154     | 5453 | Sorbus aucuparia Rowan                    | 77        | 1     | 4           | 0.5           | 1.5 | 0.5 | 0.5 | 0.5                           | 3        | M         | Fair                    | No visible defects  | None                                     | N/A      | 10-20                  | C1               | 0.92                            | 2.68                                       |
| G154     | 5454 | Sorbus aucuparia Rowan                    | 94        | 1     | 4           | 1.0           | 1.0 | 1.0 | 1.0 | 0.5                           | 2        | M         | Fair                    | Basal suckers   | None                                     | N/A      | 10-20                  | C1               | 1.13                            | 4.00                                       |
| G154     | 5455 | Sorbus aucuparia Rowan                    | 120       | 1     | 4.5         | 1.0           | 1.5 | 1.0 | 1.0 | 0.5                           | 3        | M         | Poor                    | No visible defects  | None                                     | N/A      | 10-20                  | C1               | 1.44                            | 6.52                                       |
| G154     | 5456 | Sorbus aucuparia Rowan                    | 115       | 1     | 5           | 1.0           | 1.0 | 1.0 | 1.0 | 0.5                           | 3        | M         | Fair                    | No visible defects  | None                                     | N/A      | 10-20                  | C1               | 1.38                            | 5.98                                       |
| G154     | 5457 | Sorbus aucuparia Rowan                    | 110       | 1     | 6           | 1.0           | 1.0 | 1.0 | 1.0 | 0.5                           | 3        | M         | Fair                    | Basal wounds  | None                                     | N/A      | 10-20                  | C1               | 1.32                            | 5.47                                       |
| G155     | 5458 | Prunus avium plena Cherry                 | 294       | 1     | 8           | 4.0           | 4.0 | 4.0 | 3.0 | 1                             | 2        | M         | Good                    | Tight fork at 0.5 m sub leader  | Remove "sub leader"                      | P        | 20-40                  | C1               | 3.53                            | 39.11                                      |
| G155     | 5459 | Prunus avium plena Cherry                 | 212       | 1     | 7           | 3.0           | 3.0 | 3.0 | 3.0 | 1                             | 2        | M         | Good                    | Tight forks and included bark   | None                                     | N/A      | 20-40                  | C1               | 2.54                            | 20.33                                      |
| G155     | 5460 | Prunus avium plena Cherry                 | 252       | 1     | 8           | 3.0           | 3.0 | 3.0 | 3.0 | 1                             | 2        | M         | Good                    | Tight forks and included bark   | None                                     | N/A      | 20-40                  | C1               | 3.02                            | 28.73                                      |
| G155     | 5461 | Prunus avium plena Cherry                 | 247       | 1     | 8           | 3.0           | 3.0 | 3.0 | 3.0 | 1                             | 2        | M         | Good                    | Tight forks and included bark   | None                                     | N/A      | 20-40                  | C1               | 2.96                            | 27.60                                      |
| G155     | 5463 | Prunus avium plena Cherry                 | 241       | 1     | 7           | 3.0           | 3.0 | 3.0 | 3.0 | 1                             | 2        | M         | Good                    | Tight forks and included bark   | None                                     | N/A      | 20-40                  | C1               | 2.89                            | 26.28                                      |
| G155     | 5464 | Prunus avium plena Cherry                 | 331       | 1     | 8           | 3.0           | 3.0 | 3.0 | 3.0 | 2                             | 2        | M         | Good                    | No visible defects  | None                                     | N/A      | 10-20                  | C1               | 3.97                            | 49.57                                      |
| G158     | 5478 | Prunus padus Bird Cherry                  | 142       | 1     | 6           | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 3        | M         | Fair                    | Tight fork and included bark  | None                                     | N/A      | 10-20                  | C1               | 1.70                            | 9.12                                       |

**TOTAL CATEGORY C TREES Heyford Park Nicholson's Tree Survey November 2006**

| Group No | Tag  | Species (Botanical)                       | Diam (mm) | Stems | Ht m. (est) | Branch Spread |     |     |     | Increase in canopy radius (m) | Crown Ht | Age Class | Physiological Condition | Structural Condition   | Preliminary Management      | Priority | Remaining Contribution | Category Grading | Root Protection Zone Radius (m) | Root Protection zone (m2). Capped at 707m2 |
|----------|------|---|-----------|-------|-------------|---------------|-----|-----|-----|-------------------------------|----------|-----------|-------------------------|--|-----------------------------|----------|------------------------|------------------|---------------------------------|--|
|          |      |   |           |       |             | N             | S   | E   | W   |                               |          |           |                         |  |                             |          |                        |                  |                                 |  |
| G158     | 5479 | Sorbus aucuparia Rowan                    | 133       | 1     | 5           | 1.0           | 1.0 | 1.0 | 1.0 | 2                             | 1.5      | M         | Good                    | No visible defects   | None                        | N/A      | 10-20                  | C1               | 1.60                            | 8.00                                       |
| G158     | 5480 | Prunus padus Bird Cherry                  | 126       | 1     | 4           | 1.5           | 1.5 | 1.5 | 1.5 | 2                             | 2.5      | SM        | Fair                    | No visible defects   | None                        | N/A      | 10-20                  | C1               | 1.51                            | 7.18                                       |
| G158     | 5481 | Prunus padus Bird Cherry                  | 105       | 1     | 5           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 3        | SM        | Poor                    | No visible defects   | None                        | N/A      | 10-20                  | C1               | 1.26                            | 4.99                                       |
| G159     | 5489 | Acer platanoides Norway maple             | 253       | 1     | 9           | 4.0           | 3.0 | 3.0 | 3.0 | 3                             | 2        | M         | Good                    | Old wound on main stem from ground to 1.2 m height. Occluding satisfactorily | Nil                         | N/A      | 20-40                  | C1               | 3.04                            | 28.96                                      |
| G159     | 5495 | Acer platanoides Norway maple             | 223       | 1     | 9           | 1.0           | 3.0 | 3.0 | 3.0 | 3                             | 2        | M         | Good                    | Crown unbalanced by influence of 5494  | Nil                         | N/A      | 10-20                  | C1               | 2.68                            | 22.50                                      |
| G159     | 5498 | Acer platanoides Norway maple             | 288       | 1     | 10          | 4.0           | 1.0 | 4.0 | 3.0 | 3                             | 2        | M         | Fair                    | Partial die back in crown.   | Remove dead part of crown   | P        | 20-40                  | C1               | 3.46                            | 37.53                                      |
| G159     | 5500 | Acer platanoides Norway maple             | 236       | 1     | 7           | 1.0           | 4.0 | 3.0 | 4.0 | 3                             | 2        | M         | Good                    | Crown very unbalanced by influence of 5498                                   | Nil                         | N/A      | 10-20                  | C1               | 2.83                            | 25.20                                      |
| G172     | 5542 | Crataegus monogyna Hawthorn               | 241       | MS    | 4           | 3.0           | 1.0 | 1.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects   | Nil                         | N/A      | 10-20                  | C1               | 2.41                            | 18.25                                      |
| G172     | 5545 | Crataegus monogyna Hawthorn               | 214       | 1     | 4           | 1.0           | 1.0 | 1.0 | 2.0 | 2                             | 2        | M         | Good                    | Some old wounds, possible decay to main stem                                 | Nil                         | N/A      | 10-20                  | C1               | 2.57                            | 20.72                                      |
|          | 629  | Acer pseudoplatanus Sycamore              | 411       | 1     | 13          | 6.0           | 4.0 | 3.0 | 4.0 | 2                             | 3        | M         | Fair                    | No visible defects   | Nil                         | N/A      | 20-40                  | C1,2             | 5.38                            | 76.43                                      |
|          | 647  | Chamaecyparis lawsoniana Lawsons cypress  | 484       | 1     | 16          | 2.0           | 2.0 | 3.0 | 1.0 | 1                             | 3        | M         | Good                    | Growing together with 2089   | Nil                         | N/A      | 10-20                  | C1,2             | 3.70                            | 105.99                                     |
|          | 843  | Tilia europaea Common Lime                | 288       | MS    | 10          | 3.0           | 2.0 | 4.0 | 4.0 | 2                             | 2        | M         | Fair                    | Included bark in forks at base   | Nil                         | N/A      | 10-20                  | C1,2             | 2.88                            | 26.06                                      |
|          | 846  | Tilia europaea Common Lime                | 448       | 1     | 14          | 3.0           | 4.0 | 4.0 | 5.0 | 2                             | 3        | M         | Good                    | Several included bark forks at spring of crown                               | Nil                         | N/A      | 10-20                  | C1,2             | 5.38                            | 90.81                                      |
|          | 847  | Acer platanoides Norway maple             | 308       | 1     | 12          | 4.0           | 1.0 | 3.0 | 4.0 | 2                             | 3        | M         | Fair                    | Large old wound to lower main stem (decay)                                   | Nil                         | N/A      | 10-20                  | C1,2             | 3.70                            | 42.92                                      |
|          | 848  | Tilia europaea Common Lime                | 495       | 1     | 15          | 3.0           | 3.0 | 3.0 | 4.0 | 2                             | 2        | M         | Good                    | Large old wound to lower main stem , probable decay                          | Nil                         | N/A      | 10-20                  | C1,2             | 5.94                            | 110.86                                     |
|          | 862  | Sorbus aria Whitebeam                     | 345       | 1     | 6           | 3.0           | 3.0 | 4.0 | 3.0 | 1                             | 2        | M         | Good                    | Included bark to main spring of crown  | Nil                         | N/A      | 10-20                  | C1,2             | 4.14                            | 53.85                                      |
|          | 2048 | Cotoneaster                               | 599       | MS    | 5           | 3.0           | 3.0 | 3.0 | 3.0 | 1                             | 3        | M         | Good                    | NVD  | Nil                         | N/A      | 10-20                  | C1,2             | 5.99                            | 112.74                                     |
|          | 2049 | Ilex aquifolium Holly                     | 126       | 1     | 8           | 2.0           | 2.0 | 2.0 | 1.0 | 2                             | 2        | M         | Good                    | Minor stem damage. Tight union in upper crown                                | Nil                         | N/A      | 20-40                  | C1,2             | 1.51                            | 7.18                                       |
|          | 2089 | Cupressocyparis leylandii Leyland cypress | 382       | 1     | 14          | 1.0           | 0.0 | 0.0 | 3.0 | 1                             | 2        | M         | Good                    | Growing together with 647  | Nil                         | N/A      | 10-20                  | C1,2             | 4.58                            | 66.02                                      |
|          | 2123 | Chamaecyparis lawsoniana lawsons cypress  | 390       | 1     | 16          | 2.0           | 2.0 | 2.0 | 1.0 | 1                             | 2        | M         | Good                    | No visible defects   | Nil                         | N/A      | 10-20                  | C1,2             | 4.68                            | 68.82                                      |
|          | 2126 | Chamaecyparis lawsoniana lawsons cypress  | 337       | 1     | 16          | 2.0           | 2.0 | 0.0 | 0.0 | 1                             | 3        | M         | Good                    | Crown restricted by adjacent trees   | Nil                         | N/A      | 10-20                  | C1,2             | 4.04                            | 51.38                                      |
|          | 2127 | Chamaecyparis lawsoniana lawsons cypress  | 346       | 1     | 16          | 2.0           | 2.0 | 0.0 | 0.0 | 1                             | 3        | M         | Good                    | Crown restricted by adjacent trees   | Nil                         | N/A      | 10-20                  | C1,2             | 4.15                            | 54.17                                      |
|          | 2129 | Chamaecyparis lawsoniana lawsons cypress  | 481       | 1     | 16          | 2.0           | 2.0 | 0.0 | 0.0 | 1                             | 3        | M         | Good                    | Crown restricted by adjacent trees   | Reduce smaller main stem    | P        | 10-20                  | C1,2             | 5.77                            | 104.68                                     |
|          | 2130 | Chamaecyparis lawsoniana lawsons cypress  | 363       | 1     | 16          | 3.0           | 3.0 | 0.0 | 1.0 | 1                             | 3        | M         | Good                    | No visible defects   | Nil                         | N/A      | 10-20                  | C1,2             | 4.36                            | 59.62                                      |
|          | 2132 | Thuja plicata Western Red Cedar           | 372       | 1     | 16          | 3.0           | 3.0 | 1.0 | 1.0 | 1                             | 2        | M         | Fair                    | No visible defects   | Nil                         | N/A      | 10-20                  | C1,2             | 4.46                            | 62.61                                      |
|          | 2133 | Chamaecyparis lawsoniana lawsons cypress  | 381       | 1     | 12          | 3.0           | 3.0 | 1.0 | 0.0 | 1                             | 2        | M         | Fair                    | Top broken off   | Nil                         | N/A      | 10-20                  | C1,2             | 4.57                            | 65.68                                      |
|          | 2134 | Chamaecyparis lawsoniana lawsons cypress  | 343       | 1     | 16          | 3.0           | 3.0 | 0.0 | 0.0 | 1                             | 3        | M         | Fair                    | Crown restricted by adjacent trees   | Nil                         | N/A      | 10-20                  | C1,2             | 4.12                            | 53.23                                      |
|          | 2135 | Chamaecyparis lawsoniana lawsons cypress  | 344       | 1     | 16          | 3.0           | 3.0 | 0.0 | 3.0 | 1                             | 3        | M         | Fair                    | Crown restricted by adjacent trees   | Nil                         | N/A      | 10-20                  | C1,2             | 4.13                            | 53.54                                      |
|          | 2136 | Thuja plicata Western Red Cedar           | 539       | MS    | 16          | 3.0           | 3.0 | 3.0 | 0.0 | 1                             | 2        | M         | Good                    | Included bark at base of main stem   | Monitor fork in main stem   | P        | 10-20                  | C1,2             | 5.39                            | 91.28                                      |
|          | 2138 | Chamaecyparis lawsoniana lawsons cypress  | 405       | 1     | 16          | 3.0           | 3.0 | 0.0 | 0.0 | 1                             | 3        | M         | Good                    | Crown restricted by adjacent trees   | Nil                         | N/A      | 10-20                  | C1,2             | 4.86                            | 74.21                                      |
|          | 2139 | Chamaecyparis lawsoniana lawsons cypress  | 338       | 1     | 16          | 3.0           | 0.0 | 3.0 | 3.0 | 1                             | 3        | M         | Good                    | Crown restricted by adjacent trees   | Nil                         | N/A      | 10-20                  | C1,2             | 4.06                            | 51.69                                      |
| H17      | 4555 | Thuja plicata Westen Red Cedar            | 362       | 1     | 12          | 2.0           | 2.0 | 1.0 | 1.0 | 2                             | 2        | M         | Fair                    | Fungit(?) to bark crevices. Fluting and past damage to main stem             | Check decay, monitor        | P        | 10-20                  | C1,2             | 4.34                            | 59.29                                      |
| H17      | 4556 | Thuja plicata Westen Red Cedar            | 366       | MS    | 8           | 2.0           | 2.0 | 2.0 | 1.0 | 2                             | 2        | M         | Fair                    | Dead top   | Remove deadwood             | P        | 10-20                  | C1,2             | 3.66                            | 42.09                                      |
| H17      | 4559 | Thuja plicata Westen Red Cedar            | 305       | MS    | 6           | 2.0           | 2.0 | 1.0 | 1.0 | 2                             | 2        | M         | Fair                    | Original top lost, lower branches forming top of crown                       | Nil                         | N/A      | Oct-20                 | C1,2             | 3.05                            | 29.23                                      |
| H17      | 4564 | Thuja plicata Western Red Cedar           | 200       | MS    | 6           | 1.0           | 1.0 | 1.0 | 1.0 | 2                             | 2        | M         | Fair                    | Suppressed, leaning to east  | Nil                         | N/A      | 10-20                  | C1,2             | 2.00                            | 12.57                                      |
| H17      | 4570 | Thuja plicata Western Red Cedar           | 270       | MS    | 3           | 2.0           | 1.0 | 2.0 | 1.0 | 1                             | 0        | M         | Poor                    | No visible defects   | Nil                         | N/A      | 10-20                  | C1,2             | 2.70                            | 22.91                                      |
| H17      | 4577 | Thuja plicata Western Red Cedar           | 252       | 1     | 12          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 2        | M         | Fair                    | Old damage to main stem, calloused over                                      | Nil                         | N/A      | 10-20                  | C1,2             | 3.02                            | 28.73                                      |
| H17      | 4586 | Thuja plicata Western Red Cedar           | 199       | 1     | 11          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 2        | M         | Fair                    | Previously suppressed, recovering (?)  | Nil                         | N/A      | 10-20                  | C1,2             | 2.39                            | 17.92                                      |
| H17      | 4587 | Thuja plicata Western Red Cedar           | 295       | 1     | 14          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 2        | M         | Fair                    | Previously suppressed, recovering (?)  | Nil                         | N/A      | 10-20                  | C1,2             | 3.54                            | 39.37                                      |
| H17      | 4588 | Thuja plicata Westen Red Cedar            | 282       | 1     | 10          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 1        | M         | Fair                    | Original top dead, lower branches forming top of crown                       | Remove deadwood. Remove ivy | P        | 10-20                  | C1,2             | 3.38                            | 35.98                                      |
| H17      | 4589 | Thuja plicata Westen Red Cedar            | 300       | 1     | 10          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 1        | M         | Fair                    | Occasional deadwood  | Remove deadwood. Remove ivy | P        | 10-20                  | C1,2             | 3.60                            | 40.72                                      |
| H17      | 4594 | Thuja plicata Western Red Cedar           | 277       | 1     | 11          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 1        | M         | Fair                    | Dead top   | Remove deadwood. Remove ivy | P        | 10-20                  | C1,2             | 3.32                            | 34.72                                      |
| H17      | 4595 | Thuja plicata Western Red Cedar           | 227       | 1     | 14          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 2        | M         | Fair                    | No visible defects   | Nil                         | N/A      | 10-20                  | C1,2             | 2.72                            | 23.31                                      |
| H17      | 4618 | Thuja plicata Western Red Cedar           | 254       | 1     | 10          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 2        | M         | Fair                    | Previous damage, decay to main stem, calloused over                          | Nil                         | N/A      | 10-20                  | C1,2             | 3.05                            | 29.19                                      |
| H17      | 4620 | Thuja plicata Western Red Cedar           | 143       | 1     | 12          | 1.0           | 1.0 | 1.0 | 1.0 | 1                             | 2        | M         | Fair                    | Suppressed   | monitor                     | P        | 10-20                  | C1,2             | 1.72                            | 9.25                                       |
| H17      | 4622 | Thuja plicata Western Red Cedar           | 167       | 1     | 13          | 1.0           | 1.0 | 2.0 | 2.0 | 1                             | 2        | M         | Fair                    | Suppressed   | monitor                     | P        | 10-20                  | C1,2             | 2.00                            | 12.62                                      |

**TOTAL CATEGORY C TREES Heyford Park Nicholson's Tree Survey November 2006**

| Group No | Tag  | Species (Botanical)                       | Diam (mm) | Stems | Ht m. (est) | Branch Spread |     |     |     | Increase in canopy radius (m) | Crown Ht | Age Class | Physiological Condition | Structural Condition  | Preliminary Management                   | Priority | Remaining Contribution | Category Grading | Root Protection Zone Radius (m) | Root Protection zone (m2). Capped at 707m2 |
|----------|------|---|-----------|-------|-------------|---------------|-----|-----|-----|-------------------------------|----------|-----------|-------------------------|---|--|----------|------------------------|------------------|---------------------------------|--|
|          |      |   |           |       |             | N             | S   | E   | W   |                               |          |           |                         |   |  |          |                        |                  |                                 |  |
| G72      | 4879 | Acer platanoides Norway maple             | 452       | 1     | 15          | 6.0           | 5.0 | 4.0 | 3.0 | 3                             | 3        | M         | Good                    | Crown unbalanced to NE  | Nil                                      | N/A      | 20-40                  | C1,2             | 5.42                            | 92.44                                      |
| G72      | 4880 | Aesculus hippocastanum Horse chestnut     | 529       | 1     | 14          | 4.0           | 3.0 | 3.0 | 3.0 | 3                             | 2        | M         | Good                    | Included bark and rot pockets to main stem  | Nil                                      | N/A      | 20-40                  | C1,2             | 6.35                            | 126.61                                     |
| G72      | 4881 | Acer platanoides Norway maple             | 435       | 1     | 13          | 5.0           | 4.0 | 3.0 | 3.0 | 3                             | 3        | M         | Good                    | No visible defects  | Nil                                      | N/A      | 10-20                  | C1,2             | 5.22                            | 85.61                                      |
| G75      | 4908 | Betula alba Silver birch                  | 335       | 1     | 15          | 2.0           | 4.0 | 4.0 | 2.0 | 0                             | 2        | M         | Good                    | Fluting to base, old pruning wounds in upper stem   | Nil                                      | N/A      | 10-20                  | C1,2             | 4.02                            | 50.78                                      |
| G75      | 4909 | Betula alba Silver birch                  | 345       | 1     | 15          | 5.0           | 5.0 | 3.0 | 4.0 | 0                             | 3        | M         | Fair                    | Old pruning wound to upper stem, foliage thin   | Nil                                      | N/A      | <10                    | C1,2             | 4.14                            | 53.85                                      |
| G79      | 4936 | Acer pseudoplatanus Sycamore              | 769       | MS    | 14          | 4.0           | 2.0 | 4.0 | 4.0 | 1                             | 4        | M         | Fair                    | Deadwood in crown, foliage thin   | Nil                                      | N/A      | 10-20                  | C1,2             | 7.69                            | 185.81                                     |
| G76      | 4967 | Betula alba Silver birch                  | 498       | 1     | 15          | 6.0           | 5.0 | 4.0 | 4.0 | 0                             | 3        | M         | Good                    | Long lateral branches especially to south, end loading ?  | Reduce longer branches                   | P        | <10                    | C1,2             | 5.98                            | 112.21                                     |
| G76      | 4971 | Betula alba Silver birch                  | 272       | 1     | 14          | 3.0           | 4.0 | 2.0 | 1.0 | 0                             | 2        | M         | Fair                    | Fluting and old wounds to main stem. Included bark in fork at 1.5 m                             | Nil                                      | N/A      | <10                    | C1,2             | 3.26                            | 33.47                                      |
| G84      | 4994 | Aesculus hippocastanum Horse chestnut     | 327       | 1     | 11          | 3.0           | 4.0 | 2.0 | 2.0 | 3                             | 2        | M         | Good                    | Significant wounds to main stem, decay ?  | Nil                                      | N/A      | 10-20                  | C1,2             | 3.92                            | 48.38                                      |
| G89      | 5021 | Aesculus hippocastanum Horse chestnut     | 573       | 1     | 11          | 4.0           | 4.0 | 4.0 | 4.0 | 1                             | 2        | M         | Poor                    | Crown die back, especially on north. Bleeding canker to main stem and branches                  | Remove dead branches and rebalance crown | U        | 10-20                  | C1,2             | 6.88                            | 148.55                                     |
| G89      | 5022 | Aesculus hippocastanum Horse chestnut     | 382       | 1     | 10          | 3.0           | 3.0 | 3.0 | 3.0 | 2                             | 2        | M         | Fair                    | Bleeding canker on main stem. Many occluded old wounds  | Monitor condition                        | P        | 10-20                  | C1,2             | 4.58                            | 66.02                                      |
| G90      | 5025 | Aesculus hippocastanum Horse chestnut     | 461       | 1     | 12          | 4.0           | 4.0 | 3.0 | 4.0 | 2                             | 2        | M         | Good                    | Large cavity to main fork at 2 m height   | Nil                                      | N/A      | <10                    | C1,2             | 5.53                            | 96.15                                      |
| G90      | 5026 | Aesculus hippocastanum Horse chestnut     | 217       | 1     | 10          | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 1        | M         | Poor                    | Old wounds to lower main stem   | Nil                                      | N/A      | <10                    | C1,2             | 2.60                            | 21.31                                      |
| G90      | 5027 | Aesculus hippocastanum Horse chestnut     | 376       | 1     | 11          | 2.0           | 3.0 | 3.0 | 3.0 | 2                             | 2        | M         | Good                    | Several small wounds and cavities to main spring of crown, also included bark. Bleeding canker. | Nil                                      | N/A      | 10-20                  | C1,2             | 4.51                            | 63.97                                      |
| G93      | 5035 | Cupressocyparis leylandii Leyland cypress | 327       | 1     | 16          | 2.0           | 1.0 | 2.0 | 1.0 | 2                             | 2        | M         | Good                    | Growing close to kerb line. Old occluded damage to base   | Nil                                      | N/A      | 10-20                  | C1,2             | 3.92                            | 48.38                                      |
| G93      | 5036 | Cupressocyparis leylandii Leyland cypress | 308       | 1     | 16          | 1.0           | 1.0 | 2.0 | 2.0 | 1                             | 2        | M         | Good                    | Close to kerb, else No visible defects  | Nil                                      | N/A      | 10-20                  | C1,2             | 3.70                            | 42.92                                      |
| G93      | 5037 | Cupressocyparis leylandii Leyland cypress | 334       | 1     | 16          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | Close to kerb. Old damage to base, else No visible defects                                      | Nil                                      | N/A      | 10-20                  | C1,2             | 4.01                            | 50.47                                      |
| G93      | 5038 | Cupressocyparis leylandii Leyland cypress | 449       | 1     | 16          | 1.0           | 3.0 | 3.0 | 2.0 | 2                             | 2        | M         | Good                    | Close to kerb. Old damage to base, else No visible defects                                      | Nil                                      | N/A      | 10-20                  | C1,2             | 5.39                            | 91.21                                      |
| G93      | 5039 | Cupressocyparis leylandii Leyland cypress | 379       | 1     | 16          | 3.0           | 0.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | Close to Kerb, Old damage to base, else No visible defects                                      | Nil                                      | N/A      | 10-20                  | C1,2             | 4.55                            | 64.99                                      |
| G93      | 5040 | Cupressocyparis leylandii Leyland cypress | 357       | 1     | 16          | 1.0           | 1.0 | 3.0 | 2.0 | 2                             | 2        | M         | Good                    | Close to kerb, else No visible defects  | Nil                                      | N/A      | 10-20                  | C1,2             | 4.28                            | 57.66                                      |
| G93      | 5041 | Cupressocyparis leylandii Leyland cypress | 441       | 1     | 16          | 0.0           | 3.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | Close to kerb, included bark at base of main stem   | Reduce south west codominant stem        | P        | 10-20                  | C1,2             | 5.29                            | 87.99                                      |
| G93      | 5042 | Cupressocyparis leylandii Leyland cypress | 397       | 1     | 16          | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | Close to kerb, else No visible defects  | Nil                                      | N/A      | 10-20                  | C1,2             | 4.76                            | 71.31                                      |
| G93      | 5043 | Cupressocyparis leylandii Leyland cypress | 334       | 1     | 16          | 2.0           | 1.0 | 2.0 | 1.0 | 2                             | 2        | M         | Good                    | Close to kerb, else No visible defects  | Nil                                      | N/A      | 10-20                  | C1,2             | 4.01                            | 50.47                                      |
| G93      | 5045 | Cupressocyparis leylandii Leyland cypress | 297       | 1     | 16          | 0.0           | 1.0 | 2.0 | 2.0 | 1                             | 2        | M         | Good                    | Close to kerb, else No visible defects  | Nil                                      | N/A      | 10-20                  | C1,2             | 3.56                            | 39.91                                      |
| G93      | 5046 | Cupressocyparis leylandii Leyland cypress | 411       | 1     | 16          | 1.0           | 2.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | Close to kerb, else No visible defects  | Nil                                      | N/A      | 10-20                  | C1,2             | 4.93                            | 76.43                                      |
| G93      | 5047 | Cupressocyparis leylandii Leyland cypress | 331       | 1     | 16          | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 1        | M         | Good                    | Close to kerb, else No visible defects  | Nil                                      | N/A      | 10-20                  | C1,2             | 3.97                            | 49.57                                      |
| G93      | 5048 | Cupressocyparis leylandii Leyland cypress | 500       | 1     | 16          | 3.0           | 0.0 | 2.0 | 2.0 | 2                             | 3        | M         | Good                    | Close to kerb, included bark to main stem   | Nil                                      | N/A      | 10-20                  | C1,2             | 6.00                            | 113.11                                     |
| G93      | 5049 | Cupressocyparis leylandii Leyland cypress | 431       | 1     | 16          | 0.0           | 3.0 | 2.0 | 2.0 | 2                             | 3        | M         | Good                    | Close to kerb, else No visible defects  | Nil                                      | N/A      | 10-20                  | C1,2             | 5.17                            | 84.05                                      |
| G94      | 5052 | Fagus sylvatica Beech                     | 579       | 1     | 12          | 5.0           | 4.0 | 4.0 | 4.0 | 2                             | 3        | M         | Good                    | Growing in concrete surfacing. Damage, decay to main stem                                       | Nil                                      | N/A      | 10-20                  | C1,2             | 6.95                            | 151.68                                     |
| G94      | 5053 | Aesculus hippocastanum Horse chestnut     | 516       | 1     | 12          | 4.0           | 3.0 | 4.0 | 4.0 | 2                             | 3        | M         | Good                    | As 5054   | Nil                                      | N/A      | 10-20                  | C1,2             | 6.19                            | 120.47                                     |
| G94      | 5054 | Aesculus hippocastanum Horse chestnut     | 608       | 1     | 12          | 4.0           | 5.0 | 4.0 | 4.0 | 2                             | 3        | M         | Good                    | Stem in concrete surfacing. Rot pockets to spring of crown                                      | Nil                                      | N/A      | 10-20                  | C1,2             | 7.30                            | 167.25                                     |
| G94      | 5055 | Fagus sylvatica Beech                     | 500       | 1     | 11          | 5.0           | 2.0 | 5.0 | 4.0 | 2                             | 2        | M         | Fair                    | Occluded pruning wounds to main spring of crown. Patches of crown dieback                       | Nil                                      | N/A      | 10-20                  | C1,2             | 6.00                            | 113.11                                     |
| G94      | 5056 | Aesculus hippocastanum Horse chestnut     | 418       | 1     | 11          | 3.0           | 3.0 | 5.0 | 5.0 | 2                             | 2        | M         | Good                    | Bleeding canker to stem and main branches   | Nil                                      | N/A      | 10-20                  | C1,2             | 5.02                            | 79.05                                      |
| G147     | 5387 | Cupressocyparis leylandii Leyland cypress | 628       | 1     | 15          | 3.0           | 3.0 | 3.0 | 3.0 | 1                             | 2        | M         | Good                    | Included bark to main branch unions   | Nil                                      | N/A      | 10-20                  | C1,2             | 7.54                            | 178.44                                     |
| G147     | 5388 | Cupressocyparis leylandii Leyland cypress | 531       | 1     | 15          | 2.0           | 2.0 | 1.0 | 2.0 | 1                             | 2        | M         | Good                    | Included bark to main branch unions   | Nil                                      | N/A      | 10-20                  | C1,2             | 6.37                            | 127.57                                     |

**TOTAL CATEGORY C TREES Heyford Park Nicholson's Tree Survey November 2006**

| Group No | Tag  | Species (Botanical)                       | Diam (mm) | Stems | Ht m. (est) | Branch Spread |     |     |     | Increase in canopy radius (m) | Crown Ht | Age Class | Physiological Condition | Structural Condition   | Preliminary Management | Priority | Remaining Contribution | Category Grading | Root Protection Zone Radius (m) | Root Protection zone (m2). Capped at 707m2 |
|----------|------|---|-----------|-------|-------------|---------------|-----|-----|-----|-------------------------------|----------|-----------|-------------------------|--|------------------------|----------|------------------------|------------------|---------------------------------|--|
|          |      |   |           |       |             | N             | S   | E   | W   |                               |          |           |                         |  |                        |          |                        |                  |                                 |  |
| G147     | 5394 | Cupressocyparis leylandii Leyland cypress | 524       | 1     | 15          | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 2        | M         | Good                    | Included bark to main branch unions  | Nil                    | N/A      | 10-20                  | C1,2             | 6.29                            | 124.23                                     |
| G147     | 5395 | Cupressocyparis leylandii Leyland cypress | 477       | 1     | 15          | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 2        | M         | Good                    | Included bark to main branch unions  | Nil                    | N/A      | 10-20                  | C1,2             | 5.72                            | 102.95                                     |
| G147     | 5400 | Cupressocyparis leylandii Leyland cypress | 507       | MS    | 15          | 2.0           | 2.0 | 1.0 | 2.0 | 1                             | 2        | M         | Good                    | No visible defects   | Nil                    | N/A      | 10-20                  | C1,2             | 5.07                            | 80.76                                      |
| G147     | 5404 | Cupressocyparis leylandii Leyland cypress | 426       | 1     | 15          | 2.0           | 2.0 | 1.0 | 1.0 | 1                             | 2        | M         | Good                    | No visible defects   | Nil                    | N/A      | 10-20                  | C1,2             | 5.11                            | 82.11                                      |
| G147     | 5405 | Cupressocyparis leylandii Leyland cypress | 472       | MS    | 15          | 2.0           | 2.0 | 1.0 | 1.0 | 1                             | 2        | M         | Good                    | Included bark to lower stem  | Nil                    | N/A      | 10-20                  | C1,2             | 4.72                            | 70.00                                      |
| G147     | 5406 | Cupressocyparis leylandii Leyland cypress | 404       | 1     | 15          | 2.0           | 2.0 | 2.0 | 1.0 | 1                             | 2        | M         | Good                    | No visible defects   | Nil                    | N/A      | 10-20                  | C1,2             | 4.85                            | 73.85                                      |
| G149     | 5411 | Acer platanoides Norway maple             | 288       | 1     | 13          | 1.0           | 4.0 | 4.0 | 4.0 | 2                             | 3        | M         | Good                    | Old wound to main stem, occluded. Crown unbalanced.                                    | Nil                    | N/A      | 10-20                  | C1,2             | 3.46                            | 37.53                                      |
| G167     | 5515 | Aesculus hippocastanum Horse Chestnut     | 412       | 1     | 12          | 4.0           | 3.0 | 3.0 | 4.0 | 2                             | 2        | M         | Good                    | Very close to building, causing unbalanced crown, else No visible defects              | Nil                    | N/A      | 10-20                  | C1,2             | 4.94                            | 76.80                                      |
| G167     | 5516 | Aesculus hippocastanum Horse Chestnut     | 543       | 1     | 12          | 5.0           | 4.0 | 4.0 | 4.0 | 1                             | 3        | M         | Fair                    | Included bark to main stem fork  | Nil                    | N/A      | 10-20                  | C1,2             | 6.52                            | 133.40                                     |
| G167     | 5518 | Aesculus hippocastanum Horse Chestnut     | 347       | 1     | 10          | 4.0           | 3.0 | 4.0 | 4.0 | 1                             | 3        | M         | Fair                    | Burr formation to main branching at 2 m height. Lower stem has poor taper development. | Nil                    | N/A      | <10                    | C1,2             | 4.16                            | 54.48                                      |
| G167     | 5519 | Aesculus hippocastanum Horse Chestnut     | 481       | 1     | 12          | 4.0           | 4.0 | 4.0 | 4.0 | 2                             | 4        | M         | Good                    | Large wound and decay to lower stem. Included bark in main fork.                       | Nil                    | N/A      | <10                    | C1,2             | 5.77                            | 104.68                                     |
| G171     | 5537 | Acer platanoides Norway maple             | 270       | 1     | 10          | 4.0           | 3.0 | 2.0 | 3.0 | 1                             | 2        | M         | Fair                    | Occasional bark necrosis, bleeding   | Nil                    | N/A      | 10-20                  | C1,2             | 3.24                            | 32.98                                      |
| G171     | 5539 | Tilia europaea Common Lime                | 354       | 1     | 13          | 1.0           | 4.0 | 3.0 | 4.0 | 2                             | 2        | M         | Fair                    | Epicormics, else No visible defects  | Nil                    | N/A      | 10-20                  | C1,2             | 4.25                            | 56.70                                      |
| G173     | 5551 | Cupressocyparis leylandii Leyland cypress | 428       | MS    | 15          | 2.0           | 1.0 | 3.0 | 3.0 | 2                             | 2        | M         | Good                    | Included bark to main forks.   | Nil                    | N/A      | 10-20                  | C1,2             | 4.28                            | 57.56                                      |
| G173     | 5552 | Cupressocyparis leylandii Leyland cypress | 460       | MS    | 15          | 3.0           | 3.0 | 4.0 | 1.0 | 2                             | 2        | M         | Good                    | No visible defects   | Nil                    | N/A      | 10-20                  | C1,2             | 4.60                            | 66.48                                      |
| G173     | 5557 | Cupressocyparis leylandii Leyland cypress | 378       | 1     | 15          | 3.0           | 3.0 | 3.0 | 3.0 | 2                             | 2        | M         | Good                    | Damage, decay to lower main stem, else No visible defects                              | Nil                    | N/A      | 20-40                  | C1,2             | 4.54                            | 64.65                                      |
| G173     | 5563 | Cupressocyparis leylandii Leyland cypress | 469       | 1     | 15          | 1.0           | 3.0 | 3.0 | 3.0 | 2                             | 2        | M         | Good                    | Included bark to large forks   | Nil                    | N/A      | 10-20                  | C1,2             | 5.63                            | 99.52                                      |
| G173     | 5568 | Cupressocyparis leylandii Leyland cypress | 468       | MS    | 15          | 3.0           | 1.0 | 3.0 | 2.0 | 2                             | 3        | M         | Good                    | Included bark to fork at 1 m height  | Nil                    | N/A      | 10-20                  | C1,2             | 4.68                            | 68.82                                      |
| G173     | 5570 | Acer pseudoplatanus Sycamore              | 280       | 1     | 12          | 3.0           | 3.0 | 3.0 | 4.0 | 3                             | 2        | M         | Good                    | Included bark to main fork   | Nil                    | N/A      | 10-20                  | C1,2             | 3.36                            | 35.47                                      |
| H37      | 5596 | Cupressocyparis leylandii Leyland cypress | 255       | 1     | 8           | 0.0           | 2.0 | 1.0 | 1.0 | 1                             | 2        | M         | Good                    | Previously topped to 5m ht   | Nil                    | N/A      | 10-20                  | C1,2             | 3.06                            | 29.42                                      |
| H37      | 5597 | Cupressocyparis leylandii Leyland cypress | 139       | 1     | 8           | 0.0           | 2.0 | 1.0 | 1.0 | 1                             | 2        | M         | Good                    | Previously topped to 5m ht   | Nil                    | N/A      | 10-20                  | C1,2             | 1.67                            | 8.74                                       |
| H37      | 5598 | Cupressocyparis leylandii Leyland cypress | 203       | 1     | 8           | 0.0           | 2.0 | 1.0 | 1.0 | 1                             | 2        | M         | Good                    | Previously topped to 5m ht   | Nil                    | N/A      | 10-20                  | C1,2             | 2.44                            | 18.64                                      |
| H37      | 5599 | Cupressocyparis leylandii Leyland cypress | 254       | 1     | 8           | 0.0           | 2.0 | 1.0 | 1.0 | 1                             | 2        | M         | Good                    | Previously topped to 5m ht   | Nil                    | N/A      | 10-20                  | C1,2             | 3.05                            | 29.19                                      |
| H37      | 5600 | Cupressocyparis leylandii Leyland cypress | 161       | 1     | 8           | 0.0           | 2.0 | 1.0 | 1.0 | 1                             | 2        | M         | Good                    | Previously topped to 5m ht   | Nil                    | N/A      | 10-20                  | C1,2             | 1.93                            | 11.73                                      |
| H37      | 5601 | Cupressocyparis leylandii Leyland cypress | 124       | 1     | 8           | 0.0           | 2.0 | 1.0 | 1.0 | 1                             | 2        | M         | Good                    | Previously topped to 5m ht   | Nil                    | N/A      | 10-20                  | C1,2             | 1.49                            | 6.96                                       |
| H37      | 5602 | Cupressocyparis leylandii Leyland cypress | 140       | 1     | 8           | 0.0           | 2.0 | 1.0 | 1.0 | 1                             | 2        | M         | Good                    | Previously topped to 5m ht   | Nil                    | N/A      | 10-20                  | C1,2             | 1.68                            | 8.87                                       |
| H37      | 5603 | Cupressocyparis leylandii Leyland cypress | 148       | 1     | 8           | 0.0           | 2.0 | 1.0 | 1.0 | 1                             | 2        | M         | Good                    | Previously topped to 5m ht   | Nil                    | N/A      | 10-20                  | C1,2             | 1.78                            | 9.91                                       |
| H37      | 5604 | Cupressocyparis leylandii Leyland cypress | 125       | 1     | 8           | 0.0           | 2.0 | 1.0 | 1.0 | 1                             | 2        | M         | Good                    | Previously topped to 5m ht   | Nil                    | N/A      | 10-20                  | C1,2             | 1.50                            | 7.07                                       |
| H37      | 5605 | Cupressocyparis leylandii Leyland cypress | 251       | 1     | 8           | 0.0           | 2.0 | 1.0 | 1.0 | 1                             | 2        | M         | Good                    | Previously topped to 5m ht   | Nil                    | N/A      | 10-20                  | C1,2             | 3.01                            | 28.50                                      |
| H37      | 5606 | Cupressocyparis leylandii Leyland cypress | 249       | 1     | 8           | 0.0           | 2.0 | 1.0 | 1.0 | 1                             | 2        | M         | Good                    | Previously topped to 5m ht   | Nil                    | N/A      | 10-20                  | C1,2             | 2.99                            | 28.05                                      |
| H37      | 5607 | Cupressocyparis leylandii Leyland cypress | 415       | 1     | 8           | 2.0           | 0.0 | 1.0 | 1.0 | 1                             | 2        | M         | Good                    | Previously topped to 5m ht   | Nil                    | N/A      | 10-20                  | C1,2             | 4.98                            | 77.92                                      |
| H37      | 5608 | Cupressocyparis leylandii Leyland cypress | 468       | 1     | 8           | 2.0           | 0.0 | 1.0 | 1.0 | 1                             | 2        | M         | Good                    | Previously topped to 5m ht   | Nil                    | N/A      | 10-20                  | C1,2             | 5.62                            | 99.10                                      |
| H37      | 5609 | Cupressocyparis leylandii Leyland cypress | 325       | 1     | 8           | 2.0           | 0.0 | 1.0 | 1.0 | 1                             | 2        | M         | Good                    | Previously topped to 5m ht   | Nil                    | N/A      | 10-20                  | C1,2             | 3.90                            | 47.79                                      |
| H37      | 5610 | Cupressocyparis leylandii Leyland cypress | 159       | 1     | 8           | 2.0           | 0.0 | 1.0 | 1.0 | 1                             | 2        | M         | Good                    | Previously topped to 5m ht   | Nil                    | N/A      | 10-20                  | C1,2             | 1.91                            | 11.44                                      |
| H37      | 5611 | Cupressocyparis leylandii Leyland cypress | 343       | 1     | 8           | 2.0           | 0.0 | 1.0 | 1.0 | 1                             | 2        | M         | Good                    | Previously topped to 5m ht   | Nil                    | N/A      | 10-20                  | C1,2             | 4.12                            | 53.23                                      |

**TOTAL CATEGORY C TREES Heyford Park Nicholson's Tree Survey November 2006**

| Group No | Tag  | Species (Botanical)                       | Diam (mm) | Stems | Ht m. (est) | Branch Spread |     |     |     | Increase in canopy radius (m) | Crown Ht | Age Class | Physiological Condition | Structural Condition  | Preliminary Management    | Priority | Remaining Contribution | Category Grading | Root Protection Zone Radius (m) | Root Protection zone (m2). Capped at 707m2 |
|----------|------|---|-----------|-------|-------------|---------------|-----|-----|-----|-------------------------------|----------|-----------|-------------------------|---|---------------------------|----------|------------------------|------------------|---------------------------------|--|
|          |      |   |           |       |             | N             | S   | E   | W   |                               |          |           |                         |   |                           |          |                        |                  |                                 |  |
| H37      | 5612 | Cupressocyparis leylandii Leyland cypress | 291       | 1     | 8           | 2.0           | 0.0 | 1.0 | 1.0 | 1                             | 2        | M         | Good                    | Previously topped to 5m ht  | Nil                       | N/A      | 10-20                  | C1,2             | 3.49                            | 38.31                                      |
| H37      | 5613 | Cupressocyparis leylandii Leyland cypress | 539       | 1     | 8           | 2.0           | 0.0 | 1.0 | 1.0 | 1                             | 2        | M         | Good                    | Previously topped to 5m ht  | Nil                       | N/A      | 10-20                  | C1,2             | 6.47                            | 131.45                                     |
| G79A     | 5808 | Acer pseudoplatanus Sycamore              | 550       | MS    | 11          | 0.0           | 1.0 | 1.0 | 1.0 | 3                             | 4        | M         | Good                    | Potential included bark at base else NVD  | Nil                       | N/A      | 20-40                  | C1,2             | 5.39                            | 95.05                                      |
| G79A     | 5812 | Acer pseudoplatanus Sycamore              | 180       | 1     | 10          | 0.0           | 3.0 | 3.0 | 0.0 | 3                             | 5        | M         | Good                    | Leaning with unbalanced crown to E  | Nil                       | N/A      | 20-40                  | C1,2             | 4.55                            | 14.66                                      |
| G79A     | 5813 | Acer pseudoplatanus Sycamore              | 195       | 1     | 11          | 2.0           | 2.0 | 2.0 | 0.0 | 3                             | 4        | M         | Good                    | Leaning to E. Squirrel damage   | Nil                       | N/A      | 20-40                  | C1,2             | 4.28                            | 17.20                                      |
| G79A     | 5814 | Acer pseudoplatanus Sycamore              | 180       | 1     | 12          | 3.0           | 0.0 | 3.0 | 0.0 | 3                             | 4        | M         | Good                    | Crown unbalanced to E by adjacent lime and declining Rowan  | Nil                       | N/A      | 20-40                  | C1,2             | 5.29                            | 14.66                                      |
| G79A     | 5815 | Acer pseudoplatanus Sycamore              | 210       | 1     | 11          | 3.0           | 1.0 | 2.0 | 1.0 | 3                             | 3        | M         | Good                    | Leaning with unbalanced crown to E  | Nil                       | N/A      | 20-40                  | C1,2             | 4.76                            | 19.95                                      |
| G79A     | 5820 | Acer pseudoplatanus Sycamore              | 620       | MS    | 12          | 3.0           | 3.0 | 3.0 | 0.0 | 3                             | 3        | M         | Good                    | Potential included bark at base else NVD  | Nil                       | N/A      | 20-40                  | C1,2             | 4.01                            | 120.78                                     |
| G79A     | 5821 | Acer pseudoplatanus Sycamore              | 430       | MS    | 11          | 3.0           | 3.0 | 3.0 | 0.0 | 3                             | 3        | M         | Good                    | Potential included bark at base else NVD. Crown unbalanced by adjacent lime                       | Nil                       | N/A      | 20-40                  | C1,2             | 3.56                            | 58.10                                      |
| G79A     | 5823 | Acer pseudoplatanus Sycamore              | 500       | MS    | 12          | 0.0           | 2.0 | 2.0 | 0.0 | 3                             | 4        | M         | Good                    | Potential included bark at base   | Nil                       | N/A      | 10-20                  | C1,2             | 4.93                            | 78.55                                      |
| G79A     | 5824 | Acer pseudoplatanus Sycamore              | 410       | MS    | 12          | 2.0           | 2.0 | 3.0 | 2.0 | 3                             | 3        | M         | Good                    | Included bark at base, significant squirrel damage  | Nil                       | N/A      | 10-20                  | C1,2             | 3.97                            | 52.82                                      |
| G79A     | 5825 | Acer pseudoplatanus Sycamore              | 160       | 1     | 12          | 3.0           | 0.0 | 3.0 | 1.0 | 3                             | 4        | M         | Good                    | Leaning to East, crown unbalanced   | Nil                       | N/A      | 10-20                  | C1,2             | 6.00                            | 11.58                                      |
| G79A     | 5826 | Acer pseudoplatanus Sycamore              | 180       | 1     | 10          | 0.0           | 3.0 | 3.0 | 1.0 | 3                             | 5        | M         | Good                    | Crown unbalanced  | Nil                       | N/A      | 10-20                  | C1,2             | 5.17                            | 14.66                                      |
| G79A     | 5827 | Acer pseudoplatanus Sycamore              | 230       | 1     | 12          | 4.0           | 4.0 | 2.0 | 0.0 | 2                             | 5        | M         | Good                    | Very close to boundary wall else NVD  | Nil                       | N/A      | 10-20                  | C1,2             | 6.95                            | 23.93                                      |
| H29      | 5831 | Acer pseudoplatanus Sycamore              | 540       | MS    | 12          | 3.0           | 4.0 | 4.0 | 3.0 | 3                             | 3        | M         | Good                    | Rubbing crossing branches, probable decay in crown.   | Nil                       | N/A      | 10-20                  | C1,2             | 6.19                            | 91.62                                      |
| H29      | 5832 | Acer pseudoplatanus Sycamore              | 125       | 1     | 10          | 2.0           | 2.0 | 2.0 | 2.0 | 3                             | 4        | Y         | Good                    | Restricted crown  | Nil                       | N/A      | 10-20                  | C1,2             | 7.30                            | 7.07                                       |
| H29      | 5833 | Prunus avium plena Cherry                 | 312       | 1     | 12          | 4.0           | 3.0 | 3.0 | 3.0 | 2                             | 4        | M         | Fair                    | Ivy covered. Significant fork at 3m ht with included bark. Growing on bank, stability?            | Nil                       | N/A      | 10-20                  | C1,2             | 6.00                            | 44.04                                      |
| H29      | 5834 | Acer pseudoplatanus Sycamore              | 160       | 1     | 7           | 1.0           | 3.0 | 3.0 | 1.0 | 3                             | 3        | M         | Good                    | NVD   | Nil                       | N/A      | 10-20                  | C1,2             | 5.02                            | 11.58                                      |
| H29      | 5835 | Acer pseudoplatanus Sycamore              | 140       | 1     | 8           | 1.0           | 1.0 | 1.0 | 1.0 | 3                             | 4        | M         | Good                    | Growing on bank else NVD  | Nil                       | N/A      | 10-20                  | C1,2             | 7.54                            | 8.87                                       |
| H29      | 5836 | Acer pseudoplatanus Sycamore              | 325       | 1     | 12          | 0.0           | 4.0 | 3.0 | 3.0 | 3                             | 4        | M         | Good                    | Crown unbalanced to south, else NVD   | Nil                       | N/A      | 10-20                  | C1,2             | 6.37                            | 47.79                                      |
| H29      | 5838 | Prunus avium plena Cherry                 | 410       | MS    | 10          | 4.0           | 1.0 | 0.0 | 4.0 | 1                             | 3        | M         | Fair                    | Crown unbalanced due to influence of 5837   | Nil                       | N/A      | 10-20                  | C1,2             | 6.29                            | 52.82                                      |
| H29      | 5839 | Fraxinus excelsior Ash                    | 290       | 1     | 18          | 6.0           | 0.0 | 5.0 | 1.0 | 1                             | 3        | M         | Good                    | Leaning to North  | Nil                       | N/A      | 10-20                  | C1,2             | 5.72                            | 38.05                                      |
| H29      | 5842 | Fraxinus excelsior Ash                    | 830       | MS    | 16          | 5.0           | 5.0 | 5.0 | 5.0 | 2                             | 4        | M         | Good                    | Suppressed stems dying back. Occasional damage with decay to better stems                         | Nil                       | N/A      | 10-20                  | C1,2             | 5.07                            | 216.45                                     |
| H29      | 5844 | Acer Platanoides Norway Maple             | 530       | MS    | 11          | 3.0           | 2.0 | 4.0 | 4.0 | 2                             | 3        | M         | Good                    | Ingrown wire, decay to branches   | Remove damaged stems to W | P        | 10-20                  | C1,2             | 5.11                            | 88.26                                      |
| H29      | 5845 | Prunus avium Cherry                       | 460       | MS    | 10          | 2.0           | 0.0 | 2.0 | 3.0 | 2                             | 3        | M         | Good                    | Significant included bark to multiple stem unions   | Nil                       | N/A      | 10-20                  | C1,2             | 4.72                            | 66.48                                      |
| H29      | 5846 | Fraxinus excelsior Ash                    | 800       | MS    | 10          | 2.0           | 1.0 | 2.0 | 3.0 | 2                             | 3        | M         | Fair                    | Included bark at base, significant squirrel damage  | Nil                       | N/A      | 10-20                  | C1,2             | 4.85                            | 201.09                                     |
| H29      | 5848 | Fraxinus excelsior Ash                    | 920       | MS    | 11          | 6.0           | 5.0 | 4.0 | 4.0 | 2                             | 4        | M         | Good                    | Tight stems at base. Potential included bark.   | Nil                       | N/A      | 10-20                  | C1,2             | 3.46                            | 265.94                                     |
| H29      | 5851 | Acer pseudoplatanus Sycamore              | 310       | MS    | 10          | 2.0           | 2.0 | 3.0 | 3.0 | 4                             | 3        | Y         | Good                    | Rubbing branch on main stem   | Remove circling branch    | P        | 10-20                  | C1,2             | 4.94                            | 30.19                                      |
| H29      | 5852 | Acer pseudoplatanus Sycamore              | 450       | MS    | 12          | 3.0           | 3.0 | 3.0 | 3.0 | 2                             | 3        | M         | Good                    | Included bark at base   | Nil                       | N/A      | 10-20                  | C1,2             | 6.52                            | 63.63                                      |
|          | 640  | Acer platanoides Norway maple             | 412       | 1     | 13          | 4.0           | 4.0 | 2.0 | 3.0 | 2                             | 3        | M         | Poor                    | Significant deadwood in crown, crown suppressed by adjacent Aesculus hippocastanum Horse chestnut | Deadwood >50 mm           | P        | 20-40                  | C1/R             | 3.84                            | 76.80                                      |
|          | 166  | Betula alba Silver birch                  | 269       | 1     | 12          | 3.0           | 5.0 | 2.0 | 4.0 | 0                             | 5        | M         | Poor                    | Average condition   | Nil                       | N/A      | 10-20                  | C2               | 3.23                            | 32.74                                      |
|          | 169  | Sorbus aucuparia Rowan                    | 87        | 1     | 4           | 1.0           | 1.0 | 1.0 | 1.0 | 2                             | 2        | SM        | Fair                    | Average condition   | Nil                       | N/A      | 20-40                  | C2               | 1.04                            | 3.42                                       |
|          | 176  | Prunus avium Cherry                       | 320       | 1     | 8           | 3.0           | 4.0 | 4.0 | 3.0 | 0                             | 3        | M         | Poor                    | Average condition   | Nil                       | N/A      | 10-20                  | C2               | 3.84                            | 46.33                                      |
|          | 181  | Crataegus monogyna Hawthorn               | 316       | 1     | 8           | 3.0           | 3.0 | 3.0 | 3.0 | 0                             | 4        | M         | Fair                    | Average condition   | Nil                       | N/A      | 10-20                  | C2               | 3.79                            | 45.18                                      |
|          | 183  | Crataegus monogyna Hawthorn               | 247       | 1     | 8           | 2.5           | 2.0 | 3.0 | 2.0 | 0                             | 4        | M         | Fair                    | Average condition   | Nil                       | N/A      | 10-20                  | C2               | 2.96                            | 27.60                                      |
|          | 192  | Betula alba Silver birch                  | 292       | 1     | 9           | 2.0           | 5.0 | 3.0 | 4.0 | 0                             | 3        | M         | Fair                    | Average condition   | Nil                       | N/A      | 10-20                  | C2               | 3.50                            | 38.58                                      |
|          | 203  | Betula alba Silver birch                  | 168       | 1     | 8           | 2.0           | 2.0 | 2.0 | 2.0 | 0                             | 3        | M         | Poor                    | Average condition   | Nil                       | N/A      | 10-20                  | C2               | 2.02                            | 12.77                                      |
|          | 204  | Crataegus monogyna Hawthorn               | 320       | MS    | 7           | 2.0           | 3.0 | 3.0 | 3.0 | 0                             | 3        | M         | Fair                    | Average condition   | Nil                       | N/A      | 10-20                  | C2               | 3.20                            | 32.17                                      |
|          | 205  | Betula alba Silver birch                  | 345       | 1     | 12          | 3.0           | 5.0 | 4.0 | 2.0 | 0                             | 7        | M         | Fair                    | Average condition   | Nil                       | N/A      | 10-20                  | C2               | 4.14                            | 53.85                                      |
|          | 206  | Crataegus prunifolia Cockspur thorn       | 194       | 1     | 5           | 4.0           | 5.0 | 2.0 | 6.0 | 1                             | 3        | M         | Fair                    | Average condition   | Nil                       | N/A      | 10-20                  | C2               | 2.33                            | 17.03                                      |
|          | 208  | Prunus Flowering Cherry                   | 368       | 1     | 7           | 4.0           | 2.0 | 1.0 | 6.0 | 1                             | 3        | M         | Fair                    | Significant cavity in stem s  | Nil                       | N/A      | 10-20                  | C2               | 4.42                            | 61.27                                      |
|          | 227  | Crataegus monogyna Hawthorn               | 100       | 1     | 4           | 1.0           | 2.0 | 1.0 | 2.0 | 2                             | 3        | SM        | Fair                    | Average condition   | Nil                       | N/A      | 20-40                  | C2               | 1.20                            | 4.52                                       |
|          | 241  | Betula alba Silver birch                  | 343       | 1     | 12          | 2.0           | 4.0 | 5.0 | 5.0 | 0                             | 7        | M         | Fair                    | Stem wound at 0.5w  | Nil                       | N/A      | 10-20                  | C2               | 4.12                            | 53.23                                      |
|          | 242  | Betula alba Silver birch                  | 229       | 1     | 9           | 1.0           | 3.0 | 4.0 | 3.0 | 0                             | 5        | M         | Fair                    | Average condition   | Nil                       | N/A      | 10-20                  | C2               | 2.75                            | 23.73                                      |
|          | 243  | Betula alba Silver birch                  | 476       | 1     | 12          | 7.0           | 6.0 | 6.0 | 4.0 | 0                             | 6        | M         | Poor                    | Average condition   | Nil                       | N/A      | 10-20                  | C2               | 5.71                            | 102.51                                     |
|          | 245  | Prunus avium Cherry                       | 260       | 1     | 7           | 6.0           | 3.0 | 2.0 | 5.0 | 1                             | 5        | M         | Fair                    | Average condition   | Nil                       | N/A      | 10-20                  | C2               | 3.12                            | 30.59                                      |
|          | 246  | Crataegus monogyna Hawthorn               | 247       | 1     | 7           | 3.0           | 3.0 | 4.0 | 3.0 | 0                             | 3        | M         | Fair                    | Average condition   | Nil                       | N/A      | 10-20                  | C2               | 2.96                            | 27.60                                      |
|          | 258  | Prunus Flowering Cherry                   | 515       | 1     | 13          | 7.5           | 5.0 | 5.0 | 2.0 | 1                             | 3        | M         | Fair                    | Average condition   | Nil                       | N/A      | 10-20                  | C2               | 6.18                            | 120.00                                     |
|          | 260  | Betula alba Silver birch                  | 210       | 1     | 9           | 2.0           | 7.0 | 4.0 | 1.0 | 0                             | 6        | M         | Fair                    | Leaning   | Nil                       | N/A      | 10-20                  | C2               | 2.52                            | 19.95                                      |
|          | 269  | Fraxinus excelsior Ash                    | 141       | 1     | 6           | 2.0           | 2.0 | 2.0 | 2.0 | 4                             | 2.5      | M         | Fair                    | Lifting tree pit and surrounding paving   | Nil                       | N/A      | 20-40                  | C2               | 1.69                            | 9.00                                       |
|          | 274  | Betula alba Silver birch                  | 572       | 1     | 13          | 4.0           | 5.0 | 4.0 | 8.0 | 1                             | 6        | M         | Fair                    | Average condition   | Nil                       | N/A      | 10-20                  | C2               | 6.86                            | 148.03                                     |
|          | 275  | Betula alba Silver birch                  | 588       | 1     | 14          | 2.0           | 5.0 | 5.0 | 5.0 | 1                             | 6        | M         | Fair                    | Average condition   | Nil                       | N/A      | 10-20                  | C2               | 7.06                            | 156.43                                     |
|          | 276  | Betula alba Silver birch                  | 323       | 1     | 12          | 4.0           | 2.0 | 5.0 | 3.0 | 1                             | 7        | M         | Fair                    | Average condition   | Nil                       | N/A      | 10-20                  | C2               | 3.88                            | 47.20                                      |
|          | 279  | Acer pseudoplatanus Sycamore              | 557       | 1     | 12          | 4.0           | 4.0 | 3.5 | 5.0 | 1                             | 7        | M         | Fair                    | Significant basal wound   | Full VTA                  | U        | 10-20                  | C2               | 6.68                            | 140.37                                     |

**TOTAL CATEGORY C TREES Heyford Park Nicholson's Tree Survey November 2006**

| Group No | Tag | Species (Botanical)                       | Diam (mm) | Stems | Ht m. (est) | Branch Spread |      |      |      | Increase in canopy radius (m) | Crown Ht | Age Class | Physiological Condition | Structural Condition                            | Preliminary Management | Priority | Remaining Contribution | Category Grading | Root Protection Zone Radius (m) | Root Protection zone (m2). Capped at 707m2 |
|----------|-----|---|-----------|-------|-------------|---------------|------|------|------|-------------------------------|----------|-----------|-------------------------|---|------------------------|----------|------------------------|------------------|---------------------------------|--|
|          |     |   |           |       |             | N             | S    | E    | W    |                               |          |           |                         |   |                        |          |                        |                  |                                 |  |
| 284      |     | Lilac                                     | 155       | MS    | 6           | 4.0           | 4.0  | 4.0  | 4.0  | 1                             | 2        | M         | Fair                    | Average condition                               | Nil                    | N/A      | 10-20                  | C2               | 1.55                            | 7.55                                       |
| 296      |     | Prunus cerasifera Myrobalan Plum          | 364       | MS    | 10          | 4.0           | 3.0  | 4.0  | 4.0  | 1                             | 4        | M         | Fair                    | Average condition                               | Nil                    | N/A      | 10-20                  | C2               | 3.64                            | 41.63                                      |
| 311      |     | Betula alba Silver birch                  | 396       | MS    | 10          | 5.0           | 5.0  | 2.0  | 5.0  | 1                             | 4        | M         | Fair                    | Average condition                               | Nil                    | N/A      | 10-20                  | C2               | 3.96                            | 49.27                                      |
| 313      |     | Crataegus monogyna Hawthorn               | 345       | MS    | 4           | 4.0           | 4.0  | 4.0  | 4.0  | 1                             | 2        | M         | Fair                    | Average condition                               | Nil                    | N/A      | 20-40                  | C2               | 3.45                            | 37.40                                      |
| 315      |     | Betula alba Silver birch                  | 394       | 1     | 11          | 6.0           | 5.0  | 6.0  | 6.0  | 1                             | 5        | M         | Fair                    | Minor decay in main fork scar on top of se stem | Nil                    | N/A      | 10-20                  | C2               | 4.73                            | 70.24                                      |
| 316      |     | Chamaecyparis lawsoniana Lawsons cypress  | 480       | MS    | 6           | 1.0           | 1.0  | 1.0  | 1.0  | 0.5                           | gl       | M         | Fair                    | Average condition                               | Nil                    | N/A      | 20-40                  | C2               | 4.80                            | 72.39                                      |
| 317      |     | Chamaecyparis lawsoniana Lawsons cypress  | 358       | MS    | 5           | 1.0           | 1.0  | 1.0  | 1.0  | 0.5                           | gl       | M         | Fair                    | Average condition                               | Nil                    | N/A      | 20-40                  | C2               | 3.58                            | 40.27                                      |
| 322      |     | Betula alba Silver birch                  | 395       | MS    | 6           | 2.0           | 2.0  | 2.0  | 2.0  | 4                             | na       | SM        | Fair                    | Coppice stool                                   | Nil                    | N/A      | 20-40                  | C2               | 3.95                            | 49.02                                      |
| 330      |     | Chamaecyparis thyoides White Cedar        | 254       | 1     | 9           | 2.0           | 2.0  | 2.0  | 2.0  | 1                             | 2        | M         | Fair                    | Average condition                               | Nil                    | N/A      | 20-40                  | C2               | 3.05                            | 29.19                                      |
| 335      |     | Betula alba Silver birch                  | 185       | 1     | 9           | 3.0           | 1.0  | 4.0  | 0.0  | 1                             | 4        | M         | Fair                    | Average condition                               | Nil                    | N/A      | 20-40                  | C2               | 2.22                            | 15.49                                      |
| 354      |     | Fraxinus excelsior Ash                    | 429       | MS    | 5           | 2.0           | 2.0  | 2.0  | 2.0  | 5                             | 2        | SM        | Fair                    | Coppice stool                                   | Nil                    | N/A      | 40+                    | C2               | 4.29                            | 57.83                                      |
| 356      |     | Crataegus monogyna Hawthorn               | 238       | MS    | 4           | 3.0           | 3.0  | 3.0  | 3.0  | 0                             | 2        | M         | Fair                    | Average condition                               | Nil                    | N/A      | 10-20                  | C2               | 2.38                            | 17.80                                      |
| 357      |     | Crataegus monogyna Hawthorn               | 250       | 1     | 5           | 4.0           | 4.0  | 4.0  | 4.0  | 0                             | 2        | M         | Fair                    | Average condition                               | Nil                    | N/A      | 10-20                  | C2               | 3.00                            | 28.28                                      |
| 358      |     | Betula alba Silver birch                  | 366       | 1     | 7           | 5.0           | 5.0  | 5.0  | 5.0  | 0                             | 2        | M         | Fair                    | Decay pocket in main stem                       | Nil                    | N/A      | 10-20                  | C2               | 4.39                            | 60.61                                      |
| 365      |     | Crataegus monogyna Hawthorn               | 242       | 1     | 6           | 2.0           | 2.0  | 2.0  | 2.0  | 0                             | 2        | M         | Fair                    | Average condition                               | Nil                    | N/A      | 20-40                  | C2               | 2.90                            | 26.50                                      |
| 382      |     | Fraxinus excelsior Ash                    | 173       | MS    | 5           | 3.0           | 3.0  | 3.0  | 3.0  | 4                             | 1        | SM        | Fair                    | Average condition                               | Nil                    | N/A      | 40+                    | C2               | 1.73                            | 9.40                                       |
| 391      |     | Fagus sylvatica Beech                     | 920       | 1     | 15          | 7.0           | 8.0  | 8.0  | 6.0  | 0                             | 6        | M         | Poor                    | Average condition                               | Nil                    | N/A      | 10-20                  | C2               | 11.04                           | 382.95                                     |
| 397      |     | Pinus sylvestris Scots pine               | 548       | 1     | 12          | 3.0           | 3.0  | 8.0  | 0.0  | 0                             | 8        | M         | Fair                    | Leaning to e                                    | Nil                    | N/A      | 10-20                  | C2               | 6.58                            | 135.87                                     |
| 408      |     | Fraxinus excelsior Ash                    | 546       | MS    | 9           | 3.0           | 2.0  | 3.0  | 3.0  | 3                             | 2        | M         | Fair                    | Growing on edge of bunker entrance              | Nil                    | N/A      | 20-40                  | C2               | 5.46                            | 93.67                                      |
| 422      |     | Acer pseudoplatanus Sycamore              | 850       | MS    | 9           | 3.0           | 3.0  | 3.0  | 3.0  | 3                             | 2        | SM        | Fair                    | Coppice stool                                   | Nil                    | N/A      | 20-40                  | C2               | 8.50                            | 227.01                                     |
| 423      |     | Acer pseudoplatanus Sycamore              | 422       | MS    | 9           | 3.0           | 3.0  | 3.0  | 3.0  | 3                             | 2        | SM        | Fair                    | Coppice stool                                   | Nil                    | N/A      | 20-40                  | C2               | 4.22                            | 55.95                                      |
| 424      |     | Fraxinus excelsior Ash                    | 190       | 1     | 9           | 3.0           | 2.0  | 3.0  | 3.0  | 3                             | 4        | M         | Fair                    | Average condition                               | Nil                    | N/A      | 40+                    | C2               | 2.28                            | 16.33                                      |
| 436      |     | Populus nigra Hybrid black poplar         | 651       | 1     | 18          | 7.0           | 4.0  | 3.0  | 10.0 | 1                             | 8        | M         | Fair                    | Average condition                               | Nil                    | N/A      | 10-20                  | C2               | 7.81                            | 191.75                                     |
| 438      |     | Populus nigra Hybrid black poplar         | 735       | 1     | 19          | 6.0           | 7.0  | 4.0  | 10.0 | 1                             | 8        | M         | Fair                    | Average condition                               | Nil                    | N/A      | 10-20                  | C2               | 8.82                            | 244.42                                     |
| 439      |     | Prunus avium Cherry laurel                | 835       | MS    | 6           | 3.0           | 6.0  | 4.0  | 4.0  | 2                             | n/a      | M         | Fair                    | Average condition                               | Nil                    | N/A      | 10-20                  | C2               | 8.35                            | 219.07                                     |
| 440      |     | Populus nigra Hybrid black poplar         | 1191      | MS    | 19          | 6.0           | 11.0 | 11.0 | 8.0  | 1                             | 5        | M         | Fair                    | Main fork at 1.0 with included bark             | Nil                    | N/A      | 10-20                  | C2               | 11.91                           | 445.69                                     |
| 471      |     | Malus domestica Apple                     | 162       | 1     | 6           | 3.0           | 3.0  | 3.0  | 3.0  | 1                             | 2        | M         | Fair                    | Average condition                               | Nil                    | N/A      | 10-20                  | C2               | 1.94                            | 11.87                                      |
| 474      |     | Chamaecyparis lawsoniana Lawsons cypress  | 800       | MS    | 12          | 3.0           | 2.0  | 2.0  | 2.0  | 1                             | 2        | M         | Fair                    | Average condition                               | Nil                    | N/A      | 10-20                  | C2               | 8.00                            | 201.09                                     |
| 475      |     | Chamaecyparis lawsoniana Lawsons cypress  | 605       | MS    | 12          | 2.0           | 2.0  | 2.0  | 3.0  | 1                             | 2        | M         | Fair                    | Average condition                               | Nil                    | N/A      | 10-20                  | C2               | 6.05                            | 115.01                                     |
| 479      |     | Ilex aquifolium Holly                     | 283       | MS    | 6           | 2.0           | 2.0  | 2.0  | 2.0  | 1                             | 3        | M         | Fair                    | Average condition                               | Nil                    | N/A      | 20-40                  | C2               | 2.83                            | 25.16                                      |
| 480      |     | Prunus Atropurpurea Pissards Plum         | 336       | 1     | 8           | 3.0           | 2.0  | 3.0  | 3.0  | 1                             | 3        | M         | Fair                    | Average condition                               | Nil                    | N/A      | 10-20                  | C2               | 4.03                            | 51.08                                      |
| 484      |     | Chamaecyparis lawsoniana Lawsons cypress  | 559       | 1     | 11          | 2.0           | 2.0  | 3.0  | 2.0  | 1                             | 4        | M         | Fair                    | Two principle limbs removed in past             | Nil                    | N/A      | 10-20                  | C2               | 6.71                            | 141.38                                     |
| 485      |     | Prunus avium Cherry                       | 555       | 1     | 8           | 4.0           | 4.0  | 4.0  | 4.0  | 1                             | 4        | M         | Fair                    | Main fork at 1.70 with included bark            | Nil                    | N/A      | 10-20                  | C2               | 6.66                            | 139.37                                     |
| 486      |     | Chamaecyparis lawsoniana Lawsons cypress  | 299       | 1     | 9           | 2.0           | 3.0  | 1.0  | 2.0  | 1                             | 0.2      | M         | Fair                    | Average condition                               | Nil                    | N/A      | 20-40                  | C2               | 3.59                            | 40.45                                      |
| 487      |     | Chamaecyparis lawsoniana Lawsons cypress  | 781       | MS    | 9           | 2.0           | 3.0  | 2.0  | 1.0  | 1                             | 1.5      | M         | Fair                    | Average condition                               | Nil                    | N/A      | 20-40                  | C2               | 7.81                            | 191.65                                     |
| 490      |     | Prunus Flowering Cherry                   | 395       | MS    | 8           | 4.0           | 2.0  | 2.0  | 3.0  | 1                             | 2        | M         | Fair                    | Average condition                               | Nil                    | N/A      | 10-20                  | C2               | 3.95                            | 49.02                                      |
| 491      |     | Acer pseudoplatanus Sycamore              | 292       | 1     | 8           | 4.0           | 3.0  | 4.0  | 4.0  | 3                             | 2        | M         | Fair                    | Average condition                               | Nil                    | N/A      | 40+                    | C2               | 3.50                            | 38.58                                      |
| 492      |     | Chamaecyparis lawsoniana Lawsons cypress  | 229       | MS    | 6           | 0.5           | 0.5  | 1.0  | 0.0  | 2                             | 2        | M         | Fair                    | Average condition                               | Nil                    | N/A      | 20-40                  | C2               | 2.29                            | 16.48                                      |
| 493      |     | Cupressocyparis leylandii Leyland cypress | 415       | 1     | 11          | 2.0           | 2.0  | 2.0  | 2.0  | 2                             | 2        | M         | Fair                    | Average condition                               | Nil                    | N/A      | 20-40                  | C2               | 4.98                            | 77.92                                      |
| 494      |     | Chamaecyparis lawsoniana Lawsons cypress  | 443       | MS    | 10          | 2.0           | 2.0  | 2.0  | 2.0  | 2                             | 2        | M         | Fair                    | Average condition                               | Nil                    | N/A      | 20-40                  | C2               | 4.43                            | 61.66                                      |
| 500      |     | Chamaecyparis lawsoniana Lawsons cypress  | 489       | 1     | 11          | 2.0           | 2.0  | 2.0  | 2.0  | 1                             | 3        | M         | Fair                    | Average condition                               | Nil                    | N/A      | 20-40                  | C2               | 5.87                            | 108.19                                     |
| 501      |     | Chamaecyparis lawsoniana Lawsons cypress  | 353       | 1     | 10          | 1.0           | 1.0  | 1.0  | 1.0  | 1                             | 3        | M         | Fair                    | Average condition                               | Nil                    | N/A      | 20-40                  | C2               | 4.24                            | 56.38                                      |
| 502      |     | Chamaecyparis lawsoniana Lawsons cypress  | 493       | 1     | 11          | 2.0           | 2.0  | 2.0  | 2.0  | 1                             | 3        | M         | Fair                    | Average condition                               | Nil                    | N/A      | 20-40                  | C2               | 5.92                            | 109.97                                     |
| 503      |     | Crataegus monogyna Hawthorn               | 576       | MS    | 7           | 2.0           | 2.0  | 2.0  | 2.0  | 2                             | 3        | M         | Fair                    | Average condition                               | Nil                    | N/A      | 20-40                  | C2               | 5.76                            | 104.24                                     |
| 504      |     | Crataegus monogyna Hawthorn               | 254       | MS    | 6           | 2.0           | 2.0  | 2.0  | 2.0  | 2                             | 3        | M         | Fair                    | Average condition                               | Nil                    | N/A      | 20-40                  | C2               | 2.54                            | 20.27                                      |
| 506      |     | Acer pseudoplatanus Sycamore              | 325       | 1     | 8           | 4.0           | 2.0  | 4.0  | 4.0  | 1                             | 3        | M         | Fair                    | Average condition                               | Nil                    | N/A      | 20-40                  | C2               | 3.90                            | 47.79                                      |
| 508      |     | Crataegus monogyna Hawthorn               | 382       | MS    | 7           | 2.0           | 3.0  | 2.0  | 2.0  | 1                             | 2        | M         | Fair                    | Average condition                               | Nil                    | N/A      | 20-40                  | C2               | 3.82                            | 45.85                                      |
| 509      |     | Acer pseudoplatanus Sycamore              | 561       | MS    | 11          | 6.0           | 6.0  | 6.0  | 6.0  | 1                             | 3        | M         | Fair                    | severe squirrel damage                          | Nil                    | N/A      | 10-20                  | C2               | 5.61                            | 98.89                                      |
| 510      |     | Crataegus monogyna Hawthorn               | 341       | MS    | 7           | 2.0           | 2.0  | 2.0  | 2.0  | 1                             | 3        | M         | Fair                    | Average condition                               | Nil                    | N/A      | 20-40                  | C2               | 3.41                            | 36.54                                      |
| 516      |     | Crataegus monogyna Hawthorn               | 367       | MS    | 6           | 2.0           | 2.0  | 3.0  | 1.0  | 0                             | 2        | OM        | Fair                    | Average condition                               | Nil                    | N/A      | 10-20                  | C2               | 3.67                            | 42.32                                      |
| 517      |     | Acer pseudoplatanus Sycamore              | 290       | 1     | 10          | 3.0           | 3.0  | 4.0  | 3.0  | 3                             | 3        | M         | Fair                    | Average condition                               | Nil                    | N/A      | 40+                    | C2               | 3.48                            | 38.05                                      |
| 521      |     | Acer pseudoplatanus Sycamore              | 191       | 1     | 8           | 3.0           | 3.0  | 3.0  | 3.0  | 4                             | 4        | M         | Fair                    | Average condition                               | Nil                    | N/A      | 40+                    | C2               | 2.29                            | 16.51                                      |

**TOTAL CATEGORY C TREES Heyford Park Nicholson's Tree Survey November 2006**

| Group No | Tag  | Species (Botanical)                       | Diam (mm) | Stems | Ht m. (est) | Branch Spread |     |     |     | Increase in canopy radius (m) | Crown Ht | Age Class | Physiological Condition | Structural Condition                                       | Preliminary Management | Priority | Remaining Contribution | Category Grading | Root Protection Zone Radius (m) | Root Protection zone (m2). Capped at 707m2 |
|----------|------|---|-----------|-------|-------------|---------------|-----|-----|-----|-------------------------------|----------|-----------|-------------------------|--|------------------------|----------|------------------------|------------------|---------------------------------|--|
|          |      |   |           |       |             | N             | S   | E   | W   |                               |          |           |                         |  |                        |          |                        |                  |                                 |  |
|          | 526  | Chamaecyparis lawsoniana Lawson's cypress | 381       | 1     | 13          | 2.0           | 2.0 | 2.0 | 2.0 | 0                             | 4        | M         | Poor                    | Average condition  | Nil                    | N/A      | 10-20                  | C2               | 4.57                            | 65.68                                      |
|          | 529  | Acer pseudoplatanus Sycamore              | 270       | 1     | 10          | 0.0           | 5.0 | 4.0 | 5.0 | 4                             | 2        | M         | Fair                    | Main fork at 2.5with included bark                         | Nil                    | N/A      | 20-40                  | C2               | 3.24                            | 32.98                                      |
|          | 530  | Prunus Atropurpurea Pissards Plum         | 161       | 1     | 6           | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 2        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | C2               | 1.93                            | 11.73                                      |
|          | 531  | Prunus Flowering Cherry                   | 114       | 1     | 4           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 1.5      | M         | Fair                    | Average condition  | Nil                    | N/A      | 10-20                  | C2               | 1.37                            | 5.88                                       |
|          | 532  | Chamaecyparis lawsoniana Lawson's cypress | 394       | 1     | 10          | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 0        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | C2               | 4.73                            | 70.24                                      |
|          | 533  | Chamaecyparis lawsoniana Lawson's cypress | 387       | 1     | 10          | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 0        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | C2               | 4.64                            | 67.76                                      |
|          | 540  | Prunus Flowering Cherry                   | 228       | MS    | 3           | 4.0           | 4.0 | 5.0 | 3.0 | 1                             | 1        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | C2               | 2.28                            | 16.33                                      |
|          | 541  | Ilex aquifolium Holly                     | 193       | MS    | 5           | 2.0           | 1.0 | 2.0 | 1.0 | 2                             | 2        | M         | Fair                    | Twin stem from base v close to dwelling                    | Nil                    | N/A      | 10-20                  | C2               | 1.93                            | 11.70                                      |
|          | 543  | Prunus Flowering Cherry                   | 137       | 1     | 3           | 1.0           | 3.0 | 3.0 | 3.0 | 2                             | 1.5      | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | C2               | 1.64                            | 8.49                                       |
|          | 544  | Malus domestica Apple                     | 195       | 1     | 4           | 2.0           | 3.0 | 2.0 | 3.0 | 1                             | 1.5      | M         | Fair                    | Average condition  | Nil                    | N/A      | 10-20                  | C2               | 2.34                            | 17.20                                      |
|          | 545  | Pyrus communis Common Pear                | 269       | MS    | 7           | 3.0           | 3.0 | 1.0 | 3.0 | 0                             | 3        | M         | Poor                    | Average condition  | Nil                    | N/A      | 10-20                  | C2               | 2.69                            | 22.74                                      |
|          | 546  | Prunus lusitanica Portuguese Laurel       | 177       | 1     | 4           | 1.0           | 3.0 | 3.0 | 1.0 | 2                             | 3        | M         | Fair                    | Average condition  | Nil                    | N/A      | 10-20                  | C2               | 2.12                            | 14.17                                      |
|          | 548  | Prunus lusitanica Portuguese Laurel       | 127       | 1     | 4           | 1.0           | 2.0 | 2.0 | 0.0 | 2                             | 3        | M         | Fair                    | Average condition  | Nil                    | N/A      | 10-20                  | C2               | 1.52                            | 7.30                                       |
|          | 551  | Chamaecyparis lawsoniana Lawson's cypress | 273       | 1     | 10          | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 5        | M         | Fair                    | Main fork at 3.5m included bark                            | Nil                    | N/A      | 10-20                  | C2               | 3.28                            | 33.72                                      |
|          | 557  | Chamaecyparis lawsoniana Lawson's cypress | 418       | MS    | 12          | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 2        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | C2               | 4.18                            | 54.90                                      |
|          | 558  | Thuja plicata Western Red Cedar           | 366       | MS    | 8           | 3.0           | 2.0 | 3.0 | 2.0 | 1                             | 2        | M         | Fair                    | Suppressed under adjacent tree                             | Nil                    | N/A      | 10-20                  | C2               | 3.66                            | 42.09                                      |
|          | 579  | Fraxinus excelsior Ash                    | 313       | 1     | 10          | 4.0           | 4.0 | 4.0 | 4.0 | 3                             | 4        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | C2               | 3.76                            | 44.33                                      |
|          | 580  | Fraxinus excelsior Ash                    | 138       | 1     | 9           | 2.0           | 2.0 | 1.5 | 2.0 | 4                             | 3        | M         | Good                    | Gone   | Nil                    | N/A      | 40+                    | C2               | 1.66                            | 8.62                                       |
|          | 582  | Acer pseudoplatanus Sycamore              | 229       | 1     | 6           | 3.0           | 3.0 | 3.0 | 3.0 | 3                             | 2.5      | M         | Fair                    | Small crossing/rubbing limb in lower crown                 | Nil                    | N/A      | 40+                    | C2               | 2.75                            | 23.73                                      |
|          | 583  | Quercus rubra Red oak                     | 151       | 1     | 7           | 3.0           | 3.0 | 3.0 | 3.0 | 4                             | 2.5      | SM        | Fair                    | Heavy low branches   | Nil                    | N/A      | 40+                    | C2               | 1.81                            | 10.32                                      |
|          | 585  | Prunus Atropurpurea Pissards Plum         | 276       | MS    | 5           | 3.0           | 3.0 | 3.0 | 3.0 | 1                             | 2        | M         | Fair                    | Potential for main fork to split                           | Nil                    | N/A      | 10-20                  | C2               | 2.76                            | 23.93                                      |
|          | 588  | variegated poplar                         | 479       | MS    | 13          | 4.0           | 4.0 | 4.0 | 4.0 | 2                             | 2        | M         | Fair                    | Large secondary leader from 1.0                            | Nil                    | N/A      | 20-40                  | C2               | 4.79                            | 72.09                                      |
|          | 589  | variegated poplar                         | 465       | 1     | 11          | 4.0           | 4.0 | 4.0 | 4.0 | 2                             | 2        | M         | Fair                    | Internal decay evident from weeping wound on stem at 1.2 e | Nil                    | N/A      | 10-20                  | C2               | 5.58                            | 97.83                                      |
|          | 590  | Acer pseudoplatanus Sycamore              | 159       | MS    | 3           | 1.0           | 1.0 | 1.0 | 1.0 | 6                             | 1        | M         | Fair                    | Heavily topped   | Nil                    | N/A      | 20-40                  | C2               | 1.59                            | 7.94                                       |
|          | 591  | Prunus Atropurpurea Pissards Plum         | 228       | 1     | 6           | 3.0           | 3.0 | 3.0 | 3.0 | 0                             | 3        | M         | Fair                    | Rubbing limb at 3.0e                                       | Nil                    | N/A      | 20-40                  | C2               | 2.74                            | 23.52                                      |
|          | 595  | Prunus Atropurpurea Pissards Plum         | 201       | MS    | 5           | 3.0           | 3.0 | 3.0 | 3.0 | 1                             | 2        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | C2               | 2.01                            | 12.69                                      |
|          | 597  | Prunus Flowering Cherry                   | 324       | 1     | 5           | 3.0           | 4.0 | 4.0 | 4.0 | 0                             | 2        | M         | Fair                    | Average condition  | Nil                    | N/A      | 10-20                  | C2               | 3.89                            | 47.50                                      |
|          | 599  | Cupressocyparis leylandii Leyland cypress | 562       | 1     | 9           | 3.0           | 3.0 | 3.0 | 3.0 | 1                             | 0        | M         | Fair                    | Average condition  | Nil                    | N/A      | 40+                    | C2               | 6.74                            | 142.90                                     |
|          | 604  | Prunus Atropurpurea Pissards Plum         | 259       | MS    | 6           | 3.0           | 3.0 | 3.0 | 3.0 | 1                             | 3        | M         | Fair                    | Weak fork at 1.2 e   | Nil                    | N/A      | 20-40                  | C2               | 2.59                            | 21.08                                      |
|          | 606  | Acer pseudoplatanus Sycamore              | 219       | 1     | 7           | 2.0           | 3.5 | 2.0 | 3.0 | 2                             | 4        | M         | Fair                    | Average condition  | Nil                    | N/A      | 40+                    | C2               | 2.63                            | 21.70                                      |
|          | 611  | Cupressocyparis leylandii Leyland cypress | 759       | MS    | 13          | 4.0           | 4.0 | 4.0 | 4.0 | 1                             | 2        | M         | Fair                    | V close to dwellings etc                                   | Nil                    | N/A      | 10-20                  | C2               | 7.59                            | 181.00                                     |
|          | 618  | Chamaecyparis lawsoniana Lawson's cypress | 330       | 1     | 7           | 2.0           | 3.0 | 3.0 | 2.0 | 1                             | 1        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | C2               | 3.96                            | 49.27                                      |
|          | 619  | Chamaecyparis lawsoniana Lawson's cypress | 452       | MS    | 7           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 2        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | C2               | 4.52                            | 64.19                                      |
|          | 623  | Fraxinus excelsior Ash                    | 187       | 1     | 8           | 3.0           | 3.0 | 3.0 | 3.0 | 3                             | 4        | M         | Fair                    | Average condition  | Nil                    | N/A      | 40+                    | C2               | 2.24                            | 15.82                                      |
|          | 720  | Betula alba Silver birch                  | 287       | 1     | 6           | 3.0           | 3.0 | 3.0 | 3.0 | 1.5                           | 0        | M         | Fair                    | No visible defects   | None                   | N/A      | 10-20                  | C2               | 3.44                            | 37.27                                      |
|          | 724  | Cupressocyparis leylandii Leyland cypress | 802       | MS    | 8           | 2.0           | 2.0 | 2.0 | 2.0 | 0                             | 1        | M         | Good                    | Tight forks included bark                                  | None                   | N/A      | 20-40                  | C2               | 8.02                            | 202.09                                     |
|          | 729  | Prunus Flowering Cherry                   | 392       | 1     | 8           | 4.0           | 4.0 | 5.0 | 4.0 | 0                             | 1        | M         | Good                    | No visible defects   | Crown clean            | P        | 10-20                  | C2               | 4.70                            | 69.52                                      |
|          | 2003 | Acer pseudoplatanus Sycamore              | 81        | 1     | 5           | 1.0           | 1.0 | 1.0 | 1.0 | 7                             | n/a      | SM        | Fair                    | Average condition  | Nil                    | N/A      | 40+                    | C2               | 0.97                            | 2.97                                       |
| 7        | 2004 | Acer pseudoplatanus Sycamore              | 97        | 1     | 7           | 2.0           | 2.0 | 2.0 | 2.0 | 7                             | n/a      | SM        | Fair                    | Average condition  | Nil                    | N/A      | 40+                    | C2               | 1.16                            | 4.26                                       |
|          | 2005 | Acer pseudoplatanus Sycamore              | 80        | 1     | 7           | 1.0           | 2.0 | 2.0 | 2.0 | 7                             | n/a      | SM        | Fair                    | Average condition  | Nil                    | N/A      | 40+                    | C2               | 0.96                            | 2.90                                       |
|          | 2007 | Crataegus monogyna Hawthorn               | 244       | 1     | 7           | 2.0           | 4.0 | 2.0 | 2.0 | 1                             | 3        | M         | Fair                    | Average condition  | Nil                    | N/A      | 10-20                  | C2               | 2.93                            | 26.94                                      |
|          | 2008 | Crataegus monogyna Hawthorn               | 127       | 1     | 5           | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 2        | SM        | Fair                    | Average condition  | Nil                    | N/A      | 40+                    | C2               | 1.52                            | 7.30                                       |
|          | 2009 | Crataegus monogyna Hawthorn               | 127       | 1     | 6           | 2.5           | 2.0 | 2.0 | 2.0 | 2                             | 2        | SM        | Fair                    | Average condition  | Nil                    | N/A      | 40+                    | C2               | 1.52                            | 7.30                                       |
|          | 2012 | Fraxinus excelsior Ash                    | 276       | MS    | 7           | 2.0           | 3.0 | 3.0 | 2.0 | 6                             | 2        | SM        | Fair                    | Coppice  | Nil                    | N/A      | 40+                    | C2               | 2.76                            | 23.93                                      |
|          | 2013 | Acer pseudoplatanus Sycamore              | 290       | MS    | 6           | 2.0           | 2.0 | 2.0 | 2.0 | 6                             | 2        | SM        | Fair                    | Coppice  | Nil                    | N/A      | 40+                    | C2               | 2.90                            | 26.42                                      |
|          | 2015 | Fraxinus excelsior Ash                    | 103       | 1     | 6           | 2.0           | 1.0 | 1.0 | 2.0 | 7                             | 2        | Y         | Fair                    | Average condition  | Nil                    | N/A      | 40+                    | C2               | 1.24                            | 4.80                                       |
|          | 2016 | Acer pseudoplatanus Sycamore              | 216       | 1     | 5           | 1.0           | 1.0 | 1.0 | 1.0 | 7                             | 2        | Y         | Fair                    | Average condition  | Nil                    | N/A      | 40+                    | C2               | 2.59                            | 21.11                                      |
|          | 2017 | Fraxinus excelsior Ash                    | 78        | 1     | 5           | 1.0           | 1.0 | 1.0 | 1.0 | 7                             | 2        | Y         | Fair                    | Average condition  | Nil                    | N/A      | 40+                    | C2               | 0.94                            | 2.75                                       |
|          | 2018 | Fraxinus excelsior Ash                    | 107       | 1     | 7           | 2.0           | 0.0 | 1.0 | 1.0 | 7                             | 2        | Y         | Fair                    | Average condition  | Nil                    | N/A      | 40+                    | C2               | 1.28                            | 5.18                                       |

**TOTAL CATEGORY C TREES Heyford Park Nicholson's Tree Survey November 2006**

| Group No | Tag | Species (Botanical)   | Diam (mm) | Stems | Ht m. (est) | Branch Spread |     |     |     | Increase in canopy radius (m) | Crown Ht | Age Class | Physiological Condition | Structural Condition                               | Preliminary Management | Priority | Remaining Contribution | Category Grading | Root Protection Zone Radius (m) | Root Protection zone (m2). Capped at 707m2 |
|----------|-----|---|-----------|-------|-------------|---------------|-----|-----|-----|-------------------------------|----------|-----------|-------------------------|--|------------------------|----------|------------------------|------------------|---------------------------------|--|
|          |     |   |           |       |             | N             | S   | E   | W   |                               |          |           |                         |  |                        |          |                        |                  |                                 |  |
| 2019     |     | Fraxinus excelsior Ash  | 127       | 1     | 8           | 1.0           | 2.0 | 1.0 | 1.0 | 7                             | 2        | Y         | Fair                    | Average condition                                  | Nil                    | N/A      | 40+                    | C2               | 1.52                            | 7.30                                       |
| 2020     |     | Acer pseudoplatanus Sycamore                                    | 113       | MS    | 6           | 2.0           | 2.0 | 2.0 | 2.0 | 6                             | 2        | SM        | Fair                    | Coppice  | Nil                    | N/A      | 40+                    | C2               | 1.13                            | 4.01                                       |
| 2021     |     | Acer pseudoplatanus Sycamore                                    | 364       | MS    | 7           | 1.0           | 1.0 | 1.0 | 1.0 | 6                             | 2        | Y         | Fair                    | Average condition                                  | Nil                    | N/A      | 40+                    | C2               | 3.64                            | 41.63                                      |
| 2022     |     | Acer pseudoplatanus Sycamore                                    | 137       | 1     | 7           | 1.0           | 1.0 | 1.0 | 1.0 | 6                             | 2        | Y         | Fair                    | Average condition                                  | Nil                    | N/A      | 40+                    | C2               | 1.64                            | 8.49                                       |
| 2023     |     | Acer pseudoplatanus Sycamore                                    | 264       | 1     | 7           | 1.0           | 1.0 | 1.0 | 1.0 | 6                             | 2        | Y         | Fair                    | Average condition                                  | Nil                    | N/A      | 40+                    | C2               | 3.17                            | 31.53                                      |
| 2024     |     | Acer pseudoplatanus Sycamore                                    | 122       | 1     | 7           | 1.0           | 1.0 | 1.0 | 1.0 | 6                             | 2        | Y         | Fair                    | Average condition                                  | Nil                    | N/A      | 40+                    | C2               | 1.46                            | 6.73                                       |
| 2027     |     | Acer pseudoplatanus Sycamore and Fraxinus excelsior Ash Coppice | 75-175    | MS    | 8           | 3.0           | 3.0 | 3.0 | 3.0 | 2                             | 2        | SM        | Fair                    | Coppice growing through fence approx 100 stems     | Nil                    | N/A      | 20-40                  | C2               | NA                              | NA   |
| 2028     |     | Eucalyptus gunni Eucalyptus                                     | 97        | 1     | 9           | 0.5           | 0.5 | 0.5 | 0.5 | 8                             | 5        | SM        | Fair                    | Average condition                                  | Nil                    | N/A      | 40+                    | C2               | 1.16                            | 4.26                                       |
| 2030     |     | Acer platanoides Norway maple                                   | 92        | 1     | 6           | 1.0           | 0.0 | 1.0 | 1.0 | 8                             | 3        | SM        | Fair                    | Average condition                                  | Nil                    | N/A      | 40+                    | C2               | 1.10                            | 3.83                                       |
| 2031     |     | Acer pseudoplatanus Sycamore                                    | 365       | 1     | 8           | 2.0           | 3.0 | 3.0 | 3.0 | 5                             | 2        | M         | Fair                    | Average condition                                  | Nil                    | N/A      | 40+                    | C2               | 4.38                            | 60.28                                      |
| 2032     |     | Acer platanoides Norway maple                                   | 140       | MS    | 6           | 1.0           | 1.0 | 1.0 | 1.0 | 8                             | 3        | SM        | Fair                    | Average condition                                  | Nil                    | N/A      | 40+                    | C2               | 1.40                            | 6.16                                       |
| 2033     |     | Chamaecyparis lawsoniana lawsons cypress                        | 611       | MS    | 10          | 2.0           | 1.0 | 3.0 | 1.0 | 1                             | 2        | M         | Fair                    | Average condition                                  | Nil                    | N/A      | 20-40                  | C2               | 6.11                            | 117.30                                     |
| 2034     |     | Chamaecyparis lawsoniana lawsons cypress                        | 201       | 1     | 8           | 1.0           | 1.0 | 1.0 | 2.0 | 1                             | 2        | M         | Fair                    | Average condition                                  | Nil                    | N/A      | 20-40                  | C2               | 2.41                            | 18.28                                      |
| 2035     |     | Acer pseudoplatanus Sycamore                                    | 227       | MS    | 5           | 2.0           | 2.0 | 2.0 | 2.0 | 6                             | 2        | SM        | Fair                    | Average condition                                  | Nil                    | N/A      | 40+                    | C2               | 2.27                            | 16.19                                      |
| 2036     |     | Sorbus aucuparia Rowan  | 144       | 1     | 5           | 2.0           | 2.0 | 2.0 | 2.0 | 0                             | 2        | M         | Fair                    | Leaning to w                                       | Nil                    | N/A      | 10-20                  | C2               | 1.73                            | 9.38                                       |
| 2037     |     | Fraxinus excelsior Ash  | 182       | 1     | 7           | 1.0           | 1.0 | 1.0 | 1.0 | 6                             | 4        | SM        | Fair                    | Average condition                                  | Nil                    | N/A      | 40+                    | C2               | 2.18                            | 14.99                                      |
| 2038     |     | Acer pseudoplatanus Sycamore                                    | 125       | 1     | 7           | 1.0           | 2.0 | 2.0 | 2.0 | 6                             | 4        | SM        | Fair                    | Average condition                                  | Nil                    | N/A      | 40+                    | C2               | 1.50                            | 7.07                                       |
| 2039     |     | Acer pseudoplatanus Sycamore                                    | 325       | MS    | 10          | 2.0           | 1.0 | 0.0 | 4.0 | 2                             | 6        | M         | Fair                    | Etiolated amongst adjacent trees                   | Nil                    | N/A      | 20-40                  | C2               | 3.25                            | 33.19                                      |
| 2040     |     | Prunus lusitanica Portugese laurel                              | 138       | 1     | 4           | 1.0           | 2.0 | 2.0 | 1.0 | 2                             | 3        | M         | Fair                    | Average condition                                  | Nil                    | N/A      | 10-20                  | C2               | 1.66                            | 8.62                                       |
| 2055     |     | Fraxinus excelsior Ash  | 167       | 1     | 6           | 1.0           | 1.0 | 1.0 | 1.0 | 2                             | 2        | SM        | Fair                    | Topped several times poor specimen                 | Nil                    | N/A      | 40+                    | C2               | 2.00                            | 12.62                                      |
| 2056     |     | Fraxinus excelsior Ash  | 227       | 1     | 7           | 1.0           | 2.0 | 1.0 | 2.0 | 2                             | 2        | SM        | Fair                    | Topped several times poor specimen                 | Nil                    | N/A      | 40+                    | C2               | 2.72                            | 23.31                                      |
| 2057     |     | Acer pseudoplatanus Sycamore                                    | 297       | 1     | 12          | 4.0           | 4.0 | 5.0 | 2.0 | 2                             | 4        | M         | Fair                    | lower branches on e side removed leaving stubs     | Nil                    | N/A      | 40+                    | C2               | 3.56                            | 39.91                                      |
| 2058     |     | Acer pseudoplatanus Sycamore                                    | 215       | 1     | 6           | 2.0           | 2.0 | 2.0 | 2.0 | 4                             | 2        | SM        | Fair                    | Poor structural condition v close to shed/dwelling | Nil                    | N/A      | 40+                    | C2               | 2.58                            | 20.91                                      |
| 2059     |     | Poplar  | 170       | 1     | 7           | 1.0           | 3.0 | 1.0 | 2.0 | 7                             | 1        | SM        | Fair                    | Sucker from adjacent trees No long term future     | Nil                    | N/A      | 40+                    | C2               | 2.04                            | 13.08                                      |
| 2060     |     | Chamaecyparis lawsoniana lawsons cypress                        | 343       | 1     | 6           | 2.0           | 2.0 | 2.0 | 1.0 | 1                             | 0        | M         | Fair                    | V close to dwelling                                | Nil                    | N/A      | 20-40                  | C2               | 4.12                            | 53.23                                      |
| 2061     |     | Ilex aquifolium Holly   | 191       | MS    | 5           | 2.0           | 2.0 | 2.0 | 1.0 | 2                             | 2        | M         | Fair                    | Forked at 1.0 v close to dwelling                  | Nil                    | N/A      | 20-40                  | C2               | 1.91                            | 11.46                                      |
| 2062     |     | Chamaecyparis lawsoniana lawsons cypress                        | 302       | 1     | 4           | 1.0           | 2.0 | 2.0 | 2.0 | 2                             | 1        | M         | Fair                    | V close to dwelling                                | Nil                    | N/A      | 20-40                  | C2               | 3.62                            | 41.27                                      |
| 2063     |     | Betula alba Silver birch  | 146       | 1     | 10          | 3.0           | 3.0 | 3.0 | 3.0 | 2                             | 3        | M         | Fair                    | Trunk distorting on concrete fence post            | Nil                    | N/A      | 20-40                  | C2               | 1.75                            | 9.64                                       |
| 2064     |     | Conifer   | 269       | MS    | 4           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 0        | M         | Fair                    | Average condition                                  | Nil                    | N/A      | 10-20                  | C2               | 2.69                            | 22.74                                      |
| 2065     |     | Conifer   | 378       | MS    | 4           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 0        | M         | Fair                    | Average condition                                  | Nil                    | N/A      | 10-20                  | C2               | 3.78                            | 44.89                                      |
| 2066     |     | Conifer   | 287       | MS    | 3           | 1.0           | 2.0 | 2.0 | 2.0 | 2                             | 0        | M         | Fair                    | V close to dwelling                                | Nil                    | N/A      | 10-20                  | C2               | 2.87                            | 25.88                                      |
| 2067     |     | Fraxinus excelsior Ash  | 160       | 1     | 8           | 2.0           | 2.0 | 2.0 | 2.0 | 5                             | 2        | SM        | Good                    | self seeded, being damaged by post                 | Nil                    | N/A      | 40+                    | C2               | 1.92                            | 11.58                                      |
| 2068     |     | Acer platanoides Norway maple                                   | 169       | 1     | 8           | 3.0           | 3.0 | 3.0 | 3.0 | 4                             | 1.2      | M         | Fair                    | Average condition                                  | Nil                    | N/A      | 40+                    | C2               | 2.03                            | 12.92                                      |
| 2070     |     | Betula alba Silver birch  | 86        | 1     | 7           | 1.0           | 1.0 | 1.0 | 1.0 | 3                             | 3        | SM        | Fair                    | Average condition                                  | Nil                    | N/A      | 40+                    | C2               | 1.03                            | 3.35                                       |
| 2071     |     | Acer platanoides Norway maple                                   | 221       | MS    | 7           | 3.0           | 3.0 | 3.0 | 3.0 | 4                             | 3        | SM        | Fair                    | Trifurcated at gl                                  | Nil                    | N/A      | 40+                    | C2               | 2.21                            | 15.35                                      |
| 2073     |     | Picea abies Norway spruce                                       | 132       | 1     | 9           | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 3        | M         | Fair                    | Average condition                                  | Nil                    | N/A      | 40+                    | C2               | 1.58                            | 7.88                                       |
| 2156     |     | Aesculus hippocastanum Horse Chestnut                           | 84        | 1     | 4           | 1.0           | 1.0 | 1.0 | 1.0 | 5                             | 1.5      | Y         | Fair                    | Basal bark wounds                                  | De-stake               | P        | 40+                    | C2               | 1.01                            | 3.19                                       |
| 2157     |     | Aesculus hippocastanum Horse Chestnut                           | 108       | 1     | 4           | 1.0           | 1.0 | 1.0 | 1.0 | 5                             | 1.5      | Y         | Fair                    | Basal bark wounds                                  | De-stake               | P        | 40+                    | C2               | 1.30                            | 5.28                                       |
| 2158     |     | Aesculus hippocastanum Horse Chestnut                           | 104       | 1     | 4           | 1.0           | 1.0 | 1.0 | 1.0 | 5                             | 1.5      | Y         | Fair                    | Basal bark wounds                                  | De-stake               | P        | 40+                    | C2               | 1.25                            | 4.89                                       |
| 2159     |     | Aesculus hippocastanum Horse Chestnut                           | 135       | 1     | 4           | 1.0           | 1.0 | 1.0 | 1.0 | 5                             | 1.5      | Y         | Fair                    | Basal bark wounds                                  | De-stake               | P        | 40+                    | C2               | 1.62                            | 8.25                                       |
| 2160     |     | Aesculus hippocastanum Horse Chestnut                           | 85        | 1     | 4           | 1.0           | 1.0 | 1.0 | 1.0 | 5                             | 1.5      | Y         | Fair                    | Basal bark wounds                                  | De-stake               | P        | 40+                    | C2               | 1.02                            | 3.27                                       |
| 2161     |     | Aesculus hippocastanum Horse Chestnut                           | 91        | 1     | 4           | 1.0           | 1.0 | 1.0 | 1.0 | 5                             | 1.5      | Y         | Fair                    | Basal bark wounds                                  | De-stake               | P        | 40+                    | C2               | 1.09                            | 3.75                                       |
| 2162     |     | Aesculus hippocastanum Horse Chestnut                           | 75        | 1     | 4           | 1.0           | 1.0 | 1.0 | 1.0 | 5                             | 1.5      | Y         | Fair                    | Basal bark wounds                                  | De-stake               | P        | 40+                    | C2               | 0.90                            | 2.55                                       |
| 2163     |     | Aesculus hippocastanum Horse Chestnut                           | 83        | 1     | 4           | 1.0           | 1.0 | 1.0 | 1.0 | 5                             | 1.5      | Y         | Fair                    | Basal bark wounds                                  | De-stake               | P        | 40+                    | C2               | 1.00                            | 3.12                                       |
| 2164     |     | Aesculus hippocastanum Horse Chestnut                           | 93        | 1     | 4           | 1.0           | 1.0 | 1.0 | 1.0 | 5                             | 1.5      | Y         | Fair                    | Basal bark wounds                                  | De-stake               | P        | 40+                    | C2               | 1.12                            | 3.91                                       |
| 2165     |     | Aesculus hippocastanum Horse Chestnut                           | 82        | 1     | 4           | 1.0           | 1.0 | 1.0 | 1.0 | 5                             | 1.5      | Y         | Fair                    | Basal bark wounds                                  | De-stake               | P        | 40+                    | C2               | 0.98                            | 3.04                                       |
| 2166     |     | Aesculus hippocastanum Horse Chestnut                           | 87        | 1     | 4           | 1.0           | 1.0 | 1.0 | 1.0 | 5                             | 1.5      | Y         | Fair                    | Basal bark wounds                                  | De-stake               | P        | 40+                    | C2               | 1.04                            | 3.42                                       |
| 2167     |     | Aesculus hippocastanum Horse Chestnut                           | 76        | 1     | 4           | 1.0           | 1.0 | 1.0 | 1.0 | 5                             | 1.5      | Y         | Fair                    | Basal bark wounds                                  | De-stake               | P        | 40+                    | C2               | 0.91                            | 2.61                                       |



**TOTAL CATEGORY C TREES Heyford Park Nicholson's Tree Survey November 2006**

| Group No | Tag  | Species (Botanical)                      | Diam (mm) | Stems | Ht m. (est) | Branch Spread |     |     |     | Increase in canopy radius (m) | Crown Ht | Age Class | Physiological Condition | Structural Condition   | Preliminary Management | Priority | Remaining Contribution | Category Grading | Root Protection Zone Radius (m) | Root Protection zone (m2). Capped at 707m2 |
|----------|------|--|-----------|-------|-------------|---------------|-----|-----|-----|-------------------------------|----------|-----------|-------------------------|--|------------------------|----------|------------------------|------------------|---------------------------------|--|
|          |      |  |           |       |             | N             | S   | E   | W   |                               |          |           |                         |  |                        |          |                        |                  |                                 |  |
|          | 2168 | Aesculus hippocastanum Horse Chestnut    | 79        | 1     | 4           | 1.0           | 1.0 | 1.0 | 1.0 | 5                             | 1.5      | Y         | Fair                    | Basal bark wounds  | De-stake               | P        | 40+                    | C2               | 0.95                            | 2.82                                       |
|          | 2169 | Aesculus hippocastanum Horse Chestnut    | 88        | 1     | 4           | 1.0           | 1.0 | 1.0 | 1.0 | 5                             | 1.5      | Y         | Fair                    | Basal bark wounds  | De-stake               | P        | 40+                    | C2               | 1.06                            | 3.50                                       |
|          | 2170 | Aesculus hippocastanum Horse Chestnut    | 96        | 1     | 4           | 1.0           | 1.0 | 1.0 | 1.0 | 5                             | 1.5      | Y         | Fair                    | Basal bark wounds  | De-stake               | P        | 40+                    | C2               | 1.15                            | 4.17                                       |
|          | 2191 | Fraxinus excelsior Ash                   | 108       | 1     | 10          | 2.0           | 2.0 | 2.0 | 2.0 | 7                             | 4        | SM        | Good                    | Good   | Nil                    | N/A      | 40+                    | C2               | 1.30                            | 5.28                                       |
|          | 2192 | Fraxinus excelsior Ash                   | 87        | 1     | 8           | 1.0           | 2.0 | 1.0 | 1.0 | 7                             | 4        | SM        | Good                    | Good   | Nil                    | N/A      | 40+                    | C2               | 1.04                            | 3.42                                       |
|          | 2193 | Fraxinus excelsior Ash                   | 62        | 1     | 8           | 2.0           | 2.0 | 2.0 | 2.0 | 7                             | 5        | SM        | Good                    | Good   | Nil                    | N/A      | 40+                    | C2               | 0.74                            | 1.74                                       |
|          | 2194 | Acer pseudoplatanus Sycamore             | 280       | MS    | 6           | 2.0           | 2.0 | 2.0 | 2.0 | 6                             | 3        | SM        | Good                    | Multi stem on bank   | Nil                    | N/A      | 40+                    | C2               | 2.80                            | 24.63                                      |
|          | 2195 | Acer pseudoplatanus Sycamore             | 75        | 1     | 7           | 2.0           | 2.0 | 2.0 | 2.0 | 6                             | 3        | SM        | Good                    | Gone   | Nil                    | N/A      | 40+                    | C2               | 0.90                            | 2.55                                       |
|          | 2196 | Acer platanoides Norway maple            | 163       | MS    | 6           | 2.0           | 1.0 | 1.0 | 2.0 | 6                             | 3        | SM        | Good                    | Coppice stool  | Nil                    | N/A      | 40+                    | C2               | 1.63                            | 8.35                                       |
|          | 2197 | Acer platanoides Norway maple            | 104       | MS    | 6           | 1.0           | 2.0 | 1.0 | 2.0 | 6                             | 3        | SM        | Good                    | Coppice stool  | Nil                    | N/A      | 40+                    | C2               | 1.04                            | 3.40                                       |
|          | 2198 | Acer pseudoplatanus Sycamore             | 180       | MS    | 6           | 2.0           | 2.0 | 1.0 | 2.0 | 6                             | 3        | SM        | Good                    | Coppice stool  | Nil                    | N/A      | 40+                    | C2               | 1.80                            | 10.18                                      |
|          | 2199 | Acer pseudoplatanus Sycamore             | 112       | MS    | 6           | 2.0           | 2.0 | 2.0 | 2.0 | 6                             | 3        | SM        | Good                    | Coppice stool  | Nil                    | N/A      | 40+                    | C2               | 1.12                            | 3.94                                       |
|          | 2201 | Cornus sanguinea Dogwood                 | 238       | MS    | 5           | 3.0           | 3.0 | 3.0 | 3.0 | 1                             | 0        | M         | Good                    | Good   | Nil                    | N/A      | 10-20                  | C2               | 2.38                            | 17.80                                      |
|          | 2216 | Malus domestica Apple                    | 160       | MS    | 3.5         | 2.0           | 3.0 | 3.0 | 2.0 | 1                             | 1        | M         | Fair                    | No visible defects   | Crown clean            | P        | 20-40                  | C2               | 1.60                            | 8.04                                       |
|          | 2217 | Prunus Flowering Cherry                  | 292       | MS    | 4           | 3.0           | 3.0 | 3.0 | 3.0 | 1                             | 0        | M         | Fair                    | Canker wounds  | Nil                    | N/A      | 10-20                  | C2               | 2.92                            | 26.79                                      |
|          | 2225 | Acer platanoides Norway maple            | 80        | MS    | 5           | 1.5           | 1.0 | 2.0 | 1.0 | 2                             | 0.5      | Y         | Good                    | No visible defects   | Nil                    | N/A      | 10-20                  | C2               | 0.80                            | 2.01                                       |
|          | 2226 | Acer platanoides Norway maple            | 80        | MS    | 5           | 0.0           | 1.0 | 2.0 | 1.0 | 2                             | 0.5      | Y         | Good                    | No visible defects   | Nil                    | N/A      | 10-20                  | C2               | 0.80                            | 2.01                                       |
| G3       | 4038 | Acer pseudoplatanus Sycamore             | 175       | 1     | 14          | 1.0           | 1.0 | 1.0 | 4.0 | 2                             | 6        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | C2               | 2.10                            | 13.86                                      |
| G16      | 4123 | Thuja plicata Westen Red Cedar           | 279       | 1     | 11          | 3.0           | 3.0 | 3.0 | 3.0 | 2                             | 4        | M         | Good                    | Average condition  | Nil                    | N/A      | 40+                    | C2               | 3.35                            | 35.22                                      |
| G16      | 4124 | Thuja plicata Westen Red Cedar           | 509       | 1     | 14          | 3.0           | 4.0 | 3.0 | 3.0 | 2                             | 4        | M         | Good                    | Average condition  | Nil                    | N/A      | 40+                    | C2               | 6.11                            | 117.22                                     |
| G16      | 4125 | Thuja plicata Westen Red Cedar           | 267       | 1     | 11          | 3.0           | 3.0 | 1.0 | 3.0 | 2                             | 4        | M         | Good                    | Average condition  | Nil                    | N/A      | 40+                    | C2               | 3.20                            | 32.25                                      |
| G16      | 4126 | Thuja plicata Westen Red Cedar           | 326       | MS    | 10          | 2.0           | 3.0 | 2.0 | 1.0 | 2                             | 4        | M         | Good                    | Average condition  | Nil                    | N/A      | 40+                    | C2               | 3.26                            | 33.39                                      |
| G16      | 4127 | Thuja plicata Westen Red Cedar           | 282       | 1     | 12          | 2.0           | 4.0 | 1.0 | 1.0 | 2                             | 4        | M         | Good                    | Average condition  | Nil                    | N/A      | 40+                    | C2               | 3.38                            | 35.98                                      |
| G16      | 4128 | Thuja plicata Westen Red Cedar           | 287       | 1     | 12          | 2.0           | 4.0 | 1.0 | 1.0 | 2                             | 4        | M         | Good                    | Average condition  | Nil                    | N/A      | 40+                    | C2               | 3.44                            | 37.27                                      |
| G16      | 4129 | Thuja plicata Westen Red Cedar           | 176       | 1     | 10          | 2.0           | 2.0 | 1.0 | 2.0 | 2                             | 4        | M         | Good                    | Average condition  | Nil                    | N/A      | 20-40                  | C2               | 2.11                            | 14.02                                      |
| G16      | 4130 | Thuja plicata Westen Red Cedar           | 412       | MS    | 12          | 3.0           | 2.0 | 1.0 | 1.0 | 1                             | 4        | M         | Poor                    | Average condition  | Nil                    | N/A      | 10-20                  | C2               | 4.12                            | 53.33                                      |
| G16      | 4131 | Thuja plicata Westen Red Cedar           | 396       | MS    | 12          | 3.0           | 4.0 | 2.0 | 1.0 | 1                             | 4        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | C2               | 3.96                            | 49.27                                      |
| G16      | 4132 | Thuja plicata Westen Red Cedar           | 156       | 1     | 12          | 3.0           | 4.0 | 1.0 | 1.0 | 1                             | 4        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | C2               | 1.87                            | 11.01                                      |
| G16      | 4133 | Thuja plicata Westen Red Cedar           | 291       | 1     | 12          | 3.0           | 4.0 | 1.0 | 1.0 | 1                             | 4        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | C2               | 3.49                            | 38.31                                      |
| G16      | 4134 | Thuja plicata Westen Red Cedar           | 270       | 1     | 12          | 3.0           | 4.0 | 1.0 | 1.0 | 1                             | 4        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | C2               | 3.24                            | 32.98                                      |
| G16      | 4135 | Thuja plicata Westen Red Cedar           | 338       | MS    | 12          | 3.0           | 4.0 | 1.0 | 1.0 | 1                             | 4        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | C2               | 3.38                            | 35.90                                      |
| G16      | 4136 | Thuja plicata Westen Red Cedar           | 270       | 1     | 12          | 3.0           | 4.0 | 1.0 | 1.0 | 1                             | 4        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | C2               | 3.24                            | 32.98                                      |
| G16      | 4137 | Thuja plicata Westen Red Cedar           | 326       | 1     | 11          | 3.0           | 4.0 | 1.0 | 1.0 | 1                             | 4        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | C2               | 3.91                            | 48.08                                      |
| G16      | 4138 | Thuja plicata Westen Red Cedar           | 333       | MS    | 9           | 2.0           | 4.0 | 1.0 | 1.0 | 1                             | 4        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | C2               | 3.33                            | 34.84                                      |
| G16      | 4139 | Thuja plicata Westen Red Cedar           | 342       | 1     | 12          | 3.0           | 4.0 | 1.0 | 1.0 | 2                             | 4        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | C2               | 4.10                            | 52.92                                      |
| G16      | 4140 | Thuja plicata Westen Red Cedar           | 126       | 1     | 8           | 2.0           | 2.0 | 1.0 | 1.0 | 1                             | 4        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | C2               | 1.51                            | 7.18                                       |
| G16      | 4141 | Thuja plicata Westen Red Cedar           | 487       | 1     | 13          | 3.0           | 4.0 | 1.0 | 3.0 | 2                             | 4        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | C2               | 5.84                            | 107.31                                     |
| G17      | 4142 | Betula alba Silver birch                 | 117       | 1     | 7           | 1.0           | 1.0 | 2.0 | 1.0 | 3                             | 3        | SM        | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | C2               | 1.40                            | 6.19                                       |
| G17      | 4143 | Betula alba Silver birch                 | 96        | 1     | 7           | 1.0           | 2.0 | 1.0 | 1.0 | 3                             | 3        | SM        | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | C2               | 1.15                            | 4.17                                       |
| G17      | 4144 | Betula alba Silver birch                 | 75        | 1     | 6           | 1.0           | 1.0 | 1.0 | 1.0 | 3                             | 2        | SM        | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | C2               | 0.90                            | 2.55                                       |
| G18      | 4163 | Acer pseudoplatanus Sycamore             | 360       | 1     | 12          | 1.0           | 2.0 | 4.0 | 5.0 | 1                             | 6        | M         | Poor                    | Average condition  | Nil                    | N/A      | 10-20                  | C2               | 4.32                            | 58.64                                      |
| G19      | 4184 | Pinus sylvestris Scots pine              | 319       | 1     | 14          | 2.0           | 1.0 | 3.0 | 1.0 | 0                             | 12       | M         | Poor                    | Average condition  | Nil                    | N/A      | 10-20                  | C2               | 3.83                            | 46.04                                      |
| G22      | 4213 | Betula alba Silver birch                 | 90        | 1     | 6           | 1.0           | 2.0 | 2.0 | 1.0 | 1                             | 4        | SM        | Fair                    | Average condition  | Nil                    | N/A      | 10-20                  | C2               | 1.08                            | 3.66                                       |
| G22      | 4214 | Betula alba Silver birch                 | 101       | 1     | 6           | 1.0           | 2.0 | 1.0 | 2.0 | 1                             | 4        | SM        | Fair                    | Average condition  | Nil                    | N/A      | 10-20                  | C2               | 1.21                            | 4.62                                       |
| G22      | 4215 | Betula alba Silver birch                 | 152       | 1     | 7           | 1.0           | 3.0 | 2.0 | 2.0 | 1                             | 3        | M         | Fair                    | Average condition  | Nil                    | N/A      | 10-20                  | C2               | 1.82                            | 10.45                                      |
| G23      | 4217 | Sorbus intermedia Swedish Whitebeam      | 540       | 1     | 10          | 3.0           | 3.0 | 3.0 | 4.0 | 1                             | 4        | M         | Poor                    | Average condition  | Nil                    | N/A      | 10-20                  | C2               | 6.48                            | 131.93                                     |
| G26      | 4239 | Sorbus intermedia Swedish Whitebeam      | 582       | 1     | 10          | 3.0           | 4.0 | 4.0 | 5.0 | 1                             | 6        | M         | Fair                    | Historic tear out on e stem                                  | Nil                    | N/A      | 10-20                  | C2               | 6.98                            | 153.25                                     |
| G27      | 4242 | Chamaecyparis lawsoniana lawsons cypress | 221       | 1     | 8           | 2.0           | 1.0 | 2.0 | 2.0 | 1                             | 0        | M         | Good                    | Average condition  | Nil                    | N/A      | 40+                    | C2               | 2.65                            | 22.10                                      |
| G27      | 4243 | Chamaecyparis lawsoniana lawsons cypress | 336       | MS    | 8           | 1.0           | 1.0 | 2.0 | 2.0 | 1                             | 0        | M         | Good                    | Average condition  | Nil                    | N/A      | 40+                    | C2               | 3.36                            | 35.47                                      |
| G27      | 4244 | Chamaecyparis lawsoniana lawsons cypress | 321       | MS    | 8           | 1.0           | 1.0 | 2.0 | 2.0 | 1                             | 0        | M         | Good                    | Average condition  | Nil                    | N/A      | 40+                    | C2               | 3.21                            | 32.38                                      |
| G27      | 4245 | Chamaecyparis lawsoniana lawsons cypress | 322       | 1     | 8           | 1.0           | 2.0 | 2.0 | 2.0 | 1                             | 0        | M         | Good                    | Average condition  | Nil                    | N/A      | 40+                    | C2               | 3.86                            | 46.91                                      |
| G28      | 4255 | Fagus sylvatica Beech                    | 400       | 1     | 15          | 1.0           | 4.0 | 6.0 | 3.0 | 2                             | 6        | M         | Fair                    | Bark scars on main stem                                      | Nil                    | N/A      | 10-20                  | C2               | 4.80                            | 72.39                                      |
| G28      | 4263 | Fagus sylvatica Beech                    | 623       | 1     | 15          | 8.0           | 7.0 | 4.0 | 3.0 | 2                             | 7        | M         | Fair                    | Wounds in main stem w 7m tight main forks with included bark | VTA                    | U        | 10-20                  | C2               | 7.48                            | 175.61                                     |
| G28      | 4264 | Acer pseudoplatanus Sycamore             | 346       | 1     | 15          | 0.0           | 3.0 | 4.0 | 2.0 | 1                             | 9        | M         | Fair                    | Average condition  | Nil                    | N/A      | 10-20                  | C2               | 4.15                            | 54.17                                      |
| G28      | 4282 | Acer pseudoplatanus Sycamore             | 459       | 1     | 15          | 5.0           | 7.0 | 3.0 | 4.0 | 2                             | 6        | M         | Fair                    | Significant stem wound at 1.0 n                              | Nil                    | N/A      | 10-20                  | C2               | 5.51                            | 95.32                                      |
| G29      | 4295 | Crataegus monogyna Hawthorn              | 215       | 1     | 4           | 0.0           | 2.0 | 2.0 | 2.0 | 0                             | 2        | M         | Fair                    | Average condition  | Nil                    | N/A      | 10-20                  | C2               | 2.58                            | 20.91                                      |
| G29      | 4296 | Crataegus monogyna Hawthorn              | 286       | 1     | 6           | 0.0           | 2.0 | 2.0 | 2.0 | 0                             | 3        | M         | Fair                    | Average condition  | Nil                    | N/A      | 10-20                  | C2               | 3.43                            | 37.01                                      |
| G29      | 4297 | Crataegus monogyna Hawthorn              | 218       | 1     | 6           | 0.0           | 2.0 | 2.0 | 2.0 | 0                             | 3        | M         | Fair                    | Average condition  | Nil                    | N/A      | 10-20                  | C2               | 2.62                            | 21.50                                      |

**TOTAL CATEGORY C TREES Heyford Park Nicholson's Tree Survey November 2006**

| Group No | Tag  | Species (Botanical)                      | Diam (mm) | Stems | Ht m. (est) | Branch Spread |     |     |     | Increase in canopy radius (m) | Crown Ht | Age Class | Physiological Condition | Structural Condition                               | Preliminary Management | Priority | Remaining Contribution | Category Grading | Root Protection Zone Radius (m) | Root Protection zone (m2). Capped at 707m2 |
|----------|------|--|-----------|-------|-------------|---------------|-----|-----|-----|-------------------------------|----------|-----------|-------------------------|--|------------------------|----------|------------------------|------------------|---------------------------------|--|
|          |      |  |           |       |             | N             | S   | E   | W   |                               |          |           |                         |  |                        |          |                        |                  |                                 |  |
| G30      | 4298 | Acer pseudoplatanus Sycamore             | 509       | MS    | 13          | 3.0           | 3.0 | 5.0 | 4.0 | 2                             | 7        | M         | Fair                    | Average condition                                  | Nil                    | N/A      | 20-40                  | C2               | 5.09                            | 81.40                                      |
| G30      | 4299 | Acer pseudoplatanus Sycamore             | 202       | 1     | 13          | 1.5           | 2.0 | 2.0 | 2.0 | 4                             | 7        | M         | Fair                    | Average condition                                  | Nil                    | N/A      | 40+                    | C2               | 2.42                            | 18.46                                      |
| G30      | 4302 | Acer pseudoplatanus Sycamore             | 535       | MS    | 15          | 3.0           | 3.0 | 4.0 | 4.0 | 2                             | 8        | M         | Fair                    | Multistem with lots of included bark               | Nil                    | N/A      | 20-40                  | C2               | 5.35                            | 89.93                                      |
| G30      | 4303 | Acer pseudoplatanus Sycamore             | 492       | MS    | 15          | 5.0           | 3.0 | 6.0 | 2.0 | 2                             | 6        | M         | Fair                    | Average condition                                  | Nil                    | N/A      | 20-40                  | C2               | 4.92                            | 76.06                                      |
| G33      | 4312 | Betula alba Silver birch                 | 159       | 1     | 6           | 1.0           | 3.0 | 3.0 | 1.0 | 1                             | 2        | M         | Fair                    | Suppressed   | Nil                    | N/A      | 20-40                  | C2               | 1.91                            | 11.44                                      |
| G37      | 4335 | Acer pseudoplatanus Sycamore             | 510       | MS    | 8           | 3.0           | 3.0 | 3.0 | 3.0 | 2                             | 3        | M         | Fair                    | Coppice growing through fence                      | Nil                    | N/A      | 20-40                  | C2               | 5.10                            | 81.72                                      |
| G37      | 4336 | Acer pseudoplatanus Sycamore             | 480       | MS    | 8           | 3.0           | 3.0 | 3.0 | 3.0 | 2                             | 3        | M         | Fair                    | Coppice growing through fence                      | Nil                    | N/A      | 20-40                  | C2               | 4.80                            | 72.39                                      |
| G37      | 4338 | Acer pseudoplatanus Sycamore             | 216       | MS    | 8           | 1.0           | 1.0 | 1.0 | 2.0 | 3                             | 2        | SM        | Fair                    | Average condition                                  | Nil                    | N/A      | 40+                    | C2               | 2.16                            | 14.66                                      |
| G39      | 4340 | Acer pseudoplatanus Sycamore             | 650       | MS    | 9           | 3.0           | 3.0 | 3.0 | 3.0 | 3                             | 3        | M         | Fair                    | Coppice growing through fence                      | Nil                    | N/A      | 20-40                  | C2               | 6.50                            | 132.75                                     |
| G40      | 4345 | Fraxinus excelsior Ash                   | 196       | 1     | 12          | 3.0           | 2.0 | 1.0 | 4.0 | 3                             | 8        | M         | Fair                    | Average condition                                  | Nil                    | N/A      | 20-40                  | C2               | 2.35                            | 17.38                                      |
| G41      | 4361 | Betula alba Silver birch                 | 403       | 1     | 11          | 2.0           | 5.0 | 4.0 | 4.0 | 1                             | 5        | M         | Fair                    | Cavity in main stem 4.0                            | Nil                    | N/A      | 10-20                  | C2               | 4.84                            | 73.48                                      |
| G41      | 4362 | Betula alba Silver birch                 | 169       | 1     | 9           | 2.0           | 1.0 | 2.0 | 1.0 | 1                             | 7        | M         | Fair                    | Average condition                                  | Nil                    | N/A      | 10-20                  | C2               | 2.03                            | 12.92                                      |
| G41      | 4363 | Betula alba Silver birch                 | 438       | 1     | 12          | 4.0           | 5.0 | 4.0 | 3.0 | 1                             | 2        | M         | Fair                    | Average condition                                  | Nil                    | N/A      | 10-20                  | C2               | 5.26                            | 86.80                                      |
| G41      | 4365 | Crataegus monogyna Hawthorn              | 221       | MS    | 7           | 3.0           | 2.0 | 3.0 | 3.0 | 1                             | 3        | M         | Fair                    | Basal wound  | Nil                    | N/A      | 10-20                  | C2               | 2.21                            | 15.35                                      |
| G41      | 4367 | Betula alba Silver birch                 | 184       | 1     | 8           | 1.0           | 3.0 | 1.0 | 2.0 | 1                             | 4        | M         | Fair                    | Stem wound at 1.5 e                                | Nil                    | N/A      | 10-20                  | C2               | 2.21                            | 15.32                                      |
| G43      | 4385 | Chamaecyparis lawsoniana lawsons cypress | 190       | 1     | 8           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 2        | M         | Fair                    | Average condition                                  | Nil                    | N/A      | 40+                    | C2               | 2.28                            | 16.33                                      |
| G43      | 4391 | Acer platanoides Norway maple            | 368       | 1     | 12          | 3.0           | 3.0 | 2.0 | 6.0 | 1                             | 4        | M         | Poor                    | Average condition                                  | Nil                    | N/A      | 10-20                  | C2               | 4.42                            | 61.27                                      |
| G46      | 4410 | Crataegus monogyna Hawthorn              | 205       | 1     | 6           | 0.0           | 2.0 | 3.0 | 0.0 | 0                             | 3        | M         | Fair                    | Average condition                                  | Nil                    | N/A      | 10-20                  | C2               | 2.46                            | 19.01                                      |
| G47      | 4411 | Prunus laurocerasus Cherry laurel        | 487       | MS    | 6           | 2.0           | 3.0 | 3.0 | 3.0 | 2                             | n/a      | M         | Fair                    | Average condition                                  | Nil                    | N/A      | 20-40                  | C2               | 4.87                            | 74.52                                      |
| G47      | 4412 | Prunus laurocerasus Cherry laurel        | 224       | MS    | 6           | 3.0           | 1.0 | 1.0 | 4.0 | 2                             | n/a      | M         | Fair                    | Average condition                                  | Nil                    | N/A      | 20-40                  | C2               | 2.24                            | 15.77                                      |
| G47      | 4413 | Prunus laurocerasus Cherry laurel        | 395       | MS    | 7           | 5.0           | 2.0 | 4.0 | 4.0 | 2                             | n/a      | M         | Fair                    | Average condition                                  | Nil                    | N/A      | 20-40                  | C2               | 3.95                            | 49.02                                      |
| G47      | 4414 | Prunus laurocerasus Cherry laurel        | 418       | MS    | 6           | 1.0           | 2.0 | 3.0 | 2.0 | 2                             | n/a      | M         | Poor                    | Average condition                                  | Nil                    | N/A      | 10-20                  | C2               | 4.18                            | 54.90                                      |
| G47      | 4416 | Prunus laurocerasus Cherry laurel        | 510       | MS    | 8           | 5.0           | 2.0 | 5.0 | 4.0 | 2                             | n/a      | M         | Fair                    | Average condition                                  | Nil                    | N/A      | 10-20                  | C2               | 5.10                            | 81.72                                      |
| G47      | 4417 | Prunus laurocerasus Cherry laurel        | 576       | MS    | 8           | 2.0           | 5.0 | 5.0 | 5.0 | 2                             | n/a      | M         | Fair                    | Average condition                                  | Nil                    | N/A      | 10-20                  | C2               | 5.76                            | 104.24                                     |
| G47      | 4418 | Prunus laurocerasus Cherry laurel        | 321       | MS    | 9           | 2.0           | 3.0 | 4.0 | 5.0 | 2                             | n/a      | M         | Fair                    | Average condition                                  | Nil                    | N/A      | 10-20                  | C2               | 3.21                            | 32.38                                      |
| G47      | 4419 | Prunus laurocerasus Cherry laurel        | 206       | MS    | 9           | 4.0           | 2.0 | 2.0 | 3.0 | 2                             | n/a      | M         | Fair                    | Average condition                                  | Nil                    | N/A      | 10-20                  | C2               | 2.06                            | 13.33                                      |
| G47      | 4420 | Prunus laurocerasus Cherry laurel        | 684       | MS    | 8           | 4.0           | 2.0 | 4.0 | 5.0 | 2                             | n/a      | M         | Fair                    | Average condition                                  | Nil                    | N/A      | 10-20                  | C2               | 6.84                            | 147.00                                     |
| G47      | 4421 | Prunus laurocerasus Cherry laurel        | 564       | MS    | 4           | 6.0           | 0.0 | 3.0 | 4.0 | 2                             | n/a      | M         | Fair                    | Average condition                                  | Nil                    | N/A      | 10-20                  | C2               | 5.64                            | 99.95                                      |
| G47      | 4422 | Prunus laurocerasus Cherry laurel        | 573       | MS    | 6           | 6.0           | 1.0 | 4.0 | 3.0 | 2                             | n/a      | M         | Fair                    | Average condition                                  | Nil                    | N/A      | 10-20                  | C2               | 5.73                            | 103.16                                     |
| G47      | 4423 | Prunus laurocerasus Cherry laurel        | 138       | 1     | 4           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | n/a      | M         | Poor                    | Average condition                                  | Nil                    | N/A      | 10-20                  | C2               | 1.66                            | 8.62                                       |
| G48      | 4434 | Acer pseudoplatanus Sycamore             | 391       | MS    | 12          | 1.0           | 3.0 | 4.0 | 3.0 | 2                             | 5        | M         | Fair                    | Forked at gl included bark                         | Nil                    | N/A      | 10-20                  | C2               | 3.91                            | 48.04                                      |
| G48      | 4436 | Acer pseudoplatanus Sycamore             | 342       | 1     | 12          | 3.0           | 3.0 | 2.0 | 4.0 | 1                             | 6        | M         | Poor                    | Average condition                                  | Nil                    | N/A      | 10-20                  | C2               | 4.10                            | 52.92                                      |
| G49      | 4446 | Pinus sylvestris Scots pine              | 302       | 1     | 11          | 4.0           | 0.0 | 1.0 | 3.0 | 0                             | 7        | M         | Fair                    | Average condition                                  | Nil                    | N/A      | 10-20                  | C2               | 3.62                            | 41.27                                      |
| G51      | 4470 | Chamaecyparis lawsoniana lawsons cypress | 195       | 1     | 7           | 0.0           | 3.0 | 2.0 | 2.0 | 1                             | 3        | M         | Fair                    | Average condition                                  | Nil                    | N/A      | 20-40                  | C2               | 2.34                            | 17.20                                      |
| G51      | 4471 | Chamaecyparis lawsoniana lawsons cypress | 220       | MS    | 8           | 2.0           | 2.0 | 2.0 | 1.0 | 1                             | 3        | M         | Fair                    | Stem wounds  | Nil                    | N/A      | 20-40                  | C2               | 2.20                            | 15.21                                      |
| G51      | 4472 | Pinus wallichiana Bhutan pine            | 286       | 1     | 10          | 2.0           | 3.0 | 3.0 | 3.0 | 3                             | 3        | M         | Fair                    | Average condition                                  | Nil                    | N/A      | 40+                    | C2               | 3.43                            | 37.01                                      |
| G51      | 4473 | Crytomeria japonica Elegans              | 148       | 1     | 6           | 1.0           | 1.0 | 1.0 | 1.0 | 1                             | 3        | M         | Fair                    | Average condition                                  | Nil                    | N/A      | 10-20                  | C2               | 1.78                            | 9.91                                       |
| G51      | 4474 | Pinus nigra var maritima Corsican Pine   | 260       | 1     | 7           | 2.0           | 2.0 | 2.0 | 2.0 | 5                             | 2.5      | M         | Fair                    | Average condition                                  | Nil                    | N/A      | 40+                    | C2               | 3.12                            | 30.59                                      |
| G51      | 4475 | Crytomeria japonica Elegans              | 189       | 1     | 6           | 1.0           | 1.0 | 1.0 | 1.0 | 1                             | 3        | M         | Fair                    | Minor bark wound gl                                | Nil                    | N/A      | 10-20                  | C2               | 2.27                            | 16.16                                      |
| G51      | 4476 | Picea abies Norway spruce                | 247       | 1     | 9           | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 4        | M         | Fair                    | Average condition                                  | Nil                    | N/A      | 20-40                  | C2               | 2.96                            | 27.60                                      |
| G53      | 4481 | Acer pseudoplatanus Sycamore             | 102       | 1     | 7           | 2.0           | 2.0 | 1.0 | 2.0 | 4                             | 2        | SM        | Fair                    | Average condition                                  | Nil                    | N/A      | 40+                    | C2               | 1.22                            | 4.71                                       |
| G53      | 4482 | Acer platanoides Norway maple            | 155       | 1     | 7           | 3.0           | 3.0 | 3.0 | 2.0 | 4                             | 2.5      | M         | Fair                    | V tight fork at 2.5 included bark                  | Nil                    | N/A      | 10-20                  | C2               | 1.86                            | 10.87                                      |
| G53      | 4483 | Acer platanoides Norway maple (Purple)   | 185       | 1     | 7           | 3.0           | 3.0 | 2.0 | 3.0 | 4                             | 1.6      | M         | Fair                    | Average condition                                  | Nil                    | N/A      | 40+                    | C2               | 2.22                            | 15.49                                      |
| G53      | 4484 | Acer platanoides Norway maple (Purple)   | 195       | 1     | 8           | 3.0           | 3.0 | 3.0 | 3.0 | 4                             | 2        | M         | Fair                    | Basal wound gl e                                   | Nil                    | N/A      | 40+                    | C2               | 2.34                            | 17.20                                      |
| G53      | 4485 | Acer platanoides Norway maple (Purple)   | 165       | 1     | 7           | 3.0           | 3.0 | 3.0 | 3.0 | 4                             | 2        | M         | Fair                    | Average condition                                  | Nil                    | N/A      | 40+                    | C2               | 1.98                            | 12.32                                      |
| G53      | 4486 | Acer platanoides Norway maple (Purple)   | 125       | 1     | 6           | 3.0           | 3.0 | 2.0 | 3.0 | 4                             | 2        | M         | Fair                    | Average condition                                  | Nil                    | N/A      | 40+                    | C2               | 1.50                            | 7.07                                       |
| G53      | 4494 | Acer pseudoplatanus Sycamore             | 285       | 1     | 13          | 0.0           | 5.0 | 3.0 | 1.0 | 2                             | 7        | M         | Fair                    | Drawn up specimen due to surrounding trees         | Nil                    | N/A      | 10-20                  | C2               | 3.42                            | 36.75                                      |
| G53      | 4495 | Acer pseudoplatanus Sycamore             | 599       | MS    | 13          | 2.0           | 3.0 | 4.0 | 0.0 | 2                             | 4        | M         | Fair                    | Indications of interbar cracks etc in 2 main stems | Nil                    | N/A      | 10-20                  | C2               | 5.99                            | 112.74                                     |
| G53      | 4497 | Acer pseudoplatanus Sycamore             | 564       | MS    | 12          | 2.0           | 2.0 | 4.0 | 4.0 | 2                             | 5        | M         | Fair                    | Trifurcated at gl                                  | Nil                    | N/A      | 20-40                  | C2               | 5.64                            | 99.95                                      |
| G53      | 4498 | Acer pseudoplatanus Sycamore             | 357       | 1     | 13          | 2.0           | 2.0 | 4.0 | 4.0 | 2                             | 9        | M         | Fair                    | Bark damage up trunk drought damage                | Nil                    | N/A      | 10-20                  | C2               | 4.28                            | 57.66                                      |
| G53      | 4526 | Acer pseudoplatanus Sycamore             | 486       | 1     | 14          | 5.0           | 6.0 | 5.0 | 3.0 | 2                             | 6        | M         | Fair                    | Significant bark damage                            | Nil                    | N/A      | 10-20                  | C2               | 5.83                            | 106.87                                     |
| G53      | 4528 | Acer pseudoplatanus Sycamore             | 365       | 1     | 13          | 2.0           | 5.0 | 2.0 | 3.0 | 2                             | 6        | M         | Fair                    | Major squirrel damage                              | Nil                    | N/A      | 10-20                  | C2               | 4.38                            | 60.28                                      |
| G53      | 4532 | Acer pseudoplatanus Sycamore             | 414       | 1     | 12          | 6.0           | 3.0 | 0.0 | 7.0 | 2                             | 6        | M         | Fair                    | Trunk wound at 1.0 s                               | Nil                    | N/A      | 10-20                  | C2               | 4.97                            | 77.55                                      |
| G53      | 4537 | Acer pseudoplatanus Sycamore             | 223       | 1     | 11          | 1.0           | 3.0 | 0.0 | 4.0 | 4                             | 7        | M         | Fair                    | Suppressed under adjacent tree                     | Nil                    | N/A      | 20-40                  | C2               | 2.68                            | 22.50                                      |
| H17      | 4539 | Thuja plicata Western Red Cedar          | 286       | 1     | 10          | 3.0           | 3.0 | 3.0 | 3.0 | 2                             | 3        | M         | Fair                    | Average condition                                  | Nil                    | N/A      | 20-40                  | C2               | 3.43                            | 37.01                                      |
| H17      | 4540 | Fraxinus excelsior Ash                   | 219       | 1     | 10          | 4.0           | 4.0 | 2.0 | 2.0 | 2                             | 5        | M         | Fair                    | Average condition                                  | Nil                    | N/A      | 20-40                  | C2               | 2.63                            | 21.70                                      |
| H17      | 4550 | Acer pseudoplatanus Sycamore             | 326       | 1     | 9           | 3.0           | 3.0 | 1.0 | 2.0 | 3                             | 4        | M         | Fair                    | Co-dominant with 4551                              | Nil                    | N/A      | 20-40                  | C2               | 3.91                            | 48.08                                      |
| H17      | 4551 | Acer pseudoplatanus Sycamore             | 167       | 1     | 9           | 3.0           | 3.0 | 2.0 | 1.0 | 3                             | 4        | M         | Fair                    | Co-dominant with 4550                              | Nil                    | N/A      | 20-40                  | C2               | 2.00                            | 12.62                                      |
| H17      | 4558 | Acer pseudoplatanus Sycamore             | 540       | MS    | 10          | 4.0           | 4.0 | 2.0 | 2.0 | 2                             | 4        | M         | Fair                    | Three stems from gl included bark                  | Nil                    | N/A      | 10-20                  | C2               | 5.40                            | 91.62                                      |

**TOTAL CATEGORY C TREES Heyford Park Nicholson's Tree Survey November 2006**

| Group No | Tag  | Species (Botanical)                      | Diam (mm) | Stems | Ht m. (est) | Branch Spread |      |     |     | Increase in canopy radius (m) | Crown Ht | Age Class | Physiological Condition | Structural Condition  | Preliminary Management | Priority | Remaining Contribution | Category Grading | Root Protection Zone Radius (m) | Root Protection zone (m2). Capped at 707m2 |
|----------|------|--|-----------|-------|-------------|---------------|------|-----|-----|-------------------------------|----------|-----------|-------------------------|---|------------------------|----------|------------------------|------------------|---------------------------------|--|
|          |      |  |           |       |             | N             | S    | E   | W   |                               |          |           |                         |   |                        |          |                        |                  |                                 |  |
| H17      | 4560 | Acer pseudoplatanus Sycamore             | 692       | MS    | 10          | 4.0           | 4.0  | 3.0 | 2.0 | 2                             | 5        | M         | Fair                    | Coppice stool with 5 stems from gl and included bark in all                                   | Nil                    | N/A      | 10-20                  | C2               | 6.92                            | 150.46                                     |
| H17      | 4562 | Acer pseudoplatanus Sycamore             | 635       | MS    | 10          | 4.0           | 4.0  | 3.0 | 2.0 | 2                             | 4        | M         | Fair                    | Coppice stool with 3 stems from gl and included bark in all                                   | Nil                    | N/A      | 10-20                  | C2               | 6.35                            | 126.69                                     |
| H17      | 4563 | Fraxinus excelsior Ash                   | 178       | 1     | 10          | 0.0           | 5.0  | 3.0 | 2.0 | 2                             | 6        | M         | Fair                    | Growing out from tree l8ne to a significant degree  | Nil                    | N/A      | 10-20                  | C2               | 2.14                            | 14.34                                      |
| H17      | 4571 | Acer pseudoplatanus Sycamore             | 261       | 1     | 10          | 2.0           | 4.0  | 2.0 | 2.0 | 3                             | 4        | M         | Fair                    | Average condition   | Nil                    | N/A      | 40+                    | C2               | 3.13                            | 30.82                                      |
| H17      | 4572 | Sorbus intermedia Swedish Whitebeam      | 214       | MS    | 7           | 0.0           | 3.0  | 1.0 | 1.0 | 1                             | 3        | M         | Fair                    | Suppressed under adjacent tree  | Nil                    | N/A      | 10-20                  | C2               | 2.14                            | 14.39                                      |
| G54      | 4632 | Pinus sylvestris Scots pine              | 183       | 1     | 7           | 1.0           | 0.0  | 0.0 | 3.0 | 0                             | 4        | M         | Fair                    | Suppressed under adjacent tree  | Nil                    | N/A      | 10-20                  | C2               | 2.20                            | 15.15                                      |
| G54      | 4636 | Thuja plicata Westen Red Cedar           | 95        | 1     | 5           | 1.0           | 1.0  | 1.0 | 1.0 | 2                             | 2        | SM        | Fair                    | Suppressed under adjacent tree  | Nil                    | N/A      | 20-40                  | C2               | 1.14                            | 4.08                                       |
| G54      | 4638 | Pinus sylvestris Scots pine              | 234       | 1     | 10          | 1.0           | 2.0  | 1.0 | 4.0 | 0                             | 7        | M         | Fair                    | Suppressed under adjacent tree  | Nil                    | N/A      | 10-20                  | C2               | 2.81                            | 24.77                                      |
| G54      | 4639 | Betula alba Silver birch                 | 114       | 1     | 7           | 0.0           | 1.0  | 1.0 | 3.0 | 0                             | 3        | M         | Fair                    | Suppressed under adjacent tree  | Nil                    | N/A      | 10-20                  | C2               | 1.37                            | 5.88                                       |
| G54      | 4641 | Pinus sylvestris Scots pine              | 254       | 1     | 7           | 0.0           | 1.0  | 0.0 | 4.0 | 0                             | 7        | M         | Fair                    | Suppressed under adjacent tree  | Nil                    | N/A      | 10-20                  | C2               | 3.05                            | 29.19                                      |
| G54      | 4644 | Pinus sylvestris Scots pine              | 168       | 1     | 9           | 2.0           | 0.0  | 1.0 | 2.0 | 0                             | 7        | M         | Fair                    | Suppressed under adjacent tree  | Nil                    | N/A      | 10-20                  | C2               | 2.02                            | 12.77                                      |
| G55      | 4649 | Acer platanoides Norway maple            | 195       | 1     | 10          | 0.0           | 3.0  | 3.0 | 3.0 | 4                             | 2        | M         | Fair                    | one sided duevto adjacent tree  | Nil                    | N/A      | 40+                    | C2               | 2.34                            | 17.20                                      |
| G55      | 4651 | Thuja plicata Westen Red Cedar           | 214       | 1     | 11          | 2.0           | 0.0  | 3.0 | 0.0 | 0                             | 5        | M         | Poor                    | Suppressed under adjacent tree  | Nil                    | N/A      | 10-20                  | C2               | 2.57                            | 20.72                                      |
| G55      | 4656 | Thuja plicata Westen Red Cedar           | 208       | 1     | 10          | 2.0           | 2.0  | 1.0 | 2.0 | 1                             | 3        | M         | Fair                    | Suppressed under adjacent tree  | Nil                    | N/A      | 10-20                  | C2               | 2.50                            | 19.57                                      |
| G56      | 4659 | Prunus laurocerasus Cherry laurel        | 264       | MS    | 6           | 3.0           | 3.0  | 3.0 | 3.0 | 0                             | 0        | M         | Fair                    | Average condition   | Nil                    | N/A      | 10-20                  | C2               | 2.64                            | 21.90                                      |
| G58      | 4677 | Chamaecyparis lawsoniana lawsons cypress | 372       | 1     | 8           | 2.0           | 2.0  | 2.0 | 2.0 | 1                             | 1        | M         | Fair                    | Average condition   | Nil                    | N/A      | 10-20                  | C2               | 4.46                            | 62.61                                      |
| G58      | 4678 | Chamaecyparis lawsoniana lawsons cypress | 824       | 1     | 12          | 3.0           | 2.0  | 3.0 | 3.0 | 0                             | 1        | M         | Fair                    | Average condition   | Nil                    | N/A      | 10-20                  | C2               | 9.89                            | 307.20                                     |
| G54      | 4681 | Larix eurolepis Larch                    | 311       | 1     | 8           | 3.0           | 1.0  | 6.0 | 1.0 | 0                             | 7        | M         | Fair                    | Suppressed under adjacent tree  | Nil                    | N/A      | 10-20                  | C2               | 3.73                            | 43.76                                      |
| G54      | 4682 | Larix eurolepis Larch                    | 377       | 1     | 9           | 4.0           | 3.0  | 2.0 | 6.0 | 0                             | 6        | M         | Fair                    | Suppressed under adjacent tree  | Nil                    | N/A      | 10-20                  | C2               | 4.52                            | 64.31                                      |
| G54      | 4690 | Larix eurolepis Larch                    | 150       | 1     | 8           | 1.0           | 1.0  | 1.0 | 1.0 | 0                             | 4        | M         | Poor                    | Average condition   | Nil                    | N/A      | <10                    | C2               | 1.80                            | 10.18                                      |
| G54      | 4695 | Larix eurolepis Larch                    | 215       | 1     | 8           | 1.0           | 1.0  | 3.0 | 1.0 | 0                             | 5        | M         | Fair                    | Suppressed under adjacent tree  | Nil                    | N/A      | 10-20                  | C2               | 2.58                            | 20.91                                      |
| G54      | 4703 | Pinus sylvestris Scots pine              | 131       | 1     | 5           | 2.0           | 0.0  | 0.0 | 1.0 | 0                             | 5        | M         | Fair                    | Suppressed under adjacent tree  | Nil                    | N/A      | 10-20                  | C2               | 1.57                            | 7.76                                       |
| G54      | 4709 | Crataegus monogyna Hawthorn              | 257       | 1     | 7           | 2.0           | 1.0  | 3.0 | 3.0 | 0                             | 3        | M         | Fair                    | Average condition   | Nil                    | N/A      | 20-40                  | C2               | 3.08                            | 29.88                                      |
| G54      | 4713 | Larix eurolepis Larch                    | 211       | 1     | 12          | 2.0           | 1.0  | 4.0 | 1.0 | 0                             | 5        | M         | Fair                    | Average condition   | Nil                    | N/A      | 10-20                  | C2               | 2.53                            | 20.14                                      |
| G54      | 4715 | Pinus sylvestris Scots pine              | 340       | 1     | 14          | 3.0           | 1.0  | 1.0 | 2.0 | 0                             | 8        | M         | Fair                    | Major stem scar with dysfunctional timber behind and wood pecker feeding holes from 1.5-6.5 w | Nil                    | N/A      | 10-20                  | C2               | 4.08                            | 52.30                                      |
| G54      | 4718 | Larix eurolepis Larch                    | 219       | 1     | 8           | 1.0           | 1.0  | 0.0 | 6.0 | 0                             | 4        | M         | Fair                    | Suppressed under adjacent tree  | Nil                    | N/A      | 10-20                  | C2               | 2.63                            | 21.70                                      |
| G54      | 4724 | Larix eurolepis Larch                    | 223       | 1     | 7           | 0.0           | 2.0  | 0.0 | 7.0 | 0                             | 6        | M         | Fair                    | Suppressed under adjacent tree  | Nil                    | N/A      | 10-20                  | C2               | 2.68                            | 22.50                                      |
| G54      | 4729 | Larix eurolepis Larch                    | 219       | 1     | 9           | 2.0           | 2.0  | 2.0 | 1.0 | 1                             | 3        | M         | Fair                    | Average condition   | Nil                    | N/A      | 20-40                  | C2               | 2.63                            | 21.70                                      |
| G54      | 4739 | Larix eurolepis Larch                    | 219       | 1     | 8           | 1.0           | 1.0  | 6.0 | 0.0 | 0                             | 5        | M         | Fair                    | Suppressed under adjacent tree  | Nil                    | N/A      | 10-20                  | C2               | 2.63                            | 21.70                                      |
| G54      | 4743 | Larix eurolepis Larch                    | 166       | 1     | 7           | 1.0           | 0.0  | 0.0 | 4.0 | 0                             | 4        | M         | Fair                    | Suppressed under adjacent tree  | Nil                    | N/A      | 10-20                  | C2               | 1.99                            | 12.47                                      |
| G54      | 4750 | Crataegus monogyna Hawthorn              | 188       | MS    | 7           | 2.0           | 2.0  | 2.0 | 2.0 | 1                             | 3        | M         | Fair                    | Average condition   | Nil                    | N/A      | 10-20                  | C2               | 1.88                            | 11.11                                      |
| G60      | 4754 | Prunus laurocerasus Cherry Laurel        | 172       | MS    | 4           | 3.0           | 3.0  | 3.0 | 3.0 | 3+                            | 0        | SM        | Good                    | Suppressed by 4755  | None                   | N/A      | 20-40                  | C2               | 1.72                            | 9.30                                       |
| G60      | 4758 | Prunus laurocerasus Cherry Laurel        | 367       | MS    | 3           | 2.0           | 2.0  | 2.0 | 2.0 | 3+                            | 0        | M         | Fair                    | No visible defects  | None                   | N/A      | 10-20                  | C2               | 3.67                            | 42.32                                      |
| G61      | 4761 | Fagus sylvatica Beech                    | 754       | MS    | 18          | 10.0          | 10.0 | 6.0 | 6.0 | 3                             | 2        | M         | Good                    | Thin leaders from base  | None                   | N/A      | 20-40                  | C2               | 7.54                            | 178.63                                     |
| G54      | 4770 | Pinus sylvestris Scots pine              | 276       | 1     | 12          | 1.0           | 1.0  | 5.0 | 0.0 | 0                             | 8        | M         | Fair                    | Significant lean to e stem wound 3.0-5.0 w  | Nil                    | N/A      | 10-20                  | C2               | 3.31                            | 34.47                                      |
| G54      | 4773 | Pinus sylvestris Scots pine              | 397       | 1     | 9           | 2.0           | 3.0  | 4.0 | 6.0 | 0                             | 5        | M         | Fair                    | Forked at 5m and suppressed under adjacent trees, wide spread                                 | Nil                    | N/A      | 10-20                  | C2               | 4.76                            | 71.31                                      |
| G62      | 4788 | Fagus sylvatica Beech                    | 505       | 1     | 15          | 5.0           | 4.0  | 5.0 | 4.0 | 2                             | 2        | M         | Good                    | Base - 2 m large open stem wound  | None                   | N/A      | 40+                    | C2               | 6.06                            | 115.39                                     |
| G62      | 4792 | Fagus sylvatica Beech                    | 815       | 1     | 19          | 5.0           | 5.0  | 5.0 | 6.0 | 2                             | 3        | M         | Fair                    | Fagus sylvatica Beech bark disease felted Fagus sylvatica Beech cockus                        | Nil                    | N/A      | 40+                    | C2               | 9.78                            | 300.53                                     |
| G67      | 4807 | Acer pseudoplatanus Sycamore             | 383       | 1     | 11          | 3.0           | 3.0  | 3.0 | 3.0 | 2                             | 6        | M         | Fair                    | Average condition   | Nil                    | N/A      | 20-40                  | C2               | 4.60                            | 66.37                                      |
| G67      | 4808 | Fraxinus excelsior Ash                   | 317       | 1     | 13          | 5.0           | 3.0  | 0.0 | 6.0 | 2                             | 6        | M         | Fair                    | Average condition   | Nil                    | N/A      | 20-40                  | C2               | 3.80                            | 45.47                                      |
| G67      | 4809 | Acer pseudoplatanus Sycamore             | 164       | 1     | 9           | 1.0           | 1.0  | 2.0 | 1.0 | 4                             | 6        | M         | Fair                    | Suppressed under adjacent tree  | Nil                    | N/A      | 10-20                  | C2               | 1.97                            | 12.17                                      |
| G67      | 4810 | Acer pseudoplatanus Sycamore             | 391       | 1     | 10          | 3.0           | 1.0  | 2.0 | 2.0 | 3                             | 6        | M         | Fair                    | Average condition   | Nil                    | N/A      | 10-20                  | C2               | 4.69                            | 69.17                                      |
| G67      | 4811 | Acer pseudoplatanus Sycamore             | 343       | 1     | 10          | 2.0           | 2.0  | 2.0 | 3.0 | 3                             | 6        | M         | Fair                    | Tight fork at 1.2 with included bark  | Nil                    | N/A      | 10-20                  | C2               | 4.12                            | 53.23                                      |
| G67      | 4812 | Acer pseudoplatanus Sycamore             | 356       | MS    | 9           | 1.0           | 1.0  | 2.0 | 2.0 | 4                             | 6        | M         | Fair                    | Tight fork at gl with included bark   | Nil                    | N/A      | 10-20                  | C2               | 3.56                            | 39.82                                      |
| G67      | 4813 | Acer pseudoplatanus Sycamore             | 760       | MS    | 12          | 3.5           | 5.0  | 4.0 | 5.0 | 2                             | 6        | M         | Fair                    | Poor basal union  | Nil                    | N/A      | 10-20                  | C2               | 7.60                            | 181.48                                     |
| G68      | 4814 | Quercus rubra Red oak                    | 134       | 1     | 6           | 3.0           | 3.0  | 3.0 | 3.0 | 4                             | 2        | M         | Fair                    | Average condition   | Nil                    | N/A      | 40+                    | C2               | 1.61                            | 8.12                                       |
| G68      | 4815 | Quercus rubra Red oak                    | 100       | 1     | 6           | 3.0           | 3.0  | 3.0 | 3.0 | 4                             | 2        | M         | Fair                    | Average condition   | Nil                    | N/A      | 40+                    | C2               | 1.20                            | 4.52                                       |
| G68      | 4816 | Quercus rubra Red oak                    | 179       | 1     | 8           | 3.0           | 3.0  | 3.0 | 3.0 | 4                             | 2.5      | M         | Fair                    | Average condition   | Nil                    | N/A      | 40+                    | C2               | 2.15                            | 14.50                                      |
| G68      | 4817 | Quercus rubra Red oak                    | 201       | 1     | 8           | 3.0           | 3.0  | 3.0 | 3.0 | 4                             | 2.5      | M         | Fair                    | Average condition   | Nil                    | N/A      | 40+                    | C2               | 2.41                            | 18.28                                      |
| G68      | 4818 | Quercus rubra Red oak                    | 158       | 1     | 8           | 3.0           | 3.0  | 3.0 | 3.0 | 4                             | 2.5      | M         | Fair                    | Average condition   | Nil                    | N/A      | 40+                    | C2               | 1.90                            | 11.29                                      |
| G68      | 4819 | Quercus rubra Red oak                    | 202       | 1     | 9           | 3.0           | 3.0  | 3.0 | 3.0 | 4                             | 2.5      | M         | Fair                    | Average condition   | Nil                    | N/A      | 40+                    | C2               | 2.42                            | 18.46                                      |
| G68      | 4820 | Quercus rubra Red oak                    | 163       | 1     | 8           | 3.0           | 3.0  | 3.0 | 3.0 | 4                             | 2.5      | M         | Fair                    | Average condition   | Nil                    | N/A      | 40+                    | C2               | 1.96                            | 12.02                                      |
| G68      | 4821 | Quercus rubra Red oak                    | 170       | 1     | 8           | 3.0           | 3.0  | 3.0 | 3.0 | 4                             | 2.5      | M         | Fair                    | Average condition   | Nil                    | N/A      | 40+                    | C2               | 2.04                            | 13.08                                      |
| G70      | 4822 | Acer pseudoplatanus Sycamore             | 203       | 1     | 11          | 4.0           | 1.0  | 2.0 | 3.0 | 3                             | 3        | M         | Fair                    | Average condition   | Nil                    | N/A      | 40+                    | C2               | 2.44                            | 18.64                                      |
| G70      | 4823 | Crataegus monogyna Hawthorn              | 333       | MS    | 7           | 2.0           | 2.0  | 3.0 | 3.0 | 1                             | 2        | M         | Fair                    | Average condition   | Nil                    | N/A      | 20-40                  | C2               | 3.33                            | 34.84                                      |
| G70      | 4824 | Fraxinus excelsior Ash                   | 202       | 1     | 10          | 2.0           | 2.0  | 2.0 | 2.0 | 4                             | 5        | M         | Fair                    | Average condition   | Nil                    | N/A      | 40+                    | C2               | 2.42                            | 18.46                                      |
| G70      | 4825 | Fraxinus excelsior Ash                   | 448       | MS    | 10          | 3.0           | 2.0  | 5.0 | 0.0 | 2                             | 5        | M         | Fair                    | Forked at gl included bark  | Nil                    | N/A      | 10-20                  | C2               | 4.48                            | 63.06                                      |
| G70      | 4826 | Fraxinus excelsior Ash                   | 196       | 1     | 10          | 1.0           | 2.0  | 4.0 | 0.0 | 2                             | 4        | M         | Fair                    | Average condition   | Nil                    | N/A      | 20-40                  | C2               | 2.35                            | 17.38                                      |
| G70      | 4827 | Fraxinus excelsior Ash                   | 357       | 1     | 12          | 2.0           | 3.0  | 3.0 | 2.0 | 3                             | 5        | M         | Fair                    | Poplar leaning into   | Nil                    | N/A      | 40+                    | C2               | 4.28                            | 57.66                                      |

**TOTAL CATEGORY C TREES Heyford Park Nicholson's Tree Survey November 2006**

| Group No | Tag  | Species (Botanical)                      | Diam (mm) | Stems | Ht m. (est) | Branch Spread |     |     |     | Increase in canopy radius (m) | Crown Ht | Age Class | Physiological Condition | Structural Condition                            | Preliminary Management             | Priority | Remaining Contribution | Category Grading | Root Protection Zone Radius (m) | Root Protection zone (m2). Capped at 707m2 |
|----------|------|--|-----------|-------|-------------|---------------|-----|-----|-----|-------------------------------|----------|-----------|-------------------------|---|------------------------------------|----------|------------------------|------------------|---------------------------------|--|
|          |      |  |           |       |             | N             | S   | E   | W   |                               |          |           |                         |   |                                    |          |                        |                  |                                 |  |
| G70      | 4828 | Fraxinus excelsior Ash                   | 273       | 1     | 12          | 2.0           | 2.0 | 2.0 | 2.0 | 3                             | 6        | M         | Fair                    | Average condition                               | Nil                                | N/A      | 40+                    | C2               | 3.28                            | 33.72                                      |
| G70      | 4830 | Fraxinus excelsior Ash                   | 172       | 1     | 12          | 2.0           | 3.0 | 3.0 | 1.0 | 3                             | 6        | M         | Fair                    | Average condition                               | Nil                                | N/A      | 40+                    | C2               | 2.06                            | 13.39                                      |
| G70      | 4831 | Fraxinus excelsior Ash                   | 121       | 1     | 12          | 3.0           | 0.0 | 1.0 | 1.0 | 3                             | 8        | M         | Fair                    | Average condition                               | Nil                                | N/A      | 40+                    | C2               | 1.45                            | 6.62                                       |
| G70      | 4832 | Fraxinus excelsior Ash                   | 131       | 1     | 12          | 3.0           | 3.0 | 3.0 | 2.0 | 3                             | 8        | M         | Fair                    | Average condition                               | Nil                                | N/A      | 40+                    | C2               | 1.57                            | 7.76                                       |
| G70      | 4833 | Fraxinus excelsior Ash                   | 89        | 1     | 7           | 0.0           | 2.0 | 1.0 | 1.0 | 2                             | 4        | M         | Fair                    | Suppressed under adjacent tree                  | Nil                                | N/A      | 20-40                  | C2               | 1.07                            | 3.58                                       |
| G70      | 4834 | Fraxinus excelsior Ash                   | 175       | 1     | 12          | 3.0           | 3.0 | 3.0 | 3.0 | 3                             | 7        | M         | Fair                    | Average condition                               | Nil                                | N/A      | 40+                    | C2               | 2.10                            | 13.86                                      |
| G70      | 4836 | Fraxinus excelsior Ash                   | 223       | 1     | 12          | 0.0           | 4.0 | 3.0 | 3.0 | 2                             | 5        | M         | Fair                    | Leaning to s                                    | Nil                                | N/A      | 20-40                  | C2               | 2.68                            | 22.50                                      |
| G70      | 4837 | Crataegus monogyna Hawthorn              | 200       | MS    | 7           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 2        | M         | Fair                    | Average condition hedge line-29 stems           | Nil                                | N/A      | 20-40                  | C2               | 2.00                            | 12.57                                      |
| G70      | 4840 | Fraxinus excelsior Ash                   | 132       | 1     | 9           | 2.0           | 2.0 | 2.0 | 2.0 | 3                             | 5        | M         | Fair                    | Ivy clad stem                                   | Sever ivy and reinspect            | P        | 40+                    | C2               | 1.58                            | 7.88                                       |
| G70      | 4845 | Acer pseudoplatanus Sycamore             | 81        | 1     | 8           | 2.0           | 2.0 | 2.0 | 2.0 | 4                             | 4        | M         | Fair                    | Average condition                               | Nil                                | N/A      | 40+                    | C2               | 0.97                            | 2.97                                       |
| G70      | 4846 | Acer pseudoplatanus Sycamore             | 179       | 1     | 11          | 3.0           | 3.0 | 3.0 | 3.0 | 4                             | 6        | M         | Fair                    | Forked at 4                                     | Nil                                | N/A      | 20-40                  | C2               | 2.15                            | 14.50                                      |
| G70      | 4847 | Acer pseudoplatanus Sycamore             | 141       | 1     | 10          | 2.0           | 2.0 | 2.0 | 2.0 | 4                             | 6        | M         | Fair                    | Average condition                               | Nil                                | N/A      | 40+                    | C2               | 1.69                            | 9.00                                       |
| G70      | 4850 | Acer pseudoplatanus Sycamore             | 100       | 1     | 9           | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 4        | M         | Fair                    | Growing in fence line 11 no                     | Nil                                | N/A      | 10-20                  | C2               | 1.20                            | 4.52                                       |
| G70      | 4852 | Prunus Flowering Cherry                  | 88        | 1     | 9           | 2.0           | 0.0 | 1.0 | 1.0 | 3                             | 4        | M         | Fair                    | Average condition                               | Nil                                | N/A      | 20-40                  | C2               | 1.06                            | 3.50                                       |
| G70      | 4853 | Acer pseudoplatanus Sycamore             | 135       | 1     | 10          | 3.0           | 0.0 | 2.0 | 2.0 | 4                             | 5        | M         | Fair                    | Average condition                               | Nil                                | N/A      | 40+                    | C2               | 1.62                            | 8.25                                       |
| G70      | 4854 | Acer pseudoplatanus Sycamore             | 381       | 1     | 10          | 2.0           | 2.0 | 2.0 | 2.0 | 4                             | 3        | M         | Fair                    | Average condition                               | Nil                                | N/A      | 40+                    | C2               | 4.57                            | 65.68                                      |
| G70      | 4855 | Fraxinus excelsior Ash                   | 136       | 1     | 10          | 3.0           | 3.0 | 3.0 | 3.0 | 3                             | 4        | M         | Fair                    | Average condition                               | Nil                                | N/A      | 40+                    | C2               | 1.63                            | 8.37                                       |
| G70      | 4856 | Acer pseudoplatanus Sycamore             | 79        | 1     | 8           | 2.0           | 2.0 | 2.0 | 1.0 | 6                             | 3        | SM        | Fair                    | Average condition                               | Nil                                | N/A      | 40+                    | C2               | 0.95                            | 2.82                                       |
| G70      | 4858 | Fraxinus excelsior Ash                   | 206       | 1     | 10          | 2.0           | 2.0 | 3.0 | 0.0 | 2                             | 5        | M         | Fair                    | Average condition                               | Nil                                | N/A      | 40+                    | C2               | 2.47                            | 19.20                                      |
| G70      | 4860 | Pinus sylvestris Scots pine              | 370       | 1     | 10          | 2.0           | 3.0 | 2.0 | 4.0 | 0                             | 7        | M         | Fair                    | Average condition                               | Nil                                | N/A      | 20-40                  | C2               | 4.44                            | 61.94                                      |
| G70      | 4861 | Fraxinus excelsior Ash                   | 598       | 1     | 12          | 3.0           | 2.0 | 7.0 | 3.0 | 2                             | 4        | M         | Fair                    | Average condition                               | Nil                                | N/A      | 20-40                  | C2               | 7.18                            | 161.80                                     |
| G70      | 4864 | Prunus Flowering Cherry                  | 219       | MS    | 10          | 4.0           | 3.0 | 3.0 | 3.0 | 2                             | 5        | M         | Fair                    | Average condition                               | Nil                                | N/A      | 40+                    | C2               | 2.19                            | 15.07                                      |
| G70      | 4865 | Fraxinus excelsior Ash                   | 670       | MS    | 12          | 5.0           | 4.0 | 4.0 | 4.0 | 2                             | 5        | M         | Fair                    | Three stems from gl included bark               | Nil                                | N/A      | 20-40                  | C2               | 6.70                            | 141.04                                     |
| G70      | 4866 | Picea abies Norway spruce                | 115       | 1     | 5           | 2.0           | 2.0 | 2.0 | 2.0 | 4                             | 2        | M         | Fair                    | Average condition                               | Nil                                | N/A      | 40+                    | C2               | 1.38                            | 5.98                                       |
| G69      | 4867 | Chamaecyparis lawsoniana lawsons cypress | 590       | MS    | 12          | 3.0           | 3.0 | 3.0 | 3.0 | 1                             | 2        | M         | Fair                    | Average condition                               | Nil                                | N/A      | 20-40                  | C2               | 5.90                            | 109.37                                     |
| G69      | 4868 | Chamaecyparis lawsoniana lawsons cypress | 475       | MS    | 10          | 3.0           | 3.0 | 3.0 | 3.0 | 1                             | 2        | M         | Fair                    | Average condition                               | Nil                                | N/A      | 20-40                  | C2               | 4.75                            | 70.89                                      |
| G69      | 4869 | Chamaecyparis lawsoniana lawsons cypress | 399       | MS    | 10          | 3.0           | 3.0 | 3.0 | 3.0 | 1                             | 2        | M         | Fair                    | Average condition                               | Nil                                | N/A      | 20-40                  | C2               | 3.99                            | 50.02                                      |
| G69      | 4870 | Chamaecyparis lawsoniana lawsons cypress | 374       | MS    | 12          | 3.0           | 3.0 | 3.0 | 3.0 | 1                             | 2        | M         | Fair                    | Average condition                               | Nil                                | N/A      | 20-40                  | C2               | 3.74                            | 43.95                                      |
| G69      | 4871 | Chamaecyparis lawsoniana lawsons cypress | 394       | MS    | 12          | 3.0           | 3.0 | 3.0 | 3.0 | 1                             | 2        | M         | Fair                    | Average condition                               | Nil                                | N/A      | 20-40                  | C2               | 3.94                            | 48.78                                      |
| G69      | 4872 | Chamaecyparis lawsoniana lawsons cypress | 451       | MS    | 12          | 3.0           | 3.0 | 3.0 | 3.0 | 1                             | 2        | M         | Fair                    | Average condition                               | Nil                                | N/A      | 20-40                  | C2               | 4.51                            | 63.91                                      |
| G103     | 5091 | Fraxinus excelsior Ash                   | 127       | 1     | 5.5         | 2.0           | 2.0 | 2.0 | 2.0 | 3                             | 3        | SM        | Fair                    | Minor branch wound                              | None                               | N/A      | 20-40                  | C2               | 1.52                            | 7.30                                       |
| G103     | 5092 | Fraxinus excelsior Ash                   | 176       | 1     | 6.5         | 2.0           | 2.0 | 2.0 | 3.0 | 3                             | 2        | M         | Fair                    | No visible defects                              | None                               | N/A      | 40+                    | C2               | 2.11                            | 14.02                                      |
| G104     | 5094 | Chamaecyparis lawsoniana Lawsons cypress | 611       | MS    | 17          | 2.0           | 3.0 | 3.0 | 3.0 | 0                             | 1.5      | M         | Good                    | Tight forks and included bark                   | Lift to statutory height roadside  | P        | 20-40                  | C2               | 6.11                            | 117.30                                     |
| G104     | 5095 | Chamaecyparis lawsoniana Lawsons cypress | 492       | 1     | 16          | 2.0           | 3.0 | 3.0 | 3.0 | 0                             | 1.5      | M         | Fair                    | No visible defects                              | Lift to statutory height roadside  | P        | 20-40                  | C2               | 5.90                            | 109.52                                     |
| G104     | 5096 | Chamaecyparis lawsoniana Lawsons cypress | 465       | 1     | 16          | 3.0           | 3.0 | 3.0 | 3.0 | 0                             | 1.5      | M         | Good                    | No visible defects                              | Lift to statutory height roadside  | P        | 20-40                  | C2               | 5.58                            | 97.83                                      |
| G104     | 5097 | Chamaecyparis lawsoniana Lawsons cypress | 644       | MS    | 16          | 2.0           | 3.0 | 3.0 | 3.0 | 0                             | 1        | M         | Good                    | Low included bark                               | Lift to statutory height roadside  | P        | 20-40                  | C2               | 6.44                            | 130.31                                     |
| G104     | 5098 | Chamaecyparis lawsoniana Lawsons cypress | 623       | MS    | 16          | 2.0           | 3.0 | 3.0 | 3.0 | 0                             | 1.5      | M         | Good                    | Low included bark                               | Lift to statutory height roadside  | P        | 20-40                  | C2               | 6.23                            | 121.95                                     |
| G104     | 5099 | Chamaecyparis lawsoniana Lawsons cypress | 666       | MS    | 15          | 2.0           | 3.0 | 3.0 | 3.0 | 0                             | 1.5      | M         | Good                    | Low included bark                               | Lift to statutory height roadside  | P        | 20-40                  | C2               | 6.66                            | 139.37                                     |
| G104     | 5100 | Chamaecyparis lawsoniana Lawsons cypress | 529       | 1     | 15          | 2.0           | 3.0 | 3.0 | 3.0 | 0                             | 1.5      | M         | Good                    | Included bark                                   | Lift to statutory height roadside  | P        | 20-40                  | C2               | 6.35                            | 126.61                                     |
| G104     | 5101 | Chamaecyparis lawsoniana Lawsons cypress | 539       | 1     | 15          | 2.0           | 3.0 | 3.0 | 3.0 | 0                             | 1.5      | M         | Good                    | No visible defects                              | Lift to statutory height roadside  | P        | 20-40                  | C2               | 6.47                            | 131.45                                     |
| G104     | 5102 | Chamaecyparis lawsoniana Lawsons cypress | 545       | 1     | 15          | 2.0           | 3.0 | 3.0 | 3.0 | 0                             | 2        | M         | Good                    | Eastley lean <30o                               | None                               | N/A      | 20-40                  | C2               | 6.54                            | 134.39                                     |
| G106     | 5111 | Acer platanoides Norway maple            | 302       | 1     | 13          | 2.0           | 3.0 | 2.0 | 4.0 | 2                             | 1.5      | M         | Fair                    | Cavity at 1 m (East)                            | Crown clean                        | P        | 20-40                  | C2               | 3.62                            | 41.27                                      |
| G109     | 5136 | Sorbus aucuparia Rowan                   | 152       | 1     | 6           | 2.0           | 2.0 | 2.0 | 2.0 | 0                             | 2        | M         | Fair                    | Basal damage                                    | None                               | N/A      | 10-20                  | C2               | 1.82                            | 10.45                                      |
| G109     | 5139 | Sorbus aucuparia Rowan                   | 184       | 1     | 8           | 2.0           | 3.0 | 2.0 | 3.0 | 0                             | 2        | M         | Fair                    | Minor branch crowding                           | Crown clean                        | P        | 10-20                  | C2               | 2.21                            | 15.32                                      |
| G109     | 5140 | Acer platanoides Norway maple            | 436       | 1     | 8           | 4.0           | 4.0 | 4.0 | 4.0 | 2                             | 2        | M         | Good                    | Tight forks including bark                      | Crown lift over road               | P        | 20-40                  | C2               | 5.23                            | 86.01                                      |
| G111     | 5159 | Acer platanoides Norway maple            | 221       | 1     | 7           | 2.0           | 2.0 | 3.0 | 2.0 | 3                             | 2        | M         | Poor                    | Dead wood significant                           | Dead wood                          | P        | 10-20                  | C2               | 2.65                            | 22.10                                      |
| G111     | 5166 | Acer platanoides Norway maple            | 259       | 1     | 8           | 2.0           | 2.0 | 3.0 | 3.0 | 3                             | 2        | M         | Good                    | Included bark/tight fork                        | None                               | N/A      | 20-40                  | C2               | 3.11                            | 30.35                                      |
| G112     | 5173 | Fraxinus excelsior Ash                   | 510       | 1     | 11          | 4.0           | 4.0 | 4.0 | 4.0 | 1                             | 3        | M         | Fair                    | Major previous pruning wound dead wood          | Crown clean                        | P        | 20-40                  | C2               | 6.12                            | 117.68                                     |
| G112     | 5175 | Aesculus hippocastanum Horse Chestnut    | 881       | 1     | 12          | 5.0           | 5.0 | 5.0 | 5.0 | 3                             | 3        | M         | Good                    | Tight major stem junction with included bark    | Crown lift over road               | P        | 10-20                  | C2               | 10.57                           | 351.17                                     |
| G112     | 5176 | Fraxinus excelsior Ash                   | 640       | 1     | 12          | 4.0           | 4.0 | 3.0 | 5.0 | 1                             | 2.5      | M         | Good                    | Significant cavity at 1.5 m                     | Crown clean and T/R test -reassess | U        | 20-40                  | C2               | 7.68                            | 185.32                                     |
| G115     | 5189 | Acer platanoides Norway maple            | 614       | 1     | 8           | 4.0           | 3.0 | 4.0 | 4.0 | 1                             | 2        | M         | Fair                    | Significant dead wood, old pruning wound at 1 m | Crown clean                        | P        | 20-40                  | C2               | 7.37                            | 170.57                                     |

**TOTAL CATEGORY C TREES Heyford Park Nicholson's Tree Survey November 2006**

| Group No | Tag  | Species (Botanical)                       | Diam (mm) | Stems | Ht m. (est) | Branch Spread |     |     |     | Increase in canopy radius (m) | Crown Ht | Age Class     | Physiological Condition | Structural Condition                             | Preliminary Management                | Priority | Remaining Contribution | Category Grading | Root Protection Zone Radius (m) | Root Protection zone (m2). Capped at 707m2 |
|----------|------|---|-----------|-------|-------------|---------------|-----|-----|-----|-------------------------------|----------|---------------|-------------------------|--|---------------------------------------|----------|------------------------|------------------|---------------------------------|--|
|          |      |   |           |       |             | N             | S   | E   | W   |                               |          |               |                         |  |                                       |          |                        |                  |                                 |  |
| G115     | 5190 | Acer platanoides Norway maple             | 550       | 1     | 8           | 4.0           | 4.0 | 3.0 | 5.0 | 1                             | 3        | M             | Fair                    | Cavity at 1.2 m                                  | T/r ratio assessment                  | P        | 20-40                  | C2               | 6.60                            | 136.87                                     |
| G116     | 5194 | Acer platanoides Norway maple             | 597       | 1     | 8           | 4.0           | 4.0 | 5.0 | 5.0 | 1                             | 3        | M             | Fair                    | Conjoined cavities at 2 m                        | Crown reduce. Re inspect in 12 months | U        | 10-20                  | C2               | 7.16                            | 161.26                                     |
| G116     | 5195 | Sorbus intermedia Swedish Whitebeam       | 321       | MS    | 6           | 3.0           | 3.0 | 2.0 | 2.0 | 1                             | 2.5      | M             | Fair                    | Tight fork/included bark at 0.6 m                | Fell to ground level                  | P        | 10-20                  | C2               | 3.21                            | 32.38                                      |
| G116     | 5196 | Acer platanoides Norway maple             | 599       | 1     | 8           | 5.0           | 5.0 | 5.0 | 6.0 | 1                             | 2        | M             | Fair                    | Cavity at 0.5 m, significant dead wood           | Crown clean, crown reduce             | P        | 20-40                  | C2               | 7.19                            | 162.34                                     |
| G116     | 5198 | Sorbus intermedia Swedish Whitebeam       | 388       | 1     | 5           | 2.0           | 3.0 | 3.0 | 3.0 | 0                             | 2        | M             | Fair                    | Inonotus fruiting body at 1.2 m, minor dead wood | Crown clean                           | P        | 10-20                  | C2               | 4.66                            | 68.11                                      |
| G120     | 5216 | Cupressocyparis leylandii Leyland cypress | 649       | MS    | 15          | 1.0           | 4.0 | 3.0 | 3.0 | 1                             | 1        | M             | Fair                    | Included bark on main stem                       | None                                  | N/A      | 20-40                  | C2               | 6.49                            | 132.34                                     |
| G120     | 5217 | Cupressocyparis leylandii Leyland cypress | 574       | MS    | 13          | 0.0           | 4.0 | 2.0 | 3.0 | 1                             | 1        | M             | Fair                    | No visible defects                               | Crown clean                           | P        | 20-40                  | C2               | 5.74                            | 103.52                                     |
| G120     | 5218 | Cupressocyparis leylandii Leyland cypress | 280       | 1     | 13          | 1.0           | 2.0 | 1.0 | 3.0 | 1                             | 2        | M             | Fair                    | No visible defects                               | Crown clean                           | P        | 20-40                  | C2               | 3.36                            | 35.47                                      |
| G120     | 5221 | Cupressocyparis leylandii Leyland cypress | 371       | 1     | 15          | 3.0           | 2.0 | 2.0 | 2.0 | 1                             | 4        | M             | Fair                    | No visible defects                               | Dead wood                             | P        | 20-40                  | C2               | 4.45                            | 62.28                                      |
| G120     | 5222 | Cupressocyparis leylandii Leyland cypress | 209       | 1     | 8           | 3.0           | 0.0 | 2.0 | 2.0 | 1                             | 4        | M             | Poor                    | Suppressed specimen/over building                | Fell to ground level                  | P        | 10-20                  | C2               | 2.51                            | 19.76                                      |
| G120     | 5223 | Cupressocyparis leylandii Leyland cypress | 182       | MS    | 7           | 4.0           | 0.0 | 1.0 | 1.0 | 1                             | 4        | M             | Poor                    | Leaning over building, suppressed specimen       | Fell to ground level                  | P        | 10-20                  | C2               | 1.82                            | 10.41                                      |
| G122     | 5227 | Cupressocyparis leylandii Leyland cypress | 719       | MS    | 10          | 3.0           | 3.0 | 3.0 | 3.0 | 1                             | 0        | M             | Fair                    | Included bark, multi leaders                     | Crown clean                           | P        | 20-40                  | C2               | 7.19                            | 162.43                                     |
| G122     | 5228 | Cupressocyparis leylandii Leyland cypress | 420       | MS    | 10          | 1.0           | 2.0 | 2.0 | 2.0 | 1                             | 0        | M             | Fair                    | Some minor dead wood, low included bark          | Crown clean                           | P        | 10-20                  | C2               | 4.20                            | 55.42                                      |
| G122     | 5229 | Cupressocyparis leylandii Leyland cypress | 423       | MS    | 9           | 2.0           | 2.0 | 2.0 | 1.0 | 1                             | 0        | M             | Fair                    | Low included bark, twin leaders                  | None                                  | N/A      | 20-40                  | C2               | 4.23                            | 56.22                                      |
| G122     | 5230 | Cupressocyparis leylandii Leyland cypress | 403       | MS    | 9           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 0        | M             | Fair                    | Low included bark                                | None                                  | N/A      | 20-40                  | C2               | 4.03                            | 51.03                                      |
| G122     | 5231 | Picea omorika Serbian spruce              | 370       | MS    | 9           | 2.0           | 2.0 | 2.0 | 2.0 | 1.5                           | 1.5      | M             | Fair                    | Twin leaders                                     | None                                  | N/A      | 10-20                  | C2               | 3.70                            | 43.01                                      |
| G122     | 5233 | Chamaecyparis lawsoniana Lawsons cypress  | 742       | MS    | 9           | 3.0           | 3.0 | 3.0 | 3.0 | 2                             | 0        | M             | Fair                    | Power lines through centre of stems              | None                                  | N/A      | 20-40                  | C2               | 7.42                            | 172.99                                     |
| G124     | 5239 | Picea omorika Serbian spruce              | 279       | MS    | 8           | 1.0           | 1.0 | 1.0 | 1.0 | 1                             | 0        | M             | Fair                    | Twin leaders                                     | None                                  | N/A      | 20-40                  | C2               | 2.79                            | 24.46                                      |
| H34      | 5243 | Chamaecyparis lawsoniana Lawsons cypress  | 150       | MS    | 16          | 1.5           | 1.5 | 1.5 | 1.5 | 1                             | 0        | M             | Good                    | No visible defects                               | None                                  | N/A      | 20-40                  | C2               | 1.50                            | 7.07                                       |
| H35      | 5244 | Chamaecyparis lawsoniana Lawsons cypress  | 150       | MS    | 16          | 1.5           | 1.5 | 1.5 | 1.5 | 1                             | 0        | M             | Good                    | No visible defects                               | None                                  | N/A      | 20-40                  | C2               | 1.50                            | 7.07                                       |
| G130     | 5274 | Acer platanoides Norway maple             | 211       | MS    | 4           | 1.5           | 1.5 | 1.5 | 1.5 | 0                             | 2        | Young Suckers | Fair                    | Suppressed                                       | None                                  | N/A      | 10-20                  | C2               | 2.11                            | 13.99                                      |
| G132     | 5297 | Acer saccharinum Silver maple             | 182       | 1     | 7           | 2.0           | 3.0 | 0.0 | 3.0 | 3                             | 2        | M             | Fair                    | Minor dead wood, suppressed                      | Fell to ground level                  | P        | <10                    | C2               | 2.18                            | 14.99                                      |
| G132     | 5299 | Acer pseudoplatanus Sycamore              | 251       | MS    | 4.5         | 1.0           | 1.0 | 1.0 | 1.0 | 6                             | 0.5      | Y             | Fair                    | No visible defects, seedling                     | None                                  | N/A      | 40+                    | C2               | 2.51                            | 19.79                                      |
| G137     | 5337 | Prunus avium plena Cherry                 | 173       | 1     | 4           | 2.0           | 2.0 | 1.0 | 0.0 | 1                             | 2.5      | M             | Fair                    | No visible defects                               | None                                  | N/A      | 10-20                  | C2               | 2.08                            | 13.54                                      |
| G137     | 5339 | Prunus avium plena Cherry                 | 157       | 1     | 4           | 1.0           | 2.0 | 2.0 | 1.5 | 0                             | 2.5      | M             | Fair                    | No visible defects                               | None                                  | N/A      | 10-20                  | C2               | 1.88                            | 11.15                                      |
| G139     | 5345 | Fraxinus excelsior Ash                    | 165       | 1     | 8           | 2.0           | 2.0 | 1.0 | 2.0 | 4                             | 2        | M             | Good                    | No visible defects                               | None                                  | N/A      | 40+                    | C2               | 1.98                            | 12.32                                      |
| G140     | 5350 | Sorbus aucuparia Rowan                    | 107       | 1     | 4           | 1.0           | 1.0 | 1.0 | 1.0 | 0                             | 2        | M             | Fair                    | Broken branch                                    | Crown clean                           | P        | 10-20                  | C2               | 1.28                            | 5.18                                       |
| G141     | 5353 | Fraxinus excelsior Ash                    | 236       | 1     | 5           | 1.0           | 2.0 | 2.0 | 2.0 | 4                             | 1.5      | M             | Fair                    | No visible defects                               | None                                  | N/A      | 40+                    | C2               | 2.83                            | 25.20                                      |
| G142     | 5354 | Sorbus aucuparia Rowan                    | 118       | 1     | 4           | 1.0           | 1.0 | 1.0 | 1.0 | 1                             | 1.5      | M             | Fair                    | No visible defects                               | None                                  | N/A      | 10-20                  | C2               | 1.42                            | 6.30                                       |
| G144     | 5359 | Fraxinus excelsior Ash                    | 132       | MS    | 5           | 1.5           | 1.5 | 1.5 | 1.5 | 3                             | 2        | SM            | Fair                    | Tight fork included bark                         | None                                  | N/A      | 40+                    | C2               | 1.32                            | 5.47                                       |
| G144     | 5363 | Acer pseudoplatanus Sycamore              | 149       | 1     | 6           | 2.0           | 1.0 | 2.0 | 2.0 | 3                             | 2        | M             | Fair                    | No visible defects                               | None                                  | N/A      | 40+                    | C2               | 1.79                            | 10.04                                      |
| G148     | 5414 | Acer pseudoplatanus Sycamore              | 333       | 1     | 13          | 4.0           | 4.0 | 5.0 | 2.0 | 2                             | 4        | M             | Good                    | No visible defects                               | None                                  | N/A      | 40+                    | C2               | 4.00                            | 50.17                                      |
| G148     | 5415 | Acer pseudoplatanus Sycamore              | 388       | 1     | 13          | 5.0           | 3.0 | 3.0 | 4.0 | 2                             | 3        | M             | Good                    | Tight fork at 5 m                                | None                                  | N/A      | 40+                    | C2               | 4.66                            | 68.11                                      |
| G148     | 5416 | Acer pseudoplatanus Sycamore              | 303       | 1     | 13          | 4.0           | 4.0 | 4.0 | 2.0 | 2                             | 3        | M             | Good                    | Bark wounds 1 m stem                             | None                                  | N/A      | 40+                    | C2               | 3.64                            | 41.54                                      |
| G148     | 5417 | Cupressocyparis leylandii Leyland cypress | 666       | MS    | 15          | 3.0           | 3.0 | 2.0 | 3.0 | 1                             | 2        | M             | Good                    | No visible defects                               | None                                  | N/A      | 40+                    | C2               | 6.66                            | 139.37                                     |
| G148     | 5418 | Acer pseudoplatanus Sycamore              | 303       | 1     | 13          | 3.0           | 3.0 | 4.0 | 4.0 | 2                             | 3        | M             | Good                    | No visible defects                               | None                                  | N/A      | 40+                    | C2               | 3.64                            | 41.54                                      |
| G148     | 5419 | Cupressocyparis leylandii Leyland cypress | 1049      | MS    | 15          | 2.0           | 3.0 | 4.0 | 3.0 | 1                             | 2        | M             | Good                    | No visible defects                               | None                                  | N/A      | 40+                    | C2               | 10.49                           | 345.75                                     |
| G148     | 5420 | Acer pseudoplatanus Sycamore              | 421       | 1     | 13          | 4.0           | 3.0 | 5.0 | 5.0 | 2                             | 2        | M             | Fair                    | No visible defects                               | None                                  | N/A      | 40+                    | C2               | 5.05                            | 80.19                                      |
| G148     | 5421 | Cupressocyparis leylandii Leyland cypress | 948       | MS    | 15          | 3.0           | 2.0 | 4.0 | 3.0 | 1                             | 2.5      | M             | Fair                    | No visible defects                               | None                                  | N/A      | 40+                    | C2               | 9.48                            | 282.37                                     |
| G148     | 5422 | Acer pseudoplatanus Sycamore              | 332       | 1     | 14          | 2.0           | 5.0 | 3.0 | 4.0 | 2                             | 3        | M             | Fair                    | No visible defects                               | None                                  | N/A      | 40+                    | C2               | 3.98                            | 49.87                                      |
| G148     | 5423 | Cupressocyparis leylandii Leyland cypress | 659       | MS    | 15          | 3.0           | 2.0 | 2.0 | 3.0 | 1                             | 2.5      | M             | Fair                    | No visible defects                               | None                                  | N/A      | 40+                    | C2               | 6.59                            | 136.45                                     |
| G148     | 5424 | Acer pseudoplatanus Sycamore              | 266       | 1     | 12          | 0.0           | 4.0 | 3.0 | 3.0 | 3                             | 3        | M             | Poor                    | Suppressed by 5423                               | None                                  | N/A      | 20-40                  | C2               | 3.19                            | 32.01                                      |
| G152     | 5428 | Cupressocyparis leylandii Leyland cypress | 1110      | MS    | 11          | 3.0           | 4.0 | 2.0 | 3.0 | 2                             | 3        | M             | Good                    | No visible defects                               | None                                  | N/A      | 20-40                  | C2               | 11.10                           | 387.13                                     |
| G152     | 5429 | Cupressocyparis leylandii Leyland cypress | 1455      | MS    | 11          | 3.0           | 3.0 | 5.0 | 2.0 | 2                             | 3        | M             | Good                    | Basal cavities                                   | None                                  | N/A      | 20-40                  | C2               | 14.55                           | 665.17                                     |
| G152     | 5431 | Cupressocyparis leylandii Leyland cypress | 806       | MS    | 11          | 2.0           | 3.0 | 3.0 | 3.0 | 2                             | 2        | M             | Fair                    | No visible defects                               | None                                  | N/A      | 40+                    | C2               | 8.06                            | 204.12                                     |

**TOTAL CATEGORY C TREES Heyford Park Nicholson's Tree Survey November 2006**

| Group No | Tag  | Species (Botanical)                       | Diam (mm) | Stems | Ht m. (est) | Branch Spread |     |     |     | Increase in canopy radius (m) | Crown Ht | Age Class | Physiological Condition | Structural Condition             | Preliminary Management | Priority | Remaining Contribution | Category Grading | Root Protection Zone Radius (m) | Root Protection zone (m2). Capped at 707m2 |
|----------|------|---|-----------|-------|-------------|---------------|-----|-----|-----|-------------------------------|----------|-----------|-------------------------|----------------------------------|------------------------|----------|------------------------|------------------|---------------------------------|--|
|          |      |   |           |       |             | N             | S   | E   | W   |                               |          |           |                         |                                  |                        |          |                        |                  |                                 |  |
| G152     | 5432 | Acer pseudoplatanus Sycamore              | 351       | 1     | 10          | 3.0           | 2.0 | 5.0 | 4.0 | 3                             | 4        | M         | Good                    | No visible defects               | None                   | N/A      | 20-40                  | C2               | 4.21                            | 55.74                                      |
| G152     | 5433 | Cupressocyparis leylandii Leyland cypress | 1288      | MS    | 11          | 4.0           | 4.0 | 4.0 | 4.0 | 1                             | 3        | M         | Good                    | No visible defects               | None                   | N/A      | 40+                    | C2               | 12.88                           | 521.24                                     |
| G152     | 5434 | Acer pseudoplatanus Sycamore              | 283       | 1     | 9           | 0.0           | 3.0 | 4.0 | 4.0 | 2                             | 3        | M         | Fair                    | No visible defects               | None                   | N/A      | 20-40                  | C2               | 3.40                            | 36.24                                      |
| G152     | 5435 | Prunus avium plena Cherry                 | 302       | 1     | 9           | 4.0           | 2.0 | 4.0 | 4.0 | 1                             | 3        | M         | Fair                    | Weak stem fracture at 3 m        | None                   | N/A      | 10-20                  | C2               | 3.62                            | 41.27                                      |
| G152     | 5436 | Acer pseudoplatanus Sycamore              | 568       | 1     | 10          | 4.0           | 4.0 | 3.0 | 5.0 | 2                             | 4        | M         | Good                    | Old pruning wound. 100 lean east | None                   | N/A      | 40+                    | C2               | 6.82                            | 145.97                                     |
| G152     | 5437 | Cupressocyparis leylandii Leyland cypress | 657       | MS    | 11          | 2.0           | 4.0 | 3.0 | 4.0 | 1                             | 1.5      | M         | Fair                    | Bark stripped east               | None                   | N/A      | 40+                    | C2               | 6.57                            | 135.62                                     |
| G160     | 5585 | Acer platanoides Norway maple             | 311       | 1     | 7           | 4.0           | 4.0 | 4.0 | 4.0 | 3                             | 2.5      | M         | Good                    | Tight forks and included bark    | None                   | N/A      | 40+                    | C2               | 3.73                            | 43.76                                      |
| G160     | 5586 | Acer platanoides Norway maple             | 262       | 1     | 7           | 3.0           | 3.0 | 3.0 | 3.0 | 3                             | 3        | M         | Fair                    | Stem wound 0.5 m                 | None                   | N/A      | 40+                    | C2               | 3.14                            | 31.06                                      |
| G178     | 5587 | Sorbus aucuparia Rowan                    | 113       | 1     | 5           | 1.0           | 1.0 | 1.0 | 1.0 | 0                             | 2        | M         | Poor                    | Crown injuries                   | None                   | N/A      | 10-20                  | C2               | 1.36                            | 5.78                                       |
| G178     | 5588 | Sorbus aucuparia Rowan                    | 137       | 1     | 5           | 1.5           | 1.5 | 1.5 | 1.5 | 0                             | 2        | M         | Fair                    | No visible defects               | None                   | N/A      | 10-20                  | C2               | 1.64                            | 8.49                                       |
| G178     | 5589 | Sorbus aucuparia Rowan                    | 128       | 1     | 5           | 1.5           | 1.5 | 1.5 | 1.5 | 0                             | 2        | M         | Fair                    | No visible defects               | None                   | N/A      | 10-20                  | C2               | 1.54                            | 7.41                                       |
| G181     | 5593 | Fraxinus excelsior Ash                    | 219       | 1     | 6           | 2.0           | 2.0 | 2.0 | 2.0 | 4                             | 2        | M         | Good                    | Ivy/no visible defects           | None                   | N/A      | 40+                    | C2               | 2.63                            | 21.70                                      |
| G181     | 5594 | Acer pseudoplatanus Sycamore              | 150       | 1     | 5           | 1.5           | 1.5 | 1.5 | 1.5 | 3                             | 2        | M         | Good                    | No visible defects               | None                   | N/A      | 40+                    | C2               | 1.80                            | 10.18                                      |
| G181     | 5595 | Prunus avium plena Cherry                 | 169       | 1     | 6           | 3.0           | 2.0 | 2.0 | 3.0 | 3                             | 1.5      | M         | Good                    | No visible defects               | None                   | N/A      | 20-40                  | C2               | 2.03                            | 12.92                                      |
| G185     | 5626 | Pinus sylvestris Scots pine               | 138       | 1     | 6           | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 2        | M         | Fair                    | Average condition                | Nil                    | N/A      | 40+                    | C2               | 1.66                            | 8.62                                       |
| G185     | 5627 | Pinus sylvestris Scots pine               | 157       | 1     | 8           | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 2        | M         | Fair                    | Average condition                | Nil                    | N/A      | 40+                    | C2               | 1.88                            | 11.15                                      |
| G185     | 5628 | Pinus sylvestris Scots pine               | 147       | 1     | 8           | 2.0           | 3.0 | 2.0 | 2.0 | 2                             | 3        | M         | Fair                    | Average condition                | Nil                    | N/A      | 40+                    | C2               | 1.76                            | 9.78                                       |
| G185     | 5629 | Pinus sylvestris Scots pine               | 138       | 1     | 7           | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 2        | M         | Fair                    | Average condition                | Nil                    | N/A      | 40+                    | C2               | 1.66                            | 8.62                                       |
| G185     | 5630 | Pinus sylvestris Scots pine               | 147       | 1     | 7           | 2.0           | 3.0 | 2.0 | 2.0 | 2                             | 2        | M         | Fair                    | Average condition                | Nil                    | N/A      | 40+                    | C2               | 1.76                            | 9.78                                       |
| G185     | 5631 | Pinus sylvestris Scots pine               | 171       | 1     | 7           | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 2.5      | M         | Fair                    | Average condition                | Nil                    | N/A      | 40+                    | C2               | 2.05                            | 13.23                                      |
| G185     | 5632 | Pinus sylvestris Scots pine               | 167       | 1     | 8           | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 3        | M         | Fair                    | Average condition                | Nil                    | N/A      | 40+                    | C2               | 2.00                            | 12.62                                      |
| G185     | 5633 | Pinus sylvestris Scots pine               | 91        | 1     | 5           | 2.0           | 2.0 | 1.0 | 2.0 | 2                             | 2        | M         | Fair                    | Average condition                | Nil                    | N/A      | 40+                    | C2               | 1.09                            | 3.75                                       |
| G185     | 5634 | Pinus sylvestris Scots pine               | 129       | 1     | 8           | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 3        | M         | Fair                    | Average condition                | Nil                    | N/A      | 40+                    | C2               | 1.55                            | 7.53                                       |
| G185     | 5635 | Pinus sylvestris Scots pine               | 138       | 1     | 8           | 2.0           | 3.0 | 2.0 | 3.0 | 2                             | 3        | M         | Fair                    | Average condition                | Nil                    | N/A      | 40+                    | C2               | 1.66                            | 8.62                                       |
| G185     | 5636 | Pinus sylvestris Scots pine               | 152       | 1     | 8           | 3.0           | 2.0 | 3.0 | 2.0 | 2                             | 3        | M         | Fair                    | Average condition                | Nil                    | N/A      | 40+                    | C2               | 1.82                            | 10.45                                      |
| G185     | 5637 | Pinus sylvestris Scots pine               | 175       | 1     | 7           | 2.0           | 2.0 | 3.0 | 2.0 | 2                             | 2        | M         | Fair                    | Average condition                | Nil                    | N/A      | 40+                    | C2               | 2.10                            | 13.86                                      |
| G185     | 5638 | Pinus sylvestris Scots pine               | 89        | 1     | 5           | 2.0           | 1.0 | 1.0 | 2.0 | 2                             | 2        | M         | Fair                    | Average condition                | Nil                    | N/A      | 40+                    | C2               | 1.07                            | 3.58                                       |
| G185     | 5639 | Pinus sylvestris Scots pine               | 184       | MS    | 7           | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 2        | M         | Fair                    | Forked at 0.5                    | Nil                    | N/A      | 20-40                  | C2               | 1.84                            | 10.64                                      |
| G185     | 5640 | Pinus sylvestris Scots pine               | 210       | MS    | 7           | 3.0           | 3.0 | 3.0 | 3.0 | 2                             | 2        | M         | Fair                    | Forked at 0.5                    | Nil                    | N/A      | 20-40                  | C2               | 2.10                            | 13.86                                      |
| G185     | 5641 | Pinus sylvestris Scots pine               | 127       | 1     | 5           | 1.0           | 2.0 | 1.0 | 2.0 | 2                             | 1.5      | M         | Fair                    | Average condition                | Nil                    | N/A      | 40+                    | C2               | 1.52                            | 7.30                                       |
| G185     | 5642 | Pinus sylvestris Scots pine               | 212       | 1     | 9           | 3.0           | 2.0 | 3.0 | 3.0 | 1                             | 3        | M         | Fair                    | Average condition                | Nil                    | N/A      | 40+                    | C2               | 2.54                            | 20.33                                      |
| G185     | 5643 | Pinus sylvestris Scots pine               | 158       | 1     | 8           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 3        | M         | Fair                    | Average condition                | Nil                    | N/A      | 40+                    | C2               | 1.90                            | 11.29                                      |
| G185     | 5644 | Pinus sylvestris Scots pine               | 135       | 1     | 8           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 2.5      | M         | Fair                    | Average condition                | Nil                    | N/A      | 40+                    | C2               | 1.62                            | 8.25                                       |
| G185     | 5645 | Pinus sylvestris Scots pine               | 128       | 1     | 7           | 2.0           | 3.0 | 2.0 | 2.0 | 1                             | 3        | M         | Fair                    | Average condition                | Nil                    | N/A      | 40+                    | C2               | 1.54                            | 7.41                                       |
| G185     | 5646 | Pinus sylvestris Scots pine               | 257       | 1     | 9           | 3.0           | 3.0 | 3.0 | 3.0 | 1                             | 3        | M         | Fair                    | Average condition                | Nil                    | N/A      | 40+                    | C2               | 3.08                            | 29.88                                      |
| G186     | 5648 | Pinus nigra var maritima Corsican Pine    | 311       | 1     | 11          | 4.0           | 4.0 | 2.0 | 4.0 | 2                             | 4        | M         | Fair                    | Average condition                | Nil                    | N/A      | 40+                    | C2               | 3.73                            | 43.76                                      |
| G186     | 5649 | Fraxinus excelsior Ash                    | 187       | 1     | 11          | 3.0           | 2.0 | 2.0 | 2.0 | 3                             | 4        | M         | Fair                    | Average condition                | Nil                    | N/A      | 40+                    | C2               | 2.24                            | 15.82                                      |
| G186     | 5650 | Pinus nigra var maritima Corsican Pine    | 313       | 1     | 12          | 2.0           | 3.0 | 2.0 | 3.0 | 2                             | 4        | M         | Fair                    | Average condition                | Nil                    | N/A      | 40+                    | C2               | 3.76                            | 44.33                                      |
| G186     | 5651 | Fraxinus excelsior Ash                    | 223       | 1     | 11          | 3.0           | 2.0 | 3.0 | 2.0 | 3                             | 4        | M         | Fair                    | Average condition                | Nil                    | N/A      | 40+                    | C2               | 2.68                            | 22.50                                      |
| G186     | 5652 | Pinus nigra var maritima Corsican Pine    | 286       | 1     | 11          | 3.0           | 3.0 | 3.0 | 3.0 | 2                             | 4        | M         | Fair                    | Average condition                | Nil                    | N/A      | 40+                    | C2               | 3.43                            | 37.01                                      |
| G186     | 5653 | Pinus nigra var maritima Corsican Pine    | 335       | 1     | 12          | 3.0           | 3.0 | 3.0 | 3.0 | 2                             | 4        | M         | Fair                    | Average condition                | Nil                    | N/A      | 40+                    | C2               | 4.02                            | 50.78                                      |
| G186     | 5654 | Alnus glutinosa Alder                     | 195       | 1     | 9           | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 3        | M         | Fair                    | Average condition                | Nil                    | N/A      | 20-40                  | C2               | 2.34                            | 17.20                                      |
| G186     | 5655 | Pinus nigra var maritima Corsican Pine    | 235       | 1     | 11          | 3.0           | 3.0 | 3.0 | 3.0 | 2                             | 4        | M         | Fair                    | Average condition                | Nil                    | N/A      | 40+                    | C2               | 2.82                            | 24.99                                      |
| G186     | 5656 | Alnus glutinosa Alder                     | 107       | 1     | 6           | 1.0           | 1.0 | 1.0 | 1.0 | 0                             | 2        | M         | Poor                    | Average condition                | Nil                    | N/A      | 10-20                  | C2               | 1.28                            | 5.18                                       |
| G186     | 5657 | Fraxinus excelsior Ash                    | 216       | 1     | 10          | 2.0           | 2.0 | 2.0 | 2.0 | 3                             | 3        | M         | Fair                    | Average condition                | Nil                    | N/A      | 40+                    | C2               | 2.59                            | 21.11                                      |
| G186     | 5658 | Pinus nigra var maritima Corsican Pine    | 312       | 1     | 12          | 2.0           | 3.0 | 3.0 | 3.0 | 2                             | 4        | M         | Fair                    | Average condition                | Nil                    | N/A      | 40+                    | C2               | 3.74                            | 44.04                                      |
| G186     | 5659 | Fraxinus excelsior Ash                    | 196       | 1     | 10          | 2.0           | 2.0 | 2.0 | 2.0 | 4                             | 3        | M         | Fair                    | Average condition                | Nil                    | N/A      | 40+                    | C2               | 2.35                            | 17.38                                      |
| G186     | 5660 | Fagus sylvatica Beech                     | 195       | 1     | 9           | 3.0           | 3.0 | 3.0 | 2.0 | 4                             | 1.7      | M         | Fair                    | Average condition                | Nil                    | N/A      | 40+                    | C2               | 2.34                            | 17.20                                      |
| G186     | 5661 | Alnus glutinosa Alder                     | 200       | 1     | 11          | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 4        | M         | Fair                    | Average condition                | Nil                    | N/A      | 20-40                  | C2               | 2.40                            | 18.10                                      |
| G186     | 5662 | Fagus sylvatica Beech                     | 199       | 1     | 8           | 3.0           | 3.0 | 3.0 | 3.0 | 3                             | 2        | M         | Fair                    | Average condition                | Nil                    | N/A      | 40+                    | C2               | 2.39                            | 17.92                                      |
| G186     | 5663 | Alnus glutinosa Alder                     | 235       | 1     | 7           | 3.0           | 3.0 | 3.0 | 3.0 | 2                             | 1.6      | M         | Fair                    | Average condition                | Nil                    | N/A      | 20-40                  | C2               | 2.82                            | 24.99                                      |
| G183     | 5664 | Pinus sylvestris Scots pine               | 245       | MS    | 8           | 2.0           | 3.0 | 3.0 | 3.0 | 1                             | 3        | M         | Fair                    | Forked at 1.2                    | Nil                    | N/A      | 20-40                  | C2               | 2.45                            | 18.86                                      |
| G183     | 5665 | Pinus sylvestris Scots pine               | 215       | 1     | 10          | 3.0           | 2.0 | 2.0 | 3.0 | 1                             | 3        | M         | Fair                    | Average condition                | Nil                    | N/A      | 40+                    | C2               | 2.58                            | 20.91                                      |
| G183     | 5666 | Pinus sylvestris Scots pine               | 188       | 1     | 9           | 3.0           | 2.0 | 2.0 | 2.0 | 1                             | 4        | M         | Fair                    | Average condition                | Nil                    | N/A      | 40+                    | C2               | 2.26                            | 15.99                                      |
| G183     | 5667 | Pinus sylvestris Scots pine               | 233       | 1     | 9           | 3.0           | 2.0 | 2.0 | 3.0 | 1                             | 3        | M         | Fair                    | Average condition                | Nil                    | N/A      | 40+                    | C2               | 2.80                            | 24.56                                      |
| G183     | 5668 | Pinus sylvestris Scots pine               | 236       | 1     | 9           | 3.0           | 2.0 | 3.0 | 2.0 | 1                             | 4        | M         | Fair                    | Average condition                | Nil                    | N/A      | 40+                    | C2               | 2.83                            | 25.20                                      |
| G183     | 5669 | Pinus sylvestris Scots pine               | 273       | 1     | 10          | 4.0           | 2.0 | 2.0 | 2.0 | 1                             | 4        | M         | Fair                    | Average condition                | Nil                    | N/A      | 40+                    | C2               | 3.28                            | 33.72                                      |
| G183     | 5670 | Pinus sylvestris Scots pine               | 275       | 1     | 10          | 3.0           | 2.0 | 3.0 | 2.0 | 1                             | 4        | M         | Fair                    | Average condition                | Nil                    | N/A      | 40+                    | C2               | 3.30                            | 34.22                                      |
| G183     | 5671 | Pinus sylvestris Scots pine               | 214       | 1     | 9           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 3        | M         | Fair                    | Average condition                | Nil                    | N/A      | 40+                    | C2               | 2.57                            | 20.72                                      |
| G183     | 5672 | Pinus sylvestris Scots pine               | 287       | 1     | 9           | 3.0           | 2.0 | 3.0 | 3.0 | 1                             | 4        | M         | Fair                    | Forked at 2.0                    | Nil                    | N/A      | 20-40                  | C2               | 3.44                            | 37.27                                      |
| G183     | 5673 | Pinus sylvestris Scots pine               | 183       | 1     | 8           | 3.0           | 2.0 | 3.0 | 2.0 | 1                             | 4        | M         | Fair                    | Average condition                | Nil                    | N/A      | 20-40                  | C2               | 2.20                            | 15.15                                      |

**TOTAL CATEGORY C TREES Heyford Park Nicholson's Tree Survey November 2006**

| Group No | Tag  | Species (Botanical)         | Diam (mm) | Stems | Ht m. (est) | Branch Spread |     |     |     | Increase in canopy radius (m) | Crown Ht | Age Class | Physiological Condition | Structural Condition    | Preliminary Management  | Priority | Remaining Contribution | Category Grading | Root Protection Zone Radius (m) | Root Protection zone (m2). Capped at 707m2 |
|----------|------|-----------------------------|-----------|-------|-------------|---------------|-----|-----|-----|-------------------------------|----------|-----------|-------------------------|-------------------------|-------------------------|----------|------------------------|------------------|---------------------------------|--|
|          |      |                             |           |       |             | N             | S   | E   | W   |                               |          |           |                         |                         |                         |          |                        |                  |                                 |  |
| G183     | 5674 | Pinus sylvestris Scots pine | 325       | 1     | 9           | 4.0           | 3.0 | 4.0 | 3.0 | 1                             | 3        | M         | Fair                    | Average condition       | Nil                     | N/A      | 40+                    | C2               | 3.90                            | 47.79                                      |
| G183     | 5675 | Pinus sylvestris Scots pine | 195       | 1     | 5           | 2.0           | 2.0 | 3.0 | 1.0 | 1                             | 2        | M         | Fair                    | Suppressed              | Nil                     | N/A      | 10-20                  | C2               | 2.34                            | 17.20                                      |
| G183     | 5676 | Pinus sylvestris Scots pine | 227       | 1     | 8           | 3.0           | 2.0 | 3.0 | 2.0 | 1                             | 4        | M         | Fair                    | Average condition       | Nil                     | N/A      | 40+                    | C2               | 2.72                            | 23.31                                      |
| G183     | 5678 | Pinus sylvestris Scots pine | 256       | 1     | 9           | 3.0           | 2.0 | 3.0 | 3.0 | 1                             | 4        | M         | Fair                    | Average condition       | Nil                     | N/A      | 40+                    | C2               | 3.07                            | 29.65                                      |
| G183     | 5679 | Pinus sylvestris Scots pine | 200       | 1     | 9           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 3        | M         | Poor                    | Average condition       | Nil                     | N/A      | 20-40                  | C2               | 2.40                            | 18.10                                      |
| G183     | 5681 | Pinus sylvestris Scots pine | 250       | 1     | 10          | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 3        | M         | Fair                    | Average condition       | Nil                     | N/A      | 40+                    | C2               | 3.00                            | 28.28                                      |
| G183     | 5682 | Pinus sylvestris Scots pine | 238       | 1     | 9           | 2.0           | 2.0 | 3.0 | 2.0 | 1                             | 4        | M         | Fair                    | Average condition       | Nil                     | N/A      | 40+                    | C2               | 2.86                            | 25.63                                      |
| G183     | 5683 | Pinus sylvestris Scots pine | 190       | 1     | 8           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 4        | M         | Fair                    | Average condition       | Nil                     | N/A      | 20-40                  | C2               | 2.28                            | 16.33                                      |
| G183     | 5684 | Pinus sylvestris Scots pine | 183       | 1     | 9           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 5        | M         | Fair                    | Average condition       | Nil                     | N/A      | 40+                    | C2               | 2.20                            | 15.15                                      |
| G183     | 5685 | Pinus sylvestris Scots pine | 285       | 1     | 9           | 3.0           | 2.0 | 2.0 | 4.0 | 1                             | 3        | M         | Fair                    | Average condition       | Nil                     | N/A      | 40+                    | C2               | 3.42                            | 36.75                                      |
| G183     | 5686 | Pinus sylvestris Scots pine | 181       | 1     | 8           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 3        | M         | Fair                    | Average condition       | Nil                     | N/A      | 40+                    | C2               | 2.17                            | 14.82                                      |
| G183     | 5687 | Pinus sylvestris Scots pine | 212       | 1     | 9           | 3.0           | 2.0 | 2.0 | 3.0 | 1                             | 3        | M         | Fair                    | Average condition       | Nil                     | N/A      | 40+                    | C2               | 2.54                            | 20.33                                      |
| G183     | 5688 | Pinus sylvestris Scots pine | 221       | 1     | 9           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 2        | M         | Fair                    | Average condition       | Nil                     | N/A      | 40+                    | C2               | 2.65                            | 22.10                                      |
| G183     | 5689 | Pinus sylvestris Scots pine | 287       | 1     | 10          | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 4        | M         | Fair                    | Average condition       | Nil                     | N/A      | 40+                    | C2               | 3.44                            | 37.27                                      |
| G183     | 5690 | Pinus sylvestris Scots pine | 145       | 1     | 8           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 3        | M         | Fair                    | Average condition       | Nil                     | N/A      | 20-40                  | C2               | 1.74                            | 9.51                                       |
| G183     | 5691 | Pinus sylvestris Scots pine | 218       | 1     | 9           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 3        | M         | Fair                    | Average condition       | Nil                     | N/A      | 40+                    | C2               | 2.62                            | 21.50                                      |
| G183     | 5692 | Pinus sylvestris Scots pine | 231       | 1     | 9           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 2        | M         | Fair                    | Average condition       | Nil                     | N/A      | 40+                    | C2               | 2.77                            | 24.14                                      |
| G183     | 5693 | Pinus sylvestris Scots pine | 187       | 1     | 8           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 4        | M         | Fair                    | Reformed leader         | Nil                     | N/A      | 20-40                  | C2               | 2.24                            | 15.82                                      |
| G183     | 5694 | Pinus sylvestris Scots pine | 132       | 1     | 7           | 2.0           | 2.0 | 3.0 | 2.0 | 1                             | 5        | M         | Fair                    | Reformed leader         | Nil                     | N/A      | 20-40                  | C2               | 1.58                            | 7.88                                       |
| G183     | 5695 | Pinus sylvestris Scots pine | 159       | 1     | 9           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 5        | M         | Fair                    | Average condition       | Nil                     | N/A      | 40+                    | C2               | 1.91                            | 11.44                                      |
| G183     | 5696 | Pinus sylvestris Scots pine | 226       | 1     | 10          | 2.0           | 2.0 | 3.0 | 2.0 | 1                             | 4        | M         | Fair                    | Average condition       | Nil                     | N/A      | 40+                    | C2               | 2.71                            | 23.11                                      |
| G183     | 5697 | Pinus sylvestris Scots pine | 212       | 1     | 9           | 2.0           | 2.0 | 3.0 | 2.0 | 1                             | 3        | M         | Fair                    | Average condition       | Nil                     | N/A      | 40+                    | C2               | 2.54                            | 20.33                                      |
| G183     | 5698 | Pinus sylvestris Scots pine | 261       | 1     | 9           | 4.0           | 3.0 | 4.0 | 2.0 | 1                             | 2        | M         | Fair                    | Average condition       | Nil                     | N/A      | 40+                    | C2               | 3.13                            | 30.82                                      |
| G183     | 5699 | Pinus sylvestris Scots pine | 247       | 1     | 9           | 2.0           | 3.0 | 2.0 | 2.0 | 1                             | 4        | M         | Fair                    | Average condition       | Nil                     | N/A      | 40+                    | C2               | 2.96                            | 27.60                                      |
| G183     | 5700 | Pinus sylvestris Scots pine | 253       | 1     | 9           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 4        | M         | Fair                    | Average condition       | Nil                     | N/A      | 40+                    | C2               | 3.04                            | 28.96                                      |
| G183     | 5701 | Pinus sylvestris Scots pine | 258       | MS    | 9           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 4        | M         | Fair                    | Forked at 0.5           | Nil                     | N/A      | 20-40                  | C2               | 2.58                            | 20.91                                      |
| G183     | 5702 | Pinus sylvestris Scots pine | 139       | 1     | 9           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 4        | M         | Fair                    | Average condition       | Nil                     | N/A      | 40+                    | C2               | 1.67                            | 8.74                                       |
| G183     | 5703 | Pinus sylvestris Scots pine | 206       | 1     | 10          | 3.0           | 2.0 | 2.0 | 2.0 | 1                             | 4        | M         | Fair                    | Average condition       | Nil                     | N/A      | 40+                    | C2               | 2.47                            | 19.20                                      |
| G183     | 5704 | Pinus sylvestris Scots pine | 197       | 1     | 9           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 1.5      | M         | Fair                    | Average condition       | Nil                     | N/A      | 40+                    | C2               | 2.36                            | 17.56                                      |
| G183     | 5705 | Pinus sylvestris Scots pine | 154       | 1     | 8           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 3        | M         | Fair                    | Average condition       | Nil                     | N/A      | 40+                    | C2               | 1.85                            | 10.73                                      |
| G183     | 5706 | Pinus sylvestris Scots pine | 210       | 1     | 9           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 3        | M         | Fair                    | Average condition       | Nil                     | N/A      | 40+                    | C2               | 2.52                            | 19.95                                      |
| G183     | 5707 | Pinus sylvestris Scots pine | 202       | 1     | 9           | 2.0           | 3.0 | 2.0 | 3.0 | 1                             | 3        | M         | Fair                    | Average condition       | Nil                     | N/A      | 40+                    | C2               | 2.42                            | 18.46                                      |
| G183     | 5708 | Pinus sylvestris Scots pine | 236       | 1     | 9           | 2.0           | 3.0 | 2.0 | 3.0 | 1                             | 3        | M         | Fair                    | Average condition       | Nil                     | N/A      | 40+                    | C2               | 2.83                            | 25.20                                      |
| G183     | 5709 | Pinus sylvestris Scots pine | 282       | MS    | 9           | 2.0           | 4.0 | 3.0 | 2.0 | 1                             | 1.5      | M         | Fair                    | Tight fork at 1.5       | Nil                     | N/A      | 20-40                  | C2               | 2.82                            | 24.99                                      |
| G183     | 5710 | Pinus sylvestris Scots pine | 313       | 1     | 9           | 2.0           | 4.0 | 3.0 | 3.0 | 1                             | 2        | M         | Fair                    | Average condition       | Nil                     | N/A      | 40+                    | C2               | 3.76                            | 44.33                                      |
| G183     | 5712 | Pinus sylvestris Scots pine | 200       | 1     | 8           | 2.0           | 3.0 | 2.0 | 2.0 | 1                             | 2        | M         | Fair                    | Average condition       | Nil                     | N/A      | 40+                    | C2               | 2.40                            | 18.10                                      |
| G183     | 5713 | Pinus sylvestris Scots pine | 337       | MS    | 8           | 4.0           | 4.0 | 2.0 | 3.0 | 1                             | 3        | M         | Fair                    | Multi stem at 1.0       | Nil                     | N/A      | 20-40                  | C2               | 3.37                            | 35.68                                      |
| G183     | 5714 | Pinus sylvestris Scots pine | 336       | 1     | 8           | 2.0           | 3.0 | 2.0 | 2.0 | 1                             | 1.6      | M         | Fair                    | Forked at 1.6           | Nil                     | N/A      | 20-40                  | C2               | 4.03                            | 51.08                                      |
| G183     | 5715 | Pinus sylvestris Scots pine | 194       | 1     | 8           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 2        | M         | Fair                    | Average condition       | Nil                     | N/A      | 40+                    | C2               | 2.33                            | 17.03                                      |
| G183     | 5716 | Pinus sylvestris Scots pine | 310       | MS    | 9           | 2.0           | 3.0 | 2.0 | 3.0 | 1                             | 4        | M         | Fair                    | Forked at 1.0           | Nil                     | N/A      | 20-40                  | C2               | 3.10                            | 30.19                                      |
| G183     | 5717 | Pinus sylvestris Scots pine | 253       | 1     | 9           | 2.0           | 3.0 | 2.0 | 2.0 | 1                             | 4        | M         | Fair                    | Average condition       | Nil                     | N/A      | 40+                    | C2               | 3.04                            | 28.96                                      |
| G183     | 5718 | Pinus sylvestris Scots pine | 202       | 1     | 9           | 2.0           | 3.0 | 3.0 | 2.0 | 1                             | 3        | M         | Fair                    | Average condition       | Nil                     | N/A      | 40+                    | C2               | 2.42                            | 18.46                                      |
| G183     | 5719 | Pinus sylvestris Scots pine | 290       | 1     | 10          | 2.0           | 3.0 | 3.0 | 3.0 | 1                             | 3        | M         | Fair                    | Average condition       | Nil                     | N/A      | 40+                    | C2               | 3.48                            | 38.05                                      |
| G183     | 5720 | Pinus sylvestris Scots pine | 278       | 1     | 9           | 2.0           | 3.0 | 2.0 | 3.0 | 1                             | 4        | M         | Fair                    | Average condition       | Nil                     | N/A      | 40+                    | C2               | 3.34                            | 34.97                                      |
| G183     | 5721 | Pinus sylvestris Scots pine | 228       | 1     | 8           | 2.0           | 3.0 | 3.0 | 2.0 | 1                             | 2        | M         | Fair                    | Average condition       | Nil                     | N/A      | 40+                    | C2               | 2.74                            | 23.52                                      |
| G183     | 5722 | Pinus sylvestris Scots pine | 291       | 1     | 9           | 2.0           | 3.0 | 2.0 | 3.0 | 1                             | 4        | M         | Fair                    | Average condition       | Nil                     | N/A      | 40+                    | C2               | 3.49                            | 38.31                                      |
| G183     | 5723 | Pinus sylvestris Scots pine | 189       | 1     | 9           | 2.0           | 3.0 | 2.0 | 2.0 | 1                             | 4        | M         | Fair                    | Average condition       | Nil                     | N/A      | 40+                    | C2               | 2.27                            | 16.16                                      |
| G183     | 5724 | Pinus sylvestris Scots pine | 282       | 1     | 10          | 2.0           | 4.0 | 2.0 | 2.0 | 1                             | 4        | M         | Fair                    | Average condition       | Nil                     | N/A      | 40+                    | C2               | 3.38                            | 35.98                                      |
| G183     | 5725 | Pinus sylvestris Scots pine | 165       | 1     | 8           | 2.0           | 2.0 | 3.0 | 2.0 | 1                             | 4        | M         | Fair                    | Average condition       | Nil                     | N/A      | 40+                    | C2               | 1.98                            | 12.32                                      |
| G183     | 5726 | Pinus sylvestris Scots pine | 190       | 1     | 9           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 4        | M         | Fair                    | Forked at 2.5           | Nil                     | N/A      | 40+                    | C2               | 2.28                            | 16.33                                      |
| G183     | 5727 | Pinus sylvestris Scots pine | 202       | 1     | 9           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 3        | M         | Fair                    | Average condition       | Nil                     | N/A      | 40+                    | C2               | 2.42                            | 18.46                                      |
| G183     | 5728 | Pinus sylvestris Scots pine | 317       | MS    | 8           | 3.0           | 2.0 | 3.0 | 2.0 | 1                             | 2        | M         | Fair                    | Forked at .75           | Nil                     | N/A      | 20-40                  | C2               | 3.17                            | 31.57                                      |
| G183     | 5729 | Pinus sylvestris Scots pine | 230       | 1     | 9           | 3.0           | 3.0 | 3.0 | 2.0 | 1                             | 4        | M         | Fair                    | Average condition       | Nil                     | N/A      | 40+                    | C2               | 2.76                            | 23.93                                      |
| G183     | 5730 | Pinus sylvestris Scots pine | 172       | 1     | 7           | 2.0           | 1.0 | 1.0 | 1.0 | 1                             | 3        | M         | Fair                    | Average condition       | Nil                     | N/A      | 40+                    | C2               | 2.06                            | 13.39                                      |
| G183     | 5731 | Pinus sylvestris Scots pine | 169       | 1     | 9           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 2        | M         | Fair                    | Average condition       | Nil                     | N/A      | 40+                    | C2               | 2.03                            | 12.92                                      |
| G183     | 5732 | Pinus sylvestris Scots pine | 212       | 1     | 9           | 3.0           | 2.0 | 2.0 | 2.0 | 1                             | 4        | M         | Fair                    | Average condition       | Nil                     | N/A      | 40+                    | C2               | 2.54                            | 20.33                                      |
| G183     | 5733 | Pinus sylvestris Scots pine | 201       | 1     | 9           | 3.0           | 3.0 | 3.0 | 3.0 | 1                             | 2        | M         | Fair                    | Average condition       | Nil                     | N/A      | 40+                    | C2               | 2.41                            | 18.28                                      |
| G183     | 5734 | Pinus sylvestris Scots pine | 131       | 1     | 6           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 2        | M         | Fair                    | Average condition       | Nil                     | N/A      | 40+                    | C2               | 1.57                            | 7.76                                       |
| G183     | 5735 | Pinus sylvestris Scots pine | 190       | 1     | 8           | 3.0           | 3.0 | 3.0 | 2.0 | 1                             | 1        | M         | Fair                    | Average condition       | Nil                     | N/A      | 40+                    | C2               | 2.28                            | 16.33                                      |
| G183     | 5736 | Pinus sylvestris Scots pine | 160       | 1     | 8           | 3.0           | 2.0 | 3.0 | 2.0 | 1                             | 3        | M         | Fair                    | Average condition       | Nil                     | N/A      | 40+                    | C2               | 1.92                            | 11.58                                      |
| G183     | 5737 | Pinus sylvestris Scots pine | 199       | 1     | 9           | 3.0           | 3.0 | 3.0 | 3.0 | 1                             | 4        | M         | Fair                    | Secondary leader at 3.5 | remove secondary leader | P        | 40+                    | C2               | 2.39                            | 17.92                                      |
| G183     | 5738 | Pinus sylvestris Scots pine | 181       | 1     | 9           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 4        | M         | Fair                    | Forked at 4.0           | Nil                     | N/A      | 20-40                  | C2               | 2.17                            | 14.82                                      |
| G183     | 5739 | Pinus sylvestris Scots pine | 185       | 1     | 9           | 2.0           | 2.0 | 1.0 | 2.0 | 1                             | 4        | M         | Fair                    | Forked at 4.0           | Nil                     | N/A      | 40+                    | C2               | 2.22                            | 15.49                                      |
| G183     | 5740 | Pinus sylvestris Scots pine | 213       | 1     | 10          | 3.0           | 3.0 | 3.0 | 3.0 | 1                             | 4        | M         | Fair                    | Average condition       | Nil                     | N/A      | 40+                    | C2               | 2.56                            | 20.53                                      |
| G183     | 5741 | Pinus sylvestris Scots pine | 209       | 1     | 9           | 3.0           | 2.0 | 3.0 | 2.0 | 1                             | 5        | M         | Fair                    | Average condition       | Nil                     | N/A      | 40+                    | C2               | 2.51                            | 19.76                                      |
| G183     | 5742 | Pinus sylvestris Scots pine | 247       | 1     | 9           | 3.0           | 2.0 | 2.0 | 3.0 | 1                             | 3        | M         | Fair                    | Average condition       | Nil                     | N/A      | 40+                    | C2               | 2.96                            | 27.60                                      |
| G183     | 5743 | Pinus sylvestris Scots pine | 260       | 1     | 9           | 3.0           | 2.0 | 3.0 | 3.0 | 1                             | 4        | M         | Fair                    | Average condition       | Nil                     | N/A      | 40+                    | C2               | 3.12                            | 30.59                                      |
| G183     | 5744 | Pinus sylvestris Scots pine | 232       | MS    | 8           | 2.0           | 2.0 | 3.0 | 2.0 | 1                             | 2        | M         | Fair                    | Average condition       | Nil                     | N/A      | 40+                    | C2               | 2.32                            | 16.91                                      |
| G183     | 5745 | Pinus sylvestris Scots pine | 264       | 1     | 9           | 3.0           | 2.0 | 3.0 | 2.0 | 1                             | 4        | M         | Fair                    | Average condition       | Nil                     | N/A      | 40+                    | C2               | 3.17                            | 31.53                                      |



**TOTAL CATEGORY C TREES Heyford Park Nicholson's Tree Survey November 2006**

| Group No | Tag  | Species (Botanical)         | Diam (mm) | Stems | Ht m. (est) | Branch Spread |     |     |     | Increase in canopy radius (m) | Crown Ht | Age Class | Physiological Condition | Structural Condition   | Preliminary Management                                  | Priority | Remaining Contribution | Category Grading | Root Protection Zone Radius (m) | Root Protection zone (m2). Capped at 707m2 |
|----------|------|-----------------------------|-----------|-------|-------------|---------------|-----|-----|-----|-------------------------------|----------|-----------|-------------------------|--|---|----------|------------------------|------------------|---------------------------------|--|
|          |      |                             |           |       |             | N             | S   | E   | W   |                               |          |           |                         |  |   |          |                        |                  |                                 |  |
| G183     | 5746 | Pinus sylvestris Scots pine | 189       | 1     | 9           | 3.0           | 2.0 | 2.0 | 3.0 | 1                             | 4        | M         | Fair                    | Average condition  | Nil   | N/A      | 40+                    | C2               | 2.27                            | 16.16                                      |
| G183     | 5747 | Pinus sylvestris Scots pine | 224       | 1     | 8           | 2.0           | 3.0 | 2.0 | 3.0 | 1                             | 1.5      | M         | Fair                    | Average condition  | Nil   | N/A      | 40+                    | C2               | 2.69                            | 22.70                                      |
| G183     | 5748 | Pinus sylvestris Scots pine | 198       | 1     | 9           | 3.0           | 2.0 | 2.0 | 2.0 | 1                             | 3        | M         | Fair                    | Average condition  | Nil   | N/A      | 40+                    | C2               | 2.38                            | 17.74                                      |
| G183     | 5749 | Pinus sylvestris Scots pine | 248       | 1     | 9           | 3.0           | 3.0 | 4.0 | 2.0 | 1                             | 3        | M         | Fair                    | Average condition  | Nil   | N/A      | 40+                    | C2               | 2.98                            | 27.83                                      |
| G183     | 5750 | Pinus sylvestris Scots pine | 254       | 1     | 9           | 3.0           | 2.0 | 3.0 | 2.0 | 1                             | 2        | M         | Fair                    | Average condition  | Nil   | N/A      | 40+                    | C2               | 3.05                            | 29.19                                      |
| G183     | 5751 | Pinus sylvestris Scots pine | 213       | 1     | 9           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 4        | M         | Fair                    | Average condition  | Nil   | N/A      | 40+                    | C2               | 2.56                            | 20.53                                      |
| G183     | 5752 | Pinus sylvestris Scots pine | 239       | 1     | 9           | 3.0           | 3.0 | 2.0 | 2.0 | 1                             | 4        | M         | Fair                    | Average condition  | Nil   | N/A      | 40+                    | C2               | 2.87                            | 25.84                                      |
| G183     | 5753 | Pinus sylvestris Scots pine | 150       | 1     | 8           | 2.0           | 2.0 | 2.0 | 3.0 | 1                             | 3        | M         | Fair                    | Average condition  | Nil   | N/A      | 40+                    | C2               | 1.80                            | 10.18                                      |
| G183     | 5754 | Pinus sylvestris Scots pine | 207       | 1     | 9           | 2.5           | 2.0 | 2.0 | 2.0 | 1                             | 2        | M         | Fair                    | Average condition  | Nil   | N/A      | 40+                    | C2               | 2.48                            | 19.39                                      |
| G183     | 5755 | Pinus sylvestris Scots pine | 225       | 1     | 9           | 3.0           | 2.0 | 2.0 | 2.0 | 1                             | 4        | M         | Fair                    | Average condition  | Nil   | N/A      | 40+                    | C2               | 2.70                            | 22.91                                      |
| G183     | 5756 | Pinus sylvestris Scots pine | 257       | 1     | 9           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 4        | M         | Fair                    | Average condition  | Nil   | N/A      | 40+                    | C2               | 3.08                            | 29.88                                      |
| G183     | 5757 | Pinus sylvestris Scots pine | 205       | 1     | 9           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 4        | M         | Fair                    | Average condition  | Nil   | N/A      | 40+                    | C2               | 2.46                            | 19.01                                      |
| G183     | 5758 | Pinus sylvestris Scots pine | 339       | 1     | 9           | 3.0           | 2.0 | 2.0 | 3.0 | 1                             | 1.5      | M         | Fair                    | Average condition  | Nil   | N/A      | 40+                    | C2               | 4.07                            | 52.00                                      |
| G183     | 5759 | Pinus sylvestris Scots pine | 216       | 1     | 9           | 3.0           | 2.0 | 2.0 | 3.0 | 1                             | 3        | M         | Fair                    | Average condition  | Nil   | N/A      | 40+                    | C2               | 2.59                            | 21.11                                      |
| G183     | 5760 | Pinus sylvestris Scots pine | 230       | 1     | 8           | 3.0           | 3.0 | 3.0 | 3.0 | 1                             | 3        | M         | Fair                    | Average condition  | Nil   | N/A      | 40+                    | C2               | 2.76                            | 23.93                                      |
| G183     | 5761 | Pinus sylvestris Scots pine | 183       | 1     | 8           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 4        | M         | Fair                    | Average condition  | Nil   | N/A      | 40+                    | C2               | 2.20                            | 15.15                                      |
| G183     | 5762 | Pinus sylvestris Scots pine | 181       | 1     | 7           | 2.0           | 4.0 | 3.0 | 2.0 | 1                             | 1        | M         | Fair                    | Average condition  | Nil   | N/A      | 40+                    | C2               | 2.17                            | 14.82                                      |
| G183     | 5763 | Pinus sylvestris Scots pine | 263       | 1     | 9           | 4.0           | 2.0 | 3.0 | 3.0 | 1                             | 3        | M         | Fair                    | Average condition  | Nil   | N/A      | 40+                    | C2               | 3.16                            | 31.30                                      |
| G183     | 5764 | Pinus sylvestris Scots pine | 305       | 1     | 9           | 4.0           | 3.0 | 3.0 | 4.0 | 1                             | 4        | M         | Fair                    | Average condition  | Nil   | N/A      | 40+                    | C2               | 3.66                            | 42.09                                      |
| G183     | 5765 | Pinus sylvestris Scots pine | 268       | 1     | 9           | 2.0           | 3.0 | 3.0 | 2.0 | 1                             | 3        | M         | Fair                    | Average condition  | Nil   | N/A      | 40+                    | C2               | 3.22                            | 32.50                                      |
| G183     | 5766 | Pinus sylvestris Scots pine | 253       | 1     | 9           | 2.0           | 2.0 | 3.0 | 2.0 | 1                             | 2        | M         | Fair                    | Average condition  | Nil   | N/A      | 40+                    | C2               | 3.04                            | 28.96                                      |
| G183     | 5767 | Pinus sylvestris Scots pine | 154       | 1     | 8           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 3        | M         | Fair                    | Average condition  | Nil   | N/A      | 40+                    | C2               | 1.85                            | 10.73                                      |
| G183     | 5768 | Pinus sylvestris Scots pine | 182       | 1     | 8           | 3.0           | 2.0 | 3.0 | 2.0 | 1                             | 2        | M         | Fair                    | Average condition  | Nil   | N/A      | 40+                    | C2               | 2.18                            | 14.99                                      |
| G183     | 5769 | Pinus sylvestris Scots pine | 154       | 1     | 8           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 3        | M         | Fair                    | Average condition  | Nil   | N/A      | 40+                    | C2               | 1.85                            | 10.73                                      |
| G183     | 5770 | Pinus sylvestris Scots pine | 172       | 1     | 9           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 4        | M         | Fair                    | Average condition  | Nil   | N/A      | 40+                    | C2               | 2.06                            | 13.39                                      |
| G183     | 5771 | Pinus sylvestris Scots pine | 147       | 1     | 8           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 3        | M         | Fair                    | Average condition  | Nil   | N/A      | 40+                    | C2               | 1.76                            | 9.78                                       |
| G183     | 5772 | Pinus sylvestris Scots pine | 205       | 1     | 9           | 2.0           | 3.0 | 2.0 | 2.0 | 1                             | 4        | M         | Fair                    | Average condition  | Nil   | N/A      | 40+                    | C2               | 2.46                            | 19.01                                      |
| G183     | 5773 | Pinus sylvestris Scots pine | 180       | 1     | 9           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 4        | M         | Fair                    | Lifted by roots but now appears to be restabilised             | Nil   | N/A      | 20-40                  | C2               | 2.16                            | 14.66                                      |
| G183     | 5774 | Pinus sylvestris Scots pine | 224       | 1     | 8           | 2.0           | 3.0 | 2.0 | 2.0 | 1                             | 1.5      | M         | Fair                    | Average condition  | Nil   | N/A      | 40+                    | C2               | 2.69                            | 22.70                                      |
| G183     | 5775 | Pinus sylvestris Scots pine | 189       | 1     | 9           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 4        | M         | Fair                    | Average condition  | Nil   | N/A      | 40+                    | C2               | 2.27                            | 16.16                                      |
| G183     | 5776 | Pinus sylvestris Scots pine | 182       | 1     | 8           | 2.0           | 2.0 | 2.0 | 3.0 | 1                             | 3        | M         | Fair                    | Average condition  | Nil   | N/A      | 40+                    | C2               | 2.18                            | 14.99                                      |
| G183     | 5777 | Pinus sylvestris Scots pine | 190       | 1     | 9           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 3        | M         | Fair                    | Average condition  | Nil   | N/A      | 40+                    | C2               | 2.28                            | 16.33                                      |
| G183     | 5778 | Pinus sylvestris Scots pine | 205       | 1     | 9           | 2.0           | 2.0 | 3.0 | 3.0 | 1                             | 3        | M         | Fair                    | Average condition  | Nil   | N/A      | 40+                    | C2               | 2.46                            | 19.01                                      |
| G183     | 5779 | Pinus sylvestris Scots pine | 165       | 1     | 8           | 3.0           | 2.0 | 3.0 | 3.0 | 1                             | 1        | M         | Fair                    | Forked at 4.0  | Nil   | N/A      | 40+                    | C2               | 1.98                            | 12.32                                      |
| G183     | 5780 | Pinus sylvestris Scots pine | 296       | MS    | 8           | 4.0           | 3.0 | 2.0 | 3.0 | 1                             | 2        | M         | Fair                    | Forked at 1.4  | Nil   | N/A      | 40+                    | C2               | 2.96                            | 27.53                                      |
| G183     | 5781 | Pinus sylvestris Scots pine | 325       | MS    | 9           | 3.0           | 3.0 | 3.0 | 3.0 | 1                             | 1.5      | M         | Fair                    | Forked at 1.0  | Nil   | N/A      | 40+                    | C2               | 3.25                            | 33.19                                      |
| G183     | 5782 | Pinus sylvestris Scots pine | 302       | 1     | 9           | 3.0           | 2.0 | 2.0 | 3.0 | 1                             | 4        | M         | Fair                    | Average condition  | Nil   | N/A      | 40+                    | C2               | 3.62                            | 41.27                                      |
| G183     | 5783 | Pinus sylvestris Scots pine | 235       | 1     | 8           | 3.0           | 3.0 | 2.0 | 3.0 | 1                             | 1        | M         | Fair                    | Forked at 2.5  | Nil   | N/A      | 40+                    | C2               | 2.82                            | 24.99                                      |
| G182     | 5784 | Pinus sylvestris Scots pine | 363       | 1     | 10          | 3.0           | 3.0 | 3.0 | 3.0 | 1                             | 3        | M         | Fair                    | Average condition  | Nil   | N/A      | 40+                    | C2               | 4.36                            | 59.62                                      |
| G182     | 5785 | Pinus sylvestris Scots pine | 223       | 1     | 2           | 0.0           | 4.0 | 2.0 | 2.0 | 1                             | 1        | M         | Fair                    | Suppressed   | Nil   | N/A      | 10-20                  | C2               | 2.68                            | 22.50                                      |
| G182     | 5786 | Pinus sylvestris Scots pine | 259       | 1     | 9           | 2.0           | 3.0 | 2.0 | 2.0 | 1                             | 3        | M         | Fair                    | Average condition  | Nil   | N/A      | 40+                    | C2               | 3.11                            | 30.35                                      |
| G182     | 5787 | Pinus sylvestris Scots pine | 172       | 1     | 8           | 1.0           | 2.0 | 2.0 | 2.0 | 1                             | 3        | M         | Fair                    | Average condition  | Nil   | N/A      | 40+                    | C2               | 2.06                            | 13.39                                      |
| G182     | 5788 | Pinus sylvestris Scots pine | 260       | 1     | 9           | 2.0           | 3.0 | 2.0 | 2.0 | 1                             | 1        | M         | Fair                    | Average condition  | Nil   | N/A      | 40+                    | C2               | 3.12                            | 30.59                                      |
| G182     | 5789 | Pinus sylvestris Scots pine | 296       | 1     | 9           | 2.0           | 3.0 | 2.0 | 3.0 | 1                             | 3        | M         | Fair                    | Average condition  | Nil   | N/A      | 40+                    | C2               | 3.55                            | 39.64                                      |
| G182     | 5790 | Pinus sylvestris Scots pine | 255       | 1     | 9           | 2.0           | 2.0 | 2.0 | 3.0 | 1                             | 3        | M         | Fair                    | Average condition  | Nil   | N/A      | 40+                    | C2               | 3.06                            | 29.42                                      |
| G182     | 5792 | Pinus sylvestris Scots pine | 226       | 1     | 8           | 3.0           | 1.0 | 2.0 | 1.0 | 1                             | 1        | M         | Fair                    | Average condition  | Nil   | N/A      | 20-40                  | C2               | 2.71                            | 23.11                                      |
| G182     | 5793 | Pinus sylvestris Scots pine | 192       | 1     | 4           | 2.0           | 2.0 | 3.0 | 2.0 | 0                             | 1.5      | M         | Fair                    | Suppressed   | Nil   | N/A      | 10-20                  | C2               | 2.30                            | 16.68                                      |
| G182     | 5794 | Pinus sylvestris Scots pine | 270       | 1     | 9           | 3.0           | 3.0 | 3.0 | 2.0 | 1                             | 2        | M         | Fair                    | Average condition  | Nil   | N/A      | 40+                    | C2               | 3.24                            | 32.98                                      |
| G182     | 5795 | Pinus sylvestris Scots pine | 163       | MS    | 7           | 1.0           | 1.0 | 2.0 | 1.0 | 0                             | 2        | M         | Poor                    | Average condition  | Nil   | N/A      | 10-20                  | C2               | 1.63                            | 8.35                                       |
| G182     | 5796 | Pinus sylvestris Scots pine | 194       | 1     | 9           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 3        | M         | Fair                    | Average condition  | Nil   | N/A      | 40+                    | C2               | 2.33                            | 17.03                                      |
| G182     | 5797 | Pinus sylvestris Scots pine | 146       | 1     | 5           | 2.0           | 1.0 | 1.0 | 1.0 | 0                             | 2        | M         | Fair                    | Suppressed   | Nil   | N/A      | 10-20                  | C2               | 1.75                            | 9.64                                       |
| G182     | 5800 | Pinus sylvestris Scots pine | 213       | 1     | 8           | 4.0           | 2.0 | 2.0 | 3.0 | 1                             | 2        | M         | Fair                    | Average condition  | Nil   | N/A      | 40+                    | C2               | 2.56                            | 20.53                                      |
| G182     | 5801 | Pinus sylvestris Scots pine | 353       | MS    | 10          | 4.0           | 2.0 | 3.0 | 3.0 | 1                             | 3        | M         | Fair                    | Forked at 1.0  | Nil   | N/A      | 40+                    | C2               | 3.53                            | 39.15                                      |
| G182     | 5802 | Pinus sylvestris Scots pine | 132       | 1     | 9           | 2.0           | 1.0 | 1.0 | 1.0 | 1                             | 4        | M         | Fair                    | Average condition  | Nil   | N/A      | 40+                    | C2               | 1.58                            | 7.88                                       |
| G182     | 5803 | Pinus sylvestris Scots pine | 266       | 1     | 9           | 3.0           | 2.0 | 1.0 | 2.0 | 1                             | 4        | M         | Fair                    | Average condition  | Nil   | N/A      | 40+                    | C2               | 3.19                            | 32.01                                      |
| G182     | 5804 | Pinus sylvestris Scots pine | 223       | 1     | 9           | 3.0           | 2.0 | 2.0 | 2.0 | 1                             | 3        | M         | Fair                    | Average condition  | Nil   | N/A      | 40+                    | C2               | 2.68                            | 22.50                                      |
| G182     | 5805 | Pinus sylvestris Scots pine | 161       | 1     | 7           | 1.0           | 1.0 | 1.0 | 1.0 | 1                             | 4        | M         | Fair                    | Average condition  | Nil   | N/A      | 20-40                  | C2               | 1.93                            | 11.73                                      |
| G182     | 5806 | Pinus sylvestris Scots pine | 159       | 1     | 6           | 1.0           | 1.0 | 1.0 | 1.0 | 1                             | 4        | M         | Fair                    | Average condition  | Nil   | N/A      | 40+                    | C2               | 1.91                            | 11.44                                      |
| G182     | 5807 | Pinus sylvestris Scots pine | 241       | 1     | 9           | 4.0           | 2.0 | 3.0 | 2.0 | 1                             | 5        | M         | Fair                    | Average condition  | Nil   | N/A      | 40+                    | C2               | 2.89                            | 26.28                                      |
| EWS      | 5856 | Silver Birch                | 148       | 1     | 10          | 2.0           | 2.0 | 2.0 | 2.0 | 3                             | 5        | SM        | Good                    | Good   | nwr but limited rooting due to tank no long term future | N/A      | 40+                    | C2               | 3.05                            | 9.91                                       |
| EWS      | 5857 | Sycamore                    | 152       | 1     | 8           | 2.0           | 2.0 | 2.0 | 2.0 | 5                             | 3        | SM        | Good                    | Good   | nwr but limited rooting due to tank no long term future | N/A      | 20-40                  | C2               | 2.56                            | 10.45                                      |
| EWS      | 5858 | Silver Birch                | 219       | 1     | 10          | 3.0           | 3.0 | 3.0 | 3.0 | 2                             | 5        | M         | Good                    | Average some wire damage from compound fence                   | nwr but limited rooting due to tank no long term future | N/A      | 40+                    | C2               | 2.87                            | 21.70                                      |
| EWS      | 5859 | Sycamore                    | 132       | MS    | 10          | 4.0           | 2.0 | 4.0 | 4.0 | 3                             | 5        | SM        | Good                    | Twin stem at gl with very weak fork distorting round tank wall | nwr but limited rooting due to tank no long term future | N/A      | 20-40                  | C2               | 1.80                            | 5.47                                       |



**TOTAL CATEGORY C TREES Heyford Park Nicholson's Tree Survey November 2006**

| Group No | Tag  | Species (Botanical)                       | Diam (mm) | Stems | Ht m. (est) | Branch Spread |     |     |     | Increase in canopy radius (m) | Crown Ht | Age Class | Physiological Condition | Structural Condition  | Preliminary Management                                  | Priority | Remaining Contribution | Category Grading | Root Protection Zone Radius (m) | Root Protection zone (m2). Capped at 707m2 |
|----------|------|---|-----------|-------|-------------|---------------|-----|-----|-----|-------------------------------|----------|-----------|-------------------------|---|---|----------|------------------------|------------------|---------------------------------|--|
|          |      |   |           |       |             | N             | S   | E   | W   |                               |          |           |                         |   |   |          |                        |                  |                                 |  |
| EWS      | 5860 | Sycamore                                  | 138       | MS    | 11          | 3.0           | 4.0 | 4.0 | 4.0 | 3                             | 3        | SM        | Good                    | Twin stem at gl with very weak fork distorting round tank wall                          | nwr but limited rooting due to tank no long term future | N/A      | 20-40                  | C2               | 2.48                            | 5.98                                       |
| EWS      | 5861 | Sycamore                                  | 123       | 1     | 10          | 3.0           | 2.0 | 3.0 | 3.0 | 4                             | 5        | SM        | Good                    | Distorting round tank wall  | nwr but limited rooting due to tank no long term future | N/A      | 20-40                  | C2               | 2.70                            | 6.85                                       |
| EWS      | 5862 | Sycamore                                  | 115       | 1     | 10          | 4.0           | 1.0 | 3.0 | 3.0 | 4                             | 3        | SM        | Good                    | Distorting round tank wall  | nwr but limited rooting due to tank no long term future | N/A      | 20-40                  | C2               | 3.08                            | 5.98                                       |
| EWS      | 5863 | Wild Cherry                               | 114       | MS    | 8           | 3.0           | 3.0 | 3.0 | 3.0 | 2                             | 3        | SM        | Good                    | Being strangled at base due to growing through support wires distorting round tank wall | nwr but limited rooting due to tank no long term future | N/A      | 10 to 20               | C2               | 2.46                            | 4.08                                       |
| EWS      | 5864 | Sycamore                                  | 125       | 1     | 10          | 3.0           | 3.0 | 3.0 | 3.0 | 3                             | 5        | SM        | Good                    | Distorting round tank wall  | nwr but limited rooting due to tank no long term future |          | 20-40                  | C2               | 4.07                            | 7.07                                       |
|          | 5865 | Sycamore                                  | 138       | 1     | 10          | 2.0           | 2.0 | 2.0 | 2.0 | 4                             | 5        | SM        | Good                    | Distorting round tank wall  | nwr but limited rooting due to tank no long term future | N/A      | 20-40                  | C2               | 2.59                            | 8.62                                       |
|          | 5866 | Sycamore                                  | 121       | 1     | 8           | 2.0           | 2.0 | 2.0 | 2.0 | 3                             | 3        | SM        | poor                    | Squirrel damage in upper crown and distorting round tank wall                           | nwr but limited rooting due to tank no long term future | N/A      | 10 to 20               | C2               | 2.76                            | 6.62                                       |
|          | 5867 | Norway Maple                              | 116       | 1     | 10          | 3.0           | 3.0 | 3.0 | 3.0 | 4                             | 2        | SM        | Good                    | Distorting round tank wall  | nwr but limited rooting due to tank no long term future | N/A      | 20-40                  | C2               | 2.20                            | 6.09                                       |
| G120     | 5219 | Cupressocyparis leylandii Leyland cypress | 266       | MS    | 6           | 1.0           | 1.0 | 1.0 | 4.0 | 1                             | 1        | M         | Poor                    | Suppressed by 5218 and 5220   | Fell to ground level                                    | P        | 10-20                  | C3               | 2.66                            | 22.23                                      |
| G120     | 5220 | Cupressocyparis leylandii Leyland cypress | 297       | 1     | 8           | 3.0           | 1.0 | 1.0 | 3.0 | 1                             | 1        | M         | Fair                    | Also suppressed   | Fell to ground level                                    | P        | 10-20                  | C3               | 3.56                            | 39.91                                      |
| G130     | 5280 | Acer platanoides Norway maple             | 132       | 1     | 4           | 2.0           | 2.0 | 2.5 | 2.0 | 0                             | 2        | M         | Poor                    | Foliage die back, sparse canopy   | Fell to ground level                                    | P        | <10                    | C3               | 1.58                            | 7.88                                       |

**TREES FOR REMOVAL Heyford Park Nicholson's Tree Survey November 2006**

| Group No | Tag | Trees removed for development reasons | Species (Botanical)                      | Diam (mm) | Stems | Ht m. (est) | Branch Spread |     |     |     | Increase in canopy radius (m) | Crown Ht | Age Class | Physiological Condition | Structural Condition   | Preliminary Management | Priority | Remaining Contribution | Category Grading | Root Protection Zone Radius (m) | Root Protection zone (m2). Capped at 707m2 |
|----------|-----|---------------------------------------|--|-----------|-------|-------------|---------------|-----|-----|-----|-------------------------------|----------|-----------|-------------------------|--|------------------------|----------|------------------------|------------------|---------------------------------|--|
|          |     |                                       |  |           |       |             | N             | S   | E   | W   |                               |          |           |                         |  |                        |          |                        |                  |                                 |  |
|          | 5   |                                       | Acer pseudoplatanus Sycamore             | 332       | MS    | 13          | 2.0           | 2.0 | 1.0 | 5.0 | 2                             | 6        | M         | Poor                    | Poor   | Fell                   | P        | <10                    | R                | 3.32                            | 34.63                                      |
|          | 21  |                                       | Prunus avium Cherry                      | 199       | 1     | 14          | 1.0           | 2.0 | 2.0 | 1.0 | 0                             | n/a      | M         | Poor                    | Poor   | Fell                   | P        | <10                    | R                | 2.39                            | 17.92                                      |
|          | 22  |                                       | Betula alba Silver birch                 | 226       | 1     | 11          | 1.0           | 1.0 | 1.0 | 3.0 | 0                             | n/a      | M         | Poor                    | Poor   | Fell                   | P        | <10                    | R                | 2.71                            | 23.11                                      |
|          | 24  | R                                     | Fraxinus excelsior Ash                   | 485       | 1     | 14          | 5.0           | 5.0 | 5.0 | 6.0 | 3                             | 6        | M         | Fair                    | Average condition  | Nil                    | N/A      | 40+                    | B2               | 5.82                            | 106.43                                     |
|          | 31  |                                       | Chamaecyparis thyoides White Cedar       | 409       | MS    | 5           | 1.0           | 1.0 | 1.0 | 1.0 | 0                             | 1        | M         | Poor                    | Average condition  | Fell                   | P        | <10                    | R                | 4.09                            | 52.56                                      |
|          | 57  | R                                     | Chamaecyparis lawsoniana Lawsons cypress | 318       | 1     | 15          | 2.0           | 2.0 | 2.0 | 2.0 | 0                             | n/a      | M         | Fair                    | Gone   | Nil                    | N/A      | 20-40                  | B2               | 3.82                            | 45.75                                      |
|          | 64  | R                                     | Chamaecyparis lawsoniana Lawsons cypress | 303       | 1     | 17          | 2.0           | 2.0 | 2.0 | 2.0 | 0                             | n/a      | M         | Fair                    | Weak forkbat 9m  | Fell                   | P        | <10                    | R                | 3.64                            | 41.54                                      |
|          | 66  | R                                     | Crataegus monogyna Hawthorn              | 255       | 1     | 5           | 1.0           | 2.0 | 2.0 | 2.0 | 1                             | n/a      | M         | Poor                    | Av smothered in ivy and obstructing pavement                   | Fell                   | P        | <10                    | R                | 3.06                            | 29.42                                      |
|          | 68  | R                                     | Acer platanoides Norway maple            | 496       | 1     | 15          | 4.0           | 5.0 | 5.5 | 5.0 | 2                             | 6        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | B2               | 5.95                            | 111.31                                     |
|          | 69  | R                                     | Chamaecyparis lawsoniana Lawsons cypress | 484       | 1     | 17          | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 3        | M         | Good                    | Gone   | Nil                    | N/A      | 40+                    | B2               | 5.81                            | 105.99                                     |
|          | 73  | R                                     | Aesculus hippocastanum Horse Chestnut    | 1126      | 1     | 15          | 1.0           | 7.0 | 7.0 | 8.0 | 2                             | 8        | M         | Good                    | Av one sided due to competition with adjacent tree now removed | Nil                    | N/A      | 20-40                  | B2               | 13.51                           | 573.65                                     |
|          | 76  | R                                     | Chamaecyparis lawsoniana Lawsons cypress | 580       | MS    | 11          | 1.0           | 1.0 | 1.0 | 1.0 | 0                             | n/a      | M         | Good                    | Gone   | Nil                    | N/A      | 40+                    | C1               | 5.80                            | 105.70                                     |
|          | 77  | R                                     | Chamaecyparis lawsoniana Lawsons cypress | 720       | MS    | 11          | 1.0           | 1.0 | 1.0 | 1.0 | 0                             | n/a      | M         | Good                    | Gone   | Nil                    | N/A      | 40+                    | C1               | 7.20                            | 162.88                                     |
|          | 78  | R                                     | Chamaecyparis lawsoniana Lawsons cypress | 415       | 1     | 11          | 1.0           | 1.0 | 1.0 | 1.0 | 0                             | n/a      | M         | Good                    | Gone   | Nil                    | N/A      | 40+                    | C1               | 4.98                            | 77.92                                      |
|          | 79  | R                                     | Chamaecyparis lawsoniana Lawsons cypress | 655       | MS    | 11          | 1.0           | 1.0 | 1.0 | 1.0 | 0                             | n/a      | M         | Good                    | Gone   | Nil                    | N/A      | 40+                    | C1               | 6.55                            | 134.80                                     |
|          | 80  | R                                     | Chamaecyparis lawsoniana Lawsons cypress | 507       | MS    | 11          | 1.0           | 1.0 | 1.0 | 1.0 | 0                             | n/a      | M         | Good                    | Gone   | Nil                    | N/A      | 40+                    | C1               | 5.07                            | 80.76                                      |
|          | 86  | R                                     | Prunus Atropurpurea Pissards Plum        | 258       | MS    | 5           | 4.0           | 2.0 | 5.0 | 3.0 | 1                             | 2        | M         | Fair                    | Average condition  | Nil                    | N/A      | 10-20                  | C1               | 5.95                            | 20.91                                      |
|          | 88  | R                                     | Prunus Atropurpurea Pissards Plum        | 201       | 1     | 3           | 4.0           | 3.0 | 4.0 | 1.0 | 1                             | 2        | M         | Fair                    | Av stem wound at gl e  | Nil                    | N/A      | 10-20                  | C1               | 5.81                            | 18.28                                      |
|          | 89  | R                                     | Betula alba Silver birch                 | 531       | 1     | 11          | 5.0           | 4.0 | 3.0 | 7.0 | 2                             | 7        | M         | Fair                    | Average condition  | Nil                    | N/A      | 10-20                  | B2               | 3.06                            | 29.42                                      |
|          | 93  |                                       | Betula alba Silver birch                 | 221       | 1     | 11          | 3.0           | 2.0 | 2.0 | 3.0 | 3                             | 4        | M         | Poor                    | Average condition  | Fell                   | P        | <10                    | R                | 2.65                            | 22.10                                      |
|          | 95  |                                       | Betula alba Silver birch                 | 215       | 1     | 11          | 2.0           | 3.0 | 3.0 | 2.0 | 2                             | 5        | M         | Poor                    | Poor   | Fell                   | P        | <10                    | R                | 2.58                            | 20.91                                      |
|          | 99  | R                                     | Betula alba Silver birch                 | 316       | 1     | 11          | 4.0           | 4.0 | 4.0 | 4.0 | 1                             | 4        | M         | Good                    | Average condition  | Nil                    | N/A      | 20-40                  | B2               | 3.79                            | 45.18                                      |
|          | 111 | R                                     | Lilac                                    | 184       | 1     | 4           | 2.0           | 1.0 | 3.0 | 1.0 | 0                             | 2        | M         | Fair                    | Average condition  | Nil                    | N/A      | 10-20                  | C1               | 2.21                            | 15.32                                      |
|          | 114 | R                                     | Thuja plicata Western Red Cedar          | 504       | 1     | 14          | 3.0           | 3.0 | 3.0 | 3.0 | 1                             | 5        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | B2               | 6.05                            | 114.93                                     |
|          | 124 | R                                     | Fagus sylvatica Beech                    | 594       | 1     | 16          | 4.0           | 8.0 | 3.0 | 8.0 | 2                             | 6        | M         | Fair                    | Asymmetric to west   | Nil                    | N/A      | 40+                    | B2               | 7.13                            | 159.64                                     |
|          | 125 | R                                     | Acer pseudoplatanus Sycamore             | 770       | MS    | 15          | 9.0           | 5.0 | 6.0 | 7.0 | 2                             | 5        | M         | Fair                    | Included bark at gl  | Nil                    | N/A      | 40+                    | B2               | 7.70                            | 186.29                                     |
|          | 134 | R                                     | Crataegus monogyna Hawthorn              | 201       | 1     | 7           | 1.0           | 2.0 | 3.0 | 1.0 | 0                             | 5        | M         | Poor                    | Poor   | Fell                   | P        | <10                    | R                | 2.41                            | 18.28                                      |
|          | 148 |                                       | Tilia europaea Common Lime               | 124       | MS    | 3           | 1.0           | 1.0 | 1.0 | 1.0 | 5                             | 1        | SM        | Fair                    | Poor form  | Nil                    | N/A      | 40+                    | R                | 1.24                            | 4.83                                       |
|          | 150 | R                                     | Prunus avium Cherry                      | 201       | 1     | 5           | 3.0           | 5.0 | 4.0 | 4.0 | 0                             | 2        | M         | Fair                    | Average condition  | Nil                    | N/A      | 10-20                  | C1               | 2.41                            | 18.28                                      |
|          | 152 | R                                     | Malus domestica Apple                    | 89        | 1     | 4           | 1.0           | 1.0 | 2.0 | 1.0 | 1                             | 1.5      | M         | Fair                    | Average condition  | Nil                    | N/A      | 10-20                  | C1               | 1.07                            | 3.58                                       |
|          | 156 | R                                     | Crataegus monogyna Hawthorn              | 527       | 1     | 9           | 5.0           | 3.0 | 3.0 | 4.0 | 1                             | 4        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | B3               | 6.32                            | 125.66                                     |
|          | 162 | R                                     | Betula alba Silver birch                 | 441       | 1     | 15          | 5.0           | 5.0 | 5.0 | 5.0 | 0                             | 3.5      | M         | Good                    | Average condition  | Nil                    | N/A      | 20-40                  | B2               | 5.29                            | 87.99                                      |
|          | 177 |                                       | Crataegus monogyna Hawthorn              | 256       | MS    | 7           | 1.0           | 3.0 | 1.0 | 3.0 | 0                             | 4        | OM        | Poor                    | Poor   | Fell                   | P        | <10                    | R                | 2.56                            | 20.59                                      |
|          | 178 |                                       | Prunus avium Cherry                      | 294       | 1     | 10          | 4.0           | 4.0 | 3.0 | 4.0 | 0                             | 3        | OM        | Poor                    | Average condition  | Nil                    | N/A      | <10                    | R                | 3.53                            | 39.11                                      |
|          | 182 | R                                     | Crataegus monogyna Hawthorn              | 268       | 1     | 7           | 1.0           | 3.0 | 3.0 | 2.0 | 0                             | 3        | OM        | Poor                    | Average condition  | Nil                    | N/A      | <10                    | R                | 3.22                            | 32.50                                      |
|          | 183 | R                                     | Crataegus monogyna Hawthorn              | 247       | 1     | 8           | 2.5           | 2.0 | 3.0 | 2.0 | 0                             | 4        | M         | Fair                    | Average condition  | Nil                    | N/A      | 10-20                  | C2               | 2.96                            | 27.60                                      |
|          | 192 | R                                     | Betula alba Silver birch                 | 292       | 1     | 9           | 2.0           | 5.0 | 3.0 | 4.0 | 0                             | 3        | M         | Fair                    | Average condition  | Nil                    | N/A      | 10-20                  | C2               | 3.50                            | 38.58                                      |
|          | 194 | R                                     | Crataegus monogyna Hawthorn              | 382       | MS    | 7           | 3.0           | 3.0 | 3.0 | 3.0 | 0                             | 3        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | B2               | 3.82                            | 45.85                                      |
|          | 196 | R                                     | Sorbus aucuparia Rowan                   | 255       | 1     | 7           | 2.0           | 4.0 | 4.0 | 4.0 | 0                             | 4        | OM        | V Poor                  | V poor   | Fell                   | U        | <10                    | R                | 3.06                            | 29.42                                      |
|          | 198 | R                                     | Betula alba Silver birch                 | 428       | 1     | 12          | 4.0           | 5.0 | 5.0 | 2.0 | 0                             | 6        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | B2               | 5.14                            | 82.88                                      |
|          | 199 | R                                     | Prunus avium Cherry                      | 441       | 1     | 10          | 2.0           | 6.0 | 3.0 | 7.0 | 2                             | 4        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | B2               | 5.29                            | 87.99                                      |
|          | 200 | R                                     | Betula alba Silver birch                 | 361       | 1     | 13          | 5.0           | 2.0 | 5.0 | 4.0 | 0                             | 8        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | B2               | 4.33                            | 58.96                                      |
|          | 202 | R                                     | Betula alba Silver birch                 | 303       | 1     | 8           | 1.0           | 6.0 | 5.0 | 0.0 | 0                             | 5        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | B2               | 3.64                            | 41.54                                      |
|          | 203 | R                                     | Betula alba Silver birch                 | 168       | 1     | 8           | 2.0           | 2.0 | 2.0 | 2.0 | 0                             | 3        | M         | Poor                    | Average condition  | Nil                    | N/A      | 10-20                  | C2               | 2.02                            | 12.77                                      |
|          | 204 | R                                     | Crataegus monogyna Hawthorn              | 320       | MS    | 7           | 2.0           | 3.0 | 3.0 | 3.0 | 0                             | 3        | M         | Fair                    | Average condition  | Nil                    | N/A      | 10-20                  | C2               | 3.20                            | 32.17                                      |
|          | 207 | R                                     | Betula alba Silver birch                 | 309       | 1     | 10          | 5.0           | 4.0 | 4.0 | 2.0 | 1                             | 5        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | B2               | 3.71                            | 43.20                                      |
|          | 209 | R                                     | Betula alba Silver birch                 | 349       | 1     | 12          | 4.0           | 5.0 | 3.5 | 3.5 | 1                             | 4        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | B2               | 4.19                            | 55.11                                      |
|          | 210 | R                                     | Betula alba Silver birch                 | 505       | 1     | 14          | 5.0           | 4.0 | 4.0 | 6.0 | 1                             | 6        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | B2               | 6.06                            | 115.39                                     |
|          | 211 | R                                     | Prunus avium Cherry                      | 455       | MS    | 11          | 2.0           | 4.0 | 3.5 | 4.0 | 1                             | 4        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | B2               | 4.55                            | 65.05                                      |
|          | 212 | R                                     | Acer pseudoplatanus Sycamore             | 267       | 1     | 10          | 5.0           | 3.0 | 3.5 | 4.0 | 3                             | 2        | M         | Fair                    | Average condition  | Nil                    | N/A      | 40+                    | B2               | 3.20                            | 32.25                                      |
|          | 214 | R                                     | Chamaecyparis lawsoniana Lawsons cypress | 340       | 1     | 13          | 3.0           | 3.0 | 3.0 | 3.0 | 1                             | 0        | M         | Good                    | Average condition  | Nil                    | N/A      | 20-40                  | B2               | 4.08                            | 52.30                                      |
|          | 221 | R                                     | Betula alba Silver birch                 | 244       | 1     | 12          | 1.0           | 3.0 | 2.0 | 4.0 | 0                             | 3        | M         | Fair                    | Average condition  | Nil                    | N/A      | 10-20                  | B2               | 2.93                            | 26.94                                      |
|          | 222 | R                                     | Prunus avium Cherry                      | 437       | 1     | 8           | 3.0           | 7.0 | 7.0 | 6.0 | 0                             | 4        | M         | Fair                    | Average condition  | Nil                    | N/A      | 10-20                  | B2               | 5.24                            | 86.40                                      |
|          | 223 | R                                     | Crataegus monogyna Hawthorn              | 281       | MS    | 7           | 3.0           | 2.0 | 1.0 | 4.0 | 0                             | 3        | M         | Fair                    | Average condition  | Nil                    | N/A      | 10-20                  | B2               | 2.81                            | 24.81                                      |
|          | 224 | R                                     | Betula alba Silver birch                 | 478       | 1     | 13          | 5.0           | 5.0 | 6.0 | 4.0 | 0                             | 3        | M         | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | B2               | 5.74                            | 103.38                                     |
|          | 227 | R                                     | Crataegus monogyna Hawthorn              | 100       | 1     | 4           | 1.0           | 2.0 | 1.0 | 2.0 | 2                             | 3        | SM        | Fair                    | Average condition  | Nil                    | N/A      | 20-40                  | C2               | 1.20                            | 4.52                                       |

**TREES FOR REMOVAL Heyford Park Nicholson's Tree Survey November 2006**

| Group No | Tag | Trees removed for development reasons | Species (Botanical)                       | Diam (mm) | Stems | Ht m. (est) | Branch Spread |      |     |     | Increase in canopy radius (m) | Crown Ht | Age Class | Physiological Condition | Structural Condition                   | Preliminary Management | Priority | Remaining Contribution | Category Grading | Root Protection Zone Radius (m) | Root Protection zone (m2). Capped at 707m2 |
|----------|-----|---------------------------------------|---|-----------|-------|-------------|---------------|------|-----|-----|-------------------------------|----------|-----------|-------------------------|--|------------------------|----------|------------------------|------------------|---------------------------------|--|
|          |     |                                       |   |           |       |             | N             | S    | E   | W   |                               |          |           |                         |  |                        |          |                        |                  |                                 |  |
|          | 228 | R                                     | Sorbus intermedia Swedish Whitebeam       | 637       | 1     | 11          | 3.5           | 5.0  | 4.0 | 4.0 | 1                             | 4        | M         | Fair                    | Average condition                      | Nil                    | N/A      | 10-20                  | B2               | 7.64                            | 183.59                                     |
|          | 229 | R                                     | Crataegus monogyna Hawthorn               | 112       | 1     | 4           | 0.0           | 2.0  | 0.0 | 2.0 | 0                             | 2        | M         | Poor                    | Poor                                   | Fell                   | P        | <10                    | R                | 1.34                            | 5.68                                       |
|          | 231 | R                                     | Betula alba Silver birch                  | 454       | 1     | 12          | 5.0           | 7.0  | 6.0 | 3.0 | 1                             | 5        | M         | Fair                    | Average condition                      | Nil                    | N/A      | 20-40                  | B2               | 5.45                            | 93.26                                      |
|          | 232 | R                                     | Crataegus monogyna Hawthorn               | 158       | 1     | 5           | 2.0           | 3.0  | 3.0 | 3.0 | 1                             | 2        | M         | Fair                    | Average condition                      | Nil                    | N/A      | 20-40                  | B2               | 1.90                            | 11.29                                      |
|          | 233 | R                                     | Crataegus monogyna Hawthorn               | 212       | 1     | 5           | 2.0           | 3.0  | 2.5 | 3.0 | 1                             | 2        | M         | Fair                    | Average condition                      | Nil                    | N/A      | 20-40                  | B2               | 2.54                            | 20.33                                      |
|          | 238 | R                                     | Betula alba Silver birch                  | 294       | 1     | 12          | 2.0           | 4.0  | 3.5 | 3.0 | 1                             | 5        | M         | Fair                    | Average condition                      | Nil                    | N/A      | 10-20                  | B2               | 3.53                            | 39.11                                      |
|          | 239 | R                                     | Prunus avium Cherry                       | 253       | 1     | 6           | 2.0           | 5.0  | 1.5 | 4.0 | 0                             | 4        | M         | Poor                    | Average condition                      | Nil                    | N/A      | <10                    | R                | 3.04                            | 28.96                                      |
|          | 241 | R                                     | Betula alba Silver birch                  | 343       | 1     | 12          | 2.0           | 4.0  | 5.0 | 5.0 | 0                             | 7        | M         | Fair                    | Stem wound at 0.5w                     | Nil                    | N/A      | 10-20                  | C2               | 4.12                            | 53.23                                      |
|          | 242 | R                                     | Betula alba Silver birch                  | 229       | 1     | 9           | 1.0           | 3.0  | 4.0 | 3.0 | 0                             | 5        | M         | Fair                    | Average condition                      | Nil                    | N/A      | 10-20                  | C2               | 2.75                            | 23.73                                      |
|          | 243 | R                                     | Betula alba Silver birch                  | 476       | 1     | 12          | 7.0           | 6.0  | 6.0 | 4.0 | 0                             | 6        | M         | Poor                    | Average condition                      | Nil                    | N/A      | 10-20                  | C2               | 5.71                            | 102.51                                     |
|          | 245 | R                                     | Prunus avium Cherry                       | 260       | 1     | 7           | 6.0           | 3.0  | 2.0 | 5.0 | 1                             | 5        | M         | Fair                    | Average condition                      | Nil                    | N/A      | 10-20                  | C2               | 3.12                            | 30.59                                      |
|          | 246 | R                                     | Crataegus monogyna Hawthorn               | 247       | 1     | 7           | 3.0           | 3.0  | 4.0 | 3.0 | 0                             | 3        | M         | Fair                    | Average condition                      | Nil                    | N/A      | 10-20                  | C2               | 2.96                            | 27.50                                      |
|          | 248 | R                                     | Crataegus monogyna Hawthorn               | 153       | 1     | 7           | 2.0           | 2.0  | 2.0 | 2.0 | 0                             | 2        | M         | Poor                    | Average condition                      | Nil                    | N/A      | <10                    | R                | 1.84                            | 10.59                                      |
|          | 249 |                                       | Populus nigra Italica Lombardy Poplar     | 498       | 1     | 16          | 2.0           | 2.0  | 2.0 | 2.0 | 0                             | 9        | M         | Fair                    | Stem wound at 1.5 s                    | Nil                    | N/A      | <10                    | R                | 5.98                            | 112.21                                     |
|          | 257 | R                                     | Thuja plicata Western Red Cedar           | 535       | 1     | 16          | 3.0           | 5.0  | 3.0 | 5.0 | 1                             | 4        | M         | Fair                    | Basal wound n                          | Nil                    | N/A      | 20-40                  | B2               | 6.42                            | 129.50                                     |
|          | 258 | R                                     | Prunus Flowering Cherry                   | 515       | 1     | 13          | 7.5           | 5.0  | 5.0 | 2.0 | 1                             | 3        | M         | Fair                    | Average condition                      | Nil                    | N/A      | 10-20                  | C2               | 6.18                            | 120.00                                     |
|          | 260 | R                                     | Betula alba Silver birch                  | 210       | 1     | 9           | 2.0           | 7.0  | 4.0 | 1.0 | 0                             | 6        | M         | Fair                    | Leaning                                | Nil                    | N/A      | 10-20                  | C2               | 2.52                            | 19.95                                      |
|          | 261 | R                                     | Prunus Flowering Cherry                   | 531       | 1     | 9           | 5.0           | 7.0  | 2.0 | 5.0 | 0                             | 5        | OM        | Poor                    | Poor                                   | Fell                   | U        | <10                    | R                | 6.37                            | 127.57                                     |
|          | 264 | R                                     | Betula alba Silver birch                  | 251       | 1     | 13          | 2.0           | 2.0  | 2.0 | 2.0 | 0                             | 6        | Dead      | Dead                    | Dead                                   | Fell                   | U        | <10                    | R                | 3.01                            | 28.50                                      |
|          | 275 | R                                     | Betula alba Silver birch                  | 588       | 1     | 14          | 2.0           | 5.0  | 5.0 | 5.0 | 1                             | 6        | M         | Fair                    | Average condition                      | Nil                    | N/A      | 10-20                  | C2               | 7.06                            | 156.43                                     |
|          | 276 | R                                     | Betula alba Silver birch                  | 323       | 1     | 12          | 4.0           | 2.0  | 5.0 | 3.0 | 1                             | 7        | M         | Fair                    | Average condition                      | Nil                    | N/A      | 10-20                  | C2               | 3.88                            | 47.20                                      |
|          | 280 |                                       | Aesculus hippocastanum Horse Chestnut     | 509       | 1     | 12          | 5.0           | 5.0  | 4.0 | 5.0 | 2                             | 6        | M         | Fair                    | Significant stem bleeding              | Nil                    | N/A      | <10                    | R                | 6.11                            | 117.22                                     |
|          | 281 |                                       | Aesculus hippocastanum Horse Chestnut     | 510       | 1     | 12          | 4.0           | 5.0  | 5.0 | 4.0 | 2                             | 7        | M         | Fair                    | Significant stem bleeding and necrosis | Nil                    | N/A      | <10                    | R                | 6.12                            | 117.68                                     |
|          | 283 | R                                     | Acer pseudoplatanus Sycamore              | 353       | 1     | 12          | 4.0           | 5.0  | 5.0 | 5.0 | 2                             | 5        | M         | Fair                    | Average condition                      | Nil                    | N/A      | 40+                    | B2               | 4.24                            | 56.38                                      |
|          | 301 | R                                     | Ulmus glabra Wych Elm                     | 900       | 1     | 16          | 8.0           | 6.0  | 8.0 | 6.0 | 0                             | 6        | M         | Fair                    | Tight forks with included bark         | Nil                    | N/A      | <10                    | R                | 10.80                           | 366.48                                     |
|          | 307 | R                                     | Acer pseudoplatanus Sycamore              | 489       | 1     | 11          | 3.0           | 5.0  | 5.0 | 5.0 | 0                             | 7        | M         | Fair                    | Large cavity in main stem 1.8 e        | Fell                   | N/A      | <10                    | R                | 5.87                            | 108.19                                     |
|          | 312 | R                                     | Ulmus procera Elm                         | 467       | 1     | 17          | 5.0           | 4.0  | 5.0 | 5.0 | 0                             | 5        | M         | Good                    | Average condition                      | Nil                    | N/A      | <10                    | R                | 5.60                            | 98.67                                      |
|          | 316 | R                                     | Chamaecyparis lawsoniana Lawsons cypress  | 480       | MS    | 6           | 1.0           | 1.0  | 1.0 | 1.0 | 0.5                           | gl       | M         | Fair                    | Average condition                      | Nil                    | N/A      | 20-40                  | C2               | 4.80                            | 72.39                                      |
|          | 317 | R                                     | Chamaecyparis lawsoniana Lawsons cypress  | 358       | MS    | 5           | 1.0           | 1.0  | 1.0 | 1.0 | 0.5                           | gl       | M         | Fair                    | Average condition                      | Nil                    | N/A      | 20-40                  | C2               | 3.58                            | 40.27                                      |
|          | 325 | R                                     | Betula alba Silver birch                  | 364       | 1     | 9           | 4.0           | 5.0  | 4.0 | 6.0 | 1                             | 5        | M         | Fair                    | Major cavity in main stem at 2.0 e     | Nil                    | N/A      | <10                    | R                | 4.37                            | 59.95                                      |
|          | 331 | R                                     | Betula alba Silver birch                  | 323       | 1     | 8           | 2.0           | 5.0  | 2.0 | 4.0 | 0                             | 4        | OM        | Poor                    | Average condition                      | Nil                    | N/A      | <10                    | R                | 3.88                            | 47.20                                      |
|          | 333 | R                                     | Betula alba Silver birch                  | 389       | 1     | 10          | 0.0           | 7.0  | 5.0 | 0.0 | 1                             | 6        | M         | Fair                    | Average condition                      | Nil                    | N/A      | 20-40                  | B2               | 4.67                            | 68.46                                      |
|          | 349 |                                       | Populus nigra Italica Lombardy Poplar     | 325       | 1     | 17          | 2.0           | 2.0  | 2.0 | 3.0 | 1                             | 8        | M         | Poor                    | Major dead wood                        | Crown clean            | U        | <10                    | R                | 3.90                            | 47.79                                      |
|          | 354 | R                                     | Fraxinus excelsior Ash                    | 429       | MS    | 5           | 2.0           | 2.0  | 2.0 | 2.0 | 5                             | 2        | SM        | Fair                    | Coppice stool                          | Nil                    | N/A      | 40+                    | C2               | 4.29                            | 57.83                                      |
|          | 355 | MS                                    | Crataegus monogyna Hawthorn               | 259       | MS    | 4           | 3.0           | 3.0  | 3.0 | 3.0 | 0                             | 2        | OM        | Poor                    | Average condition                      | Nil                    | N/A      | <10                    | R                | 2.59                            | 21.08                                      |
|          | 360 | R                                     | Pinus sylvestris Scots pine               | 463       | 1     | 11          | 6.0           | 4.0  | 5.0 | 5.0 | 0                             | 7        | M         | Fair                    | Average condition                      | Nil                    | N/A      | 20-40                  | B2               | 5.56                            | 96.99                                      |
|          | 396 | R                                     | Larix eurolepis European Larch            | 373       | 1     | 12          | 2.0           | 3.0  | 3.0 | 4.0 | 0                             | 4        | M         | Poor                    | Average condition                      | Nil                    | N/A      | <10                    | R                | 4.48                            | 62.95                                      |
|          | 398 | R                                     | Pinus sylvestris Scots pine               | 535       | 1     | 4           | 0.0           | 0.0  | 0.0 | 0.0 | 0                             | 0        | Dead      | Dead                    | Dead                                   | Nil                    | N/A      | <10                    | R                | 6.42                            | 129.50                                     |
|          | 413 | R                                     | Fraxinus excelsior Ash                    | 837       | 1     | 17          | 7.0           | 8.0  | 8.0 | 7.0 | 0                             | 8        | M         | Poor                    | Lots of dead material                  | Fell                   | U        | <10                    | R                | 10.04                           | 316.97                                     |
|          | 421 | R                                     | Ulmus procera Elm                         | 278       | 1     | 9           | 2.0           | 2.0  | 2.0 | 2.0 | 0                             | 3        | M         | Fair                    | Will succumb to DED                    | Nil                    | N/A      | <10                    | R                | 3.34                            | 34.97                                      |
|          | 437 | R                                     | Populus nigra Hybrid black poplar         | 719       | 1     | 17          | 10.0          | 10.0 | 3.0 | 7.0 | 1                             | 6        | M         | Fair                    | Storm damage in upper crown            | Nil                    | N/A      | <10                    | R                | 8.63                            | 233.90                                     |
|          | 443 | R                                     | Tilia europaea Common Lime                | 448       | 1     | 13          | 5.0           | 5.0  | 5.0 | 5.0 | 2                             | 4        | M         | Fair                    | Average condition                      | Nil                    | N/A      | 40+                    | B2               | 5.38                            | 90.81                                      |
|          | 472 |                                       | Sorbus intermedia Swedish Whitebeam       | 679       | 1     | 9           | 4.0           | 4.0  | 4.0 | 4.0 | 4                             | 4        | Dead      | Dead                    | Dead                                   | Fell                   | U        | <10                    | R                | 8.15                            | 208.60                                     |
|          | 473 |                                       | Sorbus intermedia Swedish Whitebeam       | 751       | 1     | 9           | 4.0           | 4.0  | 4.0 | 2.0 | 1                             | 5        | M         | Fair                    | Ganoderma on base n                    | Nil                    | N/A      | <10                    | R                | 9.01                            | 255.18                                     |
|          | 474 | R                                     | Chamaecyparis lawsoniana Lawsons cypress  | 800       | MS    | 12          | 3.0           | 2.0  | 2.0 | 2.0 | 1                             | 2        | M         | Fair                    | Average condition                      | Nil                    | N/A      | 10-20                  | C2               | 8.00                            | 201.09                                     |
|          | 475 | R                                     | Chamaecyparis lawsoniana Lawsons cypress  | 605       | MS    | 12          | 2.0           | 2.0  | 2.0 | 3.0 | 1                             | 2        | M         | Fair                    | Average condition                      | Nil                    | N/A      | 10-20                  | C2               | 6.05                            | 115.01                                     |
|          | 478 | R                                     | Ilex Highclere Holly                      | 180       | 1     | 5           | 3.0           | 2.0  | 3.0 | 3.0 | 0                             | 3        | M         | Poor                    | Average condition                      | Nil                    | N/A      | <10                    | R                | 2.16                            | 14.66                                      |
|          | 484 | R                                     | Chamaecyparis lawsoniana Lawsons cypress  | 559       | 1     | 11          | 2.0           | 2.0  | 3.0 | 2.0 | 1                             | 4        | M         | Fair                    | Two principle limbs removed in past    | Nil                    | N/A      | 10-20                  | C2               | 6.71                            | 141.38                                     |
|          | 486 | R                                     | Chamaecyparis lawsoniana Lawsons cypress  | 299       | 1     | 9           | 2.0           | 3.0  | 1.0 | 2.0 | 1                             | 0.2      | M         | Fair                    | Average condition                      | Nil                    | N/A      | 20-40                  | C2               | 3.59                            | 40.45                                      |
|          | 487 | R                                     | Chamaecyparis lawsoniana Lawsons cypress  | 781       | MS    | 9           | 2.0           | 3.0  | 2.0 | 1.0 | 1                             | 1.5      | M         | Fair                    | Average condition                      | Nil                    | N/A      | 20-40                  | C2               | 7.81                            | 191.65                                     |
|          | 489 | R                                     | Crataegus monogyna Hawthorn               | 395       | MS    | 8           | 3.0           | 3.0  | 1.0 | 3.0 | 0                             | 2        | OM        | Poor                    | Average condition                      | Nil                    | N/A      | <10                    | R                | 3.95                            | 49.02                                      |
|          | 492 | R                                     | Chamaecyparis lawsoniana Lawsons cypress  | 229       | MS    | 6           | 0.5           | 0.5  | 1.0 | 0.0 | 2                             | 2        | M         | Fair                    | Average condition                      | Nil                    | N/A      | 20-40                  | C2               | 2.29                            | 16.48                                      |
|          | 493 | R                                     | Cupressocyparis leylandii Leyland cypress | 415       | 1     | 11          | 2.0           | 2.0  | 2.0 | 2.0 | 2                             | 2        | M         | Fair                    | Average condition                      | Nil                    | N/A      | 20-40                  | C2               | 4.98                            | 77.92                                      |

**TREES FOR REMOVAL Heyford Park Nicholson's Tree Survey November 2006**

| Group No | Tag | Trees removed for development reasons | Species (Botanical)                       | Diam (mm) | Stems | Ht m. (est) | Branch Spread |     |     |     | Increase in canopy radius (m) | Crown Ht | Age Class | Physiological Condition | Structural Condition  | Preliminary Management    | Priority | Remaining Contribution | Category Grading | Root Protection Zone Radius (m) | Root Protection zone (m2). Capped at 707m2 |
|----------|-----|---------------------------------------|---|-----------|-------|-------------|---------------|-----|-----|-----|-------------------------------|----------|-----------|-------------------------|---|---------------------------|----------|------------------------|------------------|---------------------------------|--|
|          |     |                                       |   |           |       |             | N             | S   | E   | W   |                               |          |           |                         |   |                           |          |                        |                  |                                 |  |
|          | 494 | R                                     | Chamaecyparis lawsoniana Lawsons cypress  | 443       | MS    | 10          | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 2        | M         | Fair                    | Average condition   | Nil                       | N/A      | 20-40                  | C2               | 4.43                            | 61.66                                      |
|          | 500 | R                                     | Chamaecyparis lawsoniana Lawsons cypress  | 489       | 1     | 11          | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 3        | M         | Fair                    | Average condition   | Nil                       | N/A      | 20-40                  | C2               | 5.87                            | 108.19                                     |
|          | 501 | R                                     | Chamaecyparis lawsoniana Lawsons cypress  | 353       | 1     | 10          | 1.0           | 1.0 | 1.0 | 1.0 | 1                             | 3        | M         | Fair                    | Average condition   | Nil                       | N/A      | 20-40                  | C2               | 4.24                            | 56.38                                      |
|          | 502 | R                                     | Chamaecyparis lawsoniana Lawsons cypress  | 493       | 1     | 11          | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 3        | M         | Fair                    | Average condition   | Nil                       | N/A      | 20-40                  | C2               | 5.92                            | 109.97                                     |
|          | 522 |                                       | Prunus Flowering Cherry                   | 424       | 1     | 8           | 4.0           | 4.0 | 4.0 | 4.0 | 0                             | 3        | Dead      | Dead                    | Dead  | Fell                      | P        | <10                    | R                | 5.09                            | 81.34                                      |
|          | 523 |                                       | Prunus Flowering Cherry                   | 403       | 1     | 8           | 3.0           | 3.0 | 3.0 | 3.0 | 0                             | 2        | Dead      | Dead                    | Dead  | Fell                      | P        | <10                    | R                | 4.84                            | 73.48                                      |
|          | 524 |                                       | Laburnum anagyroides Common laburnum      | 329       | MS    | 6           | 4.0           | 4.0 | 1.0 | 4.0 | 0                             | 3        | OM        | Poor                    | Poor  | Nil                       | N/A      | <10                    | R                | 3.29                            | 34.01                                      |
|          | 525 | R                                     | Chamaecyparis lawsoniana Lawsons cypress  | 460       | 1     | 13          | 2.0           | 2.0 | 2.0 | 2.0 | 0                             | 4        | M         | Fair                    | Average condition   | Nil                       | N/A      | 20-40                  | B2               | 5.52                            | 95.74                                      |
|          | 526 | R                                     | Chamaecyparis lawsoniana Lawsons cypress  | 381       | 1     | 13          | 2.0           | 2.0 | 2.0 | 2.0 | 0                             | 4        | M         | Poor                    | Average condition   | Nil                       | N/A      | 10-20                  | C2               | 4.57                            | 65.68                                      |
|          | 527 |                                       | Betula alba Silver birch                  | 230       | 1     | 10          | 1.0           | 2.0 | 3.0 | 1.0 | 0                             | 5        | M         | Poor                    | Compost heap at base  | Nil                       | N/A      | <10                    | R                | 2.76                            | 23.93                                      |
|          | 528 |                                       | Betula alba Silver birch                  | 409       | 1     | 11          | 3.0           | 5.0 | 2.0 | 5.0 | 0                             | 5        | M         | Poor                    | Compost heap at base  | Nil                       | N/A      | <10                    | R                | 4.91                            | 75.69                                      |
|          | 532 | R                                     | Chamaecyparis lawsoniana Lawsons cypress  | 394       | 1     | 10          | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 0        | M         | Fair                    | Average condition   | Nil                       | N/A      | 20-40                  | C2               | 4.73                            | 70.24                                      |
|          | 533 | R                                     | Chamaecyparis lawsoniana Lawsons cypress  | 387       | 1     | 10          | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 0        | M         | Fair                    | Average condition   | Nil                       | N/A      | 20-40                  | C2               | 4.64                            | 67.76                                      |
|          | 536 | R                                     | Thuja plicata Western Red Cedar           | 468       | 1     | 15          | 3.0           | 2.0 | 1.0 | 4.0 | 0                             | 2        | M         | Fair                    | Average condition   | Nil                       | N/A      | 20-40                  | B2               | 5.62                            | 99.10                                      |
|          | 538 |                                       | Crataegus monogyna Hawthorn               | 162       | 1     | 4           | 1.0           | 1.0 | 1.0 | 1.0 | 0                             | 2        | OM        | Poor                    | Poor  | Nil                       | N/A      | <10                    | R                | 1.94                            | 11.87                                      |
|          | 539 |                                       | Crataegus monogyna Hawthorn               | 261       | MS    | 6           | 2.0           | 2.0 | 2.0 | 2.0 | 0                             | 3        | OM        | Poor                    | Poor  | Nil                       | N/A      | <10                    | R                | 2.61                            | 21.40                                      |
|          | 542 |                                       | Plum                                      | 84        | MS    | 3           | 0.0           | 2.0 | 2.0 | 2.0 | 0                             | 1        | SM        | Poor                    | Stunted poor fruit tree   | Nil                       | N/A      | <10                    | R                | 0.84                            | 2.22                                       |
|          | 551 | R                                     | Chamaecyparis lawsoniana Lawsons cypress  | 273       | 1     | 10          | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 5        | M         | Fair                    | Main fork at 3.5m included bark   | Nil                       | N/A      | 10-20                  | C2               | 3.28                            | 33.72                                      |
|          | 557 | R                                     | Chamaecyparis lawsoniana Lawsons cypress  | 418       | MS    | 12          | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 2        | M         | Fair                    | Average condition   | Nil                       | N/A      | 20-40                  | C2               | 4.18                            | 54.90                                      |
|          | 558 | R                                     | Thuja plicata Western Red Cedar           | 366       | MS    | 8           | 3.0           | 2.0 | 3.0 | 2.0 | 1                             | 2        | M         | Fair                    | Suppressed under adjacent tree  | Nil                       | N/A      | 10-20                  | C2               | 3.66                            | 42.09                                      |
|          | 563 |                                       | Prunus Flowering Cherry                   | 251       | 1     | 7           | 2.0           | 2.0 | 1.0 | 2.0 | 0                             | 1.5      | OM        | Poor                    | Basal bark wounds   | Fell to ground level      | P        | <10                    | R                | 5.11                            | 28.50                                      |
|          | 564 | R                                     | Cupressocyparis leylandii Leyland cypress | 511       | 1     | 10          | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 0        | M         | Good                    | No visible defects  | None                      | N/A      | 20-40                  | C1               | 6.13                            | 118.14                                     |
|          | 565 | R                                     | Chamaecyparis lawsoniana Lawsons cypress  | 300       | 1     | 5           | 1.0           | 1.0 | 1.0 | 1.0 | 1                             | 0        | M         | Fair                    | Suppressed by 566   | None                      | N/A      | 20-40                  | C1               | 3.60                            | 40.72                                      |
|          | 566 | R                                     | Cupressocyparis leylandii Leyland cypress | 426       | 1     | 10          | 2.0           | 2.0 | 2.0 | 1.0 | 1                             | 0        | M         | Good                    | No visible defects  | None                      | N/A      | 40+                    | C1               | 5.11                            | 82.11                                      |
|          | 584 |                                       | Salix Willow                              | 383       | 1     | 10          | 4.0           | 4.0 | 4.0 | 5.0 | 0                             | 4        | M         | Poor                    | southern stem with split and dysfunctional timber into main fork  | Nil                       | N/A      | <10                    | R                | 4.60                            | 66.37                                      |
|          | 586 |                                       | Prunus Flowering Cherry                   | 248       | 1     | 5           | 3.0           | 3.0 | 3.0 | 3.0 | 0                             | 2.5      | M         | Poor                    | Average condition   | Nil                       | N/A      | <10                    | R                | 2.98                            | 27.83                                      |
|          | 593 |                                       | Prunus Flowering Cherry                   | 413       | MS    | 7           | 3.0           | 4.0 | 3.0 | 4.0 | 0                             | 2        | OM        | Poor                    | Very weak main fork   | Nil                       | N/A      | <10                    | R                | 4.13                            | 53.59                                      |
|          | 594 |                                       | Prunus Flowering Cherry                   | 201       | MS    | 5           | 2.0           | 2.0 | 3.0 | 2.0 | 0                             | 2        | Dead      | Dead                    | Dead  | Fell                      | P        | <10                    | R                | 2.01                            | 12.69                                      |
|          | 596 |                                       | Prunus Flowering Cherry                   | 303       | MS    | 5           | 4.0           | 4.0 | 4.0 | 4.0 | 0                             | 2        | OM        | Poor                    | Average condition   | Nil                       | N/A      | <10                    | R                | 3.03                            | 28.85                                      |
|          | 599 | R                                     | Cupressocyparis leylandii Leyland cypress | 562       | 1     | 9           | 3.0           | 3.0 | 3.0 | 3.0 | 1                             | 0        | M         | Fair                    | Average condition   | Nil                       | N/A      | 40+                    | C2               | 6.74                            | 142.90                                     |
|          | 611 | R                                     | Cupressocyparis leylandii Leyland cypress | 759       | MS    | 13          | 4.0           | 4.0 | 4.0 | 4.0 | 1                             | 2        | M         | Fair                    | V close to dwellings etc  | Nil                       | N/A      | 10-20                  | C2               | 7.59                            | 181.00                                     |
|          | 615 |                                       | Malus domestica Apple                     | 280       | 1     | 3           | 2.0           | 1.0 | 2.0 | 2.0 | 0                             | 2        | Dead      | Dead                    | Dead  | Nil                       | N/A      | <10                    | R                | 3.36                            | 35.47                                      |
|          | 618 | R                                     | Chamaecyparis lawsoniana Lawsons cypress  | 330       | 1     | 7           | 2.0           | 3.0 | 3.0 | 2.0 | 1                             | 1        | M         | Fair                    | Average condition   | Nil                       | N/A      | 20-40                  | C2               | 3.96                            | 49.27                                      |
|          | 619 | R                                     | Chamaecyparis lawsoniana Lawsons cypress  | 452       | MS    | 7           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 2        | M         | Fair                    | Average condition   | Nil                       | N/A      | 20-40                  | C2               | 4.52                            | 64.19                                      |
|          | 620 |                                       | Betula alba Silver birch                  | 430       | 1     | 10          | 3.0           | 5.0 | 4.0 | 4.0 | 0                             | 4        | M         | Fair                    | Large scar on main stem gl - 1.3 from torn out limb top snappedcut associated decay and P betulinus brackets  | Ascertain extent of decay | U        | <10                    | R                | 5.16                            | 83.66                                      |
|          | 621 |                                       | Malus domestica Apple                     | 293       | 1     | 7           | 3.0           | 3.0 | 2.0 | 2.0 | 0                             | 2        | OM        | Poor                    | Average condition   | Nil                       | N/A      | <10                    | R                | 3.52                            | 38.84                                      |
|          | 624 |                                       | Prunus Flowering Cherry                   | 304       | 1     | 11          | 3.0           | 1.0 | 4.0 | 1.0 | 2                             | 2        | M         | Fair                    | * Deadwood, crown unbalanced, Spiral bark cracking on lower stem leading to decay in sapwood. Included bark at main spring. Spiral cracking of main limbs | Remove                    | P        | <10                    | R                | 2.16                            | 41.81                                      |
|          | 631 |                                       | Aesculus hippocastanum Horse Chestnut     | 513       | 1     | 14          | 5.0           | 4.0 | 3.0 | 4.0 | 0                             | 2        | M         | Poor                    | Average condition   | Fell                      | P        | N/A                    | R                | 4.16                            | 119.07                                     |
|          | 636 |                                       | Acer pseudoplatanus Sycamore              | 216       | MS    | 6           | 2.0           | 2.0 | 2.0 | 2.0 | 0                             | 0        | Y         | Good                    | Affected by existing foundations  | Nil                       | N/A      | <10                    | R                | 5.81                            | 14.66                                      |
|          | 637 |                                       | Acer pseudoplatanus Sycamore              | 416       | MS    | 6           | 2.0           | 2.0 | 2.0 | 2.0 | 0                             | 0        | Y         | Good                    | Affected by existing foundations  | Nil                       | N/A      | <10                    | R                | 2.01                            | 54.37                                      |
|          | 644 | R                                     | Thuja plicata Western Red Cedar           | 556       | MS    | 14          | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects  | Nil                       | N/A      | 10-20                  | C1               | 5.56                            | 97.13                                      |

**TREES FOR REMOVAL Heyford Park Nicholson's Tree Survey November 2006**

| Group No | Tag | Trees removed for development reasons | Species (Botanical)                       | Diam (mm) | Stems | Ht m. (est) | Branch Spread |     |     |     | Increase in canopy radius (m) | Crown Ht | Age Class | Physiological Condition | Structural Condition   | Preliminary Management                   | Priority | Remaining Contribution | Category Grading | Root Protection Zone Radius (m) | Root Protection zone (m2). Capped at 707m2 |
|----------|-----|---------------------------------------|---|-----------|-------|-------------|---------------|-----|-----|-----|-------------------------------|----------|-----------|-------------------------|--|--|----------|------------------------|------------------|---------------------------------|--|
|          |     |                                       |   |           |       |             | N             | S   | E   | W   |                               |          |           |                         |  |  |          |                        |                  |                                 |  |
|          | 647 | R                                     | Chamaecyparis lawsoniana Lawsons cypress  | 484       | 1     | 16          | 2.0           | 2.0 | 3.0 | 1.0 | 1                             | 3        | M         | Good                    | Growing together with 2089   | Nil                                      | N/A      | 10-20                  | C1,2             | 5.01                            | 105.99                                     |
|          | 649 |                                       | Sorbus aucuparia Rowan                    | 201       | MS    | 2           | 1.0           | 1.0 | 1.0 | 1.0 | 4                             | 1        | Y         | Poor                    | Damage to main stem, in raised bed                                 | Nil                                      | N/A      | <10                    | R                | 5.94                            | 12.69                                      |
|          | 652 | R                                     | Betula alba Silver birch                  | 320       | 1     | 15          | 3.0           | 2.0 | 3.0 | 2.0 | 1                             | 2        | M         | Good                    | In raised bed, else No visible defects                             | Nil                                      | N/A      | 10-20                  | B1               | 3.84                            | 46.33                                      |
|          | 678 | R                                     | Chamaecyparis lawsoniana Lawsons cypress  | 501       | MS    | 10          | 2.0           | 2.0 | 2.0 | 2.0 | 0.5                           | 0.5      | M         | Fair                    | No visible defects   | None                                     | N/A      | 40+                    | C1               | 3.22                            | 78.86                                      |
|          | 679 | R                                     | Chamaecyparis lawsoniana Lawsons cypress  | 594       | MS    | 10          | 2.0           | 2.0 | 2.0 | 2.0 | 0.5                           | 0.5      | M         | Fair                    | No visible defects   | None                                     | N/A      | 40+                    | C1               | 1.01                            | 110.86                                     |
|          | 692 | R                                     | Acer pseudoplatanus Sycamore              | 298       | 1     | 9           | 3.0           | 3.0 | 4.0 | 4.0 | 3                             | 2.5      | M         | Good                    | Minor deadwood   | Crown clean                              | P        | 40+                    | B1               | 3.58                            | 40.18                                      |
|          | 693 | R                                     | Acer pseudoplatanus Sycamore              | 268       | 1     | 7           | 3.0           | 3.0 | 3.0 | 3.0 | 3                             | 3        | M         | Fair                    | No visible defects   | None                                     | N/A      | 40+                    | B1               | 3.22                            | 32.50                                      |
|          | 701 |                                       | Quercus rubra Red oak                     | 84        | 1     | 4           | 1.0           | 0.0 | 1.0 | 1.0 | 2                             | N/A      | SM        | Poor                    | Dead wood, minor basal wounds                                      | Fell to ground level (suppressed by 702) | P        | <10                    | R                | 1.01                            | 3.19                                       |
|          | 702 | R                                     | Quercus rubra Red oak                     | 176       | 1     | 5           | 3.0           | 3.0 | 3.0 | 3.0 | 1.5                           | 4        | SM        | Good                    | No visible defects   | None                                     | N/A      | 40+                    | B2               | 2.11                            | 14.02                                      |
|          | 705 |                                       | Sorbus aucuparia Rowan                    | 495       | MS    | 4           | 1.0           | 3.0 | 2.0 | 3.0 | 1.5                           | N/A      | OM        | Poor                    | Major basal suckering  | Fell to ground level                     | P        | <10                    | R                | 4.95                            | 76.99                                      |
|          | 706 |                                       | Prunus avium plena Cherry                 | 158       | MS    | 5           | 3.0           | 3.0 | 3.0 | 3.0 | 2                             | N/A      | Dead      | Dead                    | Dead wood  | Fell to ground level                     | P        | <10                    | R                | 1.58                            | 7.84                                       |
|          | 712 | R                                     | Cupressocyparis leylandii Leyland cypress | 305       | 1     | 6           | 1.5           | 1.5 | 1.5 | 1.5 | 1                             | 1        | M         | Good                    | No visible defects   | None                                     | N/A      | 40+                    | B2               | 3.66                            | 42.09                                      |
|          | 714 | R                                     | Chamaecyparis lawsoniana Lawsons cypress  | 284       | 1     | 7           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 1        | M         | Good                    | No visible defects   | None                                     | N/A      | 20-40                  | C1               | 3.41                            | 36.49                                      |
|          | 715 | R                                     | Chamaecyparis lawsoniana Lawsons cypress  | 349       | MS    | 7           | 2.0           | 2.0 | 2.0 | 2.0 | 0                             | 1        | M         | Good                    | No visible defects   | None                                     | N/A      | 20-40                  | C1               | 3.49                            | 38.27                                      |
|          | 724 | R                                     | Cupressocyparis leylandii Leyland cypress | 802       | MS    | 8           | 2.0           | 2.0 | 2.0 | 2.0 | 0                             | 1        | M         | Good                    | Tight forks included bark  | None                                     | N/A      | 20-40                  | C2               | 8.02                            | 202.09                                     |
|          | 728 |                                       | Prunus Flowering Cherry                   | 449       | MS    | 4.5         | 2.0           | 3.0 | 4.0 | 2.0 | 0                             | N/A      | M         | Fair                    | Major basal cavity   | Fell to ground level                     | P        | <10                    | R                | 4.49                            | 63.34                                      |
|          | 730 |                                       | Prunus Flowering Cherry                   | 208       | 1     | 3           |               |     |     |     |                               | N/A      | Dead      | Dead                    | Dead wood  | Fell to ground level                     | P        | N/A                    | R                | 2.50                            | 19.57                                      |
|          | 734 | R                                     | Chamaecyparis lawsoniana Lawsons cypress  | 525       | MS    | 7           | 2.5           | 2.5 | 2.5 | 2.5 | 0                             | 0.5      | M         | Good                    | No visible defects   | None                                     | N/A      | 20-40                  | C1               | 5.25                            | 86.60                                      |
|          | 736 | R                                     | Cupressocyparis leylandii Leyland cypress | 165       | MS    | 15          | 3.0           | 3.0 | 3.0 | 3.0 | 0                             | 0.5      | M         | Good                    | Phone lines through crown  | None                                     | N/A      | 40+                    | C1               | 1.65                            | 8.55                                       |
|          | 737 |                                       | Acer saccharinum Silver maple             | 234       | MS    | 5           | 2.0           | 2.0 | 2.0 | 2.0 | 3                             | 4        | M         | Fair                    | Tight fork with stem crack   | Fell to ground level                     | P        | <10                    | R                | 2.34                            | 17.20                                      |
|          | 743 | R                                     | Cupressocyparis leylandii Leyland cypress | 546       | MS    | 11          | 3.0           | 2.0 | 3.0 | 3.0 | 2                             | 2        | M         | Fair                    | Broken branch  | None                                     | N/A      | 40+                    | C1               | 5.46                            | 93.67                                      |
|          | 744 | R                                     | Cupressocyparis leylandii Leyland cypress | 519       | 1     | 11          | 1.0           | 3.0 | 3.0 | 3.0 | 2                             | 2        | M         | Fair                    | No visible defects   | None                                     | N/A      | 40+                    | C1               | 6.23                            | 121.87                                     |
|          | 745 | R                                     | Sorbus aucuparia Rowan                    | 220       | 1     | 8           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 2.5      | M         | Good                    | Tight fork and included bark                                       | None                                     | N/A      | 10-20                  | C1               | 2.64                            | 21.90                                      |
|          | 747 | R                                     | Sorbus aucuparia Rowan                    | 110       | 1     | 5           | 1.5           | 1.5 | 1.5 | 1.5 | 0.5                           | 2        | M         | Fair                    | Basal suckers stem cavity north                                    | Fell to ground level                     | P        | <10                    | R                | 1.32                            | 5.47                                       |
|          | 755 | R                                     | Acer pseudoplatanus Sycamore              | 148       | 1     | 5           | 2.0           | 2.0 | 2.0 | 2.0 | 4                             | 1.5      | SM        | Good                    | Small basal cavity   | None                                     | N/A      | 40+                    | C1               | 1.78                            | 51.69                                      |
|          | 758 | R                                     | Tilia europaea Common Lime                | 204       | 1     | 6           | 3.0           | 2.0 | 2.0 | 2.0 | 3                             | 1        | SM        | Good                    | No visible defects   | None                                     | N/A      | 40+                    | B1               | 2.45                            | 18.83                                      |
|          | 764 | R                                     | Juglans regia Walnut                      | 178       | 1     | 6           | 3.0           | 3.0 | 3.0 | 3.0 | 3                             | 1.5      | SM        | Good                    | No visible defects   | None                                     | N/A      | 40+                    | B1               | 2.14                            | 14.34                                      |
|          | 773 | R                                     | Cupressocyparis leylandii Leyland cypress | 368       | 1     | 7           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 0        | SM        | Good                    | No visible defects   | None                                     | N/A      | 40+                    | C1               | 2.53                            | 61.27                                      |
|          | 778 | R                                     | Juglans regia Walnut                      | 216       | 1     | 7           | 3.5           | 3.5 | 3.5 | 3.5 | 3                             | 1.5      | SM        | Good                    | No visible defects   | None                                     | N/A      | 40+                    | B1               | 5.58                            | 21.11                                      |
|          | 779 | R                                     | Robinia pseudoacacia False acacia         | 211       | 1     | 5           | 2.5           | 2.5 | 2.5 | 2.5 | 3                             | 1.5      | SM        | Good                    | No visible defects   | None                                     | N/A      | 40+                    | B1               | 4.44                            | 20.14                                      |
|          | 787 | R                                     | Alnus cordata Italian alder               | 544       | MS    | 8           | 3.0           | 4.0 | 5.0 | 4.0 | 2                             | 2        | M         | Good                    | Tight forks/included bark at base                                  | None                                     | N/A      | 20-40                  | C1               | 1.46                            | 92.98                                      |
|          | 788 | R                                     | Tilia europaea Common Lime                | 280       | 1     | 7           | 3.0           | 3.0 | 3.0 | 3.0 | 3                             | 2        | M         | Good                    | No visible defects   | None                                     | N/A      | 40+                    | A1               | 6.76                            | 35.47                                      |
|          | 789 |                                       | Crataegus monogyna Hawthorn               | 241       | 1     | 4           | 1.0           | 1.0 | 1.0 | 1.0 | 0                             | 2        | OM        | Poor                    | Dead wood and die-back   | Fell to ground level                     | P        | <10                    | R                | 7.37                            | 26.28                                      |
|          | 791 | R                                     | Tilia cordata Small leaved lime           | 377       | 1     | 7           | 4.0           | 4.0 | 4.0 | 4.0 | 3                             | 2        | M         | Good                    | No visible defects   | None                                     | N/A      | 40+                    | A1               | 2.76                            | 64.31                                      |
|          | 809 |                                       | Prunus avium plena Cherry                 | 563       | 1     | 8           | 5.0           | 5.0 | 5.0 | 5.0 | 1                             | 3        | M         | Fair                    | Major cavity   | Fell to ground level                     | P        | <10                    | R                | 3.32                            | 143.41                                     |
|          | 813 |                                       | Aesculus hippocastanum Horse Chestnut     | 614       | 1     | 3           | 1.0           | 1.0 | 1.0 | 1.0 | 5                             | 3        | M         | Poor                    | Pollarded, growing within hard surface                             | Remove                                   | P        | 0                      | R                | 2.80                            | 170.57                                     |
|          | 814 | R                                     | Cotoneaster                               | 230       | 1     | 6           | 3.0           | 2.0 | 3.0 | 3.0 | 1                             | 2        | M         | Good                    | Included bark to large branch (south)                              | Remove included bark branch              | P        | <10                    | C1               | 2.88                            | 23.93                                      |
|          | 815 |                                       | Cotoneaster                               | 277       | 1     | 5           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 2        | M         | Good                    | Over major ornamental immediately adjacent to existing foundations | Remove                                   | P        | 0                      | R                | 6.54                            | 34.72                                      |
|          | 816 |                                       | Sumach                                    | 280       | MS    | 5           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 2        | M         | Good                    | Over major ornamental immediately adjacent to existing foundations | Remove                                   | P        | 0                      | R                | 6.98                            | 24.63                                      |
|          | 819 | R                                     | Sorbus aria Whitebeam                     | 240       | 1     | 5           | 2.0           | 1.0 | 2.0 | 1.0 | 2                             | 2        | M         | Fair                    | Included bark to main fork   | Nil                                      | N/A      | 10-20                  | C1               | 2.64                            | 26.06                                      |
|          | 822 | R                                     | Sorbus aria Whitebeam                     | 545       | 1     | 9           | 4.0           | 4.0 | 3.0 | 4.0 | 0                             | 2        | M         | Fair                    | Old wounds and rot pocket to spring of crown (decay?)              | Nil                                      | N/A      | 10-20                  | C1               | 4.68                            | 134.39                                     |
|          | 823 | R                                     | Sorbus aria Whitebeam                     | 582       | 1     | 11          | 4.0           | 4.0 | 3.0 | 4.0 | 0                             | 2        | M         | Fair                    | No visible defects   | Nil                                      | N/A      | 10-20                  | C1               | 3.23                            | 153.25                                     |
|          | 827 | R                                     | Carpinus betulus Hornbeam (fastigata)     | 264       | MS    | 10          | 3.0           | 3.0 | 3.0 | 3.0 | 2                             | 3        | M         | Good                    | Included bark at spring of crown at 1.5 m                          | Nil                                      | N/A      | 20-40                  | C1               | 2.15                            | 21.90                                      |
|          | 831 | R                                     | Betula alba Silver birch                  | 390       | 1     | 10          | 6.0           | 5.0 | 5.0 | 5.0 | 1                             | 2        | M         | Good                    | No visible defects   | Nil                                      | N/A      | 10-20                  | B1               | 4.68                            | 68.82                                      |
|          | 844 |                                       | Sorbus aucuparia Rowan                    | 269       | 1     | 10          | 0.0           | 1.0 | 2.0 | 0.0 | 0                             | 5        | M         | Poor                    | Mostly dead  | Fell                                     | U        | <10                    | R                | 3.23                            | 32.74                                      |
|          | 851 | R                                     | Crataegus monogyna Hawthorn               | 179       | 1     | 4           | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | Immediately adjacent to kerb, epicormics                           | Nil                                      | N/A      | <10                    | R                | 2.15                            | 14.50                                      |
|          | 852 | R                                     | Betula alba Silver birch                  | 158       | 1     | 11          | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 2        | M         | Good                    | Severely leaning, in raised bed                                    | Nil                                      | N/A      | <10                    | R                | 1.90                            | 11.29                                      |
|          | 854 | R                                     | Cupressocyparis leylandii Leyland cypress | 876       | MS    | 17          | 3.0           | 3.0 | 3.0 | 4.0 | 2                             | 0        | M         | Good                    | No visible defects   | Nil                                      | N/A      | 20-40                  | B1               | 8.76                            | 241.11                                     |

**TREES FOR REMOVAL Heyford Park Nicholson's Tree Survey November 2006**

| Group No | Tag  | Trees removed for development reasons | Species (Botanical)                       | Diam (mm) | Stems | Ht m. (est) | Branch Spread |     |     |     | Increase in canopy radius (m) | Crown Ht | Age Class | Physiological Condition | Structural Condition                                   | Preliminary Management | Priority | Remaining Contribution | Category Grading | Root Protection Zone Radius (m) | Root Protection zone (m2). Capped at 707m2 |
|----------|------|---------------------------------------|---|-----------|-------|-------------|---------------|-----|-----|-----|-------------------------------|----------|-----------|-------------------------|--|------------------------|----------|------------------------|------------------|---------------------------------|--|
|          |      |                                       |   |           |       |             | N             | S   | E   | W   |                               |          |           |                         |  |                        |          |                        |                  |                                 |  |
|          | 855  | R                                     | Chamaecyparis lawsoniana Lawsons cypress  | 855       | MS    | 14          | 0.0           | 4.0 | 3.0 | 3.0 | 2                             | 0        | M         | Good                    | Immediately adjacent to foundations                    | Nil                    | N/A      | 10-20                  | R                | 8.55                            | 229.69                                     |
|          | 856  | R                                     | Cupressocyparis leylandii Leyland cypress | 553       | 1     | 16          | 3.0           | 3.0 | 2.0 | 3.0 | 2                             | 4        | M         | Good                    | Included bark to main fork                             | Nil                    | N/A      | 10-20                  | C1               | 6.64                            | 138.36                                     |
|          | 857  | R                                     | Cupressocyparis leylandii Leyland cypress | 938       | MS    | 16          | 3.0           | 3.0 | 3.0 | 3.0 | 2                             | 1        | M         | Good                    | No visible defects                                     | Nil                    | N/A      | 20-40                  | B1               | 9.38                            | 276.45                                     |
|          | 858  | R                                     | Cupressocyparis leylandii Leyland cypress | 830       | MS    | 16          | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 1        | M         | Good                    | No visible defects                                     | Nil                    | N/A      | 20-40                  | B1               | 8.30                            | 216.45                                     |
|          | 863  | R                                     | Cupressocyparis leylandii Leyland cypress | 1068      | MS    | 16          | 3.0           | 3.0 | 3.0 | 3.0 | 1                             | 0        | M         | Good                    | No visible defects                                     | Nil                    | N/A      | 20-40                  | B1,2             | 10.68                           | 358.38                                     |
|          | 866  | R                                     | Acer platanoides Norway maple             | 239       | 1     | 8           | 3.0           | 3.0 | 3.0 | 3.0 | 3                             | 3        | M         | Good                    | No visible defects                                     | None                   | N/A      | 40+                    | B1               | 2.00                            | 25.84                                      |
|          | 867  | R                                     | Prunus Flowering Cherry                   | 177       | 1     | 6           | 3.0           | 2.0 | 3.0 | 3.0 | 2                             | 2        | M         | Poor                    | Significant cavity                                     | Fell to ground level   | P        | <10                    | R                | 4.32                            | 14.17                                      |
|          | 869  | R                                     | Fraxinus excelsior Ash                    | 152       | 1     | 5.5         | 3.0           | 3.0 | 3.0 | 3.0 | 3                             | 2        | SM        | Good                    | No visible defects                                     | None                   | N/A      | 40+                    | C1               | 5.16                            | 10.45                                      |
|          | 870  | R                                     | Fraxinus excelsior Ash                    | 150       | 1     | 6           | 2.0           | 2.0 | 2.0 | 2.0 | 3                             | 2        | SM        | Good                    | No visible defects                                     | None                   | N/A      | 40+                    | C1               | 3.34                            | 10.18                                      |
|          | 871  | R                                     | Prunus Flowering Cherry                   | 360       | 1     | 4           | 1.0           | 1.0 | 1.0 | 1.0 | 3                             | 3        | M         | Poor                    | Previous poor pruning                                  | Fell to ground level   | P        | <10                    | R                | 3.66                            | 58.64                                      |
|          | 874  | R                                     | Chamaecyparis lawsoniana Lawsons cypress  | 516       | MS    | 7           | 2.0           | 2.0 | 2.0 | 2.0 | 0.5                           | 0        | M         | Good                    | No visible defects                                     | None                   | N/A      | 20-40                  | B1               | 4.60                            | 83.66                                      |
|          | 875  | R                                     | Prunus avium plena Cherry                 | 278       | 1     | 7           | 3.0           | 3.0 | 4.0 | 4.0 | 1                             | 2        | M         | Good                    | No visible defects                                     | None                   | N/A      | 20-40                  | B1               | #REF!                           | 34.97                                      |
|          | 876  | R                                     | Crataegus monogyna Hawthorn               | 366       | MS    | 5           | 1.0           | 2.5 | 2.5 | 2.5 | 0.5                           | 1        | M         | Fair                    | No visible defects                                     | None                   | N/A      | 40+                    | C1               | 3.66                            | 42.09                                      |
|          | 877  | R                                     | Prunus Flowering Cherry                   | 383       | 1     | 6           | 1.0           | 2.0 | 1.5 | 2.0 | 2                             | 3        | M         | Good                    | No visible defects                                     | None                   | N/A      | 20-40                  | C1               | #REF!                           | 66.37                                      |
|          | 880  | R                                     | Prunus Flowering Cherry                   | 320       | 1     | 8           | 4.0           | 4.0 | 4.0 | 4.0 | 2                             | 2        | M         | Good                    | No visible defects                                     | None                   | N/A      | 20-40                  | C1               | 2.71                            | 46.33                                      |
|          | 884  | R                                     | Prunus Atropurpurea Pissards Plum         | 251       | MS    | 5           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 1        | SM        | Good                    | No visible defects                                     | None                   | N/A      | 40+                    | B1               | 2.51                            | 19.79                                      |
|          | 886  | R                                     | Fraxinus excelsior Ash                    | 226       | 1     | 7           | 2.0           | 2.0 | 2.0 | 2.0 | 4                             | 1        | SM        | Good                    | No visible defects                                     | None                   | N/A      | 40+                    | B1               | 2.34                            | 23.11                                      |
|          | 888  | R                                     | Chamaecyparis lawsoniana Lawsons cypress  | 364       | MS    | 5           | 0.5           | 0.5 | 0.5 | 0.5 | 1                             | 0        | M         | Good                    | No visible defects                                     | None                   | N/A      | 20-40                  | C1               | 3.64                            | 41.63                                      |
|          | 894  | R                                     | Prunus Flowering Cherry                   | 220       | 1     | 5           | 2.0           | 2.0 | 2.0 | 2.0 | 3                             | 1.5      | SM        | Fair                    | No visible defects                                     | None                   | N/A      | 20-40                  | C1               | 2.64                            | 21.90                                      |
|          | 895  | R                                     | Tilia europaea Common Lime                | 195       | 1     | 7           | 2.5           | 2.5 | 2.5 | 2.5 | 4                             | 1        | SM        | Good                    | No visible defects                                     | None                   | N/A      | 40+                    | B1               | 2.34                            | 17.20                                      |
|          | 897  | R                                     | Robinia pseudoacacia False acacia         | 240       | 1     | 5           | 3.0           | 3.0 | 3.0 | 3.0 | 3                             | 2        | SM        | Good                    | No visible defects                                     | None                   | N/A      | 40+                    | B1               | 2.88                            | 26.06                                      |
|          | 898  | R                                     | Robinia pseudoacacia False acacia         | 243       | 1     | 5           | 2.0           | 2.0 | 2.0 | 2.0 | 3                             | 2        | SM        | Good                    | No visible defects                                     | None                   | N/A      | 40+                    | B1               | 2.92                            | 26.72                                      |
|          | 900  | R                                     | Prunus Atropurpurea Pissards Plum         | 217       | 1     | 5           | 2.0           | 2.0 | 3.0 | 3.0 | 1                             | 2        | M         | Good                    | No visible defects                                     | None                   | N/A      | 40+                    | B1               | 2.60                            | 21.31                                      |
|          | 903  | R                                     | Acer platanoides Norway maple             | 247       | 1     | 5           | 3.0           | 2.0 | 2.0 | 2.0 | 3                             | 3        | SM        | Poor                    | Minor deadwood - bleeding canker                       | Fell to ground level   | P        | <10                    | R                | 2.96                            | 27.60                                      |
|          | 905  | R                                     | Fraxinus excelsior Ash                    | 272       | 1     | 7           | 2.5           | 2.5 | 2.5 | 2.5 | 4                             | 2        | SM        | Good                    | No visible defects                                     | None                   | N/A      | 40+                    | B1               | 3.26                            | 33.47                                      |
|          | 906  | R                                     | Alnus cordata Italian alder               | 218       | 1     | 8           | 2.0           | 2.0 | 2.5 | 2.0 | 1                             | 1.5      | SM        | Fair                    | No visible defects                                     | None                   | N/A      | 20-40                  | C1               | 2.62                            | 21.50                                      |
|          | 907  | R                                     | Robinia pseudoacacia False acacia         | 349       | 1     | 6           | 2.5           | 2.5 | 2.5 | 2.5 | 4                             | 2        | SM        | Poor                    | Canker, basal suckers                                  | Fell to ground level   | P        | <10                    | R                | 4.19                            | 55.11                                      |
|          | 908  | R                                     | Robinia pseudoacacia False acacia         | 152       | 1     | 5           | 1.0           | 2.0 | 1.0 | 2.0 | 4                             | 2.5      | SM        | Good                    | No visible defects                                     | None                   | N/A      | 40+                    | C1               | 1.82                            | 10.45                                      |
|          | 914  | R                                     | Prunus Atropurpurea Pissards Plum         | 158       | 1     | 4           | 2.0           | 1.0 | 2.0 | 2.0 | 1.5                           | 1        | SM        | Fair                    | No visible defects                                     | None                   | N/A      | 20-40                  | C1               | 1.90                            | 11.29                                      |
|          | 915  | R                                     | Tilia europaea Common Lime                | 210       | 1     | 5           | 2.0           | 2.0 | 2.0 | 2.0 | 3                             | 2        | SM        | Good                    | No visible defects                                     | None                   | N/A      | 40+                    | B1               | 2.52                            | 19.95                                      |
|          | 916  | R                                     | Tilia europaea Common Lime                | 232       | 1     | 5.5         | 3.0           | 2.0 | 2.0 | 2.0 | 3                             | 1        | SM        | Good                    | No visible defects                                     | None                   | N/A      | 40+                    | B1               | 2.78                            | 24.35                                      |
|          | 919  | R                                     | Juglans regia Walnut                      | 247       | 1     | 6.5         | 2.5           | 2.0 | 2.0 | 2.0 | 3                             | 2        | SM        | Good                    | No visible defects                                     | None                   | N/A      | 40+                    | B1               | 2.96                            | 27.60                                      |
|          | 931  | R                                     | Acer pseudoplatanus Sycamore              | 386       | 1     | 9           | 4.0           | 4.0 | 4.0 | 4.0 | 3                             | 2.5      | M         | Good                    | No visible defects                                     | None                   | N/A      | 40+                    | C1               | 4.63                            | 67.41                                      |
|          | 932  | R                                     | Sorbus aucuparia Rowan                    | 115       | 1     | 4           | 1.5           | 1.5 | 0.0 | 2.0 | 2                             | 2        | M         | Fair                    | No visible defects                                     | None                   | N/A      | 10-20                  | C1               | 1.38                            | 5.98                                       |
|          | 2003 | R                                     | Acer pseudoplatanus Sycamore              | 81        | 1     | 5           | 1.0           | 1.0 | 1.0 | 1.0 | 7                             | n/a      | SM        | Fair                    | Average condition                                      | Nil                    | N/A      | 40+                    | C2               | 0.97                            | 2.97                                       |
|          | 2004 | R                                     | Acer pseudoplatanus Sycamore              | 97        | 1     | 7           | 2.0           | 2.0 | 2.0 | 2.0 | 7                             | n/a      | SM        | Fair                    | Average condition                                      | Nil                    | N/A      | 40+                    | C2               | 1.16                            | 4.26                                       |
|          | 2005 | R                                     | Acer pseudoplatanus Sycamore              | 80        | 1     | 7           | 1.0           | 2.0 | 2.0 | 2.0 | 7                             | n/a      | SM        | Fair                    | Average condition                                      | Nil                    | N/A      | 40+                    | C2               | 0.96                            | 2.90                                       |
|          | 2008 | R                                     | Crataegus monogyna Hawthorn               | 127       | 1     | 5           | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 2        | SM        | Fair                    | Average condition                                      | Nil                    | N/A      | 40+                    | C2               | 1.52                            | 7.30                                       |
|          | 2009 | R                                     | Crataegus monogyna Hawthorn               | 127       | 1     | 6           | 2.5           | 2.0 | 2.0 | 2.0 | 2                             | 2        | SM        | Fair                    | Average condition                                      | Nil                    | N/A      | 40+                    | C2               | 1.52                            | 7.30                                       |
|          | 2029 | R                                     | Picea abies Norway Spruce                 | 212       | 1     | 9           | 0.0           | 3.0 | 0.0 | 2.0 | 0                             | 5        | M         | Poor                    | Average condition                                      | Nil                    | N/A      | <10                    | R                | 2.54                            | 20.33                                      |
|          | 2033 | R                                     | Chamaecyparis lawsoniana lawsons cypress  | 611       | MS    | 10          | 2.0           | 1.0 | 3.0 | 1.0 | 1                             | 2        | M         | Fair                    | Average condition                                      | Nil                    | N/A      | 20-40                  | C2               | 6.11                            | 117.30                                     |
|          | 2034 | R                                     | Chamaecyparis lawsoniana lawsons cypress  | 201       | 1     | 8           | 1.0           | 1.0 | 1.0 | 2.0 | 1                             | 2        | M         | Fair                    | Average condition                                      | Nil                    | N/A      | 20-40                  | C2               | 2.41                            | 18.28                                      |
|          | 2041 | R                                     | Lilac                                     | 141       | 1     | 4           | 1.0           | 1.0 | 1.0 | 1.0 | 2                             | 2        | M         | Poor                    | Poor   | Nil                    | N/A      | <10                    | R                | 1.69                            | 9.00                                       |
|          | 2042 | R                                     | Sorbus aucuparia Rowan                    | 187       | 1     | 6           | 3.0           | 2.0 | 4.0 | 0.0 | 0                             | 2        | OM        | Fair                    | Significant basal decay                                | Nil                    | N/A      | <10                    | R                | 2.24                            | 15.82                                      |
|          | 2060 | R                                     | Chamaecyparis lawsoniana lawsons cypress  | 343       | 1     | 6           | 2.0           | 2.0 | 2.0 | 1.0 | 1                             | 0        | M         | Fair                    | V close to dwelling                                    | Nil                    | N/A      | 20-40                  | C2               | 4.12                            | 53.23                                      |
|          | 2062 | R                                     | Chamaecyparis lawsoniana lawsons cypress  | 302       | 1     | 4           | 1.0           | 2.0 | 2.0 | 2.0 | 2                             | 1        | M         | Fair                    | V close to dwelling                                    | Nil                    | N/A      | 20-40                  | C2               | 3.62                            | 41.27                                      |
|          | 2064 | R                                     | Conifer                                   | 269       | MS    | 4           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 0        | M         | Fair                    | Average condition                                      | Nil                    | N/A      | 10-20                  | C2               | 2.69                            | 22.74                                      |
|          | 2065 | R                                     | Conifer                                   | 378       | MS    | 4           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 0        | M         | Fair                    | Average condition                                      | Nil                    | N/A      | 10-20                  | C2               | 3.78                            | 44.89                                      |
|          | 2066 | R                                     | Conifer                                   | 287       | MS    | 3           | 1.0           | 2.0 | 2.0 | 2.0 | 2                             | 0        | M         | Fair                    | V close to dwelling                                    | Nil                    | N/A      | 10-20                  | C2               | 2.87                            | 25.88                                      |
|          | 2069 | R                                     | Acer platanoides Norway maple             | 79        | 1     | 5           | 2.0           | 0.0 | 0.0 | 0.0 | 6                             | 2        | SM        | Fair                    | Suppressed   | Nil                    | N/A      | <10                    | R                | 0.95                            | 2.82                                       |
|          | 2072 | R                                     | Acer platanoides Norway maple             | 103       | 1     | 6           | 0.0           | 1.0 | 1.0 | 0.0 | 2                             | 3        | SM        | Fair                    | Suppressed   | Nil                    | N/A      | <10                    | R                | 1.24                            | 4.80                                       |
|          | 2076 | R                                     | Acer pseudoplatanus Sycamore              | 310       | MS    | 8           | 2.0           | 2.0 | 2.0 | 2.0 | 0                             | 0        | Y         | Good                    | Self seeded. Affected by existing foundations / tarmac | Fell                   | P        | <10                    | R                | 3.10                            | 30.19                                      |
|          | 2077 | R                                     | Acer pseudoplatanus Sycamore              | 174       | MS    | 8           | 2.0           | 2.0 | 2.0 | 2.0 | 0                             | 0        | Y         | Good                    | Self seeded. Affected by existing foundations / tarmac | Fell                   | P        | <10                    | R                | 1.74                            | 9.51                                       |
|          | 2078 | R                                     | Acer pseudoplatanus Sycamore              | 94        | 1     | 8           | 2.0           | 2.0 | 2.0 | 2.0 | 0                             | 0        | Y         | Good                    | Self seeded. Affected by existing foundations / tarmac | Fell                   | P        | <10                    | R                | 1.13                            | 4.00                                       |

**TREES FOR REMOVAL Heyford Park Nicholson's Tree Survey November 2006**

| Group No | Tag  | Trees removed for development reasons | Species (Botanical)                       | Diam (mm) | Stems | Ht m. (est) | Branch Spread |     |     |     | Increase in canopy radius (m) | Crown Ht | Age Class | Physiological Condition | Structural Condition                                       | Preliminary Management    | Priority | Remaining Contribution | Category Grading | Root Protection Zone Radius (m) | Root Protection zone (m2). Capped at 707m2 |
|----------|------|---------------------------------------|---|-----------|-------|-------------|---------------|-----|-----|-----|-------------------------------|----------|-----------|-------------------------|--|---------------------------|----------|------------------------|------------------|---------------------------------|--|
|          |      |                                       |   |           |       |             | N             | S   | E   | W   |                               |          |           |                         |  |                           |          |                        |                  |                                 |  |
|          | 2079 |                                       | Acer pseudoplatanus Sycamore              | 242       | MS    | 8           | 2.0           | 2.0 | 2.0 | 2.0 | 0                             | 0        | Y         | Good                    | Self seeded. Affected by existing foundations / tarmac     | Fell                      | P        | <10                    | R                | 2.42                            | 18.40                                      |
|          | 2080 |                                       | Acer pseudoplatanus Sycamore              | 308       | MS    | 8           | 2.0           | 2.0 | 2.0 | 2.0 | 0                             | 0        | Y         | Good                    | Self seeded. Affected by existing foundations / tarmac     | Fell                      | P        | <10                    | R                | 3.08                            | 29.81                                      |
|          | 2081 |                                       | Betula alba Silver birch                  | 104       | MS    | 8           | 2.0           | 2.0 | 2.0 | 2.0 | 0                             | 0        | Y         | Good                    | Self seeded. Affected by existing foundations / tarmac     | Fell                      | P        | <10                    | R                | 1.04                            | 3.40                                       |
|          | 2082 |                                       | Acer pseudoplatanus Sycamore              | 244       | MS    | 8           | 2.0           | 2.0 | 2.0 | 2.0 | 0                             | 0        | Y         | Good                    | Self seeded. Affected by existing foundations / tarmac     | Fell                      | P        | <10                    | R                | 2.44                            | 18.71                                      |
|          | 2083 | R                                     | Betula alba Silver birch                  | 101       | 1     | 7           | 1.0           | 1.0 | 1.0 | 1.0 | 0                             | 1        | Y         | Good                    | Self seeded. Affected by existing foundations / tarmac     | Fell                      | P        | <10                    | R                | 1.21                            | 4.62                                       |
|          | 2084 | R                                     | Betula alba Silver birch                  | 94        | 1     | 7           | 1.0           | 1.0 | 1.0 | 1.0 | 0                             | 1        | Y         | Good                    | Self seeded. Affected by existing foundations / tarmac     | Fell                      | P        | <10                    | R                | 1.13                            | 4.00                                       |
|          | 2085 | R                                     | Elderberry                                | 245       | MS    | 4           | 1.0           | 1.0 | 1.0 | 1.0 | 1                             | 0        | M         | Good                    | Affected by existing foundations / existing tarmac         | Fell                      | P        | <10                    | R                | 2.45                            | 18.86                                      |
|          | 2086 | R                                     | Acer platanoides Norway maple             | 76        | 1     | 5           | 1.0           | 1.0 | 1.0 | 1.0 | 0                             | 1        | Y         | Good                    | Self seeded in foundation                                  | Fell                      | P        | <10                    | R                | 0.91                            | 2.61                                       |
|          | 2087 | R                                     | Fraxinus excelsior Ash                    | 135       | MS    | 1           | 1.0           | 1.0 | 1.0 | 1.0 | 0                             | 1        | Y         | Good                    | Self seeded in foundation                                  | Fell                      | P        | <10                    | R                | 1.35                            | 5.73                                       |
|          | 2088 | R                                     | Acer pseudoplatanus Sycamore              | 329       | MS    | 3           | 3.0           | 3.0 | 3.0 | 1.0 | 0                             | 1        | Y         | Good                    | Self seeded in foundation                                  | Fell                      | P        | <10                    | R                | 3.29                            | 34.01                                      |
|          | 2089 | R                                     | Cupressocyparis leylandii Leyland cypress | 382       | 1     | 14          | 1.0           | 0.0 | 0.0 | 3.0 | 1                             | 2        | M         | Good                    | Growing together with 647                                  | Nil                       | N/A      | 10-20                  | C1,2             | 4.58                            | 66.02                                      |
|          | 2091 | R                                     | Acer pseudoplatanus Sycamore              | 101       | 1     | 4           | 1.0           | 1.0 | 1.0 | 1.0 | 6                             | 2        | Y         | Good                    | In raised bed, transplant ?                                | Nil                       | N/A      | 10-20                  | C1               | 1.21                            | 4.62                                       |
|          | 2092 | R                                     | Betula alba Silver birch                  | 78        | 1     | 10          | 0.0           | 2.0 | 1.0 | 1.0 | 2                             | 4        | Y         | Good                    | Very poor, strangled by the foundations it is growing from | Fell                      | P        | 0                      | R                | 0.94                            | 2.75                                       |
|          | 2093 |                                       | Prunus sp. Flowering cherry               | 198       | MS    | 5           | 1.0           | 3.0 | 1.0 | 2.0 | 1                             | 2        | SM        | Good                    | Poor, in raised bed  | Nil                       | N/A      | <10                    | R                | 1.98                            | 12.32                                      |
|          | 2094 |                                       | Acer pseudoplatanus Sycamore              | 118       | 1     | 4           | 1.0           | 1.0 | 1.0 | 1.0 | 2                             | 0        | Y         | Good                    | Self seeded in foundation                                  | Fell                      | P        | <10                    | R                | 1.42                            | 6.30                                       |
|          | 2095 | R                                     | Chamaecyparis lawsoniana lawsons cypress  | 181       | 1     | 5           | 1.0           | 1.0 | 1.0 | 1.0 | 2                             | 0        | Y         | Good                    | In raised bed, immediately adjacent to existing building   | Nil                       | N/A      | <10                    | R                | 2.17                            | 14.82                                      |
|          | 2096 | R                                     | Acer pseudoplatanus Sycamore              | 182       | 1     | 5           | 2.0           | 1.0 | 2.0 | 2.0 | 2                             | 0        | Y         | Good                    | Self seeded in hedge                                       | Nil                       | N/A      | <10                    | R                | 2.18                            | 14.99                                      |
|          | 2097 |                                       | Acer pseudoplatanus Sycamore              | 228       | MS    | 6           | 1.0           | 1.0 | 1.0 | 1.0 | 4                             | 0        | Y         | Good                    | Self seeded in existing foundations                        | Fell                      | P        | <10                    | R                | 2.28                            | 16.33                                      |
|          | 2098 | R                                     | Cupressocyparis leylandii Leyland cypress | 97        | 1     | 4           | 1.0           | 1.0 | 1.0 | 1.0 | 4                             | 0        | Y         | Good                    | Four small trees growing in hard standing                  | Fell                      | P        | <10                    | R                | 1.16                            | 4.26                                       |
|          | 2104 | R                                     | Chamaecyparis lawsoniana lawsons cypress  | 245       | MS    | 5           | 1.0           | 1.0 | 1.0 | 1.0 | 2                             | 1        | Y         | Good                    | In raised bed  | Nil                       | N/A      | <10                    | R                | 2.45                            | 18.86                                      |
|          | 2105 | R                                     | Cupressocyparis leylandii Leyland cypress | 255       | MS    | 6           | 1.0           | 1.0 | 1.0 | 1.0 | 2                             | 1        | Y         | Good                    | In raised bed  | Nil                       | N/A      | <10                    | R                | 2.55                            | 20.43                                      |
|          | 2106 | R                                     | Chamaecyparis lawsoniana lawsons cypress  | 294       | MS    | 5           | 1.0           | 1.0 | 1.0 | 1.0 | 2                             | 1        | Y         | Good                    | In raised bed  | Nil                       | N/A      | <10                    | R                | 2.94                            | 27.16                                      |
|          | 2107 | R                                     | Chamaecyparis lawsoniana lawsons cypress  | 119       | MS    | 6           | 1.0           | 1.0 | 1.0 | 1.0 | 2                             | 0        | Y         | Fair                    | Growing very close to foundations                          | Nil                       | N/A      | <10                    | R                | 1.19                            | 4.45                                       |
|          | 2110 |                                       | Crataegus monogyna Hawthorn               | 128       | MS    | 4           | 1.0           | 1.0 | 0.0 | 0.0 | 1                             | 2        | M         | Poor                    | Declining, poor growth                                     | Nil                       | N/A      | <10                    | R                | 1.28                            | 5.15                                       |
|          | 2111 |                                       | Crataegus monogyna Hawthorn               | 196       | MS    | 5           | 2.0           | 1.0 | 1.0 | 1.0 | 0                             | 2        | M         | Poor                    | Mostly Dead  | Nil                       | N/A      | <10                    | R                | 1.96                            | 12.07                                      |
|          | 2112 |                                       | Crataegus monogyna Hawthorn               | 142       | MS    | 4           | 1.0           | 1.0 | 1.0 | 1.0 | 2                             | 2        | M         | Fair                    | Damage, decay to main stem                                 | Nil                       | N/A      | <10                    | R                | 1.42                            | 6.34                                       |
|          | 2117 |                                       | Crataegus monogyna Hawthorn               | 165       | MS    | 3           | 2.0           | 1.0 | 1.0 | 1.0 | 2                             | 2        | M         | Fair                    | Damage, decay to main stem, poor growth                    | Nil                       | N/A      | <10                    | R                | 1.65                            | 8.55                                       |
|          | 2121 | R                                     | Chamaecyparis lawsoniana lawsons cypress  | 176       | 1     | 9           | 1.0           | 1.0 | 1.0 | 1.0 | 2                             | 0        | M         | Fair                    | Suppressed by adjacent broad leafed trees                  | Nil                       | N/A      | <10                    | R                | 2.11                            | 14.02                                      |
|          | 2122 | R                                     | Chamaecyparis lawsoniana lawsons cypress  | 192       | MS    | 5           | 1.0           | 0.0 | 1.0 | 1.0 | 1                             | 0        | M         | Poor                    | Suppressed   | Remove                    | P        | N/A                    | R                | 1.92                            | 11.58                                      |
|          | 2123 | R                                     | Chamaecyparis lawsoniana lawsons cypress  | 390       | 1     | 16          | 2.0           | 2.0 | 2.0 | 1.0 | 1                             | 2        | M         | Good                    | No visible defects   | Nil                       | N/A      | 10-20                  | C1,2             | 4.68                            | 68.82                                      |
|          | 2126 | R                                     | Chamaecyparis lawsoniana lawsons cypress  | 337       | 1     | 16          | 2.0           | 2.0 | 0.0 | 0.0 | 1                             | 3        | M         | Good                    | Crown restricted by adjacent trees                         | Nil                       | N/A      | 10-20                  | C1,2             | 4.04                            | 51.38                                      |
|          | 2127 | R                                     | Chamaecyparis lawsoniana lawsons cypress  | 346       | 1     | 16          | 2.0           | 2.0 | 0.0 | 0.0 | 1                             | 3        | M         | Good                    | Crown restricted by adjacent trees                         | Nil                       | N/A      | 10-20                  | C1,2             | 4.15                            | 54.17                                      |
|          | 2129 | R                                     | Chamaecyparis lawsoniana lawsons cypress  | 481       | 1     | 16          | 2.0           | 2.0 | 0.0 | 0.0 | 1                             | 3        | M         | Good                    | Crown restricted by adjacent trees                         | Reduce smaller main stem  | P        | 10-20                  | C1,2             | 5.77                            | 104.68                                     |
|          | 2130 | R                                     | Chamaecyparis lawsoniana lawsons cypress  | 363       | 1     | 16          | 3.0           | 3.0 | 0.0 | 1.0 | 1                             | 3        | M         | Good                    | No visible defects   | Nil                       | N/A      | 10-20                  | C1,2             | 4.36                            | 59.62                                      |
|          | 2132 | R                                     | Thuja plicata Western Red Cedar           | 372       | 1     | 16          | 3.0           | 3.0 | 1.0 | 1.0 | 1                             | 2        | M         | Fair                    | No visible defects   | Nil                       | N/A      | 10-20                  | C1,2             | 4.46                            | 62.61                                      |
|          | 2133 | R                                     | Chamaecyparis lawsoniana lawsons cypress  | 381       | 1     | 12          | 3.0           | 3.0 | 1.0 | 0.0 | 1                             | 2        | M         | Fair                    | Top broken off   | Nil                       | N/A      | 10-20                  | C1,2             | 4.57                            | 65.68                                      |
|          | 2134 | R                                     | Chamaecyparis lawsoniana lawsons cypress  | 343       | 1     | 16          | 3.0           | 3.0 | 0.0 | 0.0 | 1                             | 3        | M         | Fair                    | Crown restricted by adjacent trees                         | Nil                       | N/A      | 10-20                  | C1,2             | 4.12                            | 53.23                                      |
|          | 2135 | R                                     | Chamaecyparis lawsoniana lawsons cypress  | 344       | 1     | 16          | 3.0           | 3.0 | 0.0 | 3.0 | 1                             | 3        | M         | Fair                    | Crown restricted by adjacent trees                         | Nil                       | N/A      | 10-20                  | C1,2             | 4.13                            | 53.54                                      |
|          | 2136 | R                                     | Thuja plicata Western Red Cedar           | 539       | MS    | 16          | 3.0           | 3.0 | 3.0 | 0.0 | 1                             | 2        | M         | Good                    | Included bark at base of main stem                         | Monitor fork in main stem | P        | 10-20                  | C1,2             | 5.39                            | 91.28                                      |
|          | 2137 | R                                     | Thuja plicata Western Red Cedar           | 151       | 1     | 9           |               |     |     |     |                               |          |           |                         | Dead   | Fell                      | P        | 0                      | R                | 1.81                            | 10.32                                      |
|          | 2138 | R                                     | Chamaecyparis lawsoniana lawsons cypress  | 405       | 1     | 16          | 3.0           | 3.0 | 0.0 | 0.0 | 1                             | 3        | M         | Good                    | Crown restricted by adjacent trees                         | Nil                       | N/A      | 10-20                  | C1,2             | 4.86                            | 74.21                                      |

**TREES FOR REMOVAL Heyford Park Nicholson's Tree Survey November 2006**

| Group No | Tag  | Trees removed for development reasons | Species (Botanical)                       | Diam (mm) | Stems | Ht m. (est) | Branch Spread |     |     |     | Increase in canopy radius (m) | Crown Ht | Age Class | Physiological Condition | Structural Condition  | Preliminary Management                       | Priority | Remaining Contribution | Category Grading | Root Protection Zone Radius (m) | Root Protection zone (m2). Capped at 707m2 |
|----------|------|---------------------------------------|---|-----------|-------|-------------|---------------|-----|-----|-----|-------------------------------|----------|-----------|-------------------------|---|--|----------|------------------------|------------------|---------------------------------|--|
|          |      |                                       |   |           |       |             | N             | S   | E   | W   |                               |          |           |                         |   |  |          |                        |                  |                                 |  |
|          | 2139 | R                                     | Chamaecyparis lawsoniana lawsons cypress  | 338       | 1     | 16          | 3.0           | 0.0 | 3.0 | 3.0 | 1                             | 3        | M         | Good                    | Crown restricted by adjacent trees                            | Nil  | N/A      | 10-20                  | C1,2             | 4.06                            | 51.69                                      |
|          | 2140 |                                       | Acer pseudoplatanus Sycamore              | 197       | MS    | 6           | 2.0           | 2.0 | 2.0 | 2.0 | 3                             | 2        | Y         | Good                    | Growing in hard surface                                       | Nil  | N/A      | <10                    | R                | 1.97                            | 12.19                                      |
|          | 2141 |                                       | Acer pseudoplatanus Sycamore              | 172       | MS    | 6           | 2.0           | 2.0 | 2.0 | 2.0 | 3                             | 2        | Y         | Good                    | Growing in hard surface                                       | Nil  | N/A      | <10                    | R                | 1.72                            | 9.30                                       |
|          | 2142 | R                                     | Conifer                                   | 340       | MS    | 6           | 0.0           | 2.0 | 1.0 | 1.0 | 1                             | 0        | Y         | Good                    | Growing in ornamental beds, very close to existing foundation | Nil  | N/A      | <10                    | R                | 3.40                            | 36.32                                      |
|          | 2143 |                                       | Acer platanoides Norway maple             | 294       | MS    | 8           | 0.0           | 3.0 | 2.0 | 1.0 | 2                             | 2        | Y         | Good                    | Growing in ornamental beds, very close to existing foundation | Nil  | N/A      | <10                    | R                | 2.94                            | 27.16                                      |
|          | 2144 |                                       | Acer platanoides Norway maple             | 245       | MS    | 8           | 0.0           | 3.0 | 2.0 | 2.0 | 2                             | 2        | Y         | Good                    | Growing in ornamental beds, very close to existing foundation | Nil  | N/A      | <10                    | R                | 2.45                            | 18.86                                      |
|          | 2145 |                                       | Acer pseudoplatanus Sycamore              | 248       | MS    | 7           | 0.0           | 2.0 | 2.0 | 2.0 | 2                             | 0        | Y         | Good                    | Growing in ornamental beds, very close to existing foundation | Nil  | N/A      | <10                    | R                | 2.48                            | 19.32                                      |
|          | 2146 |                                       | Acer pseudoplatanus Sycamore              | 159       | 1     | 6           | 0.0           | 2.0 | 2.0 | 2.0 | 2                             | 2        | Y         | Good                    | Growing in ornamental beds, very close to existing foundation | Nil  | N/A      | <10                    | R                | 1.91                            | 11.44                                      |
|          | 2147 |                                       | Acer platanoides Norway maple             | 324       | MS    | 9           | 0.0           | 3.0 | 3.0 | 3.0 | 2                             | 2        | Y         | Good                    | Growing in ornamental beds, very close to existing foundation | Nil  | N/A      | <10                    | R                | 3.24                            | 32.98                                      |
|          | 2148 | R                                     | Sorbus aria Whitebeam                     | 258       | 1     | 8           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 2        | M         | Good                    | No visible defects  | Nil  | N/A      | 20-40                  | B1               | 3.10                            | 30.12                                      |
|          | 2153 | R                                     | Chamaecyparis lawsoniana Lawsons cypress  | 395       | MS    | 3           | 1.0           | 1.0 | 1.0 | 1.0 | 3                             | 0        | Y         | Good                    | Topped at 1.5 m   | Nil  | N/A      | 20-40                  | B1               | 3.95                            | 49.02                                      |
|          | 2154 | R                                     | Chamaecyparis lawsoniana Lawsons cypress  | 418       | MS    | 3           | 1.0           | 1.0 | 1.0 | 1.0 | 3                             | 0        | Y         | Good                    | Topped at 1.5 m   | Nil  | N/A      | 20-40                  | B1               | 4.18                            | 54.90                                      |
|          | 2155 | R                                     | Conifer                                   | 206       | MS    | 3           | 1.0           | 1.0 | 1.0 | 1.0 | 3                             | 0        | Y         | Good                    | Topped at 1.5m  | Nil  | N/A      | 20-40                  | B1               | 2.06                            | 13.33                                      |
|          | 2173 | R                                     | Acer platanoides Copper Norway Maple      | 142       | 1     | 5           | 2.0           | 2.0 | 2.0 | 2.0 | 4                             | 2        | SM        | Good                    | No visible defects  | Nil  | N/A      | 40+                    | B1               | 1.70                            | 9.12                                       |
|          | 2174 | R                                     | Acer pseudoplatanus Sycamore              | 381       | 1     | 6           | 5.0           | 5.0 | 5.0 | 5.0 | 2                             | 2.5      | M         | Good                    | No visible defects  | Nil  | N/A      | 40+                    | B1               | 4.57                            | 65.68                                      |
|          | 2178 | R                                     | Prunus avium plena Cherry                 | 87        | 1     | 4.5         | 1.0           | 2.0 | 2.0 | 2.0 | 3                             | 2        | Y         | Good                    | No visible defects  | Nil  | N/A      | 20-40                  | C1               | 1.04                            | 3.42                                       |
|          | 2179 | R                                     | Prunus avium plena Cherry                 | 106       | 1     | 5           | 2.0           | 2.0 | 2.0 | 2.0 | 3                             | 2        | Y         | Good                    | No visible defects  | Nil  | N/A      | 20-40                  | C1               | 1.27                            | 5.08                                       |
|          | 2183 | R                                     | Sorbus aucuparia Rowan                    | 161       | 1     | 5           | 2.0           | 2.0 | 2.0 | 2.0 | 0.5                           | 2.5      | M         | Good                    | No visible defects  | Nil  | N/A      | 10-20                  | C1               | 1.93                            | 11.73                                      |
|          | 2184 | R                                     | Prunus avium plena Cherry                 | 175       | 1     | 4           | 2.0           | 2.0 | 2.0 | 2.0 | N/A                           | 2.5      | OM        | Poor                    | Major deadwood  | Fell to ground level                         | P        | <10                    | R                | 2.10                            | 13.86                                      |
|          | 2187 |                                       | Acer pseudoplatanus Sycamore              | 199       | MS    | 6           | 2.0           | 2.0 | 2.0 | 2.0 | 0                             | 0.5      | SM        | Fair                    | No visible defects  | Inappropriate location. Fell to ground level | P        | <10                    | R                | 1.99                            | 12.44                                      |
|          | 2202 | R                                     | Chamaecyparis lawsoniana Lawsons cypress  | 245       | 1     | 9           | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 2        | Y         | Good                    | Growing within laurel hedge                                   | Nil  | N/A      | 10-20                  | B1               | 2.94                            | 27.16                                      |
|          | 2203 | R                                     | Chamaecyparis lawsoniana Lawsons cypress  | 168       | 1     | 8           | 1.0           | 1.0 | 1.0 | 1.0 | 2                             | 2        | Y         | Good                    | Growing within laurel hedge                                   | Nil  | N/A      | 10-20                  | B1               | 2.02                            | 12.77                                      |
|          | 2205 | R                                     | Cupressocyparis leylandii Leyland cypress | 236       | MS    | 4.5         | 0.5           | 0.5 | 0.5 | 0.5 | 1                             | 0        | M         | Fair                    | No visible defects  | Nil  | N/A      | 20-40                  | C1               | 2.36                            | 17.50                                      |
|          | 2206 | R                                     | Cupressocyparis leylandii Leyland cypress | 225       | MS    | 4.5         | 0.5           | 0.5 | 0.5 | 0.5 | 1                             | 0        | M         | Fair                    | No visible defects  | Nil  | N/A      | 20-40                  | C1               | 2.25                            | 15.91                                      |
|          | 2207 |                                       | Prunus Flowering Cherry                   | 170       | 1     | 3           | 1.5           | 0.5 | 2.0 | 1.0 | N/A                           | 1        | M         | Poor                    | Deadwood  | Fell   | N/A      | <10                    | R                | 2.04                            | 13.08                                      |
|          | 2208 |                                       | Acer pseudoplatanus Sycamore              | 89        | MS    | 4           | 0.0           | 0.5 | 0.5 | 0.5 | N/A                           | 0        | Y         | Fair                    | Self save sapling   | Fell   | P        | <10                    | R                | 0.89                            | 2.49                                       |
|          | 2211 |                                       | Betula alba Silver birch                  | 86        | 1     | 3.5         | 1.0           | 1.0 | 1.0 | 1.0 | N/A                           | 0        | Y         | Good                    | Poor rooting  | Fell to ground level                         | P        | <10                    | R                | 1.03                            | 3.35                                       |
|          | 2212 |                                       | Fraxinus excelsior Ash                    | 81        | 1     | 4           | 1.0           | 1.0 | 1.0 | 1.0 | N/A                           | 0.5      | Y         | Good                    | Poor rooting  | Fell to ground level                         | P        | <10                    | R                | 0.97                            | 2.97                                       |
|          | 2213 |                                       | Fraxinus excelsior Ash                    | 82        | MS    | 4           | 1.0           | 1.0 | 1.0 | 1.0 | N/A                           | 0.5      | Y         | Good                    | Self seeded adjacent structure                                | Poor rooting                                 | P        | <10                    | R                | 0.82                            | 2.11                                       |
|          | 2214 |                                       | Fraxinus excelsior Ash                    | 90        | 1     | 5           | 1.0           | 1.0 | 1.0 | 1.0 | N/A                           | 1        | Y         | Fair                    | Self seeded   | Fell to ground level                         | P        | <10                    | R                | 1.08                            | 3.66                                       |
|          | 2215 | R                                     | Chamaecyparis lawsoniana Lawsons cypress  | 758       | MS    | 5           | 1.5           | 1.5 | 1.5 | 1.5 | 0                             | 0        | M         | Fair                    | Loosing columner form   | Nil  | N/A      | 10-20                  | C1               | 7.58                            | 180.53                                     |
|          | 2218 | R                                     | Chamaecyparis lawsoniana Lawsons cypress  | 254       | 1     | 5           | 1.0           | 2.0 | 2.0 | 2.0 | 1                             | 0        | M         | Good                    | No visible defects  | Nil  | N/A      | 20-40                  | C1               | 3.05                            | 29.19                                      |
|          | 2219 | R                                     | Chamaecyparis lawsoniana Lawsons cypress  | 520       | 1     | 5           | 1.0           | 1.0 | 1.5 | 1.5 | 1                             | 0        | M         | Good                    | No visible defects  | Nil  | N/A      | 20-40                  | C1               | 6.24                            | 122.34                                     |
|          | 2220 | R                                     | Chamaecyparis lawsoniana Lawsons cypress  | 725       | 1     | 5           | 1.0           | 1.5 | 1.0 | 1.0 | 1                             | 0        | M         | Good                    | No visible defects  | Nil  | N/A      | 20-40                  | C1               | 8.70                            | 237.82                                     |
|          | 2221 |                                       | Prunus Flowering Cherry                   | 195       | MS    | 5           | 3.0           | 3.0 | 3.0 | 3.0 | N/A                           | 2        | OM        | Poor                    | Cankers deadwood  | Fell to ground level                         | P        | <10                    | R                | 1.95                            | 11.95                                      |
|          | 2222 | R                                     | Cupressocyparis leylandii Leyland cypress | 390       | 1     | 16          | 2.0           | 3.0 | 2.0 | 2.5 | 1                             | 2        | M         | Good                    | No visible defects  | Nil  | N/A      | 40+                    | C1               | 4.68                            | 68.82                                      |
|          | 2223 | R                                     | Cupressocyparis leylandii Leyland cypress | 390       | 1     | 16          | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 2        | M         | Good                    | No visible defects  | Nil  | N/A      | 40+                    | C1               | 4.68                            | 68.82                                      |
|          | 2232 | R                                     | Acer platanoides Norway maple             | 62        | MS    | 5           | 3.0           | 1.0 | 2.0 | 1.0 | N/A                           | 0        | Y         | Poor                    | Suppressed sucker   | Fell to ground level                         | P        | <10                    | R                | 0.62                            | 1.21                                       |
|          | 2233 | R                                     | Acer platanoides Norway maple             | 53        | MS    | 5           | 3.0           | 2.0 | 1.0 | 2.0 | N/A                           | 0        | Y         | Poor                    | Suppressed sucker   | Fell to ground level                         | P        | <10                    | R                | 0.53                            | 0.88                                       |
|          | 2234 | R                                     | Acer platanoides Norway maple             | 51        | MS    | 5           | 3.0           | 1.0 | 2.0 | 1.0 | N/A                           | 0        | Y         | Poor                    | Suppressed sucker   | Fell to ground level                         | P        | <10                    | R                | 0.51                            | 0.82                                       |
|          | 2235 | R                                     | Acer platanoides Norway maple             | 52        | MS    | 5           | 0.5           | 0.5 | 0.5 | 0.5 | N/A                           | 0        | Y         | Poor                    | Suppressed sucker   | Fell to ground level                         | P        | <10                    | R                | 0.52                            | 0.85                                       |
|          | 2236 | R                                     | Calocedrus decurrens Incence cedar        | 140       | 1     | 6           | 1.0           | 1.0 | 1.0 | 1.0 | 1                             | 0.5      | M         | Good                    | No visible defects  | Nil  | N/A      | 40+                    | B1               | 1.68                            | 8.87                                       |
|          | 2237 | R                                     | Calocedrus decurrens Incence cedar        | 140       | 1     | 6           | 1.0           | 1.0 | 1.0 | 1.0 | 1                             | 0.5      | M         | Good                    | No visible defects  | Nil  | N/A      | 40+                    | B1               | 1.68                            | 8.87                                       |
|          | 2238 | R                                     | Calocedrus decurrens Incence cedar        | 140       | 1     | 6           | 1.0           | 1.0 | 1.0 | 1.0 | 1                             | 0.5      | M         | Good                    | No visible defects  | Nil  | N/A      | 40+                    | B1               | 1.68                            | 8.87                                       |
|          | 2239 | R                                     | Cupressocyparis leylandii Leyland cypress | 122       | MS    | 7           | 2.0           | 2.0 | 3.0 | 2.0 | 2                             | 0        | M         | Fair                    | No visible defects  | Nil  | N/A      | 20-40                  | C1               | 1.22                            | 4.68                                       |
|          | 2240 | R                                     | Cupressocyparis leylandii Leyland cypress | 210       | 1     | 8           | 2.0           | 2.0 | 1.5 | 2.0 | 2                             | 0        | M         | Good                    | No visible defects  | Nil  | N/A      | 20-40                  | C1               | 2.52                            | 19.95                                      |



**TREES FOR REMOVAL Heyford Park Nicholson's Tree Survey November 2006**

| Group No | Tag  | Trees removed for development reasons | Species (Botanical)                       | Diam (mm) | Stems | Ht m. (est) | Branch Spread |     |     |     | Increase in canopy radius (m) | Crown Ht | Age Class | Physiological Condition | Structural Condition   | Preliminary Management                 | Priority | Remaining Contribution | Category Grading | Root Protection Zone Radius (m) | Root Protection zone (m2). Capped at 707m2 |
|----------|------|---------------------------------------|---|-----------|-------|-------------|---------------|-----|-----|-----|-------------------------------|----------|-----------|-------------------------|--|--|----------|------------------------|------------------|---------------------------------|--|
|          |      |                                       |   |           |       |             | N             | S   | E   | W   |                               |          |           |                         |  |  |          |                        |                  |                                 |  |
|          | 2241 | R                                     | Calocedrus decurrens Incence cedar        | 130       | 1     | 6           | 0.5           | 1.0 | 0.5 | 0.5 | 2                             | 0.5      | M         | Good                    | No visible defects   | Nil                                    | N/A      | 40+                    | B1               | 1.56                            | 7.65                                       |
|          | 2242 | R                                     | Calocedrus decurrens Incence cedar        | 130       | 1     | 6           | 0.5           | 1.0 | 0.5 | 0.5 | 2                             | 0.5      | M         | Good                    | No visible defects   | Nil                                    | N/A      | 40+                    | B1               | 1.56                            | 7.65                                       |
|          | 2243 | R                                     | Cupressocyparis leylandii Leyland cypress | 119       | MS    | 8           | 1.0           | 2.5 | 2.0 | 2.0 | N/A                           | 0        | M         | Fair                    | No visible defects   | Fell to ground level                   | P        | <10                    | R                | 1.19                            | 4.45                                       |
|          | 2244 | R                                     | Cupressocyparis leylandii Leyland cypress | 121       | MS    | 8           | 1.0           | 2.0 | 2.0 | 1.0 | N/A                           | 0        | M         | Fair                    | No visible defects   | Fell to ground level, suppressing 2245 | P        | <10                    | R                | 1.21                            | 4.60                                       |
|          | 2245 | R                                     | Thuja plicata Western Red Cedar           | 140       | 1     | 7           | 1.0           | 1.0 | 1.0 | 1.5 | 2                             | 0.5      | M         | Good                    | N, suppressed by 2244  | Nil                                    | N/A      | 40+                    | B1               | 1.68                            | 8.87                                       |
|          | 2246 | R                                     | Acer cappadocium Maple                    | 70        | 1     | 4           | 0.0           | 2.0 | 1.0 | 1.0 | N/A                           | 0        | Y         | Fair                    | Sucker   | Fell to ground level                   | N/A      | <10                    | R                | 0.84                            | 2.22                                       |
|          | 2248 | R                                     | Eucalyptus gunni Eucalyptus               | 96        | 1     | 4           | 1.0           | 1.0 | 1.0 | 1.0 | 6                             | 0.5      | Y         | Good                    | No visible defects   | Nil                                    | N/A      | 40+                    | C1               | 1.15                            | 4.17                                       |
|          | 2249 | R                                     | Genista aetnensis Mount etna broom        | 131       | 1     | 1           | 1.0           | 1.0 | 1.0 | 1.0 | 1                             | 1        | Y         | Fair                    | No visible defects   | Nil                                    | N/A      | <10                    | R                | 1.57                            | 7.76                                       |
|          | 2250 | R                                     | Chamaecyparis lawsoniana Lawsons cypress  | 176       | MS    | 3           | 0.5           | 0.0 | 0.5 | 0.5 | 0.5                           | 0        | SM        | Fair                    | No visible defects   | Nil                                    | N/A      | 20-40                  | C1               | 1.76                            | 9.73                                       |
|          | 2251 | R                                     | Chamaecyparis lawsoniana Lawsons cypress  | 153       | 1     | 3           | 0.5           | 0.0 | 0.5 | 0.5 | 0.5                           | 0        | SM        | Fair                    | No visible defects   | Nil                                    | N/A      | 20-40                  | C1               | 1.84                            | 10.59                                      |
|          | 2252 | R                                     | Chamaecyparis lawsoniana Lawsons cypress  | 197       | 1     | 3           | 0.5           | 0.0 | 0.5 | 0.5 | 0.5                           | 0        | SM        | Fair                    | No visible defects   | Nil                                    | N/A      | 20-40                  | C1               | 2.36                            | 17.56                                      |
|          | 2253 | R                                     | Sorbus aucuparia Rowan                    | 130       | 1     | 5           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 2        | SM        | Fair                    | No visible defects   | Nil                                    | N/A      | 10-20                  | C1               | 1.56                            | 7.65                                       |
|          | 2254 | R                                     | Alnus cordata Italian alder               | 427       | MS    | 8           | 5.0           | 3.0 | 4.0 | 3.0 | 3                             | 2        | M         | Good                    | Included bark, tight forks at 0.25   | Nil                                    | N/A      | 10-20                  | C1               | 4.27                            | 57.29                                      |
|          | 2255 | R                                     | Tilia europaea Common Lime                | 588       | 1     | 8           | 4.0           | 4.0 | 4.0 | 4.0 | 2                             | 2        | M         | Good                    | No visible defects   | Nil                                    | N/A      | 40+                    | A1               | 7.06                            | 156.43                                     |
|          | 2262 |                                       | Rhus typhina Sumach                       | 227       | MS    | 7           | 3.0           | 3.0 | 3.0 | 3.0 | 1                             | 3        | M         | Good                    | Close to foundations, else No visible defects                                  | Nil                                    | N/A      | <10                    | R                | 2.27                            | 16.19                                      |
|          | 2263 |                                       | Poplar                                    | 114       | 1     | 5           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 0        | Y         | Good                    | Growing out of kerb  | Fell                                   | P        | <10                    | R                | 1.37                            | 5.88                                       |
|          | 2264 |                                       | Poplar                                    | 95        | 1     | 6           | 3.0           | 3.0 | 3.0 | 3.0 | 2                             | 0        | Y         | Good                    | Growing out of hard surface  | Fell                                   | P        | <10                    | R                | 1.14                            | 4.08                                       |
|          | 2265 |                                       | Poplar                                    | 363       | MS    | 6           | 3.0           | 3.0 | 3.0 | 3.0 | 2                             | 0        | Y         | Good                    | Growing out of hard surface  | Fell                                   | P        | <10                    | R                | 3.63                            | 41.40                                      |
|          | 2266 |                                       | Poplar                                    | 308       | MS    | 4           | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 0        | Y         | Good                    | Growing out of kerb  | Fell                                   | P        | <10                    | R                | 3.08                            | 29.81                                      |
|          | 2269 | R                                     | Crataegus monogyna Hawthorn               | 141       | 1     | 6           | 3.0           | 3.0 | 1.0 | 3.0 | 1                             | 2        | M         | Good                    | No visible defects   | Nil                                    | N/A      | 20-40                  | B1               | 1.69                            | 9.00                                       |
|          | 2270 |                                       | Acer pseudoplatanus Sycamore              | 254       | MS    | 8           | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 2        | Y         | Good                    | Growing very close to foundations, Included bark at base                       | Fell                                   | P        | <10                    | R                | 2.54                            | 20.27                                      |
|          | 2271 |                                       | Acer platanoides Norway maple             | 79        | 1     | 4           | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 2        | Y         | Good                    | Growing out of foundations   | Fell                                   | P        | <10                    | R                | 0.95                            | 2.82                                       |
|          | 2272 |                                       | Acer platanoides Norway maple             | 74        | 1     | 4           | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 2        | Y         | Good                    | Self sown adjacent to foundations  | Fell                                   | P        | <10                    | R                | 0.89                            | 2.48                                       |
|          | 2273 |                                       | Acer platanoides Norway maple             | 97        | 1     | 4           | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 2        | Y         | Good                    | Self sown adjacent to foundations  | Fell                                   | P        | <10                    | R                | 1.16                            | 4.26                                       |
|          | 2274 |                                       | Acer platanoides Norway maple             | 262       | MS    | 4           | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 2        | Y         | Good                    | Self sown adjacent to foundations  | Fell                                   | P        | <10                    | R                | 2.62                            | 21.57                                      |
|          | 2275 |                                       | Acer platanoides Norway maple             | 99        | 1     | 8           | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 2        | Y         | Good                    | Self sown adjacent to foundations  | Fell                                   | P        | <10                    | R                | 1.19                            | 4.43                                       |
|          | 2276 |                                       | Acer platanoides Norway maple             | 207       | MS    | 8           | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 2        | Y         | Good                    | Self sown adjacent to foundations  | Fell                                   | P        | <10                    | R                | 2.07                            | 13.46                                      |
|          | 2278 |                                       | Acer pseudoplatanus Sycamore              | 135       | 1     | 8           | 0.0           | 2.0 | 2.0 | 2.0 | 2                             | 0        | Y         | Good                    | Growing in foundations   | Fell                                   | P        | <10                    | R                | 1.62                            | 8.25                                       |
|          | 2279 |                                       | Acer pseudoplatanus Sycamore              | 98        | 1     | 9           | 2.0           | 0.0 | 1.0 | 2.0 | 3                             | 0        | Y         | Good                    | Growing in foundations   | Fell                                   | P        | <10                    | R                | 1.18                            | 4.35                                       |
|          | 2280 |                                       | Prunus avium Cherry                       | 85        | 1     | 8           | 2.0           | 2.0 | 2.0 | 0.0 | 4                             | 1        | Y         | Good                    | Growing in foundations   | Fell                                   | P        | <10                    | R                | 1.02                            | 3.27                                       |
|          | 2281 | R                                     | Salix fragilis Willow                     | 154       | MS    | 4           | 2.0           | 2.0 | 2.0 | 2.0 | 5                             | 0        | Y         | Good                    | No visible defects   | None                                   | N/A      | 40+                    | C1               | 1.54                            | 7.45                                       |
|          | 2282 | R                                     | Cupressocyparis leylandii Leyland cypress | 305       | 1     | 8           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 1        | M         | Fair                    | Included bark in main fork   | Nil                                    | N/A      | 10-20                  | C1               | 3.66                            | 42.09                                      |
|          | 2283 |                                       | Acer platanoides Norway maple             | 88        | 1     | 9           | 1.0           | 1.0 | 1.0 | 1.0 | 1                             | 3        | Y         | Good                    | Growing in foundations   | Fell                                   | P        | <10                    | R                | 1.06                            | 3.50                                       |
|          | 2287 | R                                     | Acer platanoides Norway maple             | 208       | MS    | 5           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 2        | Y         | Good                    | Growing in hard surface  | Fell                                   | P        | <10                    | R                | 2.08                            | 13.59                                      |
|          | 2288 | R                                     | Acer platanoides Norway maple             | 286       | MS    | 4           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 2        | Y         | Good                    | Growing in hard surface  | Fell                                   | P        | <10                    | R                | 2.86                            | 25.70                                      |
|          | 2289 | R                                     | Acer platanoides Norway maple             | 133       | MS    | 5           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 2        | Y         | Good                    | Growing in hard surface  | Fell                                   | P        | <10                    | R                | 1.33                            | 5.56                                       |
|          | 2290 |                                       | Acer platanoides Norway maple             | 201       | MS    | 4           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 2        | Y         | Good                    | Growing in hard surface  | Fell                                   | P        | <10                    | R                | 2.01                            | 12.69                                      |
|          | 2291 |                                       | Prunus avium Cherry                       | 230       | 1     | 14          | 1.0           | 3.0 | 1.0 | 3.0 | 2                             | 3        | M         | Good                    | Immediately adjacent to foundations  | Fell                                   | P        | <10                    | R                | 2.76                            | 23.93                                      |
|          | 2292 |                                       | Prunus avium Cherry                       | 84        | 1     | 13          | 0.0           | 1.0 | 2.0 | 0.0 | 2                             | 2        | Y         | Good                    | Immediately adjacent to foundations  | Fell                                   | P        | <10                    | R                | 1.01                            | 3.19                                       |
|          | 2293 |                                       | Prunus avium Cherry                       | 89        | 1     | 13          | 0.0           | 1.0 | 2.0 | 0.0 | 2                             | 2        | Y         | Good                    | Immediately adjacent to foundations  | Fell                                   | P        | <10                    | R                | 1.07                            | 3.58                                       |
|          | 2294 |                                       | Acer platanoides Norway maple             | 124       | 1     | 14          | 2.0           | 2.0 | 2.0 | 0.0 | 1                             | 3        | Y         | Good                    | Immediately adjacent to foundations  | Fell                                   | P        | <10                    | R                | 1.49                            | 6.96                                       |
|          | 2295 |                                       | Prunus avium Cherry                       | 175       | 1     | 15          | 2.0           | 2.0 | 0.0 | 3.0 | 0                             | 3        | M         | Good                    | Immediately adjacent to foundations no tag dbh is est due to excessive bramble | Nil                                    | N/A      | <10                    | R                | 2.10                            | 13.86                                      |
|          | 2298 | R                                     | Chamaecyparis lawsoniana Lawsons cypress  | 146       | MS    | 3           | 0.5           | 0.5 | 0.5 | 0.5 | 0.5                           | 0        | SM        | Good                    | No visible defects   | None                                   | N/A      | 20-40                  | C1               | 1.46                            | 6.70                                       |
|          | 2299 | R                                     | Chamaecyparis lawsoniana Lawsons cypress  | 146       | MS    | 3           | 0.5           | 0.5 | 0.5 | 0.5 | 0.5                           | 0        | SM        | Good                    | No visible defects   | None                                   | N/A      | 20-40                  | C1               | 1.46                            | 6.70                                       |
|          | 2300 | R                                     | Chamaecyparis lawsoniana Lawsons cypress  | 424       | MS    | 4           | 0.5           | 0.5 | 0.5 | 0.5 | 0.5                           | 0        | M         | Good                    | No visible defects   | None                                   | N/A      | 10-20                  | C1               | 4.24                            | 56.49                                      |
|          | 2304 | R                                     | Prunus Atropurpurea Pissards Plum         | 106       | 1     | 4           | 1.5           | 1.5 | 1.5 | 1.5 | 2                             | 0.5      | M         | Good                    | No visible defects   | None                                   | N/A      | 40+                    | C1               | 1.27                            | 5.08                                       |
|          | 2306 | R                                     | Fraxinus excelsior Ash                    | 245       | 1     | 7           | 3.0           | 3.0 | 2.0 | 3.0 | 4                             | 2        | SM        | Good                    | No visible defects   | None                                   | N/A      | 40+                    | B1               | 2.94                            | 27.16                                      |
|          | 2307 | R                                     | Eucalyptus gunni Eucalyptus               | 202       | MS    | 8           | 1.0           | 1.0 | 1.0 | 1.0 | 5                             | 2        | SM        | Good                    | Low tight fork with included bark  | Fell to ground level                   | P        | <10                    | R                | 2.02                            | 12.82                                      |
|          | 2308 | R                                     | Acer pseudoplatanus Sycamore              | 370       | 1     | 7           | 4.0           | 3.0 | 3.0 | 3.0 | 3                             | 2        | M         | Good                    | Previous poor pruning practice   | Crown clean                            | P        | 10-20                  | C1               | 4.44                            | 61.94                                      |
|          | 2311 | R                                     | Eucalyptus gunni Eucalyptus               | 107       | 1     | 7           | 1.5           | 1.5 | 1.5 | 0.5 | 4                             | 0.5      | Y         | Fair                    | No visible defects   | None                                   | N/A      | 40+                    | C1               | 1.28                            | 5.18                                       |
|          | 2312 | R                                     | Eucalyptus gunni Eucalyptus               | 130       | 1     | 6           | 2.0           | 2.0 | 2.0 | 3.0 | 3                             | 0        | Y         | Good                    | Pollarded at 2.4 m   | None                                   | N/A      | 20-40                  | C1               | 1.56                            | 7.65                                       |
|          | 4011 | R                                     | Thuja plicata Westen Red Cedar            | 303       | MS    | 8           | 2.5           | 1.0 | 1.0 | 1.0 | 1                             | n/a      | M         | Fair                    | Average condition  | Nil                                    | N/A      | 20-40                  | C1               | 3.03                            | 28.85                                      |
|          | 4012 | R                                     | Thuja plicata Westen Red Cedar            | 187       | 1     | 10          | 1.0           | 1.0 | 1.0 | 1.0 | 1                             | n/a      | M         | Fair                    | Average condition  | Nil                                    | N/A      | 20-40                  | C1               | 2.24                            | 15.82                                      |
|          | 4013 | R                                     | Thuja plicata Westen Red Cedar            | 256       | 1     | 10          | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | n/a      | M         | Poor                    | Average condition  | Nil                                    | N/A      | 10-20                  | C1               | 3.07                            | 29.65                                      |
|          | 4014 | R                                     | Thuja plicata Westen Red Cedar            | 354       | 1     | 16          | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | n/a      | M         | Fair                    | Average condition  | Nil                                    | N/A      | 20-40                  | C1               | 4.25                            | 56.70                                      |
|          | 4015 | R                                     | Thuja plicata Westen Red Cedar            | 521       | MS    | 16          | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | n/a      | M         | Fair                    | Av top 6m dead   | Remove dead section                    | P        | 10-20                  | C1               | 5.21                            | 85.29                                      |

**TREES FOR REMOVAL Heyford Park Nicholson's Tree Survey November 2006**

| Group No | Tag | Trees removed for development reasons | Species (Botanical)                      | Diam (mm) | Stems | Ht m. (est) | Branch Spread |     |     |     | Increase in canopy radius (m) | Crown Ht | Age Class | Physiological Condition | Structural Condition                  | Preliminary Management        | Priority | Remaining Contribution | Category Grading | Root Protection Zone Radius (m) | Root Protection zone (m2). Capped at 707m2 |
|----------|-----|---------------------------------------|--|-----------|-------|-------------|---------------|-----|-----|-----|-------------------------------|----------|-----------|-------------------------|---------------------------------------|-------------------------------|----------|------------------------|------------------|---------------------------------|--|
|          |     |                                       |  |           |       |             | N             | S   | E   | W   |                               |          |           |                         |                                       |                               |          |                        |                  |                                 |  |
| 4016     | R   |                                       | Thuja plicata Westen Red Cedar           | 441       | 1     | 16          | 2.0           | 2.0 | 3.0 | 2.0 | 1                             | n/a      | M         | Fair                    | Average condition                     | Nil                           | N/A      | 20-40                  | C1               | 5.29                            | 87.99                                      |
| 4017     | R   |                                       | Thuja plicata Westen Red Cedar           | 471       | MS    | 16          | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | n/a      | M         | Fair                    | Average condition                     | Nil                           | N/A      | 20-40                  | C1               | 4.71                            | 69.70                                      |
| 4018     | R   |                                       | Thuja plicata Westen Red Cedar           | 212       | 1     | 10          | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | n/a      | M         | Fair                    | Average condition                     | Nil                           | N/A      | 10-20                  | C1               | 2.54                            | 20.33                                      |
| 4019     | R   |                                       | Thuja plicata Westen Red Cedar           | 699       | MS    | 17          | 3.0           | 2.0 | 2.0 | 3.0 | 1                             | n/a      | M         | Fair                    | Average condition                     | Nil                           | N/A      | 20-40                  | C1               | 6.99                            | 153.52                                     |
| 4020     | R   |                                       | Thuja plicata Westen Red Cedar           | 353       | 1     | 15          | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | n/a      | M         | Fair                    | Average condition                     | Nil                           | N/A      | 20-40                  | C1               | 4.24                            | 56.38                                      |
| 4021     | R   |                                       | Thuja plicata Westen Red Cedar           | 240       | 1     | 10          | 1.0           | 2.0 | 1.0 | 2.0 | 1                             | n/a      | M         | Fair                    | Average condition                     | Nil                           | N/A      | 20-40                  | C1               | 2.88                            | 26.06                                      |
| 4022     | R   |                                       | Thuja plicata Westen Red Cedar           | 415       | 1     | 17          | 1.0           | 2.0 | 2.0 | 2.0 | 1                             | n/a      | M         | Fair                    | Average condition                     | Nil                           | N/A      | 20-40                  | C1               | 4.98                            | 77.92                                      |
| 4023     | R   |                                       | Thuja plicata Westen Red Cedar           | 271       | 1     | 9           | 2.0           | 2.0 | 1.0 | 4.0 | 1                             | 2        | M         | Fair                    | Average condition                     | Nil                           | N/A      | 10-20                  | C1               | 3.25                            | 33.23                                      |
| 4024     | R   |                                       | Thuja plicata Westen Red Cedar           | 394       | MS    | 9           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | n/a      | M         | Fair                    | Average condition                     | Nil                           | N/A      | 10-20                  | C1               | 3.94                            | 48.78                                      |
| 4025     | R   |                                       | Thuja plicata Westen Red Cedar           | 273       | 1     | 14          | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | n/a      | M         | Fair                    | Average condition                     | Nil                           | N/A      | 20-40                  | C1               | 3.28                            | 33.72                                      |
| 4048     | R   |                                       | Conifer                                  | 364       | MS    | 5           | 0.5           | 0.5 | 0.5 | 0.5 | 0                             | n/a      | M         | Fair                    | Average condition                     | Nil                           | N/A      | 20-40                  | C1               | 3.64                            | 41.63                                      |
| 4049     | R   |                                       | Conifer                                  | 591       | MS    | 6           | 1.0           | 1.0 | 1.0 | 1.0 | 0                             | n/a      | M         | Fair                    | Average condition                     | Nil                           | N/A      | 20-40                  | C1               | 5.91                            | 109.74                                     |
| 4050     | R   |                                       | Conifer                                  | 568       | MS    | 7           | 1.0           | 1.0 | 1.0 | 1.0 | 0                             | n/a      | M         | Fair                    | Average condition                     | Nil                           | N/A      | 20-40                  | C1               | 5.68                            | 101.37                                     |
| 4051     | R   |                                       | Conifer                                  | 640       | MS    | 6           | 1.0           | 1.0 | 1.0 | 1.0 | 0                             | n/a      | M         | Fair                    | Av spreading stems                    | Nil                           | N/A      | 10-20                  | C1               | 6.40                            | 128.70                                     |
| 4053     |     |                                       | Betula alba Silver birch                 | 255       | 1     | 11          | 2.0           | 3.0 | 1.0 | 2.0 | 1                             | 7        | M         | Poor                    | Average condition                     | Nil                           | N/A      | <10                    | R                | 3.06                            | 29.42                                      |
| 4076     |     |                                       | Acer platanoides Norway maple            | 158       | 1     | 8           | 2.0           | 3.0 | 3.0 | 3.0 | 5                             | 3        | M         | Fair                    | Several torn out limbs in crown       | Fell                          | P        | <10                    | R                | 1.90                            | 11.29                                      |
| 4094     | R   |                                       | Chamaecyparis lawsoniana lawsons cypress | 230       | MS    | 4           | 1.0           | 1.0 | 1.0 | 1.0 | 0                             | n/a      | M         | Good                    | Average condition                     | Nil                           | N/A      | 20-40                  | C1               | 2.30                            | 16.62                                      |
| 4095     | R   |                                       | Chamaecyparis lawsoniana lawsons cypress | 244       | MS    | 5           | 1.0           | 1.0 | 1.0 | 1.0 | 0                             | n/a      | M         | Good                    | Average condition                     | Nil                           | N/A      | 20-40                  | C1               | 2.44                            | 18.71                                      |
| 4096     | R   |                                       | Chamaecyparis lawsoniana lawsons cypress | 197       | MS    | 5           | 1.0           | 1.0 | 1.0 | 1.0 | 0                             | n/a      | M         | Good                    | Average condition                     | Nil                           | N/A      | 20-40                  | C1               | 1.97                            | 12.19                                      |
| 4097     | R   |                                       | Chamaecyparis lawsoniana lawsons cypress | 199       | MS    | 5           | 1.0           | 1.0 | 1.0 | 1.0 | 0                             | n/a      | M         | Good                    | Average condition                     | Nil                           | N/A      | 20-40                  | C1               | 1.99                            | 12.44                                      |
| 4098     | R   |                                       | Chamaecyparis lawsoniana lawsons cypress | 220       | MS    | 4           | 1.0           | 1.0 | 1.0 | 1.0 | 0                             | n/a      | M         | Good                    | Average condition                     | Nil                           | N/A      | 20-40                  | C1               | 2.20                            | 15.21                                      |
| 4099     | R   |                                       | Chamaecyparis lawsoniana lawsons cypress | 225       | MS    | 5           | 1.0           | 1.0 | 1.0 | 1.0 | 0                             | n/a      | M         | Good                    | Average condition                     | Nil                           | N/A      | 20-40                  | C1               | 2.25                            | 15.91                                      |
| 4100     | R   |                                       | Chamaecyparis lawsoniana lawsons cypress | 205       | MS    | 5           | 1.0           | 1.0 | 1.0 | 1.0 | 0                             | n/a      | M         | Good                    | Average condition                     | Nil                           | N/A      | 20-40                  | C1               | 2.05                            | 13.20                                      |
| 4123     | R   |                                       | Thuja plicata Westen Red Cedar           | 279       | 1     | 11          | 3.0           | 3.0 | 3.0 | 3.0 | 2                             | 4        | M         | Good                    | Average condition                     | Nil                           | N/A      | 40+                    | C2               | 3.35                            | 35.22                                      |
| 4124     | R   |                                       | Thuja plicata Westen Red Cedar           | 509       | 1     | 14          | 3.0           | 4.0 | 3.0 | 3.0 | 2                             | 4        | M         | Good                    | Average condition                     | Nil                           | N/A      | 40+                    | C2               | 6.11                            | 117.22                                     |
| 4125     | R   |                                       | Thuja plicata Westen Red Cedar           | 267       | 1     | 11          | 3.0           | 3.0 | 1.0 | 3.0 | 2                             | 4        | M         | Good                    | Average condition                     | Nil                           | N/A      | 40+                    | C2               | 3.20                            | 32.25                                      |
| 4126     | R   |                                       | Thuja plicata Westen Red Cedar           | 326       | MS    | 10          | 2.0           | 3.0 | 2.0 | 1.0 | 2                             | 4        | M         | Good                    | Average condition                     | Nil                           | N/A      | 40+                    | C2               | 3.26                            | 33.39                                      |
| 4127     | R   |                                       | Thuja plicata Westen Red Cedar           | 282       | 1     | 12          | 2.0           | 4.0 | 1.0 | 1.0 | 2                             | 4        | M         | Good                    | Average condition                     | Nil                           | N/A      | 40+                    | C2               | 3.38                            | 35.98                                      |
| 4128     | R   |                                       | Thuja plicata Westen Red Cedar           | 287       | 1     | 12          | 2.0           | 4.0 | 1.0 | 1.0 | 2                             | 4        | M         | Good                    | Average condition                     | Nil                           | N/A      | 40+                    | C2               | 3.44                            | 37.27                                      |
| 4129     | R   |                                       | Thuja plicata Westen Red Cedar           | 176       | 1     | 10          | 2.0           | 2.0 | 1.0 | 2.0 | 2                             | 4        | M         | Good                    | Average condition                     | Nil                           | N/A      | 20-40                  | C2               | 2.11                            | 14.02                                      |
| 4130     | R   |                                       | Thuja plicata Westen Red Cedar           | 412       | MS    | 12          | 3.0           | 2.0 | 1.0 | 1.0 | 1                             | 4        | M         | Poor                    | Average condition                     | Nil                           | N/A      | 10-20                  | C2               | 4.12                            | 53.33                                      |
| 4131     | R   |                                       | Thuja plicata Westen Red Cedar           | 396       | MS    | 12          | 3.0           | 4.0 | 2.0 | 1.0 | 1                             | 4        | M         | Fair                    | Average condition                     | Nil                           | N/A      | 20-40                  | C2               | 3.96                            | 49.27                                      |
| 4132     | R   |                                       | Thuja plicata Westen Red Cedar           | 156       | 1     | 12          | 3.0           | 4.0 | 1.0 | 1.0 | 1                             | 4        | M         | Fair                    | Average condition                     | Nil                           | N/A      | 20-40                  | C2               | 1.87                            | 11.01                                      |
| 4133     | R   |                                       | Thuja plicata Westen Red Cedar           | 291       | 1     | 12          | 3.0           | 4.0 | 1.0 | 1.0 | 1                             | 4        | M         | Fair                    | Average condition                     | Nil                           | N/A      | 20-40                  | C2               | 3.49                            | 38.31                                      |
| 4134     | R   |                                       | Thuja plicata Westen Red Cedar           | 270       | 1     | 12          | 3.0           | 4.0 | 1.0 | 1.0 | 1                             | 4        | M         | Fair                    | Average condition                     | Nil                           | N/A      | 20-40                  | C2               | 3.24                            | 32.98                                      |
| 4135     | R   |                                       | Thuja plicata Westen Red Cedar           | 338       | MS    | 12          | 3.0           | 4.0 | 1.0 | 1.0 | 1                             | 4        | M         | Fair                    | Average condition                     | Nil                           | N/A      | 20-40                  | C2               | 3.38                            | 35.90                                      |
| 4136     | R   |                                       | Thuja plicata Westen Red Cedar           | 270       | 1     | 12          | 3.0           | 4.0 | 1.0 | 1.0 | 1                             | 4        | M         | Fair                    | Average condition                     | Nil                           | N/A      | 20-40                  | C2               | 3.24                            | 32.98                                      |
| 4137     | R   |                                       | Thuja plicata Westen Red Cedar           | 326       | 1     | 11          | 3.0           | 4.0 | 1.0 | 1.0 | 1                             | 4        | M         | Fair                    | Average condition                     | Nil                           | N/A      | 20-40                  | C2               | 3.91                            | 48.08                                      |
| 4138     | R   |                                       | Thuja plicata Westen Red Cedar           | 333       | MS    | 9           | 2.0           | 4.0 | 1.0 | 1.0 | 1                             | 4        | M         | Fair                    | Average condition                     | Nil                           | N/A      | 20-40                  | C2               | 3.33                            | 34.84                                      |
| 4139     | R   |                                       | Thuja plicata Westen Red Cedar           | 342       | 1     | 12          | 3.0           | 4.0 | 1.0 | 1.0 | 2                             | 4        | M         | Fair                    | Average condition                     | Nil                           | N/A      | 20-40                  | C2               | 4.10                            | 52.92                                      |
| 4140     | R   |                                       | Thuja plicata Westen Red Cedar           | 126       | 1     | 8           | 2.0           | 2.0 | 1.0 | 1.0 | 1                             | 4        | M         | Fair                    | Average condition                     | Nil                           | N/A      | 20-40                  | C2               | 1.51                            | 7.18                                       |
| 4141     | R   |                                       | Thuja plicata Westen Red Cedar           | 487       | 1     | 13          | 3.0           | 4.0 | 1.0 | 3.0 | 2                             | 4        | M         | Fair                    | Average condition                     | Nil                           | N/A      | 20-40                  | C2               | 5.84                            | 107.31                                     |
| 4158     | R   |                                       | Acer pseudoplatanus Sycamore             | 394       | 1     | 11          | 2.0           | 4.0 | 5.0 | 5.0 | 2                             | 4        | M         | Fair                    | Average condition                     | Nil                           | N/A      | 40+                    | B2               | 4.73                            | 70.24                                      |
| 4159     | R   |                                       | Acer pseudoplatanus Sycamore             | 442       | 1     | 12          | 1.0           | 5.0 | 7.0 | 6.0 | 2                             | 5        | M         | Fair                    | Minor cavity at 3.0e                  | Nil                           | N/A      | 40+                    | B2               | 5.30                            | 88.39                                      |
| 4191     |     |                                       | Fagus sylvatica Beech                    | 563       | 1     | 14          | 4.0           | 3.0 | 5.0 | 2.0 | 0                             | 6        | M         | Poor                    | Basal wounds inclded bark stem wounds | Fell                          | P        | <10                    | R                | 6.76                            | 143.41                                     |
| 4193     | R   |                                       | Acer pseudoplatanus Sycamore             | 502       | 1     | 13          | 7.0           | 5.0 | 3.0 | 7.0 | 1                             | 4        | M         | Fair                    | Average condition                     | Nil                           | N/A      | 20-40                  | B2               | 6.02                            | 114.02                                     |
| 4195     | R   |                                       | Pinus sylvestris Scots pine              | 348       | 1     | 12          | 5.0           | 1.0 | 5.0 | 1.0 | 0                             | 7        | M         | Fair                    | Extended upper limb/stem to ne        | reduce upper limb/stem by 25% | P        | 20-40                  | B2               | 4.18                            | 54.79                                      |
| 4196     | R   |                                       | Pinus sylvestris Scots pine              | 373       | 1     | 12          | 4.0           | 3.0 | 4.0 | 2.0 | 0                             | 4        | M         | Fair                    | Average condition                     | Nil                           | N/A      | 20-40                  | B2               | 4.48                            | 62.95                                      |
| 4197     | R   |                                       | Acer pseudoplatanus Sycamore             | 387       | 1     | 13          | 4.0           | 5.0 | 4.0 | 5.0 | 2                             | 6        | M         | Fair                    | Average condition                     | Nil                           | N/A      | 40+                    | B2               | 4.64                            | 67.76                                      |
| 4220     | R   |                                       | Fagus sylvatica Beech                    | 438       | 1     | 13          | 6.0           | 5.0 | 5.0 | 7.0 | 2                             | 6        | M         | Fair                    | Average condition                     | Nil                           | N/A      | 40+                    | B2               | 5.26                            | 86.80                                      |
| 4232     | R   |                                       | Sorbus intermedia Swedish Whitebeam      | 462       | 1     | 8           | 3.0           | 4.0 | 3.0 | 4.0 | 1                             | 4        | M         | Fair                    | Woodpecker holeson main stem          | Nil                           | N/A      | 20-40                  | B2               | 5.54                            | 96.57                                      |
| 4242     | R   |                                       | Chamaecyparis lawsoniana lawsons cypress | 221       | 1     | 8           | 2.0           | 1.0 | 2.0 | 2.0 | 1                             | 0        | M         | Good                    | Average condition                     | Nil                           | N/A      | 40+                    | C2               | 2.65                            | 22.10                                      |
| 4243     | R   |                                       | Chamaecyparis lawsoniana lawsons cypress | 336       | MS    | 8           | 1.0           | 1.0 | 2.0 | 2.0 | 1                             | 0        | M         | Good                    | Average condition                     | Nil                           | N/A      | 40+                    | C2               | 3.36                            | 35.47                                      |
| 4244     | R   |                                       | Chamaecyparis lawsoniana lawsons cypress | 321       | MS    | 8           | 1.0           | 1.0 | 2.0 | 2.0 | 1                             | 0        | M         | Good                    | Average condition                     | Nil                           | N/A      | 40+                    | C2               | 3.21                            | 32.38                                      |
| 4245     | R   |                                       | Chamaecyparis lawsoniana lawsons cypress | 322       | 1     | 8           | 1.0           | 2.0 | 2.0 | 2.0 | 1                             | 0        | M         | Good                    | Average condition                     | Nil                           | N/A      | 40+                    | C2               | 3.86                            | 46.91                                      |

**TREES FOR REMOVAL Heyford Park Nicholson's Tree Survey November 2006**

| Group No | Tag | Trees removed for development reasons | Species (Botanical)                      | Diam (mm) | Stems | Ht m. (est) | Branch Spread |     |     |     | Increase in canopy radius (m) | Crown Ht | Age Class | Physiological Condition | Structural Condition  | Preliminary Management | Priority | Remaining Contribution | Category Grading | Root Protection Zone Radius (m) | Root Protection zone (m2). Capped at 707m2 |
|----------|-----|---------------------------------------|--|-----------|-------|-------------|---------------|-----|-----|-----|-------------------------------|----------|-----------|-------------------------|---|------------------------|----------|------------------------|------------------|---------------------------------|--|
|          |     |                                       |  |           |       |             | N             | S   | E   | W   |                               |          |           |                         |   |                        |          |                        |                  |                                 |  |
| 4274     |     |                                       | Ulmus procera Elm                        | 435       | 1     | 14          | 2.0           | 5.0 | 5.0 | 5.0 | 0                             | 4        | M         | Fair                    | Average condition   | Nil                    | N/A      | <10                    | R                | 5.22                            | 85.61                                      |
| 4291     | R   |                                       | Acer pseudoplatanus Sycamore             | 427       | MS    | 11          | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 6        | M         | Fair                    | Average condition   | Nil                    | N/A      | 20-40                  | B2               | 4.27                            | 57.29                                      |
| 4292     |     |                                       | Ulmus procera Elm                        | 506       | 1     | 15          | 5.0           | 5.0 | 6.0 | 2.0 | 0                             | 4        | M         | Fair                    | Average condition   | Nil                    | N/A      | <10                    | R                | 6.07                            | 115.84                                     |
| 4328     | R   |                                       | Pinus sylvestris Scots pine              | 282       | 1     | 9           | 2.0           | 2.5 | 3.0 | 2.5 | 0                             | 5        | M         | Fair                    | Average condition   | Nil                    | N/A      | 20-40                  | B2               | 3.38                            | 35.98                                      |
| 4329     | R   |                                       | Pinus sylvestris Scots pine              | 468       | 1     | 16          | 5.0           | 3.0 | 5.0 | 3.0 | 0                             | 7        | M         | Fair                    | Average condition   | Nil                    | N/A      | 20-40                  | B2               | 5.62                            | 99.10                                      |
| 4330     | R   |                                       | Pinus sylvestris Scots pine              | 517       | 1     | 16          | 4.0           | 6.0 | 4.0 | 5.0 | 0                             | 6        | M         | Fair                    | Average condition   | Nil                    | N/A      | 20-40                  | B2               | 6.20                            | 120.93                                     |
| 4331     | R   |                                       | Pinus sylvestris Scots pine              | 319       | 1     | 11          | 2.0           | 2.0 | 2.0 | 2.0 | 0                             | 5        | M         | Fair                    | Average condition   | Nil                    | N/A      | 20-40                  | B2               | 3.83                            | 46.04                                      |
| 4332     | R   |                                       | Pinus sylvestris Scots pine              | 367       | 1     | 9           | 4.0           | 5.0 | 4.0 | 4.0 | 0                             | 5        | M         | Fair                    | Average condition   | Nil                    | N/A      | 20-40                  | B2               | 4.40                            | 60.94                                      |
| 4333     | R   |                                       | Pinus sylvestris Scots pine              | 355       | 1     | 13          | 3.0           | 3.0 | 3.0 | 4.0 | 0                             | 7        | M         | Fair                    | Average condition   | Nil                    | N/A      | 20-40                  | B2               | 4.26                            | 57.02                                      |
| 4337     |     |                                       | Acer pseudoplatanus Sycamore             | 370       | MS    | 6           | 2.0           | 2.0 | 2.0 | 2.0 | 3                             | 2        | M         | Fair                    | Very decayed coppice base                                       | Nil                    | N/A      | <10                    | R                | 3.70                            | 43.01                                      |
| 4339     |     |                                       | Acer pseudoplatanus Sycamore             | 100       | MS    | 8           | 3.0           | 3.0 | 3.0 | 3.0 | 3                             | 2        | SM        | Fair                    | Decaying coppice stool  | Nil                    | N/A      | <10                    | R                | 1.00                            | 3.14                                       |
| 4341     |     |                                       | Acer pseudoplatanus Sycamore             | 150       | MS    | 7           | 1.0           | 1.0 | 1.0 | 1.0 | 2                             | 4        | SM        | Fair                    | Poor  | Nil                    | N/A      | <10                    | R                | 1.50                            | 7.07                                       |
| 4342     |     |                                       | Acer pseudoplatanus Sycamore             | 500       | MS    | 9           | 3.0           | 3.0 | 3.0 | 3.0 | 2                             | 3        | M         | Fair                    | Decaying coppice stool  | Nil                    | N/A      | <10                    | R                | 5.00                            | 78.55                                      |
| 4379     |     |                                       | Ulmus procera Elm                        | 369       | 1     | 12          | 4.0           | 2.0 | 5.0 | 3.0 | 0                             | 4        | M         | Fair                    | Average condition   | Nil                    | N/A      | <10                    | R                | 4.43                            | 61.61                                      |
| 4385     | R   |                                       | Chamaecyparis lawsoniana lawsons cypress | 190       | 1     | 8           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 2        | M         | Fair                    | Average condition   | Nil                    | N/A      | 40+                    | C2               | 2.28                            | 16.33                                      |
| 4399     | R   |                                       | Tilia europaea Common Lime               | 385       | 1     | 12          | 5.0           | 3.0 | 2.0 | 6.0 | 3                             | 5        | M         | Fair                    | Average condition   | Nil                    | N/A      | 40+                    | B2               | 4.62                            | 67.06                                      |
| 4400     | R   |                                       | Acer pseudoplatanus Sycamore             | 307       | 1     | 11          | 1.0           | 4.0 | 3.0 | 5.0 | 3                             | 5        | M         | Fair                    | Average condition   | Nil                    | N/A      | 40+                    | B2               | 3.68                            | 42.64                                      |
| 4415     |     |                                       | Prunus laurocerasus Cherry laurel        | 272       | 1     | 7           | 3.0           | 3.0 | 2.0 | 3.0 | 0                             | n/a      | M         | Fair                    | Ganoderma fruiting body at base                                 | Nil                    | N/A      | <10                    | R                | 3.26                            | 33.47                                      |
| 4424     |     |                                       | Acer pseudoplatanus Sycamore             | 301       | 1     | 14          | 4.0           | 0.0 | 5.0 | 5.0 | 2                             | 5        | M         | Fair                    | Large basal cavity  | Nil                    | N/A      | <10                    | R                | 3.61                            | 40.99                                      |
| 4439     | R   |                                       | Fagus sylvatica Beech                    | 888       | 1     | 14          | 7.0           | 7.0 | 7.0 | 7.0 | 1                             | 4        | M         | Fair                    | Main forks at 1.0 & 2.5 with included bark                      | Nil                    | N/A      | 20-40                  | B2               | 10.66                           | 356.78                                     |
| 4465     |     |                                       | Acer pseudoplatanus Sycamore             | 405       | 1     | 12          | 0.0           | 6.0 | 2.0 | 2.0 | 0                             | 5        | M         | Poor                    | Poor  | Nil                    | N/A      | <10                    | R                | 4.86                            | 74.21                                      |
| 4470     | R   |                                       | Chamaecyparis lawsoniana lawsons cypress | 195       | 1     | 7           | 0.0           | 3.0 | 2.0 | 2.0 | 1                             | 3        | M         | Fair                    | Average condition   | Nil                    | N/A      | 20-40                  | C2               | 2.34                            | 17.20                                      |
| 4471     | R   |                                       | Chamaecyparis lawsoniana lawsons cypress | 220       | MS    | 8           | 2.0           | 2.0 | 2.0 | 1.0 | 1                             | 3        | M         | Fair                    | Stem wounds   | Nil                    | N/A      | 20-40                  | C2               | 2.20                            | 15.21                                      |
| 4491     |     |                                       | Acer pseudoplatanus Sycamore             | 657       | MS    | 13          | 2.0           | 4.0 | 2.0 | 3.0 | 1                             | 5        | M         | Fair                    | Tight fork at 1.0 included bark, cavity and fissure             | Fell                   | P        | <10                    | R                | 6.57                            | 135.62                                     |
| 4508     |     |                                       | Acer pseudoplatanus Sycamore             | 472       | 1     | 13          | 4.0           | 4.0 | 5.0 | 3.0 | 1                             | 7        | M         | Fair                    | Significant decay at root collar                                | Fell                   | U        | <10                    | R                | 5.66                            | 100.80                                     |
| 4509     |     |                                       | Acer pseudoplatanus Sycamore             | 406       | 1     | 12          | 5.0           | 2.0 | 2.0 | 2.0 | 2                             | 5        | M         | Fair                    | Decay at root collar  | Nil                    | N/A      | <10                    | R                | 4.87                            | 74.58                                      |
| 4510     |     |                                       | Acer pseudoplatanus Sycamore             | 538       | 1     | 13          | 4.0           | 3.0 | 5.0 | 5.0 | 2                             | 6        | M         | Fair                    | Decaying squirrel damage  | Nil                    | N/A      | <10                    | R                | 6.46                            | 130.96                                     |
| 4539     | R   |                                       | Thuja plicata Westen Red Cedar           | 286       | 1     | 10          | 3.0           | 3.0 | 3.0 | 3.0 | 2                             | 3        | M         | Fair                    | Average condition   | Nil                    | N/A      | 20-40                  | C2               | 3.43                            | 37.01                                      |
| 4541     | R   |                                       | Thuja plicata Westen Red Cedar           | 364       | 1     | 11          | 2.0           | 2.0 | 1.0 | 2.0 | 2                             | 2        | M         | Fair                    | Dead top, Decay, damage to main stem                            | Fell                   | P        | N/a                    | R                | 4.37                            | 59.95                                      |
| 4542     | R   |                                       | Thuja plicata Westen Red Cedar           | 191       | 1     | 9           | 2.0           | 2.0 | 0.0 | 0.0 | 0                             | 2        | M         | Poor                    | Mostly dead   | Fell                   | P        | N/a                    | R                | 2.29                            | 16.51                                      |
| 4543     | R   |                                       | Thuja plicata Westen Red Cedar           | 267       | 1     | 12          | 1.0           | 2.0 | 1.0 | 1.0 | 1                             | 2        | M         | Fair                    | Damage, decay to main stem                                      | Fell                   | P        | N/a                    | R                | 3.20                            | 32.25                                      |
| 4544     | R   |                                       | Thuja plicata Westen Red Cedar           | 362       | 1     | 12          | 2.0           | 2.0 | 2.0 | 1.0 | 2                             | 2        | M         | Good                    | No visible defects  | Nil                    | N/A      | 20-40                  | B1,2             | 4.34                            | 59.29                                      |
| 4545     | R   |                                       | Thuja plicata Westen Red Cedar           | 355       | 1     | 13          | 2.0           | 2.0 | 1.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects  | Nil                    | N/A      | 20-40                  | B1,2             | 4.26                            | 57.02                                      |
| 4546     | R   |                                       | Thuja plicata Westen Red Cedar           | 178       | 1     | 9           | 1.0           | 1.0 | 0.0 | 0.0 | 1                             | 2        | M         | Poor                    | Suppressed by adjacent  | Fell                   | P        | N/a                    | R                | 2.14                            | 14.34                                      |
| 4547     | R   |                                       | Thuja plicata Westen Red Cedar           | 310       | 1     | 13          | 2.0           | 2.0 | 1.0 | 1.0 | 2                             | 2        | M         | Good                    | No visible defects  | Nil                    | N/A      | 20-40                  | B1,2             | 3.72                            | 43.48                                      |
| 4548     | R   |                                       | Thuja plicata Westen Red Cedar           | 321       | 1     | 13          | 2.0           | 2.0 | 1.0 | 0.0 | 2                             | 2        | M         | Good                    | No visible defects  | Nil                    | N/A      | 20-40                  | B1,2             | 3.85                            | 46.62                                      |
| 4549     | R   |                                       | Thuja plicata Westen Red Cedar           | 346       | 1     | 13          | 2.0           | 2.0 | 2.0 | 1.0 | 2                             | 2        | M         | Good                    | No visible defects  | Nil                    | N/A      | 20-40                  | B1,2             | 4.15                            | 54.17                                      |
| 4552     | R   |                                       | Thuja plicata Westen Red Cedar           | 123       | 1     | 8           | 2.0           | 0.0 | 1.0 | 1.0 | 2                             | 1        | M         | Poor                    | Suppressed by adjacent  | Fell                   | P        | N/a                    | R                | 1.48                            | 6.85                                       |
| 4553     | R   |                                       | Thuja plicata Westen Red Cedar           | 283       | MS    | 9           | 2.0           | 1.0 | 1.0 | 0.0 | 2                             | 1        | M         | Poor                    | Dead top, Damage, decay to main stem                            | Fell                   | P        | N/a                    | R                | 2.83                            | 25.16                                      |
| 4554     | R   |                                       | Thuja plicata Westen Red Cedar           | 234       | 1     | 12          | 2.0           | 2.0 | 1.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects  | Nil                    | N/A      | 20-40                  | B1,2             | 2.81                            | 24.77                                      |
| 4555     | R   |                                       | Thuja plicata Westen Red Cedar           | 362       | 1     | 12          | 2.0           | 2.0 | 1.0 | 1.0 | 2                             | 2        | M         | Fair                    | Fungi(?) to bark crevices. Fluting and past damage to main stem | Check decay, monitor   | P        | 10-20                  | C1,2             | 4.34                            | 59.29                                      |
| 4556     | R   |                                       | Thuja plicata Westen Red Cedar           | 366       | MS    | 8           | 2.0           | 2.0 | 2.0 | 1.0 | 2                             | 2        | M         | Fair                    | Dead top  | Remove deadwood        | P        | 10-20                  | C1,2             | 3.66                            | 42.09                                      |
| 4557     | R   |                                       | Thuja plicata Westen Red Cedar           | 380       | 1     | 13          | 2.0           | 2.0 | 1.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects  | Nil                    | N/A      | 20-40                  | B1,2             | 4.56                            | 65.33                                      |
| 4559     | R   |                                       | Thuja plicata Westen Red Cedar           | 305       | MS    | 6           | 2.0           | 2.0 | 1.0 | 1.0 | 2                             | 2        | M         | Fair                    | Original top lost, lower branches forming top of crown          | Nil                    | N/A      | Oct-20                 | C1,2             | 3.05                            | 29.23                                      |
| 4561     | R   |                                       | Thuja plicata Westen Red Cedar           | 100       | 1     | 3           | 1.0           | 1.0 | 1.0 | 1.0 | 0                             | 0        | M         | Poor                    | Suppressed  | Fell                   | P        | N/a                    | R                | 1.20                            | 4.52                                       |
| 4564     | R   |                                       | Thuja plicata Westen Red Cedar           | 200       | MS    | 6           | 1.0           | 1.0 | 1.0 | 1.0 | 2                             | 2        | M         | Fair                    | Suppressed, leaning to east                                     | Nil                    | N/A      | 10-20                  | C1,2             | 2.00                            | 12.57                                      |
| 4565     | R   |                                       | Thuja plicata Westen Red Cedar           | 495       | 1     | 13          | 2.0           | 2.0 | 1.0 | 1.0 | 2                             | 2        | M         | Good                    | No visible defects  | Nil                    | N/A      | 20-40                  | B1,2             | 5.94                            | 110.86                                     |
| 4566     | R   |                                       | Thuja plicata Westen Red Cedar           | 257       | 1     | 12          | 2.0           | 2.0 | 1.0 | 1.0 | 2                             | 2        | M         | Good                    | Some damage to main stem, calloused over                        | Nil                    | N/A      | 20-40                  | B1,2             | 3.08                            | 29.88                                      |
| 4567     | R   |                                       | Thuja plicata Westen Red Cedar           | 302       | 1     | 12          | 2.0           | 2.0 | 1.0 | 1.0 | 2                             | 2        | M         | Good                    | No visible defects  | Nil                    | N/A      | 20-40                  | B1,2             | 3.62                            | 41.27                                      |
| 4568     | R   |                                       | Thuja plicata Westen Red Cedar           | 352       | 1     | 12          | 2.0           | 2.0 | 1.0 | 1.0 | 2                             | 2        | M         | Good                    | No visible defects  | Nil                    | N/A      | 20-40                  | B1,2             | 4.22                            | 56.06                                      |
| 4569     | R   |                                       | Thuja plicata Westen Red Cedar           | 354       | 2     | 12          | 2.0           | 2.0 | 2.0 | 1.0 | 2                             | 2        | M         | Good                    | No visible defects  | Nil                    | N/A      | 20-40                  | B1,2             | 4.25                            | 56.70                                      |
| 4570     | R   |                                       | Thuja plicata Westen Red Cedar           | 270       | MS    | 3           | 2.0           | 1.0 | 2.0 | 1.0 | 1                             | 0        | M         | Poor                    | No visible defects  | Nil                    | N/A      | 10-20                  | C1,2             | 2.70                            | 22.91                                      |
| 4573     | R   |                                       | Thuja plicata Westen Red Cedar           | 264       | 1     | 12          | 1.0           | 2.0 | 1.0 | 2.0 | 2                             | 1        | M         | Good                    | No visible defects  | Nil                    | N/A      | 20-40                  | B1,2             | 3.17                            | 31.53                                      |
| 4574     | R   |                                       | Thuja plicata Westen Red Cedar           | 239       | 1     | 12          | 1.0           | 1.0 | 1.0 | 2.0 | 2                             | 1        | M         | Good                    | No visible defects  | Nil                    | N/A      | 20-40                  | B1,2             | 2.87                            | 25.84                                      |
| 4575     | R   |                                       | Thuja plicata Westen Red Cedar           | 346       | 1     | 15          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 1        | M         | Good                    | Old damage, possible decay to main stem                         | Fell                   | P        | N/a                    | R                | 4.15                            | 54.17                                      |
| 4576     | R   |                                       | Thuja plicata Westen Red Cedar           | 342       | 1     | 15          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 1        | M         | Good                    | No visible defects  | Nil                    | N/A      | 20-40                  | B1,2             | 4.10                            | 52.92                                      |
| 4577     | R   |                                       | Thuja plicata Westen Red Cedar           | 252       | 1     | 12          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 2        | M         | Fair                    | Old damage to main stem, calloused over                         | Nil                    | N/A      | 10-20                  | C1,2             | 3.02                            | 28.73                                      |

**TREES FOR REMOVAL Heyford Park Nicholson's Tree Survey November 2006**

| Group No | Tag | Trees removed for development reasons | Species (Botanical)                      | Diam (mm) | Stems | Ht m. (est) | Branch Spread |     |     |     | Increase in canopy radius (m) | Crown Ht | Age Class | Physiological Condition | Structural Condition                                   | Preliminary Management         | Priority | Remaining Contribution | Category Grading | Root Protection Zone Radius (m) | Root Protection zone (m2). Capped at 707m2 |
|----------|-----|---------------------------------------|--|-----------|-------|-------------|---------------|-----|-----|-----|-------------------------------|----------|-----------|-------------------------|--|--------------------------------|----------|------------------------|------------------|---------------------------------|--|
|          |     |                                       |  |           |       |             | N             | S   | E   | W   |                               |          |           |                         |  |                                |          |                        |                  |                                 |  |
| 4578     | R   |                                       | Thuja plicata Western Red Cedar          | 156       | 1     | 10          | 1.0           | 1.0 | 2.0 | 2.0 | 1                             | 2        | M         | Poor                    | Suppressed   | Fell                           | P        | N/a                    | R                | 1.87                            | 11.01                                      |
| 4579     | R   |                                       | Thuja plicata Western Red Cedar          | 425       | 1     | 15          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects                                     | Nil                            | N/A      | 20-40                  | B1,2             | 5.10                            | 81.72                                      |
| 4580     | R   |                                       | Thuja plicata Western Red Cedar          | 235       | 1     | 13          | 1.0           | 1.0 | 2.0 | 1.0 | 2                             | 2        | M         | Good                    | No visible defects                                     | Nil                            | N/A      | 20-40                  | B1,2             | 2.82                            | 24.99                                      |
| 4581     | R   |                                       | Thuja plicata Western Red Cedar          | 219       | 1     | 12          | 1.0           | 1.0 | 1.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects                                     | Nil                            | N/A      | 20-40                  | B1,2             | 2.63                            | 21.70                                      |
| 4582     | R   |                                       | Thuja plicata Western Red Cedar          | 372       | 1     | 15          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects                                     | Nil                            | N/A      | 20-40                  | B1,2             | 4.46                            | 62.61                                      |
| 4583     | R   |                                       | Thuja plicata Western Red Cedar          | 400       | 1     | 14          | 2.0           | 1.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects                                     | Nil                            | N/A      | 20-40                  | B1,2             | 4.80                            | 72.39                                      |
| 4584     | R   |                                       | Thuja plicata Western Red Cedar          | 594       | 1     | 14          | 1.0           | 2.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects                                     | Nil                            | N/A      | 20-40                  | B1,2             | 7.13                            | 159.64                                     |
| 4585     | R   |                                       | Thuja plicata Western Red Cedar          | 220       | MS    | 10          | 1.0           | 1.0 | 1.0 | 1.0 | 1                             | 2        | M         | Poor                    | Included bark at gl. Suppressed                        | Fell                           | P        | N/a                    | R                | 2.20                            | 15.21                                      |
| 4586     | R   |                                       | Thuja plicata Western Red Cedar          | 199       | 1     | 11          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 2        | M         | Fair                    | Previously suppressed, recovering (?)                  | Nil                            | N/A      | 10-20                  | C1,2             | 2.39                            | 17.92                                      |
| 4587     | R   |                                       | Thuja plicata Western Red Cedar          | 295       | 1     | 14          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 2        | M         | Fair                    | Previously suppressed, recovering (?)                  | Nil                            | N/A      | 10-20                  | C1,2             | 3.54                            | 39.37                                      |
| 4588     | R   |                                       | Thuja plicata Western Red Cedar          | 282       | 1     | 10          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 1        | M         | Fair                    | Original top dead, lower branches forming top of crown | Remove deadwood.<br>Remove ivy | P        | 10-20                  | C1,2             | 3.38                            | 35.98                                      |
| 4589     | R   |                                       | Thuja plicata Western Red Cedar          | 300       | 1     | 10          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 1        | M         | Fair                    | Occasional deadwood                                    | Remove deadwood.<br>Remove ivy | P        | 10-20                  | C1,2             | 3.60                            | 40.72                                      |
| 4590     | R   |                                       | Thuja plicata Western Red Cedar          | 351       | 1     | 14          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects                                     | remove ivy                     | P        | 20-40                  | B1,2             | 4.21                            | 55.74                                      |
| 4591     | R   |                                       | Thuja plicata Western Red Cedar          | 330       | 1     | 14          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects                                     | remove ivy                     | P        | 20-40                  | B1,2             | 3.96                            | 49.27                                      |
| 4592     | R   |                                       | Thuja plicata Western Red Cedar          | 221       | 1     | 12          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects                                     | Nil                            | N/A      | 20-40                  | B1,2             | 2.65                            | 22.10                                      |
| 4593     | R   |                                       | Thuja plicata Western Red Cedar          | 382       | 1     | 14          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects                                     | Nil                            | N/A      | 20-40                  | B1,2             | 4.58                            | 66.02                                      |
| 4594     | R   |                                       | Thuja plicata Western Red Cedar          | 277       | 1     | 11          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 1        | M         | Fair                    | Dead top   | Remove deadwood.<br>Remove ivy | P        | 10-20                  | C1,2             | 3.32                            | 34.72                                      |
| 4595     | R   |                                       | Thuja plicata Western Red Cedar          | 227       | 1     | 14          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 2        | M         | Fair                    | No visible defects                                     | Nil                            | N/A      | 10-20                  | C1,2             | 2.72                            | 23.31                                      |
| 4596     | R   |                                       | Thuja plicata Western Red Cedar          | 323       | 1     | 14          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects                                     | Nil                            | N/A      | 20-40                  | B1,2             | 3.88                            | 47.20                                      |
| 4597     | R   |                                       | Thuja plicata Western Red Cedar          | 350       | 1     | 14          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects                                     | Nil                            | N/A      | 20-40                  | B1,2             | 4.20                            | 55.42                                      |
| 4598     | R   |                                       | Thuja plicata Western Red Cedar          | 340       | 1     | 14          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | Lower main stem sweeps to S. else no visible defects   | Nil                            | N/A      | 20-40                  | B1,2             | 4.08                            | 52.30                                      |
| 4599     | R   |                                       | Thuja plicata Western Red Cedar          | 423       | 1     | 14          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects                                     | Nil                            | N/A      | 20-40                  | B1,2             | 5.08                            | 80.96                                      |
| 4600     | R   |                                       | Thuja plicata Western Red Cedar          | 127       | 1     | 8           | 1.0           | 1.0 | 2.0 | 0.0 | 0                             | 2        | M         | Poor                    | Suppressed   | Fell                           | P        | N/a                    | R                | 1.52                            | 7.30                                       |
| 4601     | R   |                                       | Thuja plicata Western Red Cedar          | 275       | 1     | 14          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects                                     | Nil                            | N/A      | 20-40                  | B1,2             | 3.30                            | 34.22                                      |
| 4602     | R   |                                       | Thuja plicata Western Red Cedar          | 211       | 1     | 12          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects                                     | Nil                            | N/A      | 20-40                  | B1,2             | 2.53                            | 20.14                                      |
| 4603     | R   |                                       | Thuja plicata Western Red Cedar          | 472       | 1     | 14          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects                                     | Nil                            | N/A      | 20-40                  | B1,2             | 5.66                            | 100.80                                     |
| 4604     | R   |                                       | Thuja plicata Western Red Cedar          | 128       | 1     | 14          | 1.0           | 1.0 | 2.0 | 2.0 | 0                             | 2        | M         | Poor                    | Suppressed   | Fell                           | P        | N/a                    | R                | 1.54                            | 7.41                                       |
| 4605     | R   |                                       | Thuja plicata Western Red Cedar          | 472       | 1     | 14          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects                                     | Nil                            | N/A      | 20-40                  | B1,2             | 5.66                            | 100.80                                     |
| 4606     | R   |                                       | Thuja plicata Western Red Cedar          | 266       | 1     | 14          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects                                     | Nil                            | N/A      | 20-40                  | B1,2             | 3.19                            | 32.01                                      |
| 4607     | R   |                                       | Thuja plicata Western Red Cedar          | 379       | 1     | 14          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects                                     | Nil                            | N/A      | 20-40                  | B1,2             | 4.55                            | 64.99                                      |
| 4608     | R   |                                       | Thuja plicata Western Red Cedar          | 306       | 1     | 14          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects                                     | Nil                            | N/A      | 20-40                  | B1,2             | 3.67                            | 42.37                                      |
| 4609     | R   |                                       | Thuja plicata Western Red Cedar          | 228       | 1     | 14          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects                                     | Nil                            | N/A      | 20-40                  | B1,2             | 2.74                            | 23.52                                      |
| 4610     | R   |                                       | Thuja plicata Western Red Cedar          | 190       | 1     | 13          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects                                     | Nil                            | N/A      | 20-40                  | B1,2             | 2.28                            | 16.33                                      |
| 4611     | R   |                                       | Thuja plicata Western Red Cedar          | 481       | 1     | 14          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects                                     | Nil                            | N/A      | 20-40                  | B1,2             | 5.77                            | 104.68                                     |
| 4612     | R   |                                       | Thuja plicata Western Red Cedar          | 302       | 1     | 14          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects                                     | Nil                            | N/A      | 20-40                  | B1,2             | 3.62                            | 41.27                                      |
| 4613     | R   |                                       | Thuja plicata Western Red Cedar          | 255       | 1     | 13          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects                                     | Nil                            | N/A      | 20-40                  | B1,2             | 3.06                            | 29.42                                      |
| 4614     | R   |                                       | Thuja plicata Western Red Cedar          | 329       | 1     | 13          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects                                     | Nil                            | N/A      | 20-40                  | B1,2             | 3.95                            | 48.97                                      |
| 4615     | R   |                                       | Thuja plicata Western Red Cedar          | 147       | 1     | 5           | 1.0           | 1.0 | 0.0 | 2.0 | 2                             | 2        | M         | Poor                    | Suppressed   | Fell                           | P        | N/a                    | R                | 1.76                            | 9.78                                       |
| 4616     | R   |                                       | Thuja plicata Western Red Cedar          | 251       | MS    | 4           | 1.0           | 1.0 | 0.0 | 2.0 | 2                             | 2        | M         | Poor                    | Suppressed   | Fell                           | P        | N/a                    | R                | 2.51                            | 19.79                                      |
| 4617     | R   |                                       | Thuja plicata Western Red Cedar          | 272       | 1     | 10          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects                                     | Nil                            | N/A      | 20-40                  | B1,2             | 3.26                            | 33.47                                      |
| 4618     | R   |                                       | Thuja plicata Western Red Cedar          | 254       | 1     | 10          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 2        | M         | Fair                    | Previous damage, decay to main stem, calloused over    | Nil                            | N/A      | 10-20                  | C1,2             | 3.05                            | 29.19                                      |
| 4619     | R   |                                       | Thuja plicata Western Red Cedar          | 172       | 1     | 8           | 1.0           | 1.0 | 1.0 | 2.0 | 0                             | 2        | M         | Fair                    | Old wind damage, suppressed                            | Fell                           | P        | N/a                    | R                | 2.06                            | 13.39                                      |
| 4620     | R   |                                       | Thuja plicata Western Red Cedar          | 143       | 1     | 12          | 1.0           | 1.0 | 1.0 | 1.0 | 1                             | 2        | M         | Fair                    | Suppressed   | monitor                        | P        | 10-20                  | C1,2             | 1.72                            | 9.25                                       |
| 4621     | R   |                                       | Thuja plicata Western Red Cedar          | 284       | 1     | 12          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects                                     | Nil                            | N/A      | 20-40                  | B1,2             | 3.41                            | 36.49                                      |
| 4622     | R   |                                       | Thuja plicata Western Red Cedar          | 167       | 1     | 13          | 1.0           | 1.0 | 2.0 | 2.0 | 1                             | 2        | M         | Fair                    | Suppressed   | monitor                        | P        | 10-20                  | C1,2             | 2.00                            | 12.62                                      |
| 4623     | R   |                                       | Thuja plicata Western Red Cedar          | 220       | 1     | 12          | 1.0           | 1.0 | 0.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects                                     | Nil                            | N/A      | 20-40                  | B1,2             | 2.64                            | 21.90                                      |
| 4624     | R   |                                       | Thuja plicata Western Red Cedar          | 375       | 1     | 13          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects                                     | Nil                            | N/A      | 20-40                  | B1,2             | 4.50                            | 63.63                                      |
| 4625     | R   |                                       | Thuja plicata Western Red Cedar          | 245       | 1     | 12          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects                                     | Nil                            | N/A      | 20-40                  | B1,2             | 2.94                            | 27.16                                      |
| 4626     | R   |                                       | Thuja plicata Western Red Cedar          | 181       | 1     | 10          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects                                     | Nil                            | N/A      | 20-40                  | B1,2             | 2.17                            | 14.82                                      |
| 4627     | R   |                                       | Chamaecyparis lawsoniana lawsons cypress | 414       | 1     | 13          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects                                     | Nil                            | N/A      | 20-40                  | B1,2             | 4.97                            | 77.55                                      |
| 4628     | R   |                                       | Thuja plicata Western Red Cedar          | 294       | 1     | 12          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects                                     | Nil                            | N/A      | 20-40                  | B1,2             | 3.53                            | 39.11                                      |
| 4629     | R   |                                       | Thuja plicata Western Red Cedar          | 394       | 1     | 12          | 2.0           | 1.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects                                     | remove ivy                     | P        | 20-40                  | B1,2             | 4.73                            | 70.24                                      |
| 4636     | R   |                                       | Thuja plicata Western Red Cedar          | 95        | 1     | 5           | 1.0           | 1.0 | 1.0 | 1.0 | 2                             | 2        | SM        | Fair                    | Suppressed under adjacent tree                         | Nil                            | N/A      | 20-40                  | C2               | 1.14                            | 4.08                                       |
| 4642     | R   |                                       | Larix eurolepis Larch                    | 124       | 1     | 6           | 1.0           | 1.0 | 0.0 | 1.0 | 0                             | 3        | M         | Poor                    | Suppressed under adjacent tree                         | Nil                            | N/A      | <10                    | R                | 1.49                            | 6.96                                       |
| 4650     | R   |                                       | Euonymus europaeus Spindle               | 141       | MS    | 3           | 2.0           | 2.0 | 2.0 | 0.0 | 0                             | 1.5      | M         | Poor                    | Shrub  | Nil                            | N/A      | <10                    | R                | 1.41                            | 6.25                                       |
| 4651     | R   |                                       | Thuja plicata Western Red Cedar          | 214       | 1     | 11          | 2.0           | 0.0 | 3.0 | 0.0 | 0                             | 5        | M         | Poor                    | Suppressed under adjacent tree                         | Nil                            | N/A      | 10-20                  | C2               | 2.57                            | 20.72                                      |
| 4653     | R   |                                       | Prunus avium Cherry                      | 98        | 1     | 5           | 0.0           | 2.0 | 2.0 | 0.0 | 2                             | 3        | M         | Fair                    | Suppressed under adjacent tree                         | Nil                            | N/A      | <10                    | R                | 1.18                            | 4.35                                       |
| 4656     | R   |                                       | Thuja plicata Western Red Cedar          | 208       | 1     | 10          | 2.0           | 2.0 | 1.0 | 2.0 | 1                             | 3        | M         | Fair                    | Suppressed under adjacent tree                         | Nil                            | N/A      | 10-20                  | C2               | 2.50                            | 19.57                                      |
| 4657     | R   |                                       | Chamaecyparis lawsoniana lawsons cypress | 222       | MS    | 7           | 0.0           | 2.0 | 1.0 | 2.0 | 1                             | 2        | M         | Fair                    | Suppressed under adjacent tree                         | Nil                            | N/A      | <10                    | R                | 2.22                            | 15.49                                      |
| 4677     | R   |                                       | Chamaecyparis lawsoniana lawsons cypress | 372       | 1     | 8           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 1        | M         | Fair                    | Average condition                                      | Nil                            | N/A      | 10-20                  | C2               | 4.46                            | 62.61                                      |

**TREES FOR REMOVAL Heyford Park Nicholson's Tree Survey November 2006**

| Group No | Tag  | Trees removed for development reasons | Species (Botanical)                      | Diam (mm) | Stems | Ht m. (est) | Branch Spread |     |     |     | Increase in canopy radius (m) | Crown Ht | Age Class | Physiological Condition | Structural Condition  | Preliminary Management | Priority | Remaining Contribution | Category Grading | Root Protection Zone Radius (m) | Root Protection zone (m2). Capped at 707m2 |
|----------|------|---------------------------------------|--|-----------|-------|-------------|---------------|-----|-----|-----|-------------------------------|----------|-----------|-------------------------|---|------------------------|----------|------------------------|------------------|---------------------------------|--|
|          |      |                                       |  |           |       |             | N             | S   | E   | W   |                               |          |           |                         |   |                        |          |                        |                  |                                 |  |
|          | 4678 | R                                     | Chamaecyparis lawsoniana lawsons cypress | 824       | 1     | 12          | 3.0           | 2.0 | 3.0 | 3.0 | 0                             | 1        | M         | Fair                    | Average condition   | Nil                    | N/A      | 10-20                  | C2               | 9.89                            | 307.20                                     |
|          | 4712 |                                       | Pinus sylvestris Scots pine              | 138       | 1     | 7           | 0.0           | 0.0 | 0.0 | 3.0 | 0                             | 6        | M         | Poor                    | Suppressed under adjacent tree  | Nil                    | N/A      | <10                    | R                | 1.66                            | 8.62                                       |
|          | 4747 |                                       | Larix eurolepis Larch                    | 106       | 1     | 6           | 0.0           | 0.0 | 3.0 | 0.0 | 0                             | 5        | M         | Poor                    | Suppressed under adjacent tree  | Nil                    | N/A      | <10                    | R                | 1.27                            | 5.08                                       |
|          | 4762 |                                       | Fagus sylvatica Beech                    | 538       | 1     | 17          | 9.0           | 9.0 | 3.0 | 4.0 | 3                             | 2        | M         | Fair                    | Early signs of Fagus sylvatica Beech bark decease   | Fell to ground level   | P        | 10-20                  | R                | 6.46                            | 130.96                                     |
|          | 4803 | R                                     | Chamaecyparis lawsoniana Lawsons cypress | 317       | 1     | 11          | 1.0           | 1.0 | 1.0 | 1.0 | 0.5                           | 0        | M         | Good                    | No visible defects  | None                   | N/A      | 40+                    | B1               | 3.80                            | 45.47                                      |
|          | 4829 |                                       | Poplar                                   | 696       | 1     | 9           | 8.0           | 2.0 | 8.0 | 0.0 | 0                             | 6        | OM        | Fair                    | Fallen  | Nil                    | N/A      | <10                    | R                | 8.35                            | 219.17                                     |
|          | 4842 |                                       | Pinus sylvestris Scots pine              | 296       | 1     | 11          | 2.0           | 2.0 | 2.0 | 2.0 | 0                             | 7        | Dead      | Dead                    | Dead  | Fell                   | P        | <10                    | R                | 3.55                            | 39.64                                      |
|          | 4851 |                                       | Acer pseudoplatanus Sycamore             | 161       | 1     | 9           | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 5        | M         | Fair                    | Significant squirrel damage   | Nil                    | N/A      | <10                    | R                | 1.93                            | 11.73                                      |
|          | 4867 | R                                     | Chamaecyparis lawsoniana lawsons cypress | 590       | MS    | 12          | 3.0           | 3.0 | 3.0 | 3.0 | 1                             | 2        | M         | Fair                    | Average condition   | Nil                    | N/A      | 20-40                  | C2               | 5.90                            | 109.37                                     |
|          | 4868 | R                                     | Chamaecyparis lawsoniana lawsons cypress | 475       | MS    | 10          | 3.0           | 3.0 | 3.0 | 3.0 | 1                             | 2        | M         | Fair                    | Average condition   | Nil                    | N/A      | 20-40                  | C2               | 4.75                            | 70.89                                      |
|          | 4869 | R                                     | Chamaecyparis lawsoniana lawsons cypress | 399       | MS    | 10          | 3.0           | 3.0 | 3.0 | 3.0 | 1                             | 2        | M         | Fair                    | Average condition   | Nil                    | N/A      | 20-40                  | C2               | 3.99                            | 50.02                                      |
|          | 4870 | R                                     | Chamaecyparis lawsoniana lawsons cypress | 374       | MS    | 12          | 3.0           | 3.0 | 3.0 | 3.0 | 1                             | 2        | M         | Fair                    | Average condition   | Nil                    | N/A      | 20-40                  | C2               | 3.74                            | 43.95                                      |
|          | 4871 | R                                     | Chamaecyparis lawsoniana lawsons cypress | 394       | MS    | 12          | 3.0           | 3.0 | 3.0 | 3.0 | 1                             | 2        | M         | Fair                    | Average condition   | Nil                    | N/A      | 20-40                  | C2               | 3.94                            | 48.78                                      |
|          | 4872 | R                                     | Chamaecyparis lawsoniana lawsons cypress | 451       | MS    | 12          | 3.0           | 3.0 | 3.0 | 3.0 | 1                             | 2        | M         | Fair                    | Average condition   | Nil                    | N/A      | 20-40                  | C2               | 4.51                            | 63.91                                      |
|          | 4873 |                                       | Laburnum anagyroides Common laburnum     | 246       | 1     | 4           | 3.0           | 3.0 | 2.0 | 2.0 | 0                             | 2        | M         | Poor                    | Dieback and included wire   | Nil                    | N/A      | <10                    | R                | 2.46                            | 19.01                                      |
|          | 4874 |                                       | Laburnum anagyroides Common laburnum     | 210       | 1     | 4           | 2.0           | 1.0 | 1.0 | 2.0 | 0                             | 3        | M         | Poor                    | Lean and decay  | Nil                    | N/A      | <10                    | R                | 2.10                            | 13.86                                      |
|          | 4875 |                                       | Laburnum anagyroides Common laburnum     | 481       | MS    | 4           | 3.0           | 3.0 | 3.0 | 3.0 | 0                             | 2        | M         | Poor                    | Included bark multiple wounds   | Nil                    | N/A      | <10                    | R                | 4.81                            | 72.69                                      |
|          | 4894 |                                       | Laburnum anagyroides Common laburnum     | 169       | 1     | 3           | 3.0           | 0.0 | 2.0 | 0.0 | 0                             | 2        | Y         | Fair                    | Stem decay, leaning   | Nil                    | N/A      | <10                    | R                | 2.03                            | 12.92                                      |
|          | 4898 |                                       | Laburnum anagyroides Common laburnum     | 225       | 1     | 4           | 3.0           | 0.0 | 1.0 | 1.0 | 0                             | 2        | M         | Fair                    | Basal decay, leaning  | Fell                   | P        | <10                    | R                | 2.70                            | 22.91                                      |
|          | 4915 |                                       | Tilia euchlora Lime                      | 465       | 1     | 14          | 3.0           | 3.0 | 5.0 | 5.0 | 3                             | 1        | M         | Good                    | Two main stems twisted, creating included bark union, compression fork. Rot pocket to main stem | Fell                   | P        | <10                    | R                | 5.58                            | 97.83                                      |
|          | 4916 |                                       | Acer pseudoplatanus Sycamore             | 305       | 1     | 11          | 4.0           | 1.0 | 3.0 | 4.0 | 0                             | 3        | M         | Fair                    | Misshapen, damage and decay to main stem  | Fell                   | P        | <10                    | R                | 3.66                            | 42.09                                      |
|          | 4918 |                                       | Acer pseudoplatanus Sycamore             | 463       | 1     | 13          | 5.0           | 4.0 | 3.0 | 3.0 | 3                             | 4        | M         | Good                    | Decay to old pruning wounds at 3 m ht. Phone wire in crown.                                     | Fell                   | P        | <10                    | R                | 5.56                            | 96.99                                      |
|          | 4919 | R                                     | Tilia europaea Common Lime               | 379       | 1     | 14          | 4.0           | 4.0 | 4.0 | 4.0 | 2                             | 1        | M         | Good                    | Occluded old wounds to main stem.   | Nil                    | N/A      | 20-40                  | A1               | 4.55                            | 64.99                                      |
|          | 4922 |                                       | Betula alba Silver birch                 | 119       | 1     | 14          | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 5        | M         | Fair                    | In raised bed, rooting restricted   | Nil                    | N/A      | 10-20                  | R                | 1.43                            | 6.41                                       |
|          | 4923 |                                       | Sorbus aucuparia Rowan                   | 142       | 1     | 12          | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 5        | M         | Fair                    | In raised bed, rooting restricted   | Nil                    | N/A      | <10                    | R                | 1.70                            | 9.12                                       |
|          | 4924 |                                       | Sorbus aucuparia Rowan                   | 163       | 1     | 12          | 3.0           | 2.0 | 2.0 | 2.0 | 2                             | 4        | M         | Fair                    | In raised bed, included bark to main fork   | Nil                    | N/A      | <10                    | R                | 1.96                            | 12.02                                      |
|          | 4925 |                                       | Betula alba Silver birch                 | 175       | 1     | 12          | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 3        | M         | Good                    | In raised bed, leaning severely to north  | Nil                    | N/A      | <10                    | R                | 2.10                            | 13.86                                      |
|          | 4926 |                                       | Prunus avium Cherry                      | 80        | 1     | 3           | 1.0           | 1.0 | 1.0 | 1.0 | 3                             | 3        | Y         | Good                    | In raised bed   | Nil                    | N/A      | <10                    | R                | 0.96                            | 2.90                                       |
|          | 4945 |                                       | Crataegus monogyna Hawthorn              | 183       | MS    | 4           | 2.0           | 2.0 | 2.0 | 2.0 | 0                             | 1        | M         | Poor                    | Significant deadwood  | Fell                   | P        | <10                    | R                | 1.83                            | 10.52                                      |
|          | 4953 |                                       | Laburnum anagyroides Common laburnum     | 517       | 1     | 13          | 5.0           | 2.0 | 3.0 | 4.0 | 0                             | 6        | M         | Fair                    | Damage, decay to main stem  | Fell                   | P        | <10                    | R                | 6.20                            | 120.93                                     |
|          | 4954 |                                       | Laburnum anagyroides Common laburnum     | 284       | MS    | 13          | 4.0           | 1.0 | 3.0 | 2.0 | 0                             | 6        | M         | Fair                    | Damage, decay and die back in main stem and branches  | Fell                   | P        | <10                    | R                | 2.84                            | 25.34                                      |
|          | 4955 |                                       | Laburnum anagyroides Common laburnum     | 559       | MS    | 14          | 5.0           | 4.0 | 3.0 | 4.0 | 0                             | 4        | M         | Poor                    | Western side of crown in decline  | Fell                   | P        | <10                    | R                | 5.59                            | 98.18                                      |
|          | 4957 |                                       | Laburnum anagyroides Common laburnum     | 351       | MS    | 14          | 4.0           | 3.0 | 3.0 | 2.0 | 0                             | 3        | M         | Fair                    | Damage and decay to lower stem. Leaning over road   | Fell                   | P        | <10                    | R                | 3.51                            | 38.71                                      |
|          | 4958 |                                       | Betula alba Silver birch                 | 240       | 1     | 16          | 3.0           | 2.0 | 1.0 | 1.0 | 0                             | 5        | M         | Fair                    | Damage and decay to lower stem  | Fell                   | P        | <10                    | R                | 2.88                            | 26.06                                      |
|          | 4959 |                                       | Prunus avium Cherry                      | 381       | 1     | 13          | 4.0           | 5.0 | 4.0 | 3.0 | 0                             | 5        | M         | Poor                    | Damage and decay to main fork at 2.5 m ht   | Fell                   | P        | <10                    | R                | 4.57                            | 65.68                                      |
|          | 4960 |                                       | Lilac                                    | 253       | MS    | 4           | 0.0           | 4.0 | 4.0 | 3.0 | 0                             | 1.5      | M         | Poor                    | Significant decay to main stem  | Fell                   | P        | <10                    | R                | 2.53                            | 20.11                                      |
|          | 4961 |                                       | Laburnum anagyroides Common laburnum     | 460       | MS    | 8           | 6.0           | 4.0 | 4.0 | 3.0 | 0                             | 4        | M         | Fair                    | Splitting, included bark and decay to main fork at 1 m ht                                       | Fell                   | P        | <10                    | R                | 4.60                            | 66.48                                      |
|          | 4962 |                                       | Lilac                                    | 250       | MS    | 4           | 0.0           | 4.0 | 4.0 | 3.0 | 0                             | 1.5      | M         | Poor                    | Significant decay to main stem  | Fell                   | P        | <10                    | R                | 2.50                            | 19.64                                      |
|          | 4963 |                                       | Laburnum anagyroides Common laburnum     | 329       | MS    | 6           | 5.0           | 1.0 | 3.0 | 3.0 | 0                             | 2        | M         | Fair                    | Leaning significantly to north. Deadwood in crown   | Fell                   | P        | <10                    | R                | 3.29                            | 34.01                                      |
|          | 4964 |                                       | Laburnum anagyroides Common laburnum     | 467       | 1     | 8           | 5.0           | 5.0 | 5.0 | 5.0 | 0                             | 3        | M         | Fair                    | Significant old wound to main stem  | Fell                   | P        | <10                    | R                | 5.60                            | 98.67                                      |
|          | 4966 |                                       | Betula alba Silver birch                 | 173       | 1     | 11          | 0.0           | 3.0 | 1.0 | 2.0 | 0                             | 2        | M         | Poor                    | Supressed   | Fell                   | P        | <10                    | R                | 2.08                            | 13.54                                      |

**TREES FOR REMOVAL Heyford Park Nicholson's Tree Survey November 2006**

| Group No | Tag | Trees removed for development reasons | Species (Botanical)                       | Diam (mm) | Stems | Ht m. (est) | Branch Spread |     |     |     | Increase in canopy radius (m) | Crown Ht | Age Class | Physiological Condition   | Structural Condition  | Preliminary Management            | Priority | Remaining Contribution | Category Grading | Root Protection Zone Radius (m) | Root Protection zone (m2). Capped at 707m2 |
|----------|-----|---------------------------------------|---|-----------|-------|-------------|---------------|-----|-----|-----|-------------------------------|----------|-----------|---------------------------|---|-----------------------------------|----------|------------------------|------------------|---------------------------------|--|
|          |     |                                       |   |           |       |             | N             | S   | E   | W   |                               |          |           |                           |   |                                   |          |                        |                  |                                 |  |
| 4981     |     |                                       | Crataegus monogyna Hawthorn               | 229       | 1     | 3           | 2.0           | 2.0 | 2.0 | 2.0 | 0                             | 2        | M         | Poor                      | Advanced decay to main stem   | Fell                              | P        | <10                    | R                | 2.75                            | 23.73                                      |
| 4983     |     |                                       | Crataegus monogyna Hawthorn               | 224       | 1     | 5           | 3.0           | 3.0 | 3.0 | 3.0 | 0                             | 1        | M         | Poor                      | Severe decline  | Fell                              | P        | <10                    | R                | 2.69                            | 22.70                                      |
| 4984     | R   |                                       | Chamaecyparis                             | 143       | MS    | 6           | 1.0           | 1.0 | 1.0 | 1.0 | 3                             | 0        | SM        | Good                      | In raised bed, else No visible defects  | Nil                               | N/A      | 20-40                  | B1               | 1.43                            | 6.43                                       |
| 4985     | R   |                                       | Chamaecyparis                             |           |       |             |               |     |     |     |                               |          |           | Ground level stem of 4984 |   |                                   |          |                        |                  |                                 |  |
| 4986     | R   |                                       | Chamaecyparis                             | 137       | 1     | 5           | 1.0           | 1.0 | 1.0 | 1.0 | 3                             | 0        | SM        | Good                      | In raised bed, else No visible defects  | Nil                               | N/A      | 10-20                  | B1               | 1.64                            | 8.49                                       |
| 4987     |     |                                       | Corylus avellana Hazel                    | 384       | MS    | 4           | 0.0           | 2.0 | 2.0 | 2.0 | 2                             | 1        | M         | Good                      | In raised bed. Immediately adjacent to existing building                                  | Fell                              | P        | <10                    | R                | 3.84                            | 46.33                                      |
| 4998     | R   |                                       | Aesculus hippocastanum Horse chestnut     | 357       | 1     | 9           | 3.0           | 2.0 | 3.0 | 3.0 | 2                             | 2        | M         | Good                      | Advanced decay to old pruning wounds at 2 m ht  | Nil                               | N/A      | 10-20                  | B1               | 4.28                            | 57.66                                      |
| 4999     | R   |                                       | Aesculus hippocastanum Horse chestnut     | 383       | 1     | 10          | 3.0           | 2.0 | 3.0 | 3.0 | 2                             | 2        | M         | Good                      | Decay to old pruning wounds adjacent to main fork   | Nil                               | N/A      | 10-20                  | B1               | 4.60                            | 66.37                                      |
| 5001     | R   |                                       | Aesculus hippocastanum Horse chestnut     | 477       | 1     | 12          | 3.0           | 3.0 | 4.0 | 4.0 | 2                             | 2        | M         | Good                      | Suspect weak fork union at 2 m ht affecting north side of entire crown                    | Investigate                       | P        | 10-20                  | B1               | 5.72                            | 102.95                                     |
| 5002     | R   |                                       | Aesculus hippocastanum Horse chestnut     | 659       | 1     | 12          | 3.0           | 3.0 | 4.0 | 4.0 | 2                             | 2        | M         | Good                      | Tight fork unions / included bark at 2 m ht   | Nil                               | N/A      | 10-20                  | B1               | 7.91                            | 196.49                                     |
| 5003     | R   |                                       | Aesculus hippocastanum Horse chestnut     | 658       | 1     | 12          | 3.0           | 2.0 | 3.0 | 3.0 | 2                             | 2        | M         | Good                      | Significant decay to old pruning wound at 2 m ht  | Nil                               | N/A      | 10-20                  | B1               | 7.90                            | 195.89                                     |
| 5004     | R   |                                       | Aesculus hippocastanum Horse chestnut     | 668       | 1     | 12          | 2.0           | 3.0 | 5.0 | 6.0 | 2                             | 2        | M         | Good                      | Significant decay to old pruning wound at 2 m ht  | Nil                               | N/A      | 10-20                  | B1               | 8.02                            | 201.89                                     |
| 5007     | R   |                                       | Aesculus hippocastanum Horse chestnut     | 527       | 1     | 12          | 3.0           | 2.0 | 5.0 | 6.0 | 2                             | 3        | M         | Good                      | Significant decay to old pruning wounds. Included bark to main fork                       | Nil                               | N/A      | 10-20                  | B1               | 6.32                            | 125.66                                     |
| 5008     | R   |                                       | Aesculus hippocastanum Horse chestnut     | 538       | 1     | 12          | 3.0           | 3.0 | 6.0 | 4.0 | 2                             | 2        | M         | Good                      | Significant decay to old pruning wounds in main fork. Bark necrosis on stem               | Nil                               | N/A      | <10                    | C1               | 6.46                            | 130.96                                     |
| 5009     | R   |                                       | Aesculus hippocastanum Horse chestnut     | 461       | 1     | 12          | 4.0           | 4.0 | 4.0 | 2.0 | 2                             | 2        | M         | Good                      | Occluding old pruning wounds to main branches   | Nil                               | N/A      | 10-20                  | B1               | 5.53                            | 96.15                                      |
| 5010     | R   |                                       | Aesculus hippocastanum Horse chestnut     | 556       | 1     | 12          | 4.0           | 5.0 | 4.0 | 5.0 | 3                             | 1        | M         | Good                      | Possible rot pocket to main fork  | Check main fork                   | P        | 20-40                  | A1               | 6.67                            | 139.87                                     |
| 5011     | R   |                                       | Fraxinus excelsior Ash                    | 129       | 1     | 7           | 1.0           | 1.0 | 1.0 | 1.0 | 4                             | 3        | SM        | Fair                      | Damage to base of stem. Growing in concrete duct, rooting constraint, possible transplant | Fell                              | P        | <10                    | R                | 1.55                            | 7.53                                       |
| 5012     | R   |                                       | Fraxinus excelsior Ash                    | 127       | 1     | 7           | 1.0           | 1.0 | 1.0 | 1.0 | 4                             | 2        | SM        | Fair                      | Some dead wood else No visible defects. Possible transplant                               | Fell                              | P        | <10                    | R                | 1.52                            | 7.30                                       |
| 5013     | R   |                                       | Fraxinus excelsior Ash                    | 94        | 1     | 7           | 1.0           | 1.0 | 1.0 | 1.0 | 4                             | 3        | SM        | Fair                      | Possible transplant   | Fell                              | P        | <10                    | R                | 1.13                            | 4.00                                       |
| 5014     | R   |                                       | Fraxinus excelsior Ash                    | 111       | 1     | 7           | 1.0           | 1.0 | 1.0 | 1.0 | 4                             | 3        | SM        | Fair                      | Some dead wood else No visible defects. Possible transplant                               | Fell                              | P        | <10                    | R                | 1.33                            | 5.57                                       |
| 5015     | R   |                                       | Fraxinus excelsior Ash                    | 101       | 1     | 7           | 1.0           | 1.0 | 1.0 | 1.0 | 3                             | 2        | SM        | Fair                      | Some dead wood, possible transplant   | Fell                              | P        | <10                    | R                | 1.21                            | 4.62                                       |
| 5016     | R   |                                       | Fraxinus excelsior Ash                    | 106       | 1     | 8           | 1.0           | 1.0 | 1.0 | 1.0 | 3                             | 4        | SM        | Fair                      | Some dead wood, possible transplant   | Fell                              | P        | <10                    | R                | 1.27                            | 5.08                                       |
| 5017     | R   |                                       | Fraxinus excelsior Ash                    | 101       | 1     | 7           | 1.0           | 1.0 | 1.0 | 1.0 | 3                             | 2        | SM        | Fair                      | Some dead wood, possible transplant   | Fell                              | P        | <10                    | R                | 1.21                            | 4.62                                       |
| 5018     | R   |                                       | Fraxinus excelsior Ash                    | 97        | 1     | 8           | 1.0           | 1.0 | 1.0 | 0.0 | 3                             | 2        | SM        | Fair                      | Crown unbalanced. Some dead wood, possible transplant                                     | Fell                              | P        | <10                    | R                | 1.16                            | 4.26                                       |
| 5019     | R   |                                       | Fraxinus excelsior Ash                    | 99        | 1     | 7           | 1.0           | 1.0 | 1.0 | 1.0 | 3                             | 3        | SM        | Fair                      | Some dead wood, possible transplant   | Fell                              | P        | <10                    | R                | 1.19                            | 4.43                                       |
| 5020     | R   |                                       | Fraxinus excelsior Ash                    | 135       | 1     | 8           | 1.0           | 2.0 | 2.0 | 2.0 | 3                             | 3        | SM        | Fair                      | Some dead wood, possible transplant   | Fell                              | P        | <10                    | R                | 1.62                            | 8.25                                       |
| 5029     |     |                                       | Crataegus monogyna Hawthorn               | 159       | MS    | 4           | 1.0           | 1.0 | 1.0 | 1.0 | 2                             | 2        | M         | Fair                      | Damage, decay to main stem and branches   | Nil                               | N/A      | <10                    | R                | 1.59                            | 7.94                                       |
| 5035     | R   |                                       | Cupressocyparis leylandii Leyland cypress | 327       | 1     | 16          | 2.0           | 1.0 | 2.0 | 1.0 | 2                             | 2        | M         | Good                      | Growing close to kerb line. Old occluded damage to base                                   | Nil                               | N/A      | 10-20                  | C1,2             | 3.92                            | 48.38                                      |
| 5036     | R   |                                       | Cupressocyparis leylandii Leyland cypress | 308       | 1     | 16          | 1.0           | 1.0 | 2.0 | 2.0 | 1                             | 2        | M         | Good                      | Close to kerb, else No visible defects  | Nil                               | N/A      | 10-20                  | C1,2             | 3.70                            | 42.92                                      |
| 5037     | R   |                                       | Cupressocyparis leylandii Leyland cypress | 334       | 1     | 16          | 1.0           | 1.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                      | Close to kerb. Old damage to base, else No visible defects                                | Nil                               | N/A      | 10-20                  | C1,2             | 4.01                            | 50.47                                      |
| 5038     | R   |                                       | Cupressocyparis leylandii Leyland cypress | 449       | 1     | 16          | 1.0           | 3.0 | 3.0 | 2.0 | 2                             | 2        | M         | Good                      | Close to kerb. Old damage to base, else No visible defects                                | Nil                               | N/A      | 10-20                  | C1,2             | 5.39                            | 91.21                                      |
| 5039     | R   |                                       | Cupressocyparis leylandii Leyland cypress | 379       | 1     | 16          | 3.0           | 0.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                      | Close to Kerb, Old damage to base, else No visible defects                                | Nil                               | N/A      | 10-20                  | C1,2             | 4.55                            | 64.99                                      |
| 5040     | R   |                                       | Cupressocyparis leylandii Leyland cypress | 357       | 1     | 16          | 1.0           | 1.0 | 3.0 | 2.0 | 2                             | 2        | M         | Good                      | Close to kerb, else No visible defects  | Nil                               | N/A      | 10-20                  | C1,2             | 4.28                            | 57.66                                      |
| 5041     | R   |                                       | Cupressocyparis leylandii Leyland cypress | 441       | 1     | 16          | 0.0           | 3.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                      | Close to kerb, included bark at base of main stem.  | Reduce south west codominant stem | P        | 10-20                  | C1,2             | 5.29                            | 87.99                                      |
| 5042     | R   |                                       | Cupressocyparis leylandii Leyland cypress | 397       | 1     | 16          | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                      | Close to kerb, else No visible defects  | Nil                               | N/A      | 10-20                  | C1,2             | 4.76                            | 71.31                                      |
| 5043     | R   |                                       | Cupressocyparis leylandii Leyland cypress | 334       | 1     | 16          | 2.0           | 1.0 | 2.0 | 1.0 | 2                             | 2        | M         | Good                      | Close to kerb, else No visible defects  | Nil                               | N/A      | 10-20                  | C1,2             | 4.01                            | 50.47                                      |
| 5044     | R   |                                       | Cupressocyparis leylandii Leyland cypress | 263       | 1     | 16          | 0.0           | 0.0 | 1.0 | 1.0 | 1                             | 2        | M         | Poor                      | Close to kerb, crown restricted   | Fell                              | U        | N/A                    | R                | 3.16                            | 31.30                                      |
| 5045     | R   |                                       | Cupressocyparis leylandii Leyland cypress | 297       | 1     | 16          | 0.0           | 1.0 | 2.0 | 2.0 | 1                             | 2        | M         | Good                      | Close to kerb, else No visible defects  | Nil                               | N/A      | 10-20                  | C1,2             | 3.56                            | 39.91                                      |
| 5046     | R   |                                       | Cupressocyparis leylandii Leyland cypress | 411       | 1     | 16          | 1.0           | 2.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                      | Close to kerb, else No visible defects  | Nil                               | N/A      | 10-20                  | C1,2             | 4.93                            | 76.43                                      |

**TREES FOR REMOVAL Heyford Park Nicholson's Tree Survey November 2006**

| Group No | Tag  | Trees removed for development reasons | Species (Botanical)                       | Diam (mm) | Stems | Ht m. (est) | Branch Spread |     |     |     | Increase in canopy radius (m) | Crown Ht | Age Class | Physiological Condition | Structural Condition                       | Preliminary Management             | Priority | Remaining Contribution | Category Grading | Root Protection Zone Radius (m) | Root Protection zone (m2). Capped at 707m2 |
|----------|------|---------------------------------------|---|-----------|-------|-------------|---------------|-----|-----|-----|-------------------------------|----------|-----------|-------------------------|--|------------------------------------|----------|------------------------|------------------|---------------------------------|--|
|          |      |                                       |   |           |       |             | N             | S   | E   | W   |                               |          |           |                         |  |                                    |          |                        |                  |                                 |  |
|          | 5047 | R                                     | Cupressocyparis leylandii Leyland cypress | 331       | 1     | 16          | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 1        | M         | Good                    | Close to kerb, else No visible defects     | Nil                                | N/A      | 10-20                  | C1,2             | 3.97                            | 49.57                                      |
|          | 5048 | R                                     | Cupressocyparis leylandii Leyland cypress | 500       | 1     | 16          | 3.0           | 0.0 | 2.0 | 2.0 | 2                             | 3        | M         | Good                    | Close to kerb, included bark to main stem  | Nil                                | N/A      | 10-20                  | C1,2             | 6.00                            | 113.11                                     |
|          | 5049 | R                                     | Cupressocyparis leylandii Leyland cypress | 431       | 1     | 16          | 0.0           | 3.0 | 2.0 | 2.0 | 2                             | 3        | M         | Good                    | Close to kerb, else No visible defects     | Nil                                | N/A      | 10-20                  | C1,2             | 5.17                            | 84.05                                      |
|          | 5050 |                                       | Crataegus monogyna Hawthorn               | 188       | MS    | 5           | 2.0           | 2.0 | 5.0 | 1.0 | 1                             | 2        | M         | Fair                    | Damage, decay to main stem                 | Nil                                | N/A      | <10                    | R                | 1.88                            | 11.11                                      |
|          | 5051 |                                       | Crataegus monogyna Hawthorn               | 143       | MS    | 4           | 1.0           | 1.0 | 1.0 | 1.0 | 2                             | 0        | M         | Poor                    | Damage, decay to main stem                 | Nil                                | N/A      | <10                    | R                | 1.43                            | 6.43                                       |
|          | 5053 | R                                     | Aesculus hippocastanum Horse chestnut     | 516       | 1     | 12          | 4.0           | 3.0 | 4.0 | 4.0 | 2                             | 3        | M         | Good                    | As 5054                                    | Nil                                | N/A      | 10-20                  | C1,2             | 6.19                            | 120.47                                     |
|          | 5057 | R                                     | Sorbus intermedia Swedish Whitebeam       | 676       | 1     | 10          | 4.0           | 5.0 | 4.0 | 4.0 | 0                             | 2        | M         | Fair                    | Vehicle damage                             | Crown clean, lift statutory height | P        | 10-20                  | B2               | 8.11                            | 206.76                                     |
|          | 5061 | R                                     | Sorbus intermedia Swedish Whitebeam       | 677       | 1     | 10          | 4.0           | 5.0 | 4.0 | 4.0 | 0                             | 2.5      | M         | Poor                    | Inonotus bracket, roadside damage limb     | Crown reduce by 30%                | P        | 10-20                  | C1               | 8.12                            | 207.37                                     |
|          | 5075 | R                                     | Fraxinus excelsior Ash                    | 155       | 1     | 7           | 2.0           | 2.0 | 2.0 | 2.0 | 3                             | 2.5      | SM        | Good                    | No visible defects                         | None                               | N/A      | 40+                    | A1               | 1.86                            | 10.87                                      |
|          | 5076 | R                                     | Acer pseudoplatanus Sycamore              | 210       | 1     | 7           | 2.5           | 2.5 | 2.5 | 2.5 | 3                             | 2        | M         | Good                    | No visible defects                         | None                               | N/A      | 40+                    | B2               | 2.52                            | 19.95                                      |
|          | 5077 | R                                     | Acer platanoides Norway maple             | 110       | 1     | 6           | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 2.5      | SM        | Good                    | No visible defects                         | None                               | N/A      | 40+                    | B2               | 1.32                            | 5.47                                       |
|          | 5089 | R                                     | Acer pseudoplatanus Sycamore              | 274       | 1     | 9           | 4.0           | 4.0 | 4.0 | 4.0 | 2                             | 2        | M         | Good                    | No visible defects                         | None                               | N/A      | 40+                    | A1               | 3.29                            | 33.97                                      |
|          | 5090 | R                                     | Sorbus aucuparia Rowan                    | 195       | 1     | 6           | 2.5           | 2.5 | 2.5 | 2.5 | 1                             | 2.5      | M         | Good                    | No visible defects                         | None                               | N/A      | 20-40                  | A1               | 2.34                            | 17.20                                      |
|          | 5094 | R                                     | Chamaecyparis lawsoniana Lawsons cypress  | 611       | MS    | 17          | 2.0           | 3.0 | 3.0 | 3.0 | 0                             | 1.5      | M         | Good                    | Tight forks and included bark              | Lift to statutory height roadside  | P        | 20-40                  | C2               | 6.11                            | 117.30                                     |
|          | 5095 | R                                     | Chamaecyparis lawsoniana Lawsons cypress  | 492       | 1     | 16          | 2.0           | 3.0 | 3.0 | 3.0 | 0                             | 1.5      | M         | Fair                    | No visible defects                         | Lift to statutory height roadside  | P        | 20-40                  | C2               | 5.90                            | 109.52                                     |
|          | 5096 | R                                     | Chamaecyparis lawsoniana Lawsons cypress  | 465       | 1     | 16          | 3.0           | 3.0 | 3.0 | 3.0 | 0                             | 1.5      | M         | Good                    | No visible defects                         | Lift to statutory height roadside  | P        | 20-40                  | C2               | 5.58                            | 97.83                                      |
|          | 5097 | R                                     | Chamaecyparis lawsoniana Lawsons cypress  | 644       | MS    | 16          | 2.0           | 3.0 | 3.0 | 3.0 | 0                             | 1        | M         | Good                    | Low included bark                          | Lift to statutory height roadside  | P        | 20-40                  | C2               | 6.44                            | 130.31                                     |
|          | 5098 | R                                     | Chamaecyparis lawsoniana Lawsons cypress  | 623       | MS    | 16          | 2.0           | 3.0 | 3.0 | 3.0 | 0                             | 1.5      | M         | Good                    | Low included bark                          | Lift to statutory height roadside  | P        | 20-40                  | C2               | 6.23                            | 121.95                                     |
|          | 5099 | R                                     | Chamaecyparis lawsoniana Lawsons cypress  | 666       | MS    | 15          | 2.0           | 3.0 | 3.0 | 3.0 | 0                             | 1.5      | M         | Good                    | Low included bark                          | Lift to statutory height roadside  | P        | 20-40                  | C2               | 6.66                            | 139.37                                     |
|          | 5100 | R                                     | Chamaecyparis lawsoniana Lawsons cypress  | 529       | 1     | 15          | 2.0           | 3.0 | 3.0 | 3.0 | 0                             | 1.5      | M         | Good                    | Included bark                              | Lift to statutory height roadside  | P        | 20-40                  | C2               | 6.35                            | 126.61                                     |
|          | 5101 | R                                     | Chamaecyparis lawsoniana Lawsons cypress  | 539       | 1     | 15          | 2.0           | 3.0 | 3.0 | 3.0 | 0                             | 1.5      | M         | Good                    | No visible defects                         | Lift to statutory height roadside  | P        | 20-40                  | C2               | 6.47                            | 131.45                                     |
|          | 5102 | R                                     | Chamaecyparis lawsoniana Lawsons cypress  | 545       | 1     | 15          | 2.0           | 3.0 | 3.0 | 3.0 | 0                             | 2        | M         | Good                    | Eastley lean <30o                          | None                               | N/A      | 20-40                  | C2               | 6.54                            | 134.39                                     |
|          | 5109 | R                                     | Acer platanoides Norway maple             | 352       | 1     | 13          | 3.0           | 4.0 | 4.0 | 3.0 | 2                             | 1.5      | M         | Good                    | No visible defects                         | Lift roadside to statutory height  | P        | 20-40                  | B2               | 4.22                            | 56.06                                      |
|          | 5131 |                                       | Acer platanoides Norway maple             | 178       | 1     | 7           | 3.0           | 3.0 | 3.0 | 3.0 | 2                             | 1.5      | M         | Fair                    | Minor basal bark wound                     | Fell to ground level               | P        | <10                    | R                | 2.14                            | 14.34                                      |
|          | 5137 |                                       | Sorbus aucuparia Rowan                    | 93        | 1     | 3.5         | 2.0           | 1.0 | 1.0 | 1.0 | 0                             | 2.5      | M         | Poor                    | Basal damage                               | None                               | N/A      | <10                    | R                | 1.12                            | 3.91                                       |
|          | 5193 | R                                     | Chamaecyparis lawsoniana Lawsons cypress  | 529       | MS    | 7           | 2.0           | 2.0 | 2.0 | 2.0 | 0.5                           | 0        | M         | Good                    | No visible defects                         | None                               | N/A      | 40+                    | B2               | 5.29                            | 87.93                                      |
|          | 5200 | R                                     | Cupressocyparis leylandii Leyland cypress | 540       | MS    | 9           | 2.0           | 2.0 | 2.0 | 2.0 | 0.5                           | 0        | M         | Good                    | No visible defects                         | None                               | N/A      | 20-40                  | B2               | 5.40                            | 91.62                                      |
|          | 5201 | R                                     | Chamaecyparis lawsoniana Lawsons cypress  | 566       | MS    | 9           | 2.0           | 2.0 | 2.0 | 2.0 | 0.5                           | 0        | M         | Good                    | No visible defects                         | None                               | N/A      | 20-40                  | B2               | 5.66                            | 100.66                                     |
|          | 5202 | R                                     | Chamaecyparis lawsoniana Lawsons cypress  | 921       | MS    | 10          | 1.5           | 1.5 | 0.0 | 3.0 | 0.5                           | 0        | M         | Good                    | No visible defects                         | None                               | N/A      | 20-40                  | B2               | 9.21                            | 266.52                                     |
|          | 5203 | R                                     | Chamaecyparis lawsoniana Lawsons cypress  | 488       | MS    | 10          | 1.5           | 1.5 | 3.0 | 0.0 | 0.5                           | 0        | M         | Good                    | No visible defects                         | None                               | N/A      | 20-40                  | B2               | 4.88                            | 74.82                                      |
|          | 5216 | R                                     | Cupressocyparis leylandii Leyland cypress | 649       | MS    | 15          | 1.0           | 4.0 | 3.0 | 3.0 | 1                             | 1        | M         | Fair                    | Included bark on main stem                 | None                               | N/A      | 20-40                  | C2               | 6.49                            | 132.34                                     |
|          | 5217 | R                                     | Cupressocyparis leylandii Leyland cypress | 574       | MS    | 13          | 0.0           | 4.0 | 2.0 | 3.0 | 1                             | 1        | M         | Fair                    | No visible defects                         | Crown clean                        | P        | 20-40                  | C2               | 5.74                            | 103.52                                     |
|          | 5218 | R                                     | Cupressocyparis leylandii Leyland cypress | 280       | 1     | 13          | 1.0           | 2.0 | 1.0 | 3.0 | 1                             | 2        | M         | Fair                    | No visible defects                         | Crown clean                        | P        | 20-40                  | C2               | 3.36                            | 35.47                                      |
|          | 5219 | R                                     | Cupressocyparis leylandii Leyland cypress | 266       | MS    | 6           | 1.0           | 1.0 | 1.0 | 4.0 | 1                             | 1        | M         | Poor                    | Suppressed by 5218 and 5220                | Fell to ground level               | P        | 10-20                  | C3               | 2.66                            | 22.23                                      |
|          | 5220 | R                                     | Cupressocyparis leylandii Leyland cypress | 297       | 1     | 8           | 3.0           | 1.0 | 1.0 | 3.0 | 1                             | 1        | M         | Fair                    | Also suppressed                            | Fell to ground level               | P        | 10-20                  | C3               | 3.56                            | 39.91                                      |
|          | 5221 | R                                     | Cupressocyparis leylandii Leyland cypress | 371       | 1     | 15          | 3.0           | 2.0 | 2.0 | 2.0 | 1                             | 4        | M         | Fair                    | No visible defects                         | Dead wood                          | P        | 20-40                  | C2               | 4.45                            | 62.28                                      |
|          | 5222 | R                                     | Cupressocyparis leylandii Leyland cypress | 209       | 1     | 8           | 3.0           | 0.0 | 2.0 | 2.0 | 1                             | 4        | M         | Poor                    | Suppressed specimen/over building          | Fell to ground level               | P        | 10-20                  | C2               | 2.51                            | 19.76                                      |
|          | 5223 | R                                     | Cupressocyparis leylandii Leyland cypress | 182       | MS    | 7           | 4.0           | 0.0 | 1.0 | 1.0 | 1                             | 4        | M         | Poor                    | Leaning over building, suppressed specimen | Fell to ground level               | P        | 10-20                  | C2               | 1.82                            | 10.41                                      |
|          | 5224 | R                                     | Cupressocyparis leylandii Leyland cypress | 399       | 1     | 13          | 3.0           | 1.0 | 3.0 | 3.0 | 1                             | 2        | M         | Fair                    | No visible defects, power and phone lines  | None                               | N/A      | 20-40                  | B2               | 4.79                            | 72.03                                      |

**TREES FOR REMOVAL Heyford Park Nicholson's Tree Survey November 2006**

| Group No | Tag  | Trees removed for development reasons | Species (Botanical)                       | Diam (mm) | Stems | Ht m. (est) | Branch Spread |     |     |     | Increase in canopy radius (m) | Crown Ht | Age Class | Physiological Condition | Structural Condition                                   | Preliminary Management | Priority | Remaining Contribution | Category Grading | Root Protection Zone Radius (m) | Root Protection zone (m2). Capped at 707m2 |
|----------|------|---------------------------------------|---|-----------|-------|-------------|---------------|-----|-----|-----|-------------------------------|----------|-----------|-------------------------|--|------------------------|----------|------------------------|------------------|---------------------------------|--|
|          |      |                                       |   |           |       |             | N             | S   | E   | W   |                               |          |           |                         |  |                        |          |                        |                  |                                 |  |
|          | 5225 | R                                     | Cupressocyparis leylandii Leyland cypress | 431       | 1     | 13          | 1.0           | 3.0 | 2.5 | 2.5 | 1                             | 2        | M         | Fair                    | No visible defects, power and phone lines              | None                   | N/A      | 20-40                  | B2               | 5.17                            | 84.05                                      |
|          | 5226 | R                                     | Cupressocyparis leylandii Leyland cypress | 491       | 1     | 15          | 3.0           | 2.0 | 3.0 | 1.0 | 1                             | 2        | M         | Fair                    | No visible defects, power line through centre of crown | None                   | N/A      | 20-40                  | B2               | 5.89                            | 109.08                                     |
|          | 5227 | R                                     | Cupressocyparis leylandii Leyland cypress | 719       | MS    | 10          | 3.0           | 3.0 | 3.0 | 3.0 | 1                             | 0        | M         | Fair                    | Included bark, multi leaders                           | Crown clean            | P        | 20-40                  | C2               | 7.19                            | 162.43                                     |
|          | 5228 | R                                     | Cupressocyparis leylandii Leyland cypress | 420       | MS    | 10          | 1.0           | 2.0 | 2.0 | 2.0 | 1                             | 0        | M         | Fair                    | Some minor dead wood, low included bark                | Crown clean            | P        | 10-20                  | C2               | 4.20                            | 55.42                                      |
|          | 5229 | R                                     | Cupressocyparis leylandii Leyland cypress | 423       | MS    | 9           | 2.0           | 2.0 | 2.0 | 1.0 | 1                             | 0        | M         | Fair                    | Low included bark, twin leaders                        | None                   | N/A      | 20-40                  | C2               | 4.23                            | 56.22                                      |
|          | 5230 | R                                     | Cupressocyparis leylandii Leyland cypress | 403       | MS    | 9           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 0        | M         | Fair                    | Low included bark                                      | None                   | N/A      | 20-40                  | C2               | 4.03                            | 51.03                                      |
|          | 5233 | R                                     | Chamaecyparis lawsoniana Lawsons cypress  | 742       | MS    | 9           | 3.0           | 3.0 | 3.0 | 3.0 | 2                             | 0        | M         | Fair                    | Power lines through centre of stems                    | None                   | N/A      | 20-40                  | C2               | 7.42                            | 172.99                                     |
|          | 5234 | R                                     | Prunus Flowering Cherry                   | 270       | MS    | 4.5         | 1.0           | 4.0 | 4.0 | 3.0 | N/A                           | 1.5      | M         | Poor                    | Signs of canker, low included bark                     | None                   | N/A      | <10                    | R                | 2.70                            | 22.91                                      |
|          | 5243 | R                                     | Chamaecyparis lawsoniana Lawsons cypress  | 150       | MS    | 16          | 1.5           | 1.5 | 1.5 | 1.5 | 1                             | 0        | M         | Good                    | No visible defects                                     | None                   | N/A      | 20-40                  | C2               | 1.50                            | 7.07                                       |
|          | 5244 | R                                     | Chamaecyparis lawsoniana Lawsons cypress  | 150       | MS    | 16          | 1.5           | 1.5 | 1.5 | 1.5 | 1                             | 0        | M         | Good                    | No visible defects                                     | None                   | N/A      | 20-40                  | C2               | 1.50                            | 7.07                                       |
|          | 5259 | R                                     | Acer platanoides Norway maple             | 304       | 1     | 8.5         | 2.0           | 3.0 | 4.0 | 3.0 | 2                             | 2        | M         | Good                    | Tight fork with crack                                  | Fell to ground level   | P        | <10                    | R                | 3.65                            | 41.81                                      |
|          | 5292 | R                                     | Acer platanoides Norway maple             | 230       | 1     | 9           | 3.0           | 4.0 | 1.0 | 2.0 | 2                             | 2        | M         | Good                    | Minor dead wood  | None                   | N/A      | 40+                    | B2               | 2.76                            | 23.93                                      |
|          | 5293 | R                                     | Acer saccharinum Silver maple             | 295       | 1     | 10          | 5.0           | 1.0 | 3.0 | 3.0 | 2                             | 2        | M         | Good                    | No visible defects                                     | None                   | N/A      | 40+                    | B2               | 3.54                            | 39.37                                      |
|          | 5294 | R                                     | Acer pseudoplatanus Sycamore              | 333       | 1     | 10          | 3.0           | 3.0 | 6.0 | 3.0 | 2                             | 3        | M         | Good                    | No visible defects                                     | None                   | N/A      | 40+                    | B2               | 4.00                            | 50.17                                      |
|          | 5295 | R                                     | Acer pseudoplatanus Sycamore              | 342       | 1     | 9           | 2.0           | 4.0 | 5.0 | 3.0 | 2                             | 2.5      | M         | Good                    | No visible defects                                     | None                   | N/A      | 40+                    | B2               | 4.10                            | 52.92                                      |
|          | 5305 | R                                     | Acer pseudoplatanus Sycamore              | 381       | 1     | 9           | 4.0           | 4.0 | 4.0 | 4.0 | 3                             | 2        | M         | Good                    | No visible defects                                     | None                   | N/A      | 40+                    | A2               | 4.57                            | 65.68                                      |
|          | 5312 | R                                     | Acer pseudoplatanus Sycamore              | 281       | 1     | 9           | 3.0           | 3.0 | 3.0 | 3.0 | 3                             | 2        | M         | Good                    | No visible defects                                     | None                   | N/A      | 40+                    | A2               | 3.37                            | 35.73                                      |
|          | 5321 | R                                     | Cupressocyparis leylandii Leyland cypress | 266       | 1     | 9           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 1.5      | M         | Good                    | No visible defects                                     | None                   | N/A      | 20-40                  | B2               | 3.19                            | 32.01                                      |
|          | 5322 | R                                     | Cupressocyparis leylandii Leyland cypress | 259       | 1     | 9           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 1.5      | M         | Good                    | No visible defects                                     | None                   | N/A      | 20-40                  | B2               | 3.11                            | 30.35                                      |
|          | 5323 | R                                     | Cupressocyparis leylandii Leyland cypress | 282       | MS    | 9           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 1.5      | M         | Good                    | No visible defects                                     | None                   | N/A      | 20-40                  | B2               | 2.82                            | 24.99                                      |
|          | 5348 | R                                     | Sorbus aucuparia Rowan                    | 191       | 1     | 5           | 1.0           | 1.0 | 1.0 | 1.0 | 0.5                           | 2        | M         | Good                    | No visible defects                                     | None                   | N/A      | 10-20                  | B2               | 2.29                            | 16.51                                      |
|          | 5350 | R                                     | Sorbus aucuparia Rowan                    | 107       | 1     | 4           | 1.0           | 1.0 | 1.0 | 1.0 | 0                             | 2        | M         | Fair                    | Broken branch  | Crown clean            | P        | 10-20                  | C2               | 1.28                            | 5.18                                       |
|          | 5353 | R                                     | Fraxinus excelsior Ash                    | 236       | 1     | 5           | 1.0           | 2.0 | 2.0 | 2.0 | 4                             | 1.5      | M         | Fair                    | No visible defects                                     | None                   | N/A      | 40+                    | C2               | 2.83                            | 25.20                                      |
|          | 5358 | R                                     | Acer pseudoplatanus Sycamore              | 171       | 1     | 6           | 2.0           | 2.0 | 2.0 | 2.0 | 3                             | 2        | M         | Good                    | No visible defects                                     | None                   | N/A      | 40+                    | B2               | 2.05                            | 13.23                                      |
|          | 5360 | R                                     | Fraxinus excelsior Ash                    | 129       | 1     | 7           | 2.0           | 2.0 | 2.0 | 2.0 | 3                             | 2        | SM        | Poor                    | Sparse canopy  | None                   | N/A      | 20-40                  | B2               | 1.55                            | 7.53                                       |
|          | 5364 | R                                     | Fraxinus excelsior Ash                    | 193       | 1     | 8           | 2.0           | 2.0 | 2.0 | 2.0 | 3.5                           | 2        | M         | Good                    | No visible defects                                     | None                   | N/A      | 40+                    | A2               | 2.32                            | 16.85                                      |
|          | 5369 | R                                     | Juglans regia Walnut                      | 149       | 1     | 5           | 2.0           | 2.0 | 2.0 | 2.0 | 3                             | 2        | SM        | Good                    | No visible defects                                     | None                   | N/A      | 40+                    | B2               | 1.79                            | 10.04                                      |
|          | 5370 | R                                     | Juglans regia Walnut                      | 161       | 1     | 5           | 2.0           | 2.0 | 2.0 | 2.0 | 3                             | 2        | SM        | Good                    | No visible defects                                     | None                   | N/A      | 40+                    | B2               | 1.93                            | 11.73                                      |
|          | 5372 | R                                     | Tilia europaea Common Lime                | 126       | 1     | 6           | 1.0           | 1.0 | 1.0 | 1.0 | 4                             | 2        | SM        | Fair                    | No visible defects                                     | None                   | N/A      | 40+                    | B1               | 1.51                            | 7.18                                       |
|          | 5383 | R                                     | Prunus avium plena Cherry                 | 81        | 1     | 2.5         | 1.0           | 3.0 | 1.0 | 1.0 | 2                             | 0.5      | SM        | Poor                    | Stem lean (s)  | Fell to ground level   | P        | <10                    | R                | 0.97                            | 2.97                                       |
|          | 5384 | R                                     | Chamaecyparis lawsoniana Lawsons cypress  | 257       | 1     | 5           | 0.5           | 0.5 | 0.5 | 0.5 | 1                             | 0.5      | M         | Good                    | No visible defects                                     | None                   | N/A      | 20-40                  | C1               | 3.08                            | 29.88                                      |
|          | 5385 | R                                     | Alnus cordata Italian alder               | 160       | 1     | 6           | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 2        | SM        | Good                    | No visible defects                                     | None                   | N/A      | 20-40                  | B1               | 1.92                            | 11.58                                      |
|          | 5386 | R                                     | Alnus cordata Italian alder               | 90        | MS    | 3.5         | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 0        | SM        | Fair                    | No visible defects                                     | None                   | N/A      | 20-40                  | B1               | 0.90                            | 2.55                                       |
|          | 5387 | R                                     | Cupressocyparis leylandii Leyland cypress | 628       | 1     | 15          | 3.0           | 3.0 | 3.0 | 3.0 | 1                             | 2        | M         | Good                    | Included bark to main branch unions                    | Nil                    | N/A      | 10-20                  | C1,2             | 7.54                            | 178.44                                     |
|          | 5388 | R                                     | Cupressocyparis leylandii Leyland cypress | 531       | 1     | 15          | 2.0           | 2.0 | 1.0 | 2.0 | 1                             | 2        | M         | Good                    | Included bark to main branch unions                    | Nil                    | N/A      | 10-20                  | C1,2             | 6.37                            | 127.57                                     |
|          | 5389 | R                                     | Cupressocyparis leylandii Leyland cypress | 554       | 1     | 15          | 2.0           | 2.0 | 2.0 | 1.0 | 1                             | 2        | M         | Good                    | Included bark to main branch unions                    | Nil                    | N/A      | <10                    | R                | 6.65                            | 138.86                                     |
|          | 5390 | R                                     | Cupressocyparis leylandii Leyland cypress | 534       | 1     | 15          | 2.0           | 2.0 | 1.0 | 2.0 | 1                             | 2        | M         | Good                    | No visible defects                                     | Nil                    | N/A      | 20-40                  | B1,2             | 6.41                            | 129.02                                     |
|          | 5391 | R                                     | Cupressocyparis leylandii Leyland cypress | 419       | 1     | 15          | 2.0           | 2.0 | 2.0 | 1.0 | 1                             | 2        | M         | Good                    | No visible defects                                     | Nil                    | N/A      | 20-40                  | B1,2             | 5.03                            | 79.43                                      |
|          | 5392 | R                                     | Cupressocyparis leylandii Leyland cypress | 518       | MS    | 15          | 2.0           | 2.0 | 1.0 | 1.0 | 1                             | 2        | M         | Good                    | Severe included bark to lower stem                     | Nil                    | N/A      | <10                    | R                | 5.18                            | 84.31                                      |
|          | 5393 | R                                     | Cupressocyparis leylandii Leyland cypress | 478       | 1     | 15          | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 2        | M         | Good                    | No visible defects                                     | Nil                    | N/A      | 20-40                  | B1,2             | 5.74                            | 103.38                                     |
|          | 5394 | R                                     | Cupressocyparis leylandii Leyland cypress | 524       | 1     | 15          | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 2        | M         | Good                    | Included bark to main branch unions                    | Nil                    | N/A      | 10-20                  | C1,2             | 6.29                            | 124.23                                     |
|          | 5395 | R                                     | Cupressocyparis leylandii Leyland cypress | 477       | 1     | 15          | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 2        | M         | Good                    | Included bark to main branch unions                    | Nil                    | N/A      | 10-20                  | C1,2             | 5.72                            | 102.95                                     |
|          | 5396 | R                                     | Cupressocyparis leylandii Leyland cypress | 379       | 1     | 15          | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 2        | M         | Good                    | Previous wind damage, else No visible defects          | Remove broken branches | P        | 20-40                  | B1,2             | 4.55                            | 64.99                                      |
|          | 5397 | R                                     | Cupressocyparis leylandii Leyland cypress | 374       | MS    | 15          | 2.0           | 2.0 | 0.0 | 2.0 | 1                             | 2        | M         | Good                    | No visible defects                                     | Nil                    | N/A      | 20-40                  | B1,2             | 3.74                            | 43.95                                      |



**TREES FOR REMOVAL Heyford Park Nicholson's Tree Survey November 2006**

| Group No | Tag  | Trees removed for development reasons | Species (Botanical)                       | Diam (mm) | Stems | Ht m. (est) | Branch Spread |     |     |     | Increase in canopy radius (m) | Crown Ht | Age Class | Physiological Condition | Structural Condition                                | Preliminary Management | Priority | Remaining Contribution | Category Grading | Root Protection Zone Radius (m) | Root Protection zone (m2). Capped at 707m2 |
|----------|------|---------------------------------------|---|-----------|-------|-------------|---------------|-----|-----|-----|-------------------------------|----------|-----------|-------------------------|---|------------------------|----------|------------------------|------------------|---------------------------------|--|
|          |      |                                       |   |           |       |             | N             | S   | E   | W   |                               |          |           |                         |   |                        |          |                        |                  |                                 |  |
|          | 5398 | R                                     | Cupressocyparis leylandii Leyland cypress | 475       | 1     | 15          | 2.0           | 2.0 | 1.0 | 1.0 | 1                             | 2        | M         | Good                    | No visible defects                                  | Nil                    | N/A      | 20-40                  | B1,2             | 5.70                            | 102.08                                     |
|          | 5399 | R                                     | Cupressocyparis leylandii Leyland cypress | 490       | 1     | 15          | 2.0           | 2.0 | 2.0 | 1.0 | 1                             | 2        | M         | Good                    | No visible defects                                  | Nil                    | N/A      | 20-40                  | B1,2             | 5.88                            | 108.63                                     |
|          | 5400 | R                                     | Cupressocyparis leylandii Leyland cypress | 507       | MS    | 15          | 2.0           | 2.0 | 1.0 | 2.0 | 1                             | 2        | M         | Good                    | No visible defects                                  | Nil                    | N/A      | 10-20                  | C1,2             | 5.07                            | 80.76                                      |
|          | 5402 | R                                     | Cupressocyparis leylandii Leyland cypress | 445       | 1     | 15          | 2.0           | 2.0 | 1.0 | 1.0 | 1                             | 2        | M         | Good                    | Included bark to main stem                          | Nil                    | N/A      | <10                    | R                | 5.34                            | 89.60                                      |
|          | 5403 | R                                     | Cupressocyparis leylandii Leyland cypress | 442       | 1     | 15          | 2.0           | 2.0 | 1.0 | 1.0 | 1                             | 2        | M         | Good                    | Rot pocket and included bark to main stem           | Fell                   | P        | N/A                    | R                | 5.30                            | 88.39                                      |
|          | 5404 | R                                     | Cupressocyparis leylandii Leyland cypress | 426       | 1     | 15          | 2.0           | 2.0 | 1.0 | 1.0 | 1                             | 2        | M         | Good                    | No visible defects                                  | Nil                    | N/A      | 10-20                  | C1,2             | 5.11                            | 82.11                                      |
|          | 5405 | R                                     | Cupressocyparis leylandii Leyland cypress | 472       | MS    | 15          | 2.0           | 2.0 | 1.0 | 1.0 | 1                             | 2        | M         | Good                    | Included bark to lower stem                         | Nil                    | N/A      | 10-20                  | C1,2             | 4.72                            | 70.00                                      |
|          | 5406 | R                                     | Cupressocyparis leylandii Leyland cypress | 404       | 1     | 15          | 2.0           | 2.0 | 2.0 | 1.0 | 1                             | 2        | M         | Good                    | No visible defects                                  | Nil                    | N/A      | 10-20                  | C1,2             | 4.85                            | 73.85                                      |
|          | 5408 | R                                     | Cupressocyparis leylandii Leyland cypress | 358       | 1     | 13          | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects                                  | Nil                    | N/A      | 20-40                  | B1,2             | 4.30                            | 57.99                                      |
|          | 5412 | R                                     | Acer platanoides Norway maple             | 379       | 1     | 13          | 3.0           | 4.0 | 5.0 | 5.0 | 2                             | 4        | M         | Good                    | Old pruning wounds, decay to main stem and branches | Nil                    | N/A      | 20-40                  | B1,2             | 4.55                            | 64.99                                      |
|          | 5413 | R                                     | Acer platanoides Norway maple             | 397       | 1     | 14          | 5.0           | 2.0 | 5.0 | 5.0 | 2                             | 4        | M         | Good                    | Included bark to main spring of crown               | Nil                    | N/A      | 20-40                  | B1,2             | 4.76                            | 71.31                                      |
|          | 5417 | R                                     | Cupressocyparis leylandii Leyland cypress | 666       | MS    | 15          | 3.0           | 3.0 | 2.0 | 3.0 | 1                             | 2        | M         | Good                    | No visible defects                                  | None                   | N/A      | 40+                    | C2               | 6.66                            | 139.37                                     |
|          | 5419 | R                                     | Cupressocyparis leylandii Leyland cypress | 1049      | MS    | 15          | 2.0           | 3.0 | 4.0 | 3.0 | 1                             | 2        | M         | Good                    | No visible defects                                  | None                   | N/A      | 40+                    | C2               | 10.49                           | 345.75                                     |
|          | 5420 | R                                     | Acer pseudoplatanus Sycamore              | 421       | 1     | 13          | 4.0           | 3.0 | 5.0 | 5.0 | 2                             | 2        | M         | Fair                    | No visible defects                                  | None                   | N/A      | 40+                    | C2               | 5.05                            | 80.19                                      |
|          | 5421 | R                                     | Cupressocyparis leylandii Leyland cypress | 948       | MS    | 15          | 3.0           | 2.0 | 4.0 | 3.0 | 1                             | 2.5      | M         | Fair                    | No visible defects                                  | None                   | N/A      | 40+                    | C2               | 9.48                            | 282.37                                     |
|          | 5422 | R                                     | Acer pseudoplatanus Sycamore              | 332       | 1     | 14          | 2.0           | 5.0 | 3.0 | 4.0 | 2                             | 3        | M         | Fair                    | No visible defects                                  | None                   | N/A      | 40+                    | C2               | 3.98                            | 49.87                                      |
|          | 5423 | R                                     | Cupressocyparis leylandii Leyland cypress | 659       | MS    | 15          | 3.0           | 2.0 | 2.0 | 3.0 | 1                             | 2.5      | M         | Fair                    | No visible defects                                  | None                   | N/A      | 40+                    | C2               | 6.59                            | 136.45                                     |
|          | 5424 | R                                     | Acer pseudoplatanus Sycamore              | 266       | 1     | 12          | 0.0           | 4.0 | 3.0 | 3.0 | 3                             | 3        | M         | Poor                    | Suppressed by 5423                                  | None                   | N/A      | 20-40                  | C2               | 3.19                            | 32.01                                      |
|          | 5425 | R                                     | Cupressocyparis leylandii Leyland cypress | 1326      | MS    | 15          | 3.0           | 4.0 | 4.0 | 3.0 | 0.5                           | 2        | M         | Good                    | No visible defects                                  | None                   | N/A      | 40+                    | B1               | 13.26                           | 552.45                                     |
|          | 5426 | R                                     | Prunus avium plena Cherry                 | 107       | 1     | 5           | 2.0           | 2.0 | 1.0 | 1.0 | 2                             | 3        | M         | Poor                    | No visible defects                                  | Fell to ground level   | P        | <10                    | R                | 1.28                            | 5.18                                       |
|          | 5427 | R                                     | Alnus cordata Italian alder               | 221       | 1     | 7           | 3.0           | 3.0 | 2.0 | 2.0 | 3                             | 2.5      | M         | Poor                    | Basal suckers wound 0-4 m                           | Fell to ground level   | P        | <10                    | R                | 2.65                            | 22.10                                      |
|          | 5428 | R                                     | Cupressocyparis leylandii Leyland cypress | 1110      | MS    | 11          | 3.0           | 4.0 | 2.0 | 3.0 | 2                             | 3        | M         | Good                    | No visible defects                                  | None                   | N/A      | 20-40                  | C2               | 11.10                           | 387.13                                     |
|          | 5429 | R                                     | Cupressocyparis leylandii Leyland cypress | 1455      | MS    | 11          | 3.0           | 3.0 | 5.0 | 2.0 | 2                             | 3        | M         | Good                    | Basal cavities                                      | None                   | N/A      | 20-40                  | C2               | 14.55                           | 665.17                                     |
|          | 5430 | R                                     | Acer pseudoplatanus Sycamore              | 415       | 1     | 11          | 4.0           | 2.0 | 7.0 | 7.0 | 2                             | 3        | M         | Poor                    | Tight fork at 2.5 m with rib form                   | Fell to ground level   | P        | <10                    | R                | 4.98                            | 77.92                                      |
|          | 5431 | R                                     | Cupressocyparis leylandii Leyland cypress | 806       | MS    | 11          | 2.0           | 3.0 | 3.0 | 3.0 | 2                             | 2        | M         | Fair                    | No visible defects                                  | None                   | N/A      | 40+                    | C2               | 8.06                            | 204.12                                     |
|          | 5432 | R                                     | Acer pseudoplatanus Sycamore              | 351       | 1     | 10          | 3.0           | 2.0 | 5.0 | 4.0 | 3                             | 4        | M         | Good                    | No visible defects                                  | None                   | N/A      | 20-40                  | C2               | 4.21                            | 55.74                                      |
|          | 5433 | R                                     | Cupressocyparis leylandii Leyland cypress | 1288      | MS    | 11          | 4.0           | 4.0 | 4.0 | 4.0 | 1                             | 3        | M         | Good                    | No visible defects                                  | None                   | N/A      | 40+                    | C2               | 12.88                           | 521.24                                     |
|          | 5434 | R                                     | Acer pseudoplatanus Sycamore              | 283       | 1     | 9           | 0.0           | 3.0 | 4.0 | 4.0 | 2                             | 3        | M         | Fair                    | No visible defects                                  | None                   | N/A      | 20-40                  | C2               | 3.40                            | 36.24                                      |
|          | 5435 | R                                     | Prunus avium plena Cherry                 | 302       | 1     | 9           | 4.0           | 2.0 | 4.0 | 4.0 | 1                             | 3        | M         | Fair                    | Weak stem fracture at 3 m                           | None                   | N/A      | 10-20                  | C2               | 3.62                            | 41.27                                      |
|          | 5436 | R                                     | Acer pseudoplatanus Sycamore              | 568       | 1     | 10          | 4.0           | 4.0 | 3.0 | 5.0 | 2                             | 4        | M         | Good                    | Old pruning wound, 10o lean east                    | None                   | N/A      | 40+                    | C2               | 6.82                            | 145.97                                     |
|          | 5437 | R                                     | Cupressocyparis leylandii Leyland cypress | 657       | MS    | 11          | 2.0           | 4.0 | 3.0 | 4.0 | 1                             | 1.5      | M         | Fair                    | Bark stripped east                                  | None                   | N/A      | 40+                    | C2               | 6.57                            | 135.62                                     |
|          | 5438 | R                                     | Cupressocyparis leylandii Leyland cypress | 1414      | MS    | 15          | 3.0           | 3.0 | 4.0 | 5.0 | 1                             | 0        | M         | Fair                    | Bark stripping injury                               | None                   | N/A      | 40+                    | C1               | 14.14                           | 628.21                                     |
|          | 5442 | R                                     | Prunus avium plena Cherry                 | 198       | 1     | 5           | 4.0           | 4.0 | 4.0 | 3.0 | 3                             | 2        | M         | Fair                    | Tight forks   | None                   | N/A      | 20-40                  | C1               | 2.38                            | 17.74                                      |
|          | 5443 | R                                     | Prunus avium plena Cherry                 | 239       | 1     | 5           | 4.0           | 4.0 | 4.0 | 4.0 | 3                             | 2        | M         | Good                    | No visible defects                                  | None                   | N/A      | 20-40                  | C1               | 2.87                            | 25.84                                      |
|          | 5445 | R                                     | Acer platanoides Norway maple             | 249       | 1     | 6           | 3.0           | 2.0 | 2.0 | 2.0 | 2                             | 2        | SM        | Good                    | No visible defects                                  | None                   | N/A      | 40+                    | B2               | 2.99                            | 28.05                                      |
|          | 5446 | R                                     | Acer platanoides Norway maple             | 268       | 1     | 6           | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 2        | SM        | Good                    | Tight fork included bark                            | None                   | N/A      | 20-40                  | B2               | 3.22                            | 32.50                                      |
|          | 5448 | R                                     | Acer platanoides Norway maple             | 286       | 1     | 7           | 3.0           | 3.0 | 3.0 | 3.0 | 2                             | 2        | M         | Good                    | No visible defects                                  | None                   | N/A      | 40+                    | B2               | 3.43                            | 37.01                                      |
|          | 5449 | R                                     | Acer platanoides Norway maple             | 274       | 1     | 7           | 3.0           | 3.0 | 3.0 | 3.0 | 2                             | 2        | M         | Good                    | Tight fork included bark                            | None                   | N/A      | 40+                    | B2               | 3.29                            | 33.97                                      |
|          | 5450 | R                                     | Sorbus aucuparia Rowan                    | 75        | 1     | 4           | 0.5           | 0.5 | 3.0 | 0.0 | 0                             | 3        | SM        | Poor                    | 25 degree stem lean (E)                             | Fell to ground level   | P        | <10                    | R                | 0.90                            | 2.55                                       |
|          | 5451 | R                                     | Sorbus aucuparia Rowan                    | 110       | 1     | 4           | 2.0           | 2.0 | 2.0 | 2.0 | 0.5                           | 3        | M         | Fair                    | No visible defects                                  | None                   | N/A      | 10-20                  | C1               | 1.32                            | 5.47                                       |
|          | 5452 | R                                     | Sorbus aucuparia Rowan                    | 104       | 1     | 5           | 0.5           | 1.0 | 1.0 | 1.0 | 0.5                           | 3        | M         | Fair                    | 15o stem lean (SE)                                  | None                   | N/A      | 10-20                  | C1               | 1.25                            | 4.89                                       |
|          | 5453 | R                                     | Sorbus aucuparia Rowan                    | 77        | 1     | 4           | 0.5           | 1.5 | 0.5 | 0.5 | 0.5                           | 3        | M         | Fair                    | No visible defects                                  | None                   | N/A      | 10-20                  | C1               | 0.92                            | 2.68                                       |
|          | 5454 | R                                     | Sorbus aucuparia Rowan                    | 94        | 1     | 4           | 1.0           | 1.0 | 1.0 | 1.0 | 0.5                           | 2        | M         | Fair                    | Basal suckers                                       | None                   | N/A      | 10-20                  | C1               | 1.13                            | 4.00                                       |
|          | 5457 | R                                     | Sorbus aucuparia Rowan                    | 110       | 1     | 6           | 1.0           | 1.0 | 1.0 | 1.0 | 0.5                           | 3        | M         | Fair                    | Basal wounds  | None                   | N/A      | 10-20                  | C1               | 1.32                            | 5.47                                       |
|          | 5458 | R                                     | Prunus avium plena Cherry                 | 294       | 1     | 8           | 4.0           | 4.0 | 4.0 | 3.0 | 1                             | 2        | M         | Good                    | Tight fork at 0.5 m sub leader                      | Remove "sub leader"    | P        | 20-40                  | C1               | 3.53                            | 39.11                                      |
|          | 5459 | R                                     | Prunus avium plena Cherry                 | 212       | 1     | 7           | 3.0           | 3.0 | 3.0 | 3.0 | 1                             | 2        | M         | Good                    | Tight forks and included bark                       | None                   | N/A      | 20-40                  | C1               | 2.54                            | 20.33                                      |
|          | 5460 | R                                     | Prunus avium plena Cherry                 | 252       | 1     | 8           | 3.0           | 3.0 | 3.0 | 3.0 | 1                             | 2        | M         | Good                    | Tight forks and included bark                       | None                   | N/A      | 20-40                  | C1               | 3.02                            | 28.73                                      |
|          | 5461 | R                                     | Prunus avium plena Cherry                 | 247       | 1     | 8           | 3.0           | 3.0 | 3.0 | 3.0 | 1                             | 2        | M         | Good                    | Tight forks and included bark                       | None                   | N/A      | 20-40                  | C1               | 2.96                            | 27.60                                      |

**TREES FOR REMOVAL Heyford Park Nicholson's Tree Survey November 2006**

| Group No | Tag | Trees removed for development reasons | Species (Botanical)                       | Diam (mm) | Stems | Ht m. (est) | Branch Spread |     |     |     | Increase in canopy radius (m) | Crown Ht | Age Class | Physiological Condition | Structural Condition                                      | Preliminary Management | Priority | Remaining Contribution | Category Grading | Root Protection Zone Radius (m) | Root Protection zone (m2). Capped at 707m2 |
|----------|-----|---------------------------------------|---|-----------|-------|-------------|---------------|-----|-----|-----|-------------------------------|----------|-----------|-------------------------|---|------------------------|----------|------------------------|------------------|---------------------------------|--|
|          |     |                                       |   |           |       |             | N             | S   | E   | W   |                               |          |           |                         |   |                        |          |                        |                  |                                 |  |
| 5462     | R   |                                       | Prunus avium plena Cherry                 | 337       | 1     | 8           | 4.0           | 3.0 | 3.0 | 3.0 | 1                             | 2        | M         | Good                    | No visible defects  | None                   | N/A      | 20-40                  | B1               | 4.04                            | 51.38                                      |
| 5463     | R   |                                       | Prunus avium plena Cherry                 | 241       | 1     | 7           | 3.0           | 3.0 | 3.0 | 3.0 | 1                             | 2        | M         | Good                    | Tight forks and included bark                             | None                   | N/A      | 20-40                  | C1               | 2.89                            | 26.28                                      |
| 5464     | R   |                                       | Prunus avium plena Cherry                 | 331       | 1     | 8           | 3.0           | 3.0 | 3.0 | 3.0 | 2                             | 2        | M         | Good                    | No visible defects  | None                   | N/A      | 10-20                  | C1               | 3.97                            | 49.57                                      |
| 5467     | R   |                                       | Fraxinus excelsior Ash                    | 120       | 1     | 5           | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 2        | SM        | Good                    | No visible defects  | None                   | N/A      | 40+                    | B1               | 1.44                            | 6.52                                       |
| 5470     | R   |                                       | Fraxinus excelsior Ash                    | 140       | 1     | 6           | 2.0           | 2.0 | 2.0 | 2.0 | 2                             | 2        | SM        | Good                    | No visible defects  | None                   | N/A      | 40+                    | B1               | 1.68                            | 8.87                                       |
| 5476     |     |                                       | Prunus padus Bird Cherry                  | 90        | 1     | 4           | 1.0           | 1.0 | 1.0 | 1.0 | 1                             | 2.5      | SM        | Poor                    | Basal bark damage   | Fell to ground level   | P        | <10                    | R                | 1.08                            | 3.66                                       |
| 5477     |     |                                       | Prunus padus Bird Cherry                  | 86        | 1     | 4           | 1.0           | 1.0 | 1.0 | 1.0 | 1                             | 2.5      | SM        | Poor                    | Multiple wounds   | Fell to ground level   | P        | <10                    | R                | 1.03                            | 3.35                                       |
| 5483     |     |                                       | Prunus padus Bird Cherry                  | 87        | 1     | 5           | 1.0           | 1.0 | 1.0 | 1.0 | 0                             | 3        | SM        | Poor                    | No visible defects  | Fell to ground level   | P        | <10                    | R                | 1.04                            | 3.42                                       |
| 5486     |     |                                       | Prunus padus Bird Cherry                  | 109       | 1     | 5           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 2        | SM        | Good                    | Stem bark wounds  | Fell to ground level   | P        | <10                    | R                | 1.31                            | 5.38                                       |
| 5487     |     |                                       | Prunus padus Bird Cherry                  | 91        | 1     | 5           | 3.0           | 1.0 | 1.0 | 1.0 | 2                             | 2.5      | SM        | Poor                    | Major basal wounds  | Fell to ground level   | P        | <10                    | R                | 1.09                            | 3.75                                       |
| 5503     |     |                                       | Acer platanoides Norway maple             | 215       | 1     | 4           | 0.0           | 0.0 | 0.0 | 0.0 | 0                             | 0        | Y         | Poor                    | Pollarded   | Fell                   | P        | <10                    | R                | 2.58                            | 20.91                                      |
| 5504     |     |                                       | Acer platanoides Norway maple             | 210       | 1     | 4           | 0.0           | 0.0 | 0.0 | 0.0 | 0                             | 0        | Y         | Poor                    | Pollarded   | Fell                   | P        | <10                    | R                | 2.52                            | 19.95                                      |
| 5505     |     |                                       | Acer platanoides Norway maple             | 387       | 1     | 3           | 0.0           | 0.0 | 0.0 | 0.0 | 0                             | 0        | Y         | Poor                    | Pollarded   | Fell                   | P        | <10                    | R                | 4.64                            | 67.76                                      |
| 5506     |     |                                       | Acer platanoides Norway maple             | 341       | 1     | 3           | 0.0           | 0.0 | 0.0 | 0.0 | 0                             | 0        | Y         | Poor                    | Pollarded   | Fell                   | P        | <10                    | R                | 4.09                            | 52.61                                      |
| 5507     |     |                                       | Acer platanoides Norway maple             | 289       | 1     | 3           | 0.0           | 0.0 | 0.0 | 0.0 | 0                             | 0        | Y         | Poor                    | Pollarded   | Fell                   | P        | <10                    | R                | 3.47                            | 37.79                                      |
| 5509     | R   |                                       | Maple                                     | 140       | 1     | 8           | 3.0           | 2.0 | 3.0 | 1.0 | 3                             | 2        | Y         | Good                    | Crown unbalanced to north                                 | Nil                    | N/A      | 20-40                  | B1               | 1.68                            | 8.87                                       |
| 5513     | R   |                                       | Maple                                     | 244       | 1     | 9           | 4.0           | 4.0 | 4.0 | 4.0 | 2                             | 2        | Y         | Good                    | Basal branching, else No visible defects                  | Remove basal branches  | P        | 20-40                  | B1               | 2.93                            | 26.94                                      |
| 5521     | R   |                                       | Cupressocyparis leylandii Leyland cypress | 529       | 1     | 14          | 3.0           | 3.0 | 3.0 | 3.0 | 1                             | 2        | M         | Fair                    | Immediately adjacent to road kerb line.                   | Nil                    | N/A      | 10-20                  | R                | 6.35                            | 126.61                                     |
| 5522     | R   |                                       | Cupressocyparis leylandii Leyland cypress | 452       | 1     | 14          | 2.0           | 2.0 | 1.0 | 3.0 | 1                             | 2        | M         | Fair                    | Immediately adjacent to road kerb line.                   | Nil                    | N/A      | 10-20                  | R                | 5.42                            | 92.44                                      |
| 5523     | R   |                                       | Cupressocyparis leylandii Leyland cypress | 432       | 1     | 14          | 2.0           | 3.0 | 2.0 | 1.0 | 1                             | 2        | M         | Fair                    | Immediately adjacent to road kerb line.                   | Nil                    | N/A      | 10-20                  | R                | 5.18                            | 84.44                                      |
| 5524     | R   |                                       | Cupressocyparis leylandii Leyland cypress | 341       | 1     | 11          | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 2        | M         | Fair                    | Immediately adjacent to road kerb line.                   | Nil                    | N/A      | 10-20                  | R                | 4.09                            | 52.61                                      |
| 5525     | R   |                                       | Cupressocyparis leylandii Leyland cypress | 385       | 1     | 12          | 2.0           | 2.0 | 0.0 | 3.0 | 1                             | 2        | M         | Fair                    | Immediately adjacent to road kerb line.                   | Nil                    | N/A      | 10-20                  | R                | 4.62                            | 67.06                                      |
| 5526     | R   |                                       | Cupressocyparis leylandii Leyland cypress | 406       | 1     | 13          | 2.0           | 2.0 | 3.0 | 0.0 | 1                             | 2        | M         | Fair                    | Immediately adjacent to road kerb line.                   | Nil                    | N/A      | 10-20                  | R                | 4.87                            | 74.58                                      |
| 5527     | R   |                                       | Cupressocyparis leylandii Leyland cypress | 251       | 1     | 11          | 2.0           | 2.0 | 1.0 | 1.0 | 1                             | 2        | M         | Fair                    | Immediately adjacent to road kerb line.                   | Nil                    | N/A      | 10-20                  | R                | 3.01                            | 28.50                                      |
| 5528     | R   |                                       | Cupressocyparis leylandii Leyland cypress | 246       | 1     | 12          | 2.0           | 2.0 | 1.0 | 1.0 | 1                             | 2        | M         | Fair                    | Immediately adjacent to road kerb line.                   | Nil                    | N/A      | 10-20                  | R                | 2.95                            | 27.38                                      |
| 5529     | R   |                                       | Cupressocyparis leylandii Leyland cypress | 323       | 1     | 12          | 2.0           | 2.0 | 2.0 | 0.0 | 1                             | 2        | M         | Fair                    | Immediately adjacent to road kerb line.                   | Nil                    | N/A      | 10-20                  | R                | 3.88                            | 47.20                                      |
| 5533     |     |                                       | Maple                                     | 110       | 1     | 10          | 4.0           | 4.0 | 3.0 | 3.0 | 2                             | 1        | M         | Good                    | Split to main stem  | Fell                   | P        | <10                    | R                | 1.32                            | 5.47                                       |
| 5543     |     |                                       | Crataegus monogyna Hawthorn               | 150       | MS    | 3           | 1.0           | 1.0 | 1.0 | 1.0 | 2                             | 2        | M         | Fair                    | No visible defects  | Remove lower branches  | P        | <10                    | R                | 1.50                            | 7.07                                       |
| 5544     |     |                                       | Crataegus monogyna Hawthorn               | 155       | MS    | 4           | 2.0           | 0.0 | 1.0 | 2.0 | 2                             | 2        | M         | Fair                    | No visible defects  | Nil                    | N/A      | <10                    | R                | 1.55                            | 7.55                                       |
| 5546     |     |                                       | Crataegus monogyna Hawthorn               | 161       | 1     | 4           | 0.0           | 1.0 | 1.0 | 1.0 | 2                             | 2        | M         | Fair                    | No visible defects  | Nil                    | N/A      | <10                    | R                | 1.93                            | 11.73                                      |
| 5547     |     |                                       | Crataegus monogyna Hawthorn               | 192       | 1     | 4           | 0.0           | 2.0 | 2.0 | 2.0 | 1                             | 2        | M         | Fair                    | Declining   | Nil                    | N/A      | <10                    | R                | 2.30                            | 16.68                                      |
| 5548     |     |                                       | Sorbus aucuparia Rowan                    | 393       | MS    | 5           | 2.0           | 2.0 | 0.0 | 2.0 | 2                             | 2        | Y         | Good                    | Poor form, else No visible defects                        | Fell                   | P        | <10                    | R                | 3.93                            | 48.53                                      |
| 5549     |     |                                       | Sorbus aucuparia Rowan                    | 354       | MS    | 5           | 2.0           | 2.0 | 0.0 | 0.0 | 2                             | 2        | Y         | Good                    | No visible defects  | Fell                   | P        | <10                    | R                | 3.54                            | 39.37                                      |
| 5550     |     |                                       | Sorbus aucuparia Rowan                    | 350       | MS    | 5           | 2.0           | 2.0 | 2.0 | 0.0 | 2                             | 2        | Y         | Good                    | Poor form, else No visible defects                        | Fell                   | P        | <10                    | R                | 3.50                            | 38.49                                      |
| 5551     | R   |                                       | Cupressocyparis leylandii Leyland cypress | 428       | MS    | 15          | 2.0           | 1.0 | 3.0 | 3.0 | 2                             | 2        | M         | Good                    | Included bark to main forks.                              | Nil                    | N/A      | 10-20                  | C1,2             | 4.28                            | 57.56                                      |
| 5552     | R   |                                       | Cupressocyparis leylandii Leyland cypress | 460       | MS    | 15          | 3.0           | 3.0 | 4.0 | 1.0 | 2                             | 2        | M         | Good                    | No visible defects  | Nil                    | N/A      | 10-20                  | C1,2             | 4.60                            | 66.48                                      |
| 5553     | R   |                                       | Cupressocyparis leylandii Leyland cypress | 332       | MS    | 15          | 2.0           | 2.0 | 0.0 | 3.0 | 2                             | 2        | M         | Good                    | Crown unbalanced by affect of 5554                        | Fell                   | P        | N/A                    | R                | 3.32                            | 34.63                                      |
| 5554     | R   |                                       | Cupressocyparis leylandii Leyland cypress | 404       | 1     | 15          | 3.0           | 1.0 | 0.0 | 3.0 | 2                             | 2        | M         | Good                    | Limb broken out on south side of crown. Probable decay.   | Fell                   | P        | N/A                    | R                | 4.85                            | 73.85                                      |
| 5555     | R   |                                       | Cupressocyparis leylandii Leyland cypress | 465       | 1     | 15          | 3.0           | 2.0 | 3.0 | 0.0 | 2                             | 2        | M         | Good                    | Severe included bark in multiple forks in stem            | Fell                   | P        | N/A                    | R                | 5.58                            | 97.83                                      |
| 5556     | R   |                                       | Cupressocyparis leylandii Leyland cypress | 352       | 1     | 15          | 3.0           | 3.0 | 3.0 | 3.0 | 2                             | 2        | M         | Good                    | No visible defects  | Nil                    | N/A      | 20-40                  | B1,2             | 4.22                            | 56.06                                      |
| 5557     | R   |                                       | Cupressocyparis leylandii Leyland cypress | 378       | 1     | 15          | 3.0           | 3.0 | 3.0 | 3.0 | 2                             | 2        | M         | Good                    | Damage, decay to lower main stem, else No visible defects | Nil                    | N/A      | 20-40                  | C1,2             | 4.54                            | 64.65                                      |
| 5558     | R   |                                       | Cupressocyparis leylandii Leyland cypress | 362       | 1     | 15          | 3.0           | 3.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | Included bark to main forks                               | Nil                    | N/A      | 20-40                  | B1,2             | 4.34                            | 59.29                                      |
| 5559     | R   |                                       | Cupressocyparis leylandii Leyland cypress | 362       | 1     | 15          | 3.0           | 2.0 | 3.0 | 3.0 | 2                             | 2        | M         | Good                    | No visible defects  | Nil                    | N/A      | 20-40                  | B1,2             | 4.34                            | 59.29                                      |
| 5560     | R   |                                       | Cupressocyparis leylandii Leyland cypress | 455       | MS    | 16          | 3.0           | 3.0 | 3.0 | 2.0 | 2                             | 2        | M         | Good                    | Included bark to main forks                               | Nil                    | N/A      | 20-40                  | B1,2             | 4.55                            | 65.05                                      |
| 5561     | R   |                                       | Cupressocyparis leylandii Leyland cypress | 313       | 1     | 15          | 3.0           | 3.0 | 1.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects  | Nil                    | N/A      | 20-40                  | B1,2             | 3.76                            | 44.33                                      |
| 5562     | R   |                                       | Cupressocyparis leylandii Leyland cypress | 250       | 1     | 15          | 1.0           | 2.0 | 0.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects  | Nil                    | N/A      | 20-40                  | B1,2             | 3.00                            | 28.28                                      |

**TREES FOR REMOVAL Heyford Park Nicholson's Tree Survey November 2006**

| Group No | Tag  | Trees removed for development reasons | Species (Botanical)                       | Diam (mm) | Stems | Ht m. (est) | Branch Spread |     |     |     | Increase in canopy radius (m) | Crown Ht | Age Class | Physiological Condition | Structural Condition                                | Preliminary Management | Priority | Remaining Contribution | Category Grading | Root Protection Zone Radius (m) | Root Protection zone (m2). Capped at 707m2 |
|----------|------|---------------------------------------|---|-----------|-------|-------------|---------------|-----|-----|-----|-------------------------------|----------|-----------|-------------------------|---|------------------------|----------|------------------------|------------------|---------------------------------|--|
|          |      |                                       |   |           |       |             | N             | S   | E   | W   |                               |          |           |                         |   |                        |          |                        |                  |                                 |  |
|          | 5563 | R                                     | Cupressocyparis leylandii Leyland cypress | 469       | 1     | 15          | 1.0           | 3.0 | 3.0 | 3.0 | 2                             | 2        | M         | Good                    | Included bark to large forks                        | Nil                    | N/A      | 10-20                  | C1,2             | 5.63                            | 99.52                                      |
|          | 5564 | R                                     | Cupressocyparis leylandii Leyland cypress | 325       | 1     | 15          | 3.0           | 3.0 | 2.0 | 3.0 | 2                             | 2        | M         | Good                    | No visible defects                                  | Nil                    | N/A      | 20-40                  | B1,2             | 3.90                            | 47.79                                      |
|          | 5565 | R                                     | Cupressocyparis leylandii Leyland cypress | 355       | 1     | 15          | 3.0           | 3.0 | 1.0 | 3.0 | 2                             | 2        | M         | Good                    | No visible defects                                  | Nil                    | N/A      | 20-40                  | B1,2             | 4.26                            | 57.02                                      |
|          | 5566 | R                                     | Cupressocyparis leylandii Leyland cypress | 419       | MS    | 15          | 2.0           | 1.0 | 2.0 | 2.0 | 2                             | 2        | M         | Good                    | No visible defects                                  | Nil                    | N/A      | 20-40                  | B1,2             | 4.19                            | 55.16                                      |
|          | 5568 | R                                     | Cupressocyparis leylandii Leyland cypress | 468       | MS    | 15          | 3.0           | 1.0 | 3.0 | 2.0 | 2                             | 3        | M         | Good                    | Included bark to fork at 1 m height                 | Nil                    | N/A      | 10-20                  | C1,2             | 4.68                            | 68.82                                      |
|          | 5569 | R                                     | Cupressocyparis leylandii Leyland cypress | 468       | 1     | 15          | 2.0           | 3.0 | 3.0 | 2.0 | 2                             | 3        | M         | Good                    | Many forks affected by included bark. Over boundary | Nil                    | N/A      | <10                    | R                | 5.62                            | 99.10                                      |
|          | 5571 |                                       | Acer platanoides Norway maple             | 265       | 1     | 8           | 4.0           | 4.0 | 4.0 | 4.0 | 2                             | 1        | M         | Good                    | Split to main stem.                                 | Fell                   | U        | N/A                    | R                | 3.18                            | 31.77                                      |
|          | 5574 |                                       | Sorbus aria Whitebeam                     | 159       | 1     | 6           | 1.0           | 1.0 | 2.0 | 0.0 | 1                             | 2        | Y         | Fair                    | Included bark to main branch unions                 | Nil                    | N/A      | <10                    | R                | 1.91                            | 11.44                                      |
|          | 5576 |                                       | Sorbus aria Whitebeam                     | 202       | 1     | 6           | 2.0           | 2.0 | 2.0 | 2.0 | 1                             | 2        | Y         | Fair                    | Severe lean to east                                 | Nil                    | N/A      | <10                    | R                | 2.42                            | 18.46                                      |
|          | 5578 | R                                     | Acer pseudoplatanus Sycamore              | 79        | 1     | 3           | 1.0           | 1.0 | 1.0 | 1.0 | 1                             | 2        | Y         | Poor                    | Standard tree in poor condition                     | Fell                   | P        | <10                    | R                | 0.95                            | 2.82                                       |
|          | 5581 | R                                     | Acer platanoides Norway maple             | 227       | 1     | 6           | 2.5           | 2.5 | 3.0 | 3.0 | 2                             | 2.5      | M         | Good                    | Minor branch injuries                               | Crown clean            | P        | 40+                    | B2               | 2.72                            | 23.31                                      |
|          | 5582 | R                                     | Acer platanoides Norway maple             | 232       | 1     | 7           | 3.0           | 3.0 | 3.0 | 3.0 | 2                             | 2.5      | M         | Good                    | Minor branch wound east                             | Crown clean            | P        | 40+                    | B2               | 2.78                            | 24.35                                      |
|          | 5583 | R                                     | Acer platanoides Norway maple             | 274       | 1     | 7           | 4.0           | 3.0 | 3.0 | 3.0 | 2                             | 2.5      | M         | Good                    | Surface root bark mower wounds                      | None                   | N/A      | 40+                    | B2               | 3.29                            | 33.97                                      |
|          | 5587 | R                                     | Sorbus aucuparia Rowan                    | 113       | 1     | 5           | 1.0           | 1.0 | 1.0 | 1.0 | 0                             | 2        | M         | Poor                    | Crown injuries                                      | None                   | N/A      | 10-20                  | C2               | 1.36                            | 5.78                                       |
|          | 5588 | R                                     | Sorbus aucuparia Rowan                    | 137       | 1     | 5           | 1.5           | 1.5 | 1.5 | 1.5 | 0                             | 2        | M         | Fair                    | No visible defects                                  | None                   | N/A      | 10-20                  | C2               | 1.64                            | 8.49                                       |
|          | 5589 | R                                     | Sorbus aucuparia Rowan                    | 128       | 1     | 5           | 1.5           | 1.5 | 1.5 | 1.5 | 0                             | 2        | M         | Fair                    | No visible defects                                  | None                   | N/A      | 10-20                  | C2               | 1.54                            | 7.41                                       |
|          | 5596 | R                                     | Cupressocyparis leylandii Leyland cypress | 255       | 1     | 8           | 0.0           | 2.0 | 1.0 | 1.0 | 1                             | 2        | M         | Good                    | Previously topped to 5m ht                          | Nil                    | N/A      | 10-20                  | C1,2             | 3.06                            | 29.42                                      |
|          | 5597 | R                                     | Cupressocyparis leylandii Leyland cypress | 139       | 1     | 8           | 0.0           | 2.0 | 1.0 | 1.0 | 1                             | 2        | M         | Good                    | Previously topped to 5m ht                          | Nil                    | N/A      | 10-20                  | C1,2             | 1.67                            | 8.74                                       |
|          | 5598 | R                                     | Cupressocyparis leylandii Leyland cypress | 203       | 1     | 8           | 0.0           | 2.0 | 1.0 | 1.0 | 1                             | 2        | M         | Good                    | Previously topped to 5m ht                          | Nil                    | N/A      | 10-20                  | C1,2             | 2.44                            | 18.64                                      |
|          | 5599 | R                                     | Cupressocyparis leylandii Leyland cypress | 254       | 1     | 8           | 0.0           | 2.0 | 1.0 | 1.0 | 1                             | 2        | M         | Good                    | Previously topped to 5m ht                          | Nil                    | N/A      | 10-20                  | C1,2             | 3.05                            | 29.19                                      |
|          | 5600 | R                                     | Cupressocyparis leylandii Leyland cypress | 161       | 1     | 8           | 0.0           | 2.0 | 1.0 | 1.0 | 1                             | 2        | M         | Good                    | Previously topped to 5m ht                          | Nil                    | N/A      | 10-20                  | C1,2             | 1.93                            | 11.73                                      |
|          | 5601 | R                                     | Cupressocyparis leylandii Leyland cypress | 124       | 1     | 8           | 0.0           | 2.0 | 1.0 | 1.0 | 1                             | 2        | M         | Good                    | Previously topped to 5m ht                          | Nil                    | N/A      | 10-20                  | C1,2             | 1.49                            | 6.96                                       |
|          | 5602 | R                                     | Cupressocyparis leylandii Leyland cypress | 140       | 1     | 8           | 0.0           | 2.0 | 1.0 | 1.0 | 1                             | 2        | M         | Good                    | Previously topped to 5m ht                          | Nil                    | N/A      | 10-20                  | C1,2             | 1.68                            | 8.87                                       |
|          | 5603 | R                                     | Cupressocyparis leylandii Leyland cypress | 148       | 1     | 8           | 0.0           | 2.0 | 1.0 | 1.0 | 1                             | 2        | M         | Good                    | Previously topped to 5m ht                          | Nil                    | N/A      | 10-20                  | C1,2             | 1.78                            | 9.91                                       |
|          | 5604 | R                                     | Cupressocyparis leylandii Leyland cypress | 125       | 1     | 8           | 0.0           | 2.0 | 1.0 | 1.0 | 1                             | 2        | M         | Good                    | Previously topped to 5m ht                          | Nil                    | N/A      | 10-20                  | C1,2             | 1.50                            | 7.07                                       |
|          | 5605 | R                                     | Cupressocyparis leylandii Leyland cypress | 251       | 1     | 8           | 0.0           | 2.0 | 1.0 | 1.0 | 1                             | 2        | M         | Good                    | Previously topped to 5m ht                          | Nil                    | N/A      | 10-20                  | C1,2             | 3.01                            | 28.50                                      |
|          | 5606 | R                                     | Cupressocyparis leylandii Leyland cypress | 249       | 1     | 8           | 0.0           | 2.0 | 1.0 | 1.0 | 1                             | 2        | M         | Good                    | Previously topped to 5m ht                          | Nil                    | N/A      | 10-20                  | C1,2             | 2.99                            | 28.05                                      |
|          | 5607 | R                                     | Cupressocyparis leylandii Leyland cypress | 415       | 1     | 8           | 2.0           | 0.0 | 1.0 | 1.0 | 1                             | 2        | M         | Good                    | Previously topped to 5m ht                          | Nil                    | N/A      | 10-20                  | C1,2             | 4.98                            | 77.92                                      |
|          | 5608 | R                                     | Cupressocyparis leylandii Leyland cypress | 468       | 1     | 8           | 2.0           | 0.0 | 1.0 | 1.0 | 1                             | 2        | M         | Good                    | Previously topped to 5m ht                          | Nil                    | N/A      | 10-20                  | C1,2             | 5.62                            | 99.10                                      |
|          | 5609 | R                                     | Cupressocyparis leylandii Leyland cypress | 325       | 1     | 8           | 2.0           | 0.0 | 1.0 | 1.0 | 1                             | 2        | M         | Good                    | Previously topped to 5m ht                          | Nil                    | N/A      | 10-20                  | C1,2             | 3.90                            | 47.79                                      |
|          | 5610 | R                                     | Cupressocyparis leylandii Leyland cypress | 159       | 1     | 8           | 2.0           | 0.0 | 1.0 | 1.0 | 1                             | 2        | M         | Good                    | Previously topped to 5m ht                          | Nil                    | N/A      | 10-20                  | C1,2             | 1.91                            | 11.44                                      |
|          | 5611 | R                                     | Cupressocyparis leylandii Leyland cypress | 343       | 1     | 8           | 2.0           | 0.0 | 1.0 | 1.0 | 1                             | 2        | M         | Good                    | Previously topped to 5m ht                          | Nil                    | N/A      | 10-20                  | C1,2             | 4.12                            | 53.23                                      |
|          | 5612 | R                                     | Cupressocyparis leylandii Leyland cypress | 291       | 1     | 8           | 2.0           | 0.0 | 1.0 | 1.0 | 1                             | 2        | M         | Good                    | Previously topped to 5m ht                          | Nil                    | N/A      | 10-20                  | C1,2             | 3.49                            | 38.31                                      |
|          | 5613 | R                                     | Cupressocyparis leylandii Leyland cypress | 539       | 1     | 8           | 2.0           | 0.0 | 1.0 | 1.0 | 1                             | 2        | M         | Good                    | Previously topped to 5m ht                          | Nil                    | N/A      | 10-20                  | C1,2             | 6.47                            | 131.45                                     |
|          | 5677 |                                       | Pinus sylvestris Scots pine               | 159       | 1     | 9           | 2.0           | 2.0 | 2.0 | 2.0 | 0                             | 4        | M         | Poor                    | Average condition                                   | Nil                    | N/A      | <10                    | R                | 1.91                            | 11.44                                      |
|          | 5711 |                                       | Pinus sylvestris Scots pine               | 82        | 1     | 4           | 1.0           | 1.0 | 1.0 | 1.0 | 0                             | 3        | M         | Poor                    | Suppressed  | Nil                    | N/A      | <10                    | R                | 0.98                            | 3.04                                       |
|          | 5791 |                                       | Pinus sylvestris Scots pine               | 161       | 1     | 7           | 2.0           | 2.0 | 2.0 | 1.0 | 1                             | 4        | M         | Poor                    | Average condition                                   | Nil                    | N/A      | <10                    | R                | 1.93                            | 11.73                                      |
|          | 5798 |                                       | Pinus sylvestris Scots pine               | 92        | 1     | 5           | 1.0           | 1.0 | 1.0 | 1.0 | 0                             | 2        | Dead      | Dead                    | Dead  | Nil                    | N/A      | <10                    | R                | 1.10                            | 3.83                                       |
|          | 5799 |                                       | Pinus sylvestris Scots pine               | 100       | 1     | 5           | 1.0           | 1.0 | 1.0 | 1.0 | 0                             | 2        | Dead      | Dead                    | Dead  | Nil                    | N/A      | <10                    | R                | 1.20                            | 4.52                                       |
|          | 5816 |                                       | Acer pseudoplatanus Sycamore              | 165       | 1     | 11          | 1.0           | 1.0 | 1.0 | 1.0 | 3                             | 3        | M         | Good                    | Self seeded growing out of boundary wall            | Fell                   | P        | <10                    | R                | #REF!                           | 12.32                                      |
|          | 5817 |                                       | Acer pseudoplatanus Sycamore              | 160       | 1     | 11          | 1.0           | 1.0 | 1.0 | 1.0 | 3                             | 3        | M         | Good                    | Self seeded growing out of boundary wall            | Fell                   | P        | <10                    | R                | #REF!                           | 11.58                                      |
|          | 5818 |                                       | Acer pseudoplatanus Sycamore              | 135       | 1     | 11          | 0.0           | 2.0 | 1.0 | 1.0 | 3                             | 3        | M         | Good                    | Self seeded growing out of boundary wall            | Fell                   | P        | <10                    | R                | #REF!                           | 8.25                                       |

**TREES FOR REMOVAL Heyford Park Nicholson's Tree Survey November 2006**

| Group No | Tag  | Trees removed for development reasons | Species (Botanical)          | Diam (mm) | Stems | Ht m. (est) | Branch Spread |     |     |     | Increase in canopy radius (m) | Crown Ht | Age Class | Physiological Condition | Structural Condition  | Preliminary Management                                  | Priority | Remaining Contribution | Category Grading | Root Protection Zone Radius (m) | Root Protection zone (m2). Capped at 707m2 |
|----------|------|---------------------------------------|------------------------------|-----------|-------|-------------|---------------|-----|-----|-----|-------------------------------|----------|-----------|-------------------------|---|---|----------|------------------------|------------------|---------------------------------|--|
|          |      |                                       |                              |           |       |             | N             | S   | E   | W   |                               |          |           |                         |   |   |          |                        |                  |                                 |  |
|          | 5819 |                                       | Acer pseudoplatanus Sycamore | 140       | 1     | 11          | 2.0           | 0.0 | 1.0 | 1.0 | 3                             | 3        | M         | Good                    | Self seeded growing out of boundary wall  | Fell  | P        | <10                    | R                | #REF!                           | 8.87                                       |
|          | 5822 |                                       | Acer pseudoplatanus Sycamore | 135       | 1     | 9           | 1.0           | 1.0 | 1.0 | 1.0 | 3                             | 3        | Y         | Good                    | Fork with included bark, significant squirrel damage                                    | Nil   | N/A      | 10-20                  | R                | #REF!                           | 8.25                                       |
|          | 5828 |                                       | Acer pseudoplatanus Sycamore | 120       | 1     | 6           | 3.0           | 0.0 | 2.0 | 0.0 | 2                             | 5        | Y         | Good                    | Suppressed by 5827  | Fell  | P        | <10                    | R                | #REF!                           | 6.52                                       |
|          | 5829 |                                       | Acer pseudoplatanus Sycamore | 110       | 1     | 12          | 0.0           | 3.0 | 3.0 | 0.0 | 3                             | 4        | M         | Good                    | Potential included bark in crown. Significant squirrel damage                           | Nil   | N/A      | <10                    | R                | #REF!                           | 5.47                                       |
|          | 5847 |                                       | Acer pseudoplatanus Sycamore | 115       | 1     | 10          | 2.0           | 0.0 | 1.0 | 2.0 | 2                             | 3        | Y         | Fair                    | Rubbing branch from 5846 causing damage to main stem                                    | Fell  | P        | <10                    | R                | #REF!                           | 5.98                                       |
|          | 5859 | R                                     | Sycamore                     | 132       | MS    | 10          | 4.0           | 2.0 | 4.0 | 4.0 | 3                             | 5        | SM        | Good                    | Twin stem at gl with very weak fork distorting round tank wall                          | nwr but limited rooting due to tank no long term future | N/A      | 20-40                  | C2               | 5.58                            | 5.47                                       |
|          | 5860 | R                                     | Sycamore                     | 138       | MS    | 11          | 3.0           | 4.0 | 4.0 | 4.0 | 3                             | 3        | SM        | Good                    | Twin stem at gl with very weak fork distorting round tank wall                          | nwr but limited rooting due to tank no long term future | N/A      | 20-40                  | C2               | 4.22                            | 5.98                                       |
|          | 5861 | R                                     | Sycamore                     | 123       | 1     | 10          | 3.0           | 2.0 | 3.0 | 3.0 | 4                             | 5        | SM        | Good                    | Distorting round tank wall  | nwr but limited rooting due to tank no long term future | N/A      | 20-40                  | C2               | 4.54                            | 6.85                                       |
|          | 5862 | R                                     | Sycamore                     | 115       | 1     | 10          | 4.0           | 1.0 | 3.0 | 3.0 | 4                             | 3        | SM        | Good                    | Distorting round tank wall  | nwr but limited rooting due to tank no long term future | N/A      | 20-40                  | C2               | 4.34                            | 5.98                                       |
|          | 5863 | R                                     | Wild Cherry                  | 114       | MS    | 8           | 3.0           | 3.0 | 3.0 | 3.0 | 2                             | 3        | SM        | Good                    | Being strangled at base due to growing through support wires distorting round tank wall | nwr but limited rooting due to tank no long term future | N/A      | 10 to 20               | C2               | 3.00                            | 4.08                                       |
|          | 5864 | R                                     | Sycamore                     | 125       | 1     | 10          | 3.0           | 3.0 | 3.0 | 3.0 | 3                             | 5        | SM        | Good                    | Distorting round tank wall  | nwr but limited rooting due to tank no long term future |          | 20-40                  | C2               | 4.55                            | 7.07                                       |