

COUNTY COUNCIL'S RESPONSE TO CONSULTATION ON THE FOLLOWING DEVELOPMENT PROPOSAL

District: Cherwell

Application No: 20/02227/OUT-2

Proposal: Erection of up to 10 dwellings with all matters reserved except the means of access on to Heyford Road.

Location: The Beeches, Heyford Road, Steeply Aston, OX25 4SN

Response date: 12th November 2020

This report sets out the officer views of Oxfordshire County Council (OCC) on the above proposal. These are set out by individual service area/technical discipline and include details of any planning conditions or informatives that should be attached in the event that permission is granted and any obligations to be secured by way of a S106 agreement. Where considered appropriate, an overarching strategic commentary is also included. If the local County Council member has provided comments on the application these are provided as a separate attachment.

Application no: 20/02227/OUT-2

Location: The Beeches, Heyford Road, Steeply Aston, OX25 4SN

General Information and Advice

Recommendations for approval contrary to OCC objection:

IF within this response an OCC officer has raised an objection but the Local Planning Authority are still minded to recommend approval, OCC would be grateful for notification (via planningconsultations@oxfordshire.gov.uk) as to why material consideration outweigh OCC's objections, and given an opportunity to make further representations.

Outline applications and contributions

The number and type of dwellings and/or the floor space may be set by the developer at the time of application, or if not stated in the application, a policy compliant mix will be used for assessment of the impact and mitigation in the form of s106 contributions. These are set out on the first page of this response.

In the case of outline applications, once the unit mix/floor space is confirmed by the developer a matrix (if appropriate) will be applied to assess any increase in contributions payable. The matrix will be based on an assumed policy compliant mix as if not agreed during the s106 negotiations.

Where unit mix is established prior to commencement of development, the matrix sum can be fixed based on the supplied mix (with scope for higher contribution if there is a revised reserved matters approval).

Where a S106/Planning Obligation is required:

- **Index Linked** – in order to maintain the real value of s106 contributions, contributions will be index linked. Base values and the index to be applied are set out in the Schedules to this response.
- **Security of payment for deferred contributions** – An approved **bond** will be required to secure payments where the payment of S106 contributions (in aggregate) have been agreed to be deferred to post implementation and the total County contributions for the development exceed £1m (after indexation).
- **Administration and Monitoring Fee - TBC**
This is an estimate of the amount required to cover the extra monitoring and administration associated with the S106 agreement. The final amount will be based on the OCC's scale of fees and will be adjusted to take account of the number of obligations and the complexity of the S106 agreement.
- **OCC Legal Fees** The applicant will be required to pay OCC's legal fees in relation to legal agreements. Please note the fees apply whether an s106 agreement is completed or not.

Application no: 20/02227/OUT-2

Location: The Beeches, Heyford Road, Steeply Aston, OX25 4SN

Lead Local Flood Authority

Recommendation:

Objection

Key issues:

- Infiltration proposed but no infiltration tests or detailed Site investigation has been carried out to demonstrate this is feasible.

Detailed comments:

An updated FRA has been submitted however, in the absence of infiltration testing or detailed site investigation to prove this is feasible, we continue to object to this application.

We note that it is suggested in the FRA that an alternative solution would be to discharge to the River Cherwell but this is over 300m from the site.

Officer's Name: Richard Bennett

Officer's Title: Flood Risk Engineer

Date: 11 November 2020
