## **Rachel Tibbetts**

From: Jim Guest

**Sent**: 26 January 2021 15:35

To: Shona King
Cc: DC Support
Subject: 20/02446/F

This department has the following response to this application as presented:

Noise: No comments

**Contaminated Land:** No comments

**Air Quality**: Measures should be in place to encourage the uptake of low emission transport including the provision of Electric Vehicle (EV) charging infrastructure. We would like to see EV charge points to allow for the future uptake of EV's by residents and visitors to maximise opportunities for sustainable transport in accordance with Government guidance contained within the National Planning Policy Framework.

Odour: No comments

**Light**: No comments

If you wish to deviate from the suggested conditions then this should be discussed with the officer making these comments to ensure the meaning of the condition remains and that the condition is enforceable and reasonable.

Jim Guest Environmental Protection Officer

Regulatory Services & Community Safety Cherwell District Council

Direct dial: 01295 221799 jim.guest@cherwell-dc.gov.uk www.cherwell.gov.uk

 $Find \ us \ on \ Facebook \ \underline{www.facebook.com/cherwelldistrictcouncil}$ 

Follow us on Twitter @Cherwellcouncil



This e-mail (including any attachments) may be confidential and may contain legally privileged information. You should not disclose its contents to any other person. If you are not the intended recipient, please notify the sender immediately.

Whilst the Council has taken every reasonable precaution to minimise the risk of computer software viruses, it cannot accept liability for any damage which you may sustain as a result of such viruses. You should carry out your own virus checks before opening the e-mail(and/or any attachments).

Unless expressly stated otherwise, the contents of this e-mail represent only the views of the sender and does not impose any legal obligation upon the Council or commit the Council to any course of action