




NOTES:

1. ALL WORKS TO BE ADOPTED UNDER A SECTION 38 AGREEMENT SHALL BE CARRIED IN ACCORDANCE WITH OXFORDSHIRE COUNTY COUNCIL'S HIGHWAY SPECIFICATION
2. DO NOT SCALE FROM THIS DRAWING
3. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH AND CHECKED AGAINST ALL OTHER DRAWINGS, ENGINEERING DETAILS, SPECIFICATION AND ANY STRUCTURAL, GEOTECHNICAL OR OTHER SPECIALIST DOCUMENT PROVIDED.

KEY:



DB32 Fire Appliance
 Overall Length 8.650m
 Overall Width 2.450m
 Overall Body Height 3.450m
 Min Body Ground Clearance 0.337m
 Max Track Width 2.121m
 Lock to lock time 6.00s
 Kerb to Kerb Turning Radius 7.910m

REV:	DESCRIPTION:	BY:	DATE:
P3	Updated to Latest Layout	DM	30.06.21
P2	Updated to Latest Layout	DM	18.06.21
P1	First Issue	DM	10.05.21

STATUS: **PRELIMINARY**

EXPEDITE
 Exeter
 The Design Studio
 35 Southernhay East
 Exeter
 EX1 1NX
 t: 01392 691 631
www.expediteps.com

CLIENT: **BURRINGTON HOMES (MIDLANDS)**

SITE: **LAND AT HEMPTON ROAD DEDDINGTON**

TITLE: **SWEEP PATH ANALYSIS - FIRE APPLIANCE**

SCALE AT A1:	DATE:	DRAWN:	CHECKED:
NTS	APR 2021	DM	KSR
PROJECT NO:	DRAWING NO:	REVISION:	
ES20.020	06.02	P3	