TAYLOR WIMPEY BARRATT HOMES BOVIS HOMES

LAND AT LONGFORD PARK, BANBURY, OXFORDSHIRE

Landscape and Ecology Management Plan (LEMP)

Planning Condition 17 Application Ref: 13/00822/REM

PHASE 1





MARCH 2014 5205.LEMP.003.DV

CONTENTS

1	INTRODUCTION	1
2	DEFINITION OF TERMS	2
3	MANAGEMENT OBJECTIVES	3
4	GENERAL MAINTENANCE	4
5	LANDSCAPE MAINTENANCE SCHEDULE	8

PLANS

PLANTING PLAN OVERVIEW WITH SCHEDULE – 5205/ASP1.0

ECOLOGICAL ENHANCEMENTS PLAN - 3266/EE1

1. INTRODUCTION

- 1.1. The following guidance has been produced for the ongoing management of Phase 1 of the residential development at Longford Park Banbury. This information is required as part of the planning permission reference 13/00822/REM. Condition 17 relates to the requirement for a Landscape and Ecology Management Plan ('LEMP') to be submitted and approved prior to the commencement of development.
- 1.2. The information detailed in the Condition is as follows:

Condition 17

Prior to the commencement of the development hereby approved, a Landscape and Ecology Management Plan (LEMP) to include proposed planting schedule and biodiversity enhancements with reference to Section 5.9 of the report Ecological Assessment Phase 1 submitted with the application prepared by Aspect Ecology and dated May 2013 shall be submitted to and approved in writing by the Local Planning Authority. Thereafter, the LEMP shall be carried out in accordance with the approved details.

- 1.3. A plan has been produced to indicate the location for the bat and bird boxes as recommended in the Phase 1 Ecology Assessment and these are shown on plan 3266.EE1 Ecological Enhancements.
- 1.4. The proposed planting schedule is shown on the landscape planting plans, of which the overview is appended to this document.

2. DEFINITION OF TERMS

- 2.1. For the purpose of this document the following terms are defined as;
 - a) *The Developers* Taylor Wimpey/ Barratt Homes/ Bovis Homes form the consortium who are responsible for the development of the site.
 - b) The Landscape Contractor a sub-contractor who is responsible for implementing the landscape scheme to the approved drawings and will be instructed directly by the Developers. The Landscape Contractor will be BALI registered and have the appropriate experience and references to carry out the landscape maintenance.
 - c) The Management Agency the managing agents will be liable for any failures to the planting and for the replacement planting during the defects liability period. Following completion and handover from the Landscape Contractor, the Managing agency will be responsible for the upkeep and ongoing maintenance of the landscape areas within the development. The main open space including the play equipment will be transferred to Bodicote Parish Council. Where areas are to be transferred to Bodicote Parish Council, the Management Agency will be responsible for maintenance and up-keep of these areas until they are formally adopted by the Parish Council, at which point the responsibility for maintenance will lie with the Parish Council. The Management Agency will be responsible for any replacement planting required after the defects liability period in those areas which are not adopted by the Parish Council.

3. MANAGEMENT OBJECTIVES

- 3.1. The primary management aim for the proposed planting is the establishment and future sustained growth of individual trees, shrubs and seeded areas. It is intended that the landscape scheme will be implemented by the Landscape Contractor appointed by the Developers, and upon completion will hand over the ongoing maintenance responsibilities of each landscaped area to the Management Agency. This document outlines the first 5 years of maintenance for the Management Agency, beyond which they will continue to be responsible for ongoing maintenance of the landscape areas within the development. Where areas are to be transferred to Bodicote Parish Council, the Management Agency will be responsible for maintenance and up-keep of these areas until they are formally adopted by the Parish Council, at which point the responsibility for maintenance will lie with the Parish Council.
- 3.2. The proposed landscape scheme shall be implemented to the approved plans, using the relevant standards as noted on the Drawings. All plants are to be supplied in accordance with the HTA 'National Plant Specification' and from a HTA certified nursery. All plants and trees are to be planted in accordance with BS 3936-1:1992 'Nursery stock Specification for trees and shrubs'. Delivery and handling of all plant material to be in accordance with CPSE 'Handling and Establishment of Landscape Plants 1996'.
- 3.3. All landscape maintenance operations, where they do not conflict with ecology operations, will be in accordance with BS 4428:1989 'Code of practice for general landscape operations' (excluding hard surfaces). Ongoing landscape maintenance operations are to be in accordance with sound ecological principles, and where relevant to be in accordance with BS 7370-4:1993 'Grounds Maintenance Recommendations for maintenance of soft landscape' (other than amenity turf).
- 3.4. All specialised play equipment and associated surfacing shall be installed to the approved plans, using the relevant standards and guidelines as per the manufacturer's requirements.

4. GENERAL MAINTENANCE

- 4.1. The programme of maintenance operations shall be as outlined in the schedule.
- 4.2. Upon practical completion of each landscape area, the Landscape Contractor will hand over to the Management Agency who will be responsible for the maintenance of all landscaped areas during the Aftercare period. The Aftercare period shall be for 12 months, covering the defects liability period for which the Management Agency is liable for any failures and necessary replanting.
- 4.3. The Management Agency shall eradicate weed growth of planted and seeded areas either by manual, mechanical or chemical means. Perennial weeds must be treated with glyphosphate or other approved product.
- 4.4. All relevant Acts of Parliament and the manufacturer's instructions must be followed and containers and other contaminated equipment must be cleared from the site after each day's work.
- 4.5. During routine maintenance visits, the Management Agency shall:
 - a) Check all plants for damage, security, firmness, fixing and support, and replanted in an upright position and re-firmed if required.
 - b) Keep all planting areas free from weed growth and hoe over and level all cultivated areas and remove weeds to tip, reinstating mulch as necessary.
 - c) Refix displaced, ease where necessary, or replace where damaged, tree ties and tree and shrub shelters.
 - d) Remove any litter or surplus discarded materials from the above within planted areas off site.
- 4.6. At the end of each growing season, an inspection of all planting areas shall be carried out by the Management Agency to identify plants which

have died or are failing to thrive or, in the opinion of the Management Agency are likely to die or fail to thrive. The Management Agency is responsible for the health and establishment of all plants, and therefore should ensure the appropriate amount of fertiliser is applied, and if necessary carry out a scientific soil survey to ascertain the level of nutrients. Any dead plants shall be removed off site, replacement plant material shall be of the same size and species as specified in the Contract.

- 4.7. Replacement planting shall be carried out by the Management Agency in the planting season, following the discovery of the defect.
- 4.8. The areas of meadow grassland as shown on the detailed planting plans will require careful management to maintain their ecological value. The Management Agency shall be responsible for following the cutting regime noted in the maintenance schedules, which varies the number of cuts in different parts of the grassland and/or the varying the height of cutting across the area. An annual cut is the minimum, which should leave random areas unmown and allowed to develop to a tall sward height to provide foraging and places of shelter for wildlife and ecology purposes. The application of fertiliser or herbicide on these areas should be avoided, and all cuttings within the area left in-situ up to 7 days. Elsewhere the cuttings shall be removed directly following a cut. Where topography forms a constraint to mechanical access, arisings may be left in situ.
- 4.9. Fertiliser shall be applied to the surface of each planting pit, cultivated or hedge trench. The type of fertiliser and rate of application shall be agreed by the Management Agency.
- 4.10. Fertiliser shall be applied to planting pits and to plants not requiring pit preparation. Spring and Summer grass fertilizer is to be applied to the amenity grass areas to encourage robust sward and successful establishment. Fertiliser shall not be applied to meadow grass areas.
- 4.11. Watering shall be carried out to field capacity during periods of drought during the aftercare period.

Ecological operations

- 4.12. As set out within section 5.9 of Aspect Ecology's report entitled Ecological Assessment: Phase 1, dated May 2013, a number of bat boxes will be installed on retained trees of appropriate size. A total of 3 No. Schwegler 2FN, and 3 No. Schwegler 1FF bat boxes will be erected as high as possible, facing either a southerly, south-easterly, or southwesterly direction so that they gain exposure to the sun for at least part of the day. The exact locations of these bat boxes will be determined by the supervising ecologist, however indicative locations are included on the attached ecological enhancements plan (Plan 3266/EE1).
- 4.13. As set out within the Ecological Assessment, a number of bird boxes will also be installed on retained trees of appropriate size. A total of 2 No. Schwegler 1B, 2 No. Schwegler 2M and 2 No. Schwegler Bird House bird boxes will be erected as high as possible, and sited in sheltered windfree areas, facing a northerly direction. The exact locations of these bird boxes will be determined by the supervising ecologist, however indicative locations are included on the attached ecological enhancements plan (Plan 3266/EE1).
- 4.14. So as to maximise the benefits of the above enhancements for bats and birds, care will be taken in the placement of external lighting to ensure that no lights are placed near the entrance/exit points of new potential roost / nest sites, and that low spill lighting is employed wherever possible. Lighting situated adjacent to the site boundaries will also be kept to a minimum so as not to disrupt the potential function of hedgerows as a wildlife refuge/corridor for bats and other fauna.

<u>Play equipment</u>

4.15. The Management Agency shall remain responsible for the ongoing general maintenance of the specialised play equipment until such time that the play areas are adopted by Bodicote Parish Council at which point the responsibility for maintenance and general up-keep will be transferred to the Parish Council. The manufacturer's guidelines for ongoing maintenance should be followed to ensure soundness and good working order. Annual RoSPA Inspections should be undertaken to

ensure approved safety of play equipment and RoSPA records maintained on file and issued to the client.

- 4.16. During routine maintenance visits, the Management Agency shall:
 - a) Undertake a visual check of all installed play equipment for soundness or damage; including structural supports, joints, fastenings, ropes and general cleanliness. Fixtures and fittings to be refixed where necessary to ensure good working order. Manufacturers should be consulted for any significant hazards identified or maintenance / repair / replacement requirements.
 - b) Any cleaning, painting, treating, adjusting shall be undertaken as necessary and as indicated by manufacturers.
 - c) All impact absorbing surfaces or loose bark chippings surrounding play equipment shall be checked and any disturbed or displaced materials shall be returned from adjacent grass areas or replaced to the original specified depth.
 - d) All surfacing should be maintained as per manufacturer's requirements relating to critical fall heights and in line with appropriate British Standards. All litter, debris and other objects shall be removed and disposed of.
 - e) All posts, rails, structural supports, joints, hinges and fixtures of enclosures to be checked and refixed or replaced on a like for like basis where necessary to ensure good working order. Timbers shall be treated and metalwork shall be painted to match original condition, as considered necessary to ensure increased longevity of materials and fences/gates.

5. LANDSCAPE MAINTENANCE SCHEDULE

General Works

- 5.1. Visits by the Developer's approved Estate Management Agency will be made to site twice monthly during the growing season (March-October) and monthly for the remainder of the year.
- 5.2. At each visit or following the specific schedule detailed the following activities should be carried out as required to keep the site looking well maintained (where appropriate) and promote plant growth:

A. Amenity Grassland

- 1. All litter and other debris collected and removed off-site prior to mowing.
- 2. Mow fortnightly from April to October (inclusive) or to maintain required height whichever is more frequent.
- While grass is establishing, it shall be allowed to grow to a height of 50mm – 75mm before the first cut.
- 4. Generally, grass to be maintained at a height of 25mm-50mm and arisings removed off-site.
- 5. Edges, banks and grass around obstructions to be strimmed to avoid damage.

B. Meadow grassland

- 1. All litter and other debris collected and removed off-site prior to mowing.
- Cut following flowering of wildflowers and when seeds have ripened and fallen, usually mid August. Further cuts in October and March, and others where necessary, to maintain a height of 50mm to 100mm during the period August to March. Allow to grow freely from March to August.
- 3. Arisings left in-situ for a period of up to 7 days, to allow seeds to disperse. The arisings subsequently removed off-site.
- 4. Where topography poses a constraint, arisings may be left in situ.
- 5. Do not apply fertilisers.
- 6. No requirement for leaf removal except during regular mowing operations.

 Removal of unwanted woody self-seeding shrubs and trees to be carried out by hand. Translocated herbicides should not be used in these areas.

C. New Trees

- All new trees to be checked at each visit. Any operations shall be carried out in accordance with best practice and BS 3998 'Recommendations for Tree Work'.
- Firm up new trees as necessary until fully established, especially following periods of strong winds. Backfill any collars at the base of the tree caused by rocking.
- 3. Check stakes and ties and adjusted as necessary to prevent chaffing.
- Maintain a minimum 1m diameter weed-free area around each tree for the first three growing seasons by either chemical or manual means.
- 5. Pruning to be carried out to promote the development of good specimens, remove dead, dying or diseased wood, and maintain a well balanced head with a single leader.
- 6. After 5 years, maintain a clear stem height of 1.8m above ground level. Prune away from street signs, sightlines for vehicles and light fittings, and avoid overhang onto footpaths up to 1.8m above ground level.
- 7. Any rabbit guards or other protection to be checked and adjusted as necessary. Remove after two growing seasons.
- 8. Any losses or damage to trees to be noted and brought to the attention of the Managing Agent for replacement, within the first five years from scheme completion.
- 9. All tree pruning works are to be undertaken outside of the birdnesting season (i.e. not between 1st March and 31st August inclusive), where possible. Should this not be possible, a nesting bird check survey should first be carried out by a suitably qualified ecologist. Any active nests identified should be cordoned off and protected until the end of the nesting season or until the nests are no longer active.

D. Existing Hedgerows and Hedgerow Trees

1. All litter caught within the hedge or around it shall be collected and removed off-site.

- 2. Prune hedge each year between October and February to remove half of new extension growth following original flail cut. After 4 years, prune every other year between October and February.
- 3. Check and remove dead, dying, damaged or diseased wood where necessary, and any epicormic shoots or potentially weak forks that could fail in adverse weather conditions. Fungal growths should be reported to inform subsequent visits.
- 10. All tree works are to be carried out by a competent operative in accordance with the 'Recommendations for Tree Work BS 3998: 1989'.
- 11. All pruning works are to be undertaken outside of the bird-nesting season (i.e. not between 1st March and 31st August inclusive), where possible. Should this not be possible, a nesting bird check survey should first be carried out by a suitably qualified ecologist. Any active nests identified should be cordoned off and protected until the end of the nesting season or until the nests are no longer active.

E. Shrub Planting Areas

- 1. All litter shall be collected and removed off-site.
- All planting to be kept weed free by either chemical or manual means. Where chemical methods are deemed necessary, a nontoxic organic herbicide should be utilised.
- 3. Make good all topsoil levels around plants where necessary, and reinstate mulch to a depth of 75mm where disturbed.
- 4. Pruning of shrubs should benefit the amenity value of the shrub and encourage strong growth. Remove dead, dying or diseased wood.
- 5. All shrub areas to be cut back from kerb edges, walls, fences and sight lines.
- 6. All pests and diseases are to be controlled by chemical or manual means.
- 7. In the first five years from scheme completion, any plant losses are to be noted and brought to the attention of the Managing Agent for replacement. Planting shall be to the original specification, and reinserted in the next available planting season.

F. Watering

During the establishment period watering visits to be carried out 1-3 times a week between March and October and once a week outside

this period. Beyond this period, the Estate Management Agency shall, when considered necessary, water trees, shrubs and other planted areas during routine maintenance visits until the entire tree pit or planted area is watered to field capacity. PLANS



NOTES: Based upon the Office, © Crown Ordnance Survey map with permission of The Controller of Her Maj

Office, © Crown Aspect Landsca Jcence 100045	pe Planning Ltd, West	Court, H	ardwick Busine	ess Park, N	oral Way,	Banbury O	X16 2AF	
Copyright resen								
No Dimensions	to be scaled from this o	irawing.			[/		/	
KEY:					\vdash		\rightarrow	
			lon				Ϊ	
Site Boundary								
Ο	Existin	g Tr	ees					
	~ Existin	g Sł	nrubs					
\oslash	Propos	ed .	Trees					
	Propos	ed I	Hedge	•				
₩0	Propos	ed	Featur	e Sh	rub			
	Propos	Proposed Shrubs						
<u></u>	Propos	ed	Climbe	ers				
Planting Scheo TREES Number Speci	es		Specification		Girth			
4 No. Acer 12 No. Acer	campestre campestre 'Elsnik' platanoides 'Crimson Ser		Extra Heavy S	tandard :RB tandard :RB	Girth 14-16cm 14-16cm			
10 No. Acer 12 No. Amer 2 No. Amer 9 No. Betu	platanoides "Crimson Ser anchier Iamarc, "Autumn i	ntry' Brilliance'	Extra Heavy S Extra Heavy S Selected Stan	dand :BR	16-18cm 10-12cm			
9 No. Betu 30 No. Carp 2 No. Cory	glatanobes: Camson ser anchier lamarc, 'Autumn i anchier lamarki 'Robin Hi a pendula nus betulus 'Frans Fontal us columna columna	loe'	Selected Stan Heavy Standa Extra Heavy S	rd :RB itandard :RB	10-12cm 14-16cm 16-18cm 14-16cm			
			Extra Heavy Standa Extra Heavy Standa Heavy Standa Extra Heavy Standa	tandard :RB	14-16cm			
24 No. Gledi 7 No. Liquid 2 No. Malus	tsla trlacanthos 'Sunburst tambar styracifiua 'Sweet s 'Evereste'	Gum'	Selected Stan	dard •8R	12-14cm 16-18cm 10-12cm			
4 No. Prunu 8 No. Pyrus	is avium - callervana 'Charticleer'		Selected Stan Extra Heavy S Extra Heavy S Selected Stan	dard :RB tandard :RB	16-18cm			
5 No. Quero 9 No. Sorbo 11 No. Sorbo	cus robur is ana is aucuparta		Selected Stan Heavy Standa	dand :BR rd :BR	14-16cm 10-12cm 12-14cm			
9 No. Tha:	is aucuparta aucuparta atyphylics		Heavy Standa Heavy Standa	rd :BR	12-14cm			
Number Speci	es ba japonica 'Varlegata'		Specification Bushy :4 brks Bushy :3 brks	Height 30-40cm	Pot Size 5L	Density 3/m ²		
121 No. Berbe 251 No. Brach 117 No. Cean 129 No. Chois	valoti savniti vvaloti s 'Sunshine' othus 'Blue Cushlon' ya 'Aztec Pearl' s 'Grayswood Plnk' s oprotekeets	_	Bushy 3 bris	40-60cm 30-40cm 40-60cm 30-40cm	5L 5L 5L	3/m² 3/m² 2/m8		
129 No. Chois 134 No. Clistu	ya 'Aztec Pearl' s 'Grayswood Pink'		Bushy :4 brks Bushy :3 brks Bushy :4 brks		5L	3/m² 3/m² 3/m²		
134 No. Cistu 339 No. Cistu 8 No. Com 4 No. Coryl	s corbarlensis us alba 'Spaethi'		Bushy :4 brks Bushy :4 brks Branched :RB Bushy :5/7 brks	30-40cm 80-100cm 150-175cm 60-80cm	5L 15L	3/m² Counted		
6 No. Cotin 187 No. Esca	us coggygna 'Royal Purp onia 'Apple Blossom'	6,	Bushy :5/7 brks Bushy :4 brks	60-80cm 40-60cm	10L 5L	Counted Counted Counted 3/m ²		
187 No. Esca 398 No. Euon 84 No. Fuchs	ymus fortunei "Emerald 'n sia 'Lena Dalton'	r Gold	Bushy :4 brks Bushy :4 brks Bushy :4 brks	40-60cm 30-40cm 40-60cm	5L 5L 5L	3/m² 3/m² 3/m²		
2 No. Garry 207 No. Hebe 378 No. Hebe	s opraafends is alba "Spaeth" us avellans "Contorta" us coogwaria "Ronal Purgl Ionta "Apple Blassom" mus fortunei "Emerald"n is "Lens Datton" a elitätoa a elitätoa a lattans rakaiensis		Bushy :4 brks Bushy :7 brks Bushy :4 brks Bushy :3 brks	40-60cm 80-100cm 40-60cm 20-30cm	5L 15L 5L 3L	Counted 3/m ⁸ 4/m ²		
178 No. Hebe 45 No. Lavar	rakajensis idula angustifolia Munste	ගේ		30-40cm	3L 3L	3/m² 4/m²		
134 No. Parat 9 No. Photi 224 No. Poter 112 No. Skimi 108 No. Solm	ebe catarractae Delight nia fraseri 'Red Robin' tilla fruticosa 'Abbotswoo	d White'	Bushy :4 brks Bushy :3 brks Bushy :7 brks Bushy :7 brks Bushy :5 brks Bushy :3 brks	40-60cm 20-30cm 80-100cm 30-40cm	3L 15L 3L	4/m ² Counted 3/m ²		
112 No. Skim 108 No. Spira	nia japonica 'Rubella' ea japonica 'Golden Princ	3855	Bushy :3 brks Bushy :4 brks	30-40cm	5L 5L	3/m² 3/m²		
7 No. Spira 35 No. Welg 102 No. Welg	rakainnis skuja angustfiojla tikunsta skoja angustfiojla tikunsta skoja ostarractas Delight nia franseri Red Robin filla fruticosa Akbotswo nia aponica "Robella" se aponica "Golden Pits se aponica "Golden Pits se aponica "Golden Pits se aponica Variegata" ela florida Variegata"	ď s'	Bushy :4 brks Bushy :5/7 brks Bushy :4 brks Bushy :4 brks	60-80cm 40-60cm 40-60cm	10L 5L 51	Counted 3/m ² 3/m ²		
6 No. Welg	ela florida 'Variegata'		Bushy :4 brks Bushy :7 brks	60-80cm	15L	Counted		
Number Spect 4 No. Clem	atis alpina 'Pamela Jackn	Speinan' Sevi	ification eral Shoots (2 b	rks ;Caned	50-80cm	Pot Size C 2L C	ensity counted	
6 No. Clem 2 No. Rosa	atis montana granditora Toeberg, Cimbing	Sevi	eral Shoots :2 b eral Shoots Car aral Shoots Car	led l led	30-100cm 30-100cm	57.5L C	betruc: betruc	
HERBACEOUS Number Spect	es	Specif	Ication Pot Size	Density				
The RPA/CLOST Number (Soucher) Specification Per State Density S20 No. Acoust gramineus Ogen Full Pet 3L 4m ² S27 No. Hexcher Rochd III Full Pet 3L 5m ² S47 No. Neepata Shi Higi Gata Hana Hear Full Pet 3L 57.25, 5m ²								
347 No. Nepetar 3br. Hijs Glant Full Pot 3L. 4/m² 107 No. Paeonta officinal is Rubra Henzi Full Pot 5-7.5L. 3/m² 114 No. Sedum 'Autumn Joy Ful Pot 5-7.5L. 3/m²								
HORNBEAM H Number 1568 No	Species Spec	dication	He	Nght Dens	thy			
Total : 1568 No	<u></u>	Double st	aggered row tou	-80cm [6/m				
NATIVE SHRU Number 143 No.	B MX Species Sp Prunus spinosa BR	edification		ŀ	leight D	ensity (m ²		
97 No. 143 No.	Viburnum lanata BR	:1+0		4	0-60cm 3	(m²		
143 No. 190 No. 97 No.	Ligustrum vulgare BR Cornus sanguinea BR Viburnum opulus RB	:Branche :Branche	id :2 brks :0+2 id :2 brks :1+1	4	0-60cm 3 0-80cm 3	(m² (m²		
143 No. Total :956 No.	Rhamnus cathartica RB	Leader	With Laterals :3	brks 1+1 4	0-60cm 3	ím²		
ORNAMENTA Number	Species		Specification	Height Po	nt Size De	nsity		
99 No. 75 No.	Ceanothus 'Blue Mound' Choisya temata		Specification Bushy :3 brks Bushy :4 brks	Height Po 30-40cm 3L 30-40cm 3L	nt Size Da 3/r 3/r	n ²		
173 No. 51 No.	Cornus alba Tyory Halo Cornus sangulnea 'Midv Escallonta 'Apple Blosso	vinter Fire'	Bushy :4 brks Bushy :4 brks Bushy :3 brks	40-60cm 5L 30-40cm 3L	. 3/r . 3/r	n ²		
51 No. Total :497 No. PLAYGROUNI	1							
Number 84 No.	Species Brachyglottis 'Sunshine'	S	pecification automotion auto automotion automotion auto	Height Pot 30-40cm 3L	Size Den 3/m	sity		
84 No. 44 No. 44 No.	Species Brachyglottis 'Sunshine' Cholsya 'Aztec Pearl' Hebe rakajensis	B	ushy::3 brks ushy::3 brks	30-40cm 3L 30-40cm 3L	3/m 3/m	2		
106 No. 145 No. Total :423 No.	Hebe rakalensis Potentija fruticosa 'Eliza Spiraea japonica 'Candi	eLight B	ushy :5/6 brks	10-20cm 2L 20-30cm 3L	3/m 3/m	-		
ESCALLONIA	ucone l	Sauct	Amaton bialabt	Deorthu				
Number 261 No 169 No	Species Escalionia 'Apple Blosso Escalionia 'Apple Blosso	m Bush	/ 4 bris 40-60c	Density m 6/m m 3/m				
Total :430 No.	ן ר							
Number 15 No	Species Specifi Hebe rakaiensis Bushy Hebe rakaiensis Bushy	cation Hi :5 brks 20	aight Density 30cm 3/m					
1018 3251 NO.	1	:5 brits 20	⊢a0cm∥6/m	I				
NATIVE HEDG Number	E MIX Species	Spedificar	lon Staanend P	Height	Density B/m			
Number 154 No. 308 No. 116 No.	Species Conjus aveiana Crataegus monogyna Euonymus europaeus	BR: Tripl BR: Tripl	llon e Staggered Rov e Staggered Rov e Staggered Rov	4 60-80cm	orm B/m			
40 No. Lonicera peridymenum BR; Triple Staggened Row 60-80cm 6/m 116 No. Prunus avium BR; Triple Staggened Row 60-80cm 6/m 0.11								
Total :774 No.	1	pers; Tripl	e utaggered Rov	for-goan	u:m			
Skimmia Hedg Number 231 No	Species	Sped	Ication Height	Density m 3/m				
231 No. Total :231 No.]							
ESCALLONIA Number 3 31 No E	HEDGE Species Scallonia 'Apple Blosson'	Specifi 1' Busier	cation Height	Density				
108 .31NO.		. jedoný						
Groundcover n Number 131 No.	tix Species Brachyglottis 'Sunshine'	S	usny 13 bhs	30-40cm 3/n	18ity 1 ⁸			
203 No.	Potentila fruticosa 'Eliza	beth' B	ushy :3 brks	30-40cm 3/n 10-20cm 3/n	²			
203 No. 168 No. Total :836 No.	Spiraea japonica 'Cand) Weigela 'Bristol Ruby'	e Light' B B	ushy :5/6 brks	20-30cm 3/n 30-40cm 3/n				

aspect landscape planning

Longford Park, Banbury Phase 1 - Planting Plan Overview


CLIENT

TITI

Barratt Homes, Bovis & Taylor Wimpey Homes

SCALE	DATE	DRAWN
Not to Scale	JUL 2013	CW
DRAWING NUMBER		REVISION
5205/ ASP 1.0		E

Based on Architects drawing C1618 P001 D



landscape planning • ecology • arboriculture



Aspect Landscape Planning Ltd West Court Hardwick Business Park Noral Way Banbury Oxfordshire OX16 2AF

T: 01295 276066

F: 01295 265072

E: info@aspect-landscape.com

W: www.aspect-landscape.com