



General Notes

- Where this drawing has been issued in electronic .dwg format it has been done so in good faith. JNP Group do not take any responsibility for any inaccuracies in the electronic data, which should be checked against the paper (or .pdf) drawing issue. Any apparent discrepancies should be immediately reported to JNP Group. The electronic .dwg file should not be assumed to be to scale and should not be used for 'overlaying', setting out or checking of any third party information. All dimensions should be taken from the paper (or .pdf) version of the drawing. Electronic drawings may contain third party information. JNP Group take no responsibility for this information, which should be checked against the originators paper drawing(s).
- All dimensions to be checked on site prior to construction/fabrication.
- Do not scale from this drawing.
- Any discrepancies between drawings of different scales, and between drawings and specification where appropriate to be notified to JNP Group for decision.
- Copyright reserved. This drawing may only be used for The Client and location specified in the title block. It may not be copied or disclosed to any third party without the prior written consent of JNP Group.
- This drawing should only be used for construction if the drawing status is "Construction". JNP Group take no responsibility for construction works undertaken to drawings which are not marked with this status.

Legend

- Hose distance to the furthest part of each dwelling from the rear of the fire tender. The pump appliance should be able to reach within 45m to all points of a dwelling, in accordance with Building Regulations Approved Document B (2020)
- Maximum 20m reversing distances for fire tenders in accordance with Building Regulations Approved Document B (2020)

PO6	02/08/2021	Seventh Issue	EL/SWSW
PO5	28/07/2021	Sixth Issue	EL/SWSW
PO4	27/07/2021	Fifth Issue	EL/SWSW
PO3	17/06/2021	Fourth Issue	EL/SWSW
PO2	19/04/2021	Third Issue	EL/SWSW
PO1	19/03/2021	Second Issue	EL/SWSW
-	18/02/2021	First Issue	EL/SWSW

Rev. Date Description Dwn / Cdw / App'd

Stability: S2 - Suitable for Information

Client Logo:

JNP GROUP
CONSULTING ENGINEERS

Chesham • Brighouse • Glasgow • Hartlepool
Leamington Spa • Sheffield
www.jnpgroup.co.uk

Client: Gade Homes

Job: Sibford Ferris, Banbury

Title: Swept Path Analysis
Fire Tender

Classification: FI_60_20
Scale @ A1: 1:500

Project - Originator - Volume/System - Level/Location - Type - Discipline - Number
C85855 - JNP - 66 - XX - DR - T - 2003

Revision: P06

© Copyright JNP Group Ltd. 2020 JNP Group Internal Project Number: C85855