Comment for planning application 21/03266/F

Application Number 21/03266/F

Location OS Parcel 2636 NW Of Baynards House Ardley

ProposalSite clearance, construction of new site access from the B4100, permanent and temporary internal roads, an internal roundabout and a foul drainage station, diversion of an existing

overhead power cable and public right of way, and soft landscaping

Case Officer David Lowin

Organisation

Comments

Type of Comment

Name Miles Penhallow

Address Berg House,8 Cedar Drive,Bicester,OX26 4EZ

berg House, o Cedar Drive, bicester, OAZO 4LZ

Type neighbour

Objection

As a Cherwell resident I would wish to lodge an objection to the Albion Land Application 21/03267/OUT. Having commuted by car to Birmingham for 12 years I am well placed to testify that the road system at both Baynards Green roundabout and Junction 10 are inadequate for the current level of traffic causing long queues at peak times. In particular, the queue to leave Junction 10 going south ends up backing up on the hard shoulder of the M40. If this proposal is approved then the additional trucks and cars would only exacerbate the chance of a serious accident. The location of this proposed development is not serviced by buses as there is no Bicester to Banbury service. The nearest Train Station is six miles away in Bicester. To cycle the six miles from Bicester, the town with highest population density and hence likely to provide the workforce, involves rural roads with no dedicated cycle paths and climbs over one of the highest points in Oxfordshire. It is also uphill all the way from Caversfield to Stoke Woods on the busy B4100. All employees would have to commute by car. I would also like to raise a secondary objection on environmental grounds. The proposed site is surrounded by water courses that meander into Bicester, Gagle Brook to the South West and Langford Lakes to the South East. Any pollution run off

will be difficult to contain and damage to the local ecosystem is inevitable.

Received Date

01/02/2022 15:39:44

Attachments