





the condition that it is not copied, reproduced, retained nor disclosed to any unauthorized person either wholly or in part without the consent of Bradley Murphy Design Ltd. 1. THIS DRAWING IS BASED ON BMD.19.010.DR.P001 OVERALL

LANDSCAPE GENERAL ARRANGEMENT 2. THIS DRAWING SHOULD BE READ IN CONJUNCTION WITH ALL

This drawing is the property of Bradley Murphy Design Ltd. Copyright is reserved by them and the drawing is issued on

- OTHER LANDSCAPE DRAWINGS AND DOCUMENTS 3. THIS DRAWING IS NOT INTENDED FOR CONSTRUCTION
- 4. DO NOT SCALE FROM THIS DRAWING
- 5. ANY DISCREPANCIES WITHIN THIS DRAWING OR BETWEEN THIS DRAWING AND ANY OTHER INFORMATION IS TO BE REPORTED TO BMD FOR CLARIFICATION

# DRAWINGS SHOULD BE READ IN CONJUNCTION WITH OTHER BMD LANDSCAPE DRAWINGS & DETAILS:

### PLANTING PLANS & SCHEDULE BMD.19.010.DR.P301, P302, P303 & P304 PLANTING PLANS (4

SHEETS)

• BMD.19.010.DR.P305 PLANTING SCHEDULES

SPECIFICATION AND LANDSCAPE MAINTENANCE AND MANAGEMENT PLAN

BMD.19.010.SP.P005 NBS LANDSCAPE SPECIFICATION

BMD.19.010.SP.P006 LANDSCAPE MAINTENANCE & MANAGEMENT PLAN (LMMP)

Rev Description Date Purpose of Issue

# PLANNING

Bradley Murphy Design Ltd

6 The Courtyard Hatton Technology Park Dark Lane Hatton Warwickshire

CV35 8XB t: 01926 676496

19.010

Drawing Number BMD.19.010.DR.P607

SCALE - 1:20

e: info@bradleymurphydesign.co.uk www.bradleymurphydesign.co.uk

## **GREAT LAKES UK LIMITED**

GREAT WOLF LODGE, CHESTERTON, BICESTER Drawing Title

1:20

TYPICAL TREE PIT DETAILS 5 Checked Approved AB 23/03/2022 Job No. Scale Sheet Size

A1

1002 TREE PIT DETAIL FOR SEMI-MATURE TREES (35-45CM GIRTH) IN SOFT LANDSCAPE

TREE PIT DETAIL FOR SEMI-MATURE TREES (60-70CM GIRTH) ALONG BOULEVARD IN AMENITY LAWN

SCALE - 1:20

SECTION

ROOT BARRIERS TO BE INSTALLED WHERE TREES ARE ADJACENT TO BELOW GROUND UTILITIES AND

-RECTANGULAR TREE PIT (FOR 60-70CM GIRTH TREES) 2000 X 3000MM; DEPTH OF PIT NOMINAL 800MM.

EXTRA EXCAVATION SHOULD BE PROVIDED IF REQUIRED TO ALLOW INSTALLATION OF ROOTBALL AT

-200MM MIN LAYER OF 6-10MM GRADE CLEAN DRAINAGE AGGREGATE. REFER TO CLAUSE:Q31:516

-UNDERGROUND ANCHORING SYSTEM; PLATIPUS TREE ANCHORING SYSTEM; SECURED TO DEADMAN ANCHORS (TIMBER OR OLD KERBS). REFER TO CLAUSE Q31:530. TO BE INSTALLED

—SOIL PROFILES OUTSIDE OF PIT REFER TO GA / PLANTING PLANS AND SPECIFICATION

-400MM MIN LAYER OF WASHED SAND, IN ACCORDANCE WITH CLAUSE: Q28:346

-ALL SIDES TO BE SCARIFIED & BROKEN UP BY FORKING PRIOR TO BACKFILLING IN

ORDER TO REMOVE ANY GLAZING UNLESS A ROOT BARRIER IS REQUIRED

SERVICES, AS CLAUSE Q31:510

EXISTING SUBGRADE

TO MANUFACTURERS INSTRUCTIONS.