







002 TREE PIT DETAIL FOR SEMI-MATURE TREES (20-35CM GIRTH) ON SLOPE 601 PLAN & SECTION

SCALE - 1:20

	\checkmark		\checkmark	I
\checkmark		V		
	\checkmark		\checkmark	
\checkmark		\checkmark		
	\checkmark		\checkmark	1
		\rightarrow		OUTLINE OF FLAT AREA CREATED FOR PLANTING
	\checkmark	_	\checkmark	
\checkmark		\checkmark		
	¥		Ŷ	
\checkmark		\checkmark		I \\ I
	\checkmark		\checkmark	1
\checkmark		\checkmark		
	\checkmark			
\checkmark		\checkmark		↓
	\checkmark		\checkmark	
	Ŷ		Ŷ	
\checkmark		\checkmark		
		_	\checkmark	TREE PLANTED CENTRALLY IN PIT
\checkmark		\checkmark		
	\checkmark		\checkmark	
\checkmark		\downarrow		AERATION & IRRIGATION SYSTEM, 'GREENBLUE URBAN ROOTRAIN URBAN - ENSURE FILLER CAP FINISHES SLIGHTLY
	\checkmark		\checkmark	ABOVE MULCH LEVEL, REFER TO CLAUSE: Q31:512
\checkmark		\vee		1500MMØ CIRCLE OF 75MM DEPTH OF ORNAMENTAL BARK MULCH AS CLAUSE Q31:485
	\checkmark		\checkmark	۱ ۹
\rightarrow		\checkmark		BASE OF STEEPER SECTION OF BANK
			\checkmark	INSPECTION PIPE 100MMØ, BOTTOM 600MM TO BE PERFORATED, TOP TO BE FITTED WITH CAP. REFER TO CLAUSE:Q31:516
\checkmark		\checkmark		TO CLAUSE:Q31:516
			\checkmark	
\checkmark		\checkmark		
	\checkmark		\vee	
\checkmark		\checkmark		
	\checkmark		\checkmark	1
\checkmark		\checkmark		\
	\checkmark		\checkmark	
		<		

HNSPECTION PIPE 100MMØ, BOTTOM 600MM TO BE PERFORATED, TOP TO BE FITTED WITH CAP

—AERATION & IRRIGATION SYSTEM, 'GREENBLUE URBAN ROOTRAIN URBAN - ENSURE FILLER CAP FINISHES SLIGHTLY ABOVE MULCH LEVEL, REFER TO CLAUSE: Q31:512

-1500MMØ CIRCLE OF 75MM DEPTH OF ORNAMENTAL BARK MULCH AS CLAUSE Q31:485

-400MM MIN LAYER OF SITE WON OR IMPORTED TOPSOIL, IN ACCORDANCE WITH BS3882 & CLAUSE Q28:333A

DEPTH OF PIT NOMINAL 1200MM (EXTRA EXCAVATION SHOULD BE PROVIDED IF REQUIRED TO ALLOW INSTALLATION OF ROOTBALL AT CORRECT DEPTH) TO BE BACKFILLED WITH 3NO. MATERIALS. TOP LAYER 400MM OF SITE WON OR IMPORTED TOPSOIL. MIDDLE LAYER 600MM OF SITE WON OR IMPORTED SUBSOIL. BOTTOM LAYER 200MM OF CLEAN DRAINAGE AGGREGATE. REFER TO CLAUSE: Q31:505A

INDERGROUND ANCHORING SYSTEM: PLATIPUS TREE ANCHORING SYSTEM: SECURED TO DEADMAN ANCHORS (TIMBER OR OLD KERBS). REFER TO CLAUSE Q31:530. TO BE INSTALLED TO MANUFACTURERS INSTRUCTIONS.

-200MM MIN LAYER OF 6-10MM GRADE CLEAN DRAINAGE AGGREGATE. REFER TO CLAUSE:Q31:516

-SHORT SECTION OF BANK AT 1:2 GRADIENT, MAXIMUM OF 1:1.5 WHERE REQUIRED

> -60MMØ SOLID LAND DRAINAGE PIPE AS CLAUSE Q31:514.

PIPE TO FINISH AT TOPSOIL LEVEL. GEO-MEMBRANE TO COVER END OF PIPE

-60MMØ PERFORATED LAND DRAINAGE PIPE, PRE-WRAPPED IN GEOTEXTILE, AS CLAUSE

Q31:514

SCALE - 1:20

This drawing is the property of Bradley Murphy Design Ltd. Copyright is reserved by them and the drawing is issued on the condition that it is not copied, reproduced, retained nor disclosed to any unauthorized person either wholly or in part without the consent of Bradley Murphy Design Ltd. NOTES:

- 1. THIS DRAWING IS BASED ON BMD.19.010.DR.P001 OVERALL LANDSCAPE GENERAL ARRANGEMENT 2. THIS DRAWING SHOULD BE READ IN CONJUNCTION WITH ALL OTHER LANDSCAPE DRAWINGS AND DOCUMENTS
- 3. THIS DRAWING IS NOT INTENDED FOR CONSTRUCTION DO NOT SCALE FROM THIS DRAWING
 ANY DISCREPANCIES WITHIN THIS DRAWING OR BETWEEN
- THIS DRAWING AND ANY OTHER INFORMATION IS TO BE REPORTED TO BMD FOR CLARIFICATION

DRAWINGS SHOULD BE READ IN CONJUNCTION WITH OTHER BMD LANDSCAPE DRAWINGS & DETAILS:

- PLANTING PLANS & SCHEDULE
 BMD.19.010.DR.P301, P302, P303 & P304 PLANTING PLANS (4 SHEETS)
 BMD.19.010.DR.P305 PLANTING SCHEDULES
- SPECIFICATION AND LANDSCAPE MAINTENANCE AND MANAGEMENT PLAN
 BMD.19.010.SP.P005 NBS LANDSCAPE SPECIFICATION
 BMD.19.010.SP.P006 LANDSCAPE MAINTENANCE & MANAGEMENT PLAN (LMMP)

--Rev Description Date Purpose of Issue PLANNING

Bradley Murphy Design Ltd 6 The Courtyard Hatton Technology Park Dark Lane Hatton Warwickshire



CV35 8XB

t: 01926 676496 e: info@bradleymurphydesign.co.uk www.bradleymurphydesign.co.uk Client

GREAT LAKES UK LIMITED

Project PROPOSED GREAT WOLF LODGE, CHESTERTON, BICESTER Drawing Title

TYPICAL TREE PIT DETAILS 1							
Drawn	Checked	Approved	Date				
AB	MP	RW	23/03/2022				
Job No.	Scale	Sheet Size	Revision				
19.010	1:20	A1					
Drawing Numb	-						
BMD.19.010.							