



DISCLAIMER NOTES:

- THIS DOCUMENT IS COPYRIGHT OF THE ORIGINATOR AND MUST BE TREATED AS CONFIDENTIAL.
- THIS DOCUMENT MUST NOT BE ALTERED, REPRODUCED OR DISTRIBUTED WITHOUT PRIOR WRITTEN CONSENT OF THE ORIGINATOR.
- THIS DOCUMENT MUST NOT BE ALTERED - THE ORIGINATOR ACCEPTS NO RESPONSIBILITY FOR ANY DISCREPANCIES ARISING AS A RESULT OF THE ORIGINATOR'S INFORMATION BEING ALTERED BY OTHERS.
- ANY DISCREPANCY MUST BE REPORTED TO THE ORIGINATOR.
- DO NOT SCALE THIS DOCUMENT - USE FIGURED DIMENSIONS ONLY.
- ALL DIMENSIONS MUST BE CHECKED ON SITE PRIOR TO COMMENCEMENT OF ANY RELATED WORKS.
- THIS DOCUMENT MUST BE READ IN CONJUNCTION WITH ALL SUPPORTING DOCUMENTS PRODUCED BY THE ORIGINATOR AND OTHER PROJECT DISCIPLINES.
- THE ORIGINATOR ACCEPTS NO RESPONSIBILITY FOR THE ACCURACY OF BACKGROUND INFORMATION PRODUCED BY THIRD PARTIES - THIS MUST BE TREATED AS INDICATIVE ONLY.
- USERS OF THIS DOCUMENT ARE RESPONSIBLE FOR CHECKING WHICH REVISION IS CURRENT.
- THE DOCUMENT STATUS "INFORMATION" OR "PRELIMINARY" INDICATES THAT THIS DRAWING IS FOR REFERENCE PURPOSES ONLY - THE ORIGINATOR WILL ACCEPT NO RESPONSIBILITY FOR THE COMPLETENESS OF INFORMATION UNDER THIS STATUS.
- THE DOCUMENT STATUS "RECORD" OR "AS BUILT" HAS BEEN PREPARED, IN PART, BASED UPON INFORMATION FURNISHED BY OTHERS. WHILE THIS INFORMATION IS BELIEVED TO BE RELIABLE, THE ORIGINATOR ASSUMES NO RESPONSIBILITY FOR THE ACCURACY OF THIS "RECORD" OR "AS BUILT" DOCUMENT OR FOR ANY ERRORS OR OMISSIONS THAT MAY HAVE BEEN INCORPORATED INTO IT AS A RESULT OF INCORRECT INFORMATION PROVIDED TO THE ORIGINATOR. THOSE RELYING ON THE "RECORD" OR "AS BUILT" DOCUMENT ARE ADVISED TO OBTAIN INDEPENDENT VERIFICATION OF ITS ACCURACY.

DRAWING NOTES:

CDM REGULATIONS 2015
 SIGNIFICANT OR NON-OBVIOUS RISKS AND RISKS WHICH ARE DIFFICULT TO MANAGE ARE IDENTIFIED ON THIS DRAWING USING THE FOLLOWING SYMBOL IDENTIFIED TO THE RIGHT WITH BRIEF ACCOMPANYING TEXT. FOR FURTHER DETAILS OF THE RISKS IDENTIFIED BY DESIGNERS, REFERENCE SHOULD BE MADE TO CDM HAZARD REGISTER.

- LEGEND**
- PROPOSED PRIVATE FOUL DRAIN
 - PROPOSED FOUL PUMPING MAIN
 - PROPOSED PRIVATE S.W. DRAIN
 - EXISTING SEWER
 - PROPOSED 1200mm ϕ MANHOLE
 - MH/IC
 - PROPOSED PRIVATE MANHOLE/INSPECTION CHAMBER depth > 600mm - 450mm ϕ (SEE PLAN FOR TYPE)
 - PROPOSED GEOCELLULAR SOAKAWAY
 - PROPOSED SWALE
 - PROPOSED PERMEABLE PAVED FOOTPATH - BASE 300mm BELOW PROPOSED GROUND LEVEL WITH 30% Min. NO FINES AGGREGATE
 - PROPOSED PERMEABLE PAVING - BASE 300mm BELOW PROPOSED GROUND LEVEL WITH 30% Min. NO FINES AGGREGATE
 - PROPOSED GRASSCRETE PAVING - BASE 300mm BELOW PROPOSED GROUND LEVEL WITH 30% Min. NO FINES AGGREGATE
 - PROPOSED PERMEABLE SUB-BASE - BASE 300mm BELOW PROPOSED GROUND LEVEL WITH 30% Min. NO FINES AGGREGATE

REV	DESCRIPTION	DATE	DRAWN
P01	UPDATED WITH ARCH RWP LOCATIONS	09/02/2023	TC
	PRELIMINARY ISSUE	28/04/2022	JM



PARTNERSHIP HOUSE
 MOORSIDE ROAD
 WINCHESTER
 SO23 7FX
 TEL: 01962 834400
 WWW.RIDGE.CO.UK

CLIENT:
BICESTER MOTION LTD

IN ASSOCIATION WITH:

PROJECT:
**HOTEL
 PRE-COMMENCEMENT CONDITIONS**

TITLE:
PROPOSED DRAINAGE STRATEGY

TECH	CSE	ICSE	SCALE	@
JM			1:500	A1

STATUS:
PLANNING

DRAWING No:	PROJECT:	ORG:	ZONE:	LEVEL:	TYPE:	ROLE:	NUMBER:	REV:
	5017396	RDG	XX	ST	DR	C	0500	P01

