

## Lynne Baldwin

---

**From:** Neil Whitton  
**Sent:** 02 November 2022 09:57  
**To:** Michael Sackey  
**Cc:** DC Support  
**Subject:** 22/03179/DISC - Os Parcel 9507 South Of 26 And Adjoining, Fewcott Road, Fritwell, Oxfordshire

Dear Michael,

Having read the report provided I agree with the findings that further investigation is required along with remediation strategy once this has been completed.

Therefore I would recommend that this condition can be discharged subject to the receipt and agreement of the Supplementary Site Investigation report as stated in Para 16.2 of the Site Investigation report.

Please note my working pattern below, I will only respond on the days appropriate to the email content  
**Mon – Weds: Environmental Protection, Thurs – Fri: Health Protection and Compliance**

Kind Regards

Neil Whitton BSC, MCIEH  
Environmental Health Officer  
Environmental Health and Licensing  
Cherwell District Council  
Tel - 01295 221623  
Email - [Neil.Whitton@cherwell-dc.gov.uk](mailto:Neil.Whitton@cherwell-dc.gov.uk)



<http://www.cherwell.gov.uk/>  
Find us on Facebook [www.facebook.com/cherwelldistrictcouncil](http://www.facebook.com/cherwelldistrictcouncil)

Follow us on Twitter [@Cherwellcouncil](https://twitter.com/Cherwellcouncil)

This e-mail (including any attachments) may be confidential and may contain legally privileged information. You should not disclose its contents to any other person. If you are not the intended recipient, please notify the sender immediately.

Whilst the Council has taken every reasonable precaution to minimise the risk of computer software viruses, it cannot accept liability for any damage which you may sustain as a result of such viruses. You should carry out your own virus checks before opening the e-mail(and/or any attachments).

Unless expressly stated otherwise, the contents of this e-mail represent only the views of the sender and does not impose any legal obligation upon the Council or commit the Council to any course of action.