

Installation Type	Unit of Measure	Capacity/Flow rate (1)	Use Factor (2)	Fixed use (litres/person/day) (3)	Litres/person/day = [(1)x(2)] + (3) (4)
WC (single flush)	Flush Volume (litres)		4.42	0.00	0
WC (dual flush)	Full flush Volume (litres)	3	1.46	0.00	4.38
	Part flush Volume (litres)	0	2.96	0.00	0.00
WC (multiple fittings)	Average effective flushing Volume (litres)		4.42	0.00	0
Taps (excluding kitchen/utility room taps)	Flow rate (litres/min)		1.58	1.58	0
Bath (where shower also present)	Capacity to overflow(litres)	200.00	0.11	0.00	22.00
Shower (where bath also present)	Flow Rate(litres / minute)	0.30	4.37	0.00	1.31
Bath Only	Capacity to overflow(litres)		0.50	0.00	0
Shower Only	Flow Rate (litres/minute)		5.60	0.00	0
Kitchen/Utility room sink taps	Flow rate (litres/minute)	12.00	0.44	10.36	15.64
Washing Machine	(Litres/kg dry load)	0.75	2.1	0.00	1.58
Dishwasher	(Litres/place setting)	1.00	3.6	0.00	3.60
Waste disposal unit	(Litres/use)	<input type="checkbox"/> Present	3.08	0.00	0
Water Softener	(Litres/person/day)		1.00	0.00	0
	(5)	Total Calculated use (litres/person/day) =SUM(column 4)			48.51
	(6)	Contribution from greywater (litres/person/day)			0
	(7)	Contribution from rainwater (litres/person/day)			0
	(8)	Normalisation factor			0.91
	(9)	Total internal water consumption = [(5)-(6)-(7)]x(8) (litres/person/day)			44.14
	(10)	External water use			5.0
	(11)	Total water consumption (Building Regulation 17.K) =(9)+(10)(litres/person/day)			49.1

Installation Type	Make/Model (mandatory)	Litres/Person/Day
Baths (shower(s))	Yet to be purchased	22.00
Showers (bath(s))	Yet to be purchased	1.31
Kitchen Taps	Yet to be purchased	15.64
Washing Machines	Yet to be purchased	1.58
Dishwasher	Yet to be purchased	3.60



©Water Research Centre Limited 2022

[Terms and Conditions](#)
[System Requirements](#)