Rachel Tibbetts

From: Sent: To: Subject: Attachments: Planning 20 July 2023 09:12 DC Support FW: Planning notification for application reference: 23/01633/F inappropriate consultation.pdf

From: Planning_THM <Planning_THM@environment-agency.gov.uk> Sent: Wednesday, July 19, 2023 7:50 PM To: Planning <Planning@Cherwell-DC.gov.uk> Subject: RE: Planning notification for application reference: 23/01633/F

CAUTION: This email originated from outside of the Council. Do not click links or open attachments unless you recognise the sender and know the content is safe.

Dear Planning Officers,

•

This planning application is for development we do not wish to be consulted on. Please see the attached which was issued to your council to screen applications before sending to us. **Please only consult us on planning applications that fall within the categories in the attached list.** Ensuring your authority **only** consult us on the development we wish to comment on, saves time for both our organisations which can be better spent on other higher risk developments requiring our input.

For development that falls within a flood risk area:

For certain development types, we have supplied your authority with Flood Risk Standing Advice (FRSA). Please refer to this in accordance with the table below.•Please consult the Environment Agency for development **not** covered by FRSA.•

Flood	Minor development
Zone 3	Non-domestic extensions of 250 square metres or
	Change of use (except a change to more or highly vulnerable or a change from water compatible to less vulnerable)
	Refer to Annex 3: Flood risk vulnerability classification of the NPPF for vulnerability definitions National Planning Policy Framework - Annex 3: Flood risk vulnerability
	classification - Guidance - GOV.UK (www.gov.uk)
Flood	Minor development
Zone 2	Non-domestic extensions of 250 square metres or less
	Water compatible (including essential accommodation within a water compatible development), more vulnerable (except landfill, a waste facility or a caravan or camping site), less vulnerable (except a waste treatment site, mineral processing site, water treatment plant, or sewage treatment plant)
	Refer to Annex 3: Flood risk vulnerability classification of the NPPF for vulnerability definitions

National Planning Policy Framework - Annex 3: Flood risk vulnerability classification - Guidance - GOV.UK (www.gov.uk)

Permitting and licencing advice for applicants:

Although we are not providing bespoke comments on this planning application, the applicant should be made aware that they may require an Environmental Permit or Licence from us for some types of development.

permits	Under the Environmental Permitting (England and Wales) Regulations 2016, permits are needed to carry out a wide range of specified activities lawfully. • Examples include: installations, medium combustion plant, specified generator, waste or mining waste operations, water discharge or groundwater activities, or work on or near a main river or sea defence. • For more information visit: https://www.gov.uk/topic/environmental- management/environmental-permits
abstraction or impoundment) •	In order to ensure water resources and water quality activities are protected and appropriately managed, abstracting or impounding water may require an abstraction or impoundment licence. • For more information visit:• https://www.gov.uk/topic/environmental-management/water

If you require any further assistance understanding the attached list, please do not hesitate to contact us. •

Kind Regards,

Abbie Philpott (Planning Advisor) on behalf of Thames Sustainable Places

Direct e-mail planning_THM@environment-agency.gov.uk

From: CDC Development Management <<u>planning@cherwell-dc.gov.uk</u>> Sent: 28 June 2023 14:12 To: Planning_THM <<u>Planning_THM@environment-agency.gov.uk</u>> Subject: Planning notification for application reference: 23/01633/F

Please see the attached letter for details. Regards Development Management Cherwell District Council Direct Dial 01295 227006 <u>planning@cherwell-dc.gov.uk www.cherwell.gov.uk</u> Find us on Facebook <u>www.facebook.com/cherwelldistrictcouncil</u> Follow us on Twitter @Cherwellcouncil

Disclaimer

The information contained in this communication from the sender is confidential. It is intended solely for use by the recipient and others authorized to receive it. If you are not the recipient, you are hereby notified that any disclosure, copying, distribution or taking action in relation of the contents of this information is strictly prohibited and may be unlawful.

This email has been scanned for viruses and malware, and may have been automatically archived by Mimecast, a leader in email

security and cyber resilience. Mimecast integrates email defenses with brand protection, security awareness training, web security, compliance and other essential capabilities. Mimecast helps protect large and small organizations from malicious activity, human error and technology failure; and to lead the movement toward building a more resilient world. To find out more, visit our website.

This message has been sent using TLS 1.2 Information in this message may be confidential and may be legally privileged. If you have received this message by mistake, please notify the sender immediately, delete it and do not copy it to anyone else. We have checked this email and its attachments for viruses. But you should still check any attachment before opening it. We may have to make this message and any reply to it public if asked to under the Freedom of Information Act, Data Protection Act or for litigation. Email messages and attachments sent to or from any Environment Agency address may also be accessed by someone other than the sender or recipient, for business purposes.