

Warning: PDF designed for A4 colour print only with no page scaling

0 20m

Dig Sites Area: Line:

**Extra High Voltage  
cables in vicinity**

Date Requested: 24/06/2022  
 Job Reference: 25881050  
 Site Location: 448447 212278  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_004

**Voltages (V)**

LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		

**NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID**

Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m
Road Crossing	0.6m	0.6m	0.75m
Agricultural	1m	1m	1.1m

**Legend**

	Service Cable
	LV Mains
	7-11kV
	6kV
	11kV
	22kV
	33kV
	66kV
	132kV
	275kV
	400kV
	Fibre Optic
	Pillar Cable

**Distribution Structures (Historic)**

	Pole, Existing Location
	Pole Structure, Existing Location - Single
	Pole Structure, Existing Location - H
	Duct Route
	Cross Section Route

**WARNING**

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.


This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.

Plans generated by DigSAFE Pro™ software provided by Lineworksbefore06d.

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516


Subject to revision – Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294



Warning: PDF designed for A4 colour print only with no page scaling

<p>0  20m Dig Sites Area:  Line:  <b>Extra High Voltage cables in vicinity</b></p>																																									
<p>Date Requested: 24/06/2022          Job Reference: 25881050          Site Location: 448447 212278          Requested by: Mr Joe Shawyer          Your Scheme/Reference: 31188_004</p>	<table border="1"> <thead> <tr> <th colspan="4">Voltages (V)</th> </tr> </thead> <tbody> <tr> <td>LV (Low Voltage) and Services</td> <td colspan="3">Up to 1,000V</td> </tr> <tr> <td>HV (High Voltage)</td> <td colspan="3">Over 1,000V to 11,000V</td> </tr> <tr> <td>EHV (Extra High Voltage)</td> <td colspan="3">22,000V to 132,000V</td> </tr> <tr> <td>Transmission</td> <td colspan="3">275,000V and 400,000V</td> </tr> <tr> <th colspan="4">NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID</th> </tr> <tr> <td>Services</td> <td>LV</td> <td>HV</td> <td>EHV</td> </tr> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> <td>0.45m</td> <td>0.6m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>0.6m</td> <td>0.75m</td> </tr> <tr> <td>Agricultural</td> <td>1m</td> <td>1m</td> <td>1.1m</td> </tr> </tbody> </table> <p><b>Legend</b></p> <ul style="list-style-type: none"> <li>Service Cable</li> <li>LV Mains</li> <li>11kV</li> <li>6.6kV</li> <li>22kV</li> <li>33kV</li> <li>66kV</li> <li>132kV</li> <li>275kV</li> <li>400kV</li> <li>Fibre Optic</li> <li>Pilot Cable</li> </ul> <p><b>Distribution Structures (Electric)</b></p> <ul style="list-style-type: none"> <li>Pole, Existing Location</li> <li>Pole Structure, Existing Location - Single</li> <li>Pole Structure, Existing Location - H</li> <li>Duct Route</li> <li>Cross Section Route</li> </ul>		Voltages (V)				LV (Low Voltage) and Services	Up to 1,000V			HV (High Voltage)	Over 1,000V to 11,000V			EHV (Extra High Voltage)	22,000V to 132,000V			Transmission	275,000V and 400,000V			NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				Services	LV	HV	EHV	Footpath/Unmade	0.45m	0.45m	0.6m	Road Crossing	0.6m	0.6m	0.75m	Agricultural	1m	1m
Voltages (V)																																									
LV (Low Voltage) and Services	Up to 1,000V																																								
HV (High Voltage)	Over 1,000V to 11,000V																																								
EHV (Extra High Voltage)	22,000V to 132,000V																																								
Transmission	275,000V and 400,000V																																								
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID																																									
Services	LV	HV	EHV																																						
Footpath/Unmade	0.45m	0.45m	0.6m																																						
Road Crossing	0.6m	0.6m	0.75m																																						
Agricultural	1m	1m	1.1m																																						
<p>Scale: 1:500 (When plotted at A4)</p>		<p><b>Southern Electric Power Distribution plc</b>          Registered Office: No.1 Forbury Place          43 Forbury Road Reading RG1 3JH          Registered In England &amp; Wales No.04094290</p> <p>If you're unsure &amp; need to seek advice before commencing excavations, please contact:          General Enquiries: 0800 048 3516</p> <p>Subject to revision – Master held by SSEN Asset Data Team:  <a href="mailto:Asset.Data@sse.com">Asset.Data@sse.com</a>          01256 337 294</p>																																							

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**



Warning: PDF designed for A4 colour print only with no page scaling

0 20m Dig Sites Area: Line: **Extra High Voltage cables in vicinity**

Date Requested: 24/06/2022  
 Job Reference: 25881050  
 Site Location: 448447 212278  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_004

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

**Legend**

- Service Cable
- LV Mains
- 2 - 11kV
- 66kV
- 110kV
- 220kV
- 330kV
- 660kV
- 1320kV
- 275kV
- 400kV
- Fibre Optic
- Pilot Cable

**Distribution Structures (Electric)**

- Pole, Existing Location
- Pole Structure, Existing Location - Single
- Pole Structure, Existing Location - H
- Duct Route
- Cross Section Route

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290


If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Scale: 1:500 (When plotted at A4)

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF HM STATIONERY OFFICE CROWN COPYRIGHT RESERVED.  
 This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.  
 Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.




Warning: PDF designed for A4 colour print only with no page scaling

<p>0  20m</p> <p>Date Requested: 24/06/2022          Job Reference: 25881050          Site Location: 448447 212278          Requested by: Mr Joe Shawyer          Your Scheme/Reference: 31188_004</p>	<p>Dig Sites Area:  Line: </p> <p style="text-align: center; background-color: red; color: white; padding: 2px;"><b>Extra High Voltage cables in vicinity</b></p>	<p> </p> <p style="text-align: center;"><b>Southern Electric Power Distribution plc</b>          Registered Office: No.1 Forbury Place          43 Forbury Road Reading RG1 3JH          Registered In England &amp; Wales No.04094290</p> <p style="font-size: small;">If you're unsure &amp; need to seek advice before commencing excavations, please contact:          General Enquiries: 0800 048 3516</p> <p style="font-size: small;">Subject to revision – Master held by SSEN Asset Data Team:  <a href="mailto:Asset.Data@sse.com">Asset.Data@sse.com</a>          01256 337 294</p>																																																																																
<p>Scale: 1:500 (When plotted at A4)</p>	<table border="1" style="width: 100%; border-collapse: collapse; font-size: x-small;"> <thead> <tr> <th colspan="4">Voltages (V)</th> </tr> </thead> <tbody> <tr> <td>LV (Low Voltage) and Services</td> <td colspan="3">Up to 1,000V</td> </tr> <tr> <td>HV (High Voltage)</td> <td colspan="3">Over 1,000V to 11,000V</td> </tr> <tr> <td>EHV (Extra High Voltage)</td> <td colspan="3">22,000V to 132,000V</td> </tr> <tr> <td>Transmission</td> <td colspan="3">275,000V and 400,000V</td> </tr> <tr> <th colspan="4">NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID</th> </tr> <tr> <td>Services</td> <td>LV</td> <td>HV</td> <td>EHV</td> </tr> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> <td>0.45m</td> <td>0.6m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>0.6m</td> <td>0.75m</td> </tr> <tr> <td>Agricultural</td> <td>1m</td> <td>1m</td> <td>1.1m</td> </tr> </tbody> </table> <p style="font-size: x-small; text-align: center;"><b>WARNING</b>          There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.  <b>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</b></p>	Voltages (V)				LV (Low Voltage) and Services	Up to 1,000V			HV (High Voltage)	Over 1,000V to 11,000V			EHV (Extra High Voltage)	22,000V to 132,000V			Transmission	275,000V and 400,000V			NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				Services	LV	HV	EHV	Footpath/Unmade	0.45m	0.45m	0.6m	Road Crossing	0.6m	0.6m	0.75m	Agricultural	1m	1m	1.1m	<table border="1" style="width: 100%; border-collapse: collapse; font-size: x-small;"> <thead> <tr> <th colspan="2">Legend</th> </tr> </thead> <tbody> <tr> <td></td> <td>Service Cable</td> </tr> <tr> <td></td> <td>LV Mains</td> </tr> <tr> <td></td> <td>2 – 11kV</td> </tr> <tr> <td></td> <td>66kV</td> </tr> <tr> <td></td> <td>11kV</td> </tr> <tr> <td></td> <td>22kV</td> </tr> <tr> <td></td> <td>33kV</td> </tr> <tr> <td></td> <td>66kV</td> </tr> <tr> <td></td> <td>132kV</td> </tr> <tr> <td></td> <td>275kV</td> </tr> <tr> <td></td> <td>400kV</td> </tr> <tr> <td></td> <td>Fibre Optic</td> </tr> <tr> <td></td> <td>Pilot Cable</td> </tr> </tbody> </table> <table border="1" style="width: 100%; border-collapse: collapse; font-size: x-small;"> <thead> <tr> <th colspan="2">Distribution Structures (Electric)</th> </tr> </thead> <tbody> <tr> <td></td> <td>Pole, Existing Location</td> </tr> <tr> <td></td> <td>Pole Structure, Existing Location – Single</td> </tr> <tr> <td></td> <td>Pole Structure, Existing Location – H</td> </tr> <tr> <td></td> <td>Duct Route</td> </tr> <tr> <td></td> <td>Cross Section Route</td> </tr> </tbody> </table>	Legend			Service Cable		LV Mains		2 – 11kV		66kV		11kV		22kV		33kV		66kV		132kV		275kV		400kV		Fibre Optic		Pilot Cable	Distribution Structures (Electric)			Pole, Existing Location		Pole Structure, Existing Location – Single		Pole Structure, Existing Location – H		Duct Route		Cross Section Route
Voltages (V)																																																																																		
LV (Low Voltage) and Services	Up to 1,000V																																																																																	
HV (High Voltage)	Over 1,000V to 11,000V																																																																																	
EHV (Extra High Voltage)	22,000V to 132,000V																																																																																	
Transmission	275,000V and 400,000V																																																																																	
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID																																																																																		
Services	LV	HV	EHV																																																																															
Footpath/Unmade	0.45m	0.45m	0.6m																																																																															
Road Crossing	0.6m	0.6m	0.75m																																																																															
Agricultural	1m	1m	1.1m																																																																															
Legend																																																																																		
	Service Cable																																																																																	
	LV Mains																																																																																	
	2 – 11kV																																																																																	
	66kV																																																																																	
	11kV																																																																																	
	22kV																																																																																	
	33kV																																																																																	
	66kV																																																																																	
	132kV																																																																																	
	275kV																																																																																	
	400kV																																																																																	
	Fibre Optic																																																																																	
	Pilot Cable																																																																																	
Distribution Structures (Electric)																																																																																		
	Pole, Existing Location																																																																																	
	Pole Structure, Existing Location – Single																																																																																	
	Pole Structure, Existing Location – H																																																																																	
	Duct Route																																																																																	
	Cross Section Route																																																																																	

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF HM STATIONERY OFFICE CROWN COPYRIGHT RESERVED.  
 This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.  
 Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.






72  
3x 33kV 400x1C Al Singles U/A

Warning: PDF designed for A4 colour print only with no page scaling

<p>0  20m Dig Sites Area:  Line: </p>	<p style="text-align: center;"><b>Extra High Voltage cables in vicinity</b></p>																																																																																																												
<p>Date Requested: 24/06/2022 Job Reference: 25881050 Site Location: 448447 212278 Requested by: Mr Joe Shawyer Your Scheme/Reference: 31188_004</p>				<table border="1"> <thead> <tr> <th colspan="5">Voltages (V)</th> </tr> </thead> <tbody> <tr> <td>LV (Low Voltage) and Services</td> <td colspan="4">Up to 1,000V</td> </tr> <tr> <td>HV (High Voltage)</td> <td colspan="4">Over 1,000V to 11,000V</td> </tr> <tr> <td>EHV (Extra High Voltage)</td> <td colspan="4">22,000V to 132,000V</td> </tr> <tr> <td>Transmission</td> <td colspan="4">275,000V and 400,000V</td> </tr> <tr> <th colspan="5">NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID</th> </tr> <tr> <td>Services</td> <td>LV</td> <td>HV</td> <td>EHV</td> <td></td> </tr> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> <td>0.45m</td> <td>0.6m</td> <td>0.8m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>0.6m</td> <td>0.75m</td> <td>0.9m</td> </tr> <tr> <td>Agricultural</td> <td>1m</td> <td>1m</td> <td>1m</td> <td>1.1m</td> </tr> </tbody> </table> <p style="text-align: center;"><b>WARNING</b></p> <p>There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.</p> <p><b>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</b></p>	Voltages (V)					LV (Low Voltage) and Services	Up to 1,000V				HV (High Voltage)	Over 1,000V to 11,000V				EHV (Extra High Voltage)	22,000V to 132,000V				Transmission	275,000V and 400,000V				NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID					Services	LV	HV	EHV		Footpath/Unmade	0.45m	0.45m	0.6m	0.8m	Road Crossing	0.6m	0.6m	0.75m	0.9m	Agricultural	1m	1m	1m	1.1m	<table border="1"> <thead> <tr> <th colspan="2">Legend</th> <th colspan="2">Distribution Structures (Electric)</th> </tr> </thead> <tbody> <tr> <td></td> <td>Service Cable</td> <td></td> <td>Pole, Existing Location</td> </tr> <tr> <td></td> <td>LV Mains</td> <td></td> <td>Pole Structure, Existing Location - Single</td> </tr> <tr> <td></td> <td>2 - 11kV</td> <td></td> <td>Pole Structure, Existing Location - H</td> </tr> <tr> <td></td> <td>66kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>11kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>22kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>33kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>66kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>132kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>275kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>400kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>Fibre Optic</td> <td></td> <td></td> </tr> <tr> <td></td> <td>Pipe Cable</td> <td></td> <td></td> </tr> </tbody> </table>	Legend		Distribution Structures (Electric)			Service Cable		Pole, Existing Location		LV Mains		Pole Structure, Existing Location - Single		2 - 11kV		Pole Structure, Existing Location - H		66kV				11kV				22kV				33kV				66kV				132kV				275kV				400kV				Fibre Optic				Pipe Cable
Voltages (V)																																																																																																													
LV (Low Voltage) and Services	Up to 1,000V																																																																																																												
HV (High Voltage)	Over 1,000V to 11,000V																																																																																																												
EHV (Extra High Voltage)	22,000V to 132,000V																																																																																																												
Transmission	275,000V and 400,000V																																																																																																												
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID																																																																																																													
Services	LV	HV	EHV																																																																																																										
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m																																																																																																									
Road Crossing	0.6m	0.6m	0.75m	0.9m																																																																																																									
Agricultural	1m	1m	1m	1.1m																																																																																																									
Legend		Distribution Structures (Electric)																																																																																																											
	Service Cable		Pole, Existing Location																																																																																																										
	LV Mains		Pole Structure, Existing Location - Single																																																																																																										
	2 - 11kV		Pole Structure, Existing Location - H																																																																																																										
	66kV																																																																																																												
	11kV																																																																																																												
	22kV																																																																																																												
	33kV																																																																																																												
	66kV																																																																																																												
	132kV																																																																																																												
	275kV																																																																																																												
	400kV																																																																																																												
	Fibre Optic																																																																																																												
	Pipe Cable																																																																																																												
<p style="font-size: small;">BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF HM STATIONERY OFFICE CROWN COPYRIGHT RESERVED. This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.</p>																																																																																																													



Warning: PDF designed for A4 colour print only with no page scaling

0 20m Dig Sites Area: Line: **Extra High Voltage cables in vicinity**

Date Requested: 24/06/2022  
 Job Reference: 25881050  
 Site Location: 448447 212278  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_004

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

Legend	
	Service Cable
	LV Mains
	2 - 11kV
	66kV
	11kV
	22kV
	33kV
	66kV
	132kV
	275kV
	400kV
	Fibre Optic
	Pilot Cable


Distribution Structures (Electric)	
	Pole, Existing Location
	Pole Structure, Existing Location - Single
	Pole Structure, Existing Location - H
	Duct Route
	Cross Section Route

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
 WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516


Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294



Warning: PDF designed for A4 colour print only with no page scaling

<p>0  20m Dig Sites Area:  Line: </p>	<p><b>Extra High Voltage cables in vicinity</b></p>																																																																																		
<p>Date Requested: 24/06/2022          Job Reference: 25881050          Site Location: 448447 212278          Requested by: Mr Joe Shawyer          Your Scheme/Reference: 31188_004</p>		<table border="1"> <thead> <tr> <th colspan="4">Voltages (V)</th> </tr> </thead> <tbody> <tr> <td>LV (Low Voltage) and Services</td> <td colspan="3">Up to 1,000V</td> </tr> <tr> <td>HV (High Voltage)</td> <td colspan="3">Over 1,000V to 11,000V</td> </tr> <tr> <td>EHV (Extra High Voltage)</td> <td colspan="3">22,000V to 132,000V</td> </tr> <tr> <td>Transmission</td> <td colspan="3">275,000V and 400,000V</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th colspan="4">NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID</th> </tr> <tr> <th>Services</th> <th>LV</th> <th>HV</th> <th>EHV</th> </tr> </thead> <tbody> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> <td>0.45m</td> <td>0.6m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>0.6m</td> <td>0.75m</td> </tr> <tr> <td>Agricultural</td> <td>1m</td> <td>1m</td> <td>1.1m</td> </tr> </tbody> </table> <p><b>WARNING</b>          There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.  <b>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</b></p>	Voltages (V)				LV (Low Voltage) and Services	Up to 1,000V			HV (High Voltage)	Over 1,000V to 11,000V			EHV (Extra High Voltage)	22,000V to 132,000V			Transmission	275,000V and 400,000V			NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				Services	LV	HV	EHV	Footpath/Unmade	0.45m	0.45m	0.6m	Road Crossing	0.6m	0.6m	0.75m	Agricultural	1m	1m	1.1m	<table border="1"> <thead> <tr> <th colspan="2">Legend</th> </tr> </thead> <tbody> <tr> <td></td> <td>Service Cable</td> </tr> <tr> <td></td> <td>LV Mains</td> </tr> <tr> <td></td> <td>2 – 11kV</td> </tr> <tr> <td></td> <td>66kV</td> </tr> <tr> <td></td> <td>11kV</td> </tr> <tr> <td></td> <td>22kV</td> </tr> <tr> <td></td> <td>33kV</td> </tr> <tr> <td></td> <td>66kV</td> </tr> <tr> <td></td> <td>132kV</td> </tr> <tr> <td></td> <td>275kV</td> </tr> <tr> <td></td> <td>400kV</td> </tr> <tr> <td></td> <td>Fibre Optic</td> </tr> <tr> <td></td> <td>Pipe Cable</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th colspan="2">Distribution Structures (Electric)</th> </tr> </thead> <tbody> <tr> <td></td> <td>Pole, Existing Location</td> </tr> <tr> <td></td> <td>Pole Structure, Existing Location – Single</td> </tr> <tr> <td></td> <td>Pole Structure, Existing Location – H</td> </tr> <tr> <td></td> <td>Duct Route</td> </tr> <tr> <td></td> <td>Cross Section Route</td> </tr> </tbody> </table>	Legend			Service Cable		LV Mains		2 – 11kV		66kV		11kV		22kV		33kV		66kV		132kV		275kV		400kV		Fibre Optic		Pipe Cable	Distribution Structures (Electric)			Pole, Existing Location		Pole Structure, Existing Location – Single		Pole Structure, Existing Location – H		Duct Route		Cross Section Route
Voltages (V)																																																																																			
LV (Low Voltage) and Services	Up to 1,000V																																																																																		
HV (High Voltage)	Over 1,000V to 11,000V																																																																																		
EHV (Extra High Voltage)	22,000V to 132,000V																																																																																		
Transmission	275,000V and 400,000V																																																																																		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID																																																																																			
Services	LV	HV	EHV																																																																																
Footpath/Unmade	0.45m	0.45m	0.6m																																																																																
Road Crossing	0.6m	0.6m	0.75m																																																																																
Agricultural	1m	1m	1.1m																																																																																
Legend																																																																																			
	Service Cable																																																																																		
	LV Mains																																																																																		
	2 – 11kV																																																																																		
	66kV																																																																																		
	11kV																																																																																		
	22kV																																																																																		
	33kV																																																																																		
	66kV																																																																																		
	132kV																																																																																		
	275kV																																																																																		
	400kV																																																																																		
	Fibre Optic																																																																																		
	Pipe Cable																																																																																		
Distribution Structures (Electric)																																																																																			
	Pole, Existing Location																																																																																		
	Pole Structure, Existing Location – Single																																																																																		
	Pole Structure, Existing Location – H																																																																																		
	Duct Route																																																																																		
	Cross Section Route																																																																																		


BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.  
 This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.  
 Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeDig.



Warning: PDF designed for A4 colour print only with no page scaling

<p>0  20m</p> <p>Date Requested: 24/06/2022          Job Reference: 25881050          Site Location: 448447 212278          Requested by: Mr Joe Shawyer          Your Scheme/Reference: 31188_004</p>	<p>Dig Sites Area:  Line: </p> <p style="text-align: center; background-color: red; color: white; padding: 5px;"><b>Extra High Voltage cables in vicinity</b></p>	<p> </p> <p style="text-align: center;"><b>Southern Electric Power Distribution plc</b>          Registered Office: No.1 Forbury Place          43 Forbury Road Reading RG1 3JH          Registered In England &amp; Wales No.04094290</p> <p style="font-size: small;">If you're unsure &amp; need to seek advice before commencing excavations, please contact:          General Enquiries: 0800 048 3516</p> <p style="font-size: small;">Subject to revision – Master held by SSEN Asset Data Team:  <a href="mailto:Asset.Data@sse.com">Asset.Data@sse.com</a>          01256 337 294</p>																																																																																																
<p>Scale: 1:500 (When plotted at A4)</p>	<table border="1" style="width: 100%; border-collapse: collapse; font-size: x-small;"> <thead> <tr> <th colspan="4">Voltages (V)</th> </tr> </thead> <tbody> <tr> <td>LV (Low Voltage) and Services</td> <td colspan="3">Up to 1,000V</td> </tr> <tr> <td>HV (High Voltage)</td> <td colspan="3">Over 1,000V to 11,000V</td> </tr> <tr> <td>EHV (Extra High Voltage)</td> <td colspan="3">22,000V to 132,000V</td> </tr> <tr> <td>Transmission</td> <td colspan="3">275,000V and 400,000V</td> </tr> <tr> <th colspan="4">NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID</th> </tr> <tr> <td>Services</td> <td>LV</td> <td>HV</td> <td>EHV</td> </tr> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> <td>0.45m</td> <td>0.6m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>0.6m</td> <td>0.75m</td> </tr> <tr> <td>Agricultural</td> <td>1m</td> <td>1m</td> <td>1.1m</td> </tr> </tbody> </table> <p style="font-size: x-small; text-align: center;"><b>WARNING</b>          There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.  <b>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</b></p>	Voltages (V)				LV (Low Voltage) and Services	Up to 1,000V			HV (High Voltage)	Over 1,000V to 11,000V			EHV (Extra High Voltage)	22,000V to 132,000V			Transmission	275,000V and 400,000V			NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				Services	LV	HV	EHV	Footpath/Unmade	0.45m	0.45m	0.6m	Road Crossing	0.6m	0.6m	0.75m	Agricultural	1m	1m	1.1m	<table border="1" style="width: 100%; border-collapse: collapse; font-size: x-small;"> <thead> <tr> <th colspan="2">Legend</th> <th colspan="2">Distribution Structures (Electric)</th> </tr> </thead> <tbody> <tr> <td></td> <td>Service Cable</td> <td></td> <td>Pole, Existing Location</td> </tr> <tr> <td></td> <td>LV Mains</td> <td></td> <td>Pole Structure, Existing Location - Single</td> </tr> <tr> <td></td> <td>2 - 11kV</td> <td></td> <td>Pole Structure, Existing Location - H</td> </tr> <tr> <td></td> <td>66kV</td> <td></td> <td>Duct Route</td> </tr> <tr> <td></td> <td>11kV</td> <td></td> <td>Cross Section Route</td> </tr> <tr> <td></td> <td>22kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>33kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>66kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>132kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>275kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>400kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>Fibre Optic</td> <td></td> <td></td> </tr> <tr> <td></td> <td>Pipe Cable</td> <td></td> <td></td> </tr> </tbody> </table>	Legend		Distribution Structures (Electric)			Service Cable		Pole, Existing Location		LV Mains		Pole Structure, Existing Location - Single		2 - 11kV		Pole Structure, Existing Location - H		66kV		Duct Route		11kV		Cross Section Route		22kV				33kV				66kV				132kV				275kV				400kV				Fibre Optic				Pipe Cable		
Voltages (V)																																																																																																		
LV (Low Voltage) and Services	Up to 1,000V																																																																																																	
HV (High Voltage)	Over 1,000V to 11,000V																																																																																																	
EHV (Extra High Voltage)	22,000V to 132,000V																																																																																																	
Transmission	275,000V and 400,000V																																																																																																	
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID																																																																																																		
Services	LV	HV	EHV																																																																																															
Footpath/Unmade	0.45m	0.45m	0.6m																																																																																															
Road Crossing	0.6m	0.6m	0.75m																																																																																															
Agricultural	1m	1m	1.1m																																																																																															
Legend		Distribution Structures (Electric)																																																																																																
	Service Cable		Pole, Existing Location																																																																																															
	LV Mains		Pole Structure, Existing Location - Single																																																																																															
	2 - 11kV		Pole Structure, Existing Location - H																																																																																															
	66kV		Duct Route																																																																																															
	11kV		Cross Section Route																																																																																															
	22kV																																																																																																	
	33kV																																																																																																	
	66kV																																																																																																	
	132kV																																																																																																	
	275kV																																																																																																	
	400kV																																																																																																	
	Fibre Optic																																																																																																	
	Pipe Cable																																																																																																	





Warning: PDF designed for A4 colour print only with no page scaling

0 20m Dig Sites Area: Line: **Extra High Voltage cables in vicinity**

Date Requested: 24/06/2022  
 Job Reference: 25881050  
 Site Location: 448447 212278  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_004

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m


Legend	
	Service Cable
	LV Mains
	2 - 11kV
	66kV
	11kV
	22kV
	33kV
	66kV
	132kV
	275kV
	400kV
	Fibre Optic
	Pilot Cable

Distribution Structures (Electric)	
	Pole, Existing Location
	Pole Structure, Existing Location - Single
	Pole Structure, Existing Location - H
	Duct Route
	Cross Section Route

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516


Subject to revision – Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294



Warning: PDF designed for A4 colour print only with no page scaling

<p>0  20m</p>	<p>Dig Sites Area:  Line: </p>	<p><b>Extra High Voltage cables in vicinity</b></p>																									
<p>Date Requested: 24/06/2022          Job Reference: 25881050          Site Location: 448447 212278          Requested by: Mr Joe Shawyer          Your Scheme/Reference: 31188_004</p>	<p><b>Voltages (V)</b></p> <table border="1"> <tr> <td>LV (Low Voltage) and Services</td> <td>Up to 1,000V</td> </tr> <tr> <td>HV (High Voltage)</td> <td>Over 1,000V to 11,000V</td> </tr> <tr> <td>EHV (Extra High Voltage)</td> <td>22,000V to 132,000V</td> </tr> <tr> <td>Transmission</td> <td>275,000V and 400,000V</td> </tr> </table> <p><b>NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID</b></p> <table border="1"> <thead> <tr> <th>Services</th> <th>LV</th> <th>HV</th> <th>EHV</th> </tr> </thead> <tbody> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> <td>0.45m</td> <td>0.6m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>0.6m</td> <td>0.75m</td> </tr> <tr> <td>Agricultural</td> <td>1m</td> <td>1m</td> <td>1.1m</td> </tr> </tbody> </table>	LV (Low Voltage) and Services	Up to 1,000V	HV (High Voltage)	Over 1,000V to 11,000V	EHV (Extra High Voltage)	22,000V to 132,000V	Transmission	275,000V and 400,000V	Services	LV	HV	EHV	Footpath/Unmade	0.45m	0.45m	0.6m	Road Crossing	0.6m	0.6m	0.75m	Agricultural	1m	1m	1.1m	<p><b>Legend</b></p> <ul style="list-style-type: none"> <li> Service Cable</li> <li> LV Mains</li> <li> 66kV</li> <li> 11kV</li> <li> 22kV</li> <li> 33kV</li> <li> 66kV</li> <li> 132kV</li> <li> 275kV</li> <li> 400kV</li> <li> Fibre Optic</li> <li> Pipit Cable</li> </ul> <p><b>Distribution Structures (Electric)</b></p> <ul style="list-style-type: none"> <li> Pole, Existing Location</li> <li> Pole Structure, Existing Location - Single</li> <li> Pole Structure, Existing Location - H</li> <li> Duct Route</li> <li> Cross Section Route</li> </ul>	<p><b>Southern Electric Power Distribution plc</b>          Registered Office: No.1 Forbury Place          43 Forbury Road Reading RG1 3JH          Registered In England &amp; Wales No.04094290</p> <p>If you're unsure &amp; need to seek advice before commencing excavations, please contact:          General Enquiries: 0800 048 3516</p> <p>Subject to revision – Master held by SSEN Asset Data Team:  <a href="mailto:Asset.Data@sse.com">Asset.Data@sse.com</a>          01256 337 294</p>
LV (Low Voltage) and Services	Up to 1,000V																										
HV (High Voltage)	Over 1,000V to 11,000V																										
EHV (Extra High Voltage)	22,000V to 132,000V																										
Transmission	275,000V and 400,000V																										
Services	LV	HV	EHV																								
Footpath/Unmade	0.45m	0.45m	0.6m																								
Road Crossing	0.6m	0.6m	0.75m																								
Agricultural	1m	1m	1.1m																								
<p>Scale: 1:500 (When plotted at A4)</p> <p><small>BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF HM STATIONERY OFFICE CROWN COPYRIGHT RESERVED.          This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.          Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeDig.</small></p>																											





Warning: PDF designed for A4 colour print only with no page scaling

0 20m Dig Sites Area: [dashed purple box] Line: [dashed red line]

**Extra High Voltage cables in vicinity**

Date Requested: 24/06/2022  
 Job Reference: 25881050  
 Site Location: 448447 212278  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_004

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m
Road Crossing	0.6m	0.6m	0.75m
Agricultural	1m	1m	1.1m

Legend	
[Yellow line]	Service Cable
[Red line]	LV Mains
[Blue line]	7 - 11kV
[Green line]	66kV
[Orange line]	11kV
[Purple line]	22kV
[Light Blue line]	33kV
[Dark Blue line]	66kV
[Light Green line]	132kV
[Dark Green line]	275kV
[Light Purple line]	400kV
[Light Blue line]	Fibre Optic
[Light Green line]	Pipe Cable

Distribution Structures (Electric)	
[Purple circle]	Pole, Existing Location
[Purple circle]	Pole Structure, Existing Location - Single
[Purple circle]	Pole Structure, Existing Location - H
[Red line]	Duct Route
[Blue line]	Cross Section Route



**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290


If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

Scale: 1:500 (When plotted at A4)

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**





0 20m Dig Sites Area: Line: **Extra High Voltage cables in vicinity**

Date Requested: 24/06/2022  
 Job Reference: 25881050  
 Site Location: 448447 212278  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_004

Voltages (V)	
LV (Low Voltage) and Services	Up to 1,000V
HV (High Voltage)	Over 1,000V to 11,000V
EHV (Extra High Voltage)	22,000V to 132,000V
Transmission	275,000V and 400,000V

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

Legend	
	Service Cable
	LV Mains
	11kV
	22kV
	33kV
	66kV
	132kV
	275kV
	400kV
	Fibre Optic
	Pipe Cable

Distribution Structures (Electric)	
	Pole, Existing Location
	Pole Structure, Existing Location - Single
	Pole Structure, Existing Location - H
	Duct Route
	Cross Section Route


**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
 WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Scale: 1:500 (When plotted at A4)

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294



0 20m Dig Sites Area: Line: **Extra High Voltage cables in vicinity**

Date Requested: 24/06/2022  
 Job Reference: 25881050  
 Site Location: 448447 212278  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_004

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

Legend		Distribution Structures (Electric)	
	Service Cable		Pole, Existing Location
	LV Mains		Pole Structure, Existing Location - Single
	2 - 11kV		Pole Structure, Existing Location - H
	66kV		Duct Route
	11kV		Cross Section Route
	22kV		
	33kV		
	66kV		
	132kV		
	275kV		
	400kV		
	Fibre Optic		
	Pipe Cable		


**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**

Scale: 1:500 (When plotted at A4)

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294



Warning: PDF designed for A4 colour print only with no page scaling

0 20m Dig Sites Area: Line: **Extra High Voltage cables in vicinity**

Date Requested: 24/06/2022  
 Job Reference: 25881050  
 Site Location: 448447 212278  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_004

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

Legend	
	Service Cable
	LV Mains
	2 - 11kV
	66kV
	110kV
	220kV
	330kV
	660kV
	1320kV
	275kV
	400kV
	Fibre Optic
	Pipe Cable

**Distribution Structures (Electric)**

- Pole, Existing Location
- Pole Structure, Existing Location - Single
- Pole Structure, Existing Location - H
- Duct Route
- Cross Section Route

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

Scale: 1:500 (When plotted at A4)

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.  
 WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.  
 This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.  
 Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.

Warning: PDF designed for A4 colour print only with no page scaling













0  20m Dig Sites Area:  Line: 






**Extra High Voltage  
cables in vicinity**



Date Requested: 24/06/2022  
 Job Reference: 25881050  
 Site Location: 448447 212278  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_004

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m 0.8m
Road Crossing	0.6m	0.6m	0.75m 0.9m
Agricultural	1m	1m	1m 1.1m

Legend	
	Service Cable
	LV Mains
	2 - 11kV
	66kV
	11kV
	22kV
	33kV
	66kV
	132kV
	275kV
	400kV
	Fibre Optic
	Pipe Cable

Distribution Structures (Electric)	
	Pole, Existing Location
	Pole Structure, Existing Location - Single
	Pole Structure, Existing Location - H
	Duct Route
	Cross Section Route

**WARNING**

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)


**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294


Scale: 1:500 (When plotted at A4)





Warning: PDF designed for A4 colour print only with no page scaling

		Dig Sites:  Area:  Line:		<b>Extra High Voltage cables in vicinity</b>																																																																																			
Date Requested: 24/06/2022 Job Reference: 25881050 Site Location: 448447 212278 Requested by: Mr Joe Shawyer Your Scheme/Reference: 31188_004		<table border="1"> <thead> <tr> <th colspan="4">Voltages (V)</th> </tr> </thead> <tbody> <tr> <td>LV (Low Voltage) and Services</td> <td colspan="3">Up to 1,000V</td> </tr> <tr> <td>HV (High Voltage)</td> <td colspan="3">Over 1,000V to 11,000V</td> </tr> <tr> <td>EHV (Extra High Voltage)</td> <td colspan="3">22,000V to 132,000V</td> </tr> <tr> <td>Transmission</td> <td colspan="3">275,000V and 400,000V</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th colspan="4">NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID</th> </tr> <tr> <th>Services</th> <th>LV</th> <th>HV</th> <th>EHV</th> </tr> </thead> <tbody> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> <td>0.45m</td> <td>0.6m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>0.6m</td> <td>0.75m</td> </tr> <tr> <td>Agricultural</td> <td>1m</td> <td>1m</td> <td>1.1m</td> </tr> </tbody> </table>		Voltages (V)				LV (Low Voltage) and Services	Up to 1,000V			HV (High Voltage)	Over 1,000V to 11,000V			EHV (Extra High Voltage)	22,000V to 132,000V			Transmission	275,000V and 400,000V			NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				Services	LV	HV	EHV	Footpath/Unmade	0.45m	0.45m	0.6m	Road Crossing	0.6m	0.6m	0.75m	Agricultural	1m	1m	1.1m	<table border="1"> <thead> <tr> <th colspan="2">Legend</th> </tr> </thead> <tbody> <tr><td></td><td>Service Cable</td></tr> <tr><td></td><td>LV Mains</td></tr> <tr><td></td><td>2 - 11kV</td></tr> <tr><td></td><td>6.6kV</td></tr> <tr><td></td><td>11kV</td></tr> <tr><td></td><td>22kV</td></tr> <tr><td></td><td>33kV</td></tr> <tr><td></td><td>66kV</td></tr> <tr><td></td><td>132kV</td></tr> <tr><td></td><td>275kV</td></tr> <tr><td></td><td>400kV</td></tr> <tr><td></td><td>Fibre Optic</td></tr> <tr><td></td><td>Pilot Cable</td></tr> </tbody> </table> <table border="1"> <thead> <tr> <th colspan="2">Distribution Structures (Electric)</th> </tr> </thead> <tbody> <tr><td></td><td>Pole, Existing Location</td></tr> <tr><td></td><td>Pole Structure, Existing Location - Single</td></tr> <tr><td></td><td>Pole Structure, Existing Location - H</td></tr> <tr><td></td><td>Duct Route</td></tr> <tr><td></td><td>Cross Section Route</td></tr> </tbody> </table>		Legend			Service Cable		LV Mains		2 - 11kV		6.6kV		11kV		22kV		33kV		66kV		132kV		275kV		400kV		Fibre Optic		Pilot Cable	Distribution Structures (Electric)			Pole, Existing Location		Pole Structure, Existing Location - Single		Pole Structure, Existing Location - H		Duct Route		Cross Section Route	<b>Southern Electric Power Distribution plc</b> Registered Office: No.1 Forbury Place 43 Forbury Road Reading RG1 3JH Registered In England & Wales No.04094290  If you're unsure & need to seek advice before commencing excavations, please contact: General Enquiries: 0800 048 3516  Subject to revision – Master held by SSEN Asset Data Team: <a href="mailto:Asset.Data@sse.com">Asset.Data@sse.com</a> 01256 337 294	
Voltages (V)																																																																																							
LV (Low Voltage) and Services	Up to 1,000V																																																																																						
HV (High Voltage)	Over 1,000V to 11,000V																																																																																						
EHV (Extra High Voltage)	22,000V to 132,000V																																																																																						
Transmission	275,000V and 400,000V																																																																																						
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID																																																																																							
Services	LV	HV	EHV																																																																																				
Footpath/Unmade	0.45m	0.45m	0.6m																																																																																				
Road Crossing	0.6m	0.6m	0.75m																																																																																				
Agricultural	1m	1m	1.1m																																																																																				
Legend																																																																																							
	Service Cable																																																																																						
	LV Mains																																																																																						
	2 - 11kV																																																																																						
	6.6kV																																																																																						
	11kV																																																																																						
	22kV																																																																																						
	33kV																																																																																						
	66kV																																																																																						
	132kV																																																																																						
	275kV																																																																																						
	400kV																																																																																						
	Fibre Optic																																																																																						
	Pilot Cable																																																																																						
Distribution Structures (Electric)																																																																																							
	Pole, Existing Location																																																																																						
	Pole Structure, Existing Location - Single																																																																																						
	Pole Structure, Existing Location - H																																																																																						
	Duct Route																																																																																						
	Cross Section Route																																																																																						
Scale: 1:500 (When plotted at A4)		<p style="font-size: small; color: red;"> <b>WARNING</b>          There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.  <b>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</b> </p>		<p style="font-size: x-small;">         BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF HM STATIONERY OFFICE CROWN COPYRIGHT RESERVED.          This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.          Plans generated by DigSAFE Pro™ software provided by Linestechbefore06f9.       </p>																																																																																			



**Warning: PDF designed for A4 colour print only with no page scaling**


0 20m Dig Sites Area: Line: **Extra High Voltage cables in vicinity**

<p>Date Requested: 24/06/2022          Job Reference: 25881050          Site Location: 448447 212278          Requested by: Mr Joe Shawyer          Your Scheme/Reference: 31188_004</p>		<p><b>Volts (V)</b></p> <p>LV (Low Voltage) and Services Up to 1,000V          HV (High Voltage) Over 1,000V to 11,000V          EHV (Extra High Voltage) 22,000V to 132,000V          Transmission 275,000V and 400,000V</p> <p><b>NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID</b></p> <table border="1"> <thead> <tr> <th>Services</th> <th>LV</th> <th>HV</th> <th>EHV</th> </tr> </thead> <tbody> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> <td>0.45m</td> <td>0.6m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>0.6m</td> <td>0.75m</td> </tr> <tr> <td>Agricultural</td> <td>1m</td> <td>1m</td> <td>1.1m</td> </tr> </tbody> </table>	Services	LV	HV	EHV	Footpath/Unmade	0.45m	0.45m	0.6m	Road Crossing	0.6m	0.6m	0.75m	Agricultural	1m	1m	1.1m	<p><b>Legend</b></p> <ul style="list-style-type: none"> <li>Service Cable</li> <li>LV Mains</li> <li>6kV</li> <li>11kV</li> <li>22kV</li> <li>33kV</li> <li>66kV</li> <li>132kV</li> <li>275kV</li> <li>400kV</li> <li>Fibre Optic</li> <li>Pilot Cable</li> </ul> <p><b>Distribution Structures (Electric)</b></p> <ul style="list-style-type: none"> <li>Pole, Existing Location</li> <li>Pole Structure, Existing Location - Single</li> <li>Pole Structure, Existing Location - H</li> <li>Duct Route</li> <li>Cross Section Route</li> </ul>	<p></p> <p></p> <p><b>Southern Electric Power Distribution plc</b>          Registered Office: No.1 Forbury Place          43 Forbury Road Reading RG1 3JH          Registered In England &amp; Wales No.04094290</p> <p>If you're unsure &amp; need to seek advice before commencing excavations, please contact:          General Enquiries: 0800 048 3516</p> <p>Subject to revision – Master held by SSEN Asset Data Team:  <a href="mailto:Asset.Data@sse.com">Asset.Data@sse.com</a>          01256 337 294</p>
Services	LV	HV	EHV																	
Footpath/Unmade	0.45m	0.45m	0.6m																	
Road Crossing	0.6m	0.6m	0.75m																	
Agricultural	1m	1m	1.1m																	

Scale: 1:500 (When plotted at A4)

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF HM STATIONERY OFFICE CROWN COPYRIGHT RESERVED.  
 This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.  
 Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeDig.



Warning: PDF designed for A4 colour print only with no page scaling

20m Dig Sites Area:   Line:  Extra High Voltage cables in vicinity

Date Requested: 24/06/2022  
 Job Reference: 25881050  
 Site Location: 448447 212278  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_004

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m 0.8m
Road Crossing	0.6m	0.6m	0.75m 0.9m
Agricultural	1m	1m	1m 1.1m

Legend	
<span style="border-bottom: 1px solid yellow; width: 10px; display: inline-block;"></span>	Service Cable
<span style="border-bottom: 1px solid orange; width: 10px; display: inline-block;"></span>	LV Mains
<span style="border-bottom: 1px solid red; width: 10px; display: inline-block;"></span>	2 - 11kV
<span style="border-bottom: 1px solid purple; width: 10px; display: inline-block;"></span>	66kV
<span style="border-bottom: 1px solid blue; width: 10px; display: inline-block;"></span>	11kV
<span style="border-bottom: 1px solid green; width: 10px; display: inline-block;"></span>	22kV
<span style="border-bottom: 1px solid cyan; width: 10px; display: inline-block;"></span>	33kV
<span style="border-bottom: 1px solid magenta; width: 10px; display: inline-block;"></span>	66kV
<span style="border-bottom: 1px solid black; width: 10px; display: inline-block;"></span>	132kV
<span style="border-bottom: 1px solid grey; width: 10px; display: inline-block;"></span>	275kV
<span style="border-bottom: 1px solid lightgrey; width: 10px; display: inline-block;"></span>	400kV
<span style="border-bottom: 1px dashed black; width: 10px; display: inline-block;"></span>	fibre optic
<span style="border-bottom: 1px dotted black; width: 10px; display: inline-block;"></span>	Pilot Cable


Distribution Structures (Electric)	
	Pole, Existing Location
	Pole Structure, Existing Location - Single
	Pole Structure, Existing Location - M
	Duct Route
	Cross Section Route

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
 WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294




Warning: PDF designed for A4 colour print only with no page scaling

<p>0  20m Dig Sites Area:  Line:  <b>Extra High Voltage cables in vicinity</b></p>																										
<p>Date Requested: 24/06/2022          Job Reference: 25881050          Site Location: 448447 212278          Requested by: Mr Joe Shawyer          Your Scheme/Reference: 31188_004</p>	<p><b>Volts (V)</b></p> <table border="1"> <tr> <td>LV (Low Voltage) and Services</td> <td>Up to 1,000V</td> </tr> <tr> <td>HV (High Voltage)</td> <td>Over 1,000V to 11,000V</td> </tr> <tr> <td>EHV (Extra High Voltage)</td> <td>22,000V to 132,000V</td> </tr> <tr> <td>Transmission</td> <td>275,000V and 400,000V</td> </tr> </table> <p><b>NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID</b></p> <table border="1"> <thead> <tr> <th>Services</th> <th>LV</th> <th>HV</th> <th>EHV</th> </tr> </thead> <tbody> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> <td>0.45m</td> <td>0.6m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>0.6m</td> <td>0.75m</td> </tr> <tr> <td>Agricultural</td> <td>1m</td> <td>1m</td> <td>1.1m</td> </tr> </tbody> </table>			LV (Low Voltage) and Services	Up to 1,000V	HV (High Voltage)	Over 1,000V to 11,000V	EHV (Extra High Voltage)	22,000V to 132,000V	Transmission	275,000V and 400,000V	Services	LV	HV	EHV	Footpath/Unmade	0.45m	0.45m	0.6m	Road Crossing	0.6m	0.6m	0.75m	Agricultural	1m	1m
LV (Low Voltage) and Services	Up to 1,000V																									
HV (High Voltage)	Over 1,000V to 11,000V																									
EHV (Extra High Voltage)	22,000V to 132,000V																									
Transmission	275,000V and 400,000V																									
Services	LV	HV	EHV																							
Footpath/Unmade	0.45m	0.45m	0.6m																							
Road Crossing	0.6m	0.6m	0.75m																							
Agricultural	1m	1m	1.1m																							
<p>Scale: 1:500 (When plotted at A4)</p>		<p><b>Southern Electric Power Distribution plc</b>          Registered Office: No.1 Forbury Place          43 Forbury Road Reading RG1 3JH          Registered In England &amp; Wales No.04094290</p> <p>If you're unsure &amp; need to seek advice before commencing excavations, please contact:          General Enquiries: 0800 048 3516</p> <p>Subject to revision – Master held by SSEN Asset Data Team:  <a href="mailto:Asset.Data@sse.com">Asset.Data@sse.com</a>          01256 337 294</p>																								

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF HM STATIONERY OFFICE CROWN COPYRIGHT RESERVED.  
 This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.  
 Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeDig.






88

Warning: PDF designed for A4 colour print only with no page scaling

<p>0  20m</p> <p>Date Requested: 24/06/2022          Job Reference: 25881050          Site Location: 448447 212278          Requested by: Mr Joe Shawyer          Your Scheme/Reference: 31188_004</p>	<p>Dig Sites Area:  Line: </p> <p style="background-color: red; color: white; text-align: center; padding: 5px;"><b>Extra High Voltage cables in vicinity</b></p>		<p style="text-align: center;"><b>Southern Electric Power Distribution plc</b>          Registered Office: No.1 Forbury Place          43 Forbury Road Reading RG1 3JH          Registered In England &amp; Wales No.04094290</p> <p style="font-size: small;">If you're unsure &amp; need to seek advice before commencing excavations, please contact:          General Enquiries: 0800 048 3516</p> <p style="font-size: small;">Subject to revision – Master held by SSEN Asset Data Team:  <a href="mailto:Asset.Data@sse.com">Asset.Data@sse.com</a>          01256 337 294</p>																																																																																				
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="4" style="text-align: center;">Voltages (V)</th> </tr> </thead> <tbody> <tr> <td>LV (Low Voltage) and Services</td> <td colspan="3">Up to 1,000V</td> </tr> <tr> <td>HV (High Voltage)</td> <td colspan="3">Over 1,000V to 11,000V</td> </tr> <tr> <td>EHV (Extra High Voltage)</td> <td colspan="3">22,000V to 132,000V</td> </tr> <tr> <td>Transmission</td> <td colspan="3">275,000V and 400,000V</td> </tr> </tbody> </table> <table border="1" style="width: 100%; border-collapse: collapse; font-size: x-small;"> <thead> <tr> <th colspan="5" style="text-align: left;">NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID</th> </tr> <tr> <th>Services</th> <th>LV</th> <th>HV</th> <th>EHV</th> <th></th> </tr> </thead> <tbody> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> <td>0.45m</td> <td>0.6m</td> <td>0.8m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>0.6m</td> <td>0.75m</td> <td>0.9m</td> </tr> <tr> <td>Agricultural</td> <td>1m</td> <td>1m</td> <td>1m</td> <td>1.1m</td> </tr> </tbody> </table>		Voltages (V)				LV (Low Voltage) and Services	Up to 1,000V			HV (High Voltage)	Over 1,000V to 11,000V			EHV (Extra High Voltage)	22,000V to 132,000V			Transmission	275,000V and 400,000V			NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID					Services	LV	HV	EHV		Footpath/Unmade	0.45m	0.45m	0.6m	0.8m	Road Crossing	0.6m	0.6m	0.75m	0.9m	Agricultural	1m	1m	1m	1.1m	<table border="1" style="width: 100%; border-collapse: collapse; font-size: x-small;"> <thead> <tr> <th colspan="2" style="text-align: left;">Legend</th> </tr> </thead> <tbody> <tr> <td></td> <td>Service Cable</td> </tr> <tr> <td></td> <td>LV Mains</td> </tr> <tr> <td></td> <td>2 – 11kV</td> </tr> <tr> <td></td> <td>66kV</td> </tr> <tr> <td></td> <td>11kV</td> </tr> <tr> <td></td> <td>22kV</td> </tr> <tr> <td></td> <td>33kV</td> </tr> <tr> <td></td> <td>66kV</td> </tr> <tr> <td></td> <td>132kV</td> </tr> <tr> <td></td> <td>275kV</td> </tr> <tr> <td></td> <td>400kV</td> </tr> <tr> <td></td> <td>Fibre Optic</td> </tr> <tr> <td></td> <td>Pipe Cable</td> </tr> </tbody> </table> <table border="1" style="width: 100%; border-collapse: collapse; font-size: x-small;"> <thead> <tr> <th colspan="2" style="text-align: left;">Distribution Structures (Electric)</th> </tr> </thead> <tbody> <tr> <td></td> <td>Pole, Existing Location</td> </tr> <tr> <td></td> <td>Pole Structure, Existing Location – Single</td> </tr> <tr> <td></td> <td>Pole Structure, Existing Location – H</td> </tr> <tr> <td></td> <td>Duct Route</td> </tr> <tr> <td></td> <td>Cross Section Route</td> </tr> </tbody> </table> <p style="font-size: x-small; text-align: center;"><b>WARNING</b>          There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.  <b>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</b></p>	Legend			Service Cable		LV Mains		2 – 11kV		66kV		11kV		22kV		33kV		66kV		132kV		275kV		400kV		Fibre Optic		Pipe Cable	Distribution Structures (Electric)			Pole, Existing Location		Pole Structure, Existing Location – Single		Pole Structure, Existing Location – H		Duct Route		Cross Section Route
Voltages (V)																																																																																							
LV (Low Voltage) and Services	Up to 1,000V																																																																																						
HV (High Voltage)	Over 1,000V to 11,000V																																																																																						
EHV (Extra High Voltage)	22,000V to 132,000V																																																																																						
Transmission	275,000V and 400,000V																																																																																						
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID																																																																																							
Services	LV	HV	EHV																																																																																				
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m																																																																																			
Road Crossing	0.6m	0.6m	0.75m	0.9m																																																																																			
Agricultural	1m	1m	1m	1.1m																																																																																			
Legend																																																																																							
	Service Cable																																																																																						
	LV Mains																																																																																						
	2 – 11kV																																																																																						
	66kV																																																																																						
	11kV																																																																																						
	22kV																																																																																						
	33kV																																																																																						
	66kV																																																																																						
	132kV																																																																																						
	275kV																																																																																						
	400kV																																																																																						
	Fibre Optic																																																																																						
	Pipe Cable																																																																																						
Distribution Structures (Electric)																																																																																							
	Pole, Existing Location																																																																																						
	Pole Structure, Existing Location – Single																																																																																						
	Pole Structure, Existing Location – H																																																																																						
	Duct Route																																																																																						
	Cross Section Route																																																																																						
<p>BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF HM STATIONERY OFFICE CROWN COPYRIGHT RESERVED.          This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.          Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeDig.</p>																																																																																							



Warning: PDF designed for A4 colour print only with no page scaling

20m Dig Sites Area:   Line:  Extra High Voltage cables in vicinity

Date Requested: 24/06/2022  
 Job Reference: 25881050  
 Site Location: 448447 212278  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_004

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

Legend	
<span style="border-bottom: 1px solid yellow; width: 20px; display: inline-block;"></span>	Service Cable
<span style="border-bottom: 1px solid orange; width: 20px; display: inline-block;"></span>	LV Mains
<span style="border-bottom: 1px solid red; width: 20px; display: inline-block;"></span>	2 - 11kV
<span style="border-bottom: 1px solid purple; width: 20px; display: inline-block;"></span>	66kV
<span style="border-bottom: 1px solid blue; width: 20px; display: inline-block;"></span>	11kV
<span style="border-bottom: 1px solid green; width: 20px; display: inline-block;"></span>	22kV
<span style="border-bottom: 1px solid cyan; width: 20px; display: inline-block;"></span>	33kV
<span style="border-bottom: 1px solid lightblue; width: 20px; display: inline-block;"></span>	66kV
<span style="border-bottom: 1px solid darkblue; width: 20px; display: inline-block;"></span>	132kV
<span style="border-bottom: 1px solid black; width: 20px; display: inline-block;"></span>	275kV
<span style="border-bottom: 1px solid grey; width: 20px; display: inline-block;"></span>	400kV
<span style="border-bottom: 1px dashed black; width: 20px; display: inline-block;"></span>	Fibre Optic
<span style="border-bottom: 1px dotted black; width: 20px; display: inline-block;"></span>	Pipe Cable

Distribution Structures (Electric)	
	Pole, Existing Location
	Pole Structure, Existing Location - Single
	Pole Structure, Existing Location - M
	Duct Route
	Cross Section Route


**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF HM STATIONERY OFFICE CROWN COPYRIGHT RESERVED.  
 This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.  
 Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.



Warning: PDF designed for A4 colour print only with no page scaling

20m Dig Sites Area:   Line:  Extra High Voltage cables in vicinity

Date Requested: 24/06/2022  
 Job Reference: 25881050  
 Site Location: 448447 212278  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_004

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m 0.8m
Road Crossing	0.6m	0.6m	0.75m 0.9m
Agricultural	1m	1m	1m 1.1m

Legend		Distribution Structures (Electric)	
<span style="border-bottom: 1px solid yellow; width: 20px; display: inline-block;"></span>	Service Cable	<span style="border: 1px solid purple; border-radius: 50%; width: 10px; height: 10px; display: inline-block;"></span>	Pole, Existing Location
<span style="border-bottom: 1px solid blue; width: 20px; display: inline-block;"></span>	LV Mains	<span style="border: 1px solid purple; border-radius: 50%; width: 10px; height: 10px; display: inline-block;"></span>	Pole Structure, Existing Location - Single
<span style="border-bottom: 1px solid red; width: 20px; display: inline-block;"></span>	7 - 11kV	<span style="border: 1px solid purple; border-radius: 50%; width: 10px; height: 10px; display: inline-block;"></span>	Pole Structure, Existing Location - H
<span style="border-bottom: 1px solid green; width: 20px; display: inline-block;"></span>	6.6kV	<span style="border-bottom: 1px solid black; width: 20px; display: inline-block;"></span>	Duct Route
<span style="border-bottom: 1px solid orange; width: 20px; display: inline-block;"></span>	11kV	<span style="border-bottom: 1px solid blue; width: 20px; display: inline-block;"></span>	Cross Section Route
<span style="border-bottom: 1px solid purple; width: 20px; display: inline-block;"></span>	22kV		
<span style="border-bottom: 1px solid brown; width: 20px; display: inline-block;"></span>	33kV		
<span style="border-bottom: 1px solid pink; width: 20px; display: inline-block;"></span>	66kV		
<span style="border-bottom: 1px solid grey; width: 20px; display: inline-block;"></span>	132kV		
<span style="border-bottom: 1px solid lightblue; width: 20px; display: inline-block;"></span>	275kV		
<span style="border-bottom: 1px solid lightgreen; width: 20px; display: inline-block;"></span>	400kV		
<span style="border-bottom: 1px solid cyan; width: 20px; display: inline-block;"></span>	Fibre Optic		
<span style="border-bottom: 1px solid magenta; width: 20px; display: inline-block;"></span>	Pilot Cable		


**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**

Scale: 1:500 (When plotted at A4)

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516



Warning: PDF designed for A4 colour print only with no page scaling

0 20m Dig Sites Area: Line: **Extra High Voltage cables in vicinity**

Date Requested: 24/06/2022  
 Job Reference: 25881050  
 Site Location: 448447 212278  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_004

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m
Road Crossing	0.6m	0.6m	0.75m
Agricultural	1m	1m	1.1m

Legend	
	Service Cable
	LV Mains
	2 - 11kV
	66kV
	110kV
	220kV
	330kV
	660kV
	132kV
	275kV
	400kV
	Fibre Optic
	Pipe Cable

Distribution Structures (Electric)	
	Pole, Existing Location
	Pole Structure, Existing Location - Single
	Pole Structure, Existing Location - H
	Duct Route
	Cross Section Route

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

Scale: 1:500 (When plotted at A4)

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF HM STATIONERY OFFICE CROWN COPYRIGHT RESERVED.  
 This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.  
 Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.

Our Ref: 25880986      Your Ref: 31188\_001

Friday, 24 June 2022

Joe Shawyer  
Suite 6 Princess Caroline House 1 High Street  
Southend on Sea  
Essex  
SS1 1JE

Dear Joe Shawyer

**SSEN Distribution - Asset Network Plans**

We have sent you the plans of our network records within the area requested. You will shortly receive responses each of the following; any High Voltage Mains cables and Low Voltage Mains cables.

Attached to this email is the 'Guide to Interpreting' which includes the legends for the plans on pages 7-9.


If a Service Cable is not shown on our maps sent, and you require the Cable to be Traced, please contact the General Enquiries Department on 0800 048 3516 (option 3) or via email, [ge@ssen.co.uk](mailto:ge@ssen.co.uk)

If you need further information on our network in this area or a quotation for any required works, please contact the Connections & Engineering Department on 0800 048 3516 or via email, [connections@sse.com](mailto:connections@sse.com)

Kind Regards,


Asset Data Team  
01256 337 294  
[Asset.data@sse.com](mailto:Asset.data@sse.com)





Warning: PDF designed for A4 colour print only with no page scaling

<p>Dig Sites Area:  Line: </p>																											
<p>Date Requested: 24/06/2022          Job Reference: 25880986          Site Location: 447899 213853          Requested by: Mr Joe Shawyer</p>		<p><b>Legend</b></p> <ul style="list-style-type: none"> <li>Service Cable</li> <li>LV Main</li> <li>2-3kV</li> <li>6kV</li> <li>11kV</li> <li>22kV</li> <li>33kV</li> <li>66kV</li> <li>132kV</li> <li>275kV</li> <li>400kV</li> <li>Fibre Optic</li> <li>Road Cable</li> </ul> <p><b>Distribution Structures (Electric)</b></p> <ul style="list-style-type: none"> <li>Pole, Existing Location</li> <li>Pole Structure, Existing Location - Single</li> <li>Pole Structure, Existing Location - e</li> <li>Duct Route</li> <li>Cross Section Route</li> </ul>																									
<p>Your Scheme/Reference: 31188_001</p>		<p><b>Southern Electric Power Distribution plc</b>          Registered Office: No.1 Forbury Place          43 Forbury Road Reading RG1 3JH          Registered In England &amp; Wales No.04094290</p> <p>If you're unsure &amp; need to seek advice before commencing excavations, please contact:          General Enquiries: 0800 048 3516</p>																									
<p>Scale: 1:9225 (When plotted at A4)</p>		<p>Subject to revision – Master held by SSEN Asset Data Team:  <a href="mailto:Asset.Data@sse.com">Asset.Data@sse.com</a>          01256 337 294</p>																									
<p><b>Voltagens (V)</b></p> <table border="1"> <tr> <td>LV (Low Voltage) and Services</td> <td>Up to 1,000V</td> </tr> <tr> <td>HV (High Voltage)</td> <td>Over 1,000V to 11,000V</td> </tr> <tr> <td>EHV (Extra High Voltage)</td> <td>22,000V to 132,000V</td> </tr> <tr> <td>Transmission</td> <td>275,000V and 400,000V</td> </tr> </table> <p><b>NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID</b></p> <table border="1"> <tr> <td>Services</td> <td>LV</td> <td>HV</td> <td>EHV</td> </tr> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> <td>0.45m</td> <td>0.6m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>0.6m</td> <td>0.75m</td> </tr> <tr> <td>Agricultural</td> <td>1m</td> <td>1m</td> <td>1.1m</td> </tr> </table> <p><b>WARNING</b>          There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.          WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</p> <p><small>BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF HM STATIONERY OFFICE CROWN COPYRIGHT RESERVED.          This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('The Act'). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.          Plans generated by DigSAFE Pro™ software provided by Linearcableforbidding.</small></p>				LV (Low Voltage) and Services	Up to 1,000V	HV (High Voltage)	Over 1,000V to 11,000V	EHV (Extra High Voltage)	22,000V to 132,000V	Transmission	275,000V and 400,000V	Services	LV	HV	EHV	Footpath/Unmade	0.45m	0.45m	0.6m	Road Crossing	0.6m	0.6m	0.75m	Agricultural	1m	1m	1.1m
LV (Low Voltage) and Services	Up to 1,000V																										
HV (High Voltage)	Over 1,000V to 11,000V																										
EHV (Extra High Voltage)	22,000V to 132,000V																										
Transmission	275,000V and 400,000V																										
Services	LV	HV	EHV																								
Footpath/Unmade	0.45m	0.45m	0.6m																								
Road Crossing	0.6m	0.6m	0.75m																								
Agricultural	1m	1m	1.1m																								



Warning: PDF designed for A4 colour print only with no page scaling

0 20m Dig Sites Area: Line:

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)	
LV (Low Voltage) and Services	Up to 1,000V
HV (High Voltage)	Over 1,000V to 11,000V
EHV (Extra High Voltage)	22,000V to 132,000V
Transmission	275,000V and 400,000V

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m
Road Crossing	0.6m	0.6m	0.75m
Agricultural	1m	1m	1.1m

Legend	
	Service Cable
	LV Main
	2-33kV
	6.6kV
	11kV
	22kV
	33kV
	66kV
	132kV
	275kV
	400kV
	Fibre Optic
	Road Cable

Distribution Structures (Electric)	
	Pole, Existing Location
	Pole Structure, Existing Location - Single
	Pole Structure, Existing Location - H
	Duct Route
	Cross Section Route

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
 WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Scale: 1:500 (When plotted at A4)

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

2

Warning: PDF designed for A4 colour print only with no page scaling

0  20m Dig Sites Area:  Line: 

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.8m
Road Crossing	0.6m	0.6m	0.9m
Agricultural	1m	1m	1.1m

Legend	Distribution Structures (Electric)
Service Cable	Pole, Existing Location
LV Mains	Pole Structure, Existing Location - Single
2-33kV	Pole Structure, Existing Location - H
6.6kV	Duct Route
11kV	Cross Section Route
22kV	
33kV	
66kV	
132kV	
275kV	
400kV	
Fibre Optic	
Fibre Cable	

Scale: 1:500 (When plotted at A4)

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**



**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294



LANGFORD LOCKS  
SITE F

Drain

Warning: PDF designed for A4 colour print only with no page scaling

0  20m Dig Sites Area:  Line: 



Date Requested: 24/06/2022  
Job Reference: 25880986  
Site Location: 447899 213853  
Requested by: Mr Joe Shawyer  
Your Scheme/Reference: 31188\_001

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

Legend		Distribution Structures (Electric)	
	Service Cable		Pole, Existing Location
	LV Mains		Pole Structure, Existing Location - Single
	2 - 33kV		Pole Structure, Existing Location - H
	6.6kV		Duct Route
	11kV		Cross Section Route
	22kV		
	33kV		
	66kV		
	132kV		
	275kV		
	400kV		
	Fibre Optic		
	Riser Cable		


**WARNING**  
There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**

**Southern Electric Power Distribution plc**  
Registered Office: No.1 Forbury Place  
43 Forbury Road Reading RG1 3JH  
Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
01256 337 294

Scale: 1:500 (When plotted at A4)



0 20m Dig Sites Area: Line:

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

**Legend**

- Service Cable
- LV Mains
- 2-33kV
- 6.6kV
- 11kV
- 22kV
- 33kV
- 66kV
- 132kV
- 275kV
- 400kV
- Fibre Optic
- Road Cable

**Distribution Structures (Electric)**

- Pole, Existing Location
- Pole Structure, Existing Location - Single
- Pole Structure, Existing Location - e
- Duct Route
- Cross Section Route


**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
 WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G66 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294





0 20m Dig Sites Area: Line:

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m
Road Crossing	0.6m	0.6m	0.75m
Agricultural	1m	1m	1.1m

<p><b>Legend</b></p> <ul style="list-style-type: none"> <li> Service Cable</li> <li> LV Main</li> <li> 6.6kV</li> <li> 11kV</li> <li> 22kV</li> <li> 33kV</li> <li> 66kV</li> <li> 132kV</li> <li> 275kV</li> <li> 400kV</li> <li> Fibre Optic</li> <li> Pilot Cable</li> </ul>	<p><b>Distribution Structures (Electric)</b></p> <ul style="list-style-type: none"> <li> Pole, Existing Location</li> <li> Pole Structure, Existing Location - Single</li> <li> Pole Structure, Existing Location - H</li> <li> Duct Route</li> <li> Cross Section Route</li> </ul>
---	---

**WARNING**

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294



Warning: PDF designed for A4 colour print only with no page scaling



Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.8m
Road Crossing	0.6m	0.6m	0.9m
Agricultural	1m	1m	1.1m

**Legend**

- Service Cable
- LV Main
- 2-13kV
- 6.6kV
- 11kV
- 22kV
- 33kV
- 66kV
- 132kV
- 275kV
- 400kV
- Fibre Optic
- Road Cable

**Distribution Structures (Electric)**

- Pole, Existing Location
- Pole Structure, Existing Location - Single
- Pole Structure, Existing Location - H
- Duct Route
- Cross Section Route

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**




**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

Scale: 1:500 (When plotted at A4)



0 20m Dig Sites Area: Line:

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

**Legend**

- Service Cable
- LV Mains
- 2-33kV
- 6.6kV
- 11kV
- 22kV
- 33kV
- 66kV
- 132kV
- 275kV
- 400kV
- Fibre Optic
- Pilot Cable

**Distribution Structures (Electric)**

- Pole, Existing Location
- Pole Structure, Existing Location - Single
- Pole Structure, Existing Location - H
- Duct Route
- Cross Section Route


**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
 WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Scale: 1:500 (When plotted at A4)

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294



Warning: PDF designed for A4 colour print only with no page scaling



20m Dig Sites Area: Line:

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m
Road Crossing	0.6m	0.6m	0.75m
Agricultural	1m	1m	1.1m

**Legend**

- Service Cable
- LV Mains
- 2-33kV
- 6.6kV
- 11kV
- 22kV
- 33kV
- 66kV
- 132kV
- 275kV
- 400kV
- Fibre Optic
- Road Cable

**Distribution Structures (Electric)**

- Pole, Existing Location
- Pole Structure, Existing Location - Single
- Pole Structure, Existing Location - H
- Duct Route
- Cross Section Route



**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516




Scale: 1:500 (When plotted at A4)

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
 WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

9

Warning: PDF designed for A4 colour print only with no page scaling

0  20m Dig Sites Area:  Line: 

Date Requested: 24/06/2022  
Job Reference: 25880986  
Site Location: 447899 213853  
Requested by: Mr Joe Shawyer  
Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m
Road Crossing	0.6m	0.6m	0.75m
Agricultural	1m	1m	1.1m

**Legend**

- Service Cable
- LV Mains
- 2-33kV
- 6.6kV
- 11kV
- 22kV
- 33kV
- 66kV
- 132kV
- 275kV
- 400kV
- Fibre Optic
- Road Cable

**Distribution Structures (Electric)**

- Pole, Existing Location
- Pole Structure, Existing Location - Single
- Pole Structure, Existing Location - H
- Duct Route
- Cross Section Route

**WARNING**  
There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)




**Southern Electric Power Distribution plc**  
Registered Office: No.1 Forbury Place  
43 Forbury Road Reading RG1 3JH  
Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
01256 337 294

Scale: 1:500 (When plotted at A4)



10

Warning: PDF designed for A4 colour print only with no page scaling

0  20m Dig Sites Area:  Line: 

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m 0.8m
Road Crossing	0.6m	0.6m	0.75m 0.9m
Agricultural	1m	1m	1m 1.1m

<p><b>Legend</b></p> <ul style="list-style-type: none"> <li> Service Cable</li> <li> LV Mains</li> <li> 2-33kV</li> <li> 6.6kV</li> <li> 11kV</li> <li> 22kV</li> <li> 33kV</li> <li> 66kV</li> <li> 132kV</li> <li> 275kV</li> <li> 400kV</li> <li> Fibre Optic</li> <li> Pilot Cable</li> </ul>	<p><b>Distribution Structures (Electric)</b></p> <ul style="list-style-type: none"> <li> Pole, Existing Location</li> <li> Pole Structure, Existing Location - Single</li> <li> Pole Structure, Existing Location - H</li> <li> Duct Route</li> <li> Cross Section Route</li> </ul>
---	---

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**



**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

Scale: 1:500 (When plotted at A4)

Warning: PDF designed for A4 colour print only with no page scaling

0  20m Dig Sites Area:  Line: 

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m
Road Crossing	0.6m	0.6m	0.75m
Agricultural	1m	1m	1.1m

**Legend**

- Service Cable
- LV Mains
- 2-33kV
- 66kV
- 110kV
- 220kV
- 330kV
- 500kV
- 1320kV
- 275kV
- 400kV
- Fibre Optic
- Pilot Cable

**Distribution Structures (Electric)**

- Pole, Existing Location
- Pole Structure, Existing Location - Single
- Pole Structure, Existing Location - H
- Duct Route
- Cross Section Route

WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)





Southern Electric Power Distribution plc

Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294



Warning: PDF designed for A4 colour print only with no page scaling

0 20m Dig Sites Area: Line:

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

Legend	Distribution Structures (Electric)
Service Cable	Pole, Existing Location
LV Main	Pole Structure, Existing Location - Single
2-33kV	Pole Structure, Existing Location - H
6.6kV	Duct Route
11kV	Cross Section Route
22kV	
33kV	
66kV	
132kV	
275kV	
400kV	
Fibre Optic	
Pilot Cable	

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
 WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294



















13

Warning: PDF designed for A4 colour print only with no page scaling

0  20m Dig Sites Area:  Line: 

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m
Road Crossing	0.6m	0.6m	0.75m
Agricultural	1m	1m	1.1m

Legend	Distribution Structures (Electric)
 Service Cable	 Pole, Existing Location
 LV Mains	 Pole Structure, Existing Location - Single
 2-33kV	 Pole Structure, Existing Location - H
 6.6kV	 Duct Route
 11kV	 Cross Section Route
 22kV	
 33kV	
 66kV	
 132kV	
 275kV	
 400kV	
 Fibre Optic	
 Riser Cable	

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
 WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)



**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

Scale: 1:500 (When plotted at A4)

14

Warning: PDF designed for A4 colour print only with no page scaling

0  20m Dig Sites Area:  Line: 

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m 0.8m
Road Crossing	0.6m	0.6m	0.75m 0.9m
Agricultural	1m	1m	1m 1.1m

**Legend**

- Service Cable
- LV Mains
- 2-33kV
- 6.6kV
- 11kV
- 22kV
- 33kV
- 66kV
- 132kV
- 275kV
- 400kV
- Fibre Optic
- Pilot Cable

**Distribution Structures (Electric)**

- Pole, Existing Location
- Pole Structure, Existing Location - Single
- Pole Structure, Existing Location - H
- Duct Route
- Cross Section Route

WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)





Southern Electric Power Distribution plc

Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516


Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294





Warning: PDF designed for A4 colour print only with no page scaling

<p>0  20m Dig Sites Area:  Line: </p>	<p><b>Legend</b></p> <table style="font-size: small;"> <tr><td></td><td>Service Cable</td></tr> <tr><td></td><td>1V Mains</td></tr> <tr><td></td><td>2-33kV</td></tr> <tr><td></td><td>6.6kV</td></tr> <tr><td></td><td>11kV</td></tr> <tr><td></td><td>22kV</td></tr> <tr><td></td><td>33kV</td></tr> <tr><td></td><td>66kV</td></tr> <tr><td></td><td>132kV</td></tr> <tr><td></td><td>275kV</td></tr> <tr><td></td><td>400kV</td></tr> <tr><td></td><td>Fibre Optic</td></tr> <tr><td></td><td>Pilot Cable</td></tr> </table> <p><b>Distribution Structures (Electric)</b></p> <table style="font-size: small;"> <tr><td></td><td>Pole, Existing Location</td></tr> <tr><td></td><td>Pole Structure, Existing Location - Single</td></tr> <tr><td></td><td>Pole Structure, Existing Location - H</td></tr> <tr><td></td><td>Duct Route</td></tr> <tr><td></td><td>Cross Section Route</td></tr> </table>		Service Cable		1V Mains		2-33kV		6.6kV		11kV		22kV		33kV		66kV		132kV		275kV		400kV		Fibre Optic		Pilot Cable		Pole, Existing Location		Pole Structure, Existing Location - Single		Pole Structure, Existing Location - H		Duct Route		Cross Section Route						
	Service Cable																																										
	1V Mains																																										
	2-33kV																																										
	6.6kV																																										
	11kV																																										
	22kV																																										
	33kV																																										
	66kV																																										
	132kV																																										
	275kV																																										
	400kV																																										
	Fibre Optic																																										
	Pilot Cable																																										
	Pole, Existing Location																																										
	Pole Structure, Existing Location - Single																																										
	Pole Structure, Existing Location - H																																										
	Duct Route																																										
	Cross Section Route																																										
<p>Date Requested: 24/06/2022          Job Reference: 25880986          Site Location: 447899 213853          Requested by: Mr Joe Shawyer          Your Scheme/Reference: 31188_001</p>	<table style="font-size: x-small; width: 100%;"> <tr><th colspan="4">Voltages (V)</th></tr> <tr><td>LV (Low Voltage) and Services</td><td colspan="3">Up to 1,000V</td></tr> <tr><td>HV (High Voltage)</td><td colspan="3">Over 1,000V to 11,000V</td></tr> <tr><td>EHV (Extra High Voltage)</td><td colspan="3">22,000V to 132,000V</td></tr> <tr><td>Transmission</td><td colspan="3">275,000V and 400,000V</td></tr> <tr><th colspan="4">NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID</th></tr> <tr><td>Services</td><td>LV</td><td>HV</td><td>EHV</td></tr> <tr><td>Footpath/Unmade</td><td>0.45m</td><td>0.45m</td><td>0.6m</td></tr> <tr><td>Road Crossing</td><td>0.6m</td><td>0.6m</td><td>0.75m</td></tr> <tr><td>Agricultural</td><td>1m</td><td>1m</td><td>1.1m</td></tr> </table>	Voltages (V)				LV (Low Voltage) and Services	Up to 1,000V			HV (High Voltage)	Over 1,000V to 11,000V			EHV (Extra High Voltage)	22,000V to 132,000V			Transmission	275,000V and 400,000V			NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				Services	LV	HV	EHV	Footpath/Unmade	0.45m	0.45m	0.6m	Road Crossing	0.6m	0.6m	0.75m	Agricultural	1m	1m	1.1m	<p style="font-size: x-small; text-align: center;"><b>WARNING</b></p> <p style="font-size: x-small; text-align: center;">There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.</p> <p style="font-size: x-small; text-align: center;">WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</p>	<p><b>Southern Electric Power Distribution plc</b>          Registered Office: No.1 Forbury Place          43 Forbury Road Reading RG1 3JH          Registered In England &amp; Wales No.04094290</p> <p style="font-size: x-small;">If you're unsure &amp; need to seek advice before commencing excavations, please contact:          General Enquiries: 0800 048 3516</p> <p style="font-size: x-small;">Subject to revision - Master held by SSEN Asset Data Team:  <a href="mailto:Asset.Data@sse.com">Asset.Data@sse.com</a>          01256 337 294</p>
Voltages (V)																																											
LV (Low Voltage) and Services	Up to 1,000V																																										
HV (High Voltage)	Over 1,000V to 11,000V																																										
EHV (Extra High Voltage)	22,000V to 132,000V																																										
Transmission	275,000V and 400,000V																																										
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID																																											
Services	LV	HV	EHV																																								
Footpath/Unmade	0.45m	0.45m	0.6m																																								
Road Crossing	0.6m	0.6m	0.75m																																								
Agricultural	1m	1m	1.1m																																								
<p>Scale: 1:500 (When plotted at A4)</p>																																											
<p>BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.          This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.          Plans generated by DigSAFE Pro™ software provided by Linearcableforeldg.</p>																																											



Warning: PDF designed for A4 colour print only with no page scaling

0 20m Dig Sites Area: Line:

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

**Legend**

- Service Cable
- LV Mains
- 6.6kV
- 11kV
- 22kV
- 33kV
- 66kV
- 132kV
- 275kV
- 400kV
- Fibre Optic
- Pilot Cable

**Distribution Structures (Electric)**

- Pole, Existing Location
- Pole Structure, Existing Location - Single
- Pole Structure, Existing Location - H
- Duct Route
- Cross Section Route

WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)


Scale: 1:500 (When plotted at A4)

Southern Electric Power Distribution plc

Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered in England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294



Warning: PDF designed for A4 colour print only with no page scaling

0 20m Dig Sites Area: Line:

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.8m
Road Crossing	0.6m	0.6m	0.9m
Agricultural	1m	1m	1.1m

**Legend**

- Service Cable
- LV Mains
- 2-33kV
- 6.6kV
- 11kV
- 22kV
- 33kV
- 66kV
- 132kV
- 275kV
- 400kV
- Fibre Optic
- Road Cable

**Distribution Structures (Electric)**

- Pole, Existing Location
- Pole Structure, Existing Location - Single
- Pole Structure, Existing Location - H
- Duct Route
- Cross Section Route

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
 WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)


Scale: 1:500 (When plotted at A4)

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.  
 This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.  
 Plans generated by DigSAFE Pro™ software provided by Lineasarchitectofieldg.



Warning: PDF designed for A4 colour print only with no page scaling

0 20m Dig Sites Area: [Dashed Line] Line: [Solid Line]

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

**Voltages (V)**

LV (Low Voltage) and Services	Up to 1,000V
HV (High Voltage)	Over 1,000V to 11,000V
EHV (Extra High Voltage)	22,000V to 132,000V
Transmission	275,000V and 400,000V

**NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID**

Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m
Road Crossing	0.6m	0.6m	0.75m
Agricultural	1m	1m	1.1m

**Legend**

- Service Cable
- LV Main
- 6.6kV
- 11kV
- 22kV
- 33kV
- 66kV
- 132kV
- 275kV
- 400kV
- Fibre Optic
- Road Cable

**Distribution Structures (Electric)**

- Pole, Existing Location
- Pole Structure, Existing Location - Single
- Pole Structure, Existing Location - 4
- Duct Route
- Cross Section Route


**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

Scale: 1:500 (When plotted at A4)

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.  
 WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)



0 20m Dig Sites Area: Line:

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)	
LV (Low Voltage) and Services	Up to 1,000V
HV (High Voltage)	Over 1,000V to 11,000V
EHV (Extra High Voltage)	22,000V to 132,000V
Transmission	275,000V and 400,000V

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m
Road Crossing	0.6m	0.6m	0.75m
Agricultural	1m	1m	1.1m

**Legend**

- Service Cable
- LV Main
- 6.6kV
- 11kV
- 22kV
- 33kV
- 66kV
- 132kV
- 275kV
- 400kV
- Fibre Optic
- Road Cable

**Distribution Structures (Electric)**

- Pole, Existing Location
- Pole Structure, Existing Location - Single
- Pole Structure, Existing Location - 4
- Duct Route
- Cross Section Route

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
 WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Scale: 1:500 (When plotted at A4)

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290


If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294



20

Warning: PDF designed for A4 colour print only with no page scaling

0  20m Dig Sites Area:  Line: 

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m
Road Crossing	0.6m	0.6m	0.75m
Agricultural	1m	1m	1.1m

Legend	Distribution Structures (Electric)
Service Cable	Pole, Existing Location
LV Mains	Pole Structure, Existing Location - Single
2-33kV	Pole Structure, Existing Location - H
6.6kV	Duct Route
11kV	Cross Section Route
22kV	
33kV	
66kV	
132kV	
275kV	
400kV	
Fibre Optic	
Pilot Cable	

Scale: 1:500 (When plotted at A4)

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
 WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)



**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294



Warning: PDF designed for A4 colour print only with no page scaling

0 20m Dig Sites Area: Line:



Date Requested: 24/06/2022  
Job Reference: 25880986  
Site Location: 447899 213853  
Requested by: Mr Joe Shawyer  
Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m
Road Crossing	0.6m	0.6m	0.75m
Agricultural	1m	1m	1.1m

**Legend**

- Service Cable
- LV Mains
- 2-33kV
- 6.6kV
- 11kV
- 22kV
- 33kV
- 66kV
- 132kV
- 275kV
- 400kV
- Fibre Optic
- Road Cable

**Distribution Structures (Electric)**

- Pole, Existing Location
- Pole Structure, Existing Location - Single
- Pole Structure, Existing Location - H
- Duct Route
- Cross Section Route

**WARNING**  
There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**


**Southern Electric Power Distribution plc**  
Registered Office: No.1 Forbury Place  
43 Forbury Road Reading RG1 3JH  
Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
01256 337 294

Scale: 1:500 (When plotted at A4)

Warning: PDF designed for A4 colour print only with no page scaling

0  20m Dig Sites Area:  Line: 

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m 0.8m
Road Crossing	0.6m	0.6m	0.75m 0.9m
Agricultural	1m	1m	1m 1.1m

**Legend**

- Service Cable
- LV Mains
- 2-33kV
- 6.6kV
- 11kV
- 22kV
- 33kV
- 66kV
- 132kV
- 275kV
- 400kV
- Fibre Optic
- Pilot Cable

**Distribution Structures (Electric)**

- Pole, Existing Location
- Pole Structure, Existing Location - Single
- Pole Structure, Existing Location - H
- Duct Route
- Cross Section Route

WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)




Southern Electric Power Distribution plc

Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

23



Warning: PDF designed for A4 colour print only with no page scaling

0 20m Dig Sites Area: Line:



Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.8m
Road Crossing	0.6m	0.6m	0.75m
Agricultural	1m	1m	1.1m

Legend	Distribution Structures (Electric)
Service Cable	Pole, Existing Location
LV Mains	Pole Structure, Existing Location - Single
2-33kV	Pole Structure, Existing Location - H
6.6kV	Duct Route
11kV	Cross Section Route
22kV	
33kV	
66kV	
132kV	
275kV	
400kV	
Fibre Optic	
Pilot Cable	

Scale: 1:500 (When plotted at A4)

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
 WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

Begbroke Lane (Path)

Warning: PDF designed for A4 colour print only with no page scaling

0  20m Dig Sites Area:  Line: 



Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m
Road Crossing	0.6m	0.6m	0.75m
Agricultural	1m	1m	1.1m

<p><b>Legend</b></p> <ul style="list-style-type: none"> <li> Service Cable</li> <li> LV Mains</li> <li> 2-33kV</li> <li> 6.6kV</li> <li> 11kV</li> <li> 22kV</li> <li> 33kV</li> <li> 66kV</li> <li> 132kV</li> <li> 275kV</li> <li> 400kV</li> <li> Fibre Optic</li> <li> Pilot Cable</li> </ul>	<p><b>Distribution Structures (Electric)</b></p> <ul style="list-style-type: none"> <li> Pole, Existing Location</li> <li> Pole Structure, Existing Location - Single</li> <li> Pole Structure, Existing Location - H</li> <li> Duct Route</li> <li> Cross Section Route</li> </ul>
--	--

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

Scale: 1:500 (When plotted at A4)





Warning: PDF designed for A4 colour print only with no page scaling

<p>0  20m Dig Sites Area:  Line: </p>	<p>Date Requested: 24/06/2022          Job Reference: 25880986          Site Location: 447899 213853          Requested by: Mr Joe Shawyer          Your Scheme/Reference: 31188_001</p>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th colspan="4">Voltages (V)</th> </tr> <tr> <td>LV (Low Voltage) and Services</td> <td colspan="3">Up to 1,000V</td> </tr> <tr> <td>HV (High Voltage)</td> <td colspan="3">Over 1,000V to 11,000V</td> </tr> <tr> <td>EHV (Extra High Voltage)</td> <td colspan="3">22,000V to 132,000V</td> </tr> <tr> <td>Transmission</td> <td colspan="3">275,000V and 400,000V</td> </tr> <tr> <th colspan="4">NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID</th> </tr> <tr> <td>Services</td> <td>LV</td> <td>HV</td> <td>EHV</td> </tr> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> <td>0.45m</td> <td>0.6m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>0.6m</td> <td>0.75m</td> </tr> <tr> <td>Agricultural</td> <td>1m</td> <td>1m</td> <td>1.1m</td> </tr> </table>	Voltages (V)				LV (Low Voltage) and Services	Up to 1,000V			HV (High Voltage)	Over 1,000V to 11,000V			EHV (Extra High Voltage)	22,000V to 132,000V			Transmission	275,000V and 400,000V			NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				Services	LV	HV	EHV	Footpath/Unmade	0.45m	0.45m	0.6m	Road Crossing	0.6m	0.6m	0.75m	Agricultural	1m	1m	1.1m	<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <p><b>Legend</b></p> <ul style="list-style-type: none"> <li> Service Cable</li> <li> LV Mains</li> <li> 6.6kV</li> <li> 11kV</li> <li> 22kV</li> <li> 33kV</li> <li> 66kV</li> <li> 132kV</li> <li> 275kV</li> <li> 400kV</li> <li> Fibre Optic</li> <li> Rigid Cable</li> </ul> </div> <div style="width: 45%;"> <p><b>Distribution Structures (Electric)</b></p> <ul style="list-style-type: none"> <li> Pole, Existing Location</li> <li> Pole Structure, Existing Location - Single</li> <li> Pole Structure, Existing Location - H</li> <li> Duct Route</li> <li> Cross Section Route</li> </ul> </div> </div>	<div style="display: flex; justify-content: space-around;"> </div> <p style="text-align: center;"><b>Southern Electric Power Distribution plc</b>          Registered Office: No.1 Forbury Place          43 Forbury Road Reading RG1 3JH          Registered In England &amp; Wales No.04094290</p> <p style="text-align: center;">If you're unsure &amp; need to seek advice before commencing excavations, please contact:          General Enquiries: 0800 048 3516</p> <p style="text-align: center;">Subject to revision – Master held by SSEN Asset Data Team:  <a href="mailto:Asset.Data@sse.com">Asset.Data@sse.com</a>          01256 337 294</p>
Voltages (V)																																												
LV (Low Voltage) and Services	Up to 1,000V																																											
HV (High Voltage)	Over 1,000V to 11,000V																																											
EHV (Extra High Voltage)	22,000V to 132,000V																																											
Transmission	275,000V and 400,000V																																											
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID																																												
Services	LV	HV	EHV																																									
Footpath/Unmade	0.45m	0.45m	0.6m																																									
Road Crossing	0.6m	0.6m	0.75m																																									
Agricultural	1m	1m	1.1m																																									
<p>Scale: 1:500 (When plotted at A4)</p>		<p><b>WARNING</b>          There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.  <b>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</b></p>																																										
<p>BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.          This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.          Plans generated by DigSAFE Pro™ software provided by LineascribeLtd.</p>																																												



















26

Warning: PDF designed for A4 colour print only with no page scaling

0  20m Dig Sites Area:  Line: 

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

Legend	Distribution Structures (Electric)
 Service Cable	 Pole, Existing Location
 LV Mains	 Pole Structure, Existing Location - Single
 2-33kV	 Pole Structure, Existing Location - H
 6.6kV	 Duct Route
 11kV	 Cross Section Route
 22kV	
 33kV	
 66kV	
 132kV	
 275kV	
 400kV	
 Fibre Optic	
 Rigid Cable	

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**



**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

Scale: 1:500 (When plotted at A4)

Warning: PDF designed for A4 colour print only with no page scaling

0  20m Dig Sites Area:  Line: 

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.8m
Road Crossing	0.6m	0.6m	0.9m
Agricultural	1m	1m	1.1m

**Legend**

- Service Cable
- LV Mains
- 2-33kV
- 66kV
- 110kV
- 220kV
- 330kV
- 500kV
- 132kV
- 275kV
- 400kV
- Fibre Optic
- Pilot Cable

**Distribution Structures (Electric)**

- Pole, Existing Location
- Pole Structure, Existing Location - Single
- Pole Structure, Existing Location - H
- Duct Route
- Cross Section Route

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G66 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**




**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

Scale: 1:500 (When plotted at A4)

Warning: PDF designed for A4 colour print only with no page scaling

0  20m Dig Sites Area:  Line: 

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m 0.8m
Road Crossing	0.6m	0.6m	0.75m 0.9m
Agricultural	1m	1m	1m 1.1m

**Legend**

- Service Cable
- LV Mains
- 2-33kV
- 66kV
- 110kV
- 220kV
- 330kV
- 500kV
- 132kV
- 275kV
- 400kV
- Fibre Optic
- Pilot Cable

**Distribution Structures (Electric)**

- Pole, Existing Location
- Pole Structure, Existing Location - Single
- Pole Structure, Existing Location - H
- Duct Route
- Cross Section Route

WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)





Southern Electric Power Distribution plc

Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294



Warning: PDF designed for A4 colour print only with no page scaling



20m Dig Sites Area: Line:

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

<p><b>Legend</b></p> <ul style="list-style-type: none"> <li> Service Cable</li> <li> LV Mains</li> <li> 6.6kV</li> <li> 11kV</li> <li> 22kV</li> <li> 33kV</li> <li> 66kV</li> <li> 132kV</li> <li> 275kV</li> <li> 400kV</li> <li> Fibre Optic</li> <li> Pilot Cable</li> </ul>	<p><b>Distribution Structures (Electric)</b></p> <ul style="list-style-type: none"> <li> Pole, Existing Location</li> <li> Pole Structure, Existing Location - Single</li> <li> Pole Structure, Existing Location - H</li> <li> Duct Route</li> <li> Cross Section Route</li> </ul>
--	---

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
 WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)


**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

Scale: 1:500 (When plotted at A4)





Warning: PDF designed for A4 colour print only with no page scaling



20m Dig Sites Area: [Purple dashed box] Line: [Purple dashed line]

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m
Road Crossing	0.6m	0.6m	0.75m
Agricultural	1m	1m	1.1m

**Legend**

- Service Cable
- LV Mains
- 2-13kV
- 6.6kV
- 11kV
- 22kV
- 33kV
- 66kV
- 132kV
- 275kV
- 400kV
- Fibre Optic
- Road Cable

**Distribution Structures (Electric)**

- Pole, Existing Location
- Pole Structure, Existing Location - Single
- Pole Structure, Existing Location - e
- Duct Route
- Cross Section Route




**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

Scale: 1:500 (When plotted at A4)

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.  
 WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)



0 20m Dig Sites Area: Line:

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)	
LV (Low Voltage) and Services	Up to 1,000V
HV (High Voltage)	Over 1,000V to 11,000V
EHV (Extra High Voltage)	22,000V to 132,000V
Transmission	275,000V and 400,000V

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

Legend	
	Service Cable
	LV Mains
	6.6kV
	11kV
	22kV
	33kV
	66kV
	132kV
	275kV
	400kV
	Fibre Optic
	Road Cable

Distribution Structures (Electric)	
	Pole, Existing Location
	Pole Structure, Existing Location - Single
	Pole Structure, Existing Location - m
	Duct Route
	Cable Section Route


**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.  
 WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Scale: 1:500 (When plotted at A4)

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294



0 20m Dig Sites Area: Line:

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)	
LV (Low Voltage) and Services	Up to 1,000V
HV (High Voltage)	Over 1,000V to 11,000V
EHV (Extra High Voltage)	22,000V to 132,000V
Transmission	275,000V and 400,000V

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID	Services		
	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m
Road Crossing	0.6m	0.6m	0.75m
Agricultural	1m	1m	1.1m

**Legend**

- Service Cable
- LV Mains
- 6.6kV
- 11kV
- 22kV
- 33kV
- 66kV
- 132kV
- 275kV
- 400kV
- Fibre Optic
- Rigid Cable

**Distribution Structures (Electric)**

- Pole, Existing Location
- Pole Structure, Existing Location - Single
- Pole Structure, Existing Location - H
- Duct Route
- Cross Section Route


**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
 WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Scale: 1:500 (When plotted at A4)

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294



Warning: PDF designed for A4 colour print only with no page scaling

0 20m Dig Sites Area: Line:

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m
Road Crossing	0.6m	0.6m	0.75m
Agricultural	1m	1m	1.1m

**Legend**

- Service Cable
- LV Mains
- 6.6kV
- 11kV
- 22kV
- 33kV
- 66kV
- 132kV
- 275kV
- 400kV
- Fibre Optic
- Road Cable

**Distribution Structures (Electric)**

- Pole, Existing Location
- Pole Structure, Existing Location - Single
- Pole Structure, Existing Location - 4
- Duct Route
- Cross Section Route

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
 WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)


**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

Scale: 1:500 (When plotted at A4)

Warning: PDF designed for A4 colour print only with no page scaling

0  20m Dig Sites Area:  Line: 



Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m 0.8m
Road Crossing	0.6m	0.6m	0.75m 0.9m
Agricultural	1m	1m	1m 1.1m

**Legend**

- Service Cable
- LV Mains
- 2-33kV
- 6.6kV
- 11kV
- 22kV
- 33kV
- 66kV
- 132kV
- 275kV
- 400kV
- Fibre Optic
- Pilot Cable

**Distribution Structures (Electric)**

- Pole, Existing Location
- Pole Structure, Existing Location - Single
- Pole Structure, Existing Location - H
- Duct Route
- Cross Section Route

WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

Scale: 1:500 (When plotted at A4)



Warning: PDF designed for A4 colour print only with no page scaling

0  20m Dig Sites Area:  Line: 



Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m
Road Crossing	0.6m	0.6m	0.75m
Agricultural	1m	1m	1.1m

Legend	Distribution Structures (Electric)
Service Cable	Pole, Existing Location
LV Mains	Pole Structure, Existing Location - Single
2-33kV	Pole Structure, Existing Location - H
6.6kV	Duct Route
11kV	Cross Section Route
22kV	
33kV	
66kV	
132kV	
275kV	
400kV	
Fibre Optic	
Pilot Cable	

Scale: 1:500 (When plotted at A4)

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

Warning: PDF designed for A4 colour print only with no page scaling

0  20m Dig Sites Area:  Line: 



Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m 0.8m
Road Crossing	0.6m	0.6m	0.75m 0.9m
Agricultural	1m	1m	1m 1.1m

**Legend**

- Service Cable
- LV Mains
- 2-33kV
- 6.6kV
- 11kV
- 22kV
- 33kV
- 66kV
- 132kV
- 275kV
- 400kV
- Fibre Optic
- Pilot Cable

**Distribution Structures (Electric)**

- Pole, Existing Location
- Pole Structure, Existing Location - Single
- Pole Structure, Existing Location - H
- Duct Route
- Cross Section Route

WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

Scale: 1:500 (When plotted at A4)

Warning: PDF designed for A4 colour print only with no page scaling

0  20m Dig Sites Area:  Line: 

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m 0.8m
Road Crossing	0.6m	0.6m	0.75m 0.9m
Agricultural	1m	1m	1m 1.1m

**Legend**

- Service Cable
- LV Mains
- 2-33kV
- 66kV
- 110kV
- 220kV
- 330kV
- 660kV
- 1320kV
- 2750kV
- 400kV
- Fibre Optic
- Pilot Cable

**Distribution Structures (Electric)**

- Pole, Existing Location
- Pole Structure, Existing Location - Single
- Pole Structure, Existing Location - H
- Duct Route
- Cross Section Route

WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)





Southern Electric Power Distribution plc

Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294



Warning: PDF designed for A4 colour print only with no page scaling

0 20m Dig Sites Area: Line:

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.8m
Road Crossing	0.6m	0.6m	0.9m
Agricultural	1m	1m	1.1m

**Legend**

- Service Cable
- LV Mains
- 2-33kV
- 6.6kV
- 11kV
- 22kV
- 33kV
- 66kV
- 132kV
- 275kV
- 400kV
- Fibre Optic
- Road Cable

**Distribution Structures (Electric)**

- Pole, Existing Location
- Pole Structure, Existing Location - Single
- Pole Structure, Existing Location - H
- Duct Route
- Cross Section Route


**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
 WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Scale: 1:500 (When plotted at A4)

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290


If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294



Warning: PDF designed for A4 colour print only with no page scaling

<p>0  20m Dig Sites Area:  Line: </p>	<p>Date Requested: 24/06/2022          Job Reference: 25880986          Site Location: 447899 213853          Requested by: Mr Joe Shawyer          Your Scheme/Reference: 31188_001</p>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th colspan="4">Voltages (V)</th> </tr> <tr> <td>LV (Low Voltage) and Services</td> <td colspan="3">Up to 1,000V</td> </tr> <tr> <td>HV (High Voltage)</td> <td colspan="3">Over 1,000V to 11,000V</td> </tr> <tr> <td>EHV (Extra High Voltage)</td> <td colspan="3">22,000V to 132,000V</td> </tr> <tr> <td>Transmission</td> <td colspan="3">275,000V and 400,000V</td> </tr> <tr> <th colspan="4">NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID</th> </tr> <tr> <td>Services</td> <td>LV</td> <td>HV</td> <td>EHV</td> </tr> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> <td>0.45m</td> <td>0.6m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>0.6m</td> <td>0.75m</td> </tr> <tr> <td>Agricultural</td> <td>1m</td> <td>1m</td> <td>1.1m</td> </tr> </table>	Voltages (V)				LV (Low Voltage) and Services	Up to 1,000V			HV (High Voltage)	Over 1,000V to 11,000V			EHV (Extra High Voltage)	22,000V to 132,000V			Transmission	275,000V and 400,000V			NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				Services	LV	HV	EHV	Footpath/Unmade	0.45m	0.45m	0.6m	Road Crossing	0.6m	0.6m	0.75m	Agricultural	1m	1m	1.1m	<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <p><b>Legend</b></p> <ul style="list-style-type: none"> <li> Service Cable</li> <li> LV Mains</li> <li> 2-33kV</li> <li> 6.6kV</li> <li> 11kV</li> <li> 22kV</li> <li> 33kV</li> <li> 66kV</li> <li> 132kV</li> <li> 275kV</li> <li> 400kV</li> <li> Fibre Optic</li> <li> Pilot Cable</li> </ul> </div> <div style="width: 45%;"> <p><b>Distribution Structures (Electric)</b></p> <ul style="list-style-type: none"> <li> Pole, Existing Location</li> <li> Pole Structure, Existing Location - Single</li> <li> Pole Structure, Existing Location - H</li> <li> Duct Route</li> <li> Cross Section Route</li> </ul> </div> </div>	<div style="display: flex; justify-content: space-around;"> </div> <p style="text-align: center;"><b>Southern Electric Power Distribution plc</b>          Registered Office: No.1 Forbury Place          43 Forbury Road Reading RG1 3JH          Registered In England &amp; Wales No.04094290</p> <p style="text-align: center;">If you're unsure &amp; need to seek advice before commencing excavations, please contact:          General Enquiries: 0800 048 3516</p> <p style="text-align: center;">Subject to revision – Master held by SSEN Asset Data Team:  <a href="mailto:Asset.Data@sse.com">Asset.Data@sse.com</a>          01256 337 294</p>
Voltages (V)																																												
LV (Low Voltage) and Services	Up to 1,000V																																											
HV (High Voltage)	Over 1,000V to 11,000V																																											
EHV (Extra High Voltage)	22,000V to 132,000V																																											
Transmission	275,000V and 400,000V																																											
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID																																												
Services	LV	HV	EHV																																									
Footpath/Unmade	0.45m	0.45m	0.6m																																									
Road Crossing	0.6m	0.6m	0.75m																																									
Agricultural	1m	1m	1.1m																																									
<p>Scale: 1:500 (When plotted at A4)</p>		<p><b>WARNING</b>          There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.  <b>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</b></p>																																										
<p>BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.          This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.          Plans generated by DigSAFE Pro™ software provided by Lineasearchbeforedig.</p>																																												



Warning: PDF designed for A4 colour print only with no page scaling

0 20m Dig Sites Area: Line:

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

Legend		Distribution Structures (Electric)	
	Service Cable		Pole, Existing Location
	LV Mains		Pole Structure, Existing Location - Single
	6.6kV		Pole Structure, Existing Location - H
	11kV		Duct Route
	22kV		Cross Section Route
	33kV		
	66kV		
	132kV		
	275kV		
	400kV		
	Fibre Optic		
	Rigid Cable		

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
 WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)


Scale: 1:500 (When plotted at A4)

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294





Warning: PDF designed for A4 colour print only with no page scaling

0 20m Dig Sites Area: Line:

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)	
LV (Low Voltage) and Services	Up to 1,000V
HV (High Voltage)	Over 1,000V to 11,000V
EHV (Extra High Voltage)	22,000V to 132,000V
Transmission	275,000V and 400,000V

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

Legend	
	Service Cable
	LV Main
	6.6kV
	11kV
	22kV
	33kV
	66kV
	132kV
	275kV
	400kV
	Fibre Optic
	Rigid Cable

Distribution Structures (Electric)	
	Pole, Existing Location
	Pole Structure, Existing Location - Single
	Pole Structure, Existing Location - H
	Duct Route
	Cross Section Route


**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
 WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Scale: 1:500 (When plotted at A4)

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294



0 20m Dig Sites Area: Line:

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m
Road Crossing	0.6m	0.6m	0.75m
Agricultural	1m	1m	1.1m

Legend	
	Service Cable
	LV Mains
	6.6kV
	11kV
	22kV
	33kV
	66kV
	132kV
	275kV
	400kV
	Fibre Optic
	Road Cable

Distribution Structures (Electric)	
	Pole, Existing Location
	Pole Structure, Existing Location - Single
	Pole Structure, Existing Location - 4
	Duct Route
	Cross Section Route


**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
 WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Scale: 1:500 (When plotted at A4)

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294



Warning: PDF designed for A4 colour print only with no page scaling



20m Dig Sites Area: Line:

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m
Road Crossing	0.6m	0.6m	0.75m
Agricultural	1m	1m	1.1m

**Legend**

- Service Cable
- LV Mains
- 6.6kV
- 11kV
- 22kV
- 33kV
- 66kV
- 132kV
- 275kV
- 400kV
- Fibre Optic
- Road Cable

**Distribution Structures (Electric)**

- Pole, Existing Location
- Pole Structure, Existing Location - Single
- Pole Structure, Existing Location - H
- Duct Route
- Cross Section Route


**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

Scale: 1:500 (When plotted at A4)

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.  
 WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)



Warning: PDF designed for A4 colour print only with no page scaling

0 20m Dig Sites Area: Line:

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)	
LV (Low Voltage) and Services	Up to 1,000V
HV (High Voltage)	Over 1,000V to 11,000V
EHV (Extra High Voltage)	22,000V to 132,000V
Transmission	275,000V and 400,000V

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

**Legend**

- Service Cable
- LV Mains
- 6.6kV
- 11kV
- 22kV
- 33kV
- 66kV
- 132kV
- 275kV
- 400kV
- Fibre Optic
- Riser Cable

**Distribution Structures (Electric)**

- Pole, Existing Location
- Pole Structure, Existing Location - Single
- Pole Structure, Existing Location - H
- Duct Route
- Cross Section Route


**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
 WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294





Warning: PDF designed for A4 colour print only with no page scaling



Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m
Road Crossing	0.6m	0.6m	0.75m
Agricultural	1m	1m	1.1m

Legend	Distribution Structures (Electric)
Service Cable	Pole, Existing Location
LV Mains	Pole Structure, Existing Location - Single
6.6kV	Pole Structure, Existing Location - H
11kV	Duct Route
22kV	Cross Section Route
33kV	
66kV	
132kV	
275kV	
400kV	
Fibre Optic	
Rigid Cable	


Scale: 1:500 (When plotted at A4)

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
 WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294



0 20m Dig Sites Area: Line:

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)	
LV (Low Voltage) and Services	Up to 1,000V
HV (High Voltage)	Over 1,000V to 11,000V
EHV (Extra High Voltage)	22,000V to 132,000V
Transmission	275,000V and 400,000V

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m
Road Crossing	0.6m	0.6m	0.75m
Agricultural	1m	1m	1.1m


**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.  
 WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294





Warning: PDF designed for A4 colour print only with no page scaling

0 20m Dig Sites Area: Line:

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)	
LV (Low Voltage) and Services	Up to 1,000V
HV (High Voltage)	Over 1,000V to 11,000V
EHV (Extra High Voltage)	22,000V to 132,000V
Transmission	275,000V and 400,000V

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m
Road Crossing	0.6m	0.6m	0.75m
Agricultural	1m	1m	1.1m

<p><b>Legend</b></p> <ul style="list-style-type: none"> <li> Service Cable</li> <li> LV Main</li> <li> 2-13kV</li> <li> 6.6kV</li> <li> 11kV</li> <li> 22kV</li> <li> 33kV</li> <li> 66kV</li> <li> 132kV</li> <li> 275kV</li> <li> 400kV</li> <li> Fibre Optic</li> <li> Pilot Cable</li> </ul>	<p><b>Distribution Structures (Electric)</b></p> <ul style="list-style-type: none"> <li> Pole, Existing Location</li> <li> Pole Structure, Existing Location - Single</li> <li> Pole Structure, Existing Location - H</li> <li> Duct Route</li> <li> Cross Section Route</li> </ul>
--	---


**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

Scale: 1:500 (When plotted at A4)

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.  
 WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)



Warning: PDF designed for A4 colour print only with no page scaling



20m Dig Sites Area: Line:

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m
Road Crossing	0.6m	0.6m	0.75m
Agricultural	1m	1m	1.1m

**Legend**

- Service Cable
- LV Mains
- 6.6kV
- 11kV
- 22kV
- 33kV
- 66kV
- 132kV
- 275kV
- 400kV
- Fibre Optic
- Road Cable

**Distribution Structures (Electric)**

- Pole, Existing Location
- Pole Structure, Existing Location - Single
- Pole Structure, Existing Location - 4
- Duct Route
- Cross Section Route

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
 WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)




**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

Scale: 1:500 (When plotted at A4)



Warning: PDF designed for A4 colour print only with no page scaling

0 20m Dig Sites Area: Line:

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

**Legend**

- Service Cable
- LV Mains
- 2-33kV
- 66kV
- 110kV
- 220kV
- 330kV
- 500kV
- 132kV
- 275kV
- 400kV
- Fibre Optic
- Pilot Cable

**Distribution Structures (Electric)**

- Pole, Existing Location
- Pole Structure, Existing Location - Single
- Pole Structure, Existing Location - H
- Duct Route
- Cross Section Route

WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Scale: 1:500 (When plotted at A4)

Southern Electric Power Distribution plc

Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294



Warning: PDF designed for A4 colour print only with no page scaling

0 20m Dig Sites Area: Line:

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m
Road Crossing	0.6m	0.6m	0.75m
Agricultural	1m	1m	1.1m

**Legend**

- Service Cable
- LV Mains
- 2-33kV
- 6.6kV
- 11kV
- 22kV
- 33kV
- 66kV
- 132kV
- 275kV
- 400kV
- Fibre Optic
- Pilot Cable

**Distribution Structures (Electric)**

- Pole, Existing Location
- Pole Structure, Existing Location - Single
- Pole Structure, Existing Location - H
- Duct Route
- Cross Section Route

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**

Scale: 1:500 (When plotted at A4)

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290


If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294



Warning: PDF designed for A4 colour print only with no page scaling

<p>0  20m Dig Sites Area:  Line: </p>	<p>Date Requested: 24/06/2022                  Job Reference: 25880986                  Site Location: 447899 213853                  Requested by: Mr Joe Shawyer                  Your Scheme/Reference: 31188_001</p>	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="4">Voltages (V)</th> </tr> </thead> <tbody> <tr> <td>LV (Low Voltage) and Services</td> <td colspan="3">Up to 1,000V</td> </tr> <tr> <td>HV (High Voltage)</td> <td colspan="3">Over 1,000V to 11,000V</td> </tr> <tr> <td>EHV (Extra High Voltage)</td> <td colspan="3">22,000V to 132,000V</td> </tr> <tr> <td>Transmission</td> <td colspan="3">275,000V and 400,000V</td> </tr> <tr> <th colspan="4">NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID</th> </tr> <tr> <td>Services</td> <td>LV</td> <td>HV</td> <td>EHV</td> </tr> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> <td>0.45m</td> <td>0.6m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>0.6m</td> <td>0.75m</td> </tr> <tr> <td>Agricultural</td> <td>1m</td> <td>1m</td> <td>1.1m</td> </tr> </tbody> </table>	Voltages (V)				LV (Low Voltage) and Services	Up to 1,000V			HV (High Voltage)	Over 1,000V to 11,000V			EHV (Extra High Voltage)	22,000V to 132,000V			Transmission	275,000V and 400,000V			NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				Services	LV	HV	EHV	Footpath/Unmade	0.45m	0.45m	0.6m	Road Crossing	0.6m	0.6m	0.75m	Agricultural	1m	1m	1.1m	<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <p><b>Legend</b></p> <ul style="list-style-type: none"> <li> Service Cable</li> <li> LV Mains</li> <li> 2-33kV</li> <li> 6.6kV</li> <li> 11kV</li> <li> 22kV</li> <li> 33kV</li> <li> 66kV</li> <li> 132kV</li> <li> 275kV</li> <li> 400kV</li> <li> Fibre Optic</li> <li> Pilot Cable</li> </ul> </div> <div style="width: 45%;"> <p><b>Distribution Structures (Electric)</b></p> <ul style="list-style-type: none"> <li> Pole, Existing Location</li> <li> Pole Structure, Existing Location - Single</li> <li> Pole Structure, Existing Location - H</li> <li> Duct Route</li> <li> Cross Section Route</li> </ul> </div> </div>	<div style="display: flex; justify-content: space-around;"> </div> <p style="text-align: center;"><b>Southern Electric Power Distribution plc</b>                  Registered Office: No.1 Forbury Place                  43 Forbury Road Reading RG1 3JH                  Registered In England &amp; Wales No.04094290</p> <p style="text-align: center;">If you're unsure &amp; need to seek advice before commencing excavations, please contact:                  General Enquiries: 0800 048 3516</p> <p style="text-align: center;">Subject to revision – Master held by SSEN Asset Data Team:  <a href="mailto:Asset.Data@sse.com">Asset.Data@sse.com</a>                  01256 337 294</p>
Voltages (V)																																												
LV (Low Voltage) and Services	Up to 1,000V																																											
HV (High Voltage)	Over 1,000V to 11,000V																																											
EHV (Extra High Voltage)	22,000V to 132,000V																																											
Transmission	275,000V and 400,000V																																											
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID																																												
Services	LV	HV	EHV																																									
Footpath/Unmade	0.45m	0.45m	0.6m																																									
Road Crossing	0.6m	0.6m	0.75m																																									
Agricultural	1m	1m	1.1m																																									
<p>Scale: 1:500 (When plotted at A4)</p>		<p><b>WARNING</b>                  There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.                  WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</p>																																										
<p>BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.                  This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.                  Plans generated by DigSAFE Pro™ software provided by LineascribeForeldg.</p>																																												



Warning: PDF designed for A4 colour print only with no page scaling

0 20m Dig Sites Area: Line:

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID	Services			
	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

**Legend**

- Service Cable
- LV Main
- 2-33kV
- 6.6kV
- 11kV
- 22kV
- 33kV
- 66kV
- 132kV
- 275kV
- 400kV
- Fibre Optic
- Road Cable

**Distribution Structures (Electric)**

- Pole, Existing Location
- Pole Structure, Existing Location - Single
- Pole Structure, Existing Location - H
- Duct Route
- Cross Section Route

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
 WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)


Scale: 1:500 (When plotted at A4)

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516


Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294





Warning: PDF designed for A4 colour print only with no page scaling

<p>0  20m Dig Sites Area:  Line: </p>	<p>Date Requested: 24/06/2022          Job Reference: 25880986          Site Location: 447899 213853          Requested by: Mr Joe Shawyer          Your Scheme/Reference: 31188_001</p>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th colspan="4">Voltages (V)</th> </tr> <tr> <td>LV (Low Voltage) and Services</td> <td colspan="3">Up to 1,000V</td> </tr> <tr> <td>HV (High Voltage)</td> <td colspan="3">Over 1,000V to 11,000V</td> </tr> <tr> <td>EHV (Extra High Voltage)</td> <td colspan="3">22,000V to 132,000V</td> </tr> <tr> <td>Transmission</td> <td colspan="3">275,000V and 400,000V</td> </tr> <tr> <th colspan="4">NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID</th> </tr> <tr> <td>Services</td> <td>LV</td> <td>HV</td> <td>EHV</td> </tr> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> <td>0.45m</td> <td>0.6m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>0.6m</td> <td>0.75m</td> </tr> <tr> <td>Agricultural</td> <td>1m</td> <td>1m</td> <td>1.1m</td> </tr> </table>	Voltages (V)				LV (Low Voltage) and Services	Up to 1,000V			HV (High Voltage)	Over 1,000V to 11,000V			EHV (Extra High Voltage)	22,000V to 132,000V			Transmission	275,000V and 400,000V			NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				Services	LV	HV	EHV	Footpath/Unmade	0.45m	0.45m	0.6m	Road Crossing	0.6m	0.6m	0.75m	Agricultural	1m	1m	1.1m	<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <p><b>Legend</b></p> <ul style="list-style-type: none"> <li> Service Cable</li> <li> LV Mains</li> <li> 2-4.3kV</li> <li> 6.6kV</li> <li> 11kV</li> <li> 22kV</li> <li> 33kV</li> <li> 66kV</li> <li> 132kV</li> <li> 275kV</li> <li> 400kV</li> <li> Fibre Optic</li> <li> Pilot Cable</li> </ul> </div> <div style="width: 45%;"> <p><b>Distribution Structures (Electric)</b></p> <ul style="list-style-type: none"> <li> Pole, Existing Location</li> <li> Pole Structure, Existing Location - Single</li> <li> Pole Structure, Existing Location - H</li> <li> Duct Route</li> <li> Cross Section Route</li> </ul> </div> </div>	<div style="display: flex; justify-content: space-around;"> </div> <p style="text-align: center;"><b>Southern Electric Power Distribution plc</b>          Registered Office: No.1 Forbury Place          43 Forbury Road Reading RG1 3JH          Registered In England &amp; Wales No.04094290</p> <p style="text-align: center;">If you're unsure &amp; need to seek advice before commencing excavations, please contact:          General Enquiries: 0800 048 3516</p> <p style="text-align: center;">Subject to revision – Master held by SSEN Asset Data Team:  <a href="mailto:Asset.Data@sse.com">Asset.Data@sse.com</a>          01256 337 294</p>
Voltages (V)																																												
LV (Low Voltage) and Services	Up to 1,000V																																											
HV (High Voltage)	Over 1,000V to 11,000V																																											
EHV (Extra High Voltage)	22,000V to 132,000V																																											
Transmission	275,000V and 400,000V																																											
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID																																												
Services	LV	HV	EHV																																									
Footpath/Unmade	0.45m	0.45m	0.6m																																									
Road Crossing	0.6m	0.6m	0.75m																																									
Agricultural	1m	1m	1.1m																																									
<p>Scale: 1:500 (When plotted at A4)</p>		<p><b>WARNING</b>          There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.  <b>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</b></p>																																										
<p>BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.          This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.          Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeDig.</p>																																												



Warning: PDF designed for A4 colour print only with no page scaling

<p>0  20m Dig Sites Area:  Line: </p>	<p>Date Requested: 24/06/2022          Job Reference: 25880986          Site Location: 447899 213853          Requested by: Mr Joe Shawyer          Your Scheme/Reference: 31188_001</p>	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="4">Voltages (V)</th> </tr> </thead> <tbody> <tr> <td>LV (Low Voltage) and Services</td> <td colspan="3">Up to 1,000V</td> </tr> <tr> <td>HV (High Voltage)</td> <td colspan="3">Over 1,000V to 11,000V</td> </tr> <tr> <td>EHV (Extra High Voltage)</td> <td colspan="3">22,000V to 132,000V</td> </tr> <tr> <td>Transmission</td> <td colspan="3">275,000V and 400,000V</td> </tr> </tbody> </table> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="4">NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID</th> </tr> <tr> <th>Services</th> <th>LV</th> <th>HV</th> <th>EHV</th> </tr> </thead> <tbody> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> <td>0.45m</td> <td>0.6m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>0.6m</td> <td>0.75m</td> </tr> <tr> <td>Agricultural</td> <td>1m</td> <td>1m</td> <td>1.1m</td> </tr> </tbody> </table>	Voltages (V)				LV (Low Voltage) and Services	Up to 1,000V			HV (High Voltage)	Over 1,000V to 11,000V			EHV (Extra High Voltage)	22,000V to 132,000V			Transmission	275,000V and 400,000V			NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				Services	LV	HV	EHV	Footpath/Unmade	0.45m	0.45m	0.6m	Road Crossing	0.6m	0.6m	0.75m	Agricultural	1m	1m	1.1m	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">Legend</th> <th colspan="2">Distribution Structures (Electric)</th> </tr> </thead> <tbody> <tr> <td></td> <td>Service Cable</td> <td></td> <td>Pole, Existing Location</td> </tr> <tr> <td></td> <td>LV Mains</td> <td></td> <td>Pole Structure, Existing Location - Single</td> </tr> <tr> <td></td> <td>2-33kV</td> <td></td> <td>Pole Structure, Existing Location - H</td> </tr> <tr> <td></td> <td>6.6kV</td> <td></td> <td>Duct Route</td> </tr> <tr> <td></td> <td>11kV</td> <td></td> <td>Cross Section Route</td> </tr> <tr> <td></td> <td>22kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>33kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>66kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>132kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>275kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>400kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>Fibre Optic</td> <td></td> <td></td> </tr> <tr> <td></td> <td>Riser Cable</td> <td></td> <td></td> </tr> </tbody> </table>	Legend		Distribution Structures (Electric)			Service Cable		Pole, Existing Location		LV Mains		Pole Structure, Existing Location - Single		2-33kV		Pole Structure, Existing Location - H		6.6kV		Duct Route		11kV		Cross Section Route		22kV				33kV				66kV				132kV				275kV				400kV				Fibre Optic				Riser Cable			<div style="text-align: center;"> </div> <div style="text-align: center;"> </div> <p style="text-align: center;"><b>Southern Electric Power Distribution plc</b>          Registered Office: No.1 Forbury Place          43 Forbury Road Reading RG1 3JH          Registered In England &amp; Wales No.04094290</p> <p style="text-align: center;">If you're unsure &amp; need to seek advice before commencing excavations, please contact:          General Enquiries: 0800 048 3516</p> <p style="text-align: center;">Subject to revision – Master held by SSEN Asset Data Team:  <a href="mailto:Asset.Data@sse.com">Asset.Data@sse.com</a>          01256 337 294</p>
Voltages (V)																																																																																																				
LV (Low Voltage) and Services	Up to 1,000V																																																																																																			
HV (High Voltage)	Over 1,000V to 11,000V																																																																																																			
EHV (Extra High Voltage)	22,000V to 132,000V																																																																																																			
Transmission	275,000V and 400,000V																																																																																																			
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID																																																																																																				
Services	LV	HV	EHV																																																																																																	
Footpath/Unmade	0.45m	0.45m	0.6m																																																																																																	
Road Crossing	0.6m	0.6m	0.75m																																																																																																	
Agricultural	1m	1m	1.1m																																																																																																	
Legend		Distribution Structures (Electric)																																																																																																		
	Service Cable		Pole, Existing Location																																																																																																	
	LV Mains		Pole Structure, Existing Location - Single																																																																																																	
	2-33kV		Pole Structure, Existing Location - H																																																																																																	
	6.6kV		Duct Route																																																																																																	
	11kV		Cross Section Route																																																																																																	
	22kV																																																																																																			
	33kV																																																																																																			
	66kV																																																																																																			
	132kV																																																																																																			
	275kV																																																																																																			
	400kV																																																																																																			
	Fibre Optic																																																																																																			
	Riser Cable																																																																																																			
<p>Scale: 1:500 (When plotted at A4)</p>		<p><b>WARNING</b>          There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.  <b>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</b></p>																																																																																																		
<p>BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.          This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without permission of the copyright owner.          Plans generated by DigSAFE Pro™ software provided by Linearcableforeldg.</p>																																																																																																				

Towing Path

55

Warning: PDF designed for A4 colour print only with no page scaling

0 20m Dig Sites Area: Line:

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

Legend		Distribution Structures (Electric)	
	Service Cable		Pole, Existing Location
	LV Mains		Pole Structure, Existing Location - Single
	2-33kV		Pole Structure, Existing Location - H
	6.6kV		Duct Route
	11kV		Cross Section Route
	22kV		
	33kV		
	66kV		
	132kV		
	275kV		
	400kV		
	Fibre Optic		
	Rigid Cable		

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**

Scale: 1:500 (When plotted at A4)




**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294



Warning: PDF designed for A4 colour print only with no page scaling

0 20m Dig Sites Area: Line:

Voltages (V)	
LV (Low Voltage) and Services	Up to 1,000V
HV (High Voltage)	Over 1,000V to 11,000V
EHV (Extra High Voltage)	22,000V to 132,000V
Transmission	275,000V and 400,000V

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.8m
Road Crossing	0.6m	0.6m	0.9m
Agricultural	1m	1m	1.1m

**Legend**

- Service Cable
- LV Main
- 6.6kV
- 11kV
- 22kV
- 33kV
- 66kV
- 132kV
- 275kV
- 400kV
- Fibre Optic
- Ribc Cable

**Distribution Structures (Electric)**

- Pole, Existing Location
- Pole Structure, Existing Location - Single
- Pole Structure, Existing Location - H
- Duct Route
- Cross Section Route


**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**

Scale: 1:500 (When plotted at A4)

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294



Warning: PDF designed for A4 colour print only with no page scaling

0 20m Dig Sites Area: Line:

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)	
LV (Low Voltage) and Services	Up to 1,000V
HV (High Voltage)	Over 1,000V to 11,000V
EHV (Extra High Voltage)	22,000V to 132,000V
Transmission	275,000V and 400,000V

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.8m
Road Crossing	0.6m	0.6m	0.9m
Agricultural	1m	1m	1.1m

Legend	
	Service Cable
	LV Mains
	6.6kV
	11kV
	22kV
	33kV
	66kV
	132kV
	275kV
	400kV
	Fibre Optic
	Road Cable

Distribution Structures (Electric)	
	Pole, Existing Location
	Pole Structure, Existing Location - Single
	Pole Structure, Existing Location - H
	Duct Route
	Cross Section Route

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
 WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)


Scale: 1:500 (When plotted at A4)

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294





Warning: PDF designed for A4 colour print only with no page scaling

0 20m Dig Sites Area: Line:

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)	
LV (Low Voltage) and Services	Up to 1,000V
HV (High Voltage)	Over 1,000V to 11,000V
EHV (Extra High Voltage)	22,000V to 132,000V
Transmission	275,000V and 400,000V

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m
Road Crossing	0.6m	0.6m	0.75m
Agricultural	1m	1m	1.1m

**Legend**

- Service Cable
- LV Mains
- 6.6kV
- 11kV
- 22kV
- 33kV
- 66kV
- 132kV
- 275kV
- 400kV
- Fibre Optic
- Road Cable

**Distribution Structures (Electric)**

- Pole, Existing Location
- Pole Structure, Existing Location - Single
- Pole Structure, Existing Location - 1+
- Duct Route
- Cross Section Route


**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
 WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294





Warning: PDF designed for A4 colour print only with no page scaling

0 20m Dig Sites Area: Line:

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID	Services			
	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

**Legend**


- Service Cable
- LV Mains
- 2-33kV
- 6.6kV
- 11kV
- 22kV
- 33kV
- 66kV
- 132kV
- 275kV
- 400kV
- Fibre Optic
- Riser Cable

**Distribution Structures (Electric)**

- Pole, Existing Location
- Pole Structure, Existing Location - Single
- Pole Structure, Existing Location - 1+
- Duct Route
- Cross Section Route

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**


Scale: 1:500 (When plotted at A4)




**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294



Warning: PDF designed for A4 colour print only with no page scaling



Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

**Legend**

- Service Cable
- LV Mains
- 6.6kV
- 11kV
- 22kV
- 33kV
- 66kV
- 132kV
- 275kV
- 400kV
- Fibre Optic
- Road Cable

**Distribution Structures (Electric)**

- Pole, Existing Location
- Pole Structure, Existing Location - Single
- Pole Structure, Existing Location - H
- Duct Route
- Cross Section Route

Scale: 1:500 (When plotted at A4)


**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
 WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)



**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290


If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294



Warning: PDF designed for A4 colour print only with no page scaling

<p>0  20m Dig Sites Area:  Line: </p>	<p><b>Voltages (V)</b></p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>LV (Low Voltage) and Services</td> <td colspan="3">Up to 1,000V</td> </tr> <tr> <td>HV (High Voltage)</td> <td colspan="3">Over 1,000V to 11,000V</td> </tr> <tr> <td>EHV (Extra High Voltage)</td> <td colspan="3">22,000V to 132,000V</td> </tr> <tr> <td>Transmission</td> <td colspan="3">275,000V and 400,000V</td> </tr> </table> <p><b>NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID</b></p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Services</th> <th>LV</th> <th>HV</th> <th>EHV</th> </tr> </thead> <tbody> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> <td>0.45m</td> <td>0.8m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>0.6m</td> <td>0.9m</td> </tr> <tr> <td>Agricultural</td> <td>1m</td> <td>1m</td> <td>1.1m</td> </tr> </tbody> </table>	LV (Low Voltage) and Services	Up to 1,000V			HV (High Voltage)	Over 1,000V to 11,000V			EHV (Extra High Voltage)	22,000V to 132,000V			Transmission	275,000V and 400,000V			Services	LV	HV	EHV	Footpath/Unmade	0.45m	0.45m	0.8m	Road Crossing	0.6m	0.6m	0.9m	Agricultural	1m	1m	1.1m	<p><b>Legend</b></p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td></td> <td>Service Cable</td> </tr> <tr> <td></td> <td>LV Main</td> </tr> <tr> <td></td> <td>2-33kV</td> </tr> <tr> <td></td> <td>6.6kV</td> </tr> <tr> <td></td> <td>11kV</td> </tr> <tr> <td></td> <td>22kV</td> </tr> <tr> <td></td> <td>33kV</td> </tr> <tr> <td></td> <td>66kV</td> </tr> <tr> <td></td> <td>132kV</td> </tr> <tr> <td></td> <td>275kV</td> </tr> <tr> <td></td> <td>400kV</td> </tr> <tr> <td></td> <td>Fibre Optic</td> </tr> <tr> <td></td> <td>Road Cable</td> </tr> </table> <p><b>Distribution Structures (Electric)</b></p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td></td> <td>Pole, Existing Location</td> </tr> <tr> <td></td> <td>Pole Structure, Existing Location - Single</td> </tr> <tr> <td></td> <td>Pole Structure, Existing Location - H</td> </tr> <tr> <td></td> <td>Duct Route</td> </tr> <tr> <td></td> <td>Cross Section Route</td> </tr> </table>		Service Cable		LV Main		2-33kV		6.6kV		11kV		22kV		33kV		66kV		132kV		275kV		400kV		Fibre Optic		Road Cable		Pole, Existing Location		Pole Structure, Existing Location - Single		Pole Structure, Existing Location - H		Duct Route		Cross Section Route	<p> </p> <p><b>Southern Electric Power Distribution plc</b> Registered Office: No.1 Forbury Place 43 Forbury Road Reading RG1 3JH Registered In England &amp; Wales No.04094290</p> <p>If you're unsure &amp; need to seek advice before commencing excavations, please contact: General Enquiries: 0800 048 3516</p> <p>Subject to revision – Master held by SSEN Asset Data Team: <a href="mailto:Asset.Data@sse.com">Asset.Data@sse.com</a> 01256 337 294</p>
LV (Low Voltage) and Services	Up to 1,000V																																																																						
HV (High Voltage)	Over 1,000V to 11,000V																																																																						
EHV (Extra High Voltage)	22,000V to 132,000V																																																																						
Transmission	275,000V and 400,000V																																																																						
Services	LV	HV	EHV																																																																				
Footpath/Unmade	0.45m	0.45m	0.8m																																																																				
Road Crossing	0.6m	0.6m	0.9m																																																																				
Agricultural	1m	1m	1.1m																																																																				
	Service Cable																																																																						
	LV Main																																																																						
	2-33kV																																																																						
	6.6kV																																																																						
	11kV																																																																						
	22kV																																																																						
	33kV																																																																						
	66kV																																																																						
	132kV																																																																						
	275kV																																																																						
	400kV																																																																						
	Fibre Optic																																																																						
	Road Cable																																																																						
	Pole, Existing Location																																																																						
	Pole Structure, Existing Location - Single																																																																						
	Pole Structure, Existing Location - H																																																																						
	Duct Route																																																																						
	Cross Section Route																																																																						
<p>Date Requested: 24/06/2022 Job Reference: 25880986 Site Location: 447899 213853 Requested by: Mr Joe Shawyer Your Scheme/Reference: 31188_001</p>	<p><b>WARNING</b></p> <p>There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.</p> <p><b>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</b></p>																																																																						
<p>Scale: 1:500 (When plotted at A4)</p>	<p><small>BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED. This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by Linearcadbeforeddg.</small></p>																																																																						



Warning: PDF designed for A4 colour print only with no page scaling

0 20m Dig Sites Area: Line:

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

Legend	Distribution Structures (Electric)
Service Cable	Pole, Existing Location
LV Mains	Pole Structure, Existing Location - Single
2-3.3kV	Pole Structure, Existing Location - H
6.6kV	Duct Route
11kV	Cross Section Route
22kV	
33kV	
66kV	
132kV	
275kV	
400kV	
Fibre Optic	
Riser Cable	

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**




**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

Scale: 1:500 (When plotted at A4)



Warning: PDF designed for A4 colour print only with no page scaling

0 20m Dig Sites Area: Line:

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.8m
Road Crossing	0.6m	0.6m	0.9m
Agricultural	1m	1m	1.1m

**Legend**

- Service Cable
- LV Main
- 2-33kV
- 6.6kV
- 11kV
- 22kV
- 33kV
- 66kV
- 132kV
- 275kV
- 400kV
- Fibre Optic
- Riser Cable

**Distribution Structures (Electric)**

- Pole, Existing Location
- Pole Structure, Existing Location - Single
- Pole Structure, Existing Location - H
- Duct Route
- Cross Section Route


**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
 WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Scale: 1:500 (When plotted at A4)

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294



Warning: PDF designed for A4 colour print only with no page scaling

0 20m Dig Sites Area: Line:

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		

	NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
	Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

**WARNING**

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.


**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G66 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294





65

Path (um)

Warning: PDF designed for A4 colour print only with no page scaling

0 20m Dig Sites Area: Line:

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m
Road Crossing	0.6m	0.6m	0.75m
Agricultural	1m	1m	1.1m

Legend	Distribution Structures (Electric)
Service Cable	Pole, Existing Location
LV Mains	Pole Structure, Existing Location - Single
2-3.3kV	Pole Structure, Existing Location - H
6.6kV	Duct Route
11kV	Cross Section Route
22kV	
33kV	
66kV	
132kV	
275kV	
400kV	
Fibre Optic	
Pilot Cable	

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
 WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)





**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294



















Scale: 1:500 (When plotted at A4)

Warning: PDF designed for A4 colour print only with no page scaling

0  20m Dig Sites Area:  Line: 

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

Legend	Distribution Structures (Electric)
 Service Cable	 Pole, Existing Location
 LV Mains	 Pole Structure, Existing Location - Single
 2-33kV	 Pole Structure, Existing Location - H
 6.6kV	 Duct Route
 11kV	 Cross Section Route
 22kV	
 33kV	
 66kV	
 132kV	
 275kV	
 400kV	
 Fibre Optic	
 Riser Cable	

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
 WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)



**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

Scale: 1:500 (When plotted at A4)

67

Warning: PDF designed for A4 colour print only with no page scaling

0  20m Dig Sites Area:  Line: 

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m 0.8m
Road Crossing	0.6m	0.6m	0.75m 0.9m
Agricultural	1m	1m	1m 1.1m

**Legend**

- Service Cable
- LV Mains
- 2-33kV
- 6.6kV
- 11kV
- 22kV
- 33kV
- 66kV
- 132kV
- 275kV
- 400kV
- Fibre Optic
- Pilot Cable

**Distribution Structures (Electric)**

- Pole, Existing Location
- Pole Structure, Existing Location - Single
- Pole Structure, Existing Location - H
- Duct Route
- Cross Section Route

WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)




Southern Electric Power Distribution plc

Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290


If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

68

Track

Warning: PDF designed for A4 colour print only with no page scaling

0  20m Dig Sites Area:  Line: 



Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m
Road Crossing	0.6m	0.6m	0.75m
Agricultural	1m	1m	1.1m

Legend	Distribution Structures (Electric)
Service Cable	Pole, Existing Location
LV Mains	Pole Structure, Existing Location - Single
2-33kV	Pole Structure, Existing Location - H
6.6kV	Duct Route
11kV	Cross Section Route
22kV	
33kV	
66kV	
132kV	
275kV	
400kV	
Fibre Optic	
Pilot Cable	

**WARNING**


There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
 WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

Scale: 1:500 (When plotted at A4)



Warning: PDF designed for A4 colour print only with no page scaling

0 20m Dig Sites Area: Line:

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.8m
Road Crossing	0.6m	0.6m	0.9m
Agricultural	1m	1m	1.1m

**Legend**

- Service Cable
- LV Mains
- 2-33kV
- 6.6kV
- 11kV
- 22kV
- 33kV
- 66kV
- 132kV
- 275kV
- 400kV
- Fibre Optic
- Road Cable

**Distribution Structures (Electric)**

- Pole, Existing Location
- Pole Structure, Existing Location - Single
- Pole Structure, Existing Location - H
- Duct Route
- Cross Section Route

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**

Scale: 1:500 (When plotted at A4)




**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

Path (um)

70

Warning: PDF designed for A4 colour print only with no page scaling

0  20m Dig Sites Area:  Line: 



Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m 0.8m
Road Crossing	0.6m	0.6m	0.75m 0.9m
Agricultural	1m	1m	1m 1.1m

Legend	Distribution Structures (Electric)
Service Cable	Pole, Existing Location
LV Mains	Pole Structure, Existing Location - Single
2-33kV	Pole Structure, Existing Location - H
6.6kV	Duct Route
11kV	Cross Section Route
22kV	
33kV	
66kV	
132kV	
275kV	
400kV	
Fibre Optic	
Pilot Cable	

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294




Scale: 1:500 (When plotted at A4)

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**



71

Warning: PDF designed for A4 colour print only with no page scaling

0  20m Dig Sites Area:  Line: 



Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.8m
Road Crossing	0.6m	0.6m	0.9m
Agricultural	1m	1m	1.1m

Legend	Distribution Structures (Electric)
Service Cable	Pole, Existing Location
LV Mains	Pole Structure, Existing Location - Single
2-33kV	Pole Structure, Existing Location - H
6.6kV	Duct Route
11kV	Cross Section Route
22kV	
33kV	
66kV	
132kV	
275kV	
400kV	
Fibre Optic	
Fibre Cable	

**WARNING**


There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
 WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

Scale: 1:500 (When plotted at A4)



Warning: PDF designed for A4 colour print only with no page scaling

0 20m Dig Sites Area: Line:

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m
Road Crossing	0.6m	0.6m	0.75m
Agricultural	1m	1m	1.1m

**Legend**

- Service Cable
- LV Mains
- 2-33kV
- 66kV
- 11kV
- 22kV
- 33kV
- 66kV
- 132kV
- 275kV
- 400kV
- Fibre Optic
- Pilot Cable

**Distribution Structures (Electric)**

- Pole, Existing Location
- Pole Structure, Existing Location - Single
- Pole Structure, Existing Location - H
- Duct Route
- Cross Section Route


**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**

Scale: 1:500 (When plotted at A4)

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294



Warning: PDF designed for A4 colour print only with no page scaling

0 20m Dig Sites Area: Line:

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

**Legend**

- Service Cable
- LV Mains
- 2-33kV
- 6.6kV
- 11kV
- 22kV
- 33kV
- 66kV
- 132kV
- 275kV
- 400kV
- Fibre Optic
- Road Cable

**Distribution Structures (Electric)**

- Pole, Existing Location
- Pole Structure, Existing Location - Single
- Pole Structure, Existing Location - H
- Duct Route
- Cross Section Route

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
 WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Scale: 1:500 (When plotted at A4)

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

SL

74

Warning: PDF designed for A4 colour print only with no page scaling

0 20m Dig Sites Area: [Dashed Box] Line: [Dashed Line]

Date Requested: 24/06/2022  
Job Reference: 25880986  
Site Location: 447899 213853  
Requested by: Mr Joe Shawyer

Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m
Road Crossing	0.6m	0.6m	0.75m
Agricultural	1m	1m	1.1m

**Legend**

- Service Cable
- LV Mains
- 2-33kV
- 6.6kV
- 11kV
- 22kV
- 33kV
- 66kV
- 132kV
- 275kV
- 400kV
- Fibre Optic
- Road Cable

**Distribution Structures (Electric)**

- Pole, Existing Location
- Pole Structure, Existing Location - Single
- Pole Structure, Existing Location - H
- Duct Route
- Cross Section Route



**Southern Electric Power Distribution plc**  
Registered Office: No.1 Forbury Place  
43 Forbury Road Reading RG1 3JH  
Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
01256 337 294

Scale: 1:500 (When plotted at A4)

**WARNING**  
There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G66 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**



Warning: PDF designed for A4 colour print only with no page scaling

0 20m Dig Sites Area: Line:

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)	
LV (Low Voltage) and Services	Up to 1,000V
HV (High Voltage)	Over 1,000V to 11,000V
EHV (Extra High Voltage)	22,000V to 132,000V
Transmission	275,000V and 400,000V

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.8m
Road Crossing	0.6m	0.6m	0.9m
Agricultural	1m	1m	1.1m

**Legend**

- Service Cable
- LV Mains
- 2-13kV
- 6.6kV
- 11kV
- 22kV
- 33kV
- 66kV
- 132kV
- 275kV
- 400kV
- Fibre Optic
- Pilot Cable

**Distribution Structures (Electric)**


- Pole, Existing Location
- Pole Structure, Existing Location - Single
- Pole Structure, Existing Location - In
- Duct Route
- Cross Section Route

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
 WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset\\_Data@sse.com](mailto:Asset_Data@sse.com)  
 01256 337 294



Warning: PDF designed for A4 colour print only with no page scaling

0 20m Dig Sites Area: Line:

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

Legend	Distribution Structures (Electric)
Service Cable	Pole, Existing Location
LV Mains	Pole Structure, Existing Location - Single
2-33kV	Pole Structure, Existing Location - H
6.6kV	Duct Route
11kV	Cross Section Route
22kV	
33kV	
66kV	
132kV	
275kV	
400kV	
Fibre Optic	
Fibre Cable	

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
 WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294



77

Warning: PDF designed for A4 colour print only with no page scaling

0 20m Dig Sites Area: Line:

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

Legend	Distribution Structures (Electric)
Service Cable	Pole, Existing Location
LV Mains	Pole Structure, Existing Location - Single
2-33kV	Pole Structure, Existing Location - 1+
6.6kV	Duct Route
11kV	Cross Section Route
22kV	
33kV	
66kV	
132kV	
275kV	
400kV	
Fibre Optic	
Fibre Cable	

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
 WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)




**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

Scale: 1:500 (When plotted at A4)



78

Warning: PDF designed for A4 colour print only with no page scaling

<p>0  20m Dig Sites Area:  Line: </p>	<p>Date Requested: 24/06/2022          Job Reference: 25880986          Site Location: 447899 213853          Requested by: Mr Joe Shawyer          Your Scheme/Reference: 31188_001</p>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th colspan="4">Voltages (V)</th> </tr> <tr> <td>LV (Low Voltage) and Services</td> <td colspan="3">Up to 1,000V</td> </tr> <tr> <td>HV (High Voltage)</td> <td colspan="3">Over 1,000V to 11,000V</td> </tr> <tr> <td>EHV (Extra High Voltage)</td> <td colspan="3">22,000V to 132,000V</td> </tr> <tr> <td>Transmission</td> <td colspan="3">275,000V and 400,000V</td> </tr> <tr> <th colspan="4">NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID</th> </tr> <tr> <td>Services</td> <td>LV</td> <td>HV</td> <td>EHV</td> </tr> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> <td>0.45m</td> <td>0.6m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>0.6m</td> <td>0.75m</td> </tr> <tr> <td>Agricultural</td> <td>1m</td> <td>1m</td> <td>1.1m</td> </tr> </table>	Voltages (V)				LV (Low Voltage) and Services	Up to 1,000V			HV (High Voltage)	Over 1,000V to 11,000V			EHV (Extra High Voltage)	22,000V to 132,000V			Transmission	275,000V and 400,000V			NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				Services	LV	HV	EHV	Footpath/Unmade	0.45m	0.45m	0.6m	Road Crossing	0.6m	0.6m	0.75m	Agricultural	1m	1m	1.1m	
Voltages (V)																																											
LV (Low Voltage) and Services	Up to 1,000V																																										
HV (High Voltage)	Over 1,000V to 11,000V																																										
EHV (Extra High Voltage)	22,000V to 132,000V																																										
Transmission	275,000V and 400,000V																																										
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID																																											
Services	LV	HV	EHV																																								
Footpath/Unmade	0.45m	0.45m	0.6m																																								
Road Crossing	0.6m	0.6m	0.75m																																								
Agricultural	1m	1m	1.1m																																								
<p>Scale: 1:500 (When plotted at A4)</p>		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>Legend</th> <th>Distribution Structures (Electric)</th> </tr> <tr> <td> <ul style="list-style-type: none"> <li> Service Cable</li> <li> LV Mains</li> <li> 2-33kV</li> <li> 6.6kV</li> <li> 11kV</li> <li> 22kV</li> <li> 33kV</li> <li> 66kV</li> <li> 132kV</li> <li> 275kV</li> <li> 400kV</li> <li> Fibre Optic</li> <li> Pilot Cable</li> </ul> </td> <td> <ul style="list-style-type: none"> <li> Pole, Existing Location</li> <li> Pole Structure, Existing Location - Single</li> <li> Pole Structure, Existing Location - H</li> <li> Duct Route</li> <li> Cross Section Route</li> </ul> </td> </tr> </table> <p style="text-align: center; font-size: small; color: red;"><b>WARNING</b></p> <p style="text-align: center; font-size: x-small;">There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.</p> <p style="text-align: center; font-size: x-small; color: red;">WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</p>	Legend	Distribution Structures (Electric)	<ul style="list-style-type: none"> <li> Service Cable</li> <li> LV Mains</li> <li> 2-33kV</li> <li> 6.6kV</li> <li> 11kV</li> <li> 22kV</li> <li> 33kV</li> <li> 66kV</li> <li> 132kV</li> <li> 275kV</li> <li> 400kV</li> <li> Fibre Optic</li> <li> Pilot Cable</li> </ul>	<ul style="list-style-type: none"> <li> Pole, Existing Location</li> <li> Pole Structure, Existing Location - Single</li> <li> Pole Structure, Existing Location - H</li> <li> Duct Route</li> <li> Cross Section Route</li> </ul>	<p style="text-align: center;"><b>Southern Electric Power Distribution plc</b>          Registered Office: No.1 Forbury Place          43 Forbury Road Reading RG1 3JH          Registered In England &amp; Wales No.04094290</p> <p style="font-size: x-small;">If you're unsure &amp; need to seek advice before commencing excavations, please contact:          General Enquiries: 0800 048 3516</p> <p style="font-size: x-small;">Subject to revision - Master held by SSEN Asset Data Team:  <a href="mailto:Asset.Data@sse.com">Asset.Data@sse.com</a>          01256 337 294</p>																																				
Legend	Distribution Structures (Electric)																																										
<ul style="list-style-type: none"> <li> Service Cable</li> <li> LV Mains</li> <li> 2-33kV</li> <li> 6.6kV</li> <li> 11kV</li> <li> 22kV</li> <li> 33kV</li> <li> 66kV</li> <li> 132kV</li> <li> 275kV</li> <li> 400kV</li> <li> Fibre Optic</li> <li> Pilot Cable</li> </ul>	<ul style="list-style-type: none"> <li> Pole, Existing Location</li> <li> Pole Structure, Existing Location - Single</li> <li> Pole Structure, Existing Location - H</li> <li> Duct Route</li> <li> Cross Section Route</li> </ul>																																										
<p>BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.          This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.          Plans generated by DigSAFE Pro™ software provided by Lineasearchbeforedig.</p>																																											

Warning: PDF designed for A4 colour print only with no page scaling

0  20m Dig Sites Area:  Line: 



Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m
Road Crossing	0.6m	0.6m	0.75m
Agricultural	1m	1m	1.1m

**Legend**

- Service Cable
- LV Mains
- 2-33kV
- 6.6kV
- 11kV
- 22kV
- 33kV
- 66kV
- 132kV
- 275kV
- 400kV
- Fibre Optic
- Pilot Cable

**Distribution Structures (Electric)**

- Pole, Existing Location
- Pole Structure, Existing Location - Single
- Pole Structure, Existing Location - H
- Duct Route
- Cross Section Route

WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

Warning: PDF designed for A4 colour print only with no page scaling

0  20m Dig Sites Area:  Line: 



Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m 0.8m
Road Crossing	0.6m	0.6m	0.75m 0.9m
Agricultural	1m	1m	1m 1.1m

**Legend**

- Service Cable
- LV Mains
- 2-33kV
- 6.6kV
- 11kV
- 22kV
- 33kV
- 66kV
- 132kV
- 275kV
- 400kV
- Fibre Optic
- Pilot Cable

**Distribution Structures (Electric)**

- Pole, Existing Location
- Pole Structure, Existing Location - Single
- Pole Structure, Existing Location - H
- Duct Route
- Cross Section Route

WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.


WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

Scale: 1:500 (When plotted at A4)



Warning: PDF designed for A4 colour print only with no page scaling

<p>0  20m Dig Sites Area:  Line: </p>	<p><b>Legend</b></p> <table style="font-size: small;"> <tr><td></td><td>Service Cable</td></tr> <tr><td></td><td>LV Mains</td></tr> <tr><td></td><td>2-33kV</td></tr> <tr><td></td><td>6.6kV</td></tr> <tr><td></td><td>11kV</td></tr> <tr><td></td><td>22kV</td></tr> <tr><td></td><td>33kV</td></tr> <tr><td></td><td>66kV</td></tr> <tr><td></td><td>132kV</td></tr> <tr><td></td><td>275kV</td></tr> <tr><td></td><td>400kV</td></tr> <tr><td></td><td>Fibre Optic</td></tr> <tr><td></td><td>Riser Cable</td></tr> </table> <p><b>Distribution Structures (Electric)</b></p> <table style="font-size: small;"> <tr><td></td><td>Pole, Existing Location</td></tr> <tr><td></td><td>Pole Structure, Existing Location - Single</td></tr> <tr><td></td><td>Pole Structure, Existing Location - H</td></tr> <tr><td></td><td>Duct Route</td></tr> <tr><td></td><td>Cross Section Route</td></tr> </table>		Service Cable		LV Mains		2-33kV		6.6kV		11kV		22kV		33kV		66kV		132kV		275kV		400kV		Fibre Optic		Riser Cable		Pole, Existing Location		Pole Structure, Existing Location - Single		Pole Structure, Existing Location - H		Duct Route		Cross Section Route			<p style="text-align: center;"><b>Southern Electric Power Distribution plc</b> Registered Office: No.1 Forbury Place 43 Forbury Road Reading RG1 3JH Registered In England &amp; Wales No.04094290</p> <p>If you're unsure &amp; need to seek advice before commencing excavations, please contact: General Enquiries: 0800 048 3516</p> <p>Subject to revision – Master held by SSEN Asset Data Team: <a href="mailto:Asset.Data@sse.com">Asset.Data@sse.com</a> 01256 337 294</p>
	Service Cable																																							
	LV Mains																																							
	2-33kV																																							
	6.6kV																																							
	11kV																																							
	22kV																																							
	33kV																																							
	66kV																																							
	132kV																																							
	275kV																																							
	400kV																																							
	Fibre Optic																																							
	Riser Cable																																							
	Pole, Existing Location																																							
	Pole Structure, Existing Location - Single																																							
	Pole Structure, Existing Location - H																																							
	Duct Route																																							
	Cross Section Route																																							
<p>Date Requested: 24/06/2022 Job Reference: 25880986 Site Location: 447899 213853 Requested by: Mr Joe Shawyer Your Scheme/Reference: 31188_001</p>	<p><b>Voltages (V)</b></p> <table style="font-size: x-small;"> <tr><td>LV (Low Voltage) and Services</td><td colspan="3">Up to 1,000V</td></tr> <tr><td>HV (High Voltage)</td><td colspan="3">Over 1,000V to 11,000V</td></tr> <tr><td>EHV (Extra High Voltage)</td><td colspan="3">22,000V to 132,000V</td></tr> <tr><td>Transmission</td><td colspan="3">275,000V and 400,000V</td></tr> </table> <p><b>NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID</b></p> <table style="font-size: x-small;"> <tr><th>Services</th><th>LV</th><th>HV</th><th>EHV</th></tr> <tr><td>Footpath/Unmade</td><td>0.45m</td><td>0.45m</td><td>0.6m</td></tr> <tr><td>Road Crossing</td><td>0.6m</td><td>0.6m</td><td>0.75m</td></tr> <tr><td>Agricultural</td><td>1m</td><td>1m</td><td>1.1m</td></tr> </table>	LV (Low Voltage) and Services	Up to 1,000V			HV (High Voltage)	Over 1,000V to 11,000V			EHV (Extra High Voltage)	22,000V to 132,000V			Transmission	275,000V and 400,000V			Services	LV	HV	EHV	Footpath/Unmade	0.45m	0.45m	0.6m	Road Crossing	0.6m	0.6m	0.75m	Agricultural	1m	1m	1.1m	<p style="font-size: x-small; text-align: center;"><b>WARNING</b></p> <p style="font-size: x-small; text-align: center;">There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.</p> <p style="font-size: x-small; text-align: center;"><b>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</b></p>			<p>Scale: 1:500 (When plotted at A4)</p>			
LV (Low Voltage) and Services	Up to 1,000V																																							
HV (High Voltage)	Over 1,000V to 11,000V																																							
EHV (Extra High Voltage)	22,000V to 132,000V																																							
Transmission	275,000V and 400,000V																																							
Services	LV	HV	EHV																																					
Footpath/Unmade	0.45m	0.45m	0.6m																																					
Road Crossing	0.6m	0.6m	0.75m																																					
Agricultural	1m	1m	1.1m																																					
<p>BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED. This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by LineascribbleLtd.</p>																																								

Warning: PDF designed for A4 colour print only with no page scaling

0  20m Dig Sites Area:  Line: 

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m
Road Crossing	0.6m	0.6m	0.75m
Agricultural	1m	1m	1.1m

**Legend**

- Service Cable
- LV Mains
- 2-33kV
- 66kV
- 110kV
- 220kV
- 330kV
- 500kV
- 132kV
- 275kV
- 400kV
- Fibre Optic
- Pilot Cable

**Distribution Structures (Electric)**

- Pole, Existing Location
- Pole Structure, Existing Location - Single
- Pole Structure, Existing Location - H
- Duct Route
- Cross Section Route

WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)




Southern Electric Power Distribution plc

Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294



Warning: PDF designed for A4 colour print only with no page scaling

0  20m Dig Sites Area:  Line: 

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m 0.8m
Road Crossing	0.6m	0.6m	0.75m 0.9m
Agricultural	1m	1m	1m 1.1m

**Legend**

- Service Cable
- LV Mains
- 2-33kV
- 6.6kV
- 11kV
- 22kV
- 33kV
- 66kV
- 132kV
- 275kV
- 400kV
- Fibre Optic
- Pilot Cable

**Distribution Structures (Electric)**

- Pole, Existing Location
- Pole Structure, Existing Location - Single
- Pole Structure, Existing Location - H
- Duct Route
- Cross Section Route

WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)




Southern Electric Power Distribution plc

Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

84

2x 185 Wavecon

Warning: PDF designed for A4 colour print only with no page scaling

0 20m Dig Sites Area: Line:

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

Legend	Distribution Structures (Electric)
Service Cable	Pole, Existing Location
LV Mains	Pole Structure, Existing Location - Single
6.6kV	Pole Structure, Existing Location - H
11kV	Duct Route
22kV	Cross Section Route
33kV	
66kV	
132kV	
275kV	
400kV	
Fibre Optic	
Riser Cable	

Scale: 1:500 (When plotted at A4)


**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**



**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294



Warning: PDF designed for A4 colour print only with no page scaling

0 20m Dig Sites Area: Line:

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m
Road Crossing	0.6m	0.6m	0.75m
Agricultural	1m	1m	1.1m

**Legend**

- Service Cable
- LV Mains
- 2-33kV
- 66kV
- 110kV
- 220kV
- 330kV
- 500kV
- 132kV
- 275kV
- 400kV
- Fibre Optic
- Pilot Cable

**Distribution Structures (Electric)**

- Pole, Existing Location
- Pole Structure, Existing Location - Single
- Pole Structure, Existing Location - H
- Duct Route
- Cross Section Route

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**

Scale: 1:500 (When plotted at A4)

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

Warning: PDF designed for A4 colour print only with no page scaling

0  20m Dig Sites Area:  Line: 

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

**Legend**

- Service Cable
- LV Mains
- 2-33kV
- 6.6kV
- 11kV
- 22kV
- 33kV
- 66kV
- 132kV
- 275kV
- 400kV
- Fibre Optic
- Rfid Cable

**Distribution Structures (Electric)**

- Pole, Existing Location
- Pole Structure, Existing Location - Single
- Pole Structure, Existing Location - H
- Duct Route
- Cross Section Route

WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)




**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

Scale: 1:500 (When plotted at A4)



Warning: PDF designed for A4 colour print only with no page scaling

0 20m Dig Sites Area: Line:

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m 0.8m
Road Crossing	0.6m	0.6m	0.75m 0.9m
Agricultural	1m	1m	1m 1.1m

**Legend**

- Service Cable
- LV Mains
- 2-13kV
- 6.6kV
- 11kV
- 22kV
- 33kV
- 66kV
- 132kV
- 275kV
- 400kV
- Fibre Optic
- Pilot Cable

**Distribution Structures (Electric)**

- Pole, Existing Location
- Pole Structure, Existing Location - Single
- Pole Structure, Existing Location - H
- Duct Route
- Cross Section Route

WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.


WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)



**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294






Warning: PDF designed for A4 colour print only with no page scaling

<p>0  20m Dig Sites Area:  Line: </p>	<p>Date Requested: 24/06/2022          Job Reference: 25880986          Site Location: 447899 213853          Requested by: Mr Joe Shawyer          Your Scheme/Reference: 31188_001</p>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th colspan="4">Voltages (V)</th> </tr> <tr> <td>LV (Low Voltage) and Services</td> <td colspan="3">Up to 1,000V</td> </tr> <tr> <td>HV (High Voltage)</td> <td colspan="3">Over 1,000V to 11,000V</td> </tr> <tr> <td>EHV (Extra High Voltage)</td> <td colspan="3">22,000V to 132,000V</td> </tr> <tr> <td>Transmission</td> <td colspan="3">275,000V and 400,000V</td> </tr> <tr> <th colspan="4">NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID</th> </tr> <tr> <td>Services</td> <td>LV</td> <td>HV</td> <td>EHV</td> </tr> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> <td>0.45m</td> <td>0.6m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>0.6m</td> <td>0.75m</td> </tr> <tr> <td>Agricultural</td> <td>1m</td> <td>1m</td> <td>1.1m</td> </tr> </table>	Voltages (V)				LV (Low Voltage) and Services	Up to 1,000V			HV (High Voltage)	Over 1,000V to 11,000V			EHV (Extra High Voltage)	22,000V to 132,000V			Transmission	275,000V and 400,000V			NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				Services	LV	HV	EHV	Footpath/Unmade	0.45m	0.45m	0.6m	Road Crossing	0.6m	0.6m	0.75m	Agricultural	1m	1m	1.1m	<p style="text-align: center;"><b>Southern Electric Power Distribution plc</b>          Registered Office: No.1 Forbury Place          43 Forbury Road Reading RG1 3JH          Registered In England &amp; Wales No.04094290</p> <p>If you're unsure &amp; need to seek advice before commencing excavations, please contact:          General Enquiries: 0800 048 3516</p> <p>Subject to revision – Master held by SSEN Asset Data Team:  <a href="mailto:Asset.Data@sse.com">Asset.Data@sse.com</a>          01256 337 294</p>																
Voltages (V)																																																											
LV (Low Voltage) and Services	Up to 1,000V																																																										
HV (High Voltage)	Over 1,000V to 11,000V																																																										
EHV (Extra High Voltage)	22,000V to 132,000V																																																										
Transmission	275,000V and 400,000V																																																										
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID																																																											
Services	LV	HV	EHV																																																								
Footpath/Unmade	0.45m	0.45m	0.6m																																																								
Road Crossing	0.6m	0.6m	0.75m																																																								
Agricultural	1m	1m	1.1m																																																								
<p>Scale: 1:500 (When plotted at A4)</p>		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th colspan="2">Legend</th> <th colspan="2">Distribution Structures (Electric)</th> </tr> <tr> <td></td> <td>Service Cable</td> <td></td> <td>Pole, Existing Location</td> </tr> <tr> <td></td> <td>LV Mains</td> <td></td> <td>Pole Structure, Existing Location - Single</td> </tr> <tr> <td></td> <td>2-33kV</td> <td></td> <td>Pole Structure, Existing Location - H</td> </tr> <tr> <td></td> <td>6.6kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>11kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>22kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>33kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>66kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>132kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>275kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>400kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>Fibre Optic</td> <td></td> <td></td> </tr> <tr> <td></td> <td>Rigid Cable</td> <td></td> <td></td> </tr> </table> <p style="text-align: center;"><b>WARNING</b></p> <p style="text-align: center; font-size: small;">There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.</p> <p style="text-align: center; font-size: x-small;">WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</p>	Legend		Distribution Structures (Electric)			Service Cable		Pole, Existing Location		LV Mains		Pole Structure, Existing Location - Single		2-33kV		Pole Structure, Existing Location - H		6.6kV				11kV				22kV				33kV				66kV				132kV				275kV				400kV				Fibre Optic				Rigid Cable			<p style="font-size: x-small;">BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.          This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.          Plans generated by DigSAFE Pro™ software provided by Linearcableforeldg.</p>
Legend		Distribution Structures (Electric)																																																									
	Service Cable		Pole, Existing Location																																																								
	LV Mains		Pole Structure, Existing Location - Single																																																								
	2-33kV		Pole Structure, Existing Location - H																																																								
	6.6kV																																																										
	11kV																																																										
	22kV																																																										
	33kV																																																										
	66kV																																																										
	132kV																																																										
	275kV																																																										
	400kV																																																										
	Fibre Optic																																																										
	Rigid Cable																																																										



Warning: PDF designed for A4 colour print only with no page scaling

0  20m Dig Sites Area:  Line: 



Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m 0.8m
Road Crossing	0.6m	0.6m	0.75m 0.9m
Agricultural	1m	1m	1m 1.1m

**Legend**

- Service Cable
- LV Mains
- 2-33kV
- 66kV
- 110kV
- 220kV
- 330kV
- 500kV
- 132kV
- 275kV
- 400kV
- Fibre Optic
- Pilot Cable

**Distribution Structures (Electric)**

- Pole, Existing Location
- Pole Structure, Existing Location - Single
- Pole Structure, Existing Location - H
- Duct Route
- Cross Section Route

WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.


WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

Scale: 1:500 (When plotted at A4)



Warning: PDF designed for A4 colour print only with no page scaling

0 20m Dig Sites Area: Line:

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

Legend		Distribution Structures (Electric)	
	Service Cable		Pole, Existing Location
	LV Main		Pole Structure, Existing Location - Single
	2-33kV		Pole Structure, Existing Location - H
	6.6kV		
	11kV		
	22kV		
	33kV		
	66kV		
	132kV		
	275kV		
	400kV		
	Fibre Optic		
	Fiber Cable		


**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
 WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Scale: 1:500 (When plotted at A4)

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290


If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294



Warning: PDF designed for A4 colour print only with no page scaling

<p>0  20m Dig Sites Area:  Line: </p>	<p>Date Requested: 24/06/2022          Job Reference: 25880986          Site Location: 447899 213853          Requested by: Mr Joe Shawyer          Your Scheme/Reference: 31188_001</p>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th colspan="4">Voltages (V)</th> </tr> <tr> <td>LV (Low Voltage) and Services</td> <td colspan="3">Up to 1,000V</td> </tr> <tr> <td>HV (High Voltage)</td> <td colspan="3">Over 1,000V to 11,000V</td> </tr> <tr> <td>EHV (Extra High Voltage)</td> <td colspan="3">22,000V to 132,000V</td> </tr> <tr> <td>Transmission</td> <td colspan="3">275,000V and 400,000V</td> </tr> <tr> <th colspan="4">NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID</th> </tr> <tr> <td>Services</td> <td>LV</td> <td>HV</td> <td>EHV</td> </tr> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> <td>0.45m</td> <td>0.6m 0.8m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>0.6m</td> <td>0.75m 0.9m</td> </tr> <tr> <td>Agricultural</td> <td>1m</td> <td>1m</td> <td>1m 1.1m</td> </tr> </table>	Voltages (V)				LV (Low Voltage) and Services	Up to 1,000V			HV (High Voltage)	Over 1,000V to 11,000V			EHV (Extra High Voltage)	22,000V to 132,000V			Transmission	275,000V and 400,000V			NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				Services	LV	HV	EHV	Footpath/Unmade	0.45m	0.45m	0.6m 0.8m	Road Crossing	0.6m	0.6m	0.75m 0.9m	Agricultural	1m	1m	1m 1.1m	<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <p><b>Legend</b></p> <ul style="list-style-type: none"> <li> Service Cable</li> <li> LV Main</li> <li> 2-33kV</li> <li> 6.6kV</li> <li> 11kV</li> <li> 22kV</li> <li> 33kV</li> <li> 66kV</li> <li> 132kV</li> <li> 275kV</li> <li> 400kV</li> <li> Fibre Optic</li> <li> Pilot Cable</li> </ul> </div> <div style="width: 45%;"> <p><b>Distribution Structures (Electric)</b></p> <ul style="list-style-type: none"> <li> Pole, Existing Location</li> <li> Pole Structure, Existing Location - Single</li> <li> Pole Structure, Existing Location - H</li> <li> Duct Route</li> <li> Cross Section Route</li> </ul> </div> </div>	<div style="display: flex; justify-content: space-around;"> </div> <p style="text-align: center;"><b>Southern Electric Power Distribution plc</b>          Registered Office: No.1 Forbury Place          43 Forbury Road Reading RG1 3JH          Registered In England &amp; Wales No.04094290</p> <p style="text-align: center;">If you're unsure &amp; need to seek advice before commencing excavations, please contact:          General Enquiries: 0800 048 3516</p> <p style="text-align: center;">Subject to revision – Master held by SSEN Asset Data Team:  <a href="mailto:Asset.Data@sse.com">Asset.Data@sse.com</a>          01256 337 294</p>
Voltages (V)																																												
LV (Low Voltage) and Services	Up to 1,000V																																											
HV (High Voltage)	Over 1,000V to 11,000V																																											
EHV (Extra High Voltage)	22,000V to 132,000V																																											
Transmission	275,000V and 400,000V																																											
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID																																												
Services	LV	HV	EHV																																									
Footpath/Unmade	0.45m	0.45m	0.6m 0.8m																																									
Road Crossing	0.6m	0.6m	0.75m 0.9m																																									
Agricultural	1m	1m	1m 1.1m																																									
<p>Scale: 1:500 (When plotted at A4)</p>		<p><b>WARNING</b>          There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.  <b>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</b></p>																																										
<p>BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.          This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.          Plans generated by DigSAFE Pro™ software provided by Linearcableforeldg.</p>																																												



Warning: PDF designed for A4 colour print only with no page scaling

0 20m Dig Sites Area: Line:

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)	
LV (Low Voltage) and Services	Up to 1,000V
HV (High Voltage)	Over 1,000V to 11,000V
EHV (Extra High Voltage)	22,000V to 132,000V
Transmission	275,000V and 400,000V

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

**Legend**

- Service Cable
- LV Main
- 6.6kV
- 11kV
- 22kV
- 33kV
- 66kV
- 132kV
- 275kV
- 400kV
- Fibre Optic
- Rigid Cable

**Distribution Structures (Electric)**

- Pole, Existing Location
- Pole Structure, Existing Location - Single
- Pole Structure, Existing Location - H
- Duct Route
- Cross Section Route

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.  
 WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Scale: 1:500 (When plotted at A4)

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

Warning: PDF designed for A4 colour print only with no page scaling

0  20m Dig Sites Area:  Line: 



Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m 0.8m
Road Crossing	0.6m	0.6m	0.75m 0.9m
Agricultural	1m	1m	1m 1.1m

Legend	Distribution Structures (Electric)
Service Cable	Pole, Existing Location
LV Mains	Pole Structure, Existing Location - Single
2-33kV	Pole Structure, Existing Location - H
6.6kV	Duct Route
11kV	Cross Section Route
22kV	
33kV	
66kV	
132kV	
275kV	
400kV	
Fibre Optic	
Pilot Cable	

Scale: 1:500 (When plotted at A4)

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

Warning: PDF designed for A4 colour print only with no page scaling

0  20m Dig Sites Area:  Line: 



Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m 0.8m
Road Crossing	0.6m	0.6m	0.75m 0.9m
Agricultural	1m	1m	1m 1.1m

**Legend**

- Service Cable
- LV Mains
- 2-33kV
- 6.6kV
- 11kV
- 22kV
- 33kV
- 66kV
- 132kV
- 275kV
- 400kV
- Fibre Optic
- Pilot Cable

**Distribution Structures (Electric)**

- Pole, Existing Location
- Pole Structure, Existing Location - Single
- Pole Structure, Existing Location - H
- Duct Route
- Cross Section Route

WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290



If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

Scale: 1:500 (When plotted at A4)

95

Warning: PDF designed for A4 colour print only with no page scaling

0  20m Dig Sites Area:  Line: 



Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m 0.8m
Road Crossing	0.6m	0.6m	0.75m 0.9m
Agricultural	1m	1m	1m 1.1m

<p><b>Legend</b></p> <ul style="list-style-type: none"> <li> Service Cable</li> <li> LV Main</li> <li> 2-33kV</li> <li> 6.6kV</li> <li> 11kV</li> <li> 22kV</li> <li> 33kV</li> <li> 66kV</li> <li> 132kV</li> <li> 275kV</li> <li> 400kV</li> <li> Fibre Optic</li> <li> Pilot Cable</li> </ul>	<p><b>Distribution Structures (Electric)</b></p> <ul style="list-style-type: none"> <li> Pole, Existing Location</li> <li> Pole Structure, Existing Location - Single</li> <li> Pole Structure, Existing Location - H</li> <li> Duct Route</li> <li> Cross Section Route</li> </ul>
--	---

**WARNING**

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G66 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

Scale: 1:500 (When plotted at A4)



Warning: PDF designed for A4 colour print only with no page scaling

0  20m Dig Sites Area:  Line: 



Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m 0.8m
Road Crossing	0.6m	0.6m	0.75m 0.9m
Agricultural	1m	1m	1m 1.1m

**Legend**

- Service Cable
- LV Mains
- 2-33kV
- 6.6kV
- 11kV
- 22kV
- 33kV
- 66kV
- 132kV
- 275kV
- 400kV
- Fibre Optic
- Pilot Cable

**Distribution Structures (Electric)**

- Pole, Existing Location
- Pole Structure, Existing Location - Single
- Pole Structure, Existing Location - H
- Duct Route
- Cross Section Route

WARNING


There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294



Warning: PDF designed for A4 colour print only with no page scaling

0 20m Dig Sites Area: Line:

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m
Road Crossing	0.6m	0.6m	0.75m
Agricultural	1m	1m	1.1m

**Legend**

- Service Cable
- LV Mains
- 2-33kV
- 6.6kV
- 11kV
- 22kV
- 33kV
- 66kV
- 132kV
- 275kV
- 400kV
- Fibre Optic
- Pilot Cable

**Distribution Structures (Electric)**

- Pole, Existing Location
- Pole Structure, Existing Location - Single
- Pole Structure, Existing Location - H
- Duct Route
- Cross Section Route

Scale: 1:500 (When plotted at A4)


**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**



**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294



Warning: PDF designed for A4 colour print only with no page scaling



Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

**Legend**

- Service Cable
- LV Mains
- 2-13kV
- 6.6kV
- 11kV
- 22kV
- 33kV
- 66kV
- 132kV
- 275kV
- 400kV
- Fibre Optic
- Road Cable

**Distribution Structures (Electric)**

- Pole, Existing Location
- Pole Structure, Existing Location - Single
- Pole Structure, Existing Location - H
- Duct Route
- Cross Section Route

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
 WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)



**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

Scale: 1:500 (When plotted at A4)

Begbroke Science Park

99

Centre For  
Innovation &  
Enterprise

Warning: PDF designed for A4 colour print only with no page scaling

0 20m Dig Sites Area: Line:

Date Requested: 24/06/2022  
Job Reference: 25880986  
Site Location: 447899 213853  
Requested by: Mr Joe Shawyer

Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m
Road Crossing	0.6m	0.6m	0.75m
Agricultural	1m	1m	1.1m

Legend		Distribution Structures (Electric)	
	Service Cable		Pole, Existing Location
	LV Mains		Pole Structure, Existing Location - Single
	2-33kV		Pole Structure, Existing Location - H
	6.6kV		Duct Route
	11kV		Cross Section Route
	22kV		
	33kV		
	66kV		
	132kV		
	275kV		
	400kV		
	Fibre Optic		
	Road Cable		

**WARNING**  
There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)




**Southern Electric Power Distribution plc**  
Registered Office: No.1 Forbury Place  
43 Forbury Road Reading RG1 3JH  
Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
01256 337 294

Scale: 1:500 (When plotted at A4)



Warning: PDF designed for A4 colour print only with no page scaling

0 20m Dig Sites Area: Line:

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

Legend		Distribution Structures (Electric)	
	Service Cable		Pole, Existing Location
	LV Mains		Pole Structure, Existing Location - Single
	6.6kV		Pole Structure, Existing Location - H
	11kV		Duct Route
	22kV		Cross Section Route
	33kV		
	66kV		
	132kV		
	275kV		
	400kV		
	Fibre Optic		
	Fiber Cable		

Scale: 1:500 (When plotted at A4)

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
 WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

Path (um)

101

Warning: PDF designed for A4 colour print only with no page scaling

0  20m Dig Sites Area:  Line: 



Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m
Road Crossing	0.6m	0.6m	0.75m
Agricultural	1m	1m	1.1m

Legend	Distribution Structures (Electric)
Service Cable	Pole, Existing Location
LV Mains	Pole Structure, Existing Location - Single
2-3.3kV	Pole Structure, Existing Location - H
6.6kV	Duct Route
11kV	Cross Section Route
22kV	
33kV	
66kV	
132kV	
275kV	
400kV	
Fibre Optic	
Pilot Cable	

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G66 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

Scale: 1:500 (When plotted at A4)

102

Warning: PDF designed for A4 colour print only with no page scaling

0  20m Dig Sites Area:  Line: 

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m
Road Crossing	0.6m	0.6m	0.75m
Agricultural	1m	1m	1.1m

**Legend**

- Service Cable
- LV Mains
- 2-33kV
- 66kV
- 110kV
- 220kV
- 330kV
- 500kV
- 132kV
- 275kV
- 400kV
- Fibre Optic
- Pilot Cable

**Distribution Structures (Electric)**

- Pole, Existing Location
- Pole Structure, Existing Location - Single
- Pole Structure, Existing Location - H
- Duct Route
- Cross Section Route

WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)





Southern Electric Power Distribution plc

Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516


Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294





Warning: PDF designed for A4 colour print only with no page scaling

<p>0  20m Dig Sites Area:  Line: </p>	<p>Date Requested: 24/06/2022          Job Reference: 25880986          Site Location: 447899 213853          Requested by: Mr Joe Shawyer          Your Scheme/Reference: 31188_001</p>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%; padding: 5px;"> <p><b>Voltages (V)</b></p> <table border="1" style="width: 100%; border-collapse: collapse; font-size: 8px;"> <tr> <td>LV (Low Voltage) and Services</td> <td>Up to 1,000V</td> </tr> <tr> <td>HV (High Voltage)</td> <td>Over 1,000V to 11,000V</td> </tr> <tr> <td>EHV (Extra High Voltage)</td> <td>22,000V to 132,000V</td> </tr> <tr> <td>Transmission</td> <td>275,000V and 400,000V</td> </tr> </table> <p><b>NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID</b></p> <table border="1" style="width: 100%; border-collapse: collapse; font-size: 8px;"> <tr> <td>Services</td> <td>LV</td> <td>HV</td> <td>EHV</td> </tr> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> <td>0.45m</td> <td>0.6m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>0.6m</td> <td>0.75m</td> </tr> <tr> <td>Agricultural</td> <td>1m</td> <td>1m</td> <td>1.1m</td> </tr> </table> </td> <td style="width: 50%; padding: 5px;"> <p><b>Legend</b></p> <table border="1" style="width: 100%; border-collapse: collapse; font-size: 8px;"> <tr> <td></td> <td>Service Cable</td> </tr> <tr> <td></td> <td>LV Main</td> </tr> <tr> <td></td> <td>2-33kV</td> </tr> <tr> <td></td> <td>6.6kV</td> </tr> <tr> <td></td> <td>11kV</td> </tr> <tr> <td></td> <td>22kV</td> </tr> <tr> <td></td> <td>33kV</td> </tr> <tr> <td></td> <td>66kV</td> </tr> <tr> <td></td> <td>132kV</td> </tr> <tr> <td></td> <td>275kV</td> </tr> <tr> <td></td> <td>400kV</td> </tr> <tr> <td></td> <td>Fibre Optic</td> </tr> <tr> <td></td> <td>Road Cable</td> </tr> </table> <p><b>Distribution Structures (Electric)</b></p> <table border="1" style="width: 100%; border-collapse: collapse; font-size: 8px;"> <tr> <td></td> <td>Pole, Existing Location</td> </tr> <tr> <td></td> <td>Pole Structure, Existing Location - Single</td> </tr> <tr> <td></td> <td>Pole Structure, Existing Location - H</td> </tr> <tr> <td></td> <td>Duct Route</td> </tr> <tr> <td></td> <td>Cross Section Route</td> </tr> </table> </td> </tr> </table> <p style="font-size: 8px; text-align: center;"><b>WARNING</b>          There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  <b>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</b></p>	<p><b>Voltages (V)</b></p> <table border="1" style="width: 100%; border-collapse: collapse; font-size: 8px;"> <tr> <td>LV (Low Voltage) and Services</td> <td>Up to 1,000V</td> </tr> <tr> <td>HV (High Voltage)</td> <td>Over 1,000V to 11,000V</td> </tr> <tr> <td>EHV (Extra High Voltage)</td> <td>22,000V to 132,000V</td> </tr> <tr> <td>Transmission</td> <td>275,000V and 400,000V</td> </tr> </table> <p><b>NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID</b></p> <table border="1" style="width: 100%; border-collapse: collapse; font-size: 8px;"> <tr> <td>Services</td> <td>LV</td> <td>HV</td> <td>EHV</td> </tr> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> <td>0.45m</td> <td>0.6m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>0.6m</td> <td>0.75m</td> </tr> <tr> <td>Agricultural</td> <td>1m</td> <td>1m</td> <td>1.1m</td> </tr> </table>	LV (Low Voltage) and Services	Up to 1,000V	HV (High Voltage)	Over 1,000V to 11,000V	EHV (Extra High Voltage)	22,000V to 132,000V	Transmission	275,000V and 400,000V	Services	LV	HV	EHV	Footpath/Unmade	0.45m	0.45m	0.6m	Road Crossing	0.6m	0.6m	0.75m	Agricultural	1m	1m	1.1m	<p><b>Legend</b></p> <table border="1" style="width: 100%; border-collapse: collapse; font-size: 8px;"> <tr> <td></td> <td>Service Cable</td> </tr> <tr> <td></td> <td>LV Main</td> </tr> <tr> <td></td> <td>2-33kV</td> </tr> <tr> <td></td> <td>6.6kV</td> </tr> <tr> <td></td> <td>11kV</td> </tr> <tr> <td></td> <td>22kV</td> </tr> <tr> <td></td> <td>33kV</td> </tr> <tr> <td></td> <td>66kV</td> </tr> <tr> <td></td> <td>132kV</td> </tr> <tr> <td></td> <td>275kV</td> </tr> <tr> <td></td> <td>400kV</td> </tr> <tr> <td></td> <td>Fibre Optic</td> </tr> <tr> <td></td> <td>Road Cable</td> </tr> </table> <p><b>Distribution Structures (Electric)</b></p> <table border="1" style="width: 100%; border-collapse: collapse; font-size: 8px;"> <tr> <td></td> <td>Pole, Existing Location</td> </tr> <tr> <td></td> <td>Pole Structure, Existing Location - Single</td> </tr> <tr> <td></td> <td>Pole Structure, Existing Location - H</td> </tr> <tr> <td></td> <td>Duct Route</td> </tr> <tr> <td></td> <td>Cross Section Route</td> </tr> </table>		Service Cable		LV Main		2-33kV		6.6kV		11kV		22kV		33kV		66kV		132kV		275kV		400kV		Fibre Optic		Road Cable		Pole, Existing Location		Pole Structure, Existing Location - Single		Pole Structure, Existing Location - H		Duct Route		Cross Section Route			<p style="text-align: center;"><b>Southern Electric Power Distribution plc</b>          Registered Office: No.1 Forbury Place          43 Forbury Road Reading RG1 3JH          Registered In England &amp; Wales No.04094290</p> <p style="font-size: 8px;">If you're unsure &amp; need to seek advice before commencing excavations, please contact:          General Enquiries: 0800 048 3516</p> <p style="font-size: 8px;">Subject to revision - Master held by SSEN Asset Data Team:  <a href="mailto:Asset.Data@sse.com">Asset.Data@sse.com</a>          01256 337 294</p>
<p><b>Voltages (V)</b></p> <table border="1" style="width: 100%; border-collapse: collapse; font-size: 8px;"> <tr> <td>LV (Low Voltage) and Services</td> <td>Up to 1,000V</td> </tr> <tr> <td>HV (High Voltage)</td> <td>Over 1,000V to 11,000V</td> </tr> <tr> <td>EHV (Extra High Voltage)</td> <td>22,000V to 132,000V</td> </tr> <tr> <td>Transmission</td> <td>275,000V and 400,000V</td> </tr> </table> <p><b>NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID</b></p> <table border="1" style="width: 100%; border-collapse: collapse; font-size: 8px;"> <tr> <td>Services</td> <td>LV</td> <td>HV</td> <td>EHV</td> </tr> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> <td>0.45m</td> <td>0.6m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>0.6m</td> <td>0.75m</td> </tr> <tr> <td>Agricultural</td> <td>1m</td> <td>1m</td> <td>1.1m</td> </tr> </table>	LV (Low Voltage) and Services	Up to 1,000V	HV (High Voltage)	Over 1,000V to 11,000V	EHV (Extra High Voltage)	22,000V to 132,000V	Transmission	275,000V and 400,000V	Services	LV	HV	EHV	Footpath/Unmade	0.45m	0.45m	0.6m	Road Crossing	0.6m	0.6m	0.75m	Agricultural	1m	1m	1.1m	<p><b>Legend</b></p> <table border="1" style="width: 100%; border-collapse: collapse; font-size: 8px;"> <tr> <td></td> <td>Service Cable</td> </tr> <tr> <td></td> <td>LV Main</td> </tr> <tr> <td></td> <td>2-33kV</td> </tr> <tr> <td></td> <td>6.6kV</td> </tr> <tr> <td></td> <td>11kV</td> </tr> <tr> <td></td> <td>22kV</td> </tr> <tr> <td></td> <td>33kV</td> </tr> <tr> <td></td> <td>66kV</td> </tr> <tr> <td></td> <td>132kV</td> </tr> <tr> <td></td> <td>275kV</td> </tr> <tr> <td></td> <td>400kV</td> </tr> <tr> <td></td> <td>Fibre Optic</td> </tr> <tr> <td></td> <td>Road Cable</td> </tr> </table> <p><b>Distribution Structures (Electric)</b></p> <table border="1" style="width: 100%; border-collapse: collapse; font-size: 8px;"> <tr> <td></td> <td>Pole, Existing Location</td> </tr> <tr> <td></td> <td>Pole Structure, Existing Location - Single</td> </tr> <tr> <td></td> <td>Pole Structure, Existing Location - H</td> </tr> <tr> <td></td> <td>Duct Route</td> </tr> <tr> <td></td> <td>Cross Section Route</td> </tr> </table>		Service Cable		LV Main		2-33kV		6.6kV		11kV		22kV		33kV		66kV		132kV		275kV		400kV		Fibre Optic		Road Cable		Pole, Existing Location		Pole Structure, Existing Location - Single		Pole Structure, Existing Location - H		Duct Route		Cross Section Route						
LV (Low Voltage) and Services	Up to 1,000V																																																																		
HV (High Voltage)	Over 1,000V to 11,000V																																																																		
EHV (Extra High Voltage)	22,000V to 132,000V																																																																		
Transmission	275,000V and 400,000V																																																																		
Services	LV	HV	EHV																																																																
Footpath/Unmade	0.45m	0.45m	0.6m																																																																
Road Crossing	0.6m	0.6m	0.75m																																																																
Agricultural	1m	1m	1.1m																																																																
	Service Cable																																																																		
	LV Main																																																																		
	2-33kV																																																																		
	6.6kV																																																																		
	11kV																																																																		
	22kV																																																																		
	33kV																																																																		
	66kV																																																																		
	132kV																																																																		
	275kV																																																																		
	400kV																																																																		
	Fibre Optic																																																																		
	Road Cable																																																																		
	Pole, Existing Location																																																																		
	Pole Structure, Existing Location - Single																																																																		
	Pole Structure, Existing Location - H																																																																		
	Duct Route																																																																		
	Cross Section Route																																																																		
<p>Scale: 1:500 (When plotted at A4)</p> <p style="text-align: center; font-size: 6px;">BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.          This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.          Plans generated by DigSAFE Pro™ software provided by Linearcableforeldg.</p>																																																																			



Warning: PDF designed for A4 colour print only with no page scaling

0 20m Dig Sites Area: Line:

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m 0.8m
Road Crossing	0.6m	0.6m	0.75m 0.9m
Agricultural	1m	1m	1m 1.1m

<p><b>Legend</b></p> <ul style="list-style-type: none"> <li> Service Cable</li> <li> LV Mains</li> <li> 2 - 33kV</li> <li> 6.6kV</li> <li> 11kV</li> <li> 22kV</li> <li> 33kV</li> <li> 66kV</li> <li> 132kV</li> <li> 275kV</li> <li> 400kV</li> <li> Fibre Optic</li> <li> Pilot Cable</li> </ul>	<p><b>Distribution Structures (Electric)</b></p> <ul style="list-style-type: none"> <li> Pole, Existing Location</li> <li> Pole Structure, Existing Location - Single</li> <li> Pole Structure, Existing Location - H</li> <li> Duct Route</li> <li> Cross Section Route</li> </ul>
---	---

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**



**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

Scale: 1:500 (When plotted at A4)

105



Warning: PDF designed for A4 colour print only with no page scaling

0 20m Dig Sites Area: Line:

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

Legend		Distribution Structures (Electric)	
	Service Cable		Pole, Existing Location
	LV Mains		Pole Structure, Existing Location - Single
	6.6kV		Pole Structure, Existing Location - H
	11kV		Duct Route
	22kV		Cross Section Route
	33kV		
	66kV		
	132kV		
	275kV		
	400kV		
	Fibre Optic		
	Rigid Cable		


**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
 WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Scale: 1:500 (When plotted at A4)

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294



Warning: PDF designed for A4 colour print only with no page scaling

0 20m Dig Sites Area: Line:

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

**Legend**

- Service Cable
- LV Main
- 2-33kV
- 6.6kV
- 11kV
- 22kV
- 33kV
- 66kV
- 132kV
- 275kV
- 400kV
- Fibre Optic
- Road Cable

**Distribution Structures (Electric)**

- Pole, Existing Location
- Pole Structure, Existing Location - Single
- Pole Structure, Existing Location - H
- Duct Route
- Cross Section Route

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
 WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)


Scale: 1:500 (When plotted at A4)





**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294



Warning: PDF designed for A4 colour print only with no page scaling



Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.8m
Road Crossing	0.6m	0.6m	0.9m
Agricultural	1m	1m	1.1m


Legend	Distribution Structures (Electric)
Service Cable	Pole, Existing Location
LV Mains	Pole Structure, Existing Location - Single
2-33kV	Pole Structure, Existing Location - H
6.6kV	
11kV	
22kV	Duct Route
33kV	Cross Section Route
66kV	
132kV	
275kV	
400kV	
Fibre Optic	
Rigid Cable	

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294



Warning: PDF designed for A4 colour print only with no page scaling

0 20m Dig Sites Area: Line:

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)	
LV (Low Voltage) and Services	Up to 1,000V
HV (High Voltage)	Over 1,000V to 11,000V
EHV (Extra High Voltage)	22,000V to 132,000V
Transmission	275,000V and 400,000V

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.8m
Road Crossing	0.6m	0.6m	0.9m
Agricultural	1m	1m	1.1m

**Legend**

- Service Cable
- LV Main
- 6.6kV
- 11kV
- 22kV
- 33kV
- 66kV
- 132kV
- 275kV
- 400kV
- Fibre Optic
- Road Cable

**Distribution Structures (Electric)**

- Pole, Existing Location
- Pole Structure, Existing Location - Single
- Pole Structure, Existing Location - H
- Duct Route
- Cross Section Route

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
 WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)


Scale: 1:500 (When plotted at A4)

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.  
 This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.  
 Plans generated by DigSAFE Pro™ software provided by Linearcadbeforeddg.



Warning: PDF designed for A4 colour print only with no page scaling

0 20m Dig Sites Area: Line:

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

**Legend**

- Service Cable
- LV Main
- 2-33kV
- 6.6kV
- 11kV
- 22kV
- 33kV
- 66kV
- 132kV
- 275kV
- 400kV
- Fibre Optic
- Rigid Cable

**Distribution Structures (Electric)**

- Pole, Existing Location
- Pole Structure, Existing Location - Single
- Pole Structure, Existing Location - H
- Duct Route
- Cross Section Route

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
 WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)


Scale: 1:500 (When plotted at A4)

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294





Warning: PDF designed for A4 colour print only with no page scaling

0 20m Dig Sites Area: Line:

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

**Legend**

- Service Cable
- LV Mains
- 2-33kV
- 6.6kV
- 11kV
- 22kV
- 33kV
- 66kV
- 132kV
- 275kV
- 400kV
- Fibre Optic
- Pilot Cable

**Distribution Structures (Electric)**

- Pole, Existing Location
- Pole Structure, Existing Location - Single
- Pole Structure, Existing Location - H
- Duct Route
- Cross Section Route

WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Scale: 1:500 (When plotted at A4)


Southern Electric Power Distribution plc

Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.  
 This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.  
 Plans generated by DigSAFE Pro™ software provided by Linearcableforeldg.



Warning: PDF designed for A4 colour print only with no page scaling

0 20m Dig Sites Area: Line:

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

Legend		Distribution Structures (Electric)	
	Service Cable		Pole, Existing Location
	LV Mains		Pole Structure, Existing Location - Single
	2-33kV		Pole Structure, Existing Location - H
	6.6kV		Duct Route
	11kV		Cross Section Route
	22kV		
	33kV		
	66kV		
	132kV		
	275kV		
	400kV		
	Fibre Optic		
	Rigid Cable		


**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
 WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Scale: 1:500 (When plotted at A4)

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294



Warning: PDF designed for A4 colour print only with no page scaling

0 20m Dig Sites Area: Line:

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m


**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516


Subject to revision – Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294






Warning: PDF designed for A4 colour print only with no page scaling

<p>Dig Sites Area:  Line: </p> <p><b>Extra High Voltage cables in vicinity</b></p>																										
<p>Date Requested: 24/06/2022          Job Reference: 25880986          Site Location: 447899 213853          Requested by: Mr Joe Shawyer</p>	<p>Your Scheme/Reference: 31188_001</p>			<p><b>Southern Electric Power Distribution plc</b>          Registered Office: No.1 Forbury Place          43 Forbury Road Reading RG1 3JH          Registered In England &amp; Wales No.04094290</p> <p>If you're unsure &amp; need to seek advice before commencing excavations, please contact:          General Enquiries: 0800 048 3516</p> <p>Subject to revision – Master held by SSEN Asset Data Team:  <a href="mailto:Asset.Data@sse.com">Asset.Data@sse.com</a>          01256 337 294</p>																						
<p><b>Voltagess (V)</b></p> <table border="1"> <tr> <td>LV (Low Voltage) and Services</td> <td>Up to 1,000V</td> </tr> <tr> <td>HV (High Voltage)</td> <td>Over 1,000V to 11,000V</td> </tr> <tr> <td>EHV (Extra High Voltage)</td> <td>22,000V to 132,000V</td> </tr> <tr> <td>Transmission</td> <td>275,000V and 400,000V</td> </tr> </table> <p><b>NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID</b></p> <table border="1"> <tr> <td>Services</td> <td>LV</td> <td>HV</td> <td>EHV</td> </tr> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> <td>0.45m</td> <td>0.6m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>0.6m</td> <td>0.75m</td> </tr> <tr> <td>Agricultural</td> <td>1m</td> <td>1m</td> <td>1.1m</td> </tr> </table>		LV (Low Voltage) and Services	Up to 1,000V	HV (High Voltage)	Over 1,000V to 11,000V	EHV (Extra High Voltage)	22,000V to 132,000V	Transmission	275,000V and 400,000V	Services	LV	HV	EHV	Footpath/Unmade	0.45m	0.45m	0.6m	Road Crossing	0.6m	0.6m	0.75m	Agricultural	1m	1m	1.1m	<p><b>Legend</b></p> <ul style="list-style-type: none"> <li>Service Cable</li> <li>LV Mains</li> <li>6kV</li> <li>11kV</li> <li>22kV</li> <li>33kV</li> <li>66kV</li> <li>132kV</li> <li>275kV</li> <li>400kV</li> <li>Fibre Optic</li> <li>Pipe Cable</li> </ul> <p><b>Distribution Structures (Electric)</b></p> <ul style="list-style-type: none"> <li>Pole, Existing Location</li> <li>Pole Structure, Existing Location - Single</li> <li>Pole Structure, Existing Location - H</li> <li>Duct Route</li> <li>Cross Section Route</li> </ul>
LV (Low Voltage) and Services	Up to 1,000V																									
HV (High Voltage)	Over 1,000V to 11,000V																									
EHV (Extra High Voltage)	22,000V to 132,000V																									
Transmission	275,000V and 400,000V																									
Services	LV	HV	EHV																							
Footpath/Unmade	0.45m	0.45m	0.6m																							
Road Crossing	0.6m	0.6m	0.75m																							
Agricultural	1m	1m	1.1m																							
<p><b>Scale: 1:9225 (When plotted at A4)</b></p> <p><b>WARNING</b></p> <p>There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.</p> <p><b>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</b></p> <p><small>BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.          This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('The Act'). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.          Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeDigs.</small></p>																										



Warning: PDF designed for A4 colour print only with no page scaling

<p>0  20m</p> <p>Date Requested: 24/06/2022          Job Reference: 25880986          Site Location: 447899 213853          Requested by: Mr Joe Shawyer          Your Scheme/Reference: 31188_001</p>	<p>Dig Sites Area:  Line: </p> <p style="text-align: center;"><b>Extra High Voltage cables in vicinity</b></p>		<p style="text-align: center;"><b>Southern Electric Power Distribution plc</b>          Registered Office: No.1 Forbury Place          43 Forbury Road Reading RG1 3JH          Registered In England &amp; Wales No.04094290</p> <p style="text-align: center;">If you're unsure &amp; need to seek advice before commencing excavations, please contact:          General Enquiries: 0800 048 3516</p> <p style="text-align: center;">Subject to revision – Master held by SSEN Asset Data Team:  <a href="mailto:Asset.Data@sse.com">Asset.Data@sse.com</a>          01256 337 294</p>																																																																			
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="4" style="text-align: center;">Voltages (V)</th> </tr> </thead> <tbody> <tr> <td>LV (Low Voltage) and Services</td> <td colspan="3">Up to 1,000V</td> </tr> <tr> <td>HV (High Voltage)</td> <td colspan="3">Over 1,000V to 11,000V</td> </tr> <tr> <td>EHV (Extra High Voltage)</td> <td colspan="3">22,000V to 132,000V</td> </tr> <tr> <td>Transmission</td> <td colspan="3">275,000V and 400,000V</td> </tr> <tr> <th colspan="4" style="text-align: center;">NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID</th> </tr> <tr> <td>Services</td> <td>LV</td> <td>HV</td> <td>EHV</td> </tr> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> <td>0.45m</td> <td>0.6m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>0.6m</td> <td>0.75m</td> </tr> <tr> <td>Agricultural</td> <td>1m</td> <td>1m</td> <td>1.1m</td> </tr> </tbody> </table>		Voltages (V)				LV (Low Voltage) and Services	Up to 1,000V			HV (High Voltage)	Over 1,000V to 11,000V			EHV (Extra High Voltage)	22,000V to 132,000V			Transmission	275,000V and 400,000V			NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				Services	LV	HV	EHV	Footpath/Unmade	0.45m	0.45m	0.6m	Road Crossing	0.6m	0.6m	0.75m	Agricultural	1m	1m	1.1m	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2" style="text-align: center;">Legend</th> </tr> </thead> <tbody> <tr> <td></td> <td>Service Cable</td> </tr> <tr> <td></td> <td>LV Mains</td> </tr> <tr> <td></td> <td>2 – 11kV</td> </tr> <tr> <td></td> <td>66kV</td> </tr> <tr> <td></td> <td>11kV</td> </tr> <tr> <td></td> <td>22kV</td> </tr> <tr> <td></td> <td>33kV</td> </tr> <tr> <td></td> <td>66kV</td> </tr> <tr> <td></td> <td>132kV</td> </tr> <tr> <td></td> <td>275kV</td> </tr> <tr> <td></td> <td>400kV</td> </tr> <tr> <td></td> <td>Fibre Optic</td> </tr> <tr> <td></td> <td>Pilot Cable</td> </tr> </tbody> </table>	Legend			Service Cable		LV Mains		2 – 11kV		66kV		11kV		22kV		33kV		66kV		132kV		275kV		400kV		Fibre Optic		Pilot Cable
Voltages (V)																																																																						
LV (Low Voltage) and Services	Up to 1,000V																																																																					
HV (High Voltage)	Over 1,000V to 11,000V																																																																					
EHV (Extra High Voltage)	22,000V to 132,000V																																																																					
Transmission	275,000V and 400,000V																																																																					
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID																																																																						
Services	LV	HV	EHV																																																																			
Footpath/Unmade	0.45m	0.45m	0.6m																																																																			
Road Crossing	0.6m	0.6m	0.75m																																																																			
Agricultural	1m	1m	1.1m																																																																			
Legend																																																																						
	Service Cable																																																																					
	LV Mains																																																																					
	2 – 11kV																																																																					
	66kV																																																																					
	11kV																																																																					
	22kV																																																																					
	33kV																																																																					
	66kV																																																																					
	132kV																																																																					
	275kV																																																																					
	400kV																																																																					
	Fibre Optic																																																																					
	Pilot Cable																																																																					
<p>Scale: 1:500 (When plotted at A4)</p> <p style="font-size: small;">There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.  <b>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G66 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</b></p>		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2" style="text-align: center;">Distribution Structures (Electric)</th> </tr> </thead> <tbody> <tr> <td></td> <td>Pole, Existing Location</td> </tr> <tr> <td></td> <td>Pole Structure, Existing Location – Single</td> </tr> <tr> <td></td> <td>Pole Structure, Existing Location – H</td> </tr> <tr> <td></td> <td>Duct Route</td> </tr> <tr> <td></td> <td>Cross Section Route</td> </tr> </tbody> </table> <p style="font-size: x-small; text-align: center;"><b>WARNING</b>          BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF HM STATIONERY OFFICE CROWN COPYRIGHT RESERVED.          This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.          Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.</p>	Distribution Structures (Electric)			Pole, Existing Location		Pole Structure, Existing Location – Single		Pole Structure, Existing Location – H		Duct Route		Cross Section Route																																																								
Distribution Structures (Electric)																																																																						
	Pole, Existing Location																																																																					
	Pole Structure, Existing Location – Single																																																																					
	Pole Structure, Existing Location – H																																																																					
	Duct Route																																																																					
	Cross Section Route																																																																					



Warning: PDF designed for A4 colour print only with no page scaling



20m Dig Sites Area: Line:

**Extra High Voltage cables in vicinity**

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m
Road Crossing	0.6m	0.6m	0.75m
Agricultural	1m	1m	1.1m

**Legend**

- Service Cable
- LV Mains
- 2 - 11kV
- 66kV
- 11kV
- 22kV
- 33kV
- 66kV
- 132kV
- 275kV
- 400kV
- Fibre Optic
- Pilot Cable

**Distribution Structures (Electric)**

- Pole, Existing Location
- Pole Structure, Existing Location - Single
- Pole Structure, Existing Location - H
- Duct Route
- Cross Section Route

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
 WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

Scale: 1:500 (When plotted at A4)



LANGFORD LOCKS  
SITE F

Drain

Warning: PDF designed for A4 colour print only with no page scaling

0 20m

Dig Sites

Area:



Line:



**Extra High Voltage  
cables in vicinity**



Date Requested: 24/06/2022  
Job Reference: 25880986  
Site Location: 447899 213853  
Requested by: Mr Joe Shawyer

Your Scheme/Reference: 31188\_001

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

**Legend**

- Service Cable
- LV Mains
- 2 - 11kV
- 66kV
- 11kV
- 22kV
- 33kV
- 66kV
- 132kV
- 275kV
- 400kV
- Fibre Optic
- Pipit Cable

**Distribution Structures (Electric)**

- Pole, Existing Location
- Pole Structure, Existing Location - Single
- Pole Structure, Existing Location - H
- Duct Route
- Cross Section Route

**Southern Electric Power Distribution plc**  
Registered Office: No.1 Forbury Place  
43 Forbury Road Reading RG1 3JH  
Registered In England & Wales No.04094290


If you're unsure & need to seek advice before commencing excavations, please contact:  
General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
01256 337 294

Scale: 1:500 (When plotted at A4)

**WARNING**  
There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**





Warning: PDF designed for A4 colour print only with no page scaling



20m Dig Sites Area: Line: Extra High Voltage cables in vicinity

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

Legend	
	Service Cable
	LV Mains
	2 - 11kV
	6.6kV
	11kV
	22kV
	33kV
	66kV
	132kV
	275kV
	400kV
	Fibre Optic
	Pilot Cable

Distribution Structures (Electric)	
	Pole, Existing Location
	Pole Structure, Existing Location - Single
	Pole Structure, Existing Location - H
	Duct Route
	Cross Section Route



**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

Scale: 1:500 (When plotted at A4)

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**



Warning: PDF designed for A4 colour print only with no page scaling

<p>0  20m</p> <p>Date Requested: 24/06/2022          Job Reference: 25880986          Site Location: 447899 213853          Requested by: Mr Joe Shawyer          Your Scheme/Reference: 31188_001</p>	<p>Dig Sites Area:  Line: </p>	<p><b>Extra High Voltage cables in vicinity</b></p>																																
<p><b>Voltagess (V)</b></p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>LV (Low Voltage) and Services</td> <td colspan="3">Up to 1,000V</td> </tr> <tr> <td>HV (High Voltage)</td> <td colspan="3">Over 1,000V to 11,000V</td> </tr> <tr> <td>EHV (Extra High Voltage)</td> <td colspan="3">22,000V to 132,000V</td> </tr> <tr> <td>Transmission</td> <td colspan="3">275,000V and 400,000V</td> </tr> </table> <p><b>NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID</b></p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Services</th> <th>LV</th> <th>HV</th> <th>EHV</th> </tr> </thead> <tbody> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> <td>0.45m</td> <td>0.6m 0.8m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>0.6m</td> <td>0.75m 0.9m</td> </tr> <tr> <td>Agricultural</td> <td>1m</td> <td>1m</td> <td>1m 1.1m</td> </tr> </tbody> </table>	LV (Low Voltage) and Services	Up to 1,000V			HV (High Voltage)	Over 1,000V to 11,000V			EHV (Extra High Voltage)	22,000V to 132,000V			Transmission	275,000V and 400,000V			Services	LV	HV	EHV	Footpath/Unmade	0.45m	0.45m	0.6m 0.8m	Road Crossing	0.6m	0.6m	0.75m 0.9m	Agricultural	1m	1m	1m 1.1m	<p><b>Legend</b></p> <ul style="list-style-type: none"> <li> Service Cable</li> <li> LV Mains</li> <li> 2 - 11kV</li> <li> 66kV</li> <li> 11kV</li> <li> 22kV</li> <li> 33kV</li> <li> 66kV</li> <li> 132kV</li> <li> 275kV</li> <li> 400kV</li> <li> Fibre Optic</li> <li> Pipit Cable</li> </ul> <p><b>Distribution Structures (Electric)</b></p> <ul style="list-style-type: none"> <li> Pole, Existing Location</li> <li> Pole Structure, Existing Location - Single</li> <li> Pole Structure, Existing Location - M</li> <li> Duct Route</li> <li> Cross Section Route</li> </ul>	<p><b>Southern Electric Power Distribution plc</b>          Registered Office: No.1 Forbury Place          43 Forbury Road Reading RG1 3JH          Registered In England &amp; Wales No.04094290</p> <p>If you're unsure &amp; need to seek advice before commencing excavations, please contact:          General Enquiries: 0800 048 3516</p> <p>Subject to revision – Master held by SSEN Asset Data Team:  <a href="mailto:Asset.Data@sse.com">Asset.Data@sse.com</a>          01256 337 294</p>
LV (Low Voltage) and Services	Up to 1,000V																																	
HV (High Voltage)	Over 1,000V to 11,000V																																	
EHV (Extra High Voltage)	22,000V to 132,000V																																	
Transmission	275,000V and 400,000V																																	
Services	LV	HV	EHV																															
Footpath/Unmade	0.45m	0.45m	0.6m 0.8m																															
Road Crossing	0.6m	0.6m	0.75m 0.9m																															
Agricultural	1m	1m	1m 1.1m																															
<p>BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF HM STATIONERY OFFICE CROWN COPYRIGHT RESERVED.          This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.          Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeDig.</p>																																		



Warning: PDF designed for A4 colour print only with no page scaling

0 20m Dig Sites Area: Line: **Extra High Voltage cables in vicinity**

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

Legend	
	Service Cable
	LV Mains
	2 - 11kV
	6.6kV
	11kV
	22kV
	33kV
	66kV
	132kV
	275kV
	400kV
	Fibre Optic
	Pipe Cable

Distribution Structures (Electric)	
	Pole, Existing Location
	Pole Structure, Existing Location - Single
	Pole Structure, Existing Location - H
	Duct Route
	Cross Section Route

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294