


Warning: PDF designed for A4 colour print only with no page scaling

<p>0  20m</p>	<p>Dig Sites Area:  Line: </p>	<p><b>Extra High Voltage cables in vicinity</b></p>																									
<p>Date Requested: 24/06/2022          Job Reference: 25880986          Site Location: 447899 213853          Requested by: Mr Joe Shawyer          Your Scheme/Reference: 31188_001</p>	<p><b>Voltages (V)</b></p> <table border="1"> <tr> <td>LV (Low Voltage) and Services</td> <td>Up to 1,000V</td> </tr> <tr> <td>HV (High Voltage)</td> <td>Over 1,000V to 11,000V</td> </tr> <tr> <td>EHV (Extra High Voltage)</td> <td>22,000V to 132,000V</td> </tr> <tr> <td>Transmission</td> <td>275,000V and 400,000V</td> </tr> </table> <p><b>NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID</b></p> <table border="1"> <thead> <tr> <th>Services</th> <th>LV</th> <th>HV</th> <th>EHV</th> </tr> </thead> <tbody> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> <td>0.45m</td> <td>0.6m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>0.6m</td> <td>0.75m</td> </tr> <tr> <td>Agricultural</td> <td>1m</td> <td>1m</td> <td>1.1m</td> </tr> </tbody> </table>	LV (Low Voltage) and Services	Up to 1,000V	HV (High Voltage)	Over 1,000V to 11,000V	EHV (Extra High Voltage)	22,000V to 132,000V	Transmission	275,000V and 400,000V	Services	LV	HV	EHV	Footpath/Unmade	0.45m	0.45m	0.6m	Road Crossing	0.6m	0.6m	0.75m	Agricultural	1m	1m	1.1m	<p><b>Legend</b></p> <ul style="list-style-type: none"> <li>Service Cable</li> <li>LV Mains</li> <li>66kV</li> <li>11kV</li> <li>22kV</li> <li>33kV</li> <li>66kV</li> <li>132kV</li> <li>275kV</li> <li>400kV</li> <li>Fibre Optic</li> <li>Pipe Cable</li> </ul> <p><b>Distribution Structures (Electric)</b></p> <ul style="list-style-type: none"> <li>Pole, Existing Location</li> <li>Pole Structure, Existing Location - Single</li> <li>Pole Structure, Existing Location - H</li> <li>Duct Route</li> <li>Cross Section Route</li> </ul>	<p><b>Southern Electric Power Distribution plc</b>          Registered Office: No.1 Forbury Place          43 Forbury Road Reading RG1 3JH          Registered In England &amp; Wales No.04094290</p> <p>If you're unsure &amp; need to seek advice before commencing excavations, please contact:          General Enquiries: 0800 048 3516</p> <p>Subject to revision – Master held by SSEN Asset Data Team:  <a href="mailto:Asset.Data@sse.com">Asset.Data@sse.com</a>          01256 337 294</p>
LV (Low Voltage) and Services	Up to 1,000V																										
HV (High Voltage)	Over 1,000V to 11,000V																										
EHV (Extra High Voltage)	22,000V to 132,000V																										
Transmission	275,000V and 400,000V																										
Services	LV	HV	EHV																								
Footpath/Unmade	0.45m	0.45m	0.6m																								
Road Crossing	0.6m	0.6m	0.75m																								
Agricultural	1m	1m	1.1m																								
<p>Scale: 1:500 (When plotted at A4)</p> <p><b>WARNING</b>          There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.  <b>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</b></p> <p><small>BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF HM STATIONERY OFFICE CROWN COPYRIGHT RESERVED.          This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.          Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.</small></p>																											



Warning: PDF designed for A4 colour print only with no page scaling

<p>0  20m</p>	<p>Dig Sites Area:  Line: </p>	<p><b>Extra High Voltage cables in vicinity</b></p>																									
<p>Date Requested: 24/06/2022          Job Reference: 25880986          Site Location: 447899 213853          Requested by: Mr Joe Shawyer          Your Scheme/Reference: 31188_001</p>	<p><b>Voltages (V)</b></p> <table border="1"> <tr> <td>LV (Low Voltage) and Services</td> <td>Up to 1,000V</td> </tr> <tr> <td>HV (High Voltage)</td> <td>Over 1,000V to 11,000V</td> </tr> <tr> <td>EHV (Extra High Voltage)</td> <td>22,000V to 132,000V</td> </tr> <tr> <td>Transmission</td> <td>275,000V and 400,000V</td> </tr> </table> <p><b>NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID</b></p> <table border="1"> <thead> <tr> <th>Services</th> <th>LV</th> <th>HV</th> <th>EHV</th> </tr> </thead> <tbody> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> <td>0.45m</td> <td>0.6m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>0.6m</td> <td>0.75m</td> </tr> <tr> <td>Agricultural</td> <td>1m</td> <td>1m</td> <td>1.1m</td> </tr> </tbody> </table>	LV (Low Voltage) and Services	Up to 1,000V	HV (High Voltage)	Over 1,000V to 11,000V	EHV (Extra High Voltage)	22,000V to 132,000V	Transmission	275,000V and 400,000V	Services	LV	HV	EHV	Footpath/Unmade	0.45m	0.45m	0.6m	Road Crossing	0.6m	0.6m	0.75m	Agricultural	1m	1m	1.1m	<p><b>Legend</b></p> <ul style="list-style-type: none"> <li> Service Cable</li> <li> LV Mains</li> <li> 2 - 11kV</li> <li> 66kV</li> <li> 11kV</li> <li> 22kV</li> <li> 33kV</li> <li> 66kV</li> <li> 132kV</li> <li> 275kV</li> <li> 400kV</li> <li> Fibre Optic</li> <li> Pipit Cable</li> </ul> <p><b>Distribution Structures (Electric)</b></p> <ul style="list-style-type: none"> <li> Pole, Existing Location</li> <li> Pole Structure, Existing Location - Single</li> <li> Pole Structure, Existing Location - H</li> <li> Duct Route</li> <li> Cross Section Route</li> </ul>	<p><b>Southern Electric Power Distribution plc</b>          Registered Office: No.1 Forbury Place          43 Forbury Road Reading RG1 3JH          Registered In England &amp; Wales No.04094290</p> <p>If you're unsure &amp; need to seek advice before commencing excavations, please contact:          General Enquiries: 0800 048 3516</p> <p>Subject to revision – Master held by SSEN Asset Data Team:  <a href="mailto:Asset.Data@sse.com">Asset.Data@sse.com</a>          01256 337 294</p>
LV (Low Voltage) and Services	Up to 1,000V																										
HV (High Voltage)	Over 1,000V to 11,000V																										
EHV (Extra High Voltage)	22,000V to 132,000V																										
Transmission	275,000V and 400,000V																										
Services	LV	HV	EHV																								
Footpath/Unmade	0.45m	0.45m	0.6m																								
Road Crossing	0.6m	0.6m	0.75m																								
Agricultural	1m	1m	1.1m																								
<p>Scale: 1:500 (When plotted at A4)</p> <p style="font-size: small; text-align: center;">             BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF HM STATIONERY OFFICE CROWN COPYRIGHT RESERVED.              This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('The Act'). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.              Plans generated by DigSAFE Pro™ software provided by Linestech@borealis.co.uk.         </p>																											

9

Warning: PDF designed for A4 colour print only with no page scaling

0  20m

Dig Sites Area:  Line: 

**Extra High Voltage  
cables in vicinity**



Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m 0.8m
Road Crossing	0.6m	0.6m	0.75m 0.9m
Agricultural	1m	1m	1m 1.1m

Legend	
	Service Cable
	LV Mains
	2 - 11kV
	66kV
	11kV
	22kV
	33kV
	66kV
	132kV
	275kV
	400kV
	Fibre Optic
	Pipe Cable

Distribution Structures (Electric)	
	Pole, Existing Location
	Pole Structure, Existing Location - Single
	Pole Structure, Existing Location - H
	Duct Route
	Cross Section Route


**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

Scale: 1:500 (When plotted at A4)

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**



Warning: PDF designed for A4 colour print only with no page scaling



20m Dig Sites Area: [Dashed Purple Box] Line: [Dashed Purple Line]

**Extra High Voltage cables in vicinity**



Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m
Road Crossing	0.6m	0.6m	0.75m
Agricultural	1m	1m	1.1m

Legend	
[Red Line]	Service Cable
[Blue Line]	LV Mains
[Green Line]	2 - 8.1kV
[Orange Line]	6.6kV
[Yellow Line]	11kV
[Light Green Line]	22kV
[Light Blue Line]	33kV
[Light Purple Line]	66kV
[Light Orange Line]	132kV
[Light Yellow Line]	275kV
[Light Green Line]	400kV
[Light Blue Line]	Fibre Optic
[Light Purple Line]	Pilot Cable

Distribution Structures (Electric)	
[Purple Dot]	Pole, Existing Location
[Purple Square]	Pole Structure, Existing Location - Single
[Purple Circle]	Pole Structure, Existing Location - H
[Dashed Purple Line]	Duct Route
[Solid Purple Line]	Cross Section Route


**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

Scale: 1:500 (When plotted at A4)

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**



Warning: PDF designed for A4 colour print only with no page scaling



20m Dig Sites Area:  Line: 

**Extra High Voltage cables in vicinity**



Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m 0.8m
Road Crossing	0.6m	0.6m	0.75m 0.9m
Agricultural	1m	1m	1m 1.1m

**Legend**

- Service Cable
- LV Mains
- 2 - 11kV
- 66kV
- 11kV
- 22kV
- 33kV
- 66kV
- 132kV
- 275kV
- 400kV
- Fibre Optic
- Pipit Cable

**Distribution Structures (Electric)**

- Pole, Existing Location
- Pole Structure, Existing Location - Single
- Pole Structure, Existing Location - M
- Duct Route
- Cross Section Route


**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
 WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516


Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

Scale: 1:500 (When plotted at A4)



Warning: PDF designed for A4 colour print only with no page scaling

<p>0  20m</p> <p>Date Requested: 24/06/2022          Job Reference: 25880986          Site Location: 447899 213853          Requested by: Mr Joe Shawyer          Your Scheme/Reference: 31188_001</p>	<p>Dig Sites Area:  Line: </p> <p style="text-align: center; background-color: red; color: white; padding: 5px;"><b>Extra High Voltage cables in vicinity</b></p>	<p> </p> <p style="text-align: center;"><b>Southern Electric Power Distribution plc</b>          Registered Office: No.1 Forbury Place          43 Forbury Road Reading RG1 3JH          Registered In England &amp; Wales No.04094290</p> <p style="font-size: small;">If you're unsure &amp; need to seek advice before commencing excavations, please contact:          General Enquiries: 0800 048 3516</p> <p style="font-size: small;">Subject to revision – Master held by SSEN Asset Data Team:  <a href="mailto:Asset.Data@sse.com">Asset.Data@sse.com</a>          01256 337 294</p>																																																																																
<p>Scale: 1:500 (When plotted at A4)</p>	<table border="1" style="width: 100%; border-collapse: collapse; font-size: x-small;"> <thead> <tr> <th colspan="4">Voltages (V)</th> </tr> </thead> <tbody> <tr> <td>LV (Low Voltage) and Services</td> <td colspan="3">Up to 1,000V</td> </tr> <tr> <td>HV (High Voltage)</td> <td colspan="3">Over 1,000V to 11,000V</td> </tr> <tr> <td>EHV (Extra High Voltage)</td> <td colspan="3">22,000V to 132,000V</td> </tr> <tr> <td>Transmission</td> <td colspan="3">275,000V and 400,000V</td> </tr> <tr> <th colspan="4">NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID</th> </tr> <tr> <td>Services</td> <td>LV</td> <td>HV</td> <td>EHV</td> </tr> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> <td>0.45m</td> <td>0.6m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>0.6m</td> <td>0.75m</td> </tr> <tr> <td>Agricultural</td> <td>1m</td> <td>1m</td> <td>1.1m</td> </tr> </tbody> </table> <p style="font-size: x-small; text-align: center;"><b>WARNING</b>          There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.  <b>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G66 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</b></p>	Voltages (V)				LV (Low Voltage) and Services	Up to 1,000V			HV (High Voltage)	Over 1,000V to 11,000V			EHV (Extra High Voltage)	22,000V to 132,000V			Transmission	275,000V and 400,000V			NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				Services	LV	HV	EHV	Footpath/Unmade	0.45m	0.45m	0.6m	Road Crossing	0.6m	0.6m	0.75m	Agricultural	1m	1m	1.1m	<table border="1" style="width: 100%; border-collapse: collapse; font-size: x-small;"> <thead> <tr> <th colspan="2">Legend</th> </tr> </thead> <tbody> <tr> <td></td> <td>Service Cable</td> </tr> <tr> <td></td> <td>LV Mains</td> </tr> <tr> <td></td> <td>2 – 11kV</td> </tr> <tr> <td></td> <td>66kV</td> </tr> <tr> <td></td> <td>11kV</td> </tr> <tr> <td></td> <td>22kV</td> </tr> <tr> <td></td> <td>33kV</td> </tr> <tr> <td></td> <td>66kV</td> </tr> <tr> <td></td> <td>132kV</td> </tr> <tr> <td></td> <td>275kV</td> </tr> <tr> <td></td> <td>400kV</td> </tr> <tr> <td></td> <td>Fibre Optic</td> </tr> <tr> <td></td> <td>Pilot Cable</td> </tr> </tbody> </table> <table border="1" style="width: 100%; border-collapse: collapse; font-size: x-small;"> <thead> <tr> <th colspan="2">Distribution Structures (Electric)</th> </tr> </thead> <tbody> <tr> <td></td> <td>Pole, Existing Location</td> </tr> <tr> <td></td> <td>Pole Structure, Existing Location – Single</td> </tr> <tr> <td></td> <td>Pole Structure, Existing Location – H</td> </tr> <tr> <td></td> <td>Duct Route</td> </tr> <tr> <td></td> <td>Cross Section Route</td> </tr> </tbody> </table>	Legend			Service Cable		LV Mains		2 – 11kV		66kV		11kV		22kV		33kV		66kV		132kV		275kV		400kV		Fibre Optic		Pilot Cable	Distribution Structures (Electric)			Pole, Existing Location		Pole Structure, Existing Location – Single		Pole Structure, Existing Location – H		Duct Route		Cross Section Route
Voltages (V)																																																																																		
LV (Low Voltage) and Services	Up to 1,000V																																																																																	
HV (High Voltage)	Over 1,000V to 11,000V																																																																																	
EHV (Extra High Voltage)	22,000V to 132,000V																																																																																	
Transmission	275,000V and 400,000V																																																																																	
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID																																																																																		
Services	LV	HV	EHV																																																																															
Footpath/Unmade	0.45m	0.45m	0.6m																																																																															
Road Crossing	0.6m	0.6m	0.75m																																																																															
Agricultural	1m	1m	1.1m																																																																															
Legend																																																																																		
	Service Cable																																																																																	
	LV Mains																																																																																	
	2 – 11kV																																																																																	
	66kV																																																																																	
	11kV																																																																																	
	22kV																																																																																	
	33kV																																																																																	
	66kV																																																																																	
	132kV																																																																																	
	275kV																																																																																	
	400kV																																																																																	
	Fibre Optic																																																																																	
	Pilot Cable																																																																																	
Distribution Structures (Electric)																																																																																		
	Pole, Existing Location																																																																																	
	Pole Structure, Existing Location – Single																																																																																	
	Pole Structure, Existing Location – H																																																																																	
	Duct Route																																																																																	
	Cross Section Route																																																																																	



Warning: PDF designed for A4 colour print only with no page scaling

0 20m

Dig Sites Area: Line:

**Extra High Voltage  
cables in vicinity**

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m
Road Crossing	0.6m	0.6m	0.75m
Agricultural	1m	1m	1.1m

Legend	
	Service Cable
	LV Mains
	2 - 11kV
	66kV
	11kV
	22kV
	33kV
	66kV
	132kV
	275kV
	400kV
	Fibre Optic
	Pilot Cable

Distribution Structures (Electric)	
	Pole, Existing Location
	Pole Structure, Existing Location - Single
	Pole Structure, Existing Location - H
	Duct Route
	Cross Section Route

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**

Scale: 1:500 (When plotted at A4)

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

Warning: PDF designed for A4 colour print only with no page scaling

0 20m Dig Sites Area: Line:

**Extra High Voltage  
cables in vicinity**



Date Requested: 24/06/2022  
Job Reference: 25880986  
Site Location: 447899 213853  
Requested by: Mr Joe Shawyer

Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m
Road Crossing	0.6m	0.6m	0.75m
Agricultural	1m	1m	1.1m

Legend	
	Service Cable
	LV Mains
	2 - 11kV
	66kV
	110kV
	220kV
	330kV
	660kV
	1320kV
	275kV
	400kV
	Fibre Optic
	Pipe Cable

Distribution Structures (Electric)	
	Pole, Existing Location
	Pole Structure, Existing Location - Single
	Pole Structure, Existing Location - H
	Duct Route
	Cross Section Route

**Southern Electric Power Distribution plc**  
Registered Office: No.1 Forbury Place  
43 Forbury Road Reading RG1 3JH  
Registered In England & Wales No.04094290


If you're unsure & need to seek advice before commencing excavations, please contact:  
General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
01256 337 294

Scale: 1:500 (When plotted at A4)


**WARNING**  
There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**





Warning: PDF designed for A4 colour print only with no page scaling

<p>0  20m</p>	<p>Dig Sites Area:  Line: </p>	<p><b>Extra High Voltage cables in vicinity</b></p>																																																											
<p>Date Requested: 24/06/2022 Job Reference: 25880986 Site Location: 447899 213853 Requested by: Mr Joe Shawyer Your Scheme/Reference: 31188_001</p>	<p style="text-align: center;"><b>Voltages (V)</b></p> <table border="1" style="width: 100%; border-collapse: collapse; font-size: small;"> <tr> <td>LV (Low Voltage) and Services</td> <td colspan="3">Up to 1,000V</td> </tr> <tr> <td>HV (High Voltage)</td> <td colspan="3">Over 1,000V to 11,000V</td> </tr> <tr> <td>EHV (Extra High Voltage)</td> <td colspan="3">22,000V to 132,000V</td> </tr> <tr> <td>Transmission</td> <td colspan="3">275,000V and 400,000V</td> </tr> </table> <p style="text-align: center;"><b>NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID</b></p> <table border="1" style="width: 100%; border-collapse: collapse; font-size: x-small;"> <thead> <tr> <th>Services</th> <th>LV</th> <th>HV</th> <th>EHV</th> </tr> </thead> <tbody> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> <td>0.45m</td> <td>0.6m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>0.6m</td> <td>0.75m</td> </tr> <tr> <td>Agricultural</td> <td>1m</td> <td>1m</td> <td>1.1m</td> </tr> </tbody> </table>	LV (Low Voltage) and Services	Up to 1,000V			HV (High Voltage)	Over 1,000V to 11,000V			EHV (Extra High Voltage)	22,000V to 132,000V			Transmission	275,000V and 400,000V			Services	LV	HV	EHV	Footpath/Unmade	0.45m	0.45m	0.6m	Road Crossing	0.6m	0.6m	0.75m	Agricultural	1m	1m	1.1m	<p style="text-align: center;"><b>Legend</b></p> <table border="0" style="width: 100%; font-size: x-small;"> <tr> <td> Service Cable</td> <td> Pole, Existing Location</td> </tr> <tr> <td> LV Mains</td> <td> Pole Structure, Existing Location - Single</td> </tr> <tr> <td> 2 - 11kV</td> <td> Pole Structure, Existing Location - H</td> </tr> <tr> <td> 66kV</td> <td> Duct Route</td> </tr> <tr> <td> 11kV</td> <td> Cross Section Route</td> </tr> <tr> <td> 22kV</td> <td></td> </tr> <tr> <td> 33kV</td> <td></td> </tr> <tr> <td> 66kV</td> <td></td> </tr> <tr> <td> 132kV</td> <td></td> </tr> <tr> <td> 275kV</td> <td></td> </tr> <tr> <td> 400kV</td> <td></td> </tr> <tr> <td> Fibre Optic</td> <td></td> </tr> <tr> <td> Pipit Cable</td> <td></td> </tr> </table>	Service Cable	Pole, Existing Location	LV Mains	Pole Structure, Existing Location - Single	2 - 11kV	Pole Structure, Existing Location - H	66kV	Duct Route	11kV	Cross Section Route	22kV		33kV		66kV		132kV		275kV		400kV		Fibre Optic		Pipit Cable		<p><b>Southern Electric Power Distribution plc</b> Registered Office: No.1 Forbury Place 43 Forbury Road Reading RG1 3JH Registered In England &amp; Wales No.04094290</p> <p>If you're unsure &amp; need to seek advice before commencing excavations, please contact: General Enquiries: 0800 048 3516</p> <p>Subject to revision – Master held by SSEN Asset Data Team: <a href="mailto:Asset.Data@sse.com">Asset.Data@sse.com</a> 01256 337 294</p>
LV (Low Voltage) and Services	Up to 1,000V																																																												
HV (High Voltage)	Over 1,000V to 11,000V																																																												
EHV (Extra High Voltage)	22,000V to 132,000V																																																												
Transmission	275,000V and 400,000V																																																												
Services	LV	HV	EHV																																																										
Footpath/Unmade	0.45m	0.45m	0.6m																																																										
Road Crossing	0.6m	0.6m	0.75m																																																										
Agricultural	1m	1m	1.1m																																																										
Service Cable	Pole, Existing Location																																																												
LV Mains	Pole Structure, Existing Location - Single																																																												
2 - 11kV	Pole Structure, Existing Location - H																																																												
66kV	Duct Route																																																												
11kV	Cross Section Route																																																												
22kV																																																													
33kV																																																													
66kV																																																													
132kV																																																													
275kV																																																													
400kV																																																													
Fibre Optic																																																													
Pipit Cable																																																													
<p>Scale: 1:500 (When plotted at A4)</p> <p style="text-align: center;"><b>WARNING</b></p> <p>There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.</p> <p>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</p> <p style="text-align: center; font-size: x-x-small;">BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF HM STATIONERY OFFICE CROWN COPYRIGHT RESERVED. This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.</p>																																																													



0 20m Dig Sites Area: Line: **Extra High Voltage cables in vicinity**

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

Legend		Distribution Structures (Electric)	
	Service Cable		Pole, Existing Location
	LV Mains		Pole Structure, Existing Location - Single
	2 - 11kV		Pole Structure, Existing Location - H
	66kV		Duct Route
	11kV		Cross Section Route
	22kV		
	33kV		
	66kV		
	132kV		
	275kV		
	400kV		
	Fibre Optic		
	Pipe Cable		


**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

Scale: 1:500 (When plotted at A4)



Warning: PDF designed for A4 colour print only with no page scaling

20m Dig Sites Area:   Line:  Extra High Voltage cables in vicinity

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

<p><b>Legend</b></p> <ul style="list-style-type: none"> <li><span style="border-bottom: 1px solid yellow; width: 20px; display: inline-block;"></span> Service Cable</li> <li><span style="border-bottom: 1px solid orange; width: 20px; display: inline-block;"></span> LV Mains</li> <li><span style="border-bottom: 1px solid red; width: 20px; display: inline-block;"></span> 2 - 11kV</li> <li><span style="border-bottom: 1px solid purple; width: 20px; display: inline-block;"></span> 66kV</li> <li><span style="border-bottom: 1px solid blue; width: 20px; display: inline-block;"></span> 11kV</li> <li><span style="border-bottom: 1px solid green; width: 20px; display: inline-block;"></span> 22kV</li> <li><span style="border-bottom: 1px solid cyan; width: 20px; display: inline-block;"></span> 33kV</li> <li><span style="border-bottom: 1px solid lightblue; width: 20px; display: inline-block;"></span> 66kV</li> <li><span style="border-bottom: 1px solid darkblue; width: 20px; display: inline-block;"></span> 132kV</li> <li><span style="border-bottom: 1px solid black; width: 20px; display: inline-block;"></span> 275kV</li> <li><span style="border-bottom: 1px solid grey; width: 20px; display: inline-block;"></span> 400kV</li> <li><span style="border-bottom: 1px solid lightgrey; width: 20px; display: inline-block;"></span> Fibre Optic</li> <li><span style="border-bottom: 1px solid darkgrey; width: 20px; display: inline-block;"></span> Pipit Cable</li> </ul>	<p><b>Distribution Structures (Electric)</b></p> <ul style="list-style-type: none"> <li><span style="display: inline-block; width: 10px; height: 10px; border: 1px solid purple; border-radius: 50%;"></span> Pole, Existing Location</li> <li><span style="display: inline-block; width: 10px; height: 10px; border: 1px solid purple; border-radius: 50%;"></span> Pole Structure, Existing Location - Single</li> <li><span style="display: inline-block; width: 10px; height: 10px; border: 1px solid purple; border-radius: 50%;"></span> Pole Structure, Existing Location - H</li> <li><span style="border-bottom: 1px solid black; width: 20px; display: inline-block;"></span> Duct Route</li> <li><span style="border-bottom: 1px solid blue; width: 20px; display: inline-block;"></span> Cross Section Route</li> </ul>
---	---

**WARNING**


There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294



Warning: PDF designed for A4 colour print only with no page scaling



20m Dig Sites Area: Line:

**Extra High Voltage cables in vicinity**



Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m
Road Crossing	0.6m	0.6m	0.9m
Agricultural	1m	1m	1.1m


Legend	
	Service Cable
	LV Mains
	7 - 11kV
	66kV
	11kV
	22kV
	33kV
	66kV
	132kV
	275kV
	400kV
	Fibre Optic
	Pipe Cable

Distribution Structures (Electric)	
	Pole, Existing Location
	Pole Structure, Existing Location - Single
	Pole Structure, Existing Location - H
	Duct Route
	Cross Section Route

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294



Warning: PDF designed for A4 colour print only with no page scaling

<p>0  20m</p>	<p>Dig Sites Area:  Line: </p>	<p><b>Extra High Voltage cables in vicinity</b></p>																									
<p>Date Requested: 24/06/2022 Job Reference: 25880986 Site Location: 447899 213853 Requested by: Mr Joe Shawyer Your Scheme/Reference: 31188_001</p>	<p><b>Voltages (V)</b></p> <table border="1"> <tr> <td>LV (Low Voltage) and Services</td> <td>Up to 1,000V</td> </tr> <tr> <td>HV (High Voltage)</td> <td>Over 1,000V to 11,000V</td> </tr> <tr> <td>EHV (Extra High Voltage)</td> <td>22,000V to 132,000V</td> </tr> <tr> <td>Transmission</td> <td>275,000V and 400,000V</td> </tr> </table> <p><b>NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID</b></p> <table border="1"> <thead> <tr> <th>Services</th> <th>LV</th> <th>HV</th> <th>EHV</th> </tr> </thead> <tbody> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> <td>0.45m</td> <td>0.6m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>0.6m</td> <td>0.75m</td> </tr> <tr> <td>Agricultural</td> <td>1m</td> <td>1m</td> <td>1.1m</td> </tr> </tbody> </table>	LV (Low Voltage) and Services	Up to 1,000V	HV (High Voltage)	Over 1,000V to 11,000V	EHV (Extra High Voltage)	22,000V to 132,000V	Transmission	275,000V and 400,000V	Services	LV	HV	EHV	Footpath/Unmade	0.45m	0.45m	0.6m	Road Crossing	0.6m	0.6m	0.75m	Agricultural	1m	1m	1.1m	<p><b>Legend</b></p> <ul style="list-style-type: none"> <li> Service Cable</li> <li> LV Mains</li> <li> 6.6kV</li> <li> 11kV</li> <li> 22kV</li> <li> 33kV</li> <li> 66kV</li> <li> 132kV</li> <li> 275kV</li> <li> 400kV</li> <li> Fibre Optic</li> <li> Pipit Cable</li> </ul> <p><b>Distribution Structures (Electric)</b></p> <ul style="list-style-type: none"> <li> Pole, Existing Location</li> <li> Pole Structure, Existing Location - Single</li> <li> Pole Structure, Existing Location - H</li> <li> Duct Route</li> <li> Cross Section Route</li> </ul>	<p><b>Southern Electric Power Distribution plc</b> Registered Office: No.1 Forbury Place 43 Forbury Road Reading RG1 3JH Registered In England &amp; Wales No.04094290</p> <p>If you're unsure &amp; need to seek advice before commencing excavations, please contact: General Enquiries: 0800 048 3516</p> <p>Subject to revision – Master held by SSEN Asset Data Team: <a href="mailto:Asset.Data@sse.com">Asset.Data@sse.com</a> 01256 337 294</p>
LV (Low Voltage) and Services	Up to 1,000V																										
HV (High Voltage)	Over 1,000V to 11,000V																										
EHV (Extra High Voltage)	22,000V to 132,000V																										
Transmission	275,000V and 400,000V																										
Services	LV	HV	EHV																								
Footpath/Unmade	0.45m	0.45m	0.6m																								
Road Crossing	0.6m	0.6m	0.75m																								
Agricultural	1m	1m	1.1m																								
<p>Scale: 1:500 (When plotted at A4)</p> <p><small>There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work. WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</small></p> <p><small>BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF HM STATIONERY OFFICE CROWN COPYRIGHT RESERVED. This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 (The Act). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by Lineworksbefore.co.uk.</small></p>																											

20

Warning: PDF designed for A4 colour print only with no page scaling

0  20m Dig Sites Area:  Line: 

**Extra High Voltage  
cables in vicinity**








Date Requested: 24/06/2022  
Job Reference: 25880986  
Site Location: 447899 213853  
Requested by: Mr Joe Shawyer

Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m 0.8m
Road Crossing	0.6m	0.6m	0.75m 0.9m
Agricultural	1m	1m	1m 1.1m

Legend	
	Service Cable
	LV Mains
	2 - 11kV
	66kV
	11kV
	22kV
	33kV
	66kV
	132kV
	275kV
	400kV
	Fibre Optic
	Pilot Cable

Distribution Structures (Electric)	
	Pole, Existing Location
	Pole Structure, Existing Location - Single
	Pole Structure, Existing Location - H
	Duct Route
	Cross Section Route

**WARNING**


There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

**Southern Electric Power Distribution plc**  
Registered Office: No.1 Forbury Place  
43 Forbury Road Reading RG1 3JH  
Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
01256 337 294

Scale: 1:500 (When plotted at A4)



Warning: PDF designed for A4 colour print only with no page scaling



20m Dig Sites Area: Line:

**Extra High Voltage cables in vicinity**



Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m 0.8m
Road Crossing	0.6m	0.6m	0.75m 0.9m
Agricultural	1m	1m	1m 1.1m

Legend	
	Service Cable
	LV Mains
	2 - 11kV
	66kV
	11kV
	22kV
	33kV
	66kV
	132kV
	275kV
	400kV
	Fibre Optic
	Pipe Cable

Distribution Structures (Electric)	
	Pole, Existing Location
	Pole Structure, Existing Location - Single
	Pole Structure, Existing Location - H
	Duct Route
	Cross Section Route

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Scale: 1:500 (When plotted at A4)

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

Warning: PDF designed for A4 colour print only with no page scaling

0  20m Dig Sites Area:  Line: 

**Extra High Voltage cables in vicinity**



Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m 0.8m
Road Crossing	0.6m	0.6m	0.75m 0.9m
Agricultural	1m	1m	1m 1.1m

<p><b>Legend</b></p> <ul style="list-style-type: none"> <li> Service Cable</li> <li> LV Mains</li> <li> 2 - 11kV</li> <li> 66kV</li> <li> 11kV</li> <li> 22kV</li> <li> 33kV</li> <li> 66kV</li> <li> 132kV</li> <li> 275kV</li> <li> 400kV</li> <li> Fibre Optic</li> <li> Pipit Cable</li> </ul>	<p><b>Distribution Structures (Electric)</b></p> <ul style="list-style-type: none"> <li> Pole, Existing Location</li> <li> Pole Structure, Existing Location - Single</li> <li> Pole Structure, Existing Location - H</li> <li> Duct Route</li> <li> Cross Section Route</li> </ul>
<p><b>WARNING</b></p> <p>There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.</p> <p>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</p>	

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

Scale: 1:500 (When plotted at A4)



23



Warning: PDF designed for A4 colour print only with no page scaling

0 20m Dig Sites Area: Line:

**Extra High Voltage  
cables in vicinity**



Date Requested: 24/06/2022  
Job Reference: 25880986  
Site Location: 447899 213853  
Requested by: Mr Joe Shawyer

Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m 0.8m
Road Crossing	0.6m	0.6m	0.75m 0.9m
Agricultural	1m	1m	1m 1.1m

Legend	
	Service Cable
	LV Mains
	2 - 11kV
	66kV
	11kV
	22kV
	33kV
	66kV
	132kV
	275kV
	400kV
	Fibre Optic
	Pipe Cable

Distribution Structures (Electric)	
	Pole, Existing Location
	Pole Structure, Existing Location - Single
	Pole Structure, Existing Location - H
	Duct Route
	Cross Section Route

**Southern Electric Power Distribution plc**  
Registered Office: No.1 Forbury Place  
43 Forbury Road Reading RG1 3JH  
Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
01256 337 294

Scale: 1:500 (When plotted at A4)

**WARNING**  
There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**

Begbroke Lane (Path)

Warning: PDF designed for A4 colour print only with no page scaling

0 20m

Dig Sites Area: Line:

**Extra High Voltage cables in vicinity**



Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m
Road Crossing	0.6m	0.6m	0.75m
Agricultural	1m	1m	1.1m

Legend	
	Service Cable
	LV Mains
	2 - 11kV
	66kV
	11kV
	22kV
	33kV
	66kV
	132kV
	275kV
	400kV
	Fibre Optic
	Pipe Cable

Distribution Structures (Electric)	
	Pole, Existing Location
	Pole Structure, Existing Location - Single
	Pole Structure, Existing Location - H
	Duct Route
	Cross Section Route


**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

Scale: 1:500 (When plotted at A4)

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**



Warning: PDF designed for A4 colour print only with no page scaling

0 20m Dig Sites Area: Line: **Extra High Voltage cables in vicinity**

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m
Road Crossing	0.6m	0.6m	0.75m
Agricultural	1m	1m	1.1m

Legend	
	Service Cable
	LV Mains
	2 - 11kV
	66kV
	11kV
	22kV
	33kV
	66kV
	132kV
	275kV
	400kV
	Fibre Optic
	Pipe Cable

Distribution Structures (Electric)	
	Pole, Existing Location
	Pole Structure, Existing Location - Single
	Pole Structure, Existing Location - H
	Duct Route
	Cross Section Route

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

Scale: 1:500 (When plotted at A4)

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF HM STATIONERY OFFICE CROWN COPYRIGHT RESERVED.  
 This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.  
 Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.

26

Warning: PDF designed for A4 colour print only with no page scaling

0 20m Dig Sites Area: Line:

**Extra High Voltage  
cables in vicinity**



Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m 0.8m
Road Crossing	0.6m	0.6m	0.75m 0.9m
Agricultural	1m	1m	1m 1.1m

Legend		Distribution Structures (Electric)	
	Service Cable		Pole, Existing Location
	LV Mains		Pole Structure, Existing Location - Single
	2 - 11kV		Pole Structure, Existing Location - H
	66kV		Duct Route
	11kV		Cross Section Route
	22kV		
	33kV		
	66kV		
	132kV		
	275kV		
	400kV		
	Fibre Optic		
	Pipe Cable		

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

Scale: 1:500 (When plotted at A4)

Warning: PDF designed for A4 colour print only with no page scaling

0 20m Dig Sites Area: Line:

**Extra High Voltage  
cables in vicinity**



Date Requested: 24/06/2022  
Job Reference: 25880986  
Site Location: 447899 213853  
Requested by: Mr Joe Shawyer

Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m 0.8m
Road Crossing	0.6m	0.6m	0.75m 0.9m
Agricultural	1m	1m	1m 1.1m

Legend	
	Service Cable
	LV Mains
	2 - 11kV
	66kV
	11kV
	22kV
	33kV
	66kV
	132kV
	275kV
	400kV
	Fibre Optic
	Pipe Cable

Distribution Structures (Electric)	
	Pole, Existing Location
	Pole Structure, Existing Location - Single
	Pole Structure, Existing Location - H
	Duct Route
	Cross Section Route

**Southern Electric Power Distribution plc**  
Registered Office: No.1 Forbury Place  
43 Forbury Road Reading RG1 3JH  
Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
01256 337 294

Scale: 1:500 (When plotted at A4)

**WARNING**  
There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**

Warning: PDF designed for A4 colour print only with no page scaling

0 20m

Dig Sites

Area:



Line:



**Extra High Voltage  
cables in vicinity**



Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer

Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m
Road Crossing	0.6m	0.6m	0.75m
Agricultural	1m	1m	1.1m

Legend	
	Service Cable
	LV Mains
	2 - 11kV
	66kV
	11kV
	22kV
	33kV
	66kV
	132kV
	275kV
	400kV
	Fibre Optic
	Pilot Cable

Distribution Structures (Electric)	
	Pole, Existing Location
	Pole Structure, Existing Location - Single
	Pole Structure, Existing Location - H
	Duct Route
	Cross Section Route


**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

Scale: 1:500 (When plotted at A4)

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**



Warning: PDF designed for A4 colour print only with no page scaling



20m Dig Sites Area: Line:

**Extra High Voltage cables in vicinity**



Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m
Road Crossing	0.6m	0.6m	0.75m
Agricultural	1m	1m	1.1m

Legend	
	Service Cable
	LV Mains
	2 - 1.1kV
	6kV
	11kV
	22kV
	33kV
	66kV
	132kV
	275kV
	400kV
	Fibre Optic
	Pipe Cable

Distribution Structures (Electric)	
	Pole, Existing Location
	Pole Structure, Existing Location - Single
	Pole Structure, Existing Location - H
	Duct Route
	Cross Section Route


**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

Scale: 1:500 (When plotted at A4)

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**



Warning: PDF designed for A4 colour print only with no page scaling

0 20m

Dig Sites Area: Line:

**Extra High Voltage  
cables in vicinity**

Date Requested: 24/06/2022  
Job Reference: 25880986  
Site Location: 447899 213853  
Requested by: Mr Joe Shawyer  
Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m
Road Crossing	0.6m	0.6m	0.75m
Agricultural	1m	1m	1.1m

**Legend**

- Service Cable
- LV Mains
- 2 - 11kV
- 66kV
- 11kV
- 22kV
- 33kV
- 66kV
- 132kV
- 275kV
- 400kV
- Fibre Optic
- Pipit Cable

**Distribution Structures (Electric)**

- Pole, Existing Location
- Pole Structure, Existing Location - Single
- Pole Structure, Existing Location - H
- Duct Route
- Cross Section Route

**Southern Electric Power Distribution plc**  
Registered Office: No.1 Forbury Place  
43 Forbury Road Reading RG1 3JH  
Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
General Enquiries: 0800 048 3516


Subject to revision – Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
01256 337 294

Scale: 1:500 (When plotted at A4)

**WARNING**  
There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.  
WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)


BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF HM STATIONERY OFFICE CROWN COPYRIGHT RESERVED.  
This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.  
Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeDig.







Warning: PDF designed for A4 colour print only with no page scaling

<p>0  20m</p> <p>Date Requested: 24/06/2022          Job Reference: 25880986          Site Location: 447899 213853          Requested by: Mr Joe Shawyer          Your Scheme/Reference: 31188_001</p>	<p>Dig Sites Area:  Line: </p> <p style="text-align: center; background-color: red; color: white; padding: 2px;"><b>Extra High Voltage cables in vicinity</b></p>	<p><b>Legend</b></p> <ul style="list-style-type: none"> <li> Service Cable</li> <li> LV Mains</li> <li> 2 - 3.3kV</li> <li> 6.6kV</li> <li> 11kV</li> <li> 22kV</li> <li> 33kV</li> <li> 66kV</li> <li> 132kV</li> <li> 275kV</li> <li> 400kV</li> <li> Fibre Optic</li> <li> Pipit Cable</li> </ul> <p><b>Distribution Structures (Electric)</b></p> <ul style="list-style-type: none"> <li> Pole, Existing Location</li> <li> Pole Structure, Existing Location - Single</li> <li> Pole Structure, Existing Location - H</li> <li> Duct Route</li> <li> Cross Section Route</li> </ul>	<p> </p> <p style="text-align: center;"><b>Southern Electric Power Distribution plc</b>          Registered Office: No.1 Forbury Place          43 Forbury Road Reading RG1 3JH          Registered In England &amp; Wales No.04094290</p> <p>If you're unsure &amp; need to seek advice before commencing excavations, please contact:          General Enquiries: 0800 048 3516</p> <p>Subject to revision – Master held by SSEN Asset Data Team:  <a href="mailto:Asset.Data@sse.com">Asset.Data@sse.com</a>          01256 337 294</p>																																
<p>Scale: 1:500 (When plotted at A4)</p>		<p><b>Voltages (V)</b></p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>LV (Low Voltage) and Services</td> <td colspan="3">Up to 1,000V</td> </tr> <tr> <td>HV (High Voltage)</td> <td colspan="3">Over 1,000V to 11,000V</td> </tr> <tr> <td>EHV (Extra High Voltage)</td> <td colspan="3">22,000V to 132,000V</td> </tr> <tr> <td>Transmission</td> <td colspan="3">275,000V and 400,000V</td> </tr> </table> <p><b>NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID</b></p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Services</th> <th>LV</th> <th>HV</th> <th>EHV</th> </tr> </thead> <tbody> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> <td>0.45m</td> <td>0.6m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>0.6m</td> <td>0.75m</td> </tr> <tr> <td>Agricultural</td> <td>1m</td> <td>1m</td> <td>1.1m</td> </tr> </tbody> </table> <p style="text-align: center; color: red; font-weight: bold; font-size: small;">WARNING</p> <p style="font-size: x-small;">There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.</p> <p style="font-size: x-small; color: red;">WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</p>		LV (Low Voltage) and Services	Up to 1,000V			HV (High Voltage)	Over 1,000V to 11,000V			EHV (Extra High Voltage)	22,000V to 132,000V			Transmission	275,000V and 400,000V			Services	LV	HV	EHV	Footpath/Unmade	0.45m	0.45m	0.6m	Road Crossing	0.6m	0.6m	0.75m	Agricultural	1m	1m	1.1m
LV (Low Voltage) and Services	Up to 1,000V																																		
HV (High Voltage)	Over 1,000V to 11,000V																																		
EHV (Extra High Voltage)	22,000V to 132,000V																																		
Transmission	275,000V and 400,000V																																		
Services	LV	HV	EHV																																
Footpath/Unmade	0.45m	0.45m	0.6m																																
Road Crossing	0.6m	0.6m	0.75m																																
Agricultural	1m	1m	1.1m																																



Warning: PDF designed for A4 colour print only with no page scaling

<p>0  20m Dig Sites Area:  Line:  <b>Extra High Voltage cables in vicinity</b></p>																																									
<p>Date Requested: 24/06/2022          Job Reference: 25880986          Site Location: 447899 213853          Requested by: Mr Joe Shawyer          Your Scheme/Reference: 31188_001</p>	<table border="1"> <thead> <tr> <th colspan="4">Voltages (V)</th> </tr> </thead> <tbody> <tr> <td>LV (Low Voltage) and Services</td> <td colspan="3">Up to 1,000V</td> </tr> <tr> <td>HV (High Voltage)</td> <td colspan="3">Over 1,000V to 11,000V</td> </tr> <tr> <td>EHV (Extra High Voltage)</td> <td colspan="3">22,000V to 132,000V</td> </tr> <tr> <td>Transmission</td> <td colspan="3">275,000V and 400,000V</td> </tr> <tr> <th colspan="4">NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID</th> </tr> <tr> <th>Services</th> <th>LV</th> <th>HV</th> <th>EHV</th> </tr> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> <td>0.45m</td> <td>0.6m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>0.6m</td> <td>0.75m</td> </tr> <tr> <td>Agricultural</td> <td>1m</td> <td>1m</td> <td>1.1m</td> </tr> </tbody> </table> <p><b>Legend</b></p> <ul style="list-style-type: none"> <li>Service Cable</li> <li>LV Mains</li> <li>6.6kV</li> <li>11kV</li> <li>22kV</li> <li>33kV</li> <li>66kV</li> <li>132kV</li> <li>275kV</li> <li>400kV</li> <li>Fibre Optic</li> <li>Pilot Cable</li> </ul> <p><b>Distribution Structures (Electric)</b></p> <ul style="list-style-type: none"> <li>Pole, Existing Location</li> <li>Pole Structure, Existing Location - Single</li> <li>Pole Structure, Existing Location - H</li> <li>Duct Route</li> <li>Cross Section Route</li> </ul> <p><b>WARNING</b></p> <p>There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.</p> <p><b>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</b></p>	Voltages (V)				LV (Low Voltage) and Services	Up to 1,000V			HV (High Voltage)	Over 1,000V to 11,000V			EHV (Extra High Voltage)	22,000V to 132,000V			Transmission	275,000V and 400,000V			NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				Services	LV	HV	EHV	Footpath/Unmade	0.45m	0.45m	0.6m	Road Crossing	0.6m	0.6m	0.75m	Agricultural	1m	1m	1.1m
Voltages (V)																																									
LV (Low Voltage) and Services	Up to 1,000V																																								
HV (High Voltage)	Over 1,000V to 11,000V																																								
EHV (Extra High Voltage)	22,000V to 132,000V																																								
Transmission	275,000V and 400,000V																																								
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID																																									
Services	LV	HV	EHV																																						
Footpath/Unmade	0.45m	0.45m	0.6m																																						
Road Crossing	0.6m	0.6m	0.75m																																						
Agricultural	1m	1m	1.1m																																						
<p>Scale: 1:500 (When plotted at A4)</p>	<p>Based upon the Ordnance Survey map with the sanction of the Controller of Her Majesty's Stationery Office Crown Copyright Reserved.</p> <p>This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('The Act'). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.</p> <p>Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeDig.</p>																																								
<p><b>Southern Electric Power Distribution plc</b>          Registered Office: No.1 Forbury Place          43 Forbury Road Reading RG1 3JH          Registered In England &amp; Wales No.04094290</p> <p>If you're unsure &amp; need to seek advice before commencing excavations, please contact:          General Enquiries: 0800 048 3516</p> <p>Subject to revision - Master held by SSEN Asset Data Team:  <a href="mailto:Asset.Data@sse.com">Asset.Data@sse.com</a>          01256 337 294</p>																																									



20m Dig Sites Area: Line: Extra High Voltage cables in vicinity

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

Legend		Distribution Structures (Electric)	
	Service Cable		Pole, Existing Location
	LV Mains		Pole Structure, Existing Location - Single
	2 - 3.3kV		Pole Structure, Existing Location - H
	6kV		Duct Route
	11kV		Cross Section Route
	22kV		
	33kV		
	66kV		
	132kV		
	275kV		
	400kV		
	Fibre Optic		
	Pipe Cable		

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**



**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516


Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

Warning: PDF designed for A4 colour print only with no page scaling

0  20m














Dig Sites Area:  Line: 




**Extra High Voltage cables in vicinity**



Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m
Road Crossing	0.6m	0.6m	0.75m
Agricultural	1m	1m	1.1m

Legend	
	Service Cable
	LV Mains
	2 - 11kV
	66kV
	11kV
	22kV
	33kV
	66kV
	132kV
	275kV
	400kV
	Fibre Optic
	Pipe Cable

Distribution Structures (Electric)	
	Pole, Existing Location
	Pole Structure, Existing Location - Single
	Pole Structure, Existing Location - H
	Duct Route
	Cross Section Route

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

Scale: 1:500 (When plotted at A4)

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**

Warning: PDF designed for A4 colour print only with no page scaling

0 20m Dig Sites Area: Line:

**Extra High Voltage  
cables in vicinity**



Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m 0.8m
Road Crossing	0.6m	0.6m	0.75m 0.9m
Agricultural	1m	1m	1m 1.1m

<p><b>Legend</b></p> <ul style="list-style-type: none"> <li> Service Cable</li> <li> LV Mains</li> <li> 2 - 11kV</li> <li> 66kV</li> <li> 11kV</li> <li> 22kV</li> <li> 33kV</li> <li> 66kV</li> <li> 132kV</li> <li> 275kV</li> <li> 400kV</li> <li> Fibre Optic</li> <li> Pipit Cable</li> </ul>	<p><b>Distribution Structures (Electric)</b></p> <ul style="list-style-type: none"> <li> Pole, Existing Location</li> <li> Pole Structure, Existing Location - Single</li> <li> Pole Structure, Existing Location - H</li> <li> Duct Route</li> <li> Cross Section Route</li> </ul>
--	---

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

Scale: 1:500 (When plotted at A4)

Warning: PDF designed for A4 colour print only with no page scaling

0  20m Dig Sites Area:  Line: 

**Extra High Voltage  
cables in vicinity**



Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m 0.8m
Road Crossing	0.6m	0.6m	0.75m 0.9m
Agricultural	1m	1m	1m 1.1m

<p><b>Legend</b></p> <ul style="list-style-type: none"> <li> Service Cable</li> <li> LV Mains</li> <li> 2 - 11kV</li> <li> 66kV</li> <li> 11kV</li> <li> 22kV</li> <li> 33kV</li> <li> 66kV</li> <li> 132kV</li> <li> 275kV</li> <li> 400kV</li> <li> Fibre Optic</li> <li> Pipit Cable</li> </ul>	<p><b>Distribution Structures (Electric)</b></p> <ul style="list-style-type: none"> <li> Pole, Existing Location</li> <li> Pole Structure, Existing Location - Single</li> <li> Pole Structure, Existing Location - H</li> <li> Duct Route</li> <li> Cross Section Route</li> </ul>
--	---


**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

Scale: 1:500 (When plotted at A4)



Warning: PDF designed for A4 colour print only with no page scaling



20m Dig Sites Area: Line:

**Extra High Voltage cables in vicinity**



Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m
Road Crossing	0.6m	0.6m	0.75m
Agricultural	1m	1m	1.1m

Legend	
	Service Cable
	LV Mains
	2 - 11kV
	66kV
	11kV
	22kV
	33kV
	66kV
	132kV
	275kV
	400kV
	Fibre Optic
	Pipe Cable

Distribution Structures (Electric)	
	Pole, Existing Location
	Pole Structure, Existing Location - Single
	Pole Structure, Existing Location - H
	Duct Route
	Cross Section Route


**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

Scale: 1:500 (When plotted at A4)

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**



20m Dig Sites Area:    Line:  **Extra High Voltage cables in vicinity**

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m
Road Crossing	0.6m	0.6m	0.75m
Agricultural	1m	1m	1.1m

<p><b>Legend</b></p> <ul style="list-style-type: none"> <li><span style="border-bottom: 1px solid yellow; width: 15px; display: inline-block;"></span> Service Cable</li> <li><span style="border-bottom: 1px solid orange; width: 15px; display: inline-block;"></span> LV Mains</li> <li><span style="border-bottom: 1px solid red; width: 15px; display: inline-block;"></span> 2 - 11kV</li> <li><span style="border-bottom: 1px solid purple; width: 15px; display: inline-block;"></span> 66kV</li> <li><span style="border-bottom: 1px solid blue; width: 15px; display: inline-block;"></span> 11kV</li> <li><span style="border-bottom: 1px solid green; width: 15px; display: inline-block;"></span> 22kV</li> <li><span style="border-bottom: 1px solid cyan; width: 15px; display: inline-block;"></span> 33kV</li> <li><span style="border-bottom: 1px solid magenta; width: 15px; display: inline-block;"></span> 66kV</li> <li><span style="border-bottom: 1px solid black; width: 15px; display: inline-block;"></span> 132kV</li> <li><span style="border-bottom: 1px solid grey; width: 15px; display: inline-block;"></span> 275kV</li> <li><span style="border-bottom: 1px solid lightgrey; width: 15px; display: inline-block;"></span> 400kV</li> <li><span style="border-bottom: 1px dashed black; width: 15px; display: inline-block;"></span> Fibre Optic</li> <li><span style="border-bottom: 1px dotted black; width: 15px; display: inline-block;"></span> Pipit Cable</li> </ul>	<p><b>Distribution Structures (Electric)</b></p> <ul style="list-style-type: none"> <li><span style="display: inline-block; width: 10px; height: 10px; border: 1px solid black; margin-right: 5px;"></span> Pole, Existing Location</li> <li><span style="display: inline-block; width: 10px; height: 10px; border: 1px solid black; margin-right: 5px;"></span> Pole Structure, Existing Location - Single</li> <li><span style="display: inline-block; width: 10px; height: 10px; border: 1px solid black; margin-right: 5px;"></span> Pole Structure, Existing Location - H</li> <li><span style="border-bottom: 1px solid black; width: 15px; display: inline-block;"></span> Duct Route</li> <li><span style="border-bottom: 1px dashed black; width: 15px; display: inline-block;"></span> Cross Section Route</li> </ul>
---	---

**Scale: 1:500 (When plotted at A4)**


**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516


Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294





Warning: PDF designed for A4 colour print only with no page scaling

<p>0  20m</p>	<p>Dig Sites Area:  Line: </p>	<p><b>Extra High Voltage cables in vicinity</b></p>																																																																										
<p>Date Requested: 24/06/2022 Job Reference: 25880986 Site Location: 447899 213853 Requested by: Mr Joe Shawyer Your Scheme/Reference: 31188_001</p>	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="4">Voltages (V)</th> </tr> </thead> <tbody> <tr> <td>LV (Low Voltage) and Services</td> <td colspan="3">Up to 1,000V</td> </tr> <tr> <td>HV (High Voltage)</td> <td colspan="3">Over 1,000V to 11,000V</td> </tr> <tr> <td>EHV (Extra High Voltage)</td> <td colspan="3">22,000V to 132,000V</td> </tr> <tr> <td>Transmission</td> <td colspan="3">275,000V and 400,000V</td> </tr> </tbody> </table> <table border="1" style="width: 100%; border-collapse: collapse; margin-top: 5px;"> <thead> <tr> <th colspan="5">NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID</th> </tr> <tr> <th>Services</th> <th>LV</th> <th>HV</th> <th>EHV</th> <th></th> </tr> </thead> <tbody> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> <td>0.45m</td> <td>0.6m</td> <td>0.8m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>0.6m</td> <td>0.75m</td> <td>0.9m</td> </tr> <tr> <td>Agricultural</td> <td>1m</td> <td>1m</td> <td>1m</td> <td>1.1m</td> </tr> </tbody> </table>	Voltages (V)				LV (Low Voltage) and Services	Up to 1,000V			HV (High Voltage)	Over 1,000V to 11,000V			EHV (Extra High Voltage)	22,000V to 132,000V			Transmission	275,000V and 400,000V			NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID					Services	LV	HV	EHV		Footpath/Unmade	0.45m	0.45m	0.6m	0.8m	Road Crossing	0.6m	0.6m	0.75m	0.9m	Agricultural	1m	1m	1m	1.1m	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Legend</th> <th>Distribution Structures (Electric)</th> </tr> </thead> <tbody> <tr> <td> Service Cable</td> <td> Pole, Existing Location</td> </tr> <tr> <td> LV Mains</td> <td> Pole Structure, Existing Location - Single</td> </tr> <tr> <td> 2 - 11kV</td> <td> Pole Structure, Existing Location - H</td> </tr> <tr> <td> 66kV</td> <td> Pole Structure, Existing Location - H</td> </tr> <tr> <td> 11kV</td> <td> Pole Structure, Existing Location - H</td> </tr> <tr> <td> 22kV</td> <td> Pole Structure, Existing Location - H</td> </tr> <tr> <td> 33kV</td> <td> Pole Structure, Existing Location - H</td> </tr> <tr> <td> 66kV</td> <td> Pole Structure, Existing Location - H</td> </tr> <tr> <td> 132kV</td> <td> Pole Structure, Existing Location - H</td> </tr> <tr> <td> 275kV</td> <td> Pole Structure, Existing Location - H</td> </tr> <tr> <td> 400kV</td> <td> Pole Structure, Existing Location - H</td> </tr> <tr> <td> Fibre Optic</td> <td> Pole Structure, Existing Location - H</td> </tr> <tr> <td> Pipit Cable</td> <td> Pole Structure, Existing Location - H</td> </tr> </tbody> </table> <p style="text-align: center; font-size: small; color: red;"><b>WARNING</b></p> <p style="text-align: center; font-size: x-small;">There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work. WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</p>	Legend	Distribution Structures (Electric)	Service Cable	Pole, Existing Location	LV Mains	Pole Structure, Existing Location - Single	2 - 11kV	Pole Structure, Existing Location - H	66kV	Pole Structure, Existing Location - H	11kV	Pole Structure, Existing Location - H	22kV	Pole Structure, Existing Location - H	33kV	Pole Structure, Existing Location - H	66kV	Pole Structure, Existing Location - H	132kV	Pole Structure, Existing Location - H	275kV	Pole Structure, Existing Location - H	400kV	Pole Structure, Existing Location - H	Fibre Optic	Pole Structure, Existing Location - H	Pipit Cable	Pole Structure, Existing Location - H	<p><b>Southern Electric Power Distribution plc</b> Registered Office: No.1 Forbury Place 43 Forbury Road Reading RG1 3JH Registered In England &amp; Wales No.04094290</p> <p>If you're unsure &amp; need to seek advice before commencing excavations, please contact: General Enquiries: 0800 048 3516</p> <p>Subject to revision - Master held by SSEN Asset Data Team: <a href="mailto:Asset.Data@sse.com">Asset.Data@sse.com</a> 01256 337 294</p>
Voltages (V)																																																																												
LV (Low Voltage) and Services	Up to 1,000V																																																																											
HV (High Voltage)	Over 1,000V to 11,000V																																																																											
EHV (Extra High Voltage)	22,000V to 132,000V																																																																											
Transmission	275,000V and 400,000V																																																																											
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID																																																																												
Services	LV	HV	EHV																																																																									
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m																																																																								
Road Crossing	0.6m	0.6m	0.75m	0.9m																																																																								
Agricultural	1m	1m	1m	1.1m																																																																								
Legend	Distribution Structures (Electric)																																																																											
Service Cable	Pole, Existing Location																																																																											
LV Mains	Pole Structure, Existing Location - Single																																																																											
2 - 11kV	Pole Structure, Existing Location - H																																																																											
66kV	Pole Structure, Existing Location - H																																																																											
11kV	Pole Structure, Existing Location - H																																																																											
22kV	Pole Structure, Existing Location - H																																																																											
33kV	Pole Structure, Existing Location - H																																																																											
66kV	Pole Structure, Existing Location - H																																																																											
132kV	Pole Structure, Existing Location - H																																																																											
275kV	Pole Structure, Existing Location - H																																																																											
400kV	Pole Structure, Existing Location - H																																																																											
Fibre Optic	Pole Structure, Existing Location - H																																																																											
Pipit Cable	Pole Structure, Existing Location - H																																																																											
<p>Scale: 1:500 (When plotted at A4)</p> <p style="text-align: center;">BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M STATIONERY OFFICE CROWN COPYRIGHT RESERVED. This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.</p>																																																																												



20m Dig Sites

Area: 
Line:

**Extra High Voltage  
cables in vicinity**

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

Legend		Distribution Structures (Electric)	
	Service Cable		Pole, Existing Location
	LV Mains		Pole Structure, Existing Location - Single
	2 - 11kV		Pole Structure, Existing Location - H
	6kV		Duct Route
	11kV		Cross Section Route
	22kV		
	33kV		
	66kV		
	132kV		
	275kV		
	400kV		
	Fibre Optic		
	Pilot Cable		

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
 WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)


Scale: 1:500 (When plotted at A4)

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF HM STATIONERY OFFICE CROWN COPYRIGHT RESERVED.  
 This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.  
 Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeDig.

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290


If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294



Warning: PDF designed for A4 colour print only with no page scaling

	<p>20m Dig Sites Area:  Line: </p>	<p><b>Extra High Voltage cables in vicinity</b></p>																									
<p>Date Requested: 24/06/2022          Job Reference: 25880986          Site Location: 447899 213853          Requested by: Mr Joe Shawyer          Your Scheme/Reference: 31188_001</p>	<p><b>Voltages (V)</b></p> <table border="1"> <tr> <td>LV (Low Voltage) and Services</td> <td>Up to 1,000V</td> </tr> <tr> <td>HV (High Voltage)</td> <td>Over 1,000V to 11,000V</td> </tr> <tr> <td>EHV (Extra High Voltage)</td> <td>22,000V to 132,000V</td> </tr> <tr> <td>Transmission</td> <td>275,000V and 400,000V</td> </tr> </table> <p><b>NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID</b></p> <table border="1"> <thead> <tr> <th>Services</th> <th>LV</th> <th>HV</th> <th>EHV</th> </tr> </thead> <tbody> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> <td>0.45m</td> <td>0.6m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>0.6m</td> <td>0.75m</td> </tr> <tr> <td>Agricultural</td> <td>1m</td> <td>1m</td> <td>1.1m</td> </tr> </tbody> </table>	LV (Low Voltage) and Services	Up to 1,000V	HV (High Voltage)	Over 1,000V to 11,000V	EHV (Extra High Voltage)	22,000V to 132,000V	Transmission	275,000V and 400,000V	Services	LV	HV	EHV	Footpath/Unmade	0.45m	0.45m	0.6m	Road Crossing	0.6m	0.6m	0.75m	Agricultural	1m	1m	1.1m	<p><b>Legend</b></p> <ul style="list-style-type: none"> <li> Service Cable</li> <li> LV Mains</li> <li> 66kV</li> <li> 11kV</li> <li> 22kV</li> <li> 33kV</li> <li> 66kV</li> <li> 132kV</li> <li> 275kV</li> <li> 400kV</li> <li> Fibre Optic</li> <li> Pipit Cable</li> </ul> <p><b>Distribution Structures (Electric)</b></p> <ul style="list-style-type: none"> <li> Pole, Existing Location</li> <li> Pole Structure, Existing Location - Single</li> <li> Pole Structure, Existing Location - H</li> <li> Duct Route</li> <li> Cross Section Route</li> </ul>	<p><b>Southern Electric Power Distribution plc</b>          Registered Office: No.1 Forbury Place          43 Forbury Road Reading RG1 3JH          Registered In England &amp; Wales No.04094290</p> <p>If you're unsure &amp; need to seek advice before commencing excavations, please contact:          General Enquiries: 0800 048 3516</p> <p>Subject to revision – Master held by SSEN Asset Data Team:  <a href="mailto:Asset.Data@sse.com">Asset.Data@sse.com</a>          01256 337 294</p>
LV (Low Voltage) and Services	Up to 1,000V																										
HV (High Voltage)	Over 1,000V to 11,000V																										
EHV (Extra High Voltage)	22,000V to 132,000V																										
Transmission	275,000V and 400,000V																										
Services	LV	HV	EHV																								
Footpath/Unmade	0.45m	0.45m	0.6m																								
Road Crossing	0.6m	0.6m	0.75m																								
Agricultural	1m	1m	1.1m																								
<p>Scale: 1:500 (When plotted at A4)</p> <p style="font-size: small; text-align: center;">             BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF HM STATIONERY OFFICE CROWN COPYRIGHT RESERVED.              This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.              Plans generated by DigSAFE Pro™ software provided by Lineworkbefore06G.         </p>																											



0 20m Dig Sites Area: Line: **Extra High Voltage cables in vicinity**

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m
Road Crossing	0.6m	0.6m	0.75m
Agricultural	1m	1m	1.1m

Legend	
	Service Cable
	LV Mains
	2 - 11kV
	66kV
	11kV
	22kV
	33kV
	66kV
	132kV
	275kV
	400kV
	Fibre Optic
	Pipe Cable


Distribution Structures (Electric)	
	Pole, Existing Location
	Pole Structure, Existing Location - Single
	Pole Structure, Existing Location - H
	Duct Route
	Cross Section Route

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294



Warning: PDF designed for A4 colour print only with no page scaling

<p>0  20m</p>	<p>Dig Sites Area:  Line: </p>	<p><b>Extra High Voltage cables in vicinity</b></p>																									
<p>Date Requested: 24/06/2022          Job Reference: 25880986          Site Location: 447899 213853          Requested by: Mr Joe Shawyer          Your Scheme/Reference: 31188_001</p>	<p><b>Voltages (V)</b></p> <table border="1"> <tr> <td>LV (Low Voltage) and Services</td> <td>Up to 1,000V</td> </tr> <tr> <td>HV (High Voltage)</td> <td>Over 1,000V to 11,000V</td> </tr> <tr> <td>EHV (Extra High Voltage)</td> <td>22,000V to 132,000V</td> </tr> <tr> <td>Transmission</td> <td>275,000V and 400,000V</td> </tr> </table> <p><b>NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID</b></p> <table border="1"> <thead> <tr> <th>Services</th> <th>LV</th> <th>HV</th> <th>EHV</th> </tr> </thead> <tbody> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> <td>0.45m</td> <td>0.6m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>0.6m</td> <td>0.75m</td> </tr> <tr> <td>Agricultural</td> <td>1m</td> <td>1m</td> <td>1.1m</td> </tr> </tbody> </table>	LV (Low Voltage) and Services	Up to 1,000V	HV (High Voltage)	Over 1,000V to 11,000V	EHV (Extra High Voltage)	22,000V to 132,000V	Transmission	275,000V and 400,000V	Services	LV	HV	EHV	Footpath/Unmade	0.45m	0.45m	0.6m	Road Crossing	0.6m	0.6m	0.75m	Agricultural	1m	1m	1.1m	<p><b>Legend</b></p> <ul style="list-style-type: none"> <li>Service Cable</li> <li>LV Mains</li> <li>2 - 11kV</li> <li>66kV</li> <li>11kV</li> <li>22kV</li> <li>33kV</li> <li>66kV</li> <li>132kV</li> <li>275kV</li> <li>400kV</li> <li>Fibre Optic</li> <li>Pipe Cable</li> </ul> <p><b>Distribution Structures (Electric)</b></p> <ul style="list-style-type: none"> <li>Pole, Existing Location</li> <li>Pole Structure, Existing Location - Single</li> <li>Pole Structure, Existing Location - H</li> <li>Duct Route</li> <li>Cross Section Route</li> </ul>	<p><b>Southern Electric Power Distribution plc</b>          Registered Office: No.1 Forbury Place          43 Forbury Road Reading RG1 3JH          Registered In England &amp; Wales No.04094290</p> <p>If you're unsure &amp; need to seek advice before commencing excavations, please contact:          General Enquiries: 0800 048 3516</p> <p>Subject to revision – Master held by SSEN Asset Data Team:  <a href="mailto:Asset.Data@sse.com">Asset.Data@sse.com</a>          01256 337 294</p>
LV (Low Voltage) and Services	Up to 1,000V																										
HV (High Voltage)	Over 1,000V to 11,000V																										
EHV (Extra High Voltage)	22,000V to 132,000V																										
Transmission	275,000V and 400,000V																										
Services	LV	HV	EHV																								
Footpath/Unmade	0.45m	0.45m	0.6m																								
Road Crossing	0.6m	0.6m	0.75m																								
Agricultural	1m	1m	1.1m																								
<p>Scale: 1:500 (When plotted at A4)</p> <p><b>WARNING</b>          There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.  <b>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</b></p> <p><small>BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF HM STATIONERY OFFICE CROWN COPYRIGHT RESERVED.          This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.          Plans generated by DigSAFE Pro™ software provided by Linesearchbeforedig.</small></p>																											



0 20m

Dig Sites Area: Line:

**Extra High Voltage  
cables in vicinity**

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

**Voltages (V)**

LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		

**NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID**

Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m
Road Crossing	0.6m	0.6m	0.75m
Agricultural	1m	1m	1.1m

**Legend**

	Service Cable
	LV Mains
	2 - 11kV
	66kV
	11kV
	22kV
	33kV
	66kV
	132kV
	275kV
	400kV
	Fibre Optic
	Pilot Cable

**Distribution Structures (Electric)**

	Pole, Existing Location
	Pole Structure, Existing Location - Single
	Pole Structure, Existing Location - H
	Duct Route
	Cross Section Route

**WARNING**

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.

**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**


**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

Scale: 1:500 (When plotted at A4)

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF HM STATIONERY OFFICE CROWN COPYRIGHT RESERVED.  
 This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('The Act'). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.  
 Plans generated by DigSAFE Pro™ software provided by Linesearchbeforedig.



Warning: PDF designed for A4 colour print only with no page scaling

<p>0  20m</p>	<p>Dig Sites Area:  Line: </p>	<p><b>Extra High Voltage cables in vicinity</b></p>																									
<p>Date Requested: 24/06/2022          Job Reference: 25880986          Site Location: 447899 213853          Requested by: Mr Joe Shawyer          Your Scheme/Reference: 31188_001</p>	<p><b>Voltages (V)</b></p> <table border="1"> <tr> <td>LV (Low Voltage) and Services</td> <td>Up to 1,000V</td> </tr> <tr> <td>HV (High Voltage)</td> <td>Over 1,000V to 11,000V</td> </tr> <tr> <td>EHV (Extra High Voltage)</td> <td>22,000V to 132,000V</td> </tr> <tr> <td>Transmission</td> <td>275,000V and 400,000V</td> </tr> </table> <p><b>NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID</b></p> <table border="1"> <thead> <tr> <th>Services</th> <th>LV</th> <th>HV</th> <th>EHV</th> </tr> </thead> <tbody> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> <td>0.45m</td> <td>0.6m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>0.6m</td> <td>0.75m</td> </tr> <tr> <td>Agricultural</td> <td>1m</td> <td>1m</td> <td>1.1m</td> </tr> </tbody> </table>	LV (Low Voltage) and Services	Up to 1,000V	HV (High Voltage)	Over 1,000V to 11,000V	EHV (Extra High Voltage)	22,000V to 132,000V	Transmission	275,000V and 400,000V	Services	LV	HV	EHV	Footpath/Unmade	0.45m	0.45m	0.6m	Road Crossing	0.6m	0.6m	0.75m	Agricultural	1m	1m	1.1m	<p><b>Legend</b></p> <ul style="list-style-type: none"> <li> Service Cable</li> <li> LV Mains</li> <li> 2 - 11kV</li> <li> 66kV</li> <li> 11kV</li> <li> 22kV</li> <li> 33kV</li> <li> 66kV</li> <li> 132kV</li> <li> 275kV</li> <li> 400kV</li> <li> Fibre Optic</li> <li> Pipit Cable</li> </ul> <p><b>Distribution Structures (Electric)</b></p> <ul style="list-style-type: none"> <li> Pole, Existing Location</li> <li> Pole Structure, Existing Location - Single</li> <li> Pole Structure, Existing Location - H</li> <li> Duct Route</li> <li> Cross Section Route</li> </ul>	<p><b>Southern Electric Power Distribution plc</b>          Registered Office: No.1 Forbury Place          43 Forbury Road Reading RG1 3JH          Registered In England &amp; Wales No.04094290</p> <p>If you're unsure &amp; need to seek advice before commencing excavations, please contact:          General Enquiries: 0800 048 3516</p> <p>Subject to revision – Master held by SSEN Asset Data Team:  <a href="mailto:Asset.Data@sse.com">Asset.Data@sse.com</a>          01256 337 294</p>
LV (Low Voltage) and Services	Up to 1,000V																										
HV (High Voltage)	Over 1,000V to 11,000V																										
EHV (Extra High Voltage)	22,000V to 132,000V																										
Transmission	275,000V and 400,000V																										
Services	LV	HV	EHV																								
Footpath/Unmade	0.45m	0.45m	0.6m																								
Road Crossing	0.6m	0.6m	0.75m																								
Agricultural	1m	1m	1.1m																								
<p>Scale: 1:500 (When plotted at A4)</p> <p><small>There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.  <b>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</b></small></p> <p><small>BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF HM STATIONERY OFFICE CROWN COPYRIGHT RESERVED.          This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.          Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeDig.</small></p>																											



Warning: PDF designed for A4 colour print only with no page scaling


<p>0  20m Dig Sites Area:  Line:  <b>Extra High Voltage cables in vicinity</b></p>																																																																																	
<p>Date Requested: 24/06/2022          Job Reference: 25880986          Site Location: 447899 213853          Requested by: Mr Joe Shawyer          Your Scheme/Reference: 31188_001</p>	<table border="1"> <thead> <tr> <th colspan="4">Voltages (V)</th> </tr> </thead> <tbody> <tr> <td>LV (Low Voltage) and Services</td> <td colspan="3">Up to 1,000V</td> </tr> <tr> <td>HV (High Voltage)</td> <td colspan="3">Over 1,000V to 11,000V</td> </tr> <tr> <td>EHV (Extra High Voltage)</td> <td colspan="3">22,000V to 132,000V</td> </tr> <tr> <td>Transmission</td> <td colspan="3">275,000V and 400,000V</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th colspan="4">NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID</th> </tr> <tr> <th>Services</th> <th>LV</th> <th>HV</th> <th>EHV</th> </tr> </thead> <tbody> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> <td>0.45m</td> <td>0.8m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>0.6m</td> <td>0.9m</td> </tr> <tr> <td>Agricultural</td> <td>1m</td> <td>1m</td> <td>1.1m</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th colspan="2">Legend</th> </tr> </thead> <tbody> <tr> <td></td> <td>Service Cable</td> </tr> <tr> <td></td> <td>LV Mains</td> </tr> <tr> <td></td> <td>2 - 11kV</td> </tr> <tr> <td></td> <td>66kV</td> </tr> <tr> <td></td> <td>11kV</td> </tr> <tr> <td></td> <td>22kV</td> </tr> <tr> <td></td> <td>33kV</td> </tr> <tr> <td></td> <td>66kV</td> </tr> <tr> <td></td> <td>132kV</td> </tr> <tr> <td></td> <td>275kV</td> </tr> <tr> <td></td> <td>400kV</td> </tr> <tr> <td></td> <td>Fibre Optic</td> </tr> <tr> <td></td> <td>Pipe Cable</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th colspan="2">Distribution Structures (Electric)</th> </tr> </thead> <tbody> <tr> <td></td> <td>Pole, Existing Location</td> </tr> <tr> <td></td> <td>Pole Structure, Existing Location - Single</td> </tr> <tr> <td></td> <td>Pole Structure, Existing Location - H</td> </tr> <tr> <td></td> <td>Duct Route</td> </tr> <tr> <td></td> <td>Cross Section Route</td> </tr> </tbody> </table> <p><b>WARNING</b>          There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  <b>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</b></p>	Voltages (V)				LV (Low Voltage) and Services	Up to 1,000V			HV (High Voltage)	Over 1,000V to 11,000V			EHV (Extra High Voltage)	22,000V to 132,000V			Transmission	275,000V and 400,000V			NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				Services	LV	HV	EHV	Footpath/Unmade	0.45m	0.45m	0.8m	Road Crossing	0.6m	0.6m	0.9m	Agricultural	1m	1m	1.1m	Legend			Service Cable		LV Mains		2 - 11kV		66kV		11kV		22kV		33kV		66kV		132kV		275kV		400kV		Fibre Optic		Pipe Cable	Distribution Structures (Electric)			Pole, Existing Location		Pole Structure, Existing Location - Single		Pole Structure, Existing Location - H		Duct Route		Cross Section Route
Voltages (V)																																																																																	
LV (Low Voltage) and Services	Up to 1,000V																																																																																
HV (High Voltage)	Over 1,000V to 11,000V																																																																																
EHV (Extra High Voltage)	22,000V to 132,000V																																																																																
Transmission	275,000V and 400,000V																																																																																
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID																																																																																	
Services	LV	HV	EHV																																																																														
Footpath/Unmade	0.45m	0.45m	0.8m																																																																														
Road Crossing	0.6m	0.6m	0.9m																																																																														
Agricultural	1m	1m	1.1m																																																																														
Legend																																																																																	
	Service Cable																																																																																
	LV Mains																																																																																
	2 - 11kV																																																																																
	66kV																																																																																
	11kV																																																																																
	22kV																																																																																
	33kV																																																																																
	66kV																																																																																
	132kV																																																																																
	275kV																																																																																
	400kV																																																																																
	Fibre Optic																																																																																
	Pipe Cable																																																																																
Distribution Structures (Electric)																																																																																	
	Pole, Existing Location																																																																																
	Pole Structure, Existing Location - Single																																																																																
	Pole Structure, Existing Location - H																																																																																
	Duct Route																																																																																
	Cross Section Route																																																																																
<p>Scale: 1:500 (When plotted at A4)</p>	<p>BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF HM STATIONERY OFFICE CROWN COPYRIGHT RESERVED.          This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.          Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.</p>																																																																																

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294





Warning: PDF designed for A4 colour print only with no page scaling

20m Dig Sites Area:   Line:  Extra High Voltage cables in vicinity

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

<p><b>Legend</b></p> <ul style="list-style-type: none"> <li><span style="border-bottom: 1px solid yellow; width: 15px; display: inline-block;"></span> Service Cable</li> <li><span style="border-bottom: 1px solid blue; width: 15px; display: inline-block;"></span> LV Mains</li> <li><span style="border-bottom: 1px solid red; width: 15px; display: inline-block;"></span> 6.6kV</li> <li><span style="border-bottom: 1px solid orange; width: 15px; display: inline-block;"></span> 11kV</li> <li><span style="border-bottom: 1px solid green; width: 15px; display: inline-block;"></span> 22kV</li> <li><span style="border-bottom: 1px solid purple; width: 15px; display: inline-block;"></span> 33kV</li> <li><span style="border-bottom: 1px solid brown; width: 15px; display: inline-block;"></span> 66kV</li> <li><span style="border-bottom: 1px solid darkblue; width: 15px; display: inline-block;"></span> 132kV</li> <li><span style="border-bottom: 1px solid darkgreen; width: 15px; display: inline-block;"></span> 275kV</li> <li><span style="border-bottom: 1px solid darkred; width: 15px; display: inline-block;"></span> 400kV</li> <li><span style="border-bottom: 1px solid cyan; width: 15px; display: inline-block;"></span> Fibre Optic</li> <li><span style="border-bottom: 1px solid magenta; width: 15px; display: inline-block;"></span> Pipit Cable</li> </ul>	<p><b>Distribution Structures (Electric)</b></p> <ul style="list-style-type: none"> <li><span style="color: purple;">●</span> Pole, Existing Location</li> <li><span style="color: purple;">○</span> Pole Structure, Existing Location - Single</li> <li><span style="color: purple;">○</span> Pole Structure, Existing Location - H</li> <li><span style="border-bottom: 1px solid black; width: 15px; display: inline-block;"></span> Duct Route</li> <li><span style="border-bottom: 1px solid blue; width: 15px; display: inline-block;"></span> Cross Section Route</li> </ul>
--	---

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**


Scale: 1:500 (When plotted at A4)

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF HM STATIONERY OFFICE CROWN COPYRIGHT RESERVED.  
 This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.  
 Plans generated by DigSAFE Pro™ software provided by Lineworksbetter.co.uk.

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294



0 20m Dig Sites Area: Line: **Extra High Voltage cables in vicinity**

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)	
LV (Low Voltage) and Services	Up to 1,000V
HV (High Voltage)	Over 1,000V to 11,000V
EHV (Extra High Voltage)	22,000V to 132,000V
Transmission	275,000V and 400,000V

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m
Road Crossing	0.6m	0.6m	0.75m
Agricultural	1m	1m	1.1m

Legend	
	Service Cable
	LV Mains
	6.6kV
	11kV
	22kV
	33kV
	66kV
	132kV
	275kV
	400kV
	Fibre Optic
	Pipe Cable

Distribution Structures (Electric)	
	Pole, Existing Location
	Pole Structure, Existing Location - Single
	Pole Structure, Existing Location - H
	Duct Route
	Cross Section Route


**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**

Scale: 1:500 (When plotted at A4)

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294



Warning: PDF designed for A4 colour print only with no page scaling

<p>0  20m Dig Sites Area:  Line: </p>	<p><b>Extra High Voltage cables in vicinity</b></p>																																		
<p>Date Requested: 24/06/2022                  Job Reference: 25880986                  Site Location: 447899 213853                  Requested by: Mr Joe Shawyer                  Your Scheme/Reference: 31188_001</p>	<p><b>Voltages (V)</b></p> <table border="1"> <tr> <td>LV (Low Voltage) and Services</td> <td colspan="3">Up to 1,000V</td> </tr> <tr> <td>HV (High Voltage)</td> <td colspan="3">Over 1,000V to 11,000V</td> </tr> <tr> <td>EHV (Extra High Voltage)</td> <td colspan="3">22,000V to 132,000V</td> </tr> <tr> <td>Transmission</td> <td colspan="3">275,000V and 400,000V</td> </tr> </table> <p><b>NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID</b></p> <table border="1"> <thead> <tr> <th>Services</th> <th>LV</th> <th>HV</th> <th>EHV</th> </tr> </thead> <tbody> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> <td>0.45m</td> <td>0.6m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>0.6m</td> <td>0.75m</td> </tr> <tr> <td>Agricultural</td> <td>1m</td> <td>1m</td> <td>1.1m</td> </tr> </tbody> </table>	LV (Low Voltage) and Services	Up to 1,000V			HV (High Voltage)	Over 1,000V to 11,000V			EHV (Extra High Voltage)	22,000V to 132,000V			Transmission	275,000V and 400,000V			Services	LV	HV	EHV	Footpath/Unmade	0.45m	0.45m	0.6m	Road Crossing	0.6m	0.6m	0.75m	Agricultural	1m	1m	1.1m	<p><b>Legend</b></p> <ul style="list-style-type: none"> <li>Service Cable</li> <li>LV Mains</li> <li>2 - 11kV</li> <li>66kV</li> <li>11kV</li> <li>22kV</li> <li>33kV</li> <li>66kV</li> <li>132kV</li> <li>275kV</li> <li>400kV</li> <li>Fibre Optic</li> <li>Pipe Cable</li> </ul> <p><b>Distribution Structures (Electric)</b></p> <ul style="list-style-type: none"> <li>Pole, Existing Location</li> <li>Pole Structure, Existing Location - Single</li> <li>Pole Structure, Existing Location - H</li> <li>Duct Route</li> <li>Cross Section Route</li> </ul>	<p><b>Southern Electric Power Distribution plc</b>                  Registered Office: No.1 Forbury Place                  43 Forbury Road Reading RG1 3JH                  Registered In England &amp; Wales No.04094290</p> <p>If you're unsure &amp; need to seek advice before commencing excavations, please contact:                  General Enquiries: 0800 048 3516</p> <p>Subject to revision – Master held by SSEN Asset Data Team:  <a href="mailto:Asset.Data@sse.com">Asset.Data@sse.com</a>                  01256 337 294</p>
LV (Low Voltage) and Services	Up to 1,000V																																		
HV (High Voltage)	Over 1,000V to 11,000V																																		
EHV (Extra High Voltage)	22,000V to 132,000V																																		
Transmission	275,000V and 400,000V																																		
Services	LV	HV	EHV																																
Footpath/Unmade	0.45m	0.45m	0.6m																																
Road Crossing	0.6m	0.6m	0.75m																																
Agricultural	1m	1m	1.1m																																
<p>Scale: 1:500 (When plotted at A4)</p> <p><b>WARNING</b>                  There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.                  WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</p> <p><small>BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.                  This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.                  Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeDig.</small></p>																																			



Warning: PDF designed for A4 colour print only with no page scaling

<p>0  20m Dig Sites Area:  Line: </p>	<p style="text-align: center;"><b>Extra High Voltage cables in vicinity</b></p>																																																																																		
<p>Date Requested: 24/06/2022                  Job Reference: 25880986                  Site Location: 447899 213853                  Requested by: Mr Joe Shawyer                  Your Scheme/Reference: 31188_001</p>		<table border="1"> <thead> <tr> <th colspan="4">Voltages (V)</th> </tr> </thead> <tbody> <tr> <td>LV (Low Voltage) and Services</td> <td colspan="3">Up to 1,000V</td> </tr> <tr> <td>HV (High Voltage)</td> <td colspan="3">Over 1,000V to 11,000V</td> </tr> <tr> <td>EHV (Extra High Voltage)</td> <td colspan="3">22,000V to 132,000V</td> </tr> <tr> <td>Transmission</td> <td colspan="3">275,000V and 400,000V</td> </tr> <tr> <th colspan="4">NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID</th> </tr> <tr> <th>Services</th> <th>LV</th> <th>HV</th> <th>EHV</th> </tr> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> <td>0.45m</td> <td>0.6m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>0.6m</td> <td>0.75m</td> </tr> <tr> <td>Agricultural</td> <td>1m</td> <td>1m</td> <td>1.1m</td> </tr> </tbody> </table> <p style="text-align: center;"><b>WARNING</b></p> <p>There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.</p> <p><b>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</b></p>	Voltages (V)				LV (Low Voltage) and Services	Up to 1,000V			HV (High Voltage)	Over 1,000V to 11,000V			EHV (Extra High Voltage)	22,000V to 132,000V			Transmission	275,000V and 400,000V			NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				Services	LV	HV	EHV	Footpath/Unmade	0.45m	0.45m	0.6m	Road Crossing	0.6m	0.6m	0.75m	Agricultural	1m	1m	1.1m	<table border="1"> <thead> <tr> <th colspan="2">Legend</th> </tr> </thead> <tbody> <tr> <td></td> <td>Service Cable</td> </tr> <tr> <td></td> <td>LV Mains</td> </tr> <tr> <td></td> <td>2 – 11kV</td> </tr> <tr> <td></td> <td>66kV</td> </tr> <tr> <td></td> <td>11kV</td> </tr> <tr> <td></td> <td>22kV</td> </tr> <tr> <td></td> <td>33kV</td> </tr> <tr> <td></td> <td>66kV</td> </tr> <tr> <td></td> <td>132kV</td> </tr> <tr> <td></td> <td>275kV</td> </tr> <tr> <td></td> <td>400kV</td> </tr> <tr> <td></td> <td>Fibre Optic</td> </tr> <tr> <td></td> <td>Pipe Cable</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th colspan="2">Distribution Structures (Electric)</th> </tr> </thead> <tbody> <tr> <td></td> <td>Pole, Existing Location</td> </tr> <tr> <td></td> <td>Pole Structure, Existing Location – Single</td> </tr> <tr> <td></td> <td>Pole Structure, Existing Location – H</td> </tr> <tr> <td></td> <td>Duct Route</td> </tr> <tr> <td></td> <td>Cross Section Route</td> </tr> </tbody> </table>	Legend			Service Cable		LV Mains		2 – 11kV		66kV		11kV		22kV		33kV		66kV		132kV		275kV		400kV		Fibre Optic		Pipe Cable	Distribution Structures (Electric)			Pole, Existing Location		Pole Structure, Existing Location – Single		Pole Structure, Existing Location – H		Duct Route		Cross Section Route
Voltages (V)																																																																																			
LV (Low Voltage) and Services	Up to 1,000V																																																																																		
HV (High Voltage)	Over 1,000V to 11,000V																																																																																		
EHV (Extra High Voltage)	22,000V to 132,000V																																																																																		
Transmission	275,000V and 400,000V																																																																																		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID																																																																																			
Services	LV	HV	EHV																																																																																
Footpath/Unmade	0.45m	0.45m	0.6m																																																																																
Road Crossing	0.6m	0.6m	0.75m																																																																																
Agricultural	1m	1m	1.1m																																																																																
Legend																																																																																			
	Service Cable																																																																																		
	LV Mains																																																																																		
	2 – 11kV																																																																																		
	66kV																																																																																		
	11kV																																																																																		
	22kV																																																																																		
	33kV																																																																																		
	66kV																																																																																		
	132kV																																																																																		
	275kV																																																																																		
	400kV																																																																																		
	Fibre Optic																																																																																		
	Pipe Cable																																																																																		
Distribution Structures (Electric)																																																																																			
	Pole, Existing Location																																																																																		
	Pole Structure, Existing Location – Single																																																																																		
	Pole Structure, Existing Location – H																																																																																		
	Duct Route																																																																																		
	Cross Section Route																																																																																		
<p style="font-size: small;">BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.                  This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.                  Plans generated by DigSAFE Pro™ software provided by Linestechbefore0609.</p>																																																																																			



Warning: PDF designed for A4 colour print only with no page scaling



20m Dig Sites Area: Line:

**Extra High Voltage cables in vicinity**



Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m
Road Crossing	0.6m	0.6m	0.75m
Agricultural	1m	1m	1.1m

Legend	
	Service Cable
	LV Mains
	2 - 11kV
	66kV
	11kV
	22kV
	33kV
	66kV
	132kV
	275kV
	400kV
	Fibre Optic
	Pipe Cable

Distribution Structures (Electric)	
	Pole, Existing Location
	Pole Structure, Existing Location - Single
	Pole Structure, Existing Location - H
	Duct Route
	Cross Section Route

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

52

Und

Warning: PDF designed for A4 colour print only with no page scaling

0 20m

Dig Sites

Area:



Line:



Extra High Voltage  
cables in vicinity



Date Requested: 24/06/2022  
Job Reference: 25880986  
Site Location: 447899 213853  
Requested by: Mr Joe Shawyer

Your Scheme/Reference: 31188\_001

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

Legend

- Service Cable
- LV Mains
- 7 - 11kV
- 66kV
- 11kV
- 22kV
- 33kV
- 66kV
- 132kV
- 275kV
- 400kV
- Fibre Optic
- Pipit Cable

Distribution Structures (Electric)

- Pole, Existing Location
- Pole Structure, Existing Location - Single
- Pole Structure, Existing Location - H
- Duct Route
- Cross Section Route

WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.


WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

**Southern Electric Power Distribution plc**  
Registered Office: No.1 Forbury Place  
43 Forbury Road Reading RG1 3JH  
Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
General Enquiries: 0800 048 3516


Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
01256 337 294

Scale: 1:500 (When plotted at A4)



Warning: PDF designed for A4 colour print only with no page scaling


<p>0  20m</p>	<p>Dig Sites Area:  Line: </p>	<p><b>Extra High Voltage cables in vicinity</b></p>																									
<p>Date Requested: 24/06/2022          Job Reference: 25880986          Site Location: 447899 213853          Requested by: Mr Joe Shawyer          Your Scheme/Reference: 31188_001</p>	<p><b>Voltages (V)</b></p> <table border="1"> <tr> <td>LV (Low Voltage) and Services</td> <td>Up to 1,000V</td> </tr> <tr> <td>HV (High Voltage)</td> <td>Over 1,000V to 11,000V</td> </tr> <tr> <td>EHV (Extra High Voltage)</td> <td>22,000V to 132,000V</td> </tr> <tr> <td>Transmission</td> <td>275,000V and 400,000V</td> </tr> </table> <p><b>NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID</b></p> <table border="1"> <thead> <tr> <th>Services</th> <th>LV</th> <th>HV</th> <th>EHV</th> </tr> </thead> <tbody> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> <td>0.45m</td> <td>0.6m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>0.6m</td> <td>0.75m</td> </tr> <tr> <td>Agricultural</td> <td>1m</td> <td>1m</td> <td>1.1m</td> </tr> </tbody> </table>	LV (Low Voltage) and Services	Up to 1,000V	HV (High Voltage)	Over 1,000V to 11,000V	EHV (Extra High Voltage)	22,000V to 132,000V	Transmission	275,000V and 400,000V	Services	LV	HV	EHV	Footpath/Unmade	0.45m	0.45m	0.6m	Road Crossing	0.6m	0.6m	0.75m	Agricultural	1m	1m	1.1m	<p><b>Legend</b></p> <ul style="list-style-type: none"> <li>Service Cable</li> <li>LV Mains</li> <li>7-11kV</li> <li>66kV</li> <li>11kV</li> <li>22kV</li> <li>33kV</li> <li>66kV</li> <li>132kV</li> <li>275kV</li> <li>400kV</li> <li>Fibre Optic</li> <li>Pipe Cable</li> </ul> <p><b>Distribution Structures (Electric)</b></p> <ul style="list-style-type: none"> <li>Pole, Existing Location</li> <li>Pole Structure, Existing Location - Single</li> <li>Pole Structure, Existing Location - H</li> <li>Duct Route</li> <li>Cross Section Route</li> </ul> <p><b>WARNING</b></p> <p>There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.</p> <p><b>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</b></p>	<p><b>Southern Electric Power Distribution plc</b>          Registered Office: No.1 Forbury Place          43 Forbury Road Reading RG1 3JH          Registered In England &amp; Wales No.04094290</p> <p>If you're unsure &amp; need to seek advice before commencing excavations, please contact:          General Enquiries: 0800 048 3516</p> <p>Subject to revision - Master held by SSEN Asset Data Team:  <a href="mailto:Asset.Data@sse.com">Asset.Data@sse.com</a>          01256 337 294</p>
LV (Low Voltage) and Services	Up to 1,000V																										
HV (High Voltage)	Over 1,000V to 11,000V																										
EHV (Extra High Voltage)	22,000V to 132,000V																										
Transmission	275,000V and 400,000V																										
Services	LV	HV	EHV																								
Footpath/Unmade	0.45m	0.45m	0.6m																								
Road Crossing	0.6m	0.6m	0.75m																								
Agricultural	1m	1m	1.1m																								
<p>BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF HM STATIONERY OFFICE CROWN COPYRIGHT RESERVED.          This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.          Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeDig.</p>																											



Warning: PDF designed for A4 colour print only with no page scaling


<p>0  20m</p> <p>Date Requested: 24/06/2022          Job Reference: 25880986          Site Location: 447899 213853          Requested by: Mr Joe Shawyer          Your Scheme/Reference: 31188_001</p>	<p>Dig Sites Area:  Line: </p> <p style="text-align: center; background-color: red; color: white; padding: 5px;"><b>Extra High Voltage cables in vicinity</b></p>	<p> </p> <p style="text-align: center;"><b>Southern Electric Power Distribution plc</b>          Registered Office: No.1 Forbury Place          43 Forbury Road Reading RG1 3JH          Registered In England &amp; Wales No.04094290</p> <p style="font-size: small;">If you're unsure &amp; need to seek advice before commencing excavations, please contact:          General Enquiries: 0800 048 3516</p> <p style="font-size: small;">Subject to revision – Master held by SSEN Asset Data Team:  <a href="mailto:Asset.Data@sse.com">Asset.Data@sse.com</a>          01256 337 294</p>																																																																																												
<p>Scale: 1:500 (When plotted at A4)</p>	<table border="1" style="width: 100%; border-collapse: collapse; font-size: x-small;"> <thead> <tr> <th colspan="4">Voltages (V)</th> </tr> </thead> <tbody> <tr> <td>LV (Low Voltage) and Services</td> <td colspan="3">Up to 1,000V</td> </tr> <tr> <td>HV (High Voltage)</td> <td colspan="3">Over 1,000V to 11,000V</td> </tr> <tr> <td>EHV (Extra High Voltage)</td> <td colspan="3">22,000V to 132,000V</td> </tr> <tr> <td>Transmission</td> <td colspan="3">275,000V and 400,000V</td> </tr> <tr> <th colspan="4">NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID</th> </tr> <tr> <td>Services</td> <td>LV</td> <td>HV</td> <td>EHV</td> </tr> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> <td>0.45m</td> <td>0.6m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>0.6m</td> <td>0.75m</td> </tr> <tr> <td>Agricultural</td> <td>1m</td> <td>1m</td> <td>1.1m</td> </tr> </tbody> </table> <p style="font-size: x-small; text-align: center;"><b>WARNING</b>          There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.  <b>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</b></p>	Voltages (V)				LV (Low Voltage) and Services	Up to 1,000V			HV (High Voltage)	Over 1,000V to 11,000V			EHV (Extra High Voltage)	22,000V to 132,000V			Transmission	275,000V and 400,000V			NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				Services	LV	HV	EHV	Footpath/Unmade	0.45m	0.45m	0.6m	Road Crossing	0.6m	0.6m	0.75m	Agricultural	1m	1m	1.1m	<table border="1" style="width: 100%; border-collapse: collapse; font-size: x-small;"> <thead> <tr> <th colspan="2">Legend</th> <th colspan="2">Distribution Structures (Electric)</th> </tr> </thead> <tbody> <tr> <td></td> <td>Service Cable</td> <td></td> <td>Pole, Existing Location</td> </tr> <tr> <td></td> <td>LV Mains</td> <td></td> <td>Pole Structure, Existing Location - Single</td> </tr> <tr> <td></td> <td>6.6kV</td> <td></td> <td>Pole Structure, Existing Location - H</td> </tr> <tr> <td></td> <td>11kV</td> <td></td> <td>Duct Route</td> </tr> <tr> <td></td> <td>22kV</td> <td></td> <td>Cross Section Route</td> </tr> <tr> <td></td> <td>33kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>66kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>132kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>275kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>400kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>Fibre Optic</td> <td></td> <td></td> </tr> <tr> <td></td> <td>Pipe Cable</td> <td></td> <td></td> </tr> </tbody> </table>	Legend		Distribution Structures (Electric)			Service Cable		Pole, Existing Location		LV Mains		Pole Structure, Existing Location - Single		6.6kV		Pole Structure, Existing Location - H		11kV		Duct Route		22kV		Cross Section Route		33kV				66kV				132kV				275kV				400kV				Fibre Optic				Pipe Cable		
Voltages (V)																																																																																														
LV (Low Voltage) and Services	Up to 1,000V																																																																																													
HV (High Voltage)	Over 1,000V to 11,000V																																																																																													
EHV (Extra High Voltage)	22,000V to 132,000V																																																																																													
Transmission	275,000V and 400,000V																																																																																													
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID																																																																																														
Services	LV	HV	EHV																																																																																											
Footpath/Unmade	0.45m	0.45m	0.6m																																																																																											
Road Crossing	0.6m	0.6m	0.75m																																																																																											
Agricultural	1m	1m	1.1m																																																																																											
Legend		Distribution Structures (Electric)																																																																																												
	Service Cable		Pole, Existing Location																																																																																											
	LV Mains		Pole Structure, Existing Location - Single																																																																																											
	6.6kV		Pole Structure, Existing Location - H																																																																																											
	11kV		Duct Route																																																																																											
	22kV		Cross Section Route																																																																																											
	33kV																																																																																													
	66kV																																																																																													
	132kV																																																																																													
	275kV																																																																																													
	400kV																																																																																													
	Fibre Optic																																																																																													
	Pipe Cable																																																																																													





Warning: PDF designed for A4 colour print only with no page scaling

<p>0  20m</p>	<p>Dig Sites  Area:  Line: </p>	<p>Extra High Voltage cables in vicinity</p>																																																																																						
<p>Date Requested: 24/06/2022 Job Reference: 25880986 Site Location: 447899 213853 Requested by: Mr Joe Shawyer Your Scheme/Reference: 31188_001</p>	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="4">Voltages (V)</th> </tr> </thead> <tbody> <tr> <td>LV (Low Voltage) and Services</td> <td colspan="3">Up to 1,000V</td> </tr> <tr> <td>HV (High Voltage)</td> <td colspan="3">Over 1,000V to 11,000V</td> </tr> <tr> <td>EHV (Extra High Voltage)</td> <td colspan="3">22,000V to 132,000V</td> </tr> <tr> <td>Transmission</td> <td colspan="3">275,000V and 400,000V</td> </tr> </tbody> </table> <table border="1" style="width: 100%; border-collapse: collapse; margin-top: 5px;"> <thead> <tr> <th colspan="5">NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID</th> </tr> <tr> <th>Services</th> <th>LV</th> <th>HV</th> <th colspan="2">EHV</th> </tr> </thead> <tbody> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> <td>0.45m</td> <td>0.6m</td> <td>0.8m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>0.6m</td> <td>0.75m</td> <td>0.9m</td> </tr> <tr> <td>Agricultural</td> <td>1m</td> <td>1m</td> <td>1m</td> <td>1.1m</td> </tr> </tbody> </table>	Voltages (V)				LV (Low Voltage) and Services	Up to 1,000V			HV (High Voltage)	Over 1,000V to 11,000V			EHV (Extra High Voltage)	22,000V to 132,000V			Transmission	275,000V and 400,000V			NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID					Services	LV	HV	EHV		Footpath/Unmade	0.45m	0.45m	0.6m	0.8m	Road Crossing	0.6m	0.6m	0.75m	0.9m	Agricultural	1m	1m	1m	1.1m	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">Legend</th> </tr> </thead> <tbody> <tr> <td></td> <td>Service Cable</td> </tr> <tr> <td></td> <td>LV Mains</td> </tr> <tr> <td></td> <td>2 - 11kV</td> </tr> <tr> <td></td> <td>66kV</td> </tr> <tr> <td></td> <td>11kV</td> </tr> <tr> <td></td> <td>22kV</td> </tr> <tr> <td></td> <td>33kV</td> </tr> <tr> <td></td> <td>66kV</td> </tr> <tr> <td></td> <td>132kV</td> </tr> <tr> <td></td> <td>275kV</td> </tr> <tr> <td></td> <td>400kV</td> </tr> <tr> <td></td> <td>Fibre Optic</td> </tr> <tr> <td></td> <td>Pipe Cable</td> </tr> </tbody> </table> <table border="1" style="width: 100%; border-collapse: collapse; margin-top: 5px;"> <thead> <tr> <th colspan="2">Distribution Structures (Electric)</th> </tr> </thead> <tbody> <tr> <td></td> <td>Pole, Existing Location</td> </tr> <tr> <td></td> <td>Pole Structure, Existing Location - Single</td> </tr> <tr> <td></td> <td>Pole Structure, Existing Location - H</td> </tr> <tr> <td></td> <td>Duct Route</td> </tr> <tr> <td></td> <td>Cross Section Route</td> </tr> </tbody> </table>	Legend			Service Cable		LV Mains		2 - 11kV		66kV		11kV		22kV		33kV		66kV		132kV		275kV		400kV		Fibre Optic		Pipe Cable	Distribution Structures (Electric)			Pole, Existing Location		Pole Structure, Existing Location - Single		Pole Structure, Existing Location - H		Duct Route		Cross Section Route	<p><b>Southern Electric Power Distribution plc</b> Registered Office: No.1 Forbury Place 43 Forbury Road Reading RG1 3JH Registered In England &amp; Wales No.04094290</p> <p>If you're unsure &amp; need to seek advice before commencing excavations, please contact: General Enquiries: 0800 048 3516</p> <p>Subject to revision – Master held by SSEN Asset Data Team: <a href="mailto:Asset.Data@sse.com">Asset.Data@sse.com</a> 01256 337 294</p>
Voltages (V)																																																																																								
LV (Low Voltage) and Services	Up to 1,000V																																																																																							
HV (High Voltage)	Over 1,000V to 11,000V																																																																																							
EHV (Extra High Voltage)	22,000V to 132,000V																																																																																							
Transmission	275,000V and 400,000V																																																																																							
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID																																																																																								
Services	LV	HV	EHV																																																																																					
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m																																																																																				
Road Crossing	0.6m	0.6m	0.75m	0.9m																																																																																				
Agricultural	1m	1m	1m	1.1m																																																																																				
Legend																																																																																								
	Service Cable																																																																																							
	LV Mains																																																																																							
	2 - 11kV																																																																																							
	66kV																																																																																							
	11kV																																																																																							
	22kV																																																																																							
	33kV																																																																																							
	66kV																																																																																							
	132kV																																																																																							
	275kV																																																																																							
	400kV																																																																																							
	Fibre Optic																																																																																							
	Pipe Cable																																																																																							
Distribution Structures (Electric)																																																																																								
	Pole, Existing Location																																																																																							
	Pole Structure, Existing Location - Single																																																																																							
	Pole Structure, Existing Location - H																																																																																							
	Duct Route																																																																																							
	Cross Section Route																																																																																							
<p>Scale: 1:500 (When plotted at A4)</p>		<p><b>WARNING</b></p> <p>There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.</p> <p>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</p>																																																																																						



Warning: PDF designed for A4 colour print only with no page scaling

0 20m

Dig Sites Area: Line:

**Extra High Voltage  
cables in vicinity**

Date Requested: 24/06/2022  
Job Reference: 25880986  
Site Location: 447899 213853  
Requested by: Mr Joe Shawyer  
Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

<p><b>Legend</b></p> <ul style="list-style-type: none"> <li> Service Cable</li> <li> LV Mains</li> <li> 66kV</li> <li> 11kV</li> <li> 22kV</li> <li> 33kV</li> <li> 66kV</li> <li> 132kV</li> <li> 275kV</li> <li> 400kV</li> <li> Fibre Optic</li> <li> Pipit Cable</li> </ul>	<p><b>Distribution Structures (Electric)</b></p> <ul style="list-style-type: none"> <li> Pole, Existing Location</li> <li> Pole Structure, Existing Location - Single</li> <li> Pole Structure, Existing Location - H</li> <li> Duct Route</li> <li> Cross Section Route</li> </ul>
---	---

**WARNING**

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.

**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.

This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.


Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.

**Southern Electric Power Distribution plc**  
Registered Office: No.1 Forbury Place  
43 Forbury Road Reading RG1 3JH  
Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
01256 337 294

Scale: 1:500 (When plotted at A4)



Warning: PDF designed for A4 colour print only with no page scaling



20m Dig Sites Area: Line:

**Extra High Voltage cables in vicinity**



Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m
Road Crossing	0.6m	0.6m	0.75m
Agricultural	1m	1m	1.1m


Legend	
	Service Cable
	LV Mains
	2 - 11kV
	66kV
	11kV
	22kV
	33kV
	66kV
	132kV
	275kV
	400kV
	Fibre Optic
	Pipe Cable

Distribution Structures (Electric)	
	Pole, Existing Location
	Pole Structure, Existing Location - Single
	Pole Structure, Existing Location - H
	Duct Route
	Cross Section Route

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294




Warning: PDF designed for A4 colour print only with no page scaling




<p>0  20m Dig Sites Area:  Line:  Extra High Voltage cables in vicinity</p>																																																																																														
<p>Date Requested: 24/06/2022          Job Reference: 25880986          Site Location: 447899 213853          Requested by: Mr Joe Shawyer          Your Scheme/Reference: 31188_001</p>	<table border="1"> <thead> <tr> <th colspan="4">Voltages (V)</th> </tr> </thead> <tbody> <tr> <td>LV (Low Voltage) and Services</td> <td colspan="3">Up to 1,000V</td> </tr> <tr> <td>HV (High Voltage)</td> <td colspan="3">Over 1,000V to 11,000V</td> </tr> <tr> <td>EHV (Extra High Voltage)</td> <td colspan="3">22,000V to 132,000V</td> </tr> <tr> <td>Transmission</td> <td colspan="3">275,000V and 400,000V</td> </tr> <tr> <th colspan="4">NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID</th> </tr> <tr> <td>Services</td> <td>LV</td> <td>HV</td> <td>EHV</td> </tr> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> <td>0.45m</td> <td>0.6m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>0.6m</td> <td>0.75m</td> </tr> <tr> <td>Agricultural</td> <td>1m</td> <td>1m</td> <td>1.1m</td> </tr> </tbody> </table>		Voltages (V)				LV (Low Voltage) and Services	Up to 1,000V			HV (High Voltage)	Over 1,000V to 11,000V			EHV (Extra High Voltage)	22,000V to 132,000V			Transmission	275,000V and 400,000V			NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				Services	LV	HV	EHV	Footpath/Unmade	0.45m	0.45m	0.6m	Road Crossing	0.6m	0.6m	0.75m	Agricultural	1m	1m	1.1m	<table border="1"> <thead> <tr> <th colspan="2">Legend</th> <th colspan="2">Distribution Structures (Electric)</th> </tr> </thead> <tbody> <tr> <td></td> <td>Service Cable</td> <td></td> <td>Pole, Existing Location</td> </tr> <tr> <td></td> <td>LV Mains</td> <td></td> <td>Pole Structure, Existing Location - Single</td> </tr> <tr> <td></td> <td>66kV</td> <td></td> <td>Pole Structure, Existing Location - H</td> </tr> <tr> <td></td> <td>11kV</td> <td></td> <td>Duct Route</td> </tr> <tr> <td></td> <td>22kV</td> <td></td> <td>Cross Section Route</td> </tr> <tr> <td></td> <td>33kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>66kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>132kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>275kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>400kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>Fibre Optic</td> <td></td> <td></td> </tr> <tr> <td></td> <td>Pipe Cable</td> <td></td> <td></td> </tr> </tbody> </table>	Legend		Distribution Structures (Electric)			Service Cable		Pole, Existing Location		LV Mains		Pole Structure, Existing Location - Single		66kV		Pole Structure, Existing Location - H		11kV		Duct Route		22kV		Cross Section Route		33kV				66kV				132kV				275kV				400kV				Fibre Optic				Pipe Cable	
Voltages (V)																																																																																														
LV (Low Voltage) and Services	Up to 1,000V																																																																																													
HV (High Voltage)	Over 1,000V to 11,000V																																																																																													
EHV (Extra High Voltage)	22,000V to 132,000V																																																																																													
Transmission	275,000V and 400,000V																																																																																													
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID																																																																																														
Services	LV	HV	EHV																																																																																											
Footpath/Unmade	0.45m	0.45m	0.6m																																																																																											
Road Crossing	0.6m	0.6m	0.75m																																																																																											
Agricultural	1m	1m	1.1m																																																																																											
Legend		Distribution Structures (Electric)																																																																																												
	Service Cable		Pole, Existing Location																																																																																											
	LV Mains		Pole Structure, Existing Location - Single																																																																																											
	66kV		Pole Structure, Existing Location - H																																																																																											
	11kV		Duct Route																																																																																											
	22kV		Cross Section Route																																																																																											
	33kV																																																																																													
	66kV																																																																																													
	132kV																																																																																													
	275kV																																																																																													
	400kV																																																																																													
	Fibre Optic																																																																																													
	Pipe Cable																																																																																													
<p>Scale: 1:500 (When plotted at A4)</p>		<p><b>Southern Electric Power Distribution plc</b>          Registered Office: No.1 Forbury Place          43 Forbury Road Reading RG1 3JH          Registered In England &amp; Wales No.04094290</p> <p>If you're unsure &amp; need to seek advice before commencing excavations, please contact:          General Enquiries: 0800 048 3516</p> <p>Subject to revision – Master held by SSEN Asset Data Team:  <a href="mailto:Asset.Data@sse.com">Asset.Data@sse.com</a>          01256 337 294</p>																																																																																												


**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.  
 WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF HM STATIONERY OFFICE CROWN COPYRIGHT RESERVED.  
 This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.  
 Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeDig.



Warning: PDF designed for A4 colour print only with no page scaling

<p>0  20m</p> <p>Date Requested: 24/06/2022          Job Reference: 25880986          Site Location: 447899 213853          Requested by: Mr Joe Shawyer          Your Scheme/Reference: 31188_001</p>	<p>Dig Sites Area:  Line: </p> <p style="text-align: center; background-color: red; color: white; padding: 5px;"><b>Extra High Voltage cables in vicinity</b></p>		 																																							
<p>Scale: 1:500 (When plotted at A4)</p>	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="4">Voltages (V)</th> </tr> </thead> <tbody> <tr> <td>LV (Low Voltage) and Services</td> <td colspan="3">Up to 1,000V</td> </tr> <tr> <td>HV (High Voltage)</td> <td colspan="3">Over 1,000V to 11,000V</td> </tr> <tr> <td>EHV (Extra High Voltage)</td> <td colspan="3">22,000V to 132,000V</td> </tr> <tr> <td>Transmission</td> <td colspan="3">275,000V and 400,000V</td> </tr> <tr> <th colspan="4">NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID</th> </tr> <tr> <th>Services</th> <th>LV</th> <th>HV</th> <th>EHV</th> </tr> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> <td>0.45m</td> <td>0.6m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>0.6m</td> <td>0.75m</td> </tr> <tr> <td>Agricultural</td> <td>1m</td> <td>1m</td> <td>1.1m</td> </tr> </tbody> </table> <p style="font-size: small; color: red;"> <b>WARNING</b>              There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.  <b>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</b> </p>	Voltages (V)				LV (Low Voltage) and Services	Up to 1,000V			HV (High Voltage)	Over 1,000V to 11,000V			EHV (Extra High Voltage)	22,000V to 132,000V			Transmission	275,000V and 400,000V			NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				Services	LV	HV	EHV	Footpath/Unmade	0.45m	0.45m	0.6m	Road Crossing	0.6m	0.6m	0.75m	Agricultural	1m	1m	1.1m	<p style="text-align: center;"><b>Southern Electric Power Distribution plc</b>              Registered Office: No.1 Forbury Place              43 Forbury Road Reading RG1 3JH              Registered In England &amp; Wales No.04094290</p> <p style="font-size: small;">             If you're unsure &amp; need to seek advice before commencing excavations, please contact:              General Enquiries: 0800 048 3516         </p> <p style="font-size: small;">             Subject to revision – Master held by SSEN Asset Data Team:  <a href="mailto:Asset.Data@sse.com">Asset.Data@sse.com</a>              01256 337 294         </p>
Voltages (V)																																										
LV (Low Voltage) and Services	Up to 1,000V																																									
HV (High Voltage)	Over 1,000V to 11,000V																																									
EHV (Extra High Voltage)	22,000V to 132,000V																																									
Transmission	275,000V and 400,000V																																									
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID																																										
Services	LV	HV	EHV																																							
Footpath/Unmade	0.45m	0.45m	0.6m																																							
Road Crossing	0.6m	0.6m	0.75m																																							
Agricultural	1m	1m	1.1m																																							
BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF HM STATIONERY OFFICE CROWN COPYRIGHT RESERVED. This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeDigs.																																										



Warning: PDF designed for A4 colour print only with no page scaling



20m Dig Sites Area: Line:

**Extra High Voltage cables in vicinity**



Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

Legend	
	Service Cable
	LV Mains
	2 - 11kV
	66kV
	11kV
	22kV
	33kV
	66kV
	132kV
	275kV
	400kV
	Fibre Optic
	Pipe Cable

Distribution Structures (Electric)	
	Pole, Existing Location
	Pole Structure, Existing Location - Single
	Pole Structure, Existing Location - PH
	Duct Route
	Cross Section Route


**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

Scale: 1:500 (When plotted at A4)

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.  
 WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)




Warning: PDF designed for A4 colour print only with no page scaling

<p>0  20m Dig Sites Area:  Line:  <b>Extra High Voltage cables in vicinity</b></p>																																																																																													
<p>Date Requested: 24/06/2022          Job Reference: 25880986          Site Location: 447899 213853          Requested by: Mr Joe Shawyer          Your Scheme/Reference: 31188_001</p>	<table border="1"> <thead> <tr> <th colspan="4">Voltages (V)</th> </tr> </thead> <tbody> <tr> <td>LV (Low Voltage) and Services</td> <td colspan="3">Up to 1,000V</td> </tr> <tr> <td>HV (High Voltage)</td> <td colspan="3">Over 1,000V to 11,000V</td> </tr> <tr> <td>EHV (Extra High Voltage)</td> <td colspan="3">22,000V to 132,000V</td> </tr> <tr> <td>Transmission</td> <td colspan="3">275,000V and 400,000V</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th colspan="4">NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID</th> </tr> <tr> <th>Services</th> <th>LV</th> <th>HV</th> <th>EHV</th> </tr> </thead> <tbody> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> <td>0.45m</td> <td>0.6m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>0.6m</td> <td>0.75m</td> </tr> <tr> <td>Agricultural</td> <td>1m</td> <td>1m</td> <td>1.1m</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th colspan="2">Legend</th> <th colspan="2">Distribution Structures (Electric)</th> </tr> </thead> <tbody> <tr> <td></td> <td>Service Cable</td> <td></td> <td>Pole, Existing Location</td> </tr> <tr> <td></td> <td>LV Mains</td> <td></td> <td>Pole Structure, Existing Location - Single</td> </tr> <tr> <td></td> <td>6.6kV</td> <td></td> <td>Pole Structure, Existing Location - H</td> </tr> <tr> <td></td> <td>11kV</td> <td></td> <td>Duct Route</td> </tr> <tr> <td></td> <td>22kV</td> <td></td> <td>Cross Section Route</td> </tr> <tr> <td></td> <td>33kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>66kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>132kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>275kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>400kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>Fibre Optic</td> <td></td> <td></td> </tr> <tr> <td></td> <td>Pipe Cable</td> <td></td> <td></td> </tr> </tbody> </table> <p><b>WARNING</b>          There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  <b>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</b></p>	Voltages (V)				LV (Low Voltage) and Services	Up to 1,000V			HV (High Voltage)	Over 1,000V to 11,000V			EHV (Extra High Voltage)	22,000V to 132,000V			Transmission	275,000V and 400,000V			NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				Services	LV	HV	EHV	Footpath/Unmade	0.45m	0.45m	0.6m	Road Crossing	0.6m	0.6m	0.75m	Agricultural	1m	1m	1.1m	Legend		Distribution Structures (Electric)			Service Cable		Pole, Existing Location		LV Mains		Pole Structure, Existing Location - Single		6.6kV		Pole Structure, Existing Location - H		11kV		Duct Route		22kV		Cross Section Route		33kV				66kV				132kV				275kV				400kV				Fibre Optic				Pipe Cable		
Voltages (V)																																																																																													
LV (Low Voltage) and Services	Up to 1,000V																																																																																												
HV (High Voltage)	Over 1,000V to 11,000V																																																																																												
EHV (Extra High Voltage)	22,000V to 132,000V																																																																																												
Transmission	275,000V and 400,000V																																																																																												
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID																																																																																													
Services	LV	HV	EHV																																																																																										
Footpath/Unmade	0.45m	0.45m	0.6m																																																																																										
Road Crossing	0.6m	0.6m	0.75m																																																																																										
Agricultural	1m	1m	1.1m																																																																																										
Legend		Distribution Structures (Electric)																																																																																											
	Service Cable		Pole, Existing Location																																																																																										
	LV Mains		Pole Structure, Existing Location - Single																																																																																										
	6.6kV		Pole Structure, Existing Location - H																																																																																										
	11kV		Duct Route																																																																																										
	22kV		Cross Section Route																																																																																										
	33kV																																																																																												
	66kV																																																																																												
	132kV																																																																																												
	275kV																																																																																												
	400kV																																																																																												
	Fibre Optic																																																																																												
	Pipe Cable																																																																																												
<p>Scale: 1:500 (When plotted at A4)</p>	<p>BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.          This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.          Plans generated by DigSAFE Pro™ software provided by Linestechbefore066.</p>																																																																																												

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294




Warning: PDF designed for A4 colour print only with no page scaling

<p>0  20m</p> <p>Date Requested: 24/06/2022          Job Reference: 25880986          Site Location: 447899 213853          Requested by: Mr Joe Shawyer          Your Scheme/Reference: 31188_001</p>	<p>Dig Sites Area:  Line: </p> <p style="text-align: center; background-color: red; color: white; padding: 5px;"><b>Extra High Voltage cables in vicinity</b></p>	<p></p> <p></p>	<p style="text-align: center;"><b>Legend</b></p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%; vertical-align: top;"> <p><b>Service Cable</b></p> <ul style="list-style-type: none"> <li> LV Mains</li> <li> 2 - 11kV</li> <li> 66kV</li> <li> 11kV</li> <li> 22kV</li> <li> 33kV</li> <li> 66kV</li> <li> 132kV</li> <li> 275kV</li> <li> 400kV</li> <li> Fibre Optic</li> <li> Pipit Cable</li> </ul> </td> <td style="width: 50%; vertical-align: top;"> <p><b>Distribution Structures (Electric)</b></p> <ul style="list-style-type: none"> <li> Pole, Existing Location</li> <li> Pole Structure, Existing Location - Single</li> <li> Pole Structure, Existing Location - H</li> <li> Duct Route</li> <li> Cross Section Route</li> </ul> </td> </tr> </table> <p style="text-align: center; font-size: small;"><b>WARNING</b></p> <p style="font-size: x-small;">There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.</p> <p style="font-size: x-small; text-align: center;">WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</p>	<p><b>Service Cable</b></p> <ul style="list-style-type: none"> <li> LV Mains</li> <li> 2 - 11kV</li> <li> 66kV</li> <li> 11kV</li> <li> 22kV</li> <li> 33kV</li> <li> 66kV</li> <li> 132kV</li> <li> 275kV</li> <li> 400kV</li> <li> Fibre Optic</li> <li> Pipit Cable</li> </ul>	<p><b>Distribution Structures (Electric)</b></p> <ul style="list-style-type: none"> <li> Pole, Existing Location</li> <li> Pole Structure, Existing Location - Single</li> <li> Pole Structure, Existing Location - H</li> <li> Duct Route</li> <li> Cross Section Route</li> </ul>
<p><b>Service Cable</b></p> <ul style="list-style-type: none"> <li> LV Mains</li> <li> 2 - 11kV</li> <li> 66kV</li> <li> 11kV</li> <li> 22kV</li> <li> 33kV</li> <li> 66kV</li> <li> 132kV</li> <li> 275kV</li> <li> 400kV</li> <li> Fibre Optic</li> <li> Pipit Cable</li> </ul>	<p><b>Distribution Structures (Electric)</b></p> <ul style="list-style-type: none"> <li> Pole, Existing Location</li> <li> Pole Structure, Existing Location - Single</li> <li> Pole Structure, Existing Location - H</li> <li> Duct Route</li> <li> Cross Section Route</li> </ul>				
<p>Scale: 1:500 (When plotted at A4)</p>		<p style="text-align: center;"><b>Southern Electric Power Distribution plc</b>          Registered Office: No.1 Forbury Place          43 Forbury Road Reading RG1 3JH          Registered In England &amp; Wales No.04094290</p> <p style="font-size: small;">If you're unsure &amp; need to seek advice before commencing excavations, please contact:          General Enquiries: 0800 048 3516</p> <p style="font-size: x-small;">Subject to revision - Master held by SSEN Asset Data Team:  <a href="mailto:Asset.Data@sse.com">Asset.Data@sse.com</a>          01256 337 294</p>			

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF HM STATIONERY OFFICE CROWN COPYRIGHT RESERVED.  
 This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.  
 Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.






Warning: PDF designed for A4 colour print only with no page scaling

<p>0  20m Dig Sites Area:  Line:  <b>Extra High Voltage cables in vicinity</b></p>																																																																																																	
<p>Date Requested: 24/06/2022          Job Reference: 25880986          Site Location: 447899 213853          Requested by: Mr Joe Shawyer          Your Scheme/Reference: 31188_001</p>	<table border="1"> <thead> <tr> <th colspan="4">Voltages (V)</th> </tr> </thead> <tbody> <tr> <td>LV (Low Voltage) and Services</td> <td colspan="3">Up to 1,000V</td> </tr> <tr> <td>HV (High Voltage)</td> <td colspan="3">Over 1,000V to 11,000V</td> </tr> <tr> <td>EHV (Extra High Voltage)</td> <td colspan="3">22,000V to 132,000V</td> </tr> <tr> <td>Transmission</td> <td colspan="3">275,000V and 400,000V</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th colspan="4">NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID</th> </tr> <tr> <th>Services</th> <th>LV</th> <th>HV</th> <th>EHV</th> </tr> </thead> <tbody> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> <td>0.45m</td> <td>0.8m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>0.6m</td> <td>0.9m</td> </tr> <tr> <td>Agricultural</td> <td>1m</td> <td>1m</td> <td>1.1m</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th colspan="2">Legend</th> <th colspan="2">Distribution Structures (Electric)</th> </tr> </thead> <tbody> <tr> <td></td> <td>Service Cable</td> <td></td> <td>Pole, Existing Location</td> </tr> <tr> <td></td> <td>LV Mains</td> <td></td> <td>Pole Structure, Existing Location - Single</td> </tr> <tr> <td></td> <td>2 - 11kV</td> <td></td> <td>Pole Structure, Existing Location - H</td> </tr> <tr> <td></td> <td>66kV</td> <td></td> <td>Duct Route</td> </tr> <tr> <td></td> <td>11kV</td> <td></td> <td>Cross Section Route</td> </tr> <tr> <td></td> <td>22kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>33kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>66kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>132kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>275kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>400kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>Fibre Optic</td> <td></td> <td></td> </tr> <tr> <td></td> <td>Pipe Cable</td> <td></td> <td></td> </tr> </tbody> </table> <p><b>WARNING</b>          There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  <b>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G66 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</b></p>	Voltages (V)				LV (Low Voltage) and Services	Up to 1,000V			HV (High Voltage)	Over 1,000V to 11,000V			EHV (Extra High Voltage)	22,000V to 132,000V			Transmission	275,000V and 400,000V			NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				Services	LV	HV	EHV	Footpath/Unmade	0.45m	0.45m	0.8m	Road Crossing	0.6m	0.6m	0.9m	Agricultural	1m	1m	1.1m	Legend		Distribution Structures (Electric)			Service Cable		Pole, Existing Location		LV Mains		Pole Structure, Existing Location - Single		2 - 11kV		Pole Structure, Existing Location - H		66kV		Duct Route		11kV		Cross Section Route		22kV				33kV				66kV				132kV				275kV				400kV				Fibre Optic				Pipe Cable		
Voltages (V)																																																																																																	
LV (Low Voltage) and Services	Up to 1,000V																																																																																																
HV (High Voltage)	Over 1,000V to 11,000V																																																																																																
EHV (Extra High Voltage)	22,000V to 132,000V																																																																																																
Transmission	275,000V and 400,000V																																																																																																
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID																																																																																																	
Services	LV	HV	EHV																																																																																														
Footpath/Unmade	0.45m	0.45m	0.8m																																																																																														
Road Crossing	0.6m	0.6m	0.9m																																																																																														
Agricultural	1m	1m	1.1m																																																																																														
Legend		Distribution Structures (Electric)																																																																																															
	Service Cable		Pole, Existing Location																																																																																														
	LV Mains		Pole Structure, Existing Location - Single																																																																																														
	2 - 11kV		Pole Structure, Existing Location - H																																																																																														
	66kV		Duct Route																																																																																														
	11kV		Cross Section Route																																																																																														
	22kV																																																																																																
	33kV																																																																																																
	66kV																																																																																																
	132kV																																																																																																
	275kV																																																																																																
	400kV																																																																																																
	Fibre Optic																																																																																																
	Pipe Cable																																																																																																
<p>Scale: 1:500 (When plotted at A4)</p>	<p>BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF HM STATIONERY OFFICE CROWN COPYRIGHT RESERVED.          This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.          Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeDig.</p>																																																																																																

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290


If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294



Warning: PDF designed for A4 colour print only with no page scaling

<p>0  20m Dig Sites Area:  Line: </p>	<p><b>Extra High Voltage cables in vicinity</b></p>																																	
<p>Date Requested: 24/06/2022          Job Reference: 25880986          Site Location: 447899 213853          Requested by: Mr Joe Shawyer          Your Scheme/Reference: 31188_001</p>	<p><b>Voltages (V)</b></p> <table border="1"> <tr> <td>LV (Low Voltage) and Services</td> <td colspan="3">Up to 1,000V</td> </tr> <tr> <td>HV (High Voltage)</td> <td colspan="3">Over 1,000V to 11,000V</td> </tr> <tr> <td>EHV (Extra High Voltage)</td> <td colspan="3">22,000V to 132,000V</td> </tr> <tr> <td>Transmission</td> <td colspan="3">275,000V and 400,000V</td> </tr> </table> <p><b>NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID</b></p> <table border="1"> <thead> <tr> <th>Services</th> <th>LV</th> <th>HV</th> <th>EHV</th> </tr> </thead> <tbody> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> <td>0.45m</td> <td>0.6m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>0.6m</td> <td>0.75m</td> </tr> <tr> <td>Agricultural</td> <td>1m</td> <td>1m</td> <td>1.1m</td> </tr> </tbody> </table>	LV (Low Voltage) and Services	Up to 1,000V			HV (High Voltage)	Over 1,000V to 11,000V			EHV (Extra High Voltage)	22,000V to 132,000V			Transmission	275,000V and 400,000V			Services	LV	HV	EHV	Footpath/Unmade	0.45m	0.45m	0.6m	Road Crossing	0.6m	0.6m	0.75m	Agricultural	1m	1m	1.1m	<p><b>Legend</b></p> <ul style="list-style-type: none"> <li>Service Cable</li> <li>LV Mains</li> <li>2 - 11kV</li> <li>66kV</li> <li>11kV</li> <li>22kV</li> <li>33kV</li> <li>66kV</li> <li>132kV</li> <li>275kV</li> <li>400kV</li> <li>Fibre Optic</li> <li>Pipe Cable</li> </ul> <p><b>Distribution Structures (Electric)</b></p> <ul style="list-style-type: none"> <li>Pole, Existing Location</li> <li>Pole Structure, Existing Location - Single</li> <li>Pole Structure, Existing Location - H</li> <li>Duct Route</li> <li>Cross Section Route</li> </ul> <p><b>WARNING</b></p> <p>There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.</p> <p><b>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</b></p>
LV (Low Voltage) and Services	Up to 1,000V																																	
HV (High Voltage)	Over 1,000V to 11,000V																																	
EHV (Extra High Voltage)	22,000V to 132,000V																																	
Transmission	275,000V and 400,000V																																	
Services	LV	HV	EHV																															
Footpath/Unmade	0.45m	0.45m	0.6m																															
Road Crossing	0.6m	0.6m	0.75m																															
Agricultural	1m	1m	1.1m																															
<p>Scale: 1:500 (When plotted at A4)</p> <p>BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF HM STATIONERY OFFICE CROWN COPYRIGHT RESERVED.          This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.          Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.</p>		<p><b>Southern Electric Power Distribution plc</b>          Registered Office: No.1 Forbury Place          43 Forbury Road Reading RG1 3JH          Registered In England &amp; Wales No.04094290</p> <p>If you're unsure &amp; need to seek advice before commencing excavations, please contact:          General Enquiries: 0800 048 3516</p> <p>Subject to revision - Master held by SSEN Asset Data Team:  <a href="mailto:Asset.Data@sse.com">Asset.Data@sse.com</a>          01256 337 294</p>																																



65

Path (um)

Warning: PDF designed for A4 colour print only with no page scaling

		Dig Sites:  Area:  Line:	<b>Extra High Voltage cables in vicinity</b>																																																																																																	
Date Requested: 24/06/2022 Job Reference: 25880986 Site Location: 447899 213853 Requested by: Mr Joe Shawyer Your Scheme/Reference: 31188_001		<table border="1"> <thead> <tr> <th colspan="4">Voltages (V)</th> </tr> <tr> <th>LV (Low Voltage) and Services</th> <th colspan="3">Up to 1,000V</th> </tr> <tr> <th>HV (High Voltage)</th> <th colspan="3">Over 1,000V to 11,000V</th> </tr> <tr> <th>EHV (Extra High Voltage)</th> <th colspan="3">22,000V to 132,000V</th> </tr> <tr> <th>Transmission</th> <th colspan="3">275,000V and 400,000V</th> </tr> <tr> <th colspan="4">NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID</th> </tr> <tr> <th>Services</th> <th>LV</th> <th>HV</th> <th>EHV</th> </tr> </thead> <tbody> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> <td>0.45m</td> <td>0.6m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>0.6m</td> <td>0.75m</td> </tr> <tr> <td>Agricultural</td> <td>1m</td> <td>1m</td> <td>1.1m</td> </tr> </tbody> </table>	Voltages (V)				LV (Low Voltage) and Services	Up to 1,000V			HV (High Voltage)	Over 1,000V to 11,000V			EHV (Extra High Voltage)	22,000V to 132,000V			Transmission	275,000V and 400,000V			NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				Services	LV	HV	EHV	Footpath/Unmade	0.45m	0.45m	0.6m	Road Crossing	0.6m	0.6m	0.75m	Agricultural	1m	1m	1.1m	<table border="1"> <thead> <tr> <th colspan="2">Legend</th> <th colspan="2">Distribution Structures (Electric)</th> </tr> </thead> <tbody> <tr> <td></td> <td>Service Cable</td> <td></td> <td>Pole, Existing Location</td> </tr> <tr> <td></td> <td>LV Mains</td> <td></td> <td>Pole Structure, Existing Location - Single</td> </tr> <tr> <td></td> <td>2 - 11kV</td> <td></td> <td>Pole Structure, Existing Location - H</td> </tr> <tr> <td></td> <td>66kV</td> <td></td> <td>Duct Route</td> </tr> <tr> <td></td> <td>11kV</td> <td></td> <td>Cross Section Route</td> </tr> <tr> <td></td> <td>22kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>33kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>66kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>132kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>275kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>400kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>Fibre Optic</td> <td></td> <td></td> </tr> <tr> <td></td> <td>Pilot Cable</td> <td></td> <td></td> </tr> </tbody> </table>	Legend		Distribution Structures (Electric)			Service Cable		Pole, Existing Location		LV Mains		Pole Structure, Existing Location - Single		2 - 11kV		Pole Structure, Existing Location - H		66kV		Duct Route		11kV		Cross Section Route		22kV				33kV				66kV				132kV				275kV				400kV				Fibre Optic				Pilot Cable			<p style="text-align: center;"><b>Southern Electric Power Distribution plc</b>          Registered Office: No.1 Forbury Place          43 Forbury Road Reading RG1 3JH          Registered In England &amp; Wales No.04094290</p> <p>If you're unsure &amp; need to seek advice before commencing excavations, please contact:          General Enquiries: 0800 048 3516</p> <p>Subject to revision – Master held by SSEN Asset Data Team:  <a href="mailto:Asset.Data@sse.com">Asset.Data@sse.com</a>          01256 337 294</p>
Voltages (V)																																																																																																				
LV (Low Voltage) and Services	Up to 1,000V																																																																																																			
HV (High Voltage)	Over 1,000V to 11,000V																																																																																																			
EHV (Extra High Voltage)	22,000V to 132,000V																																																																																																			
Transmission	275,000V and 400,000V																																																																																																			
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID																																																																																																				
Services	LV	HV	EHV																																																																																																	
Footpath/Unmade	0.45m	0.45m	0.6m																																																																																																	
Road Crossing	0.6m	0.6m	0.75m																																																																																																	
Agricultural	1m	1m	1.1m																																																																																																	
Legend		Distribution Structures (Electric)																																																																																																		
	Service Cable		Pole, Existing Location																																																																																																	
	LV Mains		Pole Structure, Existing Location - Single																																																																																																	
	2 - 11kV		Pole Structure, Existing Location - H																																																																																																	
	66kV		Duct Route																																																																																																	
	11kV		Cross Section Route																																																																																																	
	22kV																																																																																																			
	33kV																																																																																																			
	66kV																																																																																																			
	132kV																																																																																																			
	275kV																																																																																																			
	400kV																																																																																																			
	Fibre Optic																																																																																																			
	Pilot Cable																																																																																																			
Scale: 1:500 (When plotted at A4)		<p style="text-align: center;"><b>WARNING</b></p> <p style="text-align: center;">There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.</p> <p style="text-align: center;">WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</p>																																																																																																		

11kV - 175x3W

66

Warning: PDF designed for A4 colour print only with no page scaling

0 20m

Dig Sites Area: Line:

**Extra High Voltage cables in vicinity**



Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m 0.8m
Road Crossing	0.6m	0.6m	0.75m 0.9m
Agricultural	1m	1m	1m 1.1m

Legend		Distribution Structures (Electric)	
	Service Cable		Pole, Existing Location
	LV Mains		Pole Structure, Existing Location - Single
	2 - 11kV		New Structure, Existing Location - H
	6.6kV		Duct Route
	11kV		Cross Section Route
	22kV		
	33kV		
	66kV		
	132kV		
	275kV		
	400kV		
	Fibre Optic		
	Pipe Cable		

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

Scale: 1:500 (When plotted at A4)

67

Warning: PDF designed for A4 colour print only with no page scaling

0 20m Dig Sites Area: Line:

**Extra High Voltage  
cables in vicinity**



Date Requested: 24/06/2022  
Job Reference: 25880986  
Site Location: 447899 213853  
Requested by: Mr Joe Shawyer

Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m
Road Crossing	0.6m	0.6m	0.75m
Agricultural	1m	1m	1.1m

**Legend**

- Service Cable
- LV Mains
- 2 - 11kV
- 66kV
- 11kV
- 22kV
- 33kV
- 66kV
- 132kV
- 275kV
- 400kV
- Fibre Optic
- Pipit Cable

**Distribution Structures (Electric)**

- Pole, Existing Location
- Pole Structure, Existing Location - Single
- Pole Structure, Existing Location - H
- Duct Route
- Cross Section Route

**WARNING**  
There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**

**Southern Electric Power Distribution plc**  
Registered Office: No.1 Forbury Place  
43 Forbury Road Reading RG1 3JH  
Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
01256 337 294

Scale: 1:500 (When plotted at A4)

68

Track

Warning: PDF designed for A4 colour print only with no page scaling

0  20m Dig Sites Area:  Line: 








**Extra High Voltage  
cables in vicinity**








Date Requested: 24/06/2022  
Job Reference: 25880986  
Site Location: 447899 213853  
Requested by: Mr Joe Shawyer

Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m 0.8m
Road Crossing	0.6m	0.6m	0.75m 0.9m
Agricultural	1m	1m	1m 1.1m

Legend	
	Service Cable
	LV Mains
	2 - 11kV
	66kV
	11kV
	22kV
	33kV
	66kV
	132kV
	275kV
	400kV
	Fibre Optic
	Pipe Cable

Distribution Structures (Electric)	
	Pole, Existing Location
	Pole Structure, Existing Location - Single
	Pole Structure, Existing Location - M
	Duct Route
	Cross Section Route

**WARNING**

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.


WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

**Southern Electric Power Distribution plc**  
Registered Office: No.1 Forbury Place  
43 Forbury Road Reading RG1 3JH  
Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
01256 337 294

Scale: 1:500 (When plotted at A4)



Warning: PDF designed for A4 colour print only with no page scaling

<p>0  20m</p>	<p>Dig Sites  Area:  Line: </p>	<p><b>Extra High Voltage cables in vicinity</b></p>																																																																					
<p>Date Requested: 24/06/2022 Job Reference: 25880986 Site Location: 447899 213853 Requested by: Mr Joe Shawyer Your Scheme/Reference: 31188_001</p>	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="4">Voltages (V)</th> </tr> </thead> <tbody> <tr> <td>LV (Low Voltage) and Services</td> <td colspan="3">Up to 1,000V</td> </tr> <tr> <td>HV (High Voltage)</td> <td colspan="3">Over 1,000V to 11,000V</td> </tr> <tr> <td>EHV (Extra High Voltage)</td> <td colspan="3">22,000V to 132,000V</td> </tr> <tr> <td>Transmission</td> <td colspan="3">275,000V and 400,000V</td> </tr> </tbody> </table> <table border="1" style="width: 100%; border-collapse: collapse; margin-top: 5px;"> <thead> <tr> <th colspan="4">NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID</th> </tr> <tr> <th>Services</th> <th>LV</th> <th>HV</th> <th>EHV</th> </tr> </thead> <tbody> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> <td>0.45m</td> <td>0.8m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>0.6m</td> <td>0.9m</td> </tr> <tr> <td>Agricultural</td> <td>1m</td> <td>1m</td> <td>1.1m</td> </tr> </tbody> </table>	Voltages (V)				LV (Low Voltage) and Services	Up to 1,000V			HV (High Voltage)	Over 1,000V to 11,000V			EHV (Extra High Voltage)	22,000V to 132,000V			Transmission	275,000V and 400,000V			NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				Services	LV	HV	EHV	Footpath/Unmade	0.45m	0.45m	0.8m	Road Crossing	0.6m	0.6m	0.9m	Agricultural	1m	1m	1.1m	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Legend</th> <th>Distribution Structures (Electric)</th> </tr> </thead> <tbody> <tr> <td> Service Cable</td> <td> Pole, Existing Location</td> </tr> <tr> <td> LV Mains</td> <td> Pole Structure, Existing Location - Single</td> </tr> <tr> <td> 2 - 11kV</td> <td> Pole Structure, Existing Location - H</td> </tr> <tr> <td> 66kV</td> <td> Duct Route</td> </tr> <tr> <td> 11kV</td> <td> Cross Section Route</td> </tr> <tr> <td> 22kV</td> <td></td> </tr> <tr> <td> 33kV</td> <td></td> </tr> <tr> <td> 66kV</td> <td></td> </tr> <tr> <td> 132kV</td> <td></td> </tr> <tr> <td> 275kV</td> <td></td> </tr> <tr> <td> 400kV</td> <td></td> </tr> <tr> <td> Fibre Optic</td> <td></td> </tr> <tr> <td> Pipit Cable</td> <td></td> </tr> </tbody> </table>	Legend	Distribution Structures (Electric)	Service Cable	Pole, Existing Location	LV Mains	Pole Structure, Existing Location - Single	2 - 11kV	Pole Structure, Existing Location - H	66kV	Duct Route	11kV	Cross Section Route	22kV		33kV		66kV		132kV		275kV		400kV		Fibre Optic		Pipit Cable		<p><b>Southern Electric Power Distribution plc</b> Registered Office: No.1 Forbury Place 43 Forbury Road Reading RG1 3JH Registered In England &amp; Wales No.04094290</p> <p>If you're unsure &amp; need to seek advice before commencing excavations, please contact: General Enquiries: 0800 048 3516</p> <p>Subject to revision – Master held by SSEN Asset Data Team: <a href="mailto:Asset.Data@sse.com">Asset.Data@sse.com</a> 01256 337 294</p>
Voltages (V)																																																																							
LV (Low Voltage) and Services	Up to 1,000V																																																																						
HV (High Voltage)	Over 1,000V to 11,000V																																																																						
EHV (Extra High Voltage)	22,000V to 132,000V																																																																						
Transmission	275,000V and 400,000V																																																																						
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID																																																																							
Services	LV	HV	EHV																																																																				
Footpath/Unmade	0.45m	0.45m	0.8m																																																																				
Road Crossing	0.6m	0.6m	0.9m																																																																				
Agricultural	1m	1m	1.1m																																																																				
Legend	Distribution Structures (Electric)																																																																						
Service Cable	Pole, Existing Location																																																																						
LV Mains	Pole Structure, Existing Location - Single																																																																						
2 - 11kV	Pole Structure, Existing Location - H																																																																						
66kV	Duct Route																																																																						
11kV	Cross Section Route																																																																						
22kV																																																																							
33kV																																																																							
66kV																																																																							
132kV																																																																							
275kV																																																																							
400kV																																																																							
Fibre Optic																																																																							
Pipit Cable																																																																							
<p>Scale: 1:500 (When plotted at A4)</p> <p style="text-align: center;"><b>WARNING</b> There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work. WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G66 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</p> <p style="text-align: center; font-size: x-small;">BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF HM STATIONERY OFFICE CROWN COPYRIGHT RESERVED. This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.</p>																																																																							

Path (um)

70

Warning: PDF designed for A4 colour print only with no page scaling

0  20m

Dig Sites

Area:



Line:



**Extra High Voltage  
cables in vicinity**



Date Requested: 24/06/2022

Job Reference: 25880986

Site Location: 447899 213853

Requested by: Mr Joe Shawyer

Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m
Road Crossing	0.6m	0.6m	0.75m
Agricultural	1m	1m	1.1m

Legend	
	Service Cable
	LV Mains
	2 - 11kV
	66kV
	110kV
	220kV
	330kV
	660kV
	1320kV
	275kV
	400kV
	Fibre Optic
	Pipe Cable

Distribution Structures (Electric)	
	Pole, Existing Location
	Pole Structure, Existing Location - Single
	Pole Structure, Existing Location - H
	Duct Route
	Cross Section Route

**Southern Electric Power Distribution plc**  
Registered Office: No.1 Forbury Place  
43 Forbury Road Reading RG1 3JH  
Registered In England & Wales No.04094290


If you're unsure & need to seek advice before commencing excavations, please contact:  
General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
01256 337 294

Scale: 1:500 (When plotted at A4)

**WARNING**  
There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**





Warning: PDF designed for A4 colour print only with no page scaling

0 20m

Dig Sites Area: Line:

**Extra High Voltage cables in vicinity**



Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m
Road Crossing	0.6m	0.6m	0.75m
Agricultural	1m	1m	1.1m

Legend	
	Service Cable
	LV Mains
	2 - 11kV
	66kV
	11kV
	22kV
	33kV
	66kV
	132kV
	275kV
	400kV
	Fibre Optic
	Pipe Cable

Distribution Structures (Electric)	
	Pole, Existing Location
	Pole Structure, Existing Location - Single
	Pole Structure, Existing Location - H
	Duct Route
	Cross Section Route


**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

Scale: 1:500 (When plotted at A4)

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**



Warning: PDF designed for A4 colour print only with no page scaling

0 20m Dig Sites Area: Line:

**Extra High Voltage  
cables in vicinity**



Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m 0.8m
Road Crossing	0.6m	0.6m	0.75m 0.9m
Agricultural	1m	1m	1m 1.1m

Legend	
	Service Cable
	LV Mains
	2 - 11kV
	66kV
	11kV
	22kV
	33kV
	66kV
	132kV
	275kV
	400kV
	Fibre Optic
	Pipe Cable

Distribution Structures (Electric)	
	Pole, Existing Location
	Pole Structure, Existing Location - Single
	Pole Structure, Existing Location - H
	Duct Route
	Cross Section Route


**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

Scale: 1:500 (When plotted at A4)

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**



Warning: PDF designed for A4 colour print only with no page scaling

<p>0  20m Dig Sites Area:  Line: </p>	<p><b>Extra High Voltage cables in vicinity</b></p>																																																																																		
<p>Date Requested: 24/06/2022          Job Reference: 25880986          Site Location: 447899 213853          Requested by: Mr Joe Shawyer          Your Scheme/Reference: 31188_001</p>		<table border="1"> <thead> <tr> <th colspan="4">Voltages (V)</th> </tr> </thead> <tbody> <tr> <td>LV (Low Voltage) and Services</td> <td colspan="3">Up to 1,000V</td> </tr> <tr> <td>HV (High Voltage)</td> <td colspan="3">Over 1,000V to 11,000V</td> </tr> <tr> <td>EHV (Extra High Voltage)</td> <td colspan="3">22,000V to 132,000V</td> </tr> <tr> <td>Transmission</td> <td colspan="3">275,000V and 400,000V</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th colspan="4">NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID</th> </tr> <tr> <th>Services</th> <th>LV</th> <th>HV</th> <th>EHV</th> </tr> </thead> <tbody> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> <td>0.45m</td> <td>0.6m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>0.6m</td> <td>0.75m</td> </tr> <tr> <td>Agricultural</td> <td>1m</td> <td>1m</td> <td>1.1m</td> </tr> </tbody> </table> <p><b>WARNING</b>          There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.  <b>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</b></p>	Voltages (V)				LV (Low Voltage) and Services	Up to 1,000V			HV (High Voltage)	Over 1,000V to 11,000V			EHV (Extra High Voltage)	22,000V to 132,000V			Transmission	275,000V and 400,000V			NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				Services	LV	HV	EHV	Footpath/Unmade	0.45m	0.45m	0.6m	Road Crossing	0.6m	0.6m	0.75m	Agricultural	1m	1m	1.1m	<table border="1"> <thead> <tr> <th colspan="2">Legend</th> </tr> </thead> <tbody> <tr><td></td><td>Service Cable</td></tr> <tr><td></td><td>LV Mains</td></tr> <tr><td></td><td>2 – 11kV</td></tr> <tr><td></td><td>66kV</td></tr> <tr><td></td><td>11kV</td></tr> <tr><td></td><td>22kV</td></tr> <tr><td></td><td>33kV</td></tr> <tr><td></td><td>66kV</td></tr> <tr><td></td><td>132kV</td></tr> <tr><td></td><td>275kV</td></tr> <tr><td></td><td>400kV</td></tr> <tr><td></td><td>Fibre Optic</td></tr> <tr><td></td><td>Pipe Cable</td></tr> </tbody> </table> <table border="1"> <thead> <tr> <th colspan="2">Distribution Structures (Electric)</th> </tr> </thead> <tbody> <tr><td></td><td>Pole, Existing Location</td></tr> <tr><td></td><td>Pole Structure, Existing Location – Single</td></tr> <tr><td></td><td>Pole Structure, Existing Location – H</td></tr> <tr><td></td><td>Duct Route</td></tr> <tr><td></td><td>Cross Section Route</td></tr> </tbody> </table>	Legend			Service Cable		LV Mains		2 – 11kV		66kV		11kV		22kV		33kV		66kV		132kV		275kV		400kV		Fibre Optic		Pipe Cable	Distribution Structures (Electric)			Pole, Existing Location		Pole Structure, Existing Location – Single		Pole Structure, Existing Location – H		Duct Route		Cross Section Route
Voltages (V)																																																																																			
LV (Low Voltage) and Services	Up to 1,000V																																																																																		
HV (High Voltage)	Over 1,000V to 11,000V																																																																																		
EHV (Extra High Voltage)	22,000V to 132,000V																																																																																		
Transmission	275,000V and 400,000V																																																																																		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID																																																																																			
Services	LV	HV	EHV																																																																																
Footpath/Unmade	0.45m	0.45m	0.6m																																																																																
Road Crossing	0.6m	0.6m	0.75m																																																																																
Agricultural	1m	1m	1.1m																																																																																
Legend																																																																																			
	Service Cable																																																																																		
	LV Mains																																																																																		
	2 – 11kV																																																																																		
	66kV																																																																																		
	11kV																																																																																		
	22kV																																																																																		
	33kV																																																																																		
	66kV																																																																																		
	132kV																																																																																		
	275kV																																																																																		
	400kV																																																																																		
	Fibre Optic																																																																																		
	Pipe Cable																																																																																		
Distribution Structures (Electric)																																																																																			
	Pole, Existing Location																																																																																		
	Pole Structure, Existing Location – Single																																																																																		
	Pole Structure, Existing Location – H																																																																																		
	Duct Route																																																																																		
	Cross Section Route																																																																																		

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF HM STATIONERY OFFICE CROWN COPYRIGHT RESERVED.  
 This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.  
 Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.

SL

74

Warning: PDF designed for A4 colour print only with no page scaling

0 20m Dig Sites Area: Line: Extra High Voltage cables in vicinity

Date Requested: 24/06/2022  
Job Reference: 25880986  
Site Location: 447899 213853  
Requested by: Mr Joe Shawyer  
Your Scheme/Reference: 31188\_001

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

Legend	
Service Cable	—
LV Mains	—
6.6kV	—
11kV	—
22kV	—
33kV	—
66kV	—
132kV	—
275kV	—
400kV	—
Fibre Optic	—
Pipe Cable	—

Distribution Structures (Electric)	
Pole, Existing Location	●
Pole Structure, Existing Location - Single	○
Pole Structure, Existing Location - H	○
Duct Route	—
Cross Section Route	—




**Southern Electric Power Distribution plc**  
Registered Office: No.1 Forbury Place  
43 Forbury Road Reading RG1 3JH  
Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
01256 337 294


Scale: 1:500 (When plotted at A4)

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF HM STATIONERY OFFICE CROWN COPYRIGHT RESERVED.  
This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('The Act'). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.  
Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeDig.




Warning: PDF designed for A4 colour print only with no page scaling

<p>0  20m</p> <p>Date Requested: 24/06/2022          Job Reference: 25880986          Site Location: 447899 213853          Requested by: Mr Joe Shawyer          Your Scheme/Reference: 31188_001</p>	<p>Dig Sites Area:  Line: </p> <p><b>Extra High Voltage cables in vicinity</b></p>	<p> </p> <p style="text-align: center;"><b>Southern Electric Power Distribution plc</b>          Registered Office: No.1 Forbury Place          43 Forbury Road Reading RG1 3JH          Registered In England &amp; Wales No.04094290</p> <p style="font-size: small;">If you're unsure &amp; need to seek advice before commencing excavations, please contact:          General Enquiries: 0800 048 3516</p> <p style="font-size: small;">Subject to revision – Master held by SSEN Asset Data Team:  <a href="mailto:Asset.Data@sse.com">Asset.Data@sse.com</a>          01256 337 294</p>																													
<p><b>Legend</b></p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%; vertical-align: top;"> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%; vertical-align: top;"> <p><b>Service Cable</b></p> <ul style="list-style-type: none"> <li> LV Mains</li> <li> 6.6kV</li> <li> 11kV</li> <li> 22kV</li> <li> 33kV</li> <li> 66kV</li> <li> 132kV</li> <li> 275kV</li> <li> 400kV</li> <li> Fibre Optic</li> <li> Pipit Cable</li> </ul> </td> <td style="width: 50%; vertical-align: top;"> <p><b>Distribution Structures (Electric)</b></p> <ul style="list-style-type: none"> <li> Pole, Existing Location</li> <li> Pole Structure, Existing Location - Single</li> <li> Pole Structure, Existing Location - H</li> <li> Duct Route</li> <li> Cross Section Route</li> </ul> </td> </tr> </table> </td> <td style="width: 50%; vertical-align: top;"> <p><b>Voltagess (V)</b></p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 33%;">LV (Low Voltage) and Services</td> <td style="width: 33%;">Up to 1,000V</td> <td style="width: 33%;">Over 1,000V to 11,000V</td> </tr> <tr> <td>HV (High Voltage)</td> <td>22,000V to 132,000V</td> <td>275,000V and 400,000V</td> </tr> <tr> <td colspan="3"><b>EHV (Extra High Voltage) Transmission</b></td> </tr> </table> <p><b>NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID</b></p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 33%;">Services</td> <td style="width: 33%;">LV</td> <td style="width: 33%;">HV</td> <td style="width: 33%;">EHV</td> </tr> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> <td>0.45m</td> <td>0.6m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>0.6m</td> <td>0.75m</td> </tr> <tr> <td>Agricultural</td> <td>1m</td> <td>1m</td> <td>1.1m</td> </tr> </table> </td> </tr> </table> <p style="text-align: center; font-size: x-small;"><b>WARNING</b></p> <p style="text-align: center; font-size: x-small;">There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.</p> <p style="text-align: center; font-size: x-small;"><b>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</b></p>			<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%; vertical-align: top;"> <p><b>Service Cable</b></p> <ul style="list-style-type: none"> <li> LV Mains</li> <li> 6.6kV</li> <li> 11kV</li> <li> 22kV</li> <li> 33kV</li> <li> 66kV</li> <li> 132kV</li> <li> 275kV</li> <li> 400kV</li> <li> Fibre Optic</li> <li> Pipit Cable</li> </ul> </td> <td style="width: 50%; vertical-align: top;"> <p><b>Distribution Structures (Electric)</b></p> <ul style="list-style-type: none"> <li> Pole, Existing Location</li> <li> Pole Structure, Existing Location - Single</li> <li> Pole Structure, Existing Location - H</li> <li> Duct Route</li> <li> Cross Section Route</li> </ul> </td> </tr> </table>	<p><b>Service Cable</b></p> <ul style="list-style-type: none"> <li> LV Mains</li> <li> 6.6kV</li> <li> 11kV</li> <li> 22kV</li> <li> 33kV</li> <li> 66kV</li> <li> 132kV</li> <li> 275kV</li> <li> 400kV</li> <li> Fibre Optic</li> <li> Pipit Cable</li> </ul>	<p><b>Distribution Structures (Electric)</b></p> <ul style="list-style-type: none"> <li> Pole, Existing Location</li> <li> Pole Structure, Existing Location - Single</li> <li> Pole Structure, Existing Location - H</li> <li> Duct Route</li> <li> Cross Section Route</li> </ul>	<p><b>Voltagess (V)</b></p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 33%;">LV (Low Voltage) and Services</td> <td style="width: 33%;">Up to 1,000V</td> <td style="width: 33%;">Over 1,000V to 11,000V</td> </tr> <tr> <td>HV (High Voltage)</td> <td>22,000V to 132,000V</td> <td>275,000V and 400,000V</td> </tr> <tr> <td colspan="3"><b>EHV (Extra High Voltage) Transmission</b></td> </tr> </table> <p><b>NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID</b></p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 33%;">Services</td> <td style="width: 33%;">LV</td> <td style="width: 33%;">HV</td> <td style="width: 33%;">EHV</td> </tr> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> <td>0.45m</td> <td>0.6m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>0.6m</td> <td>0.75m</td> </tr> <tr> <td>Agricultural</td> <td>1m</td> <td>1m</td> <td>1.1m</td> </tr> </table>	LV (Low Voltage) and Services	Up to 1,000V	Over 1,000V to 11,000V	HV (High Voltage)	22,000V to 132,000V	275,000V and 400,000V	<b>EHV (Extra High Voltage) Transmission</b>			Services	LV	HV	EHV	Footpath/Unmade	0.45m	0.45m	0.6m	Road Crossing	0.6m	0.6m	0.75m	Agricultural	1m	1m	1.1m
<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%; vertical-align: top;"> <p><b>Service Cable</b></p> <ul style="list-style-type: none"> <li> LV Mains</li> <li> 6.6kV</li> <li> 11kV</li> <li> 22kV</li> <li> 33kV</li> <li> 66kV</li> <li> 132kV</li> <li> 275kV</li> <li> 400kV</li> <li> Fibre Optic</li> <li> Pipit Cable</li> </ul> </td> <td style="width: 50%; vertical-align: top;"> <p><b>Distribution Structures (Electric)</b></p> <ul style="list-style-type: none"> <li> Pole, Existing Location</li> <li> Pole Structure, Existing Location - Single</li> <li> Pole Structure, Existing Location - H</li> <li> Duct Route</li> <li> Cross Section Route</li> </ul> </td> </tr> </table>	<p><b>Service Cable</b></p> <ul style="list-style-type: none"> <li> LV Mains</li> <li> 6.6kV</li> <li> 11kV</li> <li> 22kV</li> <li> 33kV</li> <li> 66kV</li> <li> 132kV</li> <li> 275kV</li> <li> 400kV</li> <li> Fibre Optic</li> <li> Pipit Cable</li> </ul>	<p><b>Distribution Structures (Electric)</b></p> <ul style="list-style-type: none"> <li> Pole, Existing Location</li> <li> Pole Structure, Existing Location - Single</li> <li> Pole Structure, Existing Location - H</li> <li> Duct Route</li> <li> Cross Section Route</li> </ul>	<p><b>Voltagess (V)</b></p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 33%;">LV (Low Voltage) and Services</td> <td style="width: 33%;">Up to 1,000V</td> <td style="width: 33%;">Over 1,000V to 11,000V</td> </tr> <tr> <td>HV (High Voltage)</td> <td>22,000V to 132,000V</td> <td>275,000V and 400,000V</td> </tr> <tr> <td colspan="3"><b>EHV (Extra High Voltage) Transmission</b></td> </tr> </table> <p><b>NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID</b></p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 33%;">Services</td> <td style="width: 33%;">LV</td> <td style="width: 33%;">HV</td> <td style="width: 33%;">EHV</td> </tr> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> <td>0.45m</td> <td>0.6m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>0.6m</td> <td>0.75m</td> </tr> <tr> <td>Agricultural</td> <td>1m</td> <td>1m</td> <td>1.1m</td> </tr> </table>	LV (Low Voltage) and Services	Up to 1,000V	Over 1,000V to 11,000V	HV (High Voltage)	22,000V to 132,000V	275,000V and 400,000V	<b>EHV (Extra High Voltage) Transmission</b>			Services	LV	HV	EHV	Footpath/Unmade	0.45m	0.45m	0.6m	Road Crossing	0.6m	0.6m	0.75m	Agricultural	1m	1m	1.1m			
<p><b>Service Cable</b></p> <ul style="list-style-type: none"> <li> LV Mains</li> <li> 6.6kV</li> <li> 11kV</li> <li> 22kV</li> <li> 33kV</li> <li> 66kV</li> <li> 132kV</li> <li> 275kV</li> <li> 400kV</li> <li> Fibre Optic</li> <li> Pipit Cable</li> </ul>	<p><b>Distribution Structures (Electric)</b></p> <ul style="list-style-type: none"> <li> Pole, Existing Location</li> <li> Pole Structure, Existing Location - Single</li> <li> Pole Structure, Existing Location - H</li> <li> Duct Route</li> <li> Cross Section Route</li> </ul>																														
LV (Low Voltage) and Services	Up to 1,000V	Over 1,000V to 11,000V																													
HV (High Voltage)	22,000V to 132,000V	275,000V and 400,000V																													
<b>EHV (Extra High Voltage) Transmission</b>																															
Services	LV	HV	EHV																												
Footpath/Unmade	0.45m	0.45m	0.6m																												
Road Crossing	0.6m	0.6m	0.75m																												
Agricultural	1m	1m	1.1m																												
<p>Scale: 1:500 (When plotted at A4)</p> <p style="text-align: center;">BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF HM STATIONERY OFFICE CROWN COPYRIGHT RESERVED.          This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.          Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeyouDig.</p>																															



Warning: PDF designed for A4 colour print only with no page scaling

	<p>Dig Sites Area:  Line: </p>	<p><b>Extra High Voltage cables in vicinity</b></p>																																																																																																											
<p>Date Requested: 24/06/2022          Job Reference: 25880986          Site Location: 447899 213853          Requested by: Mr Joe Shawyer          Your Scheme/Reference: 31188_001</p>	<table border="1"> <thead> <tr> <th colspan="5">Voltages (V)</th> </tr> </thead> <tbody> <tr> <td>LV (Low Voltage) and Services</td> <td colspan="4">Up to 1,000V</td> </tr> <tr> <td>HV (High Voltage)</td> <td colspan="4">Over 1,000V to 11,000V</td> </tr> <tr> <td>EHV (Extra High Voltage)</td> <td colspan="4">22,000V to 132,000V</td> </tr> <tr> <td>Transmission</td> <td colspan="4">275,000V and 400,000V</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th colspan="5">NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID</th> </tr> <tr> <th>Services</th> <th>LV</th> <th>HV</th> <th>EHV</th> <th></th> </tr> </thead> <tbody> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> <td>0.45m</td> <td>0.6m</td> <td>0.8m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>0.6m</td> <td>0.75m</td> <td>0.9m</td> </tr> <tr> <td>Agricultural</td> <td>1m</td> <td>1m</td> <td>1m</td> <td>1.1m</td> </tr> </tbody> </table>	Voltages (V)					LV (Low Voltage) and Services	Up to 1,000V				HV (High Voltage)	Over 1,000V to 11,000V				EHV (Extra High Voltage)	22,000V to 132,000V				Transmission	275,000V and 400,000V				NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID					Services	LV	HV	EHV		Footpath/Unmade	0.45m	0.45m	0.6m	0.8m	Road Crossing	0.6m	0.6m	0.75m	0.9m	Agricultural	1m	1m	1m	1.1m	<table border="1"> <thead> <tr> <th colspan="2">Legend</th> <th colspan="2">Distribution Structures (Electric)</th> </tr> </thead> <tbody> <tr> <td></td> <td>Service Cable</td> <td></td> <td>Pole, Existing Location</td> </tr> <tr> <td></td> <td>LV Mains</td> <td></td> <td>Pole Structure, Existing Location - Single</td> </tr> <tr> <td></td> <td>2 - 11kV</td> <td></td> <td>Pole Structure, Existing Location - H</td> </tr> <tr> <td></td> <td>66kV</td> <td></td> <td>Duct Route</td> </tr> <tr> <td></td> <td>11kV</td> <td></td> <td>Cross Section Route</td> </tr> <tr> <td></td> <td>22kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>33kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>66kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>132kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>275kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>400kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>Fibre Optic</td> <td></td> <td></td> </tr> <tr> <td></td> <td>Pipe Cable</td> <td></td> <td></td> </tr> </tbody> </table> <p><b>WARNING</b>          There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  <b>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</b></p>	Legend		Distribution Structures (Electric)			Service Cable		Pole, Existing Location		LV Mains		Pole Structure, Existing Location - Single		2 - 11kV		Pole Structure, Existing Location - H		66kV		Duct Route		11kV		Cross Section Route		22kV				33kV				66kV				132kV				275kV				400kV				Fibre Optic				Pipe Cable			<p><b>Southern Electric Power Distribution plc</b>          Registered Office: No.1 Forbury Place          43 Forbury Road Reading RG1 3JH          Registered In England &amp; Wales No.04094290</p> <p>If you're unsure &amp; need to seek advice before commencing excavations, please contact:          General Enquiries: 0800 048 3516</p> <p>Subject to revision - Master held by SSEN Asset Data Team:  <a href="mailto:Asset.Data@sse.com">Asset.Data@sse.com</a>          01256 337 294</p>
Voltages (V)																																																																																																													
LV (Low Voltage) and Services	Up to 1,000V																																																																																																												
HV (High Voltage)	Over 1,000V to 11,000V																																																																																																												
EHV (Extra High Voltage)	22,000V to 132,000V																																																																																																												
Transmission	275,000V and 400,000V																																																																																																												
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID																																																																																																													
Services	LV	HV	EHV																																																																																																										
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m																																																																																																									
Road Crossing	0.6m	0.6m	0.75m	0.9m																																																																																																									
Agricultural	1m	1m	1m	1.1m																																																																																																									
Legend		Distribution Structures (Electric)																																																																																																											
	Service Cable		Pole, Existing Location																																																																																																										
	LV Mains		Pole Structure, Existing Location - Single																																																																																																										
	2 - 11kV		Pole Structure, Existing Location - H																																																																																																										
	66kV		Duct Route																																																																																																										
	11kV		Cross Section Route																																																																																																										
	22kV																																																																																																												
	33kV																																																																																																												
	66kV																																																																																																												
	132kV																																																																																																												
	275kV																																																																																																												
	400kV																																																																																																												
	Fibre Optic																																																																																																												
	Pipe Cable																																																																																																												
<p>Scale: 1:500 (When plotted at A4)</p> <p><small>BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.          This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.          Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.</small></p>																																																																																																													



Warning: PDF designed for A4 colour print only with no page scaling

20m Dig Sites Area:   Line:  Extra High Voltage cables in vicinity

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m 0.8m
Road Crossing	0.6m	0.6m	0.75m 0.9m
Agricultural	1m	1m	1m 1.1m


Legend		Distribution Structures (Electric)	
<span style="border-bottom: 2px solid yellow; width: 20px; display: inline-block;"></span>	Service Cable	<span style="border: 1px solid purple; border-radius: 50%; width: 10px; height: 10px; display: inline-block;"></span>	Pole, Existing Location
<span style="border-bottom: 2px solid blue; width: 20px; display: inline-block;"></span>	LV Mains	<span style="border: 1px solid purple; border-radius: 50%; width: 10px; height: 10px; display: inline-block;"></span>	Pole Structure, Existing Location - Single
<span style="border-bottom: 2px solid red; width: 20px; display: inline-block;"></span>	2 - 11kV	<span style="border: 1px solid purple; border-radius: 50%; width: 10px; height: 10px; display: inline-block;"></span>	Pole Structure, Existing Location - H
<span style="border-bottom: 2px solid green; width: 20px; display: inline-block;"></span>	66kV	<span style="border-bottom: 2px solid blue; width: 20px; display: inline-block;"></span>	Duct Route
<span style="border-bottom: 2px solid orange; width: 20px; display: inline-block;"></span>	11kV	<span style="border-bottom: 2px solid blue; width: 20px; display: inline-block;"></span>	Cross Section Route
<span style="border-bottom: 2px solid purple; width: 20px; display: inline-block;"></span>	22kV		
<span style="border-bottom: 2px solid brown; width: 20px; display: inline-block;"></span>	33kV		
<span style="border-bottom: 2px solid pink; width: 20px; display: inline-block;"></span>	66kV		
<span style="border-bottom: 2px solid lightblue; width: 20px; display: inline-block;"></span>	132kV		
<span style="border-bottom: 2px solid lightgreen; width: 20px; display: inline-block;"></span>	275kV		
<span style="border-bottom: 2px solid lightpurple; width: 20px; display: inline-block;"></span>	400kV		
<span style="border-bottom: 2px solid lightyellow; width: 20px; display: inline-block;"></span>	Fibre Optic		
<span style="border-bottom: 2px solid lightcyan; width: 20px; display: inline-block;"></span>	Pipe Cable		

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
 WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294



Warning: PDF designed for A4 colour print only with no page scaling

<p>0  20m</p>	<p>Dig Sites  Area:  Line: </p>	<p><b>Extra High Voltage cables in vicinity</b></p>																																	
<p>Date Requested: 24/06/2022 Job Reference: 25880986 Site Location: 447899 213853 Requested by: Mr Joe Shawyer Your Scheme/Reference: 31188_001</p>	<p><b>Voltages (V)</b></p> <table border="1"> <tr> <td>LV (Low Voltage) and Services</td> <td colspan="3">Up to 1,000V</td> </tr> <tr> <td>HV (High Voltage)</td> <td colspan="3">Over 1,000V to 11,000V</td> </tr> <tr> <td>EHV (Extra High Voltage)</td> <td colspan="3">22,000V to 132,000V</td> </tr> <tr> <td>Transmission</td> <td colspan="3">275,000V and 400,000V</td> </tr> </table> <p><b>NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID</b></p> <table border="1"> <thead> <tr> <th>Services</th> <th>LV</th> <th>HV</th> <th>EHV</th> </tr> </thead> <tbody> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> <td>0.45m</td> <td>0.6m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>0.6m</td> <td>0.75m</td> </tr> <tr> <td>Agricultural</td> <td>1m</td> <td>1m</td> <td>1.1m</td> </tr> </tbody> </table>	LV (Low Voltage) and Services	Up to 1,000V			HV (High Voltage)	Over 1,000V to 11,000V			EHV (Extra High Voltage)	22,000V to 132,000V			Transmission	275,000V and 400,000V			Services	LV	HV	EHV	Footpath/Unmade	0.45m	0.45m	0.6m	Road Crossing	0.6m	0.6m	0.75m	Agricultural	1m	1m	1.1m	<p><b>Legend</b></p> <ul style="list-style-type: none"> <li>Service Cable</li> <li>LV Mains</li> <li>2 - 11kV</li> <li>66kV</li> <li>11kV</li> <li>22kV</li> <li>33kV</li> <li>66kV</li> <li>132kV</li> <li>275kV</li> <li>400kV</li> <li>Fibre Optic</li> <li>Pilot Cable</li> </ul> <p><b>Distribution Structures (Electric)</b></p> <ul style="list-style-type: none"> <li>Pole, Existing Location</li> <li>Pole Structure, Existing Location - Single</li> <li>Pole Structure, Existing Location - H</li> <li>Duct Route</li> <li>Cross Section Route</li> </ul>	<p><b>Southern Electric Power Distribution plc</b> Registered Office: No.1 Forbury Place 43 Forbury Road Reading RG1 3JH Registered In England &amp; Wales No.04094290</p> <p>If you're unsure &amp; need to seek advice before commencing excavations, please contact: General Enquiries: 0800 048 3516</p> <p>Subject to revision – Master held by SSEN Asset Data Team: <a href="mailto:Asset.Data@sse.com">Asset.Data@sse.com</a> 01256 337 294</p>
LV (Low Voltage) and Services	Up to 1,000V																																		
HV (High Voltage)	Over 1,000V to 11,000V																																		
EHV (Extra High Voltage)	22,000V to 132,000V																																		
Transmission	275,000V and 400,000V																																		
Services	LV	HV	EHV																																
Footpath/Unmade	0.45m	0.45m	0.6m																																
Road Crossing	0.6m	0.6m	0.75m																																
Agricultural	1m	1m	1.1m																																
<p>Scale: 1:500 (When plotted at A4)</p> <p><b>WARNING</b> There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work. WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</p> <p><small>BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF HM STATIONERY OFFICE CROWN COPYRIGHT RESERVED. This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner. Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.</small></p>																																			



Warning: PDF designed for A4 colour print only with no page scaling

<p>0  20m</p>	<p>Dig Sites Area:  Line: </p>	<p><b>Extra High Voltage cables in vicinity</b></p>																																																																									
<p>Date Requested: 24/06/2022                  Job Reference: 25880986                  Site Location: 447899 213853                  Requested by: Mr Joe Shawyer                  Your Scheme/Reference: 31188_001</p>	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="4">Voltages (V)</th> </tr> </thead> <tbody> <tr> <td>LV (Low Voltage) and Services</td> <td colspan="3">Up to 1,000V</td> </tr> <tr> <td>HV (High Voltage)</td> <td colspan="3">Over 1,000V to 11,000V</td> </tr> <tr> <td>EHV (Extra High Voltage)</td> <td colspan="3">22,000V to 132,000V</td> </tr> <tr> <td>Transmission</td> <td colspan="3">275,000V and 400,000V</td> </tr> <tr> <th colspan="4">NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID</th> </tr> <tr> <td>Services</td> <td>LV</td> <td>HV</td> <td>EHV</td> </tr> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> <td>0.45m</td> <td>0.6m 0.8m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>0.6m</td> <td>0.75m 0.9m</td> </tr> <tr> <td>Agricultural</td> <td>1m</td> <td>1m</td> <td>1m 1.1m</td> </tr> </tbody> </table>	Voltages (V)				LV (Low Voltage) and Services	Up to 1,000V			HV (High Voltage)	Over 1,000V to 11,000V			EHV (Extra High Voltage)	22,000V to 132,000V			Transmission	275,000V and 400,000V			NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				Services	LV	HV	EHV	Footpath/Unmade	0.45m	0.45m	0.6m 0.8m	Road Crossing	0.6m	0.6m	0.75m 0.9m	Agricultural	1m	1m	1m 1.1m	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Legend</th> <th>Distribution Structures (Electric)</th> </tr> </thead> <tbody> <tr> <td> Service Cable</td> <td> Pole, Existing Location</td> </tr> <tr> <td> LV Mains</td> <td> Pole Structure, Existing Location - Single</td> </tr> <tr> <td> 2 - 11kV</td> <td> Pole Structure, Existing Location - H</td> </tr> <tr> <td> 66kV</td> <td> Pole Structure, Existing Location - H</td> </tr> <tr> <td> 11kV</td> <td> Pole Structure, Existing Location - H</td> </tr> <tr> <td> 22kV</td> <td> Pole Structure, Existing Location - H</td> </tr> <tr> <td> 33kV</td> <td> Pole Structure, Existing Location - H</td> </tr> <tr> <td> 66kV</td> <td> Pole Structure, Existing Location - H</td> </tr> <tr> <td> 132kV</td> <td> Pole Structure, Existing Location - H</td> </tr> <tr> <td> 275kV</td> <td> Pole Structure, Existing Location - H</td> </tr> <tr> <td> 400kV</td> <td> Pole Structure, Existing Location - H</td> </tr> <tr> <td> Fibre Optic</td> <td> Pole Structure, Existing Location - H</td> </tr> <tr> <td> Pipit Cable</td> <td> Pole Structure, Existing Location - H</td> </tr> <tr> <td></td> <td> Duct Route</td> </tr> <tr> <td></td> <td> Cross Section Route</td> </tr> </tbody> </table>	Legend	Distribution Structures (Electric)	Service Cable	Pole, Existing Location	LV Mains	Pole Structure, Existing Location - Single	2 - 11kV	Pole Structure, Existing Location - H	66kV	Pole Structure, Existing Location - H	11kV	Pole Structure, Existing Location - H	22kV	Pole Structure, Existing Location - H	33kV	Pole Structure, Existing Location - H	66kV	Pole Structure, Existing Location - H	132kV	Pole Structure, Existing Location - H	275kV	Pole Structure, Existing Location - H	400kV	Pole Structure, Existing Location - H	Fibre Optic	Pole Structure, Existing Location - H	Pipit Cable	Pole Structure, Existing Location - H		Duct Route		Cross Section Route	<p><b>Southern Electric Power Distribution plc</b>                  Registered Office: No.1 Forbury Place                  43 Forbury Road Reading RG1 3JH                  Registered In England &amp; Wales No.04094290</p> <p>If you're unsure &amp; need to seek advice before commencing excavations, please contact:                  General Enquiries: 0800 048 3516</p> <p>Subject to revision – Master held by SSEN Asset Data Team:  <a href="mailto:Asset.Data@sse.com">Asset.Data@sse.com</a>                  01256 337 294</p>
Voltages (V)																																																																											
LV (Low Voltage) and Services	Up to 1,000V																																																																										
HV (High Voltage)	Over 1,000V to 11,000V																																																																										
EHV (Extra High Voltage)	22,000V to 132,000V																																																																										
Transmission	275,000V and 400,000V																																																																										
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID																																																																											
Services	LV	HV	EHV																																																																								
Footpath/Unmade	0.45m	0.45m	0.6m 0.8m																																																																								
Road Crossing	0.6m	0.6m	0.75m 0.9m																																																																								
Agricultural	1m	1m	1m 1.1m																																																																								
Legend	Distribution Structures (Electric)																																																																										
Service Cable	Pole, Existing Location																																																																										
LV Mains	Pole Structure, Existing Location - Single																																																																										
2 - 11kV	Pole Structure, Existing Location - H																																																																										
66kV	Pole Structure, Existing Location - H																																																																										
11kV	Pole Structure, Existing Location - H																																																																										
22kV	Pole Structure, Existing Location - H																																																																										
33kV	Pole Structure, Existing Location - H																																																																										
66kV	Pole Structure, Existing Location - H																																																																										
132kV	Pole Structure, Existing Location - H																																																																										
275kV	Pole Structure, Existing Location - H																																																																										
400kV	Pole Structure, Existing Location - H																																																																										
Fibre Optic	Pole Structure, Existing Location - H																																																																										
Pipit Cable	Pole Structure, Existing Location - H																																																																										
	Duct Route																																																																										
	Cross Section Route																																																																										
<p>Scale: 1:500 (When plotted at A4)</p>		<p><b>WARNING</b>                  There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.                  WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</p>																																																																									

Warning: PDF designed for A4 colour print only with no page scaling

0  20m

Dig Sites


Area:



Line:



**Extra High Voltage  
cables in vicinity**



Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m
Road Crossing	0.6m	0.6m	0.75m
Agricultural	1m	1m	1.1m

Legend		Distribution Structures (Electric)	
	Service Cable		Pole, Existing Location
	LV Mains		Pole Structure, Existing Location - Single
	2 - 11kV		Pole Structure, Existing Location - H
	66kV		Duct Route
	11kV		Cross Section Route
	22kV		
	33kV		
	66kV		
	132kV		
	275kV		
	400kV		
	Fibre Optic		
	Pipe Cable		


**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

Scale: 1:500 (When plotted at A4)



Warning: PDF designed for A4 colour print only with no page scaling

<p>0  20m</p>	<p>Dig Sites Area:  Line: </p>	<p>Extra High Voltage cables in vicinity</p>																																																																																		
<p>Date Requested: 24/06/2022 Job Reference: 25880986 Site Location: 447899 213853 Requested by: Mr Joe Shawyer Your Scheme/Reference: 31188_001</p>	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="4">Voltages (V)</th> </tr> </thead> <tbody> <tr> <td>LV (Low Voltage) and Services</td> <td colspan="3">Up to 1,000V</td> </tr> <tr> <td>HV (High Voltage)</td> <td colspan="3">Over 1,000V to 11,000V</td> </tr> <tr> <td>EHV (Extra High Voltage)</td> <td colspan="3">22,000V to 132,000V</td> </tr> <tr> <td>Transmission</td> <td colspan="3">275,000V and 400,000V</td> </tr> <tr> <th colspan="4">NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID</th> </tr> <tr> <td>Services</td> <td>LV</td> <td>HV</td> <td>EHV</td> </tr> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> <td>0.45m</td> <td>0.6m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>0.6m</td> <td>0.75m</td> </tr> <tr> <td>Agricultural</td> <td>1m</td> <td>1m</td> <td>1.1m</td> </tr> </tbody> </table>	Voltages (V)				LV (Low Voltage) and Services	Up to 1,000V			HV (High Voltage)	Over 1,000V to 11,000V			EHV (Extra High Voltage)	22,000V to 132,000V			Transmission	275,000V and 400,000V			NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				Services	LV	HV	EHV	Footpath/Unmade	0.45m	0.45m	0.6m	Road Crossing	0.6m	0.6m	0.75m	Agricultural	1m	1m	1.1m	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">Legend</th> </tr> </thead> <tbody> <tr> <td></td> <td>Service Cable</td> </tr> <tr> <td></td> <td>LV Mains</td> </tr> <tr> <td></td> <td>2 - 11kV</td> </tr> <tr> <td></td> <td>66kV</td> </tr> <tr> <td></td> <td>11kV</td> </tr> <tr> <td></td> <td>22kV</td> </tr> <tr> <td></td> <td>33kV</td> </tr> <tr> <td></td> <td>66kV</td> </tr> <tr> <td></td> <td>132kV</td> </tr> <tr> <td></td> <td>275kV</td> </tr> <tr> <td></td> <td>400kV</td> </tr> <tr> <td></td> <td>Fibre Optic</td> </tr> <tr> <td></td> <td>Pipe Cable</td> </tr> </tbody> </table>	Legend			Service Cable		LV Mains		2 - 11kV		66kV		11kV		22kV		33kV		66kV		132kV		275kV		400kV		Fibre Optic		Pipe Cable	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">Distribution Structures (Electric)</th> </tr> </thead> <tbody> <tr> <td></td> <td>Pole, Existing Location</td> </tr> <tr> <td></td> <td>Pole Structure, Existing Location - Single</td> </tr> <tr> <td></td> <td>Pole Structure, Existing Location - H</td> </tr> <tr> <td></td> <td>Duct Route</td> </tr> <tr> <td></td> <td>Cross Section Route</td> </tr> </tbody> </table>	Distribution Structures (Electric)			Pole, Existing Location		Pole Structure, Existing Location - Single		Pole Structure, Existing Location - H		Duct Route		Cross Section Route	<p><b>Southern Electric Power Distribution plc</b> Registered Office: No.1 Forbury Place 43 Forbury Road Reading RG1 3JH Registered In England &amp; Wales No.04094290</p> <p>If you're unsure &amp; need to seek advice before commencing excavations, please contact: General Enquiries: 0800 048 3516</p> <p>Subject to revision – Master held by SSEN Asset Data Team: <a href="mailto:Asset.Data@sse.com">Asset.Data@sse.com</a> 01256 337 294</p>
Voltages (V)																																																																																				
LV (Low Voltage) and Services	Up to 1,000V																																																																																			
HV (High Voltage)	Over 1,000V to 11,000V																																																																																			
EHV (Extra High Voltage)	22,000V to 132,000V																																																																																			
Transmission	275,000V and 400,000V																																																																																			
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID																																																																																				
Services	LV	HV	EHV																																																																																	
Footpath/Unmade	0.45m	0.45m	0.6m																																																																																	
Road Crossing	0.6m	0.6m	0.75m																																																																																	
Agricultural	1m	1m	1.1m																																																																																	
Legend																																																																																				
	Service Cable																																																																																			
	LV Mains																																																																																			
	2 - 11kV																																																																																			
	66kV																																																																																			
	11kV																																																																																			
	22kV																																																																																			
	33kV																																																																																			
	66kV																																																																																			
	132kV																																																																																			
	275kV																																																																																			
	400kV																																																																																			
	Fibre Optic																																																																																			
	Pipe Cable																																																																																			
Distribution Structures (Electric)																																																																																				
	Pole, Existing Location																																																																																			
	Pole Structure, Existing Location - Single																																																																																			
	Pole Structure, Existing Location - H																																																																																			
	Duct Route																																																																																			
	Cross Section Route																																																																																			
<p>Scale: 1:500 (When plotted at A4)</p>		<p><b>WARNING</b></p> <p>There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.</p> <p>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</p>																																																																																		

Warning: PDF designed for A4 colour print only with no page scaling

0  20m Dig Sites Area:  Line: 

**Extra High Voltage  
cables in vicinity**



Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m 0.8m
Road Crossing	0.6m	0.6m	0.75m 0.9m
Agricultural	1m	1m	1m 1.1m

Legend	Distribution Structures (Electric)
Service Cable	Pole, Existing Location
LV Mains	Pole Structure, Existing Location - Single
2 - 11kV	Pole Structure, Existing Location - H
66kV	Duct Route
11kV	Cross Section Route
22kV	
33kV	
66kV	
132kV	
275kV	
400kV	
Fibre Optic	
Pipit Cable	


**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

Scale: 1:500 (When plotted at A4)



Warning: PDF designed for A4 colour print only with no page scaling

<p>0  20m</p> <p>Date Requested: 24/06/2022          Job Reference: 25880986          Site Location: 447899 213853          Requested by: Mr Joe Shawyer          Your Scheme/Reference: 31188_001</p>	<p>Dig Sites Area:  Line: </p> <p style="text-align: center; background-color: red; color: white; padding: 5px;"><b>Extra High Voltage cables in vicinity</b></p>		<p style="text-align: center;"><b>Southern Electric Power Distribution plc</b>          Registered Office: No.1 Forbury Place          43 Forbury Road Reading RG1 3JH          Registered In England &amp; Wales No.04094290</p> <p>If you're unsure &amp; need to seek advice before commencing excavations, please contact:          General Enquiries: 0800 048 3516</p> <p>Subject to revision – Master held by SSEN Asset Data Team:  <a href="mailto:Asset.Data@sse.com">Asset.Data@sse.com</a>          01256 337 294</p>																																																																																				
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="4">Voltages (V)</th> </tr> </thead> <tbody> <tr> <td>LV (Low Voltage) and Services</td> <td colspan="3">Up to 1,000V</td> </tr> <tr> <td>HV (High Voltage)</td> <td colspan="3">Over 1,000V to 11,000V</td> </tr> <tr> <td>EHV (Extra High Voltage)</td> <td colspan="3">22,000V to 132,000V</td> </tr> <tr> <td>Transmission</td> <td colspan="3">275,000V and 400,000V</td> </tr> </tbody> </table> <table border="1" style="width: 100%; border-collapse: collapse; margin-top: 5px;"> <thead> <tr> <th colspan="5">NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID</th> </tr> <tr> <th>Services</th> <th>LV</th> <th>HV</th> <th>EHV</th> <th></th> </tr> </thead> <tbody> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> <td>0.45m</td> <td>0.6m</td> <td>0.8m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>0.6m</td> <td>0.75m</td> <td>0.9m</td> </tr> <tr> <td>Agricultural</td> <td>1m</td> <td>1m</td> <td>1m</td> <td>1.1m</td> </tr> </tbody> </table>		Voltages (V)				LV (Low Voltage) and Services	Up to 1,000V			HV (High Voltage)	Over 1,000V to 11,000V			EHV (Extra High Voltage)	22,000V to 132,000V			Transmission	275,000V and 400,000V			NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID					Services	LV	HV	EHV		Footpath/Unmade	0.45m	0.45m	0.6m	0.8m	Road Crossing	0.6m	0.6m	0.75m	0.9m	Agricultural	1m	1m	1m	1.1m	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">Legend</th> </tr> </thead> <tbody> <tr><td></td><td>Service Cable</td></tr> <tr><td></td><td>LV Mains</td></tr> <tr><td></td><td>2 – 11kV</td></tr> <tr><td></td><td>66kV</td></tr> <tr><td></td><td>11kV</td></tr> <tr><td></td><td>22kV</td></tr> <tr><td></td><td>33kV</td></tr> <tr><td></td><td>66kV</td></tr> <tr><td></td><td>132kV</td></tr> <tr><td></td><td>275kV</td></tr> <tr><td></td><td>400kV</td></tr> <tr><td></td><td>Fibre Optic</td></tr> <tr><td></td><td>Pipe Cable</td></tr> </tbody> </table> <table border="1" style="width: 100%; border-collapse: collapse; margin-top: 5px;"> <thead> <tr> <th colspan="2">Distribution Structures (Electric)</th> </tr> </thead> <tbody> <tr><td></td><td>Pole, Existing Location</td></tr> <tr><td></td><td>Pole Structure, Existing Location – Single</td></tr> <tr><td></td><td>Pole Structure, Existing Location – H</td></tr> <tr><td></td><td>Duct Route</td></tr> <tr><td></td><td>Cross Section Route</td></tr> </tbody> </table>	Legend			Service Cable		LV Mains		2 – 11kV		66kV		11kV		22kV		33kV		66kV		132kV		275kV		400kV		Fibre Optic		Pipe Cable	Distribution Structures (Electric)			Pole, Existing Location		Pole Structure, Existing Location – Single		Pole Structure, Existing Location – H		Duct Route		Cross Section Route
Voltages (V)																																																																																							
LV (Low Voltage) and Services	Up to 1,000V																																																																																						
HV (High Voltage)	Over 1,000V to 11,000V																																																																																						
EHV (Extra High Voltage)	22,000V to 132,000V																																																																																						
Transmission	275,000V and 400,000V																																																																																						
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID																																																																																							
Services	LV	HV	EHV																																																																																				
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m																																																																																			
Road Crossing	0.6m	0.6m	0.75m	0.9m																																																																																			
Agricultural	1m	1m	1m	1.1m																																																																																			
Legend																																																																																							
	Service Cable																																																																																						
	LV Mains																																																																																						
	2 – 11kV																																																																																						
	66kV																																																																																						
	11kV																																																																																						
	22kV																																																																																						
	33kV																																																																																						
	66kV																																																																																						
	132kV																																																																																						
	275kV																																																																																						
	400kV																																																																																						
	Fibre Optic																																																																																						
	Pipe Cable																																																																																						
Distribution Structures (Electric)																																																																																							
	Pole, Existing Location																																																																																						
	Pole Structure, Existing Location – Single																																																																																						
	Pole Structure, Existing Location – H																																																																																						
	Duct Route																																																																																						
	Cross Section Route																																																																																						
<p><b>Scale: 1:500 (When plotted at A4)</b></p> <p style="font-size: small; color: red;">There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.</p> <p style="font-size: x-small; color: red;">WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</p>		<p style="font-size: x-small; color: red;">WARNING</p> <p style="font-size: x-small;">BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.</p> <p style="font-size: x-small;">This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.</p> <p style="font-size: x-small;">Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.</p>																																																																																					

11kV 240x3C AI XLPE U/A

11kV 240x3C AI XLPE U/A

Warning: PDF designed for A4 colour print only with no page scaling

0 20m

Dig Sites


Area:



Line:



Extra High Voltage  
cables in vicinity



Date Requested: 24/06/2022  
Job Reference: 25880986  
Site Location: 447899 213853  
Requested by: Mr Joe Shawyer

Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m
Road Crossing	0.6m	0.6m	0.75m
Agricultural	1m	1m	1.1m

Legend	
	Service Cable
	LV Mains
	2 - 11kV
	66kV
	11kV
	22kV
	33kV
	66kV
	132kV
	275kV
	400kV
	Fibre Optic
	Pilot Cable

Distribution Structures (Electric)	
	Pole, Existing Location
	Pole Structure, Existing Location - Single
	Pole Structure, Existing Location - H
	Duct Route
	Cross Section Route


**Southern Electric Power Distribution plc**  
Registered Office: No.1 Forbury Place  
43 Forbury Road Reading RG1 3JH  
Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
01256 337 294

Scale: 1:500 (When plotted at A4)

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**



Warning: PDF designed for A4 colour print only with no page scaling



20m Dig Sites Area: Line:

**Extra High Voltage cables in vicinity**



Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m 0.8m
Road Crossing	0.6m	0.6m	0.75m 0.9m
Agricultural	1m	1m	1m 1.1m

Legend	
	Service Cable
	LV Mains
	2 - 11kV
	66kV
	11kV
	22kV
	33kV
	66kV
	132kV
	275kV
	400kV
	Fibre Optic
	Pipe Cable

Distribution Structures (Electric)	
	Pole, Existing Location
	Pole Structure, Existing Location - Single
	Pole Structure, Existing Location - H
	Duct Route
	Cross Section Route

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

Scale: 1:500 (When plotted at A4)

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**

Warning: PDF designed for A4 colour print only with no page scaling
















0  20m Dig Sites Area:  Line: 

**Extra High Voltage  
cables in vicinity**



Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m 0.8m
Road Crossing	0.6m	0.6m	0.75m 0.9m
Agricultural	1m	1m	1m 1.1m

Legend		Distribution Structures (Electric)	
	Service Cable		Pole, Existing Location
	LV Mains		Pole Structure, Existing Location - Single
	2 - 11kV		Pole Structure, Existing Location - H
	66kV		Duct Route
	11kV		Cross Section Route
	22kV		
	33kV		
	66kV		
	132kV		
	275kV		
	400kV		
	Fibre Optic		
	Pipe Cable		

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**


**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

Scale: 1:500 (When plotted at A4)





Warning: PDF designed for A4 colour print only with no page scaling



20m Dig Sites Area: Line:

**Extra High Voltage cables in vicinity**



Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m 0.8m
Road Crossing	0.6m	0.6m	0.75m 0.9m
Agricultural	1m	1m	1m 1.1m

Legend	
	Service Cable
	LV Mains
	2 - 11kV
	66kV
	11kV
	22kV
	33kV
	66kV
	132kV
	275kV
	400kV
	Fibre Optic
	Pipe Cable

Distribution Structures (Electric)	
	Pole, Existing Location
	Pole Structure, Existing Location - Single
	Pole Structure, Existing Location - H
	Duct Route
	Cross Section Route


**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

Scale: 1:500 (When plotted at A4)


**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**



Warning: PDF designed for A4 colour print only with no page scaling

<p>0  20m</p> <p>Date Requested: 24/06/2022          Job Reference: 25880986          Site Location: 447899 213853          Requested by: Mr Joe Shawyer          Your Scheme/Reference: 31188_001</p>	<p>Dig Sites:  Area:  Line: </p> <p style="text-align: center; background-color: red; color: white; padding: 5px;"><b>Extra High Voltage cables in vicinity</b></p>	<p> </p> <p style="text-align: center;"><b>Southern Electric Power Distribution plc</b>          Registered Office: No.1 Forbury Place          43 Forbury Road Reading RG1 3JH          Registered In England &amp; Wales No.04094290</p> <p style="font-size: small;">If you're unsure &amp; need to seek advice before commencing excavations, please contact:          General Enquiries: 0800 048 3516</p> <p style="font-size: small;">Subject to revision – Master held by SSE Asset Data Team:  <a href="mailto:Asset.Data@sse.com">Asset.Data@sse.com</a>          01256 337 294</p>																																																																																
<p>Scale: 1:500 (When plotted at A4)</p>	<table border="1" style="width: 100%; border-collapse: collapse; font-size: x-small;"> <tr> <th colspan="4">Voltages (V)</th> </tr> <tr> <td>LV (Low Voltage) and Services</td> <td colspan="3">Up to 1,000V</td> </tr> <tr> <td>HV (High Voltage)</td> <td colspan="3">Over 1,000V to 11,000V</td> </tr> <tr> <td>EHV (Extra High Voltage)</td> <td colspan="3">22,000V to 132,000V</td> </tr> <tr> <td>Transmission</td> <td colspan="3">275,000V and 400,000V</td> </tr> <tr> <th colspan="4">NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID</th> </tr> <tr> <td>Services</td> <td>LV</td> <td>HV</td> <td>EHV</td> </tr> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> <td>0.45m</td> <td>0.6m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>0.6m</td> <td>0.75m</td> </tr> <tr> <td>Agricultural</td> <td>1m</td> <td>1m</td> <td>1.1m</td> </tr> </table> <p style="font-size: x-small; color: red; text-align: center;"><b>WARNING</b>          There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.  <b>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G66 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</b></p>	Voltages (V)				LV (Low Voltage) and Services	Up to 1,000V			HV (High Voltage)	Over 1,000V to 11,000V			EHV (Extra High Voltage)	22,000V to 132,000V			Transmission	275,000V and 400,000V			NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				Services	LV	HV	EHV	Footpath/Unmade	0.45m	0.45m	0.6m	Road Crossing	0.6m	0.6m	0.75m	Agricultural	1m	1m	1.1m	<table border="1" style="width: 100%; border-collapse: collapse; font-size: x-small;"> <tr> <th colspan="2">Legend</th> </tr> <tr> <td></td> <td>Service Cable</td> </tr> <tr> <td></td> <td>LV Mains</td> </tr> <tr> <td></td> <td>2 – 11kV</td> </tr> <tr> <td></td> <td>66kV</td> </tr> <tr> <td></td> <td>11kV</td> </tr> <tr> <td></td> <td>22kV</td> </tr> <tr> <td></td> <td>33kV</td> </tr> <tr> <td></td> <td>66kV</td> </tr> <tr> <td></td> <td>132kV</td> </tr> <tr> <td></td> <td>275kV</td> </tr> <tr> <td></td> <td>400kV</td> </tr> <tr> <td></td> <td>Fibre Optic</td> </tr> <tr> <td></td> <td>Pipe Cable</td> </tr> </table> <table border="1" style="width: 100%; border-collapse: collapse; font-size: x-small;"> <tr> <th colspan="2">Distribution Structures (Electric)</th> </tr> <tr> <td></td> <td>Pole, Existing Location</td> </tr> <tr> <td></td> <td>Pole Structure, Existing Location – Single</td> </tr> <tr> <td></td> <td>Pole Structure, Existing Location – H</td> </tr> <tr> <td></td> <td>Duct Route</td> </tr> <tr> <td></td> <td>Cross Section Route</td> </tr> </table>	Legend			Service Cable		LV Mains		2 – 11kV		66kV		11kV		22kV		33kV		66kV		132kV		275kV		400kV		Fibre Optic		Pipe Cable	Distribution Structures (Electric)			Pole, Existing Location		Pole Structure, Existing Location – Single		Pole Structure, Existing Location – H		Duct Route		Cross Section Route
Voltages (V)																																																																																		
LV (Low Voltage) and Services	Up to 1,000V																																																																																	
HV (High Voltage)	Over 1,000V to 11,000V																																																																																	
EHV (Extra High Voltage)	22,000V to 132,000V																																																																																	
Transmission	275,000V and 400,000V																																																																																	
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID																																																																																		
Services	LV	HV	EHV																																																																															
Footpath/Unmade	0.45m	0.45m	0.6m																																																																															
Road Crossing	0.6m	0.6m	0.75m																																																																															
Agricultural	1m	1m	1.1m																																																																															
Legend																																																																																		
	Service Cable																																																																																	
	LV Mains																																																																																	
	2 – 11kV																																																																																	
	66kV																																																																																	
	11kV																																																																																	
	22kV																																																																																	
	33kV																																																																																	
	66kV																																																																																	
	132kV																																																																																	
	275kV																																																																																	
	400kV																																																																																	
	Fibre Optic																																																																																	
	Pipe Cable																																																																																	
Distribution Structures (Electric)																																																																																		
	Pole, Existing Location																																																																																	
	Pole Structure, Existing Location – Single																																																																																	
	Pole Structure, Existing Location – H																																																																																	
	Duct Route																																																																																	
	Cross Section Route																																																																																	

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF HM STATIONERY OFFICE CROWN COPYRIGHT RESERVED.  
 This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.  
 Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.



Warning: PDF designed for A4 colour print only with no page scaling

0 20m

Dig Sites

Area:

Line:

Extra High Voltage cables in vicinity



Date Requested: 24/06/2022  
Job Reference: 25880986  
Site Location: 447899 213853  
Requested by: Mr Joe Shawyer  
Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m 0.8m
Road Crossing	0.6m	0.6m	0.75m 0.9m
Agricultural	1m	1m	1m 1.1m

Legend		Distribution Structures (Electric)	
	Service Cable		Pole, Existing Location
	LV Mains		Pole Structure, Existing Location - Single
	2 - 11kV		Pole Structure, Existing Location - H
	66kV		Duct Route
	11kV		Cross Section Route
	22kV		
	33kV		
	66kV		
	132kV		
	275kV		
	400kV		
	Fibre Optic		
	Pipe Cable		


**WARNING**  
There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

**Southern Electric Power Distribution plc**  
Registered Office: No.1 Forbury Place  
43 Forbury Road Reading RG1 3JH  
Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
General Enquiries: 0800 048 3516


Subject to revision – Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
01256 337 294

Scale: 1:500 (When plotted at A4)




Warning: PDF designed for A4 colour print only with no page scaling

<p>0  20m Dig Sites Area:  Line: </p>	<p><b>Extra High Voltage cables in vicinity</b></p>																																									
<p>Date Requested: 24/06/2022          Job Reference: 25880986          Site Location: 447899 213853          Requested by: Mr Joe Shawyer          Your Scheme/Reference: 31188_001</p>		<table border="1"> <thead> <tr> <th colspan="4">Voltages (V)</th> </tr> </thead> <tbody> <tr> <td>LV (Low Voltage) and Services</td> <td colspan="3">Up to 1,000V</td> </tr> <tr> <td>HV (High Voltage)</td> <td colspan="3">Over 1,000V to 11,000V</td> </tr> <tr> <td>EHV (Extra High Voltage)</td> <td colspan="3">22,000V to 132,000V</td> </tr> <tr> <td>Transmission</td> <td colspan="3">275,000V and 400,000V</td> </tr> <tr> <th colspan="4">NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID</th> </tr> <tr> <th>Services</th> <th>LV</th> <th>HV</th> <th>EHV</th> </tr> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> <td>0.45m</td> <td>0.6m 0.8m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>0.6m</td> <td>0.75m 0.9m</td> </tr> <tr> <td>Agricultural</td> <td>1m</td> <td>1m</td> <td>1m 1.1m</td> </tr> </tbody> </table> <p><b>Legend</b></p> <ul style="list-style-type: none"> <li>Service Cable</li> <li>LV Mains</li> <li>2 - 11kV</li> <li>66kV</li> <li>11kV</li> <li>22kV</li> <li>33kV</li> <li>66kV</li> <li>132kV</li> <li>275kV</li> <li>400kV</li> <li>Fibre Optic</li> <li>Pipe Cable</li> </ul> <p><b>Distribution Structures (Electric)</b></p> <ul style="list-style-type: none"> <li>Pole, Existing Location</li> <li>Pole Structure, Existing Location - Single</li> <li>Pole Structure, Existing Location - H</li> <li>Duct Route</li> <li>Cross Section Route</li> </ul> <p><b>WARNING</b></p> <p>There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.</p> <p><b>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</b></p>	Voltages (V)				LV (Low Voltage) and Services	Up to 1,000V			HV (High Voltage)	Over 1,000V to 11,000V			EHV (Extra High Voltage)	22,000V to 132,000V			Transmission	275,000V and 400,000V			NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				Services	LV	HV	EHV	Footpath/Unmade	0.45m	0.45m	0.6m 0.8m	Road Crossing	0.6m	0.6m	0.75m 0.9m	Agricultural	1m	1m	1m 1.1m
Voltages (V)																																										
LV (Low Voltage) and Services	Up to 1,000V																																									
HV (High Voltage)	Over 1,000V to 11,000V																																									
EHV (Extra High Voltage)	22,000V to 132,000V																																									
Transmission	275,000V and 400,000V																																									
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID																																										
Services	LV	HV	EHV																																							
Footpath/Unmade	0.45m	0.45m	0.6m 0.8m																																							
Road Crossing	0.6m	0.6m	0.75m 0.9m																																							
Agricultural	1m	1m	1m 1.1m																																							
<p>BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF HM STATIONERY OFFICE CROWN COPYRIGHT RESERVED.          This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.          Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.</p>																																										



Warning: PDF designed for A4 colour print only with no page scaling

<p>0  20m</p> <p>Date Requested: 24/06/2022          Job Reference: 25880986          Site Location: 447899 213853          Requested by: Mr Joe Shawyer          Your Scheme/Reference: 31188_001</p>	<p>Dig Sites Area:  Line: </p> <p style="text-align: center; background-color: red; color: white; padding: 5px;"><b>Extra High Voltage cables in vicinity</b></p>	<p style="text-align: center;"></p> <p style="text-align: center;"></p>	<p style="text-align: center;"><b>Southern Electric Power Distribution plc</b>          Registered Office: No.1 Forbury Place          43 Forbury Road Reading RG1 3JH          Registered In England &amp; Wales No.04094290</p> <p style="font-size: small;">If you're unsure &amp; need to seek advice before commencing excavations, please contact:          General Enquiries: 0800 048 3516</p> <p style="font-size: small;">Subject to revision – Master held by SSEN Asset Data Team:  <a href="mailto:Asset.Data@sse.com">Asset.Data@sse.com</a>          01256 337 294</p>																																							
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="4" style="text-align: center;">Voltages (V)</th> </tr> </thead> <tbody> <tr> <td>LV (Low Voltage) and Services</td> <td colspan="3">Up to 1,000V</td> </tr> <tr> <td>HV (High Voltage)</td> <td colspan="3">Over 1,000V to 11,000V</td> </tr> <tr> <td>EHV (Extra High Voltage)</td> <td colspan="3">22,000V to 132,000V</td> </tr> <tr> <td>Transmission</td> <td colspan="3">275,000V and 400,000V</td> </tr> <tr> <th colspan="4" style="text-align: center;">NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID</th> </tr> <tr> <th>Services</th> <th>LV</th> <th>HV</th> <th>EHV</th> </tr> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> <td>0.45m</td> <td>0.6m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>0.6m</td> <td>0.75m</td> </tr> <tr> <td>Agricultural</td> <td>1m</td> <td>1m</td> <td>1.1m</td> </tr> </tbody> </table>		Voltages (V)				LV (Low Voltage) and Services	Up to 1,000V			HV (High Voltage)	Over 1,000V to 11,000V			EHV (Extra High Voltage)	22,000V to 132,000V			Transmission	275,000V and 400,000V			NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				Services	LV	HV	EHV	Footpath/Unmade	0.45m	0.45m	0.6m	Road Crossing	0.6m	0.6m	0.75m	Agricultural	1m	1m	1.1m	<p style="font-size: small;"><b>Legend</b></p> <ul style="list-style-type: none"> <li> Service Cable</li> <li> LV Mains</li> <li> 2 – 11kV</li> <li> 66kV</li> <li> 11kV</li> <li> 22kV</li> <li> 33kV</li> <li> 66kV</li> <li> 132kV</li> <li> 275kV</li> <li> 400kV</li> <li> Fibre Optic</li> <li> Pilot Cable</li> </ul> <p style="font-size: small;"><b>Distribution Structures (Electric)</b></p> <ul style="list-style-type: none"> <li> Pole, Existing Location</li> <li> Pole Structure, Existing Location - Single</li> <li> Pole Structure, Existing Location - H</li> <li> Duct Route</li> <li> Cross Section Route</li> </ul> <p style="font-size: x-small; text-align: center;"><b>WARNING</b>          There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.  <b>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</b></p>
Voltages (V)																																										
LV (Low Voltage) and Services	Up to 1,000V																																									
HV (High Voltage)	Over 1,000V to 11,000V																																									
EHV (Extra High Voltage)	22,000V to 132,000V																																									
Transmission	275,000V and 400,000V																																									
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID																																										
Services	LV	HV	EHV																																							
Footpath/Unmade	0.45m	0.45m	0.6m																																							
Road Crossing	0.6m	0.6m	0.75m																																							
Agricultural	1m	1m	1.1m																																							
<p>BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF HM STATIONERY OFFICE CROWN COPYRIGHT RESERVED.          This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.          Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.</p>																																										



92

Warning: PDF designed for A4 colour print only with no page scaling

<p>0  20m</p> <p>Date Requested: 24/06/2022          Job Reference: 25880986          Site Location: 447899 213853          Requested by: Mr Joe Shawyer          Your Scheme/Reference: 31188_001</p>	<p>Dig Sites Area:  Line: </p> <p style="text-align: center; background-color: red; color: white; padding: 5px;"><b>Extra High Voltage cables in vicinity</b></p>			 																																																
<p>Scale: 1:500 (When plotted at A4)</p>	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="5">Voltages (V)</th> </tr> </thead> <tbody> <tr> <td>LV (Low Voltage) and Services</td> <td colspan="4">Up to 1,000V</td> </tr> <tr> <td>HV (High Voltage)</td> <td colspan="4">Over 1,000V to 11,000V</td> </tr> <tr> <td>EHV (Extra High Voltage)</td> <td colspan="4">22,000V to 132,000V</td> </tr> <tr> <td>Transmission</td> <td colspan="4">275,000V and 400,000V</td> </tr> <tr> <th colspan="5">NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID</th> </tr> <tr> <td>Services</td> <td>LV</td> <td>HV</td> <td colspan="2">EHV</td> </tr> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> <td>0.45m</td> <td>0.6m</td> <td>0.8m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>0.6m</td> <td>0.75m</td> <td>0.9m</td> </tr> <tr> <td>Agricultural</td> <td>1m</td> <td>1m</td> <td>1m</td> <td>1.1m</td> </tr> </tbody> </table> <p style="font-size: small; text-align: center;"> <b>WARNING</b>              There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.  <b>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</b> </p>	Voltages (V)					LV (Low Voltage) and Services	Up to 1,000V				HV (High Voltage)	Over 1,000V to 11,000V				EHV (Extra High Voltage)	22,000V to 132,000V				Transmission	275,000V and 400,000V				NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID					Services	LV	HV	EHV		Footpath/Unmade	0.45m	0.45m	0.6m	0.8m	Road Crossing	0.6m	0.6m	0.75m	0.9m	Agricultural	1m	1m	1m	1.1m	<p style="text-align: center;"><b>Southern Electric Power Distribution plc</b>              Registered Office: No.1 Forbury Place              43 Forbury Road Reading RG1 3JH              Registered In England &amp; Wales No.04094290</p> <p style="font-size: small;">             If you're unsure &amp; need to seek advice before commencing excavations, please contact:              General Enquiries: 0800 048 3516           </p> <p style="font-size: small;">             Subject to revision – Master held by SSEN Asset Data Team:  <a href="mailto:Asset.Data@sse.com">Asset.Data@sse.com</a>              01256 337 294           </p>
Voltages (V)																																																				
LV (Low Voltage) and Services	Up to 1,000V																																																			
HV (High Voltage)	Over 1,000V to 11,000V																																																			
EHV (Extra High Voltage)	22,000V to 132,000V																																																			
Transmission	275,000V and 400,000V																																																			
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID																																																				
Services	LV	HV	EHV																																																	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m																																																
Road Crossing	0.6m	0.6m	0.75m	0.9m																																																
Agricultural	1m	1m	1m	1.1m																																																

Warning: PDF designed for A4 colour print only with no page scaling

0  20m Dig Sites Area:  Line: 

**Extra High Voltage  
cables in vicinity**



Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m 0.8m
Road Crossing	0.6m	0.6m	0.75m 0.9m
Agricultural	1m	1m	1m 1.1m

Legend	Distribution Structures (Electric)
Service Cable	Pole, Existing Location
LV Mains	Pole Structure, Existing Location - Single
2 - 11kV	Pole Structure, Existing Location - H
66kV	Duct Route
11kV	Cross Section Route
22kV	
33kV	
66kV	
132kV	
275kV	
400kV	
Fibre Optic	
Pipit Cable	

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

Scale: 1:500 (When plotted at A4)

Warning: PDF designed for A4 colour print only with no page scaling

0  20m Dig Sites Area:  Line: 

**Extra High Voltage  
cables in vicinity**



Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m 0.8m
Road Crossing	0.6m	0.6m	0.75m 0.9m
Agricultural	1m	1m	1m 1.1m

**Legend**

- Service Cable
- LV Mains
- 2 - 11kV
- 66kV
- 11kV
- 22kV
- 33kV
- 66kV
- 132kV
- 275kV
- 400kV
- Fibre Optic
- Pipit Cable

**Distribution Structures (Electric)**

- Pole, Existing Location
- Pole Structure, Existing Location - Single
- Pole Structure, Existing Location - H
- Duct Route
- Cross Section Route

WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

Scale: 1:500 (When plotted at A4)



95

Warning: PDF designed for A4 colour print only with no page scaling

0  20m Dig Sites Area:  Line: 






**Extra High Voltage  
cables in vicinity**








Date Requested: 24/06/2022  
Job Reference: 25880986  
Site Location: 447899 213853  
Requested by: Mr Joe Shawyer

Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m 0.8m
Road Crossing	0.6m	0.6m	0.75m 0.9m
Agricultural	1m	1m	1m 1.1m

Legend	
	Service Cable
	LV Mains
	2 - 11kV
	66kV
	11kV
	22kV
	33kV
	66kV
	132kV
	275kV
	400kV
	Fibre Optic
	Pipe Cable

Distribution Structures (Electric)	
	Pole, Existing Location
	Pole Structure, Existing Location - Single
	Pole Structure, Existing Location - H
	Duct Route
	Cross Section Route

**WARNING**

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**

**Southern Electric Power Distribution plc**  
Registered Office: No.1 Forbury Place  
43 Forbury Road Reading RG1 3JH  
Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
01256 337 294

Scale: 1:500 (When plotted at A4)

Warning: PDF designed for A4 colour print only with no page scaling

0  20m Dig Sites Area:  Line: 

**Extra High Voltage  
cables in vicinity**



Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m 0.8m
Road Crossing	0.6m	0.6m	0.75m 0.9m
Agricultural	1m	1m	1m 1.1m

Legend	Distribution Structures (Electric)
Service Cable	Pole, Existing Location
LV Mains	Pole Structure, Existing Location - Single
2 - 11kV	Pole Structure, Existing Location - H
66kV	Duct Route
11kV	Cross Section Route
22kV	
33kV	
66kV	
132kV	
275kV	
400kV	
Fibre Optic	
Pipit Cable	


**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

Scale: 1:500 (When plotted at A4)



Warning: PDF designed for A4 colour print only with no page scaling

0 20m

Dig Sites Area: Line:

**Extra High Voltage cables in vicinity**



Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m 0.8m
Road Crossing	0.6m	0.6m	0.75m 0.9m
Agricultural	1m	1m	1m 1.1m

Legend	
	Service Cable
	LV Mains
	2 - 11kV
	66kV
	11kV
	22kV
	33kV
	66kV
	132kV
	275kV
	400kV
	Fibre Optic
	Pipe Cable

Distribution Structures (Electric)	
	Pole, Existing Location
	Pole Structure, Existing Location - Single
	Pole Structure, Existing Location - H
	Duct Route
	Cross Section Route


**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

Scale: 1:500 (When plotted at A4)



Warning: PDF designed for A4 colour print only with no page scaling

20m Dig Sites Area: Line:

Extra High Voltage cables in vicinity

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

**Legend**

- Service Cable
- LV Mains
- 2 - 11kV
- 66kV
- 110kV
- 220kV
- 330kV
- 660kV
- 132kV
- 275kV
- 400kV
- Fibre Optic
- Pipit Cable

**Distribution Structures (Electric)**

- Pole, Existing Location
- Pole Structure, Existing Location - Single
- Pole Structure, Existing Location - H
- New Structure, Existing Location - H
- Duct Route
- Cross Section Route

**WARNING**

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Southern Electric Power Distribution plc

Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

Scale: 1:500 (When plotted at A4)

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF HM STATIONERY OFFICE CROWN COPYRIGHT RESERVED.  
 This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.  
 Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.

Begbroke Science Park

99

Centre For  
Innovation &  
Enterprise

Warning: PDF designed for A4 colour print only with no page scaling

0 20m Dig Sites Area: Line:

Extra High Voltage  
cables in vicinity



Date Requested: 24/06/2022  
Job Reference: 25880986  
Site Location: 447899 213853  
Requested by: Mr Joe Shawyer

Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m 0.8m
Road Crossing	0.6m	0.6m	0.75m 0.9m
Agricultural	1m	1m	1m 1.1m

Legend	
	Service Cable
	LV Mains
	2 - 11kV
	66kV
	110kV
	220kV
	330kV
	660kV
	1320kV
	275kV
	400kV
	Fibre Optic
	Pilot Cable

Distribution Structures (Electric)	
	Pole, Existing Location
	Pole Structure, Existing Location - Single
	Pole Structure, Existing Location - H
	Duct Route
	Cross Section Route


**Southern Electric Power Distribution plc**  
Registered Office: No.1 Forbury Place  
43 Forbury Road Reading RG1 3JH  
Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
01256 337 294

Scale: 1:500 (When plotted at A4)

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**



Warning: PDF designed for A4 colour print only with no page scaling



20m Dig Sites Area: Line:

**Extra High Voltage cables in vicinity**



Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

Legend	
	Service Cable
	LV Mains
	6.6kV
	11kV
	22kV
	33kV
	66kV
	132kV
	275kV
	400kV
	Fibre Optic
	Pilot Cable

Distribution Structures (Electric)	
	Pole, Existing Location
	Pole Structure, Existing Location - Single
	Pole Structure, Existing Location - H
	Duct Route
	Cross Section Route

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

Scale: 1:500 (When plotted at A4)

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**

Path (um)

11kV 50x2w BLX

101

Warning: PDF designed for A4 colour print only with no page scaling

0 20m

Dig Sites

Area:



Line:



Extra High Voltage  
cables in vicinity



Date Requested: 24/06/2022  
Job Reference: 25880986  
Site Location: 447899 213853  
Requested by: Mr Joe Shawyer

Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m 0.8m
Road Crossing	0.6m	0.6m	0.75m 0.9m
Agricultural	1m	1m	1m 1.1m

Legend	
	Service Cable
	LV Mains
	2 - 11kV
	66kV
	11kV
	22kV
	33kV
	66kV
	132kV
	275kV
	400kV
	Fibre Optic
	Pipe Cable

Distribution Structures (Electric)	
	Pole, Existing Location
	Pole Structure, Existing Location - Single
	Pole Structure, Existing Location - H
	Duct Route
	Cross Section Route

**Southern Electric Power Distribution plc**  
Registered Office: No.1 Forbury Place  
43 Forbury Road Reading RG1 3JH  
Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
01256 337 294


Scale: 1:500 (When plotted at A4)

**WARNING**  
There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**

102

Warning: PDF designed for A4 colour print only with no page scaling

0  20m

Dig Sites Area: 

Line: 


**Extra High Voltage  
cables in vicinity**



Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer

Your Scheme/Reference: 31188\_001

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

Legend	
	Service Cable
	LV Mains
	2 - 11kV
	66kV
	11kV
	22kV
	33kV
	66kV
	132kV
	275kV
	400kV
	Fibre Optic
	Pipe Cable

Distribution Structures (Electric)	
	Pole, Existing Location
	Pole Structure, Existing Location - Single
	Pole Structure, Existing Location - H
	Duct Route
	Cross Section Route

**WARNING**

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)


**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516




Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

Scale: 1:500 (When plotted at A4)






Warning: PDF designed for A4 colour print only with no page scaling

<p>0  20m</p> <p>Date Requested: 24/06/2022          Job Reference: 25880986          Site Location: 447899 213853          Requested by: Mr Joe Shawyer          Your Scheme/Reference: 31188_001</p>	<p>Dig Sites Area:  Line: </p> <p><b>Extra High Voltage cables in vicinity</b></p>		 																																												
<p>Scale: 1:500 (When plotted at A4)</p>	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="4">Voltages (V)</th> </tr> </thead> <tbody> <tr> <td>LV (Low Voltage) and Services</td> <td colspan="3">Up to 1,000V</td> </tr> <tr> <td>HV (High Voltage)</td> <td colspan="3">Over 1,000V to 11,000V</td> </tr> <tr> <td>EHV (Extra High Voltage)</td> <td colspan="3">22,000V to 132,000V</td> </tr> <tr> <td>Transmission</td> <td colspan="3">275,000V and 400,000V</td> </tr> </tbody> </table> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="5">NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID</th> </tr> <tr> <th>Services</th> <th>LV</th> <th>HV</th> <th colspan="2">EHV</th> </tr> </thead> <tbody> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> <td>0.45m</td> <td>0.6m</td> <td>0.8m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>0.6m</td> <td>0.75m</td> <td>0.9m</td> </tr> <tr> <td>Agricultural</td> <td>1m</td> <td>1m</td> <td>1m</td> <td>1.1m</td> </tr> </tbody> </table> <p><b>WARNING</b>          There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.  <b>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</b></p>	Voltages (V)				LV (Low Voltage) and Services	Up to 1,000V			HV (High Voltage)	Over 1,000V to 11,000V			EHV (Extra High Voltage)	22,000V to 132,000V			Transmission	275,000V and 400,000V			NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID					Services	LV	HV	EHV		Footpath/Unmade	0.45m	0.45m	0.6m	0.8m	Road Crossing	0.6m	0.6m	0.75m	0.9m	Agricultural	1m	1m	1m	1.1m	<p><b>Southern Electric Power Distribution plc</b>          Registered Office: No.1 Forbury Place          43 Forbury Road Reading RG1 3JH          Registered In England &amp; Wales No.04094290</p> <p>If you're unsure &amp; need to seek advice before commencing excavations, please contact:          General Enquiries: 0800 048 3516</p> <p>Subject to revision – Master held by SSEN Asset Data Team:  <a href="mailto:Asset.Data@sse.com">Asset.Data@sse.com</a>          01256 337 294</p>
Voltages (V)																																															
LV (Low Voltage) and Services	Up to 1,000V																																														
HV (High Voltage)	Over 1,000V to 11,000V																																														
EHV (Extra High Voltage)	22,000V to 132,000V																																														
Transmission	275,000V and 400,000V																																														
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID																																															
Services	LV	HV	EHV																																												
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m																																											
Road Crossing	0.6m	0.6m	0.75m	0.9m																																											
Agricultural	1m	1m	1m	1.1m																																											

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF HM STATIONERY OFFICE CROWN COPYRIGHT RESERVED.  
 This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.  
 Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeyouDig.



Warning: PDF designed for A4 colour print only with no page scaling



20m Dig Sites Area: Line:

**Extra High Voltage cables in vicinity**



Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

**Legend**

- Service Cable
- LV Mains
- 2 - 11kV
- 6kV
- 11kV
- 22kV
- 33kV
- 66kV
- 132kV
- 275kV
- 400kV
- Fibre Optic
- Pipe Cable

**Distribution Structures (Electric)**

- Pole, Existing Location
- Pole Structure, Existing Location - Single
- Pole Structure, Existing Location - H
- Duct Route
- Cross Section Route

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**


**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

Scale: 1:500 (When plotted at A4)

105



Warning: PDF designed for A4 colour print only with no page scaling



20m Dig Sites Area: Line:

**Extra High Voltage cables in vicinity**



Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m 0.8m
Road Crossing	0.6m	0.6m	0.75m 0.9m
Agricultural	1m	1m	1m 1.1m

Legend	
	Service Cable
	LV Mains
	2 - 11kV
	66kV
	11kV
	22kV
	33kV
	66kV
	132kV
	275kV
	400kV
	Fibre Optic
	Pipe Cable

Distribution Structures (Electric)	
	Pole, Existing Location
	Pole Structure, Existing Location - Single
	Pole Structure, Existing Location - H
	Duct Route
	Cross Section Route


**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

Scale: 1:500 (When plotted at A4)


**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**



Warning: PDF designed for A4 colour print only with no page scaling

<p>0  20m</p> <p>Date Requested: 24/06/2022          Job Reference: 25880986          Site Location: 447899 213853          Requested by: Mr Joe Shawyer          Your Scheme/Reference: 31188_001</p>	<p>Dig Sites Area:  Line: </p> <p style="text-align: center; background-color: red; color: white; padding: 5px;"><b>Extra High Voltage cables in vicinity</b></p>	<p> </p> <p style="text-align: center;"><b>Southern Electric Power Distribution plc</b>          Registered Office: No.1 Forbury Place          43 Forbury Road Reading RG1 3JH          Registered In England &amp; Wales No.04094290</p> <p style="font-size: small;">If you're unsure &amp; need to seek advice before commencing excavations, please contact:          General Enquiries: 0800 048 3516</p> <p style="font-size: small;">Subject to revision – Master held by SSEN Asset Data Team:  <a href="mailto:Asset.Data@sse.com">Asset.Data@sse.com</a>          01256 337 294</p>																																																																																																
<p>Scale: 1:500 (When plotted at A4)</p>	<table border="1" style="width: 100%; border-collapse: collapse; font-size: x-small;"> <thead> <tr> <th colspan="4">Voltages (V)</th> </tr> </thead> <tbody> <tr> <td>LV (Low Voltage) and Services</td> <td colspan="3">Up to 1,000V</td> </tr> <tr> <td>HV (High Voltage)</td> <td colspan="3">Over 1,000V to 11,000V</td> </tr> <tr> <td>EHV (Extra High Voltage)</td> <td colspan="3">22,000V to 132,000V</td> </tr> <tr> <td>Transmission</td> <td colspan="3">275,000V and 400,000V</td> </tr> <tr> <th colspan="4">NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID</th> </tr> <tr> <td>Services</td> <td>LV</td> <td>HV</td> <td>EHV</td> </tr> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> <td>0.45m</td> <td>0.6m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>0.6m</td> <td>0.75m</td> </tr> <tr> <td>Agricultural</td> <td>1m</td> <td>1m</td> <td>1.1m</td> </tr> </tbody> </table> <p style="font-size: x-small; text-align: center;"><b>WARNING</b>          There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.  <b>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</b></p>	Voltages (V)				LV (Low Voltage) and Services	Up to 1,000V			HV (High Voltage)	Over 1,000V to 11,000V			EHV (Extra High Voltage)	22,000V to 132,000V			Transmission	275,000V and 400,000V			NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				Services	LV	HV	EHV	Footpath/Unmade	0.45m	0.45m	0.6m	Road Crossing	0.6m	0.6m	0.75m	Agricultural	1m	1m	1.1m	<table border="1" style="width: 100%; border-collapse: collapse; font-size: x-small;"> <thead> <tr> <th colspan="2">Legend</th> <th colspan="2">Distribution Structures (Electric)</th> </tr> </thead> <tbody> <tr> <td></td> <td>Service Cable</td> <td></td> <td>Pole, Existing Location</td> </tr> <tr> <td></td> <td>LV Mains</td> <td></td> <td>Pole Structure, Existing Location - Single</td> </tr> <tr> <td></td> <td>2 - 8.3kV</td> <td></td> <td>Pole Structure, Existing Location - H</td> </tr> <tr> <td></td> <td>6.6kV</td> <td></td> <td>Duct Route</td> </tr> <tr> <td></td> <td>11kV</td> <td></td> <td>Cross Section Route</td> </tr> <tr> <td></td> <td>22kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>33kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>66kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>132kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>275kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>400kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>Fibre Optic</td> <td></td> <td></td> </tr> <tr> <td></td> <td>Pipe Cable</td> <td></td> <td></td> </tr> </tbody> </table>	Legend		Distribution Structures (Electric)			Service Cable		Pole, Existing Location		LV Mains		Pole Structure, Existing Location - Single		2 - 8.3kV		Pole Structure, Existing Location - H		6.6kV		Duct Route		11kV		Cross Section Route		22kV				33kV				66kV				132kV				275kV				400kV				Fibre Optic				Pipe Cable		
Voltages (V)																																																																																																		
LV (Low Voltage) and Services	Up to 1,000V																																																																																																	
HV (High Voltage)	Over 1,000V to 11,000V																																																																																																	
EHV (Extra High Voltage)	22,000V to 132,000V																																																																																																	
Transmission	275,000V and 400,000V																																																																																																	
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID																																																																																																		
Services	LV	HV	EHV																																																																																															
Footpath/Unmade	0.45m	0.45m	0.6m																																																																																															
Road Crossing	0.6m	0.6m	0.75m																																																																																															
Agricultural	1m	1m	1.1m																																																																																															
Legend		Distribution Structures (Electric)																																																																																																
	Service Cable		Pole, Existing Location																																																																																															
	LV Mains		Pole Structure, Existing Location - Single																																																																																															
	2 - 8.3kV		Pole Structure, Existing Location - H																																																																																															
	6.6kV		Duct Route																																																																																															
	11kV		Cross Section Route																																																																																															
	22kV																																																																																																	
	33kV																																																																																																	
	66kV																																																																																																	
	132kV																																																																																																	
	275kV																																																																																																	
	400kV																																																																																																	
	Fibre Optic																																																																																																	
	Pipe Cable																																																																																																	

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF HM STATIONERY OFFICE CROWN COPYRIGHT RESERVED.  
 This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.  
 Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.



Warning: PDF designed for A4 colour print only with no page scaling



Area:  Line: 

**Extra High Voltage cables in vicinity**



Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m 0.8m
Road Crossing	0.6m	0.6m	0.75m 0.9m
Agricultural	1m	1m	1m 1.1m

Legend	
	Service Cable
	LV Mains
	2 - 11kV
	66kV
	11kV
	22kV
	33kV
	66kV
	132kV
	275kV
	400kV
	Fibre Optic
	Pipe Cable

Distribution Structures (Electric)	
	Pole, Existing Location
	Pole Structure, Existing Location - Single
	Pole Structure, Existing Location - H
	Duct Route
	Cross Section Route


**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294


Scale: 1:500 (When plotted at A4)

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.  
**WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)**



Warning: PDF designed for A4 colour print only with no page scaling


<p>0  20m Dig Sites Area:  Line:  <b>Extra High Voltage cables in vicinity</b></p>	<p><b>Legend</b></p> <ul style="list-style-type: none"> <li> Service Cable</li> <li> LV Mains</li> <li> 2 - 11kV</li> <li> 66kV</li> <li> 110kV</li> <li> 220kV</li> <li> 330kV</li> <li> 660kV</li> <li> 1320kV</li> <li> 275kV</li> <li> 400kV</li> <li> Fibre Optic</li> <li> Pipit Cable</li> </ul> <p><b>Distribution Structures (Electric)</b></p> <ul style="list-style-type: none"> <li> Pole, Existing Location</li> <li> Pole Structure, Existing Location - Single</li> <li> Pole Structure, Existing Location - H</li> <li> New Structure, Existing Location - H</li> <li> Duct Route</li> <li> Cross Section Route</li> </ul>		<p><b>Southern Electric Power Distribution plc</b>  Registered Office: No.1 Forbury Place  43 Forbury Road Reading RG1 3JH  Registered In England &amp; Wales No.04094290</p> <p>If you're unsure &amp; need to seek advice before commencing excavations, please contact:  General Enquiries: 0800 048 3516</p> <p>Subject to revision – Master held by SSEN Asset Data Team:  <a href="mailto:Asset.Data@sse.com">Asset.Data@sse.com</a>  01256 337 294</p>																																				
<p>Date Requested: 24/06/2022  Job Reference: 25880986  Site Location: 447899 213853  Requested by: Mr Joe Shawyer  Your Scheme/Reference: 31188_001</p>	<p><b>Voltages (V)</b></p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>LV (Low Voltage) and Services</td> <td colspan="4">Up to 1,000V</td> </tr> <tr> <td>HV (High Voltage)</td> <td colspan="4">Over 1,000V to 11,000V</td> </tr> <tr> <td>EHV (Extra High Voltage)</td> <td colspan="4">22,000V to 132,000V</td> </tr> <tr> <td>Transmission</td> <td colspan="4">275,000V and 400,000V</td> </tr> </table> <p><b>NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID</b></p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Services</th> <th>LV</th> <th>HV</th> <th>EHV</th> </tr> </thead> <tbody> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> <td>0.45m</td> <td>0.6m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>0.6m</td> <td>0.75m</td> </tr> <tr> <td>Agricultural</td> <td>1m</td> <td>1m</td> <td>1.1m</td> </tr> </tbody> </table>	LV (Low Voltage) and Services	Up to 1,000V				HV (High Voltage)	Over 1,000V to 11,000V				EHV (Extra High Voltage)	22,000V to 132,000V				Transmission	275,000V and 400,000V				Services	LV	HV	EHV	Footpath/Unmade	0.45m	0.45m	0.6m	Road Crossing	0.6m	0.6m	0.75m	Agricultural	1m	1m	1.1m	<p><b>WARNING</b></p> <p>There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.</p> <p><b>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</b></p>	
LV (Low Voltage) and Services	Up to 1,000V																																						
HV (High Voltage)	Over 1,000V to 11,000V																																						
EHV (Extra High Voltage)	22,000V to 132,000V																																						
Transmission	275,000V and 400,000V																																						
Services	LV	HV	EHV																																				
Footpath/Unmade	0.45m	0.45m	0.6m																																				
Road Crossing	0.6m	0.6m	0.75m																																				
Agricultural	1m	1m	1.1m																																				
<p>Scale: 1:500 (When plotted at A4)</p>	<p>BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF HM STATIONERY OFFICE CROWN COPYRIGHT RESERVED.  This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.  Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.</p>																																						



Warning: PDF designed for A4 colour print only with no page scaling

<p>0  20m Dig Sites Area:  Line: </p>	<p>Extra High Voltage cables in vicinity</p>																																																																																																	
<p>Date Requested: 24/06/2022 Job Reference: 25880986 Site Location: 447899 213853 Requested by: Mr Joe Shawyer Your Scheme/Reference: 31188_001</p>	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="4">Voltages (V)</th> </tr> </thead> <tbody> <tr> <td>LV (Low Voltage) and Services</td> <td colspan="3">Up to 1,000V</td> </tr> <tr> <td>HV (High Voltage)</td> <td colspan="3">Over 1,000V to 11,000V</td> </tr> <tr> <td>EHV (Extra High Voltage)</td> <td colspan="3">22,000V to 132,000V</td> </tr> <tr> <td>Transmission</td> <td colspan="3">275,000V and 400,000V</td> </tr> <tr> <th colspan="4">NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID</th> </tr> <tr> <td>Services</td> <td>LV</td> <td>HV</td> <td>EHV</td> </tr> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> <td>0.45m</td> <td>0.6m 0.8m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>0.6m</td> <td>0.75m 0.9m</td> </tr> <tr> <td>Agricultural</td> <td>1m</td> <td>1m</td> <td>1m 1.1m</td> </tr> </tbody> </table>	Voltages (V)				LV (Low Voltage) and Services	Up to 1,000V			HV (High Voltage)	Over 1,000V to 11,000V			EHV (Extra High Voltage)	22,000V to 132,000V			Transmission	275,000V and 400,000V			NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				Services	LV	HV	EHV	Footpath/Unmade	0.45m	0.45m	0.6m 0.8m	Road Crossing	0.6m	0.6m	0.75m 0.9m	Agricultural	1m	1m	1m 1.1m	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">Legend</th> <th colspan="2">Distribution Structures (Electric)</th> </tr> </thead> <tbody> <tr> <td></td> <td>Service Cable</td> <td></td> <td>Pole, Existing Location</td> </tr> <tr> <td></td> <td>LV Mains</td> <td></td> <td>Pole Structure, Existing Location - Single</td> </tr> <tr> <td></td> <td>2 - 11kV</td> <td></td> <td>Pole Structure, Existing Location - H</td> </tr> <tr> <td></td> <td>66kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>11kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>22kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>33kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>66kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>132kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>275kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>400kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>Fibre Optic</td> <td></td> <td></td> </tr> <tr> <td></td> <td>Pipe Cable</td> <td></td> <td></td> </tr> </tbody> </table>	Legend		Distribution Structures (Electric)			Service Cable		Pole, Existing Location		LV Mains		Pole Structure, Existing Location - Single		2 - 11kV		Pole Structure, Existing Location - H		66kV				11kV				22kV				33kV				66kV				132kV				275kV				400kV				Fibre Optic				Pipe Cable		
Voltages (V)																																																																																																		
LV (Low Voltage) and Services	Up to 1,000V																																																																																																	
HV (High Voltage)	Over 1,000V to 11,000V																																																																																																	
EHV (Extra High Voltage)	22,000V to 132,000V																																																																																																	
Transmission	275,000V and 400,000V																																																																																																	
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID																																																																																																		
Services	LV	HV	EHV																																																																																															
Footpath/Unmade	0.45m	0.45m	0.6m 0.8m																																																																																															
Road Crossing	0.6m	0.6m	0.75m 0.9m																																																																																															
Agricultural	1m	1m	1m 1.1m																																																																																															
Legend		Distribution Structures (Electric)																																																																																																
	Service Cable		Pole, Existing Location																																																																																															
	LV Mains		Pole Structure, Existing Location - Single																																																																																															
	2 - 11kV		Pole Structure, Existing Location - H																																																																																															
	66kV																																																																																																	
	11kV																																																																																																	
	22kV																																																																																																	
	33kV																																																																																																	
	66kV																																																																																																	
	132kV																																																																																																	
	275kV																																																																																																	
	400kV																																																																																																	
	Fibre Optic																																																																																																	
	Pipe Cable																																																																																																	
<p>Scale: 1:500 (When plotted at A4)</p>	<p style="font-size: small; color: red; text-align: center;"><b>WARNING</b></p> <p style="font-size: x-small;">There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.</p> <p style="font-size: x-small; color: red;">WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</p>	<p style="text-align: center;"><b>Southern Electric Power Distribution plc</b> Registered Office: No.1 Forbury Place 43 Forbury Road Reading RG1 3JH Registered In England &amp; Wales No.04094290</p> <p style="font-size: small;">If you're unsure &amp; need to seek advice before commencing excavations, please contact: General Enquiries: 0800 048 3516</p> <p style="font-size: x-small;">Subject to revision - Master held by SSEN Asset Data Team: <a href="mailto:Asset.Data@sse.com">Asset.Data@sse.com</a> 01256 337 294</p>																																																																																																


BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF HM STATIONERY OFFICE CROWN COPYRIGHT RESERVED.  
This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.  
Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.



Warning: PDF designed for A4 colour print only with no page scaling


<p>0  20m</p> <p>Date Requested: 24/06/2022          Job Reference: 25880986          Site Location: 447899 213853          Requested by: Mr Joe Shawyer          Your Scheme/Reference: 31188_001</p>	<p>Dig Sites Area:  Line: </p>	<p><b>Extra High Voltage cables in vicinity</b></p>			<p style="text-align: center;"><b>Southern Electric Power Distribution plc</b>          Registered Office: No.1 Forbury Place          43 Forbury Road Reading RG1 3JH          Registered In England &amp; Wales No.04094290</p> <p>If you're unsure &amp; need to seek advice before commencing excavations, please contact:          General Enquiries: 0800 048 3516</p> <p>Subject to revision – Master held by SSEN Asset Data Team:  <a href="mailto:Asset.Data@sse.com">Asset.Data@sse.com</a>          01256 337 294</p>																																																																																														
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="4" style="text-align: center;">Voltages (V)</th> </tr> </thead> <tbody> <tr> <td>LV (Low Voltage) and Services</td> <td colspan="3">Up to 1,000V</td> </tr> <tr> <td>HV (High Voltage)</td> <td colspan="3">Over 1,000V to 11,000V</td> </tr> <tr> <td>EHV (Extra High Voltage)</td> <td colspan="3">22,000V to 132,000V</td> </tr> <tr> <td>Transmission</td> <td colspan="3">275,000V and 400,000V</td> </tr> <tr> <th colspan="4" style="text-align: center;">NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID</th> </tr> <tr> <th>Services</th> <th>LV</th> <th>HV</th> <th>EHV</th> </tr> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> <td>0.45m</td> <td>0.6m 0.8m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>0.6m</td> <td>0.75m 0.9m</td> </tr> <tr> <td>Agricultural</td> <td>1m</td> <td>1m</td> <td>1m 1.1m</td> </tr> </tbody> </table>		Voltages (V)				LV (Low Voltage) and Services	Up to 1,000V			HV (High Voltage)	Over 1,000V to 11,000V			EHV (Extra High Voltage)	22,000V to 132,000V			Transmission	275,000V and 400,000V			NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				Services	LV	HV	EHV	Footpath/Unmade	0.45m	0.45m	0.6m 0.8m	Road Crossing	0.6m	0.6m	0.75m 0.9m	Agricultural	1m	1m	1m 1.1m	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2" style="text-align: center;">Legend</th> <th colspan="2" style="text-align: center;">Distribution Structures (Electric)</th> </tr> </thead> <tbody> <tr> <td></td> <td>Service Cable</td> <td></td> <td>Pole, Existing Location</td> </tr> <tr> <td></td> <td>LV Mains</td> <td></td> <td>Pole Structure, Existing Location - Single</td> </tr> <tr> <td></td> <td>2 - 11kV</td> <td></td> <td>Pole Structure, Existing Location - H</td> </tr> <tr> <td></td> <td>66kV</td> <td></td> <td>Duct Route</td> </tr> <tr> <td></td> <td>11kV</td> <td></td> <td>Cross Section Route</td> </tr> <tr> <td></td> <td>22kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>33kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>66kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>132kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>275kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>400kV</td> <td></td> <td></td> </tr> <tr> <td></td> <td>Fibre Optic</td> <td></td> <td></td> </tr> <tr> <td></td> <td>Pipe Cable</td> <td></td> <td></td> </tr> </tbody> </table>		Legend		Distribution Structures (Electric)			Service Cable		Pole, Existing Location		LV Mains		Pole Structure, Existing Location - Single		2 - 11kV		Pole Structure, Existing Location - H		66kV		Duct Route		11kV		Cross Section Route		22kV				33kV				66kV				132kV				275kV				400kV				Fibre Optic				Pipe Cable		
Voltages (V)																																																																																																			
LV (Low Voltage) and Services	Up to 1,000V																																																																																																		
HV (High Voltage)	Over 1,000V to 11,000V																																																																																																		
EHV (Extra High Voltage)	22,000V to 132,000V																																																																																																		
Transmission	275,000V and 400,000V																																																																																																		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID																																																																																																			
Services	LV	HV	EHV																																																																																																
Footpath/Unmade	0.45m	0.45m	0.6m 0.8m																																																																																																
Road Crossing	0.6m	0.6m	0.75m 0.9m																																																																																																
Agricultural	1m	1m	1m 1.1m																																																																																																
Legend		Distribution Structures (Electric)																																																																																																	
	Service Cable		Pole, Existing Location																																																																																																
	LV Mains		Pole Structure, Existing Location - Single																																																																																																
	2 - 11kV		Pole Structure, Existing Location - H																																																																																																
	66kV		Duct Route																																																																																																
	11kV		Cross Section Route																																																																																																
	22kV																																																																																																		
	33kV																																																																																																		
	66kV																																																																																																		
	132kV																																																																																																		
	275kV																																																																																																		
	400kV																																																																																																		
	Fibre Optic																																																																																																		
	Pipe Cable																																																																																																		
<p style="text-align: center;"><b>WARNING</b></p> <p style="text-align: center; font-size: small;">There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.</p> <p style="text-align: center; font-size: x-small;">WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</p>				<p style="font-size: x-small;">BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF HM STATIONERY OFFICE CROWN COPYRIGHT RESERVED.          This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.          Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.</p>																																																																																															





Warning: PDF designed for A4 colour print only with no page scaling

<p>0  20m</p>	<p>Dig Sites Area:  Line:  <b>Extra High Voltage cables in vicinity</b></p>																										
<p>Date Requested: 24/06/2022          Job Reference: 25880986          Site Location: 447899 213853          Requested by: Mr Joe Shawyer          Your Scheme/Reference: 31188_001</p>	<p><b>Voltages (V)</b></p> <table border="1"> <tr> <td>LV (Low Voltage) and Services</td> <td>Up to 1,000V</td> </tr> <tr> <td>HV (High Voltage)</td> <td>Over 1,000V to 11,000V</td> </tr> <tr> <td>EHV (Extra High Voltage)</td> <td>22,000V to 132,000V</td> </tr> <tr> <td>Transmission</td> <td>275,000V and 400,000V</td> </tr> </table> <p><b>NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID</b></p> <table border="1"> <thead> <tr> <th>Services</th> <th>LV</th> <th>HV</th> <th>EHV</th> </tr> </thead> <tbody> <tr> <td>Footpath/Unmade</td> <td>0.45m</td> <td>0.45m</td> <td>0.6m</td> </tr> <tr> <td>Road Crossing</td> <td>0.6m</td> <td>0.6m</td> <td>0.75m</td> </tr> <tr> <td>Agricultural</td> <td>1m</td> <td>1m</td> <td>1.1m</td> </tr> </tbody> </table>	LV (Low Voltage) and Services	Up to 1,000V	HV (High Voltage)	Over 1,000V to 11,000V	EHV (Extra High Voltage)	22,000V to 132,000V	Transmission	275,000V and 400,000V	Services	LV	HV	EHV	Footpath/Unmade	0.45m	0.45m	0.6m	Road Crossing	0.6m	0.6m	0.75m	Agricultural	1m	1m	1.1m	<p><b>Legend</b></p> <ul style="list-style-type: none"> <li>Service Cable</li> <li>LV Mains</li> <li>2 - 11kV</li> <li>6kV</li> <li>11kV</li> <li>22kV</li> <li>33kV</li> <li>66kV</li> <li>132kV</li> <li>275kV</li> <li>400kV</li> <li>Fibre Optic</li> <li>Pipe Cable</li> </ul> <p><b>Distribution Structures (Electric)</b></p> <ul style="list-style-type: none"> <li>Pole, Existing Location</li> <li>Pole Structure, Existing Location - Single</li> <li>Pole Structure, Existing Location - H</li> <li>Duct Route</li> <li>Cross Section Route</li> </ul> <p><b>WARNING</b></p> <p>There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.</p> <p><b>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)</b></p>	<p><b>Southern Electric Power Distribution plc</b>          Registered Office: No.1 Forbury Place          43 Forbury Road Reading RG1 3JH          Registered In England &amp; Wales No.04094290</p> <p>If you're unsure &amp; need to seek advice before commencing excavations, please contact:          General Enquiries: 0800 048 3516</p> <p>Subject to revision - Master held by SSEN Asset Data Team:  <a href="mailto:Asset.Data@sse.com">Asset.Data@sse.com</a>          01256 337 294</p>
LV (Low Voltage) and Services	Up to 1,000V																										
HV (High Voltage)	Over 1,000V to 11,000V																										
EHV (Extra High Voltage)	22,000V to 132,000V																										
Transmission	275,000V and 400,000V																										
Services	LV	HV	EHV																								
Footpath/Unmade	0.45m	0.45m	0.6m																								
Road Crossing	0.6m	0.6m	0.75m																								
Agricultural	1m	1m	1.1m																								
<p>Scale: 1:500 (When plotted at A4)</p> <p>BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.          This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.          Plans generated by DigSAFE Pro™ software provided by Linestechbefore@dig.</p>																											



Warning: PDF designed for A4 colour print only with no page scaling

0 20m Dig Sites Area: Line: **Extra High Voltage cables in vicinity**

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

Legend		Distribution Structures (Electric)	
	Service Cable		Pole, Existing Location
	LV Mains		Pole Structure, Existing Location - Single
	2 - 11kV		Pole Structure, Existing Location - H
	66kV		Duct Route
	11kV		Cross Section Route
	22kV		
	33kV		
	66kV		
	132kV		
	275kV		
	400kV		
	Fibre Optic		
	Pipe Cable		

**WARNING**  
 There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.  
 WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

**Southern Electric Power Distribution plc**  
 Registered Office: No.1 Forbury Place  
 43 Forbury Road Reading RG1 3JH  
 Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:  
 General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:  
[Asset.Data@sse.com](mailto:Asset.Data@sse.com)  
 01256 337 294

## Watch it!

### Safety advice brought to you by Scottish and Southern Electricity Networks Distribution (SSEN Distribution)

These notes are intended to help all those who have to work in the vicinity of electrical apparatus. Employers have a legal obligation to ensure that their operatives are fully instructed in the correct procedures.

**The Electricity at Work Regulations 1989** impose health and safety requirements upon employers, employees and self-employed persons with respect to electricity at work. The regulations impose restrictions on persons being engaged in work activities on or near live conductors.

**Regulation 14 requires that:** "No person shall be engaged in any work activity on or near any live conductor (other than one suitably covered with insulating material so as to prevent danger) that danger may arise unless:

- ◆ it is **unreasonable** in all circumstances for it to be dead; and
- ◆ it is **reasonable** in all circumstances for him to be at work on or near it while it is live; and
- ◆ suitable precautions (including where necessary the provision of suitable protective equipment) are taken to prevent injury."

The purpose of the regulations is to require precautions to be taken against the risk of death or personal injury from electricity in work activities.

### Publications

The Health and Safety Executive have produced a document entitled 'Avoiding Danger from Underground Services', and the Appendix 1 deals specifically with electric cables. Copies are available from the HSE's Accredited Agents and good booksellers, Ref. HS (G) 47.

Copies of Health and Safety Guidance note GS 6 relating to safe working in proximity to overhead lines, are available from the Health and Safety Executive's website - [www.hse.gov.uk](http://www.hse.gov.uk).

### Note

**In situations of emergency or danger, or where the advice contained in these notes cannot be followed, you must consult SSEN Distribution immediately. Tel. 0800 0727282 for southern England or 0800 300999 for Scotland.**

**Additional copies of these "Watch it!" leaflets can be obtained from our Asset Data Team office upon request. Tel. 01256 337294, or [asset.data@sse.com](mailto:asset.data@sse.com).**

You must read and accept the following safety notes as part of the contract to receive our network plans. You will have the option to print these and issue them to site staff.

### Watch it! - Working in the vicinity of underground cables

Our plans show the positions and normal depths for the buried cables and pipes at the time when they were installed. However, alterations to road alignments surface levels and buildings may have occurred subsequently without our knowledge. If you discover plant or cables that are not marked or incorrectly marked, then you are required to contact us as soon as possible to give us the opportunity to amend our plans.

These plans show the equipment owned by SSEN Distribution. There may be other privately owned plant in the area, which is outside of our control. You should always check with the Local Authority, National Grid Company, Department of the Environment, other Electricity Companies and other utilities before proceeding.

It is not intended that the issue of these plans will absolve either party from their obligation under any of the acts that control digging in the public highways.

### Supplies To Properties, etc.

The location of cables supplying individual properties, street lighting, traffic signs, telephone kiosks etc. are not always shown on the plans. You should assume that each property, streetlight etc. will have its own supply cable.

### Major Circuits

Where our plans indicate the presence of cables with a voltage exceeding 11,000 volts, you are advised to contact our local depot (telephone number is on the plans), before commencing any excavations within the vicinity of these cables. These major circuits form an extremely important link in SSEN Distributions' networks, damaging or modifying these circuits is a major and costly undertaking. Any development should therefore be designed to allow these circuits to remain undisturbed and accessible in their present location.

For your own and your workmates' safety, please follow the **do's** and **don'ts** listed below:

- ✓ **do** make sure you have plans of the underground cables in the area **before** any excavation work starts. Remember that some cables may not be shown on plans. If carrying out emergency work, excavate as though there are buried live cables in the vicinity.
- ✓ **do** use a cable locator to determine the position of existing cables in the work area. The positions should be marked and tests made as work proceeds. **If in doubt, get advice from your supervisor.**
- ✓ **do** ask for a cable to be made dead if it is buried in concrete.

- ✓ **do** backfill carefully, using stone-free soil around the cables, replacing marker-tapes and / or covers.
- ✓ **do** notify us immediately if you accidentally damage our cables. Arrange to keep people well clear of a cable that has been damaged until we have confirmed it has been made safe.
- ✓ **do** make sure before starting to demolish a building that all cables have been disconnected. We welcome prior notice of the intention to demolish buildings. This enables us to ensure that the site has been made safe electrically.
- ✓ **don't** operate a bulldozer, scraper, dragline or excavator; unless you are satisfied that there are no buried cables in the working area.
- ✓ **don't** use picks, pins, forks or pointed instruments in soft clay or soil when cables are present. Exercise extreme caution where such instruments are used to free lumps of stone, or break up firmly compacted ground. **Never** throw a fork or sharp instrument into the ground.
- ✓ **don't** dig trial holes over the indicated route of the cable. Excavate alongside instead.
- ✓ **don't** use exposed cables as a convenient step or handhold.
- ✓ **don't** handle or attempt to alter the position of any cable.

**Remember** that a damaged cable may cause extensive loss of supplies, make expensive repairs necessary and cause serious or even fatal injury.

If effective measures are not adopted to protect our equipment, we will take steps to recover the cost of any damage caused. Persons causing damage resulting in loss of supply to customers can be held legally responsible for any claims made by those customers. Promptness in reporting an incident will minimise costs.

In most cases it is not practicable to make cables dead without interrupting supplies to our customers. But given adequate notice, we will wherever possible, give advice regarding special precautions which may be necessary on any site where particular problems are likely to be encountered. The right is reserved to make a charge for this service.

Electricity cables can exist anywhere - under paths or roads, in gardens or driveways, on new housing or industrial development sites or even farmland.

### **Watch it! - Working in the vicinity of overhead lines**

For your own and your workmates' safety, please follow the **do's** and **don'ts** listed below

- ✓ **do** carefully note the position of all overhead lines before commencing work.
- ✓ **do** co-operate with us during planning and sitework stages.
- ✓ **do** follow the advice given in HSE Guidance Note GS 6 when siting barriers, goal posts, bunting etc.
- ✓ **do** keep overhead lines in view when moving scaffolding or machinery and take special care when felling or lopping trees.
- ✓ **do** remember that the raising or slewing of a crane or excavator jib may cause danger when operating near an overhead line.

- ✓ **do** avoid any machinery that is in contact with an overhead line until we confirm that conditions are safe.
- ✓ **do** warn others to keep well clear.
- ✓ **don't** drive a high vehicle below an overhead line when an alternative route is available.
- ✓ **don't** raise the bed of a tipper lorry beneath an overhead line or drive under the line with the body of the vehicle raised.
- ✓ **don't** steady any suspended load until you are satisfied that there is no danger from overhead lines.
- ✓ **don't** handle or use scaffold platforms, poles, pipes or ladders unless they are at a safe distance from overhead lines.
- ✓ **don't** transport long objects beneath overhead lines, unless they are carried in a horizontal position.
- ✓ **don't** approach or touch any broken or fallen overhead lines.

### **Always remember that:**

- Electricity can jump gaps.
- Contact or near contact with a crane jib, scaffold or ladder can cause a discharge of electricity with a risk of fatal or severe shock and burns to any person in the vicinity.

If effective measures are not adopted to protect our equipment, we will take steps to recover the cost of any damage caused. Persons causing damage resulting in loss of supply to customers can be held legally responsible for any claims made by those customers. Promptness in reporting an incident will minimise costs.

In most cases it is not practicable to make overhead lines dead without interrupting supplies to customers. However, provided adequate notice is given, then we will, whenever possible, give advice regarding special precautions which may be necessary on site where specific problems may be encountered. The right is reserved to make a charge for this service.

Scottish and Southern Electricity Networks is a trading name of: Scottish and Southern Energy Power Distribution Limited Registered in Scotland No. SC213459; Scottish Hydro Electric Transmission plc Registered in Scotland No. SC213461; Scottish Hydro Electric Power Distribution plc Registered in Scotland No. SC213460 (all having their Registered Offices at Inveralmond House 200 Dunkeld Road Perth PH1 3AQ); and Southern Electric Power Distribution plc Registered in England & Wales No. 04094290 having its Registered Office at No.1 Forbury Place 43 Forbury Road Reading RG1 3JH which are members of the SSE Group [www.ssen.co.uk](http://www.ssen.co.uk)

## GUIDE TO INTERPRETING MAINS RECORDS PLAN



## INTRODUCTION

The Health & Safety Executive have produced a document entitled 'Avoiding danger from underground services'. Copies are available from HMSO's accredited agents and good booksellers, Ref HS(G)47, ISBN 0118854925.

**WHEN WORKING IN THE VICINITY OF ELECTRICITY CABLES AND OVERHEAD LINES PLEASE FOLLOW THE DO'S & DON'T'S LISTED BELOW.**

### DO'S

- Do** Make sure that you have plans of the cables in the area before any excavation work starts. Remember that some cables such as service cables may not be shown on the plans. Cables owned by other companies are not shown, e.g. local authorities, Department of the Environment, National Grid Co. etc.
- Do** Make sure that you understand the plans that have been supplied to you. For detailed explanation of the symbols used by Scottish & Southern Electricity Networks Distribution (SSEN Distribution) refer to this guide & the key shown on the plan
- Do** Use a cable avoidance tool (CAT) to determine the position of the existing cables in the work area. The positions should be clearly marked, and further tests made as work proceeds. **If in doubt, get advice from your supervisor.**
- Do** Hand dig trial holes over the indicated route of the cable, excavate alongside.
- Do** Ask for a cable to be made dead if it is buried in concrete. Please note that this is likely to be a costly process.
- Do** Watch for signs of cables as work progresses, such as marker tapes or cable covers which may be exposed.
- Do** Backfill carefully using stone free soil around cables, replacing marker tapes and covers.

- Do** Ensure that there is maximum clearance above all cable & joints.
- Do** Notify SSEN Distribution immediately should accidental damage to cables occur however large or small. Arrange to keep people well clear of the cable that has been damaged. Do not backfill an area where cable damage has occurred.

## **DON'T'S**

- Don't** Operate a bulldozer, scraper, dragline or excavator unless you are satisfied that there are no buried cables or overhead lines in the working area.
- Don't** Use picks, forks or pointed instruments in soft clay or soil where cables are present, exercise extreme caution where such instruments are used to free lumps of stone or to break up firmly compacted ground.
- Don't** Use exposed cables as a convenient step or handhold.
- Don't** Handle or attempt to alter the position of any cable.

**REMEMBER THAT A DAMAGED CABLE MAY CAUSE EXTENSIVE LOSS OF SUPPLIES, MAKE EXPENSIVE REPAIRS NECESSARY AND CAUSE SERIOUS OR EVEN FATAL INJURY.**

**IF IN DOUBT ASK SSEN DISTRIBUTION**

## UNDERSTANDING THE INFORMATION ON THE PLANS.


AVERAGE DEPTH OF CABLES: Footpaths 0.6 metres

Road Crossings 0.75metres

NB These depths are only approximate, depths may vary. It should also be noted that surface levels can change subsequent to the cables being laid.

**Mains records symbols definitions and examples:**

**A. Overhead lines & Poles – These are depicted as follows:**



1. Overhead Line – These can be either High Voltage or Low Voltage, colour denotes voltage.

2. Poles.

3. Pole Mounted Transformer.




**B. Typical example of Low Voltage cable records:**



1. Sub Station
2. Low Voltage Underground cable.
3. Link Boxes: This is a box with a manhole cover marked as belonging to SSEN Distribution containing links. Either two or four cables will lead away from a link box.
4. Straight Joint: This is where two separate cables are joined together.
5. Breech Joint: This is where another cable is attached to the main.
6. Pot End: This is the end of the cable. In certain circumstances service cables to properties can be taken from the pot end. These services may not be shown on the plans.
7. Road crossing duct where a cable is routed under a path or road.
8. Cable terminations/Pole Box: Where underground cables are connected to overhead lines
9. Overhead line.
10. Street Lamps.































11. Services to properties: The service cable to an individual property are not always shown on the mains records that SSEN Distribution supply.  
In some cases, a service can be looped from an adjacent property.



















**C) Typical example of High Voltage cable record.**



1. Sub Station
2. High Voltage Underground cable – Colour denotes voltage.
3. Straight Joint: This is where two separate cables are joined together.
4. Breech Joint: This is where another cable is attached to the main.
5. Cable terminations/Pole Box: Where underground cables are connected to overhead lines
6. Overhead Switch.

## SSEN DISTRIBUTION ELECTRIC SYMBOLS

Service cable		Single Poles	
LV Mains		H Poles	
LV Mains and Services (Split Phase)		3 Poles	
2-3.3kV		Tower	
6.6kV		Pole Mounted Transformer	
11kV		Circuit Breaker	
22kV		Switch Disconnector/ OH Air Break	
33kV		Pole Box	
66kV		Straight Joint	
132kV		Mains Breech Joint (Tee)	
Fibre Optic		Service Breech Joint	
Pilot Cable		Trifurcating Joint	
Assumed Route		Pot End	
Out of Service		Capped End	
Ducting		Sealing End	

Service Connector Joint		Surge Diverters	
Overhead Connector		Pillar	
Wall Box Joint		Substation	
Flying Stay	FS 	Non Electrical Item	
Stay		Street Furniture	
PME Earth		LV Link Box	
Neutral Earth		LV Supply Point	
Pit		ASLs	
Other Network		Embedded Network	

## Francesca Margiotta

---

**From:** Eclipse Enquiries <enquiries@eclipsepower.co.uk>  
**Sent:** 22 June 2022 12:59  
**To:** Francesca Margiotta  
**Subject:** RE: Requests:URGENT Ref: 31188FM-GWS Site: Woodstock Road, Yarnton, Oxfordshire, OX5 1PF

Hello,

We can confirm we do not have anything in this area at present.

Thank you for your email.

Please do not hesitate to contact me with any queries

Victoria Coles  
Eclipse Power  
Office: +44 (0) 1234 486487  
Mobile: +44 (0) 7860927197  
[www.eclipsepower.co.uk](http://www.eclipsepower.co.uk)  
<https://www.linkedin.com/company/eclipse-power-networks>



*This e-mail is intended exclusively for the individual(s) to whom it is addressed and may contain information that is privileged, or confidential. If you are not the addressee, you must not read, use or disclose the contents of this e-mail. If you receive this e-mail in error, please notify [enquiries@eclipsepower.co.uk](mailto:enquiries@eclipsepower.co.uk) giving the name of the sender and delete the e-mail immediately. Eclipse Power has taken every reasonable precaution to ensure that an attachment to this e-mail has been checked for any viruses. Eclipse Power cannot, however, accept liability for any damage sustained as a result of software viruses and would strongly advise that you carry out your own virus checks before opening any attachment.*



Please don't print this e-mail unless you really need to!

---

**From:** Francesca Margiotta <FMargiotta@groundwise.com>  
**Sent:** 22 June 2022 09:25  
**To:** osm.enquiries@atkinglobal.com; plantenquiries@instalcom.co.uk; osp-team@uk.verizonbusiness.com; plantenquiries@catelecomuk.com; OPBuriedServicesEnquiries@networkrail.co.uk; plantenquiries@trafficmaster.co.uk; assetrecords@utilityassets.co.uk; NRSWA@sky.uk; mbnlplantenquiries@turntown.com; Eclipse Enquiries <enquiries@eclipsepower.co.uk>; assetenquiries@energyassetsnetworks.co.uk; lenl@leeputilities.co.uk; osm.enquiries@atkinglobal.com; plantenquiries@instalcom.co.uk; osp-team@uk.verizonbusiness.com; plantenquiries@catelecomuk.com; OPBuriedServicesEnquiries@networkrail.co.uk; plantenquiries@trafficmaster.co.uk; assetrecords@utilityassets.co.uk; NRSWA@sky.uk; mbnlplantenquiries@turntown.com; Eclipse Enquiries <enquiries@eclipsepower.co.uk>; assetenquiries@energyassetsnetworks.co.uk; lenl@leeputilities.co.uk  
**Subject:** Requests:URGENT Ref: 31188FM-GWS Site: Woodstock Road, Yarnton, Oxfordshire, OX5 1PF

# Utility Assets Ltd

Thank you for recently contacting Utility Assets plant record department. **We will check whether we have any plant present at your site and contact you within 5 - 7 working days ONLY if we own any plant in the vicinity.**

**If we do not reply, we do not have any apparatus in the area of your works.** However, PLEASE TAKE CARE when excavating around electricity cables in the event that not all cables present may be accurately shown. We recommend you use detecting equipment to map the site before excavating and fully comply with HSG47. DO NOT assume that a cable is dead if you don't have a record of its presence. The cable must be treated as live unless PROVEN DEAD by the cable owner. In case of emergency please contact your local electricity distribution company.

This is an automated reply from our dedicated asset records email address. If you receive further correspondence from us it will be from [asset.manager@utilityassets.co.uk](mailto:asset.manager@utilityassets.co.uk) quoting a site reference number.

Asset Manager - Utility Assets Ltd

## Francesca Margiotta

---

**From:** LastMile@safedigs.co.uk  
**Sent:** 08 June 2022 16:00  
**To:** Sales  
**Subject:** Plant Enquiry Ref Job No. 25881010  
**Attachments:** 25881010\_LastMile.pdf

08/06/2022

LinesearchbeforeUdig ref: 25881010

Your ref: 31188\_002

Dear Sir/Madam,

Thank you for contacting us regarding equipment and apparatus owned and operated by Last Mile Asset Management Limited (on behalf of Last Mile Gas Limited and/or Last Mile Electricity Limited) (collectively referred to as Last Mile).

We enclose a drawing that identifies an area where Last Mile are in the process of adopting assets in. As equipment and apparatus is installed and commissioned in the area shown on the attached drawing information on its type and location will become available over time through the Linesearch Before U Dig website ([www.linesearchbeforeudig.co.uk](http://www.linesearchbeforeudig.co.uk)).

Furthermore, we draw your attention to the following general guidance notes:

- This information is given as a general guide for information purposes only and Last Mile gives no warranty, representation, or guarantee, whether express or implied, that the content is accurate, complete, or up to date.
- No liability of any kind whatsoever is accepted by Last Mile, its agents, servants or contractors for any error, omission, or misstatement.
- Please note that all Last Mile equipment on site should be assumed to be LIVE until proven otherwise.
- Safe digging practices, in accordance with HS(G)47, Avoiding Danger from underground services must be used to verify and establish the actual position of mains, pipes, cables, services and any other apparatus on site before any mechanical plant is used. It is your responsibility to ensure that this information is provided to all persons (either direct labour or contractors) working for you on or near apparatus. Safe working procedures should be defined and practiced.
- Last Mile reserves its position completely to enforce the terms of any easement against the landowner, even if this results in any planning permission granted not being able to be fully implemented.
- You must not build over or enclose any of our plant, apparatus, or equipment.

If you require advice in connection with your proposals, please contact the relevant number below.

Yours sincerely,

Last Mile Asset Management Limited

**Gas Emergency Number:**

In an emergency call 0800 111 999, 24 hours a day.

**Electricity Emergency Number:**

In an emergency call 105, 24 hours a day

**Mapping Enquiries:**

If you have an enquiry relating to this letter or the attached map plan, please contact us using the following information:

Email [plantenquiries@lastmile-uk.com](mailto:plantenquiries@lastmile-uk.com)

**LinesearchbeforeUdig:**

If you have an enquiry relating to the use of the LinesearchbeforeUdig website, please contact LinesearchbeforeUdig using the following information:


Telephone: 0845 437 7365

Email: [enquiries@linesearchbeforeudig.co.uk](mailto:enquiries@linesearchbeforeudig.co.uk)

Website: [www.linesearchbeforeudig.co.uk](http://www.linesearchbeforeudig.co.uk)



# Overview map of worksite



Last Mile Asset Management Limited  
 Fenick House, Lister Way  
 Hamilton International Technology Park  
 Glasgow G72 0FT  
 Telephone 03300 587 443


Date Requested: 08/06/2022  
 Job Reference: 25881010  
 Site Location: 448066 213346  
 Requested by: Mr Joe Shawyer

Your Scheme/Reference:  
 31188\_002

Scale: 1:10250 (When plotted at A4)

## GAS KEY

PROPOSED LP SERVICE	-----	PIPE TO BE DECOMMISSIONED	+++++
INSTALLED LP SERVICE	-----	DIAMETER CHANGE	↑↑↑↑
PROPOSED MP SERVICE	-----	CAP END	⊕
PROPOSED LP MAINS	-----	VALVE	⊗
INSTALLED LP MAINS	-----	GAS METERBOX/KIOSK	⊙
PROPOSED MP MAINS	-----	GAS RISER	⊙
PROPOSED IP MAINS	-----	GAS METER	⊙
EXISTING/AS LAID LP SERVICE	-----	CATHODIC PROTECTION	⊕
EXISTING/AS LAID MP SERVICE	-----	PRESSURE REDUCTION INSTALLATION (P.R.I)	⊕
EXISTING/AS LAID LP MAINS	-----	MEDIUM PRESSURE SERVICE EXCESS FLOW VALVE	⊕
EXISTING/AS LAID MP MAINS	-----	PRESSURE PROTECTION	⊕
INSTALLED MP MAINS	-----	RIDER PURGE POINT	⊕
EXISTING/AS LAID IP MAINS	-----	PLOTS WITH CONNECTIONS OFF OTHER GT/EXISTING GAS NETWORKS	⊕
EXISTING HP MAINS	-----		
DECOMMISSIONED PIPE	-----		



## Dig Sites

Line: -----  
 Area: [ ]

This plan shows those pipes owned by Last Mile Gas Limited in their role as a Licensed Gas Transporter (GT). Gas pipes owned by other GTs, or otherwise privately owned (or, indeed, any other apparatus, equipment or infrastructure) may be present in this area. Information regarding such pipes (or any such other apparatus, equipment, or infrastructure) should be obtained from the relevant owners.

The information shown on these plans is provided for general information purposes only and should not be relied on or treated as a substitute for your own enquiries. We make no warranty, representation, or guarantee, whether express or implied, regarding the content of the plans or that the content is accurate, complete, or up to date. No liability of any kind whatsoever is accepted by Last Mile Asset Management Limited, Last Mile Electricity Limited, or their agents, servants or contractors for any error, omission, or misstatement.

Safe digging practices, in accordance with HS(G)47, must be used to verify and establish the actual position of mains, pipes, services and other apparatus on site before any mechanical plant is used. It is your responsibility to ensure that this information is provided to all persons (either direct labour or contractors) working for you on or near gas apparatus. The information included on this plan should not be referred to beyond a period of 28 days from the date of issue.

**In an emergency call 0800 111 999, 24 hours a day**



  
**Last Mile Asset Management Limited**  
 Fenick House, Lister Way  
 Hamilton International Technology Park  
 Glasgow G72 0FT  
 Telephone 03300 587 443

Date Requested: 08/06/2022  
 Job Reference: 25881010  
 Site Location: 448066 213346  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_002  
 Scale: 1:2500 (When plotted at A4)

GAS KEY		Dig Sites
PROPOSED LP SERVICE	-----	Line: - - - - -
INSTALLED LP SERVICE	-----	Area: [ ]
PROPOSED MP SERVICE	-----	
PROPOSED LP MAINS	-----	
INSTALLED LP MAINS	-----	
PROPOSED MP MAINS	-----	
PROPOSED IP MAINS	-----	
EXISTING/AS LAID LP SERVICE	-----	
EXISTING/AS LAID MP SERVICE	-----	
EXISTING/AS LAID LP MAINS	-----	
EXISTING/AS LAID MP MAINS	-----	
INSTALLED MP MAINS	-----	
EXISTING/AS LAID IP MAINS	-----	
EXISTING HP MAINS	-----	
DECOMMISSIONED PIPE	-----	
PIPE TO BE DECOMMISSIONED	-----	
DIAMETER CHANGE	-----	
CAP END	-----	
VALVE	-----	
GAS METERBOX/KIOSK	-----	
GAS RISER	-----	
GAS METER	-----	
CATHODIC PROTECTION	-----	
PRESSURE REDUCTION INSTALLATION (P.R.I)	-----	
MEDIUM PRESSURE SERVICE EXCESS FLOW VALVE	-----	
PRESSURE PROTECTION	-----	
RIDER PURGE POINT	-----	
PLOTS WITH CONNECTIONS OFF OTHER GT/EXISTING GAS NETWORKS	-----	

This plan shows those pipes owned by Last Mile Gas Limited in their role as a Licensed Gas Transporter (GT). Gas pipes owned by other GTs, or otherwise privately owned (or, indeed, any other apparatus, equipment or infrastructure) may be present in this area. Information regarding such pipes (or any such other apparatus, equipment, or infrastructure) should be obtained from the relevant owners.

The information shown on these plans is provided for general information purposes only and should not be relied on or treated as a substitute for your own enquiries. We make no warranty, representation, or guarantee, whether express or implied, regarding the content of the plans or that the content is accurate, complete, or up to date. No liability of any kind whatsoever is accepted by Last Mile Asset Management Limited, Last Mile Electricity Limited, or their agents, servants or contractors for any error, omission, or misstatement.

Safe digging practices, in accordance with HS(G)47, must be used to verify and establish the actual position of mains, pipes, services and other apparatus on site before any mechanical plant is used. It is your responsibility to ensure that this information is provided to all persons (either direct labour or contractors) working for you on or near gas apparatus. The information included on this plan should not be referred to beyond a period of 28 days from the date of issue.

**In an emergency call 0800 111 999, 24 hours a day**



  
**Last Mile Asset Management Limited**  
 Fenick House, Lister Way  
 Hamilton International Technology Park  
 Glasgow G72 0FT  
 Telephone 03300 587 443

GAS KEY		Dig Sites
PROPOSED LP SERVICE	-----	Line: - - - - -
INSTALLED LP SERVICE	-----	Area: [ ] [ ] [ ] [ ]
PROPOSED MP SERVICE	-----	
PROPOSED LP MAINS	-----	
INSTALLED LP MAINS	-----	
PROPOSED MP MAINS	-----	
PROPOSED IP MAINS	-----	
EXISTING/AS LAID LP SERVICE	-----	
EXISTING/AS LAID MP SERVICE	-----	
EXISTING/AS LAID LP MAINS	-----	
EXISTING/AS LAID MP MAINS	-----	
INSTALLED MP MAINS	-----	
EXISTING/AS LAID IP MAINS	-----	
EXISTING HP MAINS	-----	
DECOMMISSIONED PIPE	-----	
PIPE TO BE DECOMMISSIONED	-----	
DIAMETER CHANGE	-----	
CAP END	-----	
VALVE	-----	
GAS METERBOX/KIOSK	-----	
GAS RISER	-----	
GAS METER	-----	
CATHODIC PROTECTION	-----	
PRESSURE REDUCTION INSTALLATION (P.R.I)	-----	
MEDIUM PRESSURE SERVICE EXCESS FLOW VALVE	-----	
PRESSURE PROTECTION	-----	
RIDER PURGE POINT	-----	
PLOTS WITH CONNECTIONS OFF OTHER GT/EXISTING GAS NETWORKS	-----	


Date Requested: 08/06/2022  
 Job Reference: 25881010  
 Site Location: 448066 213346  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_002  
 Scale: 1:2500 (When plotted at A4)

This plan shows those pipes owned by Last Mile Gas Limited in their role as a Licensed Gas Transporter (GT). Gas pipes owned by other GTs, or otherwise privately owned (or, indeed, any other apparatus, equipment or infrastructure) may be present in this area. Information regarding such pipes (or any such other apparatus, equipment, or infrastructure) should be obtained from the relevant owners.

The information shown on these plans is provided for general information purposes only and should not be relied on or treated as a substitute for your own enquiries. We make no warranty, representation, or guarantee, whether express or implied, regarding the content of the plans or that the content is accurate, complete, or up to date. No liability of any kind whatsoever is accepted by Last Mile Asset Management Limited, Last Mile Electricity Limited, or their agents, servants or contractors for any error, omission, or misstatement.

Safe digging practices, in accordance with HS(G)47, must be used to verify and establish the actual position of mains, pipes, services and other apparatus on site before any mechanical plant is used. It is your responsibility to ensure that this information is provided to all persons (either direct labour or contractors) working for you on or near gas apparatus. The information included on this plan should not be referred to beyond a period of 28 days from the date of issue.

In an emergency call 0800 111 999, 24 hours a day



  
**Last Mile Asset Management Limited**  
 Fenick House, Lister Way  
 Hamilton International Technology Park  
 Glasgow G72 0FT  
 Telephone 03300 587 443

GAS KEY		Dig Sites
PROPOSED LP SERVICE	-----	Line: - - - - -
INSTALLED LP SERVICE	-----	Area: [ ] [ ] [ ] [ ]
PROPOSED MP SERVICE	-----	
PROPOSED LP MAINS	-----	
INSTALLED LP MAINS	-----	
PROPOSED MP MAINS	-----	
PROPOSED IP MAINS	-----	
EXISTING/AS LAID LP SERVICE	-----	
EXISTING/AS LAID MP SERVICE	-----	
EXISTING/AS LAID LP MAINS	-----	
EXISTING/AS LAID MP MAINS	-----	
INSTALLED MP MAINS	-----	
EXISTING/AS LAID IP MAINS	-----	
EXISTING HP MAINS	-----	
DECOMMISSIONED PIPE	-----	
PIPE TO BE DECOMMISSIONED	-----	
DIAMETER CHANGE	-----	
CAP END	-----	
VALVE	-----	
GAS METERBOX/KIOSK	-----	
GAS RISER	-----	
GAS METER	-----	
CATHODIC PROTECTION	-----	
PRESSURE REDUCTION INSTALLATION (P.R.I)	-----	
MEDIUM PRESSURE SERVICE EXCESS FLOW VALVE	-----	
PRESSURE PROTECTION	-----	
RIDER PURGE POINT	-----	
PLOTS WITH CONNECTIONS OFF OTHER GT/EXISTING GAS NETWORKS	-----	


Date Requested: 08/06/2022  
 Job Reference: 25881010  
 Site Location: 448066 213346  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_002  
 Scale: 1:2500 (When plotted at A4)

This plan shows those pipes owned by Last Mile Gas Limited in their role as a Licensed Gas Transporter (GT). Gas pipes owned by other GTs, or otherwise privately owned (or, indeed, any other apparatus, equipment or infrastructure may be present in this area. Information regarding such pipes (or any such other apparatus, equipment, or infrastructure) should be obtained from the relevant owners.

The information shown on these plans is provided for general information purposes only and should not be relied on or treated as a substitute for your own enquiries. We make no warranty, representation, or guarantee, whether express or implied, regarding the content of the plans or that the content is accurate, complete, or up to date. No liability of any kind whatsoever is accepted by Last Mile Asset Management Limited, Last Mile Electricity Limited, or their agents, servants or contractors for any error, omission, or misstatement.

Safe digging practices, in accordance with HS(G)47, must be used to verify and establish the actual position of mains, pipes, services and other apparatus on site before any mechanical plant is used. It is your responsibility to ensure that this information is provided to all persons (either direct labour or contractors) working for you on or near gas apparatus. The information included on this plan should not be referred to beyond a period of 28 days from the date of issue.

In an emergency call 0800 111 999, 24 hours a day



**lastmile**  
Asset Management

Last Mile Asset Management  
Limited  
Fenick House, Lister Way  
Hamilton International Technology  
Park  
Glasgow G72 0FT  
Telephone 03300 587 443

GAS KEY		Dig Sites
PROPOSED LP SERVICE	-----	Line: - - - - -
INSTALLED LP SERVICE	-----	Area: [ ] [ ] [ ] [ ] [ ]
PROPOSED MP SERVICE	-----	
PROPOSED LP MAINS	-----	
INSTALLED LP MAINS	-----	
PROPOSED MP MAINS	-----	
PROPOSED IP MAINS	-----	
EXISTING/AS LAID LP SERVICE	-----	
EXISTING/AS LAID MP SERVICE	-----	
EXISTING/AS LAID LP MAINS	-----	
EXISTING/AS LAID MP MAINS	-----	
INSTALLED MP MAINS	-----	
EXISTING/AS LAID IP MAINS	-----	
EXISTING HP MAINS	-----	
DECOMMISSIONED PIPE	-----	
PIPE TO BE DECOMMISSIONED	-----	
DIAMETER CHANGE	-----	
CAP END	-----	
VALVE	-----	
GAS METERBOX/KIOSK	-----	
GAS RISER	-----	
GAS METER	-----	
CATHODIC PROTECTION	-----	
PRESSURE REDUCTION INSTALLATION (P.R.I)	-----	
MEDIUM PRESSURE SERVICE EXCESS FLOW VALVE	-----	
PRESSURE PROTECTION	-----	
RIDER PURGE POINT	-----	
PLOTS WITH CONNECTIONS OFF OTHER GT/EXISTING GAS NETWORKS	-----	

Date Requested: 08/06/2022  
Job Reference: 25881010  
Site Location: 448066 213346  
Requested by: Mr Joe Shawyer

Your Scheme/Reference:  
31188\_002


Scale: 1:2500 (When plotted at A4)

This plan shows those pipes owned by Last Mile Gas Limited in their role as a Licensed Gas Transporter (GT). Gas pipes owned by other GTs, or otherwise privately owned (or, indeed, any other apparatus, equipment or infrastructure) may be present in this area. Information regarding such pipes (or any such other apparatus, equipment, or infrastructure) should be obtained from the relevant owners.

The information shown on these plans is provided for general information purposes only and should not be relied on or treated as a substitute for your own enquiries. We make no warranty, representation, or guarantee, whether express or implied, regarding the content of the plans or that the content is accurate, complete, or up to date. No liability of any kind whatsoever is accepted by Last Mile Asset Management Limited, Last Mile Electricity Limited, or their agents, servants or contractors for any error, omission, or misstatement.

Safe digging practices, in accordance with HS(G)47, must be used to verify and establish the actual position of mains, pipes, services and other apparatus on site before any mechanical plant is used. It is your responsibility to ensure that this information is provided to all persons (either direct labour or contractors) working for you on or near gas apparatus. The information included on this plan should not be referred to beyond a period of 28 days from the date of issue.

**In an emergency call 0800 111 999, 24 hours a day**



  
**Last Mile Asset Management Limited**  
 Fenick House, Lister Way  
 Hamilton International Technology Park  
 Glasgow G72 0FT  
 Telephone 03300 587 443

Date Requested: 08/06/2022  
 Job Reference: 25881010  
 Site Location: 448066 213346  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_002  
 Scale: 1:2500 (When plotted at A4)


GAS KEY		Dig Sites
PROPOSED LP SERVICE	-----	Line: - - - - -
INSTALLED LP SERVICE	-----	Area: [ ] [ ] [ ] [ ] [ ]
PROPOSED MP SERVICE	-----	
PROPOSED LP MAINS	-----	
INSTALLED LP MAINS	-----	
PROPOSED MP MAINS	-----	
PROPOSED IP MAINS	-----	
EXISTING/AS LAID LP SERVICE	-----	
EXISTING/AS LAID MP SERVICE	-----	
EXISTING/AS LAID LP MAINS	-----	
EXISTING/AS LAID MP MAINS	-----	
INSTALLED MP MAINS	-----	
EXISTING/AS LAID IP MAINS	-----	
EXISTING HP MAINS	-----	
DECOMMISSIONED PIPE	-----	
PIPE TO BE DECOMMISSIONED	-----	
DIAMETER CHANGE	-----	
CAP END	-----	
VALVE	-----	
GAS METERBOX/KIOSK	-----	
GAS RISER	-----	
GAS METER	-----	
CATHODIC PROTECTION	-----	
PRESSURE REDUCTION INSTALLATION (P.R.I)	-----	
MEDIUM PRESSURE SERVICE EXCESS FLOW VALVE	-----	
PRESSURE PROTECTION	-----	
RIDER PURGE POINT	-----	
PLOTS WITH CONNECTIONS OFF OTHER GT/EXISTING GAS NETWORKS	-----	

This plan shows those pipes owned by Last Mile Gas Limited in their role as a Licensed Gas Transporter (GT). Gas pipes owned by other GTs, or otherwise privately owned (or, indeed, any other apparatus, equipment or infrastructure) may be present in this area. Information regarding such pipes (or any such other apparatus, equipment, or infrastructure) should be obtained from the relevant owners.

The information shown on these plans is provided for general information purposes only and should not be relied on or treated as a substitute for your own enquiries. We make no warranty, representation, or guarantee, whether express or implied, regarding the content of the plans or that the content is accurate, complete, or up to date. No liability of any kind whatsoever is accepted by Last Mile Asset Management Limited, Last Mile Electricity Limited, or their agents, servants or contractors for any error, omission, or misstatement.

Safe digging practices, in accordance with HS(G)47, must be used to verify and establish the actual position of mains, pipes, services and other apparatus on site before any mechanical plant is used. It is your responsibility to ensure that this information is provided to all persons (either direct labour or contractors) working for you on or near gas apparatus. The information included on this plan should not be referred to beyond a period of 28 days from the date of issue.

In an emergency call 0800 111 999, 24 hours a day



**Last Mile Asset Management Limited**  
 Fenick House, Lister Way  
 Hamilton International Technology Park  
 Glasgow G72 0FT  
 Telephone 03300 587 443

Date Requested: 08/06/2022  
 Job Reference: 25881010  
 Site Location: 448066 213346  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_002  
 Scale: 1:2500 (When plotted at A4)

GAS KEY		Dig Sites Line: - - - - - Area: [ ] [ ] [ ]
PROPOSED LP SERVICE	-----	
INSTALLED LP SERVICE	-----	
PROPOSED MP SERVICE	-----	
PROPOSED LP MAINS	-----	
INSTALLED LP MAINS	-----	
PROPOSED MP MAINS	-----	
PROPOSED IP MAINS	-----	
EXISTING/AS LAID LP SERVICE	-----	
EXISTING/AS LAID MP SERVICE	-----	
EXISTING/AS LAID LP MAINS	-----	
EXISTING/AS LAID MP MAINS	-----	
INSTALLED MP MAINS	-----	
EXISTING/AS LAID IP MAINS	-----	
EXISTING HP MAINS	-----	
DECOMMISSIONED PIPE	-----	
PIPE TO BE DECOMMISSIONED	-----	
DIAMETER CHANGE	-----	
CAP END	-----	
VALVE	-----	
GAS METERBOX/KIOSK	-----	
GAS RISER	-----	
GAS METER	-----	
CATHODIC PROTECTION	-----	
PRESSURE REDUCTION INSTALLATION (P.R.I)	-----	
MEDIUM PRESSURE SERVICE EXCESS FLOW VALVE	-----	
PRESSURE PROTECTION	-----	
RIDER PURGE POINT	-----	
PLOTS WITH CONNECTIONS OFF OTHER GT/EXISTING GAS NETWORKS	-----	

This plan shows those pipes owned by Last Mile Gas Limited in their role as a Licensed Gas Transporter (GT). Gas pipes owned by other GTs, or otherwise privately owned (or, indeed, any other apparatus, equipment or infrastructure) may be present in this area. Information regarding such pipes (or any such other apparatus, equipment, or infrastructure) should be obtained from the relevant owners.

The information shown on these plans is provided for general information purposes only and should not be relied on or treated as a substitute for your own enquiries. We make no warranty, representation, or guarantee, whether express or implied, regarding the content of the plans or that the content is accurate, complete, or up to date. No liability of any kind whatsoever is accepted by Last Mile Asset Management Limited, Last Mile Electricity Limited, or their agents, servants or contractors for any error, omission, or misstatement.

Safe digging practices, in accordance with HS(G)47, must be used to verify and establish the actual position of mains, pipes, services and other apparatus on site before any mechanical plant is used. It is your responsibility to ensure that this information is provided to all persons (either direct labour or contractors) working for you on or near gas apparatus. The information included on this plan should not be referred to beyond a period of 28 days from the date of issue.

**In an emergency call 0800 111 999, 24 hours a day**




  
**Last Mile Asset Management Limited**  
 Fenick House, Lister Way  
 Hamilton International Technology Park  
 Glasgow G72 0FT  
 Telephone 03300 587 443

GAS KEY		Dig Sites
PROPOSED LP SERVICE	-----	Line: - - - - -
INSTALLED LP SERVICE	-----	Area: [ ] [ ] [ ] [ ]
PROPOSED MP SERVICE	-----	
PROPOSED LP MAINS	-----	
INSTALLED LP MAINS	-----	
PROPOSED MP MAINS	-----	
PROPOSED IP MAINS	-----	
EXISTING/AS LAID LP SERVICE	-----	
EXISTING/AS LAID MP SERVICE	-----	
EXISTING/AS LAID LP MAINS	-----	
EXISTING/AS LAID MP MAINS	-----	
INSTALLED MP MAINS	-----	
EXISTING/AS LAID IP MAINS	-----	
EXISTING HP MAINS	-----	
DECOMMISSIONED PIPE	-----	
PIPE TO BE DECOMMISSIONED	-----	
DIAMETER CHANGE	-----	
CAP END	-----	
VALVE	-----	
GAS METERBOX/KIOSK	-----	
GAS RISER	-----	
GAS METER	-----	
CATHODIC PROTECTION	-----	
PRESSURE REDUCTION INSTALLATION (P.R.I)	-----	
MEDIUM PRESSURE SERVICE EXCESS FLOW VALVE	-----	
PRESSURE PROTECTION	-----	
RIDER PURGE POINT	-----	
PLOTS WITH CONNECTIONS OFF OTHER GT/EXISTING GAS NETWORKS	-----	

Date Requested: 08/06/2022  
 Job Reference: 25881010  
 Site Location: 448066 213346  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_002  
 Scale: 1:2500 (When plotted at A4)


This plan shows those pipes owned by Last Mile Gas Limited in their role as a Licensed Gas Transporter (GT). Gas pipes owned by other GTs, or otherwise privately owned (or, indeed, any other apparatus, equipment or infrastructure) may be present in this area. Information regarding such pipes (or any such other apparatus, equipment, or infrastructure) should be obtained from the relevant owners.

The information shown on these plans is provided for general information purposes only and should not be relied on or treated as a substitute for your own enquiries. We make no warranty, representation, or guarantee, whether express or implied, regarding the content of the plans or that the content is accurate, complete, or up to date. No liability of any kind whatsoever is accepted by Last Mile Asset Management Limited, Last Mile Electricity Limited, or their agents, servants or contractors for any error, omission, or misstatement.

Safe digging practices, in accordance with HS(G)47, must be used to verify and establish the actual position of mains, pipes, services and other apparatus on site before any mechanical plant is used. It is your responsibility to ensure that this information is provided to all persons (either direct labour or contractors) working for you on or near gas apparatus. The information included on this plan should not be referred to beyond a period of 28 days from the date of issue.

**In an emergency call 0800 111 999, 24 hours a day**





  
**Last Mile Asset Management Limited**  
 Fenick House, Lister Way  
 Hamilton International Technology Park  
 Glasgow G72 0FT  
 Telephone 03300 587 443


GAS KEY		Dig Sites
PROPOSED LP SERVICE	-----	Line: - - - - -
INSTALLED LP SERVICE	-----	Area: [ ] [ ] [ ] [ ]
PROPOSED MP SERVICE	-----	
PROPOSED LP MAINS	-----	
INSTALLED LP MAINS	-----	
PROPOSED MP MAINS	-----	
PROPOSED IP MAINS	-----	
EXISTING/AS LAID LP SERVICE	-----	
EXISTING/AS LAID MP SERVICE	-----	
EXISTING/AS LAID LP MAINS	-----	
EXISTING/AS LAID MP MAINS	-----	
INSTALLED MP MAINS	-----	
EXISTING/AS LAID IP MAINS	-----	
EXISTING HP MAINS	-----	
DECOMMISSIONED PIPE	-----	
PIPE TO BE DECOMMISSIONED	-----	
DIAMETER CHANGE	-----	
CAP END	-----	
VALVE	-----	
GAS METERBOX/KIOSK	-----	
GAS RISER	-----	
GAS METER	-----	
CATHODIC PROTECTION	-----	
PRESSURE REDUCTION INSTALLATION (P.R.I)	-----	
MEDIUM PRESSURE SERVICE EXCESS FLOW VALVE	-----	
PRESSURE PROTECTION	-----	
RIDER PURGE POINT	-----	
PLOTS WITH CONNECTIONS OFF OTHER GT/EXISTING GAS NETWORKS	-----	

Date Requested: 08/06/2022  
 Job Reference: 25881010  
 Site Location: 448066 213346  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_002  
 Scale: 1:2500 (When plotted at A4)

This plan shows those pipes owned by Last Mile Gas Limited in their role as a Licensed Gas Transporter (GT). Gas pipes owned by other GTs, or otherwise privately owned (or, indeed, any other apparatus, equipment or infrastructure) may be present in this area. Information regarding such pipes (or any such other apparatus, equipment, or infrastructure) should be obtained from the relevant owners.

The information shown on these plans is provided for general information purposes only and should not be relied on or treated as a substitute for your own enquiries. We make no warranty, representation, or guarantee, whether express or implied, regarding the content of the plans or that the content is accurate, complete, or up to date. No liability of any kind whatsoever is accepted by Last Mile Asset Management Limited, Last Mile Electricity Limited, or their agents, servants or contractors for any error, omission, or misstatement.

Safe digging practices, in accordance with HS(G)47, must be used to verify and establish the actual position of mains, pipes, services and other apparatus on site before any mechanical plant is used. It is your responsibility to ensure that this information is provided to all persons (either direct labour or contractors) working for you on or near gas apparatus. The information included on this plan should not be referred to beyond a period of 28 days from the date of issue.




**Last Mile Asset Management Limited**  
 Fenick House, Lister Way  
 Hamilton International Technology Park  
 Glasgow G72 0FT  
 Telephone 03300 587 443

GAS KEY		Dig Sites
PROPOSED LP SERVICE	-----	Line: - - - - -
INSTALLED LP SERVICE	-----	Area: [ ] [ ] [ ] [ ]
PROPOSED MP SERVICE	-----	
PROPOSED LP MAINS	-----	
INSTALLED LP MAINS	-----	
PROPOSED MP MAINS	-----	
PROPOSED IP MAINS	-----	
EXISTING/AS LAID LP SERVICE	-----	
EXISTING/AS LAID MP SERVICE	-----	
EXISTING/AS LAID LP MAINS	-----	
EXISTING/AS LAID MP MAINS	-----	
INSTALLED MP MAINS	-----	
EXISTING/AS LAID IP MAINS	-----	
EXISTING HP MAINS	-----	
DECOMMISSIONED PIPE	-----	
PIPE TO BE DECOMMISSIONED	-----	
DIAMETER CHANGE	-----	
CAP END	-----	
VALVE	-----	
GAS METERBOX/KIOSK	-----	
GAS RISER	-----	
GAS METER	-----	
CATHODIC PROTECTION	-----	
PRESSURE REDUCTION INSTALLATION (P.R.I)	-----	
MEDIUM PRESSURE SERVICE EXCESS FLOW VALVE	-----	
PRESSURE PROTECTION	-----	
RIDER PURGE POINT	-----	
PLOTS WITH CONNECTIONS OFF OTHER GT/EXISTING GAS NETWORKS	-----	


Date Requested: 08/06/2022  
 Job Reference: 25881010  
 Site Location: 448066 213346  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_002  
 Scale: 1:2500 (When plotted at A4)

This plan shows those pipes owned by Last Mile Gas Limited in their role as a Licensed Gas Transporter (GT). Gas pipes owned by other GTs, or otherwise privately owned (or, indeed, any other apparatus, equipment or infrastructure) may be present in this area. Information regarding such pipes (or any such other apparatus, equipment, or infrastructure) should be obtained from the relevant owners.

The information shown on these plans is provided for general information purposes only and should not be relied on or treated as a substitute for your own enquiries. We make no warranty, representation, or guarantee, whether express or implied, regarding the content of the plans or that the content is accurate, complete, or up to date. No liability of any kind whatsoever is accepted by Last Mile Asset Management Limited, Last Mile Electricity Limited, or their agents, servants or contractors for any error, omission, or misstatement.

Safe digging practices, in accordance with HS(G)47, must be used to verify and establish the actual position of mains, pipes, services and other apparatus on site before any mechanical plant is used. It is your responsibility to ensure that this information is provided to all persons (either direct labour or contractors) working for you on or near gas apparatus. The information included on this plan should not be referred to beyond a period of 28 days from the date of issue.

**In an emergency call 0800 111 999, 24 hours a day**



Last Mile Asset Management Limited  
 Fenick House, Lister Way  
 Hamilton International Technology Park  
 Glasgow G72 0FT  
 Telephone 03300 587 443

Date Requested: 08/06/2022  
 Job Reference: 25881010  
 Site Location: 448066 213346  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_002  
 Scale: 1:2500 (When plotted at A4)

GAS KEY		Dig Sites
PROPOSED LP SERVICE	-----	Line: - - - - -
INSTALLED LP SERVICE	-----	Area: [ ] [ ] [ ]
PROPOSED MP SERVICE	-----	
PROPOSED LP MAINS	-----	
INSTALLED LP MAINS	-----	
PROPOSED MP MAINS	-----	
PROPOSED IP MAINS	-----	
EXISTING/AS LAID LP SERVICE	-----	
EXISTING/AS LAID MP SERVICE	-----	
EXISTING/AS LAID LP MAINS	-----	
EXISTING/AS LAID MP MAINS	-----	
INSTALLED MP MAINS	-----	
EXISTING/AS LAID IP MAINS	-----	
EXISTING HP MAINS	-----	
DECOMMISSIONED PIPE	-----	
PIPE TO BE DECOMMISSIONED	-----	
DIAMETER CHANGE	-----	
CAP END	-----	
VALVE	-----	
GAS METERBOX/KIOSK	-----	
GAS RISER	-----	
GAS METER	-----	
CATHODIC PROTECTION	-----	
PRESSURE REDUCTION INSTALLATION (P.R.I)	-----	
MEDIUM PRESSURE SERVICE EXCESS FLOW VALVE	-----	
PRESSURE PROTECTION	-----	
RIDER PURGE POINT	-----	
PLOTS WITH CONNECTIONS OFF OTHER GT/EXISTING GAS NETWORKS	-----	

This plan shows those pipes owned by Last Mile Gas Limited in their role as a Licensed Gas Transporter (GT). Gas pipes owned by other GTs, or otherwise privately owned (or, indeed, any other apparatus, equipment or infrastructure) may be present in this area. Information regarding such pipes (or any such other apparatus, equipment, or infrastructure) should be obtained from the relevant owners.

The information shown on these plans is provided for general information purposes only and should not be relied on or treated as a substitute for your own enquiries. We make no warranty, representation, or guarantee, whether express or implied, regarding the content of the plans or that the content is accurate, complete, or up to date. No liability of any kind whatsoever is accepted by Last Mile Asset Management Limited, Last Mile Electricity Limited, or their agents, servants or contractors for any error, omission, or misstatement.

Safe digging practices, in accordance with HS(G)47, must be used to verify and establish the actual position of mains, pipes, services and other apparatus on site before any mechanical plant is used. It is your responsibility to ensure that this information is provided to all persons (either direct labour or contractors) working for you on or near gas apparatus. The information included on this plan should not be referred to beyond a period of 28 days from the date of issue.

**In an emergency call 0800 111 999, 24 hours a day**



Our Ref: 25880986      Your Ref: 31188\_001

Friday, 24 June 2022

Joe Shawyer  
Suite 6 Princess Caroline House 1 High Street  
Southend on Sea  
Essex  
SS1 1JE

Dear Joe Shawyer

Thank you for your enquiry dated Friday, 24 June 2022

Please find an extract from our mains records for your proposed work area, any SGN assets are described in the map legend. **On some occasions blank maps may be sent to you, this is due to your proposed work being in a no gas area but within our operational boundaries.**

This mains record only shows the pipes owned by SGN in our role as a Licensed Gas Transporter (GT). Please note that privately owned gas pipes or pipes owned by other GTs may be present in this area and information regarding those pipes needs to be requested from the owners. If we know of any other pipes in the area we will note them on the plans as a shaded area and/or a series of x's.

**The information shown on this plan is given without obligation or warranty and the accuracy cannot be guaranteed. Service pipes, valves, siphons, stub connections etc. are not shown but their presence should be anticipated. Your attention is drawn to the information and disclaimer on these plans. The information included on the plan is only valid for 28 days.**

On the mains record you may see the low/medium/intermediate pressure gas main near your site. There should be no mechanical excavations taking place above or within 0.5m of a low/medium pressure system or above or within 3.0m of an intermediate pressure system. You should, where required confirm the position using hand dug trial holes.

A colour copy of these plans and the gas safety advice booklet enclosed should be passed to the senior person on site in order to prevent damage to our plant and potential direct or consequential costs to your organisation.

Safe digging practices in accordance with HSE publication HSG47 "Avoiding Danger from Underground Services" must be used to verify and establish the actual position of the mains, pipes, services and other apparatus on site before any mechanical plant is used. It is your responsibility to ensure that this information is provided to all relevant people (direct labour or contractors) working for you on or near gas pipes.

It must be stressed that both direct and consequential damage to gas plant can be dangerous for your employees and the general public and repairs to any such damage will incur a charge to you or the organisation carrying out work on your behalf. Your works should be carried out in such a manner that we are able to gain access to our apparatus throughout the duration of your operations.


If you require any further information please do not hesitate to contact us.

Yours sincerely,  
The Safety Admin Team  
**For more information, visit our Dig Safely pages on [sgn.co.uk](http://sgn.co.uk)**  
Tel: 0800 912 1722

Smell gas?  
Call 0800 111 999

SGN is a brand name of Scotia Gas Networks Limited  
Registered in England & Wales No. 04958135  
Registered Office: St Lawrence House | Station Approach | Horley | Surrey RH6 9HJ

Authorised and regulated by the Financial Conduct Authority



Low Pressure Mains		Digsites:		Area:	
Medium Pressure Mains		Line:			
Intermediate Pressure Mains		LAs			
High Pressure Mains		GTs		SSSIs	
Some Examples Of Plant Items	Valve	Syphon	Depth of Cover	Diameter Change	Material Change



This information is given as a guide only and its accuracy cannot be guaranteed.



This plan shows the location of those pipes owned by Scotia Gas Networks (SGN) by virtue of being a licensed Gas Transporter (GT). Gas pipes owned by other GTs or third parties may also be present in this area but are not shown on this plan. Information with regard to such pipes should be obtained from the relevant owners. No warranties are given with regard to the accuracy of the information shown on this plan. Service pipes, valves, siphons, sub-connections etc. are not shown but their presence should be anticipated. You should be aware that a small percentage of our pipes/assets may be undergoing review and will temporarily be highlighted in yellow. If your proposed works are close to one of these pipes, you should contact the SGN Safety Admin Team on 0800 912 1722 for advice. No liability of any kind whatsoever is accepted by SGN or its agents, servants or sub-contractors for any error or omission contained herein. Safe digging practices, in accordance with HS (G)47, must be used to verify and establish the actual position of mains, pipes, services and other apparatus on site before any mechanical plant is used. It is your responsibility to ensure that plant location information is provided to all persons (whether direct labour or sub-contractors) working for you on or near gas apparatus. Information included on this plan should not be referred to beyond a period of 28 days from the date of issue.

**Report damage immediately – KEEP EVERYONE AWAY FROM THE AREA**  
**0800 111 999**


This plan is reproduced from or based on the OS map by Scotia Gas Networks plc, with the sanction of the controller of HM Stationery Office. Crown Copyright Reserved. Southern Gas – 100044373 and Scotland Gas – 100044366.

**Contact Us**  
**SGN Safety Admin Team:**  
 0800 912 1722  
**Email:**  
 plantlocation@sgn.co.uk

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Scale: 1:9225 (When plotted at A4)

1



Warning: PDF designed for A4 colour print only with no page scaling



Low Pressure Mains		Digsite:		Area:
Medium Pressure Mains		Line:		
Intermediate Pressure Mains		LAs		
High Pressure Mains		GTs		SSSIs
Some Examples Of Plant Items		Valve		Syphon
		Depth of Cover		Diameter Change
				Material Change



This information is given as a guide only and its accuracy cannot be guaranteed.



**Contact Us**  
SGN Safety Admin Team:  
0800 912 1722  
Email:  
plantlocation@sgn.co.uk


This plan shows the location of those pipes owned by Scotia Gas Networks (SGN) by virtue of being a licensed Gas Transporter (GT). Gas pipes owned by other GTs or third parties may also be present in this area but are not shown on this plan. Information with regard to such pipes should be obtained from the relevant owners. No warranties are given with regard to the accuracy of the information shown on this plan. Service pipes, valves, siphons, sub-connections etc. are not shown but their presence should be anticipated. You should be aware that a small percentage of our pipes/assets may be undergoing review and will temporarily be highlighted in yellow. If your proposed works are close to one of these pipes, you should contact the SGN Safety Admin Team on 0800 912 1722 for advice. No liability of any kind whatsoever is accepted by SGN or its agents, servants or sub-contractors for any error or omission contained herein. Safe digging practices, in accordance with HS (G)47, must be used to verify and establish the actual position of mains, pipes, services and other apparatus on site before any mechanical plant is used. It is your responsibility to ensure that plant location information is provided to all persons (whether direct labour or sub-contractors) working for you on or near gas apparatus. Information included on this plan should not be referred to beyond a period of 28 days from the date of issue.

**Report damage immediately – KEEP EVERYONE AWAY FROM THE AREA**  
**0800 111 999**




This plan is reproduced from or based on the OS map by Scotia Gas Networks plc, with the sanction of the controller of HM Stationery Office. Crown Copyright Reserved. Southern Gas – 100044373 and Scotland Gas – 100044366.

Date Requested: 24/06/2022  
Job Reference: 25880986  
Site Location: 447899 213853  
Requested by: Mr Joe Sawyer  
Your Scheme/Reference: 31188\_001


Scale: 1:1000 (When plotted at A4)



Warning: PDF designed for A4 colour print only with no page scaling

	<p>Low Pressure Mains <span style="color: red;">—</span> Digsite: <span style="color: red;">—</span></p> <p>Medium Pressure Mains <span style="color: cyan;">- - -</span> Line: <span style="color: magenta;">- - -</span> Area: <span style="color: magenta;">- - -</span></p> <p>Intermediate Pressure Mains <span style="color: green;">- · - · -</span> LAs <span style="border-bottom: 1px solid black; width: 50px; display: inline-block;"></span></p> <p>High Pressure Mains <span style="color: orange;">- · - · -</span> GTs <span style="background-color: #f08080; width: 20px; height: 10px; display: inline-block;"></span> SSSIs <span style="background-color: #90ee90; width: 20px; height: 10px; display: inline-block;"></span></p> <p>Some Examples Of Plant Items</p> <p>Valve <span style="font-size: 1em;">⊠</span> Syphon <span style="font-size: 1em;">○</span> Depth of Cover <span style="font-size: 1em;">∨</span> Diameter Change <span style="font-size: 1em;">±</span> Material Change <span style="font-size: 1em;"> </span></p>	 <p>This information is given as a guide only and its accuracy cannot be guaranteed.</p>
<p><b>Contact Us</b>  <b>SGN Safety Admin Team:</b>          0800 912 1722  <b>Email:</b>          plantlocation@sgn.co.uk</p>		
<p>Date Requested: 24/06/2022          Job Reference: 25880986          Site Location: 447899 213853          Requested by: Mr Joe Shawyer          Your Scheme/Reference: 31188_001</p>	<p>This plan shows the location of those pipes owned by Scotia Gas Networks (SGN) by virtue of being a licensed Gas Transporter (GT). Gas pipes owned by other GTs or third parties may also be present in this area but are not shown on this plan. Information with regard to such pipes should be obtained from the relevant owners. No warranties are given with regard to the accuracy of the information shown on this plan. Service pipes, valves, siphons, sub-connections etc. are not shown but their presence should be anticipated. You should be aware that a small percentage of our pipes/assets may be undergoing review and will temporarily be highlighted in yellow. If your proposed works are close to one of these pipes, you should contact the SGN Safety Admin Team on 0800 912 1722 for advice. No liability of any kind whatsoever is accepted by SGN or its agents, servants or sub-contractors for any error or omission contained herein. Safe digging practices, in accordance with HS (G)47, must be used to verify and establish the actual position of mains, pipes, services and other apparatus on site before any mechanical plant is used. It is your responsibility to ensure that plant location information is provided to all persons (whether direct labour or sub-contractors) working for you on or near gas apparatus. Information included on this plan should not be referred to beyond a period of 28 days from the date of issue.</p> <p style="text-align: center;"><b>Report damage immediately – KEEP EVERYONE AWAY FROM THE AREA</b>  <b>0800 111 999</b></p> <p style="font-size: 0.8em;">This plan is reproduced from or based on the OS map by Scotia Gas Networks plc, with the sanction of the controller of HM Stationery Office. Crown Copyright Reserved. Southern Gas – 100044373 and Scotland Gas – 100044366.</p>	

Scale: 1:1000 (When plotted at A4)



Warning: PDF designed for A4 colour print only with no page scaling



Low Pressure Mains		Digsite:		Area:
Medium Pressure Mains		Line:		
Intermediate Pressure Mains		LAs		
High Pressure Mains		GTs		SSSIs
Some Examples Of Plant Items		Valve		Syphon
		Depth of Cover		Diameter Change
				Material Change



This information is given as a guide only and its accuracy cannot be guaranteed.



**Contact Us**  
**SGN Safety Admin Team:**  
 0800 912 1722  
**Email:**  
 plantlocation@sgn.co.uk

This plan shows the location of those pipes owned by Scotia Gas Networks (SGN) by virtue of being a licensed Gas Transporter (GT). Gas pipes owned by other GTs or third parties may also be present in this area but are not shown on this plan. Information with regard to such pipes should be obtained from the relevant owners. No warranties are given with regard to the accuracy of the information shown on this plan. Service pipes, valves, siphons, sub-connections etc. are not shown but their presence should be anticipated. You should be aware that a small percentage of our pipes/assets may be undergoing review and will temporarily be highlighted in yellow. If your proposed works are close to one of these pipes, you should contact the SGN Safety Admin Team on 0800 912 1722 for advice. No liability of any kind whatsoever is accepted by SGN or its agents, servants or sub-contractors for any error or omission contained herein. Safe digging practices, in accordance with HS (G)47, must be used to verify and establish the actual position of mains, pipes, services and other apparatus on site before any mechanical plant is used. It is your responsibility to ensure that plant location information is provided to all persons (whether direct labour or sub-contractors) working for you on or near gas apparatus. Information included on this plan should not be referred to beyond a period of 28 days from the date of issue.


**Report damage immediately – KEEP EVERYONE AWAY FROM THE AREA**  
**0800 111 999**

This plan is reproduced from or based on the OS map by Scotia Gas Networks plc, with the sanction of the controller of HM Stationery Office. Crown Copyright Reserved. Southern Gas – 100044373 and Scotland Gas – 100044366.

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Scale: 1:1000 (When plotted at A4)






Warning: PDF designed for A4 colour print only with no page scaling



Low Pressure Mains		Digsite:		Area:	
Medium Pressure Mains		Line:			
Intermediate Pressure Mains		LAs			
High Pressure Mains		GTs		SSSIs	
Some Examples Of Plant Items		Valve		Syphon	
		Depth of Cover		Diameter Change	
				Material Change	



This information is given as a guide only and its accuracy cannot be guaranteed.



**Contact Us**  
**SGN Safety Admin Team:**  
 0800 912 1722  
**Email:**  
 plantlocation@sgn.co.uk


This plan shows the location of those pipes owned by Scotia Gas Networks (SGN) by virtue of being a licensed Gas Transporter (GT). Gas pipes owned by other GTs or third parties may also be present in this area but are not shown on this plan. Information with regard to such pipes should be obtained from the relevant owners. No warranties are given with regard to the accuracy of the information shown on this plan. Service pipes, valves, siphons, sub-connections etc. are not shown but their presence should be anticipated. You should be aware that a small percentage of our pipes/assets may be undergoing review and will temporarily be highlighted in yellow. If your proposed works are close to one of these pipes, you should contact the SGN Safety Admin Team on 0800 912 1722 for advice. No liability of any kind whatsoever is accepted by SGN or its agents, servants or sub-contractors for any error or omission contained herein. Safe digging practices, in accordance with HS (G)47, must be used to verify and establish the actual position of mains, pipes, services and other apparatus on site before any mechanical plant is used. It is your responsibility to ensure that plant location information is provided to all persons (whether direct labour or sub-contractors) working for you on or near gas apparatus. Information included on this plan should not be referred to beyond a period of 28 days from the date of issue.

**Report damage immediately – KEEP EVERYONE AWAY FROM THE AREA**  
**0800 111 999**

This plan is reproduced from or based on the OS map by Scotia Gas Networks plc, with the sanction of the controller of HM Stationery Office. Crown Copyright Reserved. Southern Gas – 100044373 and Scotland Gas – 100044366.

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Sawyer  
 Your Scheme/Reference: 31188\_001

Scale: 1:1000 (When plotted at A4)



**SGN**  
Your gas. Our network.

**Contact Us**  
SGN Safety Admin Team:  
0800 912 1722  
Email:  
plantlocation@sgn.co.uk

Date Requested: 24/06/2022  
Job Reference: 25880986  
Site Location: 447899 213853  
Requested by: Mr Joe Shawyer  
Your Scheme/Reference: 31188\_001

Low Pressure Mains		Digsite:	
Medium Pressure Mains		Line:	
Intermediate Pressure Mains		Area:	
High Pressure Mains		LAs	
Some Examples Of Plant Items		GTs	
Valve		SSSIs	
Syphon		Diameter Change	
Depth of Cover		Material Change	


This information is given as a guide only and its accuracy cannot be guaranteed.

This plan shows the location of those pipes owned by Scotia Gas Networks (SGN) by virtue of being a licensed Gas Transporter (GT). Gas pipes owned by other GTs or third parties may also be present in this area but are not shown on this plan. Information with regard to such pipes should be obtained from the relevant owners. No warranties are given with regard to the accuracy of the information shown on this plan. Service pipes, valves, siphons, sub-connections etc. are not shown but their presence should be anticipated. You should be aware that a small percentage of our pipes/assets may be undergoing review and will temporarily be highlighted in yellow. If your proposed works are close to one of these pipes, you should contact the SGN Safety Admin Team on 0800 912 1722 for advice. No liability of any kind whatsoever is accepted by SGN or its agents, servants or sub-contractors for any error or omission contained herein. Safe digging practices, in accordance with HS (G)47, must be used to verify and establish the actual position of mains, pipes, services and other apparatus on site before any mechanical plant is used. It is your responsibility to ensure that plant location information is provided to all persons (whether direct labour or sub-contractors) working for you on or near gas apparatus. Information included on this plan should not be referred to beyond a period of 28 days from the date of issue.

**Report damage immediately – KEEP EVERYONE AWAY FROM THE AREA**  
**0800 111 999**

Scale: 1:1000 (When plotted at A4)

This plan is reproduced from or based on the OS map by Scotia Gas Networks plc, with the sanction of the controller of HM Stationery Office. Crown Copyright Reserved. Southern Gas – 100044373 and Scotland Gas – 100044366.



**SGN**  
Your gas. Our network.

**Contact Us**  
SGN Safety Admin Team:  
0800 912 1722  
Email:  
plantlocation@sgn.co.uk

Date Requested: 24/06/2022  
Job Reference: 25880986  
Site Location: 447899 213853  
Requested by: Mr Joe Shawyer  
Your Scheme/Reference: 31188\_001


Scale: 1:1000 (When plotted at A4)

Low Pressure Mains		Digsite:	
Medium Pressure Mains		Line:	
Intermediate Pressure Mains		Area:	
High Pressure Mains		LAs	
Some Examples Of Plant Items	Valve	Syphon	Depth of Cover
		GTs	SSSIs
		Diameter Change	Material Change

This information is given as a guide only and its accuracy cannot be guaranteed.

This plan shows the location of those pipes owned by Scotia Gas Networks (SGN) by virtue of being a licensed Gas Transporter (GT). Gas pipes owned by other GTs or third parties may also be present in this area but are not shown on this plan. Information with regard to such pipes should be obtained from the relevant owners. No warranties are given with regard to the accuracy of the information shown on this plan. Service pipes, valves, syphons, sub-connections etc. are not shown but their presence should be anticipated. You should be aware that a small percentage of our pipes/assets may be undergoing review and will temporarily be highlighted in yellow. If your proposed works are close to one of these pipes, you should contact the SGN Safety Admin Team on 0800 912 1722 for advice. No liability of any kind whatsoever is accepted by SGN or its agents, servants or sub-contractors for any error or omission contained herein. Safe digging practices, in accordance with HS (G)47, must be used to verify and establish the actual position of mains, pipes, services and other apparatus on site before any mechanical plant is used. It is your responsibility to ensure that plant location information is provided to all persons (whether direct labour or sub-contractors) working for you on or near gas apparatus. Information included on this plan should not be referred to beyond a period of 28 days from the date of issue.

**Report damage immediately – KEEP EVERYONE AWAY FROM THE AREA**  
**0800 111 999**



7


BEGBROKE LANE (Track)

Warning: PDF designed for A4 colour print only with no page scaling




**Contact Us**  
**SGN Safety Admin Team:**  
 0800 912 1722  
**Email:**  
 plantlocation@sgn.co.uk

Low Pressure Mains		Digsite:	
Medium Pressure Mains		Line:	
Intermediate Pressure Mains		Area:	
High Pressure Mains		LAs	
Some Examples Of Plant Items		GTs	
Valve		SSSIs	
Syphon		Diameter Change	
Depth of Cover		Material Change	



This information is given as a guide only and its accuracy cannot be guaranteed.




Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Scale: 1:1000 (When plotted at A4)




This plan shows the location of those pipes owned by Scotia Gas Networks (SGN) by virtue of being a licensed Gas Transporter (GT). Gas pipes owned by other GTs or third parties may also be present in this area but are not shown on this plan. Information with regard to such pipes should be obtained from the relevant owners. No warranties are given with regard to the accuracy of the information shown on this plan. Service pipes, valves, siphons, sub-connections etc. are not shown but their presence should be anticipated. You should be aware that a small percentage of our pipes/assets may be undergoing review and will temporarily be highlighted in yellow. If your proposed works are close to one of these pipes, you should contact the SGN Safety Admin Team on 0800 912 1722 for advice. No liability of any kind whatsoever is accepted by SGN or its agents, servants or sub-contractors for any error or omission contained herein. Safe digging practices, in accordance with HS (G)47, must be used to verify and establish the actual position of mains, pipes, services and other apparatus on site before any mechanical plant is used. It is your responsibility to ensure that plant location information is provided to all persons (whether direct labour or sub-contractors) working for you on or near gas apparatus. Information included on this plan should not be referred to beyond a period of 28 days from the date of issue.


**Report damage immediately – KEEP EVERYONE AWAY FROM THE AREA**  
**0800 111 999**

This plan is reproduced from or based on the OS map by Scotia Gas Networks plc, with the sanction of the controller of HM Stationery Office. Crown Copyright Reserved. Southern Gas – 100044373 and Scotland Gas – 100044366.






















Warning: PDF designed for A4 colour print only with no page scaling

 <p><b>Contact Us</b>  <b>SGN Safety Admin Team:</b>          0800 912 1722  <b>Email:</b>          plantlocation@sgn.co.uk</p>	<table border="0"> <tr> <td>Low Pressure Mains</td> <td></td> <td>Digsite:</td> <td></td> <td>Area: </td> </tr> <tr> <td>Medium Pressure Mains</td> <td></td> <td>Line:</td> <td></td> <td></td> </tr> <tr> <td>Intermediate Pressure Mains</td> <td></td> <td>LAs</td> <td></td> <td></td> </tr> <tr> <td>High Pressure Mains</td> <td></td> <td>GTs</td> <td></td> <td>SSSIs </td> </tr> <tr> <td>Some Examples Of Plant Items</td> <td></td> <td>Valve</td> <td></td> <td>Syphon </td> </tr> <tr> <td></td> <td></td> <td>Depth of Cover</td> <td></td> <td>Diameter Change </td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td>Material Change </td> </tr> </table>	Low Pressure Mains		Digsite:		Area:	Medium Pressure Mains		Line:			Intermediate Pressure Mains		LAs			High Pressure Mains		GTs		SSSIs	Some Examples Of Plant Items		Valve		Syphon			Depth of Cover		Diameter Change					Material Change	 <p>This information is given as a guide only and its accuracy cannot be guaranteed.</p> 
Low Pressure Mains		Digsite:		Area:																																	
Medium Pressure Mains		Line:																																			
Intermediate Pressure Mains		LAs																																			
High Pressure Mains		GTs		SSSIs																																	
Some Examples Of Plant Items		Valve		Syphon																																	
		Depth of Cover		Diameter Change																																	
				Material Change																																	
<p>Date Requested: 24/06/2022          Job Reference: 25880986          Site Location: 447899 213853          Requested by: Mr Joe Sawyer          Your Scheme/Reference: 31188_001</p> <p>Scale: 1:1000 (When plotted at A4)</p>	<p>This plan shows the location of those pipes owned by Scotia Gas Networks (SGN) by virtue of being a licensed Gas Transporter (GT). Gas pipes owned by other GTs or third parties may also be present in this area but are not shown on this plan. Information with regard to such pipes should be obtained from the relevant owners. No warranties are given with regard to the accuracy of the information shown on this plan. Service pipes, valves, siphons, sub-connections etc. are not shown but their presence should be anticipated. You should be aware that a small percentage of our pipes/assets may be undergoing review and will temporarily be highlighted in yellow. If your proposed works are close to one of these pipes, you should contact the SGN Safety Admin Team on 0800 912 1722 for advice. No liability of any kind whatsoever is accepted by SGN or its agents, servants or sub-contractors for any error or omission contained herein. Safe digging practices, in accordance with HS (G)47, must be used to verify and establish the actual position of mains, pipes, services and other apparatus on site before any mechanical plant is used. It is your responsibility to ensure that plant location information is provided to all persons (whether direct labour or sub-contractors) working for you on or near gas apparatus. Information included on this plan should not be referred to beyond a period of 28 days from the date of issue.</p> <p style="text-align: center;"><b>Report damage immediately – KEEP EVERYONE AWAY FROM THE AREA</b>  <b>0800 111 999</b></p> <p style="text-align: center;"><small>This plan is reproduced from or based on the OS map by Scotia Gas Networks plc, with the sanction of the controller of HM Stationery Office. Crown Copyright Reserved. Southern Gas – 100044373 and Scotland Gas – 100044366.</small></p>																																				






Warning: PDF designed for A4 colour print only with no page scaling


	<p>Low Pressure Mains </p> <p>Medium Pressure Mains </p> <p>Intermediate Pressure Mains </p> <p>High Pressure Mains </p> <p>Some Examples Of Plant Items</p> <p>Valve  Syphon  Depth of Cover </p> <p>Digsite: </p> <p>Line:  Area: </p> <p>LAs </p> <p>GTs  SSSIs </p> <p>Diameter Change  Material Change </p>	 <p>This information is given as a guide only and its accuracy cannot be guaranteed.</p>
<p><b>Contact Us</b>  <b>SGN Safety Admin Team:</b>          0800 912 1722  <b>Email:</b>          plantlocation@sgn.co.uk</p>		
<p>Date Requested: 24/06/2022          Job Reference: 25880986          Site Location: 447899 213853          Requested by: Mr Joe Shawyer          Your Scheme/Reference: 31188_001</p>	<p>This plan shows the location of those pipes owned by Scotia Gas Networks (SGN) by virtue of being a licensed Gas Transporter (GT). Gas pipes owned by other GTs or third parties may also be present in this area but are not shown on this plan. Information with regard to such pipes should be obtained from the relevant owners. No warranties are given with regard to the accuracy of the information shown on this plan. Service pipes, valves, siphons, sub-connections etc. are not shown but their presence should be anticipated. You should be aware that a small percentage of our pipes/assets may be undergoing review and will temporarily be highlighted in yellow. If your proposed works are close to one of these pipes, you should contact the SGN Safety Admin Team on 0800 912 1722 for advice. No liability of any kind whatsoever is accepted by SGN or its agents, servants or sub-contractors for any error or omission contained herein. Safe digging practices, in accordance with HS (G)47, must be used to verify and establish the actual position of mains, pipes, services and other apparatus on site before any mechanical plant is used. It is your responsibility to ensure that plant location information is provided to all persons (whether direct labour or sub-contractors) working for you on or near gas apparatus. Information included on this plan should not be referred to beyond a period of 28 days from the date of issue.</p> <p style="text-align: center;"><b>Report damage immediately – KEEP EVERYONE AWAY FROM THE AREA</b>  <b>0800 111 999</b></p>	
<p>Scale: 1:1000 (When plotted at A4)</p>	<p>This plan is reproduced from or based on the OS map by Scotia Gas Networks plc, with the sanction of the controller of HM Stationery Office. Crown Copyright Reserved. Southern Gas – 100044373 and Scotland Gas – 100044366.</p>	



Warning: PDF designed for A4 colour print only with no page scaling

	<p>Low Pressure Mains <span style="color: red;">—</span> Digsite: <span style="color: red;">—</span></p> <p>Medium Pressure Mains <span style="color: cyan;">- - -</span> Line: <span style="color: magenta;">- - -</span> Area: <span style="border: 1px dashed magenta; padding: 2px;"> </span></p> <p>Intermediate Pressure Mains <span style="color: green;">- · - · -</span> LAs <span style="border-bottom: 1px solid black; width: 50px; display: inline-block;"></span></p> <p>High Pressure Mains <span style="color: orange;">- · - · -</span> GTs <span style="background-color: #f08080; width: 20px; height: 10px; display: inline-block;"></span> SSSIs <span style="background-color: #90ee90; width: 20px; height: 10px; display: inline-block;"></span></p> <p>Some Examples Of Plant Items</p> <p>Valve <span style="font-size: 1em;">⊠</span> Syphon <span style="font-size: 1em;">○</span> Depth of Cover <span style="font-size: 1em;">∨</span> Diameter Change <span style="font-size: 1em;">⊕</span> Material Change <span style="font-size: 1em;"> </span></p>	 <p>This information is given as a guide only and its accuracy cannot be guaranteed.</p>
<p><b>Contact Us</b>  <b>SGN Safety Admin Team:</b>          0800 912 1722  <b>Email:</b>          plantlocation@sgn.co.uk</p>		
<p>Date Requested: 24/06/2022          Job Reference: 25880986          Site Location: 447899 213853          Requested by: Mr Joe Sawyer          Your Scheme/Reference: 31188_001</p>	<p>This plan shows the location of those pipes owned by Scotia Gas Networks (SGN) by virtue of being a licensed Gas Transporter (GT). Gas pipes owned by other GTs or third parties may also be present in this area but are not shown on this plan. Information with regard to such pipes should be obtained from the relevant owners. No warranties are given with regard to the accuracy of the information shown on this plan. Service pipes, valves, syphons, sub-connections etc. are not shown but their presence should be anticipated. You should be aware that a small percentage of our pipes/assets may be undergoing review and will temporarily be highlighted in yellow. If your proposed works are close to one of these pipes, you should contact the SGN Safety Admin Team on 0800 912 1722 for advice. No liability of any kind whatsoever is accepted by SGN or its agents, servants or sub-contractors for any error or omission contained herein. Safe digging practices, in accordance with HS (G)47, must be used to verify and establish the actual position of mains, pipes, services and other apparatus on site before any mechanical plant is used. It is your responsibility to ensure that plant location information is provided to all persons (whether direct labour or sub-contractors) working for you on or near gas apparatus. Information included on this plan should not be referred to beyond a period of 28 days from the date of issue.</p> <p style="text-align: center;"><b>Report damage immediately – KEEP EVERYONE AWAY FROM THE AREA</b>  <b>0800 111 999</b></p> <p style="font-size: 0.8em;">This plan is reproduced from or based on the OS map by Scotia Gas Networks plc, with the sanction of the controller of HM Stationery Office. Crown Copyright Reserved. Southern Gas – 100044373 and Scotland Gas – 100044366.</p>	

Scale: 1:1000 (When plotted at A4)



**SGN**  
Your gas. Our network.

**Contact Us**  
SGN Safety Admin Team:  
0800 912 1722  
Email:  
plantlocation@sgn.co.uk

Date Requested: 24/06/2022  
Job Reference: 25880986  
Site Location: 447899 213853  
Requested by: Mr Joe Shawyer  
Your Scheme/Reference: 31188\_001

Scale: 1:1000 (When plotted at A4)


Low Pressure Mains		Digsite:	
Medium Pressure Mains		Line:	
Intermediate Pressure Mains		Area:	
High Pressure Mains		LAs	
Some Examples Of Plant Items		GTs	
Valve		SSSIs	
Syphon		Diameter Change	
Depth of Cover		Material Change	

This information is given as a guide only and its accuracy cannot be guaranteed.

This plan shows the location of those pipes owned by Scotia Gas Networks (SGN) by virtue of being a licensed Gas Transporter (GT). Gas pipes owned by other GTs or third parties may also be present in this area but are not shown on this plan. Information with regard to such pipes should be obtained from the relevant owners. No warranties are given with regard to the accuracy of the information shown on this plan. Service pipes, valves, siphons, sub-connections etc. are not shown but their presence should be anticipated. You should be aware that a small percentage of our pipes/assets may be undergoing review and will temporarily be highlighted in yellow. If your proposed works are close to one of these pipes, you should contact the SGN Safety Admin Team on 0800 912 1722 for advice. No liability of any kind whatsoever is accepted by SGN or its agents, servants or sub-contractors for any error or omission contained herein. Safe digging practices, in accordance with HS (G)47, must be used to verify and establish the actual position of mains, pipes, services and other apparatus on site before any mechanical plant is used. It is your responsibility to ensure that plant location information is provided to all persons (whether direct labour or sub-contractors) working for you on or near gas apparatus. Information included on this plan should not be referred to beyond a period of 28 days from the date of issue.

**Report damage immediately – KEEP EVERYONE AWAY FROM THE AREA**  
**0800 111 999**





Warning: PDF designed for A4 colour print only with no page scaling



**Contact Us**  
**SGN Safety Admin Team:**  
 0800 912 1722  
**Email:**  
 plantlocation@sgn.co.uk

Low Pressure Mains		Digsite:		Area:	
Medium Pressure Mains		Line:			
Intermediate Pressure Mains		LAs			
High Pressure Mains		GTs		SSSIs	
Some Examples Of Plant Items		Diameter Change		Material Change	
Valve		Depth of Cover			
Syphon					



This information is given as a guide only and its accuracy cannot be guaranteed.




This plan shows the location of those pipes owned by Scotia Gas Networks (SGN) by virtue of being a licensed Gas Transporter (GT). Gas pipes owned by other GTs or third parties may also be present in this area but are not shown on this plan. Information with regard to such pipes should be obtained from the relevant owners. No warranties are given with regard to the accuracy of the information shown on this plan. Service pipes, valves, siphons, sub-connections etc. are not shown but their presence should be anticipated. You should be aware that a small percentage of our pipes/assets may be undergoing review and will temporarily be highlighted in yellow. If your proposed works are close to one of these pipes, you should contact the SGN Safety Admin Team on 0800 912 1722 for advice. No liability of any kind whatsoever is accepted by SGN or its agents, servants or sub-contractors for any error or omission contained herein. Safe digging practices, in accordance with HS (G)47, must be used to verify and establish the actual position of mains, pipes, services and other apparatus on site before any mechanical plant is used. It is your responsibility to ensure that plant location information is provided to all persons (whether direct labour or sub-contractors) working for you on or near gas apparatus. Information included on this plan should not be referred to beyond a period of 28 days from the date of issue.

**Report damage immediately – KEEP EVERYONE AWAY FROM THE AREA**  
**0800 111 999**

This plan is reproduced from or based on the OS map by Scotia Gas Networks plc, with the sanction of the controller of HM Stationery Office. Crown Copyright Reserved. Southern Gas – 100044373 and Scotland Gas – 100044366.

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Sawyer  
 Your Scheme/Reference: 31188\_001

Scale: 1:1000 (When plotted at A4)




Warning: PDF designed for A4 colour print only with no page scaling



**Contact Us**  
**SGN Safety Admin Team:**  
 0800 912 1722  
**Email:**  
 plantlocation@sgn.co.uk

Low Pressure Mains		Digsite:		Area:
Medium Pressure Mains		Line:		
Intermediate Pressure Mains		LAs		
High Pressure Mains		GTs		SSSIs
Some Examples Of Plant Items		Valve		Syphon
		Depth of Cover		Diameter Change
				Material Change




This information is given as a guide only and its accuracy cannot be guaranteed.



This plan shows the location of those pipes owned by Scotia Gas Networks (SGN) by virtue of being a licensed Gas Transporter (GT). Gas pipes owned by other GTs or third parties may also be present in this area but are not shown on this plan. Information with regard to such pipes should be obtained from the relevant owners. No warranties are given with regard to the accuracy of the information shown on this plan. Service pipes, valves, siphons, sub-connections etc. are not shown but their presence should be anticipated. You should be aware that a small percentage of our pipes/assets may be undergoing review and will temporarily be highlighted in yellow. If your proposed works are close to one of these pipes, you should contact the SGN Safety Admin Team on 0800 912 1722 for advice. No liability of any kind whatsoever is accepted by SGN or its agents, servants or sub-contractors for any error or omission contained herein. Safe digging practices, in accordance with HS (G)47, must be used to verify and establish the actual position of mains, pipes, services and other apparatus on site before any mechanical plant is used. It is your responsibility to ensure that plant location information is provided to all persons (whether direct labour or sub-contractors) working for you on or near gas apparatus. Information included on this plan should not be referred to beyond a period of 28 days from the date of issue.

**Report damage immediately – KEEP EVERYONE AWAY FROM THE AREA**  
**0800 111 999**

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001  
 Scale: 1:1000 (When plotted at A4)



4" SI main found in the verge not the footpath at this location. Route beyond here is unconfirmed. Dated: 16/02/2022 EM069566

Warning: PDF designed for A4 colour print only with no page scaling




**Contact Us**  
**SGN Safety Admin Team:**  
 0800 912 1722  
**Email:**  
 plantlocation@sgn.co.uk

---


Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Scale: 1:1000 (When plotted at A4)

Low Pressure Mains		Digsite:	
Medium Pressure Mains		Line:	
Intermediate Pressure Mains		Area:	
High Pressure Mains		LAs	
Some Examples Of Plant Items		GTs	
Valve		SSSIs	
Syphon		Diameter Change	
Depth of Cover		Material Change	




This information is given as a guide only and its accuracy cannot be guaranteed.



This plan shows the location of those pipes owned by Scotia Gas Networks (SGN) by virtue of being a licensed Gas Transporter (GT). Gas pipes owned by other GTs or third parties may also be present in this area but are not shown on this plan. Information with regard to such pipes should be obtained from the relevant owners. No warranties are given with regard to the accuracy of the information shown on this plan. Service pipes, valves, siphons, sub-connections etc. are not shown but their presence should be anticipated. You should be aware that a small percentage of our pipes/assets may be undergoing review and will temporarily be highlighted in yellow. If your proposed works are close to one of these pipes, you should contact the SGN Safety Admin Team on 0800 912 1722 for advice. No liability of any kind whatsoever is accepted by SGN or its agents, servants or sub-contractors for any error or omission contained herein. Safe digging practices, in accordance with HS (G)47, must be used to verify and establish the actual position of mains, pipes, services and other apparatus on site before any mechanical plant is used. It is your responsibility to ensure that plant location information is provided to all persons (whether direct labour or sub-contractors) working for you on or near gas apparatus. Information included on this plan should not be referred to beyond a period of 28 days from the date of issue.

**Report damage immediately – KEEP EVERYONE AWAY FROM THE AREA**  
**0800 111 999**



Warning: PDF designed for A4 colour print only with no page scaling

**SGN**  
Your gas. Our network.

**Contact Us**  
SGN Safety Admin Team:  
0800 912 1722  
Email:  
plantlocation@sgn.co.uk

Date Requested: 24/06/2022  
Job Reference: 25880986  
Site Location: 447899 213853  
Requested by: Mr Joe Shawyer  
Your Scheme/Reference: 31188\_001

Scale: 1:1000 (When plotted at A4)

Low Pressure Mains		Digsite:	
Medium Pressure Mains		Line:	
Intermediate Pressure Mains		Area:	
High Pressure Mains		LAs	
Some Examples Of Plant Items		GTs	
Valve		SSSIs	
Syphon		Diameter Change	
Depth of Cover		Material Change	

This information is given as a guide only and its accuracy cannot be guaranteed.



















This plan shows the location of those pipes owned by Scotia Gas Networks (SGN) by virtue of being a licensed Gas Transporter (GT). Gas pipes owned by other GTs or third parties may also be present in this area but are not shown on this plan. Information with regard to such pipes should be obtained from the relevant owners. No warranties are given with regard to the accuracy of the information shown on this plan. Service pipes, valves, siphons, sub-connections etc. are not shown but their presence should be anticipated. You should be aware that a small percentage of our pipes/assets may be undergoing review and will temporarily be highlighted in yellow. If your proposed works are close to one of these pipes, you should contact the SGN Safety Admin Team on 0800 912 1722 for advice. No liability of any kind whatsoever is accepted by SGN or its agents, servants or sub-contractors for any error or omission contained herein. Safe digging practices, in accordance with HS (G)47, must be used to verify and establish the actual position of mains, pipes, services and other apparatus on site before any mechanical plant is used. It is your responsibility to ensure that plant location information is provided to all persons (whether direct labour or sub-contractors) working for you on or near gas apparatus. Information included on this plan should not be referred to beyond a period of 28 days from the date of issue.


**Report damage immediately – KEEP EVERYONE AWAY FROM THE AREA**  
**0800 111 999**

This plan is reproduced from or based on the OS map by Scotia Gas Networks plc, with the sanction of the controller of HM Stationery Office. Crown Copyright Reserved. Southern Gas – 100044373 and Scotland Gas – 100044366.



Warning: PDF designed for A4 colour print only with no page scaling

 <p><b>Contact Us</b>  <b>SGN Safety Admin Team:</b>          0800 912 1722  <b>Email:</b>          plantlocation@sgn.co.uk</p>	<p>Low Pressure Mains </p> <p>Medium Pressure Mains </p> <p>Intermediate Pressure Mains </p> <p>High Pressure Mains </p> <p>Some Examples Of Plant Items</p> <p>Valve  Syphon  Depth of Cover </p> <p>Digsite: </p> <p>Line:  Area: </p> <p>LAs </p> <p>GTs  SSSIs </p> <p>Diameter Change  Material Change </p>	 <p>This information is given as a guide only and its accuracy cannot be guaranteed.</p> 
<p>Date Requested: 24/06/2022          Job Reference: 25880986          Site Location: 447899 213853          Requested by: Mr Joe Sawyer          Your Scheme/Reference: 31188_001</p> <p>Scale: 1:1000 (When plotted at A4)</p>	<p>This plan shows the location of those pipes owned by Scotia Gas Networks (SGN) by virtue of being a licensed Gas Transporter (GT). Gas pipes owned by other GTs or third parties may also be present in this area but are not shown on this plan. Information with regard to such pipes should be obtained from the relevant owners. No warranties are given with regard to the accuracy of the information shown on this plan. Service pipes, valves, siphons, sub-connections etc. are not shown but their presence should be anticipated. You should be aware that a small percentage of our pipes/assets may be undergoing review and will temporarily be highlighted in yellow. If your proposed works are close to one of these pipes, you should contact the SGN Safety Admin Team on 0800 912 1722 for advice. No liability of any kind whatsoever is accepted by SGN or its agents, servants or sub-contractors for any error or omission contained herein. Safe digging practices, in accordance with HS (G)47, must be used to verify and establish the actual position of mains, pipes, services and other apparatus on site before any mechanical plant is used. It is your responsibility to ensure that plant location information is provided to all persons (whether direct labour or sub-contractors) working for you on or near gas apparatus. Information included on this plan should not be referred to beyond a period of 28 days from the date of issue.</p> <p style="text-align: center;"><b>Report damage immediately – KEEP EVERYONE AWAY FROM THE AREA</b>  <b>0800 111 999</b></p> <p style="text-align: center;"><small>This plan is reproduced from or based on the OS map by Scotia Gas Networks plc, with the sanction of the controller of HM Stationery Office. Crown Copyright Reserved. Southern Gas – 100044373 and Scotland Gas – 100044366.</small></p>	



Warning: PDF designed for A4 colour print only with no page scaling



Low Pressure Mains		Digsite:		Area:
Medium Pressure Mains		Line:		
Intermediate Pressure Mains		LAs		
High Pressure Mains		GTs		SSSIs
Some Examples Of Plant Items	Valve	Depth of Cover	Diameter Change	Material Change
	Syphon			



This information is given as a guide only and its accuracy cannot be guaranteed.



**Contact Us**  
**SGN Safety Admin Team:**  
 0800 912 1722  
**Email:**  
 plantlocation@sgn.co.uk


This plan shows the location of those pipes owned by Scotia Gas Networks (SGN) by virtue of being a licensed Gas Transporter (GT). Gas pipes owned by other GTs or third parties may also be present in this area but are not shown on this plan. Information with regard to such pipes should be obtained from the relevant owners. No warranties are given with regard to the accuracy of the information shown on this plan. Service pipes, valves, siphons, sub-connections etc. are not shown but their presence should be anticipated. You should be aware that a small percentage of our pipes/assets may be undergoing review and will temporarily be highlighted in yellow. If your proposed works are close to one of these pipes, you should contact the SGN Safety Admin Team on 0800 912 1722 for advice. No liability of any kind whatsoever is accepted by SGN or its agents, servants or sub-contractors for any error or omission contained herein. Safe digging practices, in accordance with HS (G)47, must be used to verify and establish the actual position of mains, pipes, services and other apparatus on site before any mechanical plant is used. It is your responsibility to ensure that plant location information is provided to all persons (whether direct labour or sub-contractors) working for you on or near gas apparatus. Information included on this plan should not be referred to beyond a period of 28 days from the date of issue.

**Report damage immediately – KEEP EVERYONE AWAY FROM THE AREA**  
**0800 111 999**




This plan is reproduced from or based on the OS map by Scotia Gas Networks plc, with the sanction of the controller of HM Stationery Office. Crown Copyright Reserved. Southern Gas – 100044373 and Scotland Gas – 100044366.

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001


Scale: 1:1000 (When plotted at A4)






Warning: PDF designed for A4 colour print only with no page scaling

 <p><b>Contact Us</b>  <b>SGN Safety Admin Team:</b>          0800 912 1722  <b>Email:</b>          plantlocation@sgn.co.uk</p>	<table border="0"> <tr> <td>Low Pressure Mains</td> <td></td> <td>Digsites:</td> <td></td> <td>Area: </td> </tr> <tr> <td>Medium Pressure Mains</td> <td></td> <td>Line:</td> <td></td> <td></td> </tr> <tr> <td>Intermediate Pressure Mains</td> <td></td> <td>LAs</td> <td></td> <td></td> </tr> <tr> <td>High Pressure Mains</td> <td></td> <td>GTs</td> <td></td> <td>SSSIs </td> </tr> <tr> <td>Some Examples Of Plant Items</td> <td></td> <td>Diameter Change</td> <td></td> <td>Material Change </td> </tr> <tr> <td>Valve</td> <td></td> <td>Syphon</td> <td></td> <td>Depth of Cover </td> </tr> </table>	Low Pressure Mains		Digsites:		Area:	Medium Pressure Mains		Line:			Intermediate Pressure Mains		LAs			High Pressure Mains		GTs		SSSIs	Some Examples Of Plant Items		Diameter Change		Material Change	Valve		Syphon		Depth of Cover	 <p>This information is given as a guide only and its accuracy cannot be guaranteed.</p> 
Low Pressure Mains		Digsites:		Area:																												
Medium Pressure Mains		Line:																														
Intermediate Pressure Mains		LAs																														
High Pressure Mains		GTs		SSSIs																												
Some Examples Of Plant Items		Diameter Change		Material Change																												
Valve		Syphon		Depth of Cover																												
<p>Date Requested: 24/06/2022          Job Reference: 25880986          Site Location: 447899 213853          Requested by: Mr Joe Shawyer          Your Scheme/Reference: 31188_001</p>	<p>This plan shows the location of those pipes owned by Scotia Gas Networks (SGN) by virtue of being a licensed Gas Transporter (GT). Gas pipes owned by other GTs or third parties may also be present in this area but are not shown on this plan. Information with regard to such pipes should be obtained from the relevant owners. No warranties are given with regard to the accuracy of the information shown on this plan. Service pipes, valves, siphons, sub-connections etc. are not shown but their presence should be anticipated. You should be aware that a small percentage of our pipes/assets may be undergoing review and will temporarily be highlighted in yellow. If your proposed works are close to one of these pipes, you should contact the SGN Safety Admin Team on 0800 912 1722 for advice. No liability of any kind whatsoever is accepted by SGN or its agents, servants or sub-contractors for any error or omission contained herein. Safe digging practices, in accordance with HS (G)47, must be used to verify and establish the actual position of mains, pipes, services and other apparatus on site before any mechanical plant is used. It is your responsibility to ensure that plant location information is provided to all persons (whether direct labour or sub-contractors) working for you on or near gas apparatus. Information included on this plan should not be referred to beyond a period of 28 days from the date of issue.</p> <p style="text-align: center;"><b>Report damage immediately – KEEP EVERYONE AWAY FROM THE AREA</b>  <b>0800 111 999</b></p> <p style="text-align: center;"><small>This plan is reproduced from or based on the OS map by Scotia Gas Networks plc, with the sanction of the controller of the HM Stationery Office. Crown Copyright Reserved. Southern Gas – 100044373 and Scotland Gas – 100044366.</small></p>																															


Scale: 1:1000 (When plotted at A4)



Warning: PDF designed for A4 colour print only with no page scaling

	<table border="0"> <tr> <td>Low Pressure Mains</td> <td></td> <td>Digsite:</td> <td></td> <td>Area: </td> </tr> <tr> <td>Medium Pressure Mains</td> <td></td> <td>Line:</td> <td></td> <td></td> </tr> <tr> <td>Intermediate Pressure Mains</td> <td></td> <td>LAs</td> <td></td> <td></td> </tr> <tr> <td>High Pressure Mains</td> <td></td> <td>GTs</td> <td></td> <td>SSSIs </td> </tr> <tr> <td>Some Examples Of Plant Items</td> <td></td> <td>Valve</td> <td></td> <td>Syphon </td> </tr> <tr> <td></td> <td></td> <td>Depth of Cover</td> <td></td> <td>Diameter Change </td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td>Material Change </td> </tr> </table>	Low Pressure Mains		Digsite:		Area:	Medium Pressure Mains		Line:			Intermediate Pressure Mains		LAs			High Pressure Mains		GTs		SSSIs	Some Examples Of Plant Items		Valve		Syphon			Depth of Cover		Diameter Change					Material Change	 <p>This information is given as a guide only and its accuracy cannot be guaranteed.</p>
Low Pressure Mains		Digsite:		Area:																																	
Medium Pressure Mains		Line:																																			
Intermediate Pressure Mains		LAs																																			
High Pressure Mains		GTs		SSSIs																																	
Some Examples Of Plant Items		Valve		Syphon																																	
		Depth of Cover		Diameter Change																																	
				Material Change																																	
<p><b>Contact Us</b>  <b>SGN Safety Admin Team:</b>          0800 912 1722  <b>Email:</b>          plantlocation@sgn.co.uk</p>			<p>This plan shows the location of those pipes owned by Scotia Gas Networks (SGN) by virtue of being a licensed Gas Transporter (GT). Gas pipes owned by other GTs or third parties may also be present in this area but are not shown on this plan. Information with regard to such pipes should be obtained from the relevant owners. No warranties are given with regard to the accuracy of the information shown on this plan. Service pipes, valves, siphons, sub-connections etc. are not shown but their presence should be anticipated. You should be aware that a small percentage of our pipes/assets may be undergoing review and will temporarily be highlighted in yellow. If your proposed works are close to one of these pipes, you should contact the SGN Safety Admin Team on 0800 912 1722 for advice. No liability of any kind whatsoever is accepted by SGN or its agents, servants or sub-contractors for any error or omission contained herein. Safe digging practices, in accordance with HS (G)47, must be used to verify and establish the actual position of mains, pipes, services and other apparatus on site before any mechanical plant is used. It is your responsibility to ensure that plant location information is provided to all persons (whether direct labour or sub-contractors) working for you on or near gas apparatus. Information included on this plan should not be referred to beyond a period of 28 days from the date of issue.</p>																																		
<p><b>Report damage immediately – KEEP EVERYONE AWAY FROM THE AREA</b>  <b>0800 111 999</b></p>																																					
<p>Scale: 1:1000 (When plotted at A4)</p>	<p>This plan is reproduced from or based on the OS map by Scotia Gas Networks plc, with the sanction of the controller of the HM Stationery Office. Crown Copyright Reserved. Southern Gas – 100044373 and Scotland Gas – 100044366.</p>																																				






Warning: PDF designed for A4 colour print only with no page scaling



**Contact Us**  
**SGN Safety Admin Team:**  
 0800 912 1722  
**Email:**  
 plantlocation@sgn.co.uk

Low Pressure Mains		Digsite:		Area:	
Medium Pressure Mains		Line:			
Intermediate Pressure Mains		LAs			
High Pressure Mains		GTs		SSSIs	
Some Examples Of Plant Items		Diameter Change		Material Change	
Valve		Syphon		Depth of Cover	



This information is given as a guide only and its accuracy cannot be guaranteed.




This plan shows the location of those pipes owned by Scotia Gas Networks (SGN) by virtue of being a licensed Gas Transporter (GT). Gas pipes owned by other GTs or third parties may also be present in this area but are not shown on this plan. Information with regard to such pipes should be obtained from the relevant owners. No warranties are given with regard to the accuracy of the information shown on this plan. Service pipes, valves, syphons, sub-connections etc. are not shown but their presence should be anticipated. You should be aware that a small percentage of our pipes/assets may be undergoing review and will temporarily be highlighted in yellow. If your proposed works are close to one of these pipes, you should contact the SGN Safety Admin Team on 0800 912 1722 for advice. No liability of any kind whatsoever is accepted by SGN or its agents, servants or sub-contractors for any error or omission contained herein. Safe digging practices, in accordance with HS (G)47, must be used to verify and establish the actual position of mains, pipes, services and other apparatus on site before any mechanical plant is used. It is your responsibility to ensure that plant location information is provided to all persons (whether direct labour or sub-contractors) working for you on or near gas apparatus. Information included on this plan should not be referred to beyond a period of 28 days from the date of issue.

**Report damage immediately – KEEP EVERYONE AWAY FROM THE AREA**  
**0800 111 999**

This plan is reproduced from or based on the OS map by Scotia Gas Networks plc, with the sanction of the controller of HM Stationery Office. Crown Copyright Reserved. Southern Gas – 100044373 and Scotland Gas – 100044366.

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Sawyer  
 Your Scheme/Reference: 31188\_001


Scale: 1:1000 (When plotted at A4)



Warning: PDF designed for A4 colour print only with no page scaling



Low Pressure Mains		Digsite:		Area:
Medium Pressure Mains		Line:		
Intermediate Pressure Mains		LAs		
High Pressure Mains		GTs		SSSIs
Some Examples Of Plant Items		Valve		Syphon
		Depth of Cover		Diameter Change
				Material Change



This information is given as a guide only and its accuracy cannot be guaranteed.




**Contact Us**  
**SGN Safety Admin Team:**  
 0800 912 1722  
**Email:**  
 plantlocation@sgn.co.uk

This plan shows the location of those pipes owned by Scotia Gas Networks (SGN) by virtue of being a licensed Gas Transporter (GT). Gas pipes owned by other GTs or third parties may also be present in this area but are not shown on this plan. Information with regard to such pipes should be obtained from the relevant owners. No warranties are given with regard to the accuracy of the information shown on this plan. Service pipes, valves, siphons, sub-connections etc. are not shown but their presence should be anticipated. You should be aware that a small percentage of our pipes/assets may be undergoing review and will temporarily be highlighted in yellow. If your proposed works are close to one of these pipes, you should contact the SGN Safety Admin Team on 0800 912 1722 for advice. No liability of any kind whatsoever is accepted by SGN or its agents, servants or sub-contractors for any error or omission contained herein. Safe digging practices, in accordance with HS (G)47, must be used to verify and establish the actual position of mains, pipes, services and other apparatus on site before any mechanical plant is used. It is your responsibility to ensure that plant location information is provided to all persons (whether direct labour or sub-contractors) working for you on or near gas apparatus. Information included on this plan should not be referred to beyond a period of 28 days from the date of issue.

**Report damage immediately – KEEP EVERYONE AWAY FROM THE AREA**  
**0800 111 999**

This plan is reproduced from or based on the OS map by Scotia Gas Networks plc, with the sanction of the controller of the HM Stationery Office. Crown Copyright Reserved. Southern Gas – 100044373 and Scotland Gas – 100044366.

Scale: 1:1000 (When plotted at A4)



# Begbroke

Warning: PDF designed for A4 colour print only with no page scaling



Low Pressure Mains		Digsite:		Area:
Medium Pressure Mains		Line:		
Intermediate Pressure Mains		LAs		
High Pressure Mains		GTs		SSSIs
Some Examples Of Plant Items		Valve		Syphon
		Depth of Cover		Diameter Change
				Material Change



This information is given as a guide only and its accuracy cannot be guaranteed.



**Contact Us**  
**SGN Safety Admin Team:**  
 0800 912 1722  
**Email:**  
 plantlocation@sgn.co.uk


This plan shows the location of those pipes owned by Scotia Gas Networks (SGN) by virtue of being a licensed Gas Transporter (GT). Gas pipes owned by other GTs or third parties may also be present in this area but are not shown on this plan. Information with regard to such pipes should be obtained from the relevant owners. No warranties are given with regard to the accuracy of the information shown on this plan. Service pipes, valves, siphons, sub-connections etc. are not shown but their presence should be anticipated. You should be aware that a small percentage of our pipes/assets may be undergoing review and will temporarily be highlighted in yellow. If your proposed works are close to one of these pipes, you should contact the SGN Safety Admin Team on 0800 912 1722 for advice. No liability of any kind whatsoever is accepted by SGN or its agents, servants or sub-contractors for any error or omission contained herein. Safe digging practices, in accordance with HS (G)47, must be used to verify and establish the actual position of mains, pipes, services and other apparatus on site before any mechanical plant is used. It is your responsibility to ensure that plant location information is provided to all persons (whether direct labour or sub-contractors) working for you on or near gas apparatus. Information included on this plan should not be referred to beyond a period of 28 days from the date of issue.

**Report damage immediately – KEEP EVERYONE AWAY FROM THE AREA**  
**0800 111 999**

This plan is reproduced from or based on the OS map by Scotia Gas Networks plc, with the sanction of the controller of the HM Stationery Office. Crown Copyright Reserved. Southern Gas – 100044373 and Scotland Gas – 100044366.

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Scale: 1:1000 (When plotted at A4)



Warning: PDF designed for A4 colour print only with no page scaling



Low Pressure Mains		Digsite:		Area:
Medium Pressure Mains		Line:		
Intermediate Pressure Mains		LAs		
High Pressure Mains		GTs		SSSIs
Some Examples Of Plant Items		Valve		Syphon
		Depth of Cover		
		Diameter Change		Material Change



This information is given as a guide only and its accuracy cannot be guaranteed.



**Contact Us**  
**SGN Safety Admin Team:**  
 0800 912 1722  
**Email:**  
 plantlocation@sgn.co.uk


This plan shows the location of those pipes owned by Scotia Gas Networks (SGN) by virtue of being a licensed Gas Transporter (GT). Gas pipes owned by other GTs or third parties may also be present in this area but are not shown on this plan. Information with regard to such pipes should be obtained from the relevant owners. No warranties are given with regard to the accuracy of the information shown on this plan. Service pipes, valves, siphons, sub-connections etc. are not shown but their presence should be anticipated. You should be aware that a small percentage of our pipes/assets may be undergoing review and will temporarily be highlighted in yellow. If your proposed works are close to one of these pipes, you should contact the SGN Safety Admin Team on 0800 912 1722 for advice. No liability of any kind whatsoever is accepted by SGN or its agents, servants or sub-contractors for any error or omission contained herein. Safe digging practices, in accordance with HS (G)47, must be used to verify and establish the actual position of mains, pipes, services and other apparatus on site before any mechanical plant is used. It is your responsibility to ensure that plant location information is provided to all persons (whether direct labour or sub-contractors) working for you on or near gas apparatus. Information included on this plan should not be referred to beyond a period of 28 days from the date of issue.

**Report damage immediately – KEEP EVERYONE AWAY FROM THE AREA**  
**0800 111 999**



















This plan is reproduced from or based on the OS map by Scotia Gas Networks plc, with the sanction of the controller of the HM Stationery Office. Crown Copyright Reserved. Southern Gas – 100044373 and Scotland Gas – 100044366.


Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Scale: 1:1000 (When plotted at A4)






















Warning: PDF designed for A4 colour print only with no page scaling

 <p><b>Contact Us</b>  <b>SGN Safety Admin Team:</b>          0800 912 1722  <b>Email:</b>          plantlocation@sgn.co.uk</p>	<p>Low Pressure Mains </p> <p>Medium Pressure Mains </p> <p>Intermediate Pressure Mains </p> <p>High Pressure Mains </p> <p>Some Examples Of Plant Items</p> <p>Valve  Syphon  Depth of Cover </p> <p>Digsite: </p> <p>Line:  Area: </p> <p>LAs </p> <p>GTs  SSSIs </p> <p>Diameter Change  Material Change </p>	 <p>This information is given as a guide only and its accuracy cannot be guaranteed.</p> 
<p>Date Requested: 24/06/2022          Job Reference: 25880986          Site Location: 447899 213853          Requested by: Mr Joe Sawyer          Your Scheme/Reference: 31188_001</p> <p>Scale: 1:1000 (When plotted at A4)</p>	<p>This plan shows the location of those pipes owned by Scotia Gas Networks (SGN) by virtue of being a licensed Gas Transporter (GT). Gas pipes owned by other GTs or third parties may also be present in this area but are not shown on this plan. Information with regard to such pipes should be obtained from the relevant owners. No warranties are given with regard to the accuracy of the information shown on this plan. Service pipes, valves, siphons, sub-connections etc. are not shown but their presence should be anticipated. You should be aware that a small percentage of our pipes/assets may be undergoing review and will temporarily be highlighted in yellow. If your proposed works are close to one of these pipes, you should contact the SGN Safety Admin Team on 0800 912 1722 for advice. No liability of any kind whatsoever is accepted by SGN or its agents, servants or sub-contractors for any error or omission contained herein. Safe digging practices, in accordance with HS (G)47, must be used to verify and establish the actual position of mains, pipes, services and other apparatus on site before any mechanical plant is used. It is your responsibility to ensure that plant location information is provided to all persons (whether direct labour or sub-contractors) working for you on or near gas apparatus. Information included on this plan should not be referred to beyond a period of 28 days from the date of issue.</p> <p style="text-align: center;"><b>Report damage immediately – KEEP EVERYONE AWAY FROM THE AREA</b>  <b>0800 111 999</b></p> <p style="text-align: center;"><small>This plan is reproduced from or based on the OS map by Scotia Gas Networks plc, with the sanction of the controller of HM Stationery Office. Crown Copyright Reserved. Southern Gas – 100044373 and Scotland Gas – 100044366.</small></p>	



Warning: PDF designed for A4 colour print only with no page scaling

	<p>Low Pressure Mains </p> <p>Medium Pressure Mains </p> <p>Intermediate Pressure Mains </p> <p>High Pressure Mains </p> <p>Some Examples Of Plant Items</p> <p>Valve  Syphon  Depth of Cover </p> <p>Digsite: </p> <p>Line:  Area: </p> <p>LAs </p> <p>GTs  SSSIs </p> <p>Diameter Change  Material Change </p>	 <p>This information is given as a guide only and its accuracy cannot be guaranteed.</p>
<p><b>Contact Us</b>  <b>SGN Safety Admin Team:</b>          0800 912 1722  <b>Email:</b>          plantlocation@sgn.co.uk</p>		
<p>Date Requested: 24/06/2022          Job Reference: 25880986          Site Location: 447899 213853          Requested by: Mr Joe Shawyer          Your Scheme/Reference: 31188_001</p>	<p>This plan shows the location of those pipes owned by Scotia Gas Networks (SGN) by virtue of being a licensed Gas Transporter (GT). Gas pipes owned by other GTs or third parties may also be present in this area but are not shown on this plan. Information with regard to such pipes should be obtained from the relevant owners. No warranties are given with regard to the accuracy of the information shown on this plan. Service pipes, valves, siphons, sub-connections etc. are not shown but their presence should be anticipated. You should be aware that a small percentage of our pipes/assets may be undergoing review and will temporarily be highlighted in yellow. If your proposed works are close to one of these pipes, you should contact the SGN Safety Admin Team on 0800 912 1722 for advice. No liability of any kind whatsoever is accepted by SGN or its agents, servants or sub-contractors for any error or omission contained herein. Safe digging practices, in accordance with HS (G)47, must be used to verify and establish the actual position of mains, pipes, services and other apparatus on site before any mechanical plant is used. It is your responsibility to ensure that plant location information is provided to all persons (whether direct labour or sub-contractors) working for you on or near gas apparatus. Information included on this plan should not be referred to beyond a period of 28 days from the date of issue.</p> <p style="text-align: center;"><b>Report damage immediately – KEEP EVERYONE AWAY FROM THE AREA</b>  <b>0800 111 999</b></p>	
<p>Scale: 1:1000 (When plotted at A4)</p>	<p>This plan is reproduced from or based on the OS map by Scotia Gas Networks plc, with the sanction of the controller of HM Stationery Office. Crown Copyright Reserved. Southern Gas – 100044373 and Scotland Gas – 100044366.</p>	



Warning: PDF designed for A4 colour print only with no page scaling



**Contact Us**  
**SGN Safety Admin Team:**  
 0800 912 1722  
**Email:**  
 plantlocation@sgn.co.uk


---

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Sawyer  
 Your Scheme/Reference: 31188\_001


---

Scale: 1:1000 (When plotted at A4)

Low Pressure Mains		Digsite:		Area:
Medium Pressure Mains		Line:		
Intermediate Pressure Mains		LAs		
High Pressure Mains		GTs		SSSIs
Some Examples Of Plant Items		Valve		Syphon
		Depth of Cover		
		Diameter Change		Material Change




This information is given as a guide only and its accuracy cannot be guaranteed.





















This plan shows the location of those pipes owned by Scotia Gas Networks (SGN) by virtue of being a licensed Gas Transporter (GT). Gas pipes owned by other GTs or third parties may also be present in this area but are not shown on this plan. Information with regard to such pipes should be obtained from the relevant owners. No warranties are given with regard to the accuracy of the information shown on this plan. Service pipes, valves, siphons, sub-connections etc. are not shown but their presence should be anticipated. You should be aware that a small percentage of our pipes/assets may be undergoing review and will temporarily be highlighted in yellow. If your proposed works are close to one of these pipes, you should contact the SGN Safety Admin Team on 0800 912 1722 for advice. No liability of any kind whatsoever is accepted by SGN or its agents, servants or sub-contractors for any error or omission contained herein. Safe digging practices, in accordance with HS (G)47, must be used to verify and establish the actual position of mains, pipes, services and other apparatus on site before any mechanical plant is used. It is your responsibility to ensure that plant location information is provided to all persons (whether direct labour or sub-contractors) working for you on or near gas apparatus. Information included on this plan should not be referred to beyond a period of 28 days from the date of issue.

**Report damage immediately – KEEP EVERYONE AWAY FROM THE AREA**  
**0800 111 999**




Warning: PDF designed for A4 colour print only with no page scaling

	<p>Low Pressure Mains </p> <p>Medium Pressure Mains </p> <p>Intermediate Pressure Mains </p> <p>High Pressure Mains </p> <p>Some Examples Of Plant Items</p> <p>Valve  Syphon  Depth of Cover </p>	<p>Digsite: </p> <p>Line:  Area: </p> <p>LAs </p> <p>GTs  SSSIs </p> <p>Diameter Change  Material Change </p>	 <p>This information is given as a guide only and its accuracy cannot be guaranteed.</p> 
<p><b>Contact Us</b>  <b>SGN Safety Admin Team:</b>          0800 912 1722  <b>Email:</b>          plantlocation@sgn.co.uk</p>	<p>This plan shows the location of those pipes owned by Scotia Gas Networks (SGN) by virtue of being a licensed Gas Transporter (GT). Gas pipes owned by other GTs or third parties may also be present in this area but are not shown on this plan. Information with regard to such pipes should be obtained from the relevant owners. No warranties are given with regard to the accuracy of the information shown on this plan. Service pipes, valves, siphons, sub-connections etc. are not shown but their presence should be anticipated. You should be aware that a small percentage of our pipes/assets may be undergoing review and will temporarily be highlighted in yellow. If your proposed works are close to one of these pipes, you should contact the SGN Safety Admin Team on 0800 912 1722 for advice. No liability of any kind whatsoever is accepted by SGN or its agents, servants or sub-contractors for any error or omission contained herein. Safe digging practices, in accordance with HS (G)47, must be used to verify and establish the actual position of mains, pipes, services and other apparatus on site before any mechanical plant is used. It is your responsibility to ensure that plant location information is provided to all persons (whether direct labour or sub-contractors) working for you on or near gas apparatus. Information included on this plan should not be referred to beyond a period of 28 days from the date of issue.</p>		
<p><b>Report damage immediately – KEEP EVERYONE AWAY FROM THE AREA</b>  <b>0800 111 999</b></p>			
<p>This plan is reproduced from or based on the OS map by Scotia Gas Networks plc, with the sanction of the controller of HM Stationery Office. Crown Copyright Reserved. Southern Gas – 100044373 and Scotland Gas – 100044366.</p>			










Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Sawyer  
 Your Scheme/Reference: 31188\_001

Scale: 1:1000 (When plotted at A4)






Warning: PDF designed for A4 colour print only with no page scaling

	<p>Low Pressure Mains <span style="color: red;">—</span></p> <p>Medium Pressure Mains <span style="color: cyan;">- - -</span></p> <p>Intermediate Pressure Mains <span style="color: green;">- · - · -</span></p> <p>High Pressure Mains <span style="color: orange;">- · - · -</span></p> <p>Some Examples Of Plant Items</p> <p>Valve  Syphon  Depth of Cover </p> <p>Digsite: <span style="color: magenta;">- - - - -</span> Line: <span style="color: magenta;">- - - - -</span> Area: </p> <p>LAs <span style="border: 1px solid black; display: inline-block; width: 20px; height: 10px;"></span></p> <p>GTs <span style="background-color: pink; border: 1px solid black; display: inline-block; width: 20px; height: 10px;"></span> SSSIs <span style="background-color: green; border: 1px solid black; display: inline-block; width: 20px; height: 10px;"></span></p> <p>Diameter Change  Material Change </p>	 <p>This information is given as a guide only and its accuracy cannot be guaranteed.</p>
<p><b>Contact Us</b>  <b>SGN Safety Admin Team:</b>          0800 912 1722  <b>Email:</b>          plantlocation@sgn.co.uk</p>		
<p>Date Requested: 24/06/2022          Job Reference: 25880986          Site Location: 447899 213853          Requested by: Mr Joe Shawyer          Your Scheme/Reference: 31188_001</p>	<p>This plan shows the location of those pipes owned by Scotia Gas Networks (SGN) by virtue of being a licensed Gas Transporter (GT). Gas pipes owned by other GTs or third parties may also be present in this area but are not shown on this plan. Information with regard to such pipes should be obtained from the relevant owners. No warranties are given with regard to the accuracy of the information shown on this plan. Service pipes, valves, siphons, sub-connections etc. are not shown but their presence should be anticipated. You should be aware that a small percentage of our pipes/assets may be undergoing review and will temporarily be highlighted in yellow. If your proposed works are close to one of these pipes, you should contact the SGN Safety Admin Team on 0800 912 1722 for advice. No liability of any kind whatsoever is accepted by SGN or its agents, servants or sub-contractors for any error or omission contained herein. Safe digging practices, in accordance with HS (G)47, must be used to verify and establish the actual position of mains, pipes, services and other apparatus on site before any mechanical plant is used. It is your responsibility to ensure that plant location information is provided to all persons (whether direct labour or sub-contractors) working for you on or near gas apparatus. Information included on this plan should not be referred to beyond a period of 28 days from the date of issue.</p>	
<p><b>Report damage immediately – KEEP EVERYONE AWAY FROM THE AREA</b>  <b>0800 111 999</b></p>		
<p>This plan is reproduced from or based on the OS map by Scotia Gas Networks plc, with the sanction of the controller of the HM Stationery Office. Crown Copyright Reserved. Southern Gas – 100044373 and Scotland Gas – 100044366.</p>		

Scale: 1:1000 (When plotted at A4)



Warning: PDF designed for A4 colour print only with no page scaling



**Contact Us**  
**SGN Safety Admin Team:**  
 0800 912 1722  
**Email:**  
 plantlocation@sgn.co.uk

Low Pressure Mains		Digsite:	
Medium Pressure Mains		Line:	
Intermediate Pressure Mains		Area:	
High Pressure Mains		LAs	
Some Examples Of Plant Items		GTs	
Valve		SSSIs	
Syphon		Diameter Change	
Depth of Cover		Material Change	

This information is given as a guide only and its accuracy cannot be guaranteed.




This plan shows the location of those pipes owned by Scotia Gas Networks (SGN) by virtue of being a licensed Gas Transporter (GT). Gas pipes owned by other GTs or third parties may also be present in this area but are not shown on this plan. Information with regard to such pipes should be obtained from the relevant owners. No warranties are given with regard to the accuracy of the information shown on this plan. Service pipes, valves, siphons, sub-connections etc. are not shown but their presence should be anticipated. You should be aware that a small percentage of our pipes/assets may be undergoing review and will temporarily be highlighted in yellow. If your proposed works are close to one of these pipes, you should contact the SGN Safety Admin Team on 0800 912 1722 for advice. No liability of any kind whatsoever is accepted by SGN or its agents, servants or sub-contractors for any error or omission contained herein. Safe digging practices, in accordance with HS (G)47, must be used to verify and establish the actual position of mains, pipes, services and other apparatus on site before any mechanical plant is used. It is your responsibility to ensure that plant location information is provided to all persons (whether direct labour or sub-contractors) working for you on or near gas apparatus. Information included on this plan should not be referred to beyond a period of 28 days from the date of issue.

**Report damage immediately – KEEP EVERYONE AWAY FROM THE AREA**  
**0800 111 999**




This plan is reproduced from or based on the OS map by Scotia Gas Networks plc, with the sanction of the controller of HM Stationery Office. Crown Copyright Reserved. Southern Gas – 100044373 and Scotland Gas – 100044366.

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Scale: 1:1000 (When plotted at A4)



Warning: PDF designed for A4 colour print only with no page scaling

	<p>Low Pressure Mains <span style="color: red;">—</span></p> <p>Medium Pressure Mains <span style="color: cyan;">- - -</span></p> <p>Intermediate Pressure Mains <span style="color: green;">- · - · -</span></p> <p>High Pressure Mains <span style="color: orange;">- · - · -</span></p> <p>Some Examples Of Plant Items</p> <p>Valve  Syphon  Depth of Cover </p> <p>Digsite: <span style="color: magenta;">- - - - -</span> Area: </p> <p>LAs <span style="border: 1px solid black; display: inline-block; width: 20px; height: 10px;"></span></p> <p>GTs <span style="background-color: #f08080; border: 1px solid black; display: inline-block; width: 20px; height: 10px;"></span> SSSIs <span style="background-color: #90ee90; border: 1px solid black; display: inline-block; width: 20px; height: 10px;"></span></p> <p>Diameter Change  Material Change </p>	 <p>This information is given as a guide only and its accuracy cannot be guaranteed.</p>
<p><b>Contact Us</b>  <b>SGN Safety Admin Team:</b>          0800 912 1722  <b>Email:</b>          plantlocation@sgn.co.uk</p>		
<p>Date Requested: 24/06/2022          Job Reference: 25880986          Site Location: 447899 213853          Requested by: Mr Joe Shawyer          Your Scheme/Reference: 31188_001</p>	<p>This plan shows the location of those pipes owned by Scotia Gas Networks (SGN) by virtue of being a licensed Gas Transporter (GT). Gas pipes owned by other GTs or third parties may also be present in this area but are not shown on this plan. Information with regard to such pipes should be obtained from the relevant owners. No warranties are given with regard to the accuracy of the information shown on this plan. Service pipes, valves, siphons, sub-connections etc. are not shown but their presence should be anticipated. You should be aware that a small percentage of our pipes/assets may be undergoing review and will temporarily be highlighted in yellow. If your proposed works are close to one of these pipes, you should contact the SGN Safety Admin Team on 0800 912 1722 for advice. No liability of any kind whatsoever is accepted by SGN or its agents, servants or sub-contractors for any error or omission contained herein. Safe digging practices, in accordance with HS (G)47, must be used to verify and establish the actual position of mains, pipes, services and other apparatus on site before any mechanical plant is used. It is your responsibility to ensure that plant location information is provided to all persons (whether direct labour or sub-contractors) working for you on or near gas apparatus. Information included on this plan should not be referred to beyond a period of 28 days from the date of issue.</p> <p style="text-align: center;"><b>Report damage immediately – KEEP EVERYONE AWAY FROM THE AREA</b>  <b>0800 111 999</b></p> <p style="font-size: small; text-align: center;">This plan is reproduced from or based on the OS map by Scotia Gas Networks plc, with the sanction of the controller of HM Stationery Office. Crown Copyright Reserved. Southern Gas – 100044373 and Scotland Gas – 100044366.</p>	


Scale: 1:1000 (When plotted at A4)

Warning: PDF designed for A4 colour print only with no page scaling



**Contact Us**  
**SGN Safety Admin Team:**  
 0800 912 1722  
**Email:**  
 plantlocation@sgn.co.uk

Low Pressure Mains		Digsite:		Area:
Medium Pressure Mains		Line:		
Intermediate Pressure Mains		LAs		
High Pressure Mains		GTs		SSSIs
Some Examples Of Plant Items		Valve		Syphon
		Depth of Cover		Diameter Change
				Material Change





















This information is given as a guide only and its accuracy cannot be guaranteed.




This plan shows the location of those pipes owned by Scotia Gas Networks (SGN) by virtue of being a licensed Gas Transporter (GT). Gas pipes owned by other GTs or third parties may also be present in this area but are not shown on this plan. Information with regard to such pipes should be obtained from the relevant owners. No warranties are given with regard to the accuracy of the information shown on this plan. Service pipes, valves, siphons, sub-connections etc. are not shown but their presence should be anticipated. You should be aware that a small percentage of our pipes/assets may be undergoing review and will temporarily be highlighted in yellow. If your proposed works are close to one of these pipes, you should contact the SGN Safety Admin Team on 0800 912 1722 for advice. No liability of any kind whatsoever is accepted by SGN or its agents, servants or sub-contractors for any error or omission contained herein. Safe digging practices, in accordance with HS (G)47, must be used to verify and establish the actual position of mains, pipes, services and other apparatus on site before any mechanical plant is used. It is your responsibility to ensure that plant location information is provided to all persons (whether direct labour or sub-contractors) working for you on or near gas apparatus. Information included on this plan should not be referred to beyond a period of 28 days from the date of issue.

**Report damage immediately – KEEP EVERYONE AWAY FROM THE AREA**  
**0800 111 999**

Warning: PDF designed for A4 colour print only with no page scaling

	<p>Low Pressure Mains </p> <p>Medium Pressure Mains </p> <p>Intermediate Pressure Mains </p> <p>High Pressure Mains </p> <p>Some Examples Of Plant Items</p> <p>Valve  Syphon  Depth of Cover </p> <p>Digsite: </p> <p>Line:  Area: </p> <p>LAs </p> <p>GTs  SSSIs </p> <p>Diameter Change  Material Change </p>	 <p>This information is given as a guide only and its accuracy cannot be guaranteed.</p>
<p><b>Contact Us</b>  <b>SGN Safety Admin Team:</b>          0800 912 1722  <b>Email:</b>          plantlocation@sgn.co.uk</p>		
<p>Date Requested: 24/06/2022          Job Reference: 25880986          Site Location: 447899 213853          Requested by: Mr Joe Sawyer          Your Scheme/Reference: 31188_001</p>	<p>This plan shows the location of those pipes owned by Scotia Gas Networks (SGN) by virtue of being a licensed Gas Transporter (GT). Gas pipes owned by other GTs or third parties may also be present in this area but are not shown on this plan. Information with regard to such pipes should be obtained from the relevant owners. No warranties are given with regard to the accuracy of the information shown on this plan. Service pipes, valves, siphons, sub-connections etc. are not shown but their presence should be anticipated. You should be aware that a small percentage of our pipes/assets may be undergoing review and will temporarily be highlighted in yellow. If your proposed works are close to one of these pipes, you should contact the SGN Safety Admin Team on 0800 912 1722 for advice. No liability of any kind whatsoever is accepted by SGN or its agents, servants or sub-contractors for any error or omission contained herein. Safe digging practices, in accordance with HS (G)47, must be used to verify and establish the actual position of mains, pipes, services and other apparatus on site before any mechanical plant is used. It is your responsibility to ensure that plant location information is provided to all persons (whether direct labour or sub-contractors) working for you on or near gas apparatus. Information included on this plan should not be referred to beyond a period of 28 days from the date of issue.</p> <p style="text-align: center;"><b>Report damage immediately – KEEP EVERYONE AWAY FROM THE AREA</b>  <b>0800 111 999</b></p>	
<p>Scale: 1:1000 (When plotted at A4)</p>	<p>This plan is reproduced from or based on the OS map by Scotia Gas Networks plc, with the sanction of the controller of HM Stationery Office. Crown Copyright Reserved. Southern Gas – 100044373 and Scotland Gas – 100044366.</p>	



Warning: PDF designed for A4 colour print only with no page scaling



Low Pressure Mains		Digsite:		Area:
Medium Pressure Mains		Line:		
Intermediate Pressure Mains		LAs		
High Pressure Mains		GTs		SSSIs
Some Examples Of Plant Items		Valve		Syphon
		Depth of Cover		Diameter Change
				Material Change



This information is given as a guide only and its accuracy cannot be guaranteed.



**Contact Us**  
**SGN Safety Admin Team:**  
 0800 912 1722  
**Email:**  
 plantlocation@sgn.co.uk


This plan shows the location of those pipes owned by Scotia Gas Networks (SGN) by virtue of being a licensed Gas Transporter (GT). Gas pipes owned by other GTs or third parties may also be present in this area but are not shown on this plan. Information with regard to such pipes should be obtained from the relevant owners. No warranties are given with regard to the accuracy of the information shown on this plan. Service pipes, valves, siphons, sub-connections etc. are not shown but their presence should be anticipated. You should be aware that a small percentage of our pipes/assets may be undergoing review and will temporarily be highlighted in yellow. If your proposed works are close to one of these pipes, you should contact the SGN Safety Admin Team on 0800 912 1722 for advice. No liability of any kind whatsoever is accepted by SGN or its agents, servants or sub-contractors for any error or omission contained herein. Safe digging practices, in accordance with HS (G)47, must be used to verify and establish the actual position of mains, pipes, services and other apparatus on site before any mechanical plant is used. It is your responsibility to ensure that plant location information is provided to all persons (whether direct labour or sub-contractors) working for you on or near gas apparatus. Information included on this plan should not be referred to beyond a period of 28 days from the date of issue.

**Report damage immediately – KEEP EVERYONE AWAY FROM THE AREA**  
**0800 111 999**

This plan is reproduced from or based on the OS map by Scotia Gas Networks plc, with the sanction of the controller of HM Stationery Office. Crown Copyright Reserved. Southern Gas – 100044373 and Scotland Gas – 100044366.

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Sawyer  
 Your Scheme/Reference: 31188\_001

Scale: 1:1000 (When plotted at A4)




Warning: PDF designed for A4 colour print only with no page scaling



**Contact Us**  
**SGN Safety Admin Team:**  
 0800 912 1722  
**Email:**  
 plantlocation@sgn.co.uk

Low Pressure Mains		Digsite:		Area:
Medium Pressure Mains		Line:		
Intermediate Pressure Mains		LAs		
High Pressure Mains		GTs		SSSIs
Some Examples Of Plant Items		Valve		Syphon
		Depth of Cover		Diameter Change
				Material Change



This information is given as a guide only and its accuracy cannot be guaranteed.




This plan shows the location of those pipes owned by Scotia Gas Networks (SGN) by virtue of being a licensed Gas Transporter (GT). Gas pipes owned by other GTs or third parties may also be present in this area but are not shown on this plan. Information with regard to such pipes should be obtained from the relevant owners. No warranties are given with regard to the accuracy of the information shown on this plan. Service pipes, valves, siphons, sub-connections etc. are not shown but their presence should be anticipated. You should be aware that a small percentage of our pipes/assets may be undergoing review and will temporarily be highlighted in yellow. If your proposed works are close to one of these pipes, you should contact the SGN Safety Admin Team on 0800 912 1722 for advice. No liability of any kind whatsoever is accepted by SGN or its agents, servants or sub-contractors for any error or omission contained herein. Safe digging practices, in accordance with HS (G)47, must be used to verify and establish the actual position of mains, pipes, services and other apparatus on site before any mechanical plant is used. It is your responsibility to ensure that plant location information is provided to all persons (whether direct labour or sub-contractors) working for you on or near gas apparatus. Information included on this plan should not be referred to beyond a period of 28 days from the date of issue.

**Report damage immediately – KEEP EVERYONE AWAY FROM THE AREA**  
**0800 111 999**

This plan is reproduced from or based on the OS map by Scotia Gas Networks plc, with the sanction of the controller of HM Stationery Office. Crown Copyright Reserved. Southern Gas – 100044373 and Scotland Gas – 100044366.

Scale: 1:1000 (When plotted at A4)




Begbroke Hill

Indigo Pipelines Ltd  
P00094563

Warning: PDF designed for A4 colour print only with no page scaling



Low Pressure Mains		Digsite:		Area:
Medium Pressure Mains		Line:		
Intermediate Pressure Mains		LAs		
High Pressure Mains		GTs		SSSIs
Some Examples Of Plant Items		Valve		Syphon
		Depth of Cover		Diameter Change
				Material Change



This information is given as a guide only and its accuracy cannot be guaranteed.



**Contact Us**  
SGN Safety Admin Team:  
0800 912 1722  
Email:  
plantlocation@sgn.co.uk

This plan shows the location of those pipes owned by Scotia Gas Networks (SGN) by virtue of being a licensed Gas Transporter (GT). Gas pipes owned by other GTs or third parties may also be present in this area but are not shown on this plan. Information with regard to such pipes should be obtained from the relevant owners. No warranties are given with regard to the accuracy of the information shown on this plan. Service pipes, valves, siphons, sub-connections etc. are not shown but their presence should be anticipated. You should be aware that a small percentage of our pipes/assets may be undergoing review and will temporarily be highlighted in yellow. If your proposed works are close to one of these pipes, you should contact the SGN Safety Admin Team on 0800 912 1722 for advice. No liability of any kind whatsoever is accepted by SGN or its agents, servants or sub-contractors for any error or omission contained herein. Safe digging practices, in accordance with HS (G)47, must be used to verify and establish the actual position of mains, pipes, services and other apparatus on site before any mechanical plant is used. It is your responsibility to ensure that plant location information is provided to all persons (whether direct labour or sub-contractors) working for you on or near gas apparatus. Information included on this plan should not be referred to beyond a period of 28 days from the date of issue.

**Report damage immediately – KEEP EVERYONE AWAY FROM THE AREA**  
**0800 111 999**

This plan is reproduced from or based on the OS map by Scotia Gas Networks plc, with the sanction of the controller of HM Stationery Office. Crown Copyright Reserved. Southern Gas – 100044373 and Scotland Gas – 100044366.

Date Requested: 24/06/2022  
Job Reference: 25880986  
Site Location: 447899 213853  
Requested by: Mr Joe Shawyer  
Your Scheme/Reference: 31188\_001

Scale: 1:1000 (When plotted at A4)



36

Warning: PDF designed for A4 colour print only with no page scaling



Low Pressure Mains		Digsite:		Area:
Medium Pressure Mains		Line:		
Intermediate Pressure Mains		LAs		
High Pressure Mains		GTs		SSSIs
Some Examples Of Plant Items		Valve		Syphon
		Depth of Cover		Diameter Change
				Material Change



This information is given as a guide only and its accuracy cannot be guaranteed.



**Contact Us**  
SGN Safety Admin Team:  
0800 912 1722  
Email:  
plantlocation@sgn.co.uk


Date Requested: 24/06/2022  
Job Reference: 25880986  
Site Location: 447899 213853  
Requested by: Mr Joe Sawyer  
Your Scheme/Reference: 31188\_001

This plan shows the location of those pipes owned by Scotia Gas Networks (SGN) by virtue of being a licensed Gas Transporter (GT). Gas pipes owned by other GTs or third parties may also be present in this area but are not shown on this plan. Information with regard to such pipes should be obtained from the relevant owners. No warranties are given with regard to the accuracy of the information shown on this plan. Service pipes, valves, siphons, sub-connections etc. are not shown but their presence should be anticipated. You should be aware that a small percentage of our pipes/assets may be undergoing review and will temporarily be highlighted in yellow. If your proposed works are close to one of these pipes, you should contact the SGN Safety Admin Team on 0800 912 1722 for advice. No liability of any kind whatsoever is accepted by SGN or its agents, servants or sub-contractors for any error or omission contained herein. Safe digging practices, in accordance with HS (G)47, must be used to verify and establish the actual position of mains, pipes, services and other apparatus on site before any mechanical plant is used. It is your responsibility to ensure that plant location information is provided to all persons (whether direct labour or sub-contractors) working for you on or near gas apparatus. Information included on this plan should not be referred to beyond a period of 28 days from the date of issue.

**Report damage immediately – KEEP EVERYONE AWAY FROM THE AREA**  
**0800 111 999**

Scale: 1:1000 (When plotted at A4)


This plan is reproduced from or based on the OS map by Scotia Gas Networks plc, with the sanction of the controller of HM Stationery Office. Crown Copyright Reserved. Southern Gas – 100044373 and Scotland Gas – 100044366.



Warning: PDF designed for A4 colour print only with no page scaling



Low Pressure Mains		Digsite:		Area:	
Medium Pressure Mains		Line:			
Intermediate Pressure Mains		LAs			
High Pressure Mains		GTs		SSSIs	
Some Examples Of Plant Items		Valve		Syphon	
		Depth of Cover		Diameter Change	
				Material Change	



This information is given as a guide only and its accuracy cannot be guaranteed.



**Contact Us**  
**SGN Safety Admin Team:**  
 0800 912 1722  
**Email:**  
 plantlocation@sgn.co.uk


This plan shows the location of those pipes owned by Scotia Gas Networks (SGN) by virtue of being a licensed Gas Transporter (GT). Gas pipes owned by other GTs or third parties may also be present in this area but are not shown on this plan. Information with regard to such pipes should be obtained from the relevant owners. No warranties are given with regard to the accuracy of the information shown on this plan. Service pipes, valves, siphons, sub-connections etc. are not shown but their presence should be anticipated. You should be aware that a small percentage of our pipes/assets may be undergoing review and will temporarily be highlighted in yellow. If your proposed works are close to one of these pipes, you should contact the SGN Safety Admin Team on 0800 912 1722 for advice. No liability of any kind whatsoever is accepted by SGN or its agents, servants or sub-contractors for any error or omission contained herein. Safe digging practices, in accordance with HS (G)47, must be used to verify and establish the actual position of mains, pipes, services and other apparatus on site before any mechanical plant is used. It is your responsibility to ensure that plant location information is provided to all persons (whether direct labour or sub-contractors) working for you on or near gas apparatus. Information included on this plan should not be referred to beyond a period of 28 days from the date of issue.

**Report damage immediately – KEEP EVERYONE AWAY FROM THE AREA**  
**0800 111 999**

This plan is reproduced from or based on the OS map by Scotia Gas Networks plc, with the sanction of the controller of HM Stationery Office. Crown Copyright Reserved. Southern Gas – 100044373 and Scotland Gas – 100044366.

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Sawyer  
 Your Scheme/Reference: 31188\_001

Scale: 1:1000 (When plotted at A4)



Warning: PDF designed for A4 colour print only with no page scaling



**Contact Us**  
**SGN Safety Admin Team:**  
 0800 912 1722  
**Email:**  
 plantlocation@sgn.co.uk

Low Pressure Mains		Digsite:		Area:
Medium Pressure Mains		Line:		
Intermediate Pressure Mains		LAs		
High Pressure Mains		GTs		SSSIs
Some Examples Of Plant Items		Valve		Syphon
		Depth of Cover		Diameter Change
				Material Change



This information is given as a guide only and its accuracy cannot be guaranteed.




This plan shows the location of those pipes owned by Scotia Gas Networks (SGN) by virtue of being a licensed Gas Transporter (GT). Gas pipes owned by other GTs or third parties may also be present in this area but are not shown on this plan. Information with regard to such pipes should be obtained from the relevant owners. No warranties are given with regard to the accuracy of the information shown on this plan. Service pipes, valves, siphons, sub-connections etc. are not shown but their presence should be anticipated. You should be aware that a small percentage of our pipes/assets may be undergoing review and will temporarily be highlighted in yellow. If your proposed works are close to one of these pipes, you should contact the SGN Safety Admin Team on 0800 912 1722 for advice. No liability of any kind whatsoever is accepted by SGN or its agents, servants or sub-contractors for any error or omission contained herein. Safe digging practices, in accordance with HS (G)47, must be used to verify and establish the actual position of mains, pipes, services and other apparatus on site before any mechanical plant is used. It is your responsibility to ensure that plant location information is provided to all persons (whether direct labour or sub-contractors) working for you on or near gas apparatus. Information included on this plan should not be referred to beyond a period of 28 days from the date of issue.

**Report damage immediately – KEEP EVERYONE AWAY FROM THE AREA**  
**0800 111 999**

This plan is reproduced from or based on the OS map by Scotia Gas Networks plc, with the sanction of the controller of the HM Stationery Office. Crown Copyright Reserved. Southern Gas – 100044373 and Scotland Gas – 100044366.

Date Requested: 24/06/2022  
 Job Reference: 25880986  
 Site Location: 447899 213853  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_001

Scale: 1:1000 (When plotted at A4)




Warning: PDF designed for A4 colour print only with no page scaling



**Contact Us**  
**SGN Safety Admin Team:**  
 0800 912 1722  
**Email:**  
 plantlocation@sgn.co.uk

Low Pressure Mains		Digsite:		Area:
Medium Pressure Mains		Line:		
Intermediate Pressure Mains		LAs		
High Pressure Mains		GTs		SSSIs
Some Examples Of Plant Items		Valve		Syphon
		Depth of Cover		Diameter Change
				Material Change



This information is given as a guide only and its accuracy cannot be guaranteed.



This plan shows the location of those pipes owned by Scotia Gas Networks (SGN) by virtue of being a licensed Gas Transporter (GT). Gas pipes owned by other GTs or third parties may also be present in this area but are not shown on this plan. Information with regard to such pipes should be obtained from the relevant owners. No warranties are given with regard to the accuracy of the information shown on this plan. Service pipes, valves, siphons, sub-connections etc. are not shown but their presence should be anticipated. You should be aware that a small percentage of our pipes/assets may be undergoing review and will temporarily be highlighted in yellow. If your proposed works are close to one of these pipes, you should contact the SGN Safety Admin Team on 0800 912 1722 for advice. No liability of any kind whatsoever is accepted by SGN or its agents, servants or sub-contractors for any error or omission contained herein. Safe digging practices, in accordance with HS (G)47, must be used to verify and establish the actual position of mains, pipes, services and other apparatus on site before any mechanical plant is used. It is your responsibility to ensure that plant location information is provided to all persons (whether direct labour or sub-contractors) working for you on or near gas apparatus. Information included on this plan should not be referred to beyond a period of 28 days from the date of issue.

**Report damage immediately – KEEP EVERYONE AWAY FROM THE AREA**  
**0800 111 999**

This plan is reproduced from or based on the OS map by Scotia Gas Networks plc, with the sanction of the controller of the HM Stationery Office. Crown Copyright Reserved. Southern Gas – 100044373 and Scotland Gas – 100044366.

Scale: 1:1000 (When plotted at A4)



Our Ref: 25881010      Your Ref: 31188\_002

Friday, 24 June 2022

Joe Shawyer  
Suite 6 Princess Caroline House 1 High Street  
Southend on Sea  
Essex  
SS1 1JE

Dear Joe Shawyer

Thank you for your enquiry dated Friday, 24 June 2022

Please find an extract from our mains records for your proposed work area, any SGN assets are described in the map legend. **On some occasions blank maps may be sent to you, this is due to your proposed work being in a no gas area but within our operational boundaries.**

This mains record only shows the pipes owned by SGN in our role as a Licensed Gas Transporter (GT). Please note that privately owned gas pipes or pipes owned by other GTs may be present in this area and information regarding those pipes needs to be requested from the owners. If we know of any other pipes in the area we will note them on the plans as a shaded area and/or a series of x's.

**The information shown on this plan is given without obligation or warranty and the accuracy cannot be guaranteed. Service pipes, valves, siphons, stub connections etc. are not shown but their presence should be anticipated. Your attention is drawn to the information and disclaimer on these plans. The information included on the plan is only valid for 28 days.**

On the mains record you may see the low/medium/intermediate pressure gas main near your site. There should be no mechanical excavations taking place above or within 0.5m of a low/medium pressure system or above or within 3.0m of an intermediate pressure system. You should, where required confirm the position using hand dug trial holes.

A colour copy of these plans and the gas safety advice booklet enclosed should be passed to the senior person on site in order to prevent damage to our plant and potential direct or consequential costs to your organisation.


Safe digging practices in accordance with HSE publication HSG47 "Avoiding Danger from Underground Services" must be used to verify and establish the actual position of the mains, pipes, services and other apparatus on site before any mechanical plant is used. It is your responsibility to ensure that this information is provided to all relevant people (direct labour or contractors) working for you on or near gas pipes.

It must be stressed that both direct and consequential damage to gas plant can be dangerous for your employees and the general public and repairs to any such damage will incur a charge to you or the organisation carrying out work on your behalf. Your works should be carried out in such a manner that we are able to gain access to our apparatus throughout the duration of your operations.

If you require any further information please do not hesitate to contact us.

Yours sincerely,  
The Safety Admin Team  
**For more information, visit our Dig Safely pages on [sgn.co.uk](http://sgn.co.uk)**  
Tel: 0800 912 1722

# Overview map of worksite



Warning: PDF designed for A4 colour print only with no page scaling



Low Pressure Mains		Digsite:		Area:
Medium Pressure Mains		Line:		
Intermediate Pressure Mains		LAs		
High Pressure Mains		GTs		SSSIs
Some Examples Of Plant Items		Diameter Change		Material Change
Valve		Syphon		Depth of Cover



This information is given as a guide only and its accuracy cannot be guaranteed.



**Contact Us**  
**SGN Safety Admin Team:**  
 0800 912 1722  
**Email:**  
 plantlocation@sgn.co.uk


This plan shows the location of those pipes owned by Scotia Gas Networks (SGN) by virtue of being a licensed Gas Transporter (GT). Gas pipes owned by other GTs or third parties may also be present in this area but are not shown on this plan. Information with regard to such pipes should be obtained from the relevant owners. No warranties are given with regard to the accuracy of the information shown on this plan. Service pipes, valves, siphons, sub-connections etc. are not shown but their presence should be anticipated. You should be aware that a small percentage of our pipes/assets may be undergoing review and will temporarily be highlighted in yellow. If your proposed works are close to one of these pipes, you should contact the SGN Safety Admin Team on 0800 912 1722 for advice. No liability of any kind whatsoever is accepted by SGN or its agents, servants or sub-contractors for any error or omission contained herein. Safe digging practices, in accordance with HS (G)47, must be used to verify and establish the actual position of mains, pipes, services and other apparatus on site before any mechanical plant is used. It is your responsibility to ensure that plant location information is provided to all persons (whether direct labour or sub-contractors) working for you on or near gas apparatus. Information included on this plan should not be referred to beyond a period of 28 days from the date of issue.

**Report damage immediately – KEEP EVERYONE AWAY FROM THE AREA**  
**0800 111 999**










This plan is reproduced from or based on the OS map by Scotia Gas Networks plc, with the sanction of the controller of the HM Stationery Office. Crown Copyright Reserved. Southern Gas – 100044373 and Scotland Gas – 100044366.

Date Requested: 24/06/2022  
 Job Reference: 25881010  
 Site Location: 448066 213346  
 Requested by: Mr Joe Shawyer  
 Your Scheme/Reference: 31188\_002


Scale: 1:10250 (When plotted at A4)



Warning: PDF designed for A4 colour print only with no page scaling

 <p><b>SGN</b> Your gas. Our network.</p>	<p>Low Pressure Mains <span style="color: red;">—</span></p> <p>Medium Pressure Mains <span style="color: cyan;">- - -</span></p> <p>Intermediate Pressure Mains <span style="color: green;">- · - · -</span></p> <p>High Pressure Mains <span style="color: orange;">- · - · -</span></p> <p>Some Examples Of Plant Items</p> <p>Valve  Syphon  Depth of Cover </p> <p>Digsite: <span style="color: magenta;">- - - - -</span> Area: </p> <p>LAs <span style="border: 1px solid black; display: inline-block; width: 20px; height: 10px;"></span></p> <p>GTs <span style="background-color: pink; border: 1px solid black; display: inline-block; width: 20px; height: 10px;"></span> SSSIs <span style="background-color: green; border: 1px solid black; display: inline-block; width: 20px; height: 10px;"></span></p> <p>Diameter Change  Material Change </p>	 <p>This information is given as a guide only and its accuracy cannot be guaranteed.</p>
<p><b>Contact Us</b> SGN Safety Admin Team: 0800 912 1722 Email: plantlocation@sgn.co.uk</p>		
<p>Date Requested: 24/06/2022 Job Reference: 25881010 Site Location: 448066 213346 Requested by: Mr Joe Sawyer Your Scheme/Reference: 31188_002</p>	<p>This plan shows the location of those pipes owned by Scotia Gas Networks (SGN) by virtue of being a licensed Gas Transporter (GT). Gas pipes owned by other GTs or third parties may also be present in this area but are not shown on this plan. Information with regard to such pipes should be obtained from the relevant owners. No warranties are given with regard to the accuracy of the information shown on this plan. Service pipes, valves, siphons, sub-connections etc. are not shown but their presence should be anticipated. You should be aware that a small percentage of our pipes/assets may be undergoing review and will temporarily be highlighted in yellow. If your proposed works are close to one of these pipes, you should contact the SGN Safety Admin Team on 0800 912 1722 for advice. No liability of any kind whatsoever is accepted by SGN or its agents, servants or sub-contractors for any error or omission contained herein. Safe digging practices, in accordance with HS (G)47, must be used to verify and establish the actual position of mains, pipes, services and other apparatus on site before any mechanical plant is used. It is your responsibility to ensure that plant location information is provided to all persons (whether direct labour or sub-contractors) working for you on or near gas apparatus. Information included on this plan should not be referred to beyond a period of 28 days from the date of issue.</p> <p style="text-align: center;"><b>Report damage immediately – KEEP EVERYONE AWAY FROM THE AREA</b> <b>0800 111 999</b></p> <p style="font-size: small; text-align: center;">This plan is reproduced from or based on the OS map by Scotia Gas Networks plc, with the sanction of the controller of HM Stationery Office. Crown Copyright Reserved. Southern Gas – 100044373 and Scotland Gas – 100044366.</p>	

Scale: 1:1000 (When plotted at A4)



**SGN**  
Your gas. Our network.

**Contact Us**  
SGN Safety Admin Team:  
0800 912 1722  
Email:  
plantlocation@sgn.co.uk

Date Requested: 24/06/2022  
Job Reference: 25881010  
Site Location: 448066 213346  
Requested by: Mr Joe Shawyer  
Your Scheme/Reference: 31188\_002

Scale: 1:1000 (When plotted at A4)

Low Pressure Mains		Digsite:		Area:
Medium Pressure Mains		Line:		
Intermediate Pressure Mains		LAs		
High Pressure Mains		GTs		SSSIs
Some Examples Of Plant Items		Valve		Syphon
		Depth of Cover		
		Diameter Change		Material Change

This information is given as a guide only and its accuracy cannot be guaranteed.

This plan shows the location of those pipes owned by Scotia Gas Networks (SGN) by virtue of being a licensed Gas Transporter (GT). Gas pipes owned by other GTs or third parties may also be present in this area but are not shown on this plan. Information with regard to such pipes should be obtained from the relevant owners. No warranties are given with regard to the accuracy of the information shown on this plan. Service pipes, valves, siphons, sub-connections etc. are not shown but their presence should be anticipated. You should be aware that a small percentage of our pipes/assets may be undergoing review and will temporarily be highlighted in yellow. If your proposed works are close to one of these pipes, you should contact the SGN Safety Admin Team on 0800 912 1722 for advice. No liability of any kind whatsoever is accepted by SGN or its agents, servants or sub-contractors for any error or omission contained herein. Safe digging practices, in accordance with HS (G)47, must be used to verify and establish the actual position of mains, pipes, services and other apparatus on site before any mechanical plant is used. It is your responsibility to ensure that plant location information is provided to all persons (whether direct labour or sub-contractors) working for you on or near gas apparatus. Information included on this plan should not be referred to beyond a period of 28 days from the date of issue.

**Report damage immediately – KEEP EVERYONE AWAY FROM THE AREA**  
**0800 111 999**