



KEY	
Hydrock January/February 2023	
	Cable Percussion Borehole
	Rotary Borehole
	Soakaway Pit
	Trial Pit
	Road Core Location
	Hand Dug Pit
Initial Site Investigation (September 2022)	
	Hydrock Soil Infiltration Rate Test Pit
	Hydrock Dynamic Sampler Borehole
	Hydrock Trial Pit
	Hydrock Hand Dug Pit
JUBB Site Investigation (December 2019)	
	Borehole

NOTES

1. All dimensions are to be checked on site before the commencement of works. Any discrepancies are to be reported to the Architect & Engineer for verification. Figured dimensions only are to be taken from this drawing.

2. This drawing is to be read in conjunction with all relevant Engineers' and Service Engineers' drawings and specifications.

3. This drawing has been based on the following drawings and information: Topographical Survey number:180133 by:Interlock Surveys dated:11/02/2019.

4. A minimum 9metre stand off zone has been applied to (and must be adhered to for all siteworks) all SI positions (excluding hand pits) in relation to Overhead power lines shown on the Survey.

LEGEND	
	Site Boundary
	CS2 Gas protection measures only if developed with buildings
	Remainder of site CS1

SITE BOUNDARY ADDED					
P02	SD	12/04/23	NT	12/04/23	CD
FIRST ISSUE					
P01	SD	28/03/23	NT	28/03/23	AB
REVISION NOTES/COMMENTS					
REV.	DRAWN BY	DATE	CHECKED BY	DATE	APPROVED BY

Hydrock

Hawthorn Park
Holdenby Road
Sparton
Northampton NN6 8LD
TEL: 01604 842 888
E-Mail: northampton@hydrock.com
or visit www.hydrock.com

CLIENT

Oxford University Development Ltd

PROJECT

Begbroke, Oxfordshire

TITLE

Gas Protection Zonation Plan

HYDROCK PROJECT NO. 19114 GMNO		SCALE @ A2 As shown	
PURPOSE OF ISSUE SUITABLE FOR INFORMATION			STATUS S2
DRAWING NO. (PROJECT CODE-ORIGINATOR-ZONE-LEVEL-TYPE-ROLE-NUMBER) 19114-HYD-XX-ZZ-DR-GE-01027			REVISION P02