



**TOTAL CATEGORY A TREES Heyford Park Nicholson's Tree Survey November 2006**

Group No	Tag	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physiological Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
						N	S	E	W											
G100	5087	Acer pseudoplatanus Sycamore	329	1	11	4.0	4.0	4.0	4.0	2	2	M	Good	No visible defects	None	N/A	40+	A1	3.95	48.97
G100	5089	Acer pseudoplatanus Sycamore	274	1	9	4.0	4.0	4.0	4.0	2	2	M	Good	No visible defects	None	N/A	40+	A1	3.29	33.97
G101	5090	Sorbus aucuparia Rowan	195	1	6	2.5	2.5	2.5	2.5	1	2.5	M	Good	No visible defects	None	N/A	20-40	A1	2.34	17.20
G103	5093	Fraxinus excelsior Ash	214	1	7	3.0	3.0	3.0	3.0	2	2	M	Good	No visible defects	None	N/A	40+	A2	2.57	20.72
G105	5103	Acer pseudoplatanus Sycamore	275	1	7	4.0	4.0	4.0	4.0	3	2	M	Good	No visible defects	None	N/A	40+	A2	3.30	34.22
G105	5104	Acer pseudoplatanus Sycamore	261	1	8	4.0	4.0	4.0	4.0	3	2	M	Good	No visible defects	None	N/A	40+	A2	3.13	30.82
G105	5105	Acer pseudoplatanus Sycamore	368	1	9	4.0	4.0	4.0	4.0	3	2	M	Good	No visible defects	None	N/A	40+	A2	4.42	61.27
G105	5106	Acer pseudoplatanus Sycamore	262	1	10	3.0	3.0	3.0	3.0	3	3	M	Good	Tight forks	None	N/A	40+	A2	3.14	31.06
G105	5107	Acer pseudoplatanus Sycamore	296	1	12	3.0	3.0	3.0	3.0	3	2	M	Good	No visible defects	None	N/A	40+	A2	3.55	39.64
G105	5108	Acer pseudoplatanus Sycamore	363	1	12	4.0	4.0	4.0	4.0	3	2	M	Good	No visible defects	None	N/A	40+	A2	4.36	59.62
G124	5240	Picea omorika Serbian spruce	157	1	8	1.0	1.0	1.0	1.0	1	0	M	Good	No visible defects	None	N/A	40+	A1	1.88	11.15
G127	5255	Acer platanoides Norway maple	217	1	7	4.0	4.0	4.0	4.0	2	2.5	M	Good	No visible defects	None	N/A	40+	A1	2.60	21.31
G129	5265	Acer platanoides Norway maple	293	1	11	3.5	3.5	3.5	3.5	2	1.5	M	Good	No visible defects	None	N/A	40+	A1	3.52	38.84
G131	5281	Acer platanoides Norway maple	316	1	7	4.0	3.0	2.0	4.0	2	2	M	Good	No visible defects	None	N/A	40+	A2	3.79	45.18
G131	5282	Acer platanoides Norway maple	350	1	10	4.0	4.0	3.0	3.0	2	2	M	Good	No visible defects	None	N/A	40+	A2	4.20	55.42
G131	5283	Acer platanoides Norway maple	359	1	10	4.0	4.0	3.0	3.0	2	2	M	Good	Tight forks included bark	Crown clean	P	40+	A2	4.31	58.31
G131	5284	Acer platanoides Norway maple	281	1	7	4.0	3.0	3.0	2.0	2	2	M	Good	Basal bark wounds	None	N/A	40+	A2	3.37	35.73
G131	5285	Acer saccharinum Silver maple	304	1	9	5.0	4.0	3.0	3.0	1	2	M	Good	No visible defects	None	N/A	40+	A2	3.65	41.81
G131	5286	Acer platanoides Norway maple	222	1	8	2.0	3.0	2.0	2.0	2	2	M	Good	No visible defects	None	N/A	40+	A2	2.66	22.30
G131	5287	Acer platanoides Norway maple	284	1	9	2.0	3.0	3.0	2.0	2	2	M	Good	No visible defects	None	N/A	40+	A2	3.41	36.49
G131	5288	Acer platanoides Norway maple	299	1	8	4.0	3.0	3.0	3.0	1	2	M	Good	No visible defects	None	N/A	40+	A2	3.59	40.45
G131	5289	Acer platanoides Norway maple	440	1	9	5.0	5.0	4.0	4.0	1	2	M	Good	No visible defects	None	N/A	40+	A2	5.28	87.59
G131	5290	Acer platanoides Norway maple	304	1	9	4.0	3.0	5.0	3.0	1	2	M	Good	No visible defects	None	N/A	40+	A2	3.65	41.81
G131	5291	Acer saccharinum Silver maple	316	1	8	5.0	3.0	3.0	2.0	2	2.5	M	Good	No visible defects	None	N/A	40+	A2	3.79	45.18
G134	5305	Acer pseudoplatanus Sycamore	381	1	9	4.0	4.0	4.0	4.0	3	2	M	Good	No visible defects	None	N/A	40+	A2	4.57	65.68
G134	5306	Acer platanoides Norway maple	326	1	8	3.0	3.0	3.0	3.0	3	2	M	Good	No visible defects	None	N/A	40+	A2	3.91	48.08
G134	5307	Acer platanoides Norway maple	235	1	7	4.0	4.0	4.0	4.0	3	2	M	Good	No visible defects	None	N/A	40+	A2	2.82	24.99
G134	5308	Acer pseudoplatanus Sycamore	292	1	8	3.0	3.0	3.0	3.0	3	2	M	Good	No visible defects	None	N/A	40+	A2	3.50	38.58
G134	5309	Acer pseudoplatanus Sycamore	251	1	7	2.0	2.0	2.0	2.0	3	2	M	Good	No visible defects	None	N/A	40+	A2	3.01	28.50
G134	5310	Acer pseudoplatanus Sycamore	305	1	9	4.0	4.0	4.0	4.0	3	2	M	Good	No visible defects	None	N/A	40+	A2	3.66	42.09
G134	5312	Acer pseudoplatanus Sycamore	281	1	9	3.0	3.0	3.0	3.0	3	2	M	Good	No visible defects	None	N/A	40+	A2	3.37	35.73
G134	5313	Acer pseudoplatanus Sycamore	227	1	7	4.0	4.0	4.0	4.0	3	2	M	Good	No visible defects	None	N/A	40+	A2	2.72	23.31
G134	5314	Acer pseudoplatanus Sycamore	310	1	9	3.0	3.0	3.0	3.0	3	2	M	Good	No visible defects	None	N/A	40+	A2	3.72	43.48
G134	5315	Acer pseudoplatanus Sycamore	221	1	9	3.0	3.0	3.0	3.0	3	2	M	Good	No visible defects	None	N/A	40+	A2	2.65	22.10
G134	5316	Acer pseudoplatanus Sycamore	295	1	8	3.0	3.0	3.0	3.0	3	2	M	Good	No visible defects	None	N/A	40+	A2	3.54	39.37
G134	5317	Acer pseudoplatanus Sycamore	263	1	8	3.0	3.0	3.0	3.0	3	2	M	Good	No visible defects	None	N/A	40+	A2	3.16	31.30
G134	5318	Acer pseudoplatanus Sycamore	287	1	8	4.0	4.0	4.0	4.0	3	2	M	Good	No visible defects	None	N/A	40+	A2	3.44	37.27
G134	5319	Acer pseudoplatanus Sycamore	267	1	8	3.0	3.0	3.0	3.0	3	2	M	Good	No visible defects	None	N/A	40+	A2	3.20	32.25
G136	5324	Acer pseudoplatanus Sycamore	272	1	7	3.0	3.0	3.0	3.0	3	2	M	Fair	Sparse canopy	None	N/A	40+	A2	3.26	33.47
G136	5325	Acer pseudoplatanus Sycamore	208	1	7	2.0	2.0	2.0	2.0	3	2	M	Fair	No visible defects	None	N/A	40+	A2	2.50	19.57
G136	5326	Acer pseudoplatanus Sycamore	255	1	7	3.0	3.0	3.0	3.0	3	2	M	Good	Bark wound at base	None	N/A	40+	A2	3.06	29.42
G138	5342	Fraxinus excelsior Ash	168	1	8	2.0	2.0	2.0	2.0	4	2	M	Good	No visible defects	None	N/A	40+	A1	2.02	12.77
G143	5356	Fraxinus excelsior Ash	179	1	8	2.0	2.0	2.0	2.0	4	2	M	Good	No visible defects	None	N/A	40+	A1	2.15	14.50
G144	5362	Acer pseudoplatanus Sycamore	238	1	7	2.0	2.0	2.0	2.0	3	2	M	Good	No visible defects	None	N/A	40+	A2	2.86	25.63
G144	5364	Fraxinus excelsior Ash	193	1	8	2.0	2.0	2.0	2.0	3.5	2	M	Good	No visible defects	None	N/A	40+	A2	2.32	16.85
G145	5365	Alnus cordata Italian alder	277	1	11	2.0	2.0	2.0	2.0	1.5	2	M	Good	No visible defects	None	N/A	40+	A1	3.32	34.72
G146	5371	Tilia europaea Common Lime	197	1	8	2.5	2.5	2.5	2.5	4	2	SM	Good	No visible defects	None	N/A	40+	A1	2.36	17.56
G161	5501	Acer platanoides Norway maple	255	1	6	1.0	3.0	3.0	3.0	3	2	Y	Good	No visible defects, possible transplant	Nil	N/A	40+	A1	3.06	29.42
G161	5502	Acer platanoides Norway maple	201	1	6	1.0	2.0	3.0	1.0	3	2	Y	Fair	No visible defects, possible transplant	Nil	N/A	40+	A1	2.41	18.28
G102	5878	Fraxinus excelsior Ash	222	1	7	3.0	3.0	3.0	3.0	3	2	SM	Good	No visible defects	None	N/A	40+	A1	2.66	22.30

**TOTAL CATEGORY B TREES Heyford Park Nicholson's Tree Survey November 2006**

Group No	Tag	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physiological Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
						N	S	E	W											
	8	Acer pseudoplatanus Sycamore	717	1	17	3.0	3.0	4.0	10.0	2	6	M	Fair	Av tight fork at 6m included bark potential recent movement	Inspect fork	P	20-40	B1	8.60	232.60
	11	Acer pseudoplatanus Sycamore	351	1	17	1.0	2.0	4.0	4.0	2	11	M	Fair	Average condition	Nil	N/A	20-40	B1	4.21	55.74
	12	Acer pseudoplatanus Sycamore	347	1	17	1.0	2.0	5.0	2.0	2	12	M	Fair	Average condition	Nil	N/A	20-40	B1	4.16	54.48
	15	Acer pseudoplatanus Sycamore	729	MS	17	1.0	7.0	11.0	5.0	2	7	M	Fair	Av minor buttress damage ne tight fork at 1.2 with 3 stems carising and decay pocket with elder growing	Nil	N/A	20-40	B1	7.29	166.98
	20	Acer pseudoplatanus Sycamore	550	1	17	3.0	3.0	10.0	8.0	2	9	M	Fair	Av tight main fork at 3.5 with included bark	Nil	N/A	20-40	B1	6.60	136.87
	100	Acer pseudoplatanus Sycamore	930	1	17	9.0	9.0	9.0	9.0	1	4	M	Good	Average condition	Crown clean	P	40+	B1	11.16	391.32
	129	Acer platanoides Norway maple	601	1	13	7.0	8.0	7.0	7.0	2	3	M	Good	Average condition	Nil	N/A	40+	B1	7.21	163.42
	153	Pinus sylvestris Scots pine	553	1	16	3.0	5.0	3.0	5.0	0	8	M	Fair	Average condition	Nil	N/A	20-40	B1	6.64	138.36
	154	Fagus sylvatica Beech	840	1	17	3.0	7.0	7.0	8.0	1	9	M	Fair	included bark at 1.0 in main forkgl	Nil	N/A	40+	B1	10.08	319.25
	569	Acer pseudoplatanus Sycamore	369	1	14	4.0	4.0	4.0	4.0	5	5	M	Good	Small multiple branch wounds at 3 m	None	N/A	40+	B1	4.43	61.61
	632	Betula alba Silver birch	485	1	15	6.0	6.0	4.0	4.0	0	4	M	Good	Occasional wounds to main stem (decay?)	Nil	N/A	10-20	B1	3.84	106.43
	645	Malus domestica Apple	369	MS	8	3.0	4.0	3.0	3.0	1	3	M	Fair	Deadwood in crown, < 50 mm	Nil	N/A	10-20	B1	3.69	42.78
	648	Sorbus aria Whitebeam	281	1	5	2.0	2.0	2.0	3.0	1	2	M	Good	No visible defects	Nil	N/A	20-40	B1	2.10	35.73
	652	Betula alba Silver birch	320	1	15	3.0	2.0	3.0	2.0	1	2	M	Good	In raised bed, else No visible defects	Nil	N/A	10-20	B1	3.84	46.33
	653	Sorbus aria Whitebeam	229	1	9	2.0	2.0	3.0	3.0	2	2	M	Good	In existing bed, else No visible defects	Nil	N/A	10-20	B1	2.75	23.73
	654	Sorbus aria Whitebeam	175	1	7	2.0	2.0	2.0	2.0	3	2	M	Good	In existing bed, else No visible defects	Nil	N/A	10-20	B1	2.10	13.86
	658	Acer pseudoplatanus Sycamore	522	1	11	4.0	6.0	5.0	5.0	2	2	M	Good	Possible rot pocket in main fork union at 2 m	Check main fork union	U	10-20	B1	6.26	123.28
	659	Acer pseudoplatanus Sycamore	390	1	10	4.0	5.0	5.0	1.0	2	3	M	Fair	Restricted rooting? Occluded old pruning wounds to main stems, possible decay	Nil	N/A	10-20	B1	4.68	68.82
	660	Acer pseudoplatanus Sycamore	704	1	16	6.0	6.0	6.0	6.0	1	3	M	Good	Occasional deadwood > 50 m. Included bark occasionally in main branches at 4.5 m height	Deadwood. Reduce end loading of branches with included bark	U	10-20	B1	8.45	224.24
	663	Crataegus monogyna Hawthorn	230	1	5	3.0	3.0	3.0	3.0	1	5	M	Good	Deadwood < 50 mm	Nil	N/A	10-20	B1	2.76	23.93
	664	Crataegus monogyna Hawthorn	303	MS	5	3.0	3.0	5.0	0.0	1	1	M	Fair	Significant decay to main stem	Nil	N/A	10-20	B1	3.03	28.85
	665	Malus sylvestris Crab Apple	334	1	7	3.0	4.0	1.0	3.0	1	2	M	Fair	Several old pruning wounds to main stem (decay?). Deadwood < 50mm	Nil	N/A	10-20	B1	4.01	50.47
	667	Aesculus hippocastanum Horse Chestnut	488	1	10	5.0	4.0	4.0	5.0	2	2	M	Good	Minor bleeding canker	Nil	N/A	20-40	B1	5.86	107.75
	669	Fraxinus excelsior Ash (Jaspida)	373	1	12	4.0	5.0	3.0	3.0	1	3	M	Good	Included bark at spring of crown	Nil	N/A	20-40	B1	4.48	62.95
	676	Acer pseudoplatanus Sycamore	792	MS	13	5.0	5.0	4.0	5.0	2	3	M	Good	Old pruning wounds to stems, good recovery	Nil	N/A	20-40	B1	7.92	197.09
	680	Fagus sylvatica Beech	875	1	15	6.0	6.0	6.0	4.0	1	2	M	Good	Multiple included bark at spring of crown	Nil	N/A	20-40	B1	10.50	346.41
	681	Carpinus betulus Hornbeam	559	1	15	5.0	5.0	4.0	5.0	1	2	M	Good	No visible defects	Nil	N/A	20-40	B1	6.71	141.38
	685	Tilia europaea Common Lime	786	1	18	6.5	6.5	6.5	6.5	2	2	M	Good	Tight fork with rib formation, minor dead wood	Crown clean	P	40+	B1	9.43	279.52
	689	Aesculus hippocastanum Horse Chestnut	713	1	12	4.0	6.0	5.0	5.0	2	3	M	Good	Bleeding canker, minor dead wood	None	N/A	40+	B1	8.56	230.01
	692	Acer pseudoplatanus Sycamore	298	1	9	3.0	3.0	4.0	4.0	3	2.5	M	Good	Minor deadwood	Crown clean	P	40+	B1	3.58	40.18
	693	Acer pseudoplatanus Sycamore	268	1	7	3.0	3.0	3.0	3.0	3	3	M	Fair	No visible defects	None	N/A	40+	B1	3.22	32.50
	695	Prunus Flowering Cherry	421	1	6	5.0	5.0	5.0	5.0	2	2	M	Good	No visible defects	None	N/A	20-40	B1	5.05	80.19
	697	Malus domestica Apple	115	1	5	2.0	2.0	3.0	3.0	1	1	M	Good	No visible defects	None	N/A	40+	B1	1.38	5.98
	708	Sorbus intermedia Swedish Whitebeam	478	MS	5	3.0	3.0	3.0	3.0	2	0	M	Fair	Minor dead wood	Crown clean	P	20-40	B1	4.78	71.79
	717	Juniperus communis Juniper	525	MS	8	1.5	1.5	1.5	1.5	0	1.5	M	Good	No visible defects	None	N/A	20-40	B1	5.25	86.60
	718	Prunus Atropurpurea Pissards Plum	219	1	6	2.0	2.0	2.0	2.0	0.5	1	M	Good	No visible defects	None	N/A	20-40	B1	2.63	21.70
	719	Betula alba Silver birch	482	1	12	5.0	7.0	6.0	6.0	2	0	M	Good	No visible defects	None	N/A	20-40	B1	5.78	105.11
	723	Pinus wallichiana Bhutan pine	242	1	6	3.0	3.0	3.0	3.0	0	3	M	Good	No visible defects	Remove stake	P	40+	B1	2.90	26.50
	739	Acer pseudoplatanus Sycamore	357	1	6	4.0	4.0	4.0	4.0	2	2.5	M	Good	No visible defects	None	N/A	40+	B1	4.28	57.66
	740	Tilia europaea Common Lime	196	1	6	3.0	2.5	2.5	2.5	3	1	SM	Good	No visible defects	None	N/A	40+	B1	2.35	17.38
	749	Tilia europaea Common Lime	189	1	6	2.0	2.0	2.0	2.0	3	2	SM	Good	No visible defects	None	N/A	40+	B1	2.27	16.16
	750	Tilia europaea Common Lime	188	1	6	2.0	2.0	2.0	2.0	3	2	SM	Good	No visible defects	None	N/A	40+	B1	2.26	15.99
	752	Juglans regia Walnut	230	1	6.5	3.0	3.0	3.0	3.0	3	2	SM	Good	No visible defects	None	N/A	40+	B1	2.76	23.93
	753	Juglans regia Walnut	214	1	7	3.0	3.0	3.0	3.0	3	2	SM	Good	No visible defects	None	N/A	40+	B1	2.57	20.72
	758	Tilia europaea Common Lime	204	1	6	3.0	2.0	2.0	2.0	3	1	SM	Good	No visible defects	None	N/A	40+	B1	2.45	18.83
	764	Juglans regia Walnut	178	1	6	3.0	3.0	3.0	3.0	3	1.5	SM	Good	No visible defects	None	N/A	40+	B1	2.14	14.34
	766	Prunus Flowering Cherry	421	1	7	4.0	3.0	4.0	3.0	1	2	M	Good	No visible defects	None	N/A	20-40	B1	5.05	80.19
	767	Juglans regia Walnut	184	1	6	2.0	2.0	2.0	2.0	3	1	SM	Good	No visible defects	None	N/A	40+	B1	2.53	15.32
	776	Prunus Flowering Cherry	429	1	7	6.0	6.0	7.0	6.0	1	2	M	Good	No visible defects	None	N/A	20-40	B1	3.74	83.27
	778	Juglans regia Walnut	216	1	7	3.5	3.5	3.5	3.5	3	1.5	SM	Good	No visible defects	None	N/A	40+	B1	5.58	21.11
	779	Robinia pseudoacacia False acacia	211	1	5	2.5	2.5	2.5	2.5	3	1.5	SM	Good	No visible defects	None	N/A	40+	B1	4.44	20.14

**TOTAL CATEGORY B TREES Heyford Park Nicholson's Tree Survey November 2006**

Group No	Tag	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physiological Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
						N	S	E	W											
782		Prunus Flowering Cherry	312	1	6	2.5	2.5	2.5	2.5	1	2	M	Good	SM cavity base	None	N/A	20-40	B1	4.18	44.04
783		Aesculus hippocastanum Horse Chestnut	558	MS	6	4.5	4.5	4.5	4.5	3	2	M	Good	Low forks tight junctions	None	N/A	40+	B1	3.88	97.83
785		Acer pseudoplatanus Sycamore	370	1	9	4.0	3.0	3.0	3.0	3	2	M	Good	No visible defects	None	N/A	40+	B1	1.84	61.94
786		Tilia cordata Small leaved lime	348	1	7	5.0	5.0	5.0	4.0	4	1.5	M	Good	No visible defects	None	N/A	40+	B1	2.96	54.79
793		Prunus Flowering Cherry	323	1	6	4.0	5.0	4.0	4.0	1	3	M	Good	No visible defects	None	N/A	20-40	B1	7.51	47.20
794		Juglans regia Walnut	153	1	5	2.0	2.0	1.5	2.0	5	2	SM	Good	No visible defects	None	N/A	40+	B1	1.98	10.59
807		Acer platanoides Norway maple	247	1	7	3.0	3.0	3.0	3.0	3	2	M	Good	Tight forks included bark	None	N/A	40+	B1	1.82	27.60
811		Acer pseudoplatanus Sycamore	626	1	9	5.0	5.0	5.0	5.0	2	3	M	Good	No visible defects	None	N/A	40+	B1	4.74	177.30
824		Acer platanoides Norway maple	165	1	8	3.0	2.0	2.0	2.0	3	2	Y	Good	No visible defects	Nil	N/A	20-40	B1	4.68	12.32
826		Crataegus monogyna Hawthorn	152	1	5	3.0	3.0	3.0	3.0	1	2	Y	Good	No visible defects	Nil	N/A	20-40	B1	6.40	10.45
830		Acer platanoides Norway maple	395	1	10	4.0	4.0	4.0	4.0	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1	8.76	70.59
831		Betula alba Silver birch	390	1	10	6.0	5.0	5.0	5.0	1	2	M	Good	No visible defects	Nil	N/A	10-20	B1	4.68	68.82
834		Acer platanoides Norway maple	533	1	12	5.0	5.0	4.0	5.0	2	1	M	Good	No visible defects	Nil	N/A	20-40	B1	6.40	128.54
854		Cupressocyparis leylandii Leyland cypress	876	MS	17	3.0	3.0	3.0	4.0	2	0	M	Good	No visible defects	Nil	N/A	20-40	B1	8.76	241.11
857		Cupressocyparis leylandii Leyland cypress	938	MS	16	3.0	3.0	3.0	3.0	2	1	M	Good	No visible defects	Nil	N/A	20-40	B1	9.38	276.45
858		Cupressocyparis leylandii Leyland cypress	830	MS	16	2.0	2.0	2.0	2.0	2	1	M	Good	No visible defects	Nil	N/A	20-40	B1	8.30	216.45
859		Acer platanoides Norway maple	194	1	10	1.0	3.0	3.0	3.0	3	2	M	Good	No visible defects	Nil	N/A	40+	B1	2.33	17.03
860		Tilia europaea Common Lime	528	1	16	1.0	6.0	5.0	5.0	2	2	M	Good	Adjacent to building, crown absent on north side	Nil	N/A	20-40	B1	6.34	126.14
861		Tilia europaea Common Lime	287	1	10	4.0	3.0	3.0	3.0	2	2	M	Good	Growing in hard surface, else No visible defects	Nil	N/A	40+	B1	3.44	37.27
866		Acer platanoides Norway maple	239	1	8	3.0	3.0	3.0	3.0	3	3	M	Good	No visible defects	None	N/A	40+	B1	3.34	25.84
872		Prunus Flowering Cherry	358	1	7	4.0	4.0	4.0	4.0	2	2	M	Good	No visible defects	None	N/A	20-40	B1	2.51	57.99
874		Chamaecyparis lawsoniana Lawsons cypress	516	MS	7	2.0	2.0	2.0	2.0	0.5	0	M	Good	No visible defects	None	N/A	20-40	B1	2.20	83.66
875		Prunus avium plena Cherry	278	1	7	3.0	3.0	4.0	4.0	1	2	M	Good	No visible defects	None	N/A	20-40	B1	2.71	34.97
884		Prunus Atropurpurea Pissards Plum	251	MS	5	2.0	2.0	2.0	2.0	1	1	SM	Good	No visible defects	None	N/A	40+	B1	2.51	19.79
885		Fraxinus excelsior Ash	183	1	5	2.0	2.0	2.0	2.0	4	1	SM	Good	No visible defects	None	N/A	40+	B1	2.10	15.15
886		Fraxinus excelsior Ash	226	1	7	2.0	2.0	2.0	2.0	4	1	SM	Good	No visible defects	None	N/A	40+	B1	2.47	23.11
887		Fraxinus excelsior Ash	167	1	5	3.0	3.0	3.0	3.0	4	1	SM	Good	No visible defects	None	N/A	40+	B1	2.34	12.62
892		Juglans regia Walnut	175	1	5	3.0	3.0	3.0	3.0	3	1	SM	Good	No visible defects	None	N/A	40+	B1	2.88	13.86
893		Juglans regia Walnut	206	1	6	2.5	2.5	2.5	2.5	4	1	SM	Good	No visible defects	None	N/A	40+	B1	2.92	19.20
895		Tilia europaea Common Lime	195	1	7	2.5	2.5	2.5	2.5	4	1	SM	Good	No visible defects	None	N/A	40+	B1	2.34	17.20
897		Robinia pseudoacacia False acacia	240	1	5	3.0	3.0	3.0	3.0	3	2	SM	Good	No visible defects	None	N/A	40+	B1	2.88	26.06
898		Robinia pseudoacacia False acacia	243	1	5	2.0	2.0	2.0	2.0	3	2	SM	Good	No visible defects	None	N/A	40+	B1	2.92	26.72
900		Prunus Atropurpurea Pissards Plum	217	1	5	2.0	2.0	3.0	3.0	1	2	M	Good	No visible defects	None	N/A	40+	B1	2.60	21.31
901		Fraxinus excelsior Ash	231	1	7	2.0	2.0	2.0	2.0	4	2	SM	Good	No visible defects	None	N/A	40+	B1	2.77	24.14
905		Fraxinus excelsior Ash	272	1	7	2.5	2.5	2.5	2.5	4	2	SM	Good	No visible defects	None	N/A	40+	B1	3.26	33.47
909		Tilia platyphyllos Large leaf lime	212	1	8	2.5	2.5	2.5	2.5	2	2.5	M	Good	No visible defects	None	N/A	40+	B1	2.54	20.33
910		Tilia europaea Common Lime	243	1	8	3.0	3.0	3.0	3.0	2	2.5	M	Good	No visible defects	None	N/A	40+	B1	2.92	26.72
912		Juglans regia Walnut	224	1	6	3.0	3.0	3.0	3.0	3	1.5	SM	Good	No visible defects	None	N/A	40+	B1	2.69	22.70
915		Tilia europaea Common Lime	210	1	5	2.0	2.0	2.0	2.0	3	2	SM	Good	No visible defects	None	N/A	40+	B1	2.52	19.95
916		Tilia europaea Common Lime	232	1	5.5	3.0	2.0	2.0	2.0	3	1	SM	Good	No visible defects	None	N/A	40+	B1	2.78	24.35
919		Juglans regia Walnut	247	1	6.5	2.5	2.0	2.0	2.0	3	2	SM	Good	No visible defects	None	N/A	40+	B1	2.96	27.60
921		Salix sepulcralis chysocoma Weeping willow	467	1	6.5	2.0	2.0	2.0	2.0	3	2	M	Good	No visible defects	None	N/A	40+	B1	5.60	98.67
922		Tilia europaea Common Lime	260	1	7	4.0	4.0	4.0	4.0	3	2	SM	Good	No visible defects	None	N/A	40+	B1	3.12	30.59
923		Tilia europaea Common Lime	217	1	7	3.0	2.0	3.0	3.0	3	3	SM	Good	No visible defects	None	N/A	40+	B1	2.60	21.31
924		Fraxinus excelsior Ash	253	1	7	3.0	2.0	2.0	2.0	3	2.5	SM	Good	No visible defects	None	N/A	40+	B1	3.04	28.96
927		Tilia europaea Common Lime	228	1	7	3.5	3.5	3.5	3.5	3	1	M	Good	No visible defects	None	N/A	40+	B1	2.74	23.52
929		Fraxinus excelsior Ash	243	1	6	3.0	3.0	3.0	3.0	4	2	SM	Good	No visible defects	None	N/A	40+	B1	2.92	26.72
2053		Picea abies Norway spruce	237	1	9	2.0	2.0	2.0	2.0	3	2	M	Good	No visible defects	None	N/A	40+	B1	2.84	25.41
2148		Sorbus aria Whitebeam	258	1	8	2.0	2.0	2.0	2.0	1	2	M	Good	No visible defects	Nil	N/A	20-40	B1	3.10	30.12
2153		Chamaecyparis lawsoniana Lawsons cypress	395	MS	3	1.0	1.0	1.0	1.0	3	0	Y	Good	Topped at 1.5 m	Nil	N/A	20-40	B1	3.95	49.02
2154		Chamaecyparis lawsoniana Lawsons cypress	418	MS	3	1.0	1.0	1.0	1.0	3	0	Y	Good	Topped at 1.5 m	Nil	N/A	20-40	B1	4.18	54.90
2155		Conifer	206	MS	3	1.0	1.0	1.0	1.0	3	0	Y	Good	Topped at 1.5m	Nil	N/A	20-40	B1	2.06	13.33
2171		Acer platanoides Copper Norway Maple	207	1	6	2.5	3.0	3.0	3.0	2	2	SM	Good	No visible defects	Nil	N/A	40+	B1	2.48	19.39
2172		Acer platanoides Copper Norway Maple	199	1	6	3.0	2.5	3.0	3.0	3	2	SM	Good	No visible defects	Nil	N/A	40+	B1	2.39	17.92
2173		Acer platanoides Copper Norway Maple	142	1	5	2.0	2.0	2.0	2.0	4	2	SM	Good	No visible defects	Nil	N/A	40+	B1	1.70	9.12
2174		Acer pseudoplatanus Sycamore	381	1	6	5.0	5.0	5.0	5.0	2	2.5	M	Good	No visible defects	Nil	N/A	40+	B1	4.57	65.68

**TOTAL CATEGORY B TREES Heyford Park Nicholson's Tree Survey November 2006**

Group No	Tag	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physiological Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
						N	S	E	W											
	2181	Prunus avium plena Cherry	121	1	5	1.5	1.5	1.5	1.5	3	1.2	SM	Good	No visible defects	Nil	N/A	20-40	B1	1.45	6.62
	2185	Fagus sylvatica- common Fagus sylvatica Beech	204	1	7	2.0	3.5	2.0	2.0	6	2	SM	Good	No visible defects	Nil	N/A	40+	B1	2.45	18.83
	2186	Acer saccharinum Silver maple	115	1	5	2.0	2.0	2.0	2.0	4	2.5	SM	Fair	No visible defects	Nil	N/A	40+	B1	1.38	5.98
	2202	Chamaecyparis lawsoniana Lawsons cypress	245	1	9	2.0	2.0	2.0	2.0	2	2	Y	Good	Growing within laurel hedge	Nil	N/A	10-20	B1	2.94	27.16
	2203	Chamaecyparis lawsoniana Lawsons cypress	168	1	8	1.0	1.0	1.0	1.0	2	2	Y	Good	Growing within laurel hedge	Nil	N/A	10-20	B1	2.02	12.77
	2236	Calocedrus decurrens Incense cedar	140	1	6	1.0	1.0	1.0	1.0	1	0.5	M	Good	No visible defects	Nil	N/A	40+	B1	1.68	8.87
	2237	Calocedrus decurrens Incense cedar	140	1	6	1.0	1.0	1.0	1.0	1	0.5	M	Good	No visible defects	Nil	N/A	40+	B1	1.68	8.87
	2238	Calocedrus decurrens Incense cedar	140	1	6	1.0	1.0	1.0	1.0	1	0.5	M	Good	No visible defects	Nil	N/A	40+	B1	1.68	8.87
	2241	Calocedrus decurrens Incense cedar	130	1	6	0.5	1.0	0.5	0.5	2	0.5	M	Good	No visible defects	Nil	N/A	40+	B1	1.56	7.65
	2242	Calocedrus decurrens Incense cedar	130	1	6	0.5	1.0	0.5	0.5	2	0.5	M	Good	No visible defects	Nil	N/A	40+	B1	1.56	7.65
	2245	Thuja plicata Western Red Cedar	140	1	7	1.0	1.0	1.0	1.5	2	0.5	M	Good	N, suppressed by 2244	Nil	N/A	40+	B1	1.68	8.87
	2247	Juglans regia Walnut	243	1	7	3.0	3.0	3.0	3.0	3	2	SM	Good	No visible defects	Nil	N/A	40+	B1	2.92	26.72
	2256	Picea abies Norway spruce	177	1	6	2.0	2.0	2.0	2.0	3	0	SM	Good	No visible defects	Nil	N/A	40+	B1	2.12	14.17
	2269	Crataegus monogyna Hawthorn	141	1	6	3.0	3.0	1.0	3.0	1	2	M	Good	No visible defects	Nil	N/A	20-40	B1	1.69	9.00
	2305	Prunus Atropurpurea Pissards Plum	237	1	5	2.0	2.0	2.0	1.5	1	2	M	Good	No visible defects	None	N/A	40+	B1	2.84	25.41
	2306	Fraxinus excelsior Ash	245	1	7	3.0	3.0	2.0	3.0	4	2	SM	Good	No visible defects	None	N/A	40+	B1	2.94	27.16
G64	4803	Chamaecyparis lawsoniana Lawsons cypress	317	1	11	1.0	1.0	1.0	1.0	0.5	0	M	Good	No visible defects	None	N/A	40+	B1	3.80	45.47
G64	4804	Juniperus communis Juniper	223	1	1.5	1.0	1.0	1.0	1.0	0.5	0	M	Fair	No visible defects	None	N/A	40+	B1	2.68	22.50
G73	4887	Betula alba Silver birch	356	1	14	4.0	4.0	2.0	5.0	0	2	M	Good	No visible defects	Nil	N/A	10-20	B1	4.27	57.34
G73	4889	Betula alba Silver birch	346	1	14	4.0	4.0	1.0	4.0	0	2	M	Good	No visible defects	Nil	N/A	10-20	B1	4.15	54.17
G73	4890	Betula alba Silver birch	270	1	12	4.0	4.0	3.0	1.0	0	2	M	Good	No visible defects	Nil	N/A	10-20	B1	3.24	32.98
G73	4893	Betula alba Silver birch	275	MS	13	4.0	3.0	4.0	1.0	0	2	M	Fair	No visible defects	Nil	N/A	10-20	B1	2.75	23.76
G73	4896	Betula alba Silver birch	366	1	13	4.0	4.0	4.0	4.0	0	2	M	Good	No visible defects	Nil	N/A	10-20	B1	4.39	60.61
G73	4900	Betula alba Silver birch	396	1	14	3.0	4.0	3.0	2.0	0	0	M	Good	No visible defects	Nil	N/A	10-20	B1	4.75	70.95
G73	4901	Betula alba Silver birch	390	1	14	4.0	4.0	2.0	4.0	0	1	M	Good	No visible defects	Nil	N/A	10-20	B1	4.68	68.82
G73	4902	Betula alba Silver birch	305	1	14	2.0	3.0	2.0	3.0	0	3	M	Good	No visible defects	Nil	N/A	10-20	B1	3.66	42.09
G77	4912	Tilia europaea Common Lime	486	1	13	6.0	4.0	5.0	5.0	2	2	M	Good	Occluded old wounds to main stem	Nil	N/A	20-40	B1	5.83	106.87
G77	4913	Tilia cordata Small leaved lime	473	1	14	3.0	4.0	4.0	5.0	3	2	M	Good	Occasional pruning wounds to main stem, else No visible defects	Nil	N/A	20-40	B1	5.68	101.23
G77	4914	Acer pseudoplatanus Sycamore	482	1	14	5.0	3.0	5.0	5.0	2	4	M	Good	Occasional pruning wounds to main stem	Nil	N/A	10-20	B1	5.78	105.11
G77	4917	Tilia europaea Common Lime	359	1	12	5.0	3.0	5.0	5.0	2	1	M	Good	Occluded pruning wounds to main stem, else No visible defects	Nil	N/A	20-40	B1	4.31	58.31
G77	4921	Picea abies Norway spruce	349	1	14	3.0	3.0	3.0	2.0	3	4	M	Fair	Crown restricted by neighbours, else No visible defects	Nil	N/A	20-40	B1	4.19	55.11
G80	4939	Betula alba Silver birch	315	1	16	3.0	3.0	3.0	1.0	0	4	M	Good	No visible defects	Nil	N/A	10-20	B1	3.78	44.89
G80	4942	Acer pseudoplatanus Sycamore	463	1	15	5.0	5.0	3.0	4.0	1	4	M	Good	No visible defects	Nil	N/A	10-20	B1	5.56	96.99
G80	4944	Betula alba Silver birch	265	1	12	2.0	3.0	2.0	2.0	0	1	M	Good	Witches brooms	Nil	N/A	10-20	B1	3.18	31.77
G80	4946	Crataegus monogyna Hawthorn	223	MS	6	2.0	2.0	2.0	2.0	1	2	M	Good	No visible defects	Nil	N/A	10-20	B1	2.23	15.62
G80	4947	Acer pseudoplatanus Sycamore	532	1	14	4.0	4.0	6.0	3.0	2	3	M	Good	Occluded old wounds to main stem, else No visible defects	Nil	N/A	10-20	B1	6.38	128.05
G80	4948	Acer pseudoplatanus Sycamore	370	1	13	5.0	3.0	5.0	1.0	1	3	M	Fair	Deadwood in crown	Remove deadwood	U	10-20	B1	4.44	61.94
G80	4949	Acer platanoides Norway maple	424	1	14	4.0	6.0	5.0	3.0	2	2	M	Good	Branch union hollowing to secondary stem	Remove secondary upright stem to East	P	20-40	B1	5.09	81.34
G80	4950	Acer pseudoplatanus Sycamore	518	1	15	5.0	7.0	4.0	4.0	1	5	M	Fair	Many occluded pruning wounds, else No visible defects	Nil	N/A	10-20	B1	6.22	121.40
G80	4951	Acer pseudoplatanus Sycamore	461	1	15	5.0	6.0	3.0	5.0	1	3	M	Fair	Many occluded pruning wounds, else No visible defects	Nil	N/A	10-20	B1	5.53	96.15
G83	4984	Chamaecyparis	143	MS	6	1.0	1.0	1.0	1.0	3	0	SM	Good	In raised bed, else No visible defects	Nil	N/A	20-40	B1	1.43	6.43
G83	4986	Chamaecyparis	137	1	5	1.0	1.0	1.0	1.0	3	0	SM	Good	In raised bed, else No visible defects	Nil	N/A	10-20	B1	1.64	8.49
G85	4998	Aesculus hippocastanum Horse chestnut	357	1	9	3.0	2.0	3.0	3.0	2	2	M	Good	Advanced decay to old pruning wounds at 2 m ht	Nil	N/A	10-20	B1	4.28	57.66
G85	4999	Aesculus hippocastanum Horse chestnut	383	1	10	3.0	2.0	3.0	3.0	2	2	M	Good	Decay to old pruning wounds adjacent to main fork	Nil	N/A	10-20	B1	4.60	66.37
G85	5001	Aesculus hippocastanum Horse chestnut	477	1	12	3.0	3.0	4.0	4.0	2	2	M	Good	Suspect weak fork union at 2 m ht affecting north side of entire crown	Investigate	P	10-20	B1	5.72	102.95
G85	5002	Aesculus hippocastanum Horse chestnut	659	1	12	3.0	3.0	4.0	4.0	2	2	M	Good	Tight fork unions / included bark at 2 m ht	Nil	N/A	10-20	B1	7.91	196.49
G86	5003	Aesculus hippocastanum Horse chestnut	658	1	12	3.0	2.0	3.0	3.0	2	2	M	Good	Significant decay to old pruning wound at 2 m ht	Nil	N/A	10-20	B1	7.90	195.89
G86	5004	Aesculus hippocastanum Horse chestnut	668	1	12	2.0	3.0	5.0	6.0	2	2	M	Good	Significant decay to old pruning wound at 2 m ht	Nil	N/A	10-20	B1	8.02	201.89
G87	5007	Aesculus hippocastanum Horse chestnut	527	1	12	3.0	2.0	5.0	6.0	2	3	M	Good	Significant decay to old pruning wounds. Included bark to main fork	Nil	N/A	10-20	B1	6.32	125.66
G87	5009	Aesculus hippocastanum Horse chestnut	461	1	12	4.0	4.0	4.0	2.0	2	2	M	Good	Occluding old pruning wounds to main branches	Nil	N/A	10-20	B1	5.53	96.15







**TOTAL CATEGORY B TREES Heyford Park Nicholson's Tree Survey November 2006**

Group No	Tag	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physiological Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
						N	S	E	W											
G79	4930	Tilia europaea Common Lime	439	1	15	4.0	2.0	4.0	5.0	2	3	M	Good	Epicormics, else No visible defects	Nil	N/A	20-40	B1,2	5.27	87.20
G79	4931	Tilia europaea Common Lime	376	1	14	3.0	3.0	3.0	5.0	2	2	M	Good	Old wounds to main stem occluding satisfactorily	Nil	N/A	20-40	B1,2	4.51	63.97
G79	4932	Tilia europaea Common Lime	572	1	15	5.0	4.0	4.0	6.0	2	5	M	Good	Large limb on western side with included bark. Deadwood	Reduce terminal weight of branch on western side, Remove dead wood	P	20-40	B1,2	6.86	148.03
G79	4933	Tilia europaea Common Lime	346	MS	14	3.0	4.0	3.0	5.0	2	4	M	Good	No visible defects	Nil	N/A	20-40	B1,2	3.46	37.61
G79	4934	Acer pseudoplatanus Sycamore	383	1	15	4.0	3.0	3.0	4.0	2	4	M	Good	No visible defects	Nil	N/A	20-40	B1,2	4.60	66.37
G79	4935	Tilia europaea Common Lime	447	1	15	4.0	3.0	4.0	5.0	1	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	5.36	90.40
G79	4937	Aesculus hippocastanum Horse chestnut	486	1	15	2.0	3.0	3.0	4.0	2	3	M	Good	Old pruning wound to main stem, occluded some bleeding canker	Nil	N/A	20-40	B1,2	5.83	106.87
G79	4938	Acer pseudoplatanus Sycamore	464	1	15	4.0	2.0	3.0	5.0	2	4	M	Good	Old pruning wounds, decay to stem and branches. Dead wood	Remove dead wood	U	20-40	B1,2	5.57	97.41
G76	4965	Betula alba Silver birch	354	1	16	6.0	5.0	3.0	5.0	0	2	M	Good	No visible defects	Nil	N/A	<10	B1,2	4.25	56.70
G76	4968	Betula alba Silver birch	344	1	15	6.0	6.0	3.0	4.0	0	3	M	Good	Minor old pruning wounds to main stem, else No visible defects	Nil	N/A	<10	B1,2	4.13	53.54
G76	4969	Betula alba Silver birch	412	1	15	6.0	5.0	4.0	3.0	0	3	M	Good	Decay to old branch stub at fork at 2.5 m	Nil	N/A	<10	B1,2	4.94	76.80
G76	4970	Betula alba Silver birch	234	1	14	3.0	3.0	2.0	2.0	0	3	M	Fair	Occluded wounds to main stem	Nil	N/A	<10	B1,2	2.81	24.77
G81	4972	Fraxinus excelsior Ash (jaspidea)	341	1	14	5.0	5.0	4.0	3.0	2	3	M	Good	No visible defects	Nil	N/A	20-40	B1,2	4.09	52.61
G81	4973	Fraxinus excelsior Ash (jaspidea)	330	1	14	5.0	5.0	2.0	4.0	2	2	M	Good	Branch broken out in upper crown	Nil	N/A	20-40	B1,2	3.96	49.27
G81	4974	Acer pseudoplatanus Sycamore	565	1	13	6.0	5.0	3.0	5.0	2	3	M	Good	Old pruning wounds to branches and main stem (decay?)	Nil	N/A	20-40	B1,2	6.78	144.43
G81	4976	Acer pseudoplatanus Sycamore	544	1	14	5.0	5.0	3.0	3.0	2	5	M	Good	Old pruning wounds to branches and main stem (decay?)	Nil	N/A	20-40	B1,2	6.53	133.90
G81	4977	Acer pseudoplatanus Sycamore	442	MS	13	3.0	5.0	3.0	2.0	2	5	M	Good	Old pruning wounds to branches and main stem (decay?)	Nil	N/A	20-40	B1,2	4.42	61.38
G81	4978	Acer pseudoplatanus Sycamore	317	1	13	3.0	3.0	3.0	2.0	2	3	M	Good	Old pruning wounds to branches and main stem (decay?)	Nil	N/A	20-40	B1,2	3.80	45.47
G81	4979	Acer pseudoplatanus Sycamore	437	1	12	2.0	3.0	4.0	5.0	2	4	M	Good	Old pruning wounds to branches and main stem (decay?)	Nil	N/A	20-40	B1,2	5.24	86.40
G84	4988	Aesculus hippocastanum Horse chestnut	544	1	11	4.0	4.0	4.0	3.0	3	2	M	Good	Old pruning wounds, decay?	Nil	N/A	10-20	B1,2	6.53	133.90
G84	4989	Aesculus hippocastanum Horse chestnut	476	1	11	4.0	4.0	2.0	2.0	3	2	M	Good	Old damage/decay to main stem at 1 m	Nil	N/A	10-20	B1,2	5.71	102.51
G84	4990	Aesculus hippocastanum Horse chestnut	454	1	11	4.0	4.0	2.0	3.0	3	2	M	Good	Old pruning wounds, decay to main branches	Nil	N/A	10-20	B1,2	5.45	93.26
G84	4991	Aesculus hippocastanum Horse chestnut	401	1	11	4.0	4.0	4.0	3.0	3	2	M	Good	Old pruning wounds (occluded to stem and main branches)	Nil	N/A	10-20	B1,2	4.81	72.75
G84	4992	Aesculus hippocastanum Horse chestnut	411	1	9	4.0	4.0	2.0	3.0	3	2	M	Good	Occluded old pruning wounds to main stem and branches	Nil	N/A	10-20	B1,2	4.93	76.43
G84	4993	Aesculus hippocastanum Horse chestnut	404	1	10	4.0	4.0	2.0	2.0	3	3	M	Good	Occluded old pruning wounds. Damage, decay to branch	Remove branch on north side	P	10-20	B1,2	4.85	73.85
G84	4995	Aesculus hippocastanum Horse chestnut	372	1	11	4.0	4.0	2.0	3.0	3	2	M	Good	Damage, decay to a main branch	Nil	N/A	10-20	B1,2	4.46	62.61
G84	4996	Aesculus hippocastanum Horse chestnut	390	1	11	4.0	4.0	2.0	4.0	3	2	M	Good	Minor old pruning wounds to main stem	Nil	N/A	10-20	B1,2	4.68	68.82
G89	5023	Aesculus hippocastanum Horse chestnut	631	1	12	4.0	4.0	4.0	5.0	2	1	M	Good	Crow's nest. Occluded old pruning wounds	Nil	N/A	10-20	B1,2	7.57	180.15
G89	5024	Aesculus hippocastanum Horse chestnut	527	1	11	4.0	4.0	4.0	4.0	2	1	M	Good	Old pruning wounds to stem (decay?)	Nil	N/A	10-20	B1,2	6.32	125.66
G90	5028	Aesculus hippocastanum Horse chestnut	431	1	11	4.0	3.0	3.0	4.0	2	2	M	Good	Base of stem affected by footpath concrete	Nil	N/A	20-40	B1,2	5.17	84.05
G147	5390	Cupressocyparis leylandii Leyland cypress	534	1	15	2.0	2.0	1.0	2.0	1	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	6.41	129.02
G147	5391	Cupressocyparis leylandii Leyland cypress	419	1	15	2.0	2.0	2.0	1.0	1	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	5.03	79.43
G147	5396	Cupressocyparis leylandii Leyland cypress	379	1	15	2.0	2.0	2.0	2.0	1	2	M	Good	Previous wind damage, else No visible defects	Remove broken branches	P	20-40	B1,2	4.55	64.99
G147	5397	Cupressocyparis leylandii Leyland cypress	374	MS	15	2.0	2.0	0.0	2.0	1	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	3.74	43.95
G147	5398	Cupressocyparis leylandii Leyland cypress	475	1	15	2.0	2.0	1.0	1.0	1	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	5.70	102.08
G147	5399	Cupressocyparis leylandii Leyland cypress	490	1	15	2.0	2.0	2.0	1.0	1	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	5.88	108.63
G147	5408	Cupressocyparis leylandii Leyland cypress	358	1	13	2.0	2.0	2.0	2.0	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	4.30	57.99
G149	5409	Acer pseudoplatanus Sycamore	357	1	13	4.0	5.0	4.0	4.0	3	2	M	Good	Crossing branches, else No visible defects	Tree surgery to remove crossing branches	P	20-40	B1,2	4.28	57.66
G149	5410	Acer platanoides Norway maple	373	1	12	5.0	5.0	5.0	5.0	3	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	4.48	62.95



**TOTAL CATEGORY B TREES Heyford Park Nicholson's Tree Survey November 2006**

Group No	Tag	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physiological Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
						N	S	E	W											
G149	5412	Acer platanoides Norway maple	379	1	13	3.0	4.0	5.0	5.0	2	4	M	Good	Old pruning wounds, decay to main stem and branches	Nil	N/A	20-40	B1,2	4.55	64.99
G149	5413	Acer platanoides Norway maple	397	1	14	5.0	2.0	5.0	5.0	2	4	M	Good	Included bark to main spring of crown	Nil	N/A	20-40	B1,2	4.76	71.31
G167	5517	Aesculus hippocastanum Horse Chestnut	437	1	11	5.0	3.0	5.0	5.0	2	4	M	Good	Occluded old wounds to main stem, bleeding canker	Nil	N/A	10-20	B1,2	5.24	86.40
G167	5520	Aesculus hippocastanum Horse Chestnut	502	1	12	5.0	4.0	4.0	4.0	2	4	M	Good	Occasional dead wood.	Remove dead wood	P	10-20	B1,2	6.02	114.02
G169	5530	Aesculus hippocastanum Horse Chestnut	462	1	11	4.0	4.0	3.0	3.0	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	5.54	96.57
G169	5531	Aesculus hippocastanum Horse Chestnut	510	1	12	5.0	4.0	2.0	3.0	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	6.12	117.68
G169	5532	Aesculus hippocastanum Horse Chestnut	481	1	12	4.0	4.0	4.0	2.0	2	2	M	Good	Lateral split to main branch to north. Some bleeding canker	Remove split branch	U	20-40	B1,2	5.77	104.68
G171	5534	Maple	256	1	10	4.0	4.0	3.0	4.0	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	3.07	29.65
G171	5535	Acer platanoides Norway maple	340	1	10	3.0	4.0	2.0	4.0	2	1	M	Good	No visible defects	Nil	N/A	20-40	B1,2	4.08	52.30
G171	5536	Acer platanoides Norway maple	267	1	10	3.0	2.0	2.0	3.0	1	2	M	Fair	No visible defects	Nil	N/A	20-40	B1,2	3.20	32.25
G171	5538	Acer platanoides Norway maple	372	1	13	3.0	3.0	3.0	3.0	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	4.46	62.61
G171	5540	Acer pseudoplatanus Sycamore	713	1	16	5.0	5.0	5.0	6.0	1	4	M	Good	Included bark developing in major branches in crown	Crown thin to reduce terminal weight on upright stems with included bark at base	P	20-40	B1,2	8.56	230.01
G173	5556	Cupressocyparis leylandii Leyland cypress	352	1	15	3.0	3.0	3.0	3.0	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	4.22	56.06
G173	5558	Cupressocyparis leylandii Leyland cypress	362	1	15	3.0	3.0	2.0	2.0	2	2	M	Good	Included bark to main forks	Nil	N/A	20-40	B1,2	4.34	59.29
G173	5559	Cupressocyparis leylandii Leyland cypress	362	1	15	3.0	2.0	3.0	3.0	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	4.34	59.29
G173	5560	Cupressocyparis leylandii Leyland cypress	455	MS	16	3.0	3.0	3.0	2.0	2	2	M	Good	Included bark to main forks	Nil	N/A	20-40	B1,2	4.55	65.05
G173	5561	Cupressocyparis leylandii Leyland cypress	313	1	15	3.0	3.0	1.0	2.0	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	3.76	44.33
G173	5562	Cupressocyparis leylandii Leyland cypress	250	1	15	1.0	2.0	0.0	2.0	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	3.00	28.28
G173	5564	Cupressocyparis leylandii Leyland cypress	325	1	15	3.0	3.0	2.0	3.0	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	3.90	47.79
G173	5565	Cupressocyparis leylandii Leyland cypress	355	1	15	3.0	3.0	1.0	3.0	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	4.26	57.02
G173	5567	Acer pseudoplatanus Sycamore	260	1	13	4.0	0.0	3.0	3.0	3	3	M	Good	No visible defects	Nil	N/A	20-40	B1,2	3.12	30.59
G173	5572	Acer platanoides Norway maple	322	1	8	4.0	4.0	4.0	4.0	2	1	M	Good	No visible defects	Nil	N/A	20-40	B1,2	3.86	46.91
G177	5577	Acer pseudoplatanus Sycamore	318	1	10	5.0	4.0	4.0	4.0	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	3.82	45.75
G177	5579	Acer platanoides Norway maple	220	1	8	3.0	2.0	3.0	3.0	3	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	2.64	21.90
G177	5580	Acer platanoides Norway maple	226	1	8	2.0	3.0	3.0	3.0	3	2	M	Fair	No visible defects	Nil	N/A	20-40	B1,2	2.71	23.11
G79A	5809	Acer pseudoplatanus Sycamore	215	1	11	0.0	3.0	1.0	1.0	3	4	M	Good	NVD	Nil	N/A	20-40	B1,2	4.13	20.91
G79A	5810	Acer pseudoplatanus Sycamore	215	1	8	0.0	1.0	1.0	1.0	3	4	M	Good	NVD	Nil	N/A	20-40	B1,2	4.94	20.91
G79A	5811	Acer pseudoplatanus Sycamore	190	1	11	3.0	0.0	1.0	1.0	3	4	M	Good	NVD	Nil	N/A	20-40	B1,2	2.81	16.33
H29	5830	Acer pseudoplatanus Sycamore	340	MS	11	4.0	3.0	3.0	3.0	2	3	M	Good	Potential included bark in main fork. Growing on bank, stability?	Nil	N/A	10-20	B1,2	4.09	36.32
H29	5837	Acer pseudoplatanus Sycamore	780	MS	18	4.0	3.0	5.0	4.0	2	4	M	Good	Significant included bark to multiple stm unions	Nil	N/A	20-40	B1,2	3.96	191.16
H29	5840	Acer pseudoplatanus Sycamore	140	1	10	1.0	1.0	1.0	1.0	3	2	M	Good	NVD	Nil	N/A	20-40	B1,2	6.78	8.87
H29	5841	Prunus avium plena Cherry	120	1	10	2.0	2.0	2.0	2.0	2	3	Y	Good	NVD	Remove larger limb to W and crossing branches	P	20-40	B1,2	6.53	6.52
H29	5843	Acer pseudoplatanus Sycamore	680	MS	11	4.0	4.0	4.0	4.0	3	3	M	Good	Ingrown wire, decay to branch	Remove damaged limb to W	P	20-40	B1,2	4.42	145.29
H29	5849	Acer pseudoplatanus Sycamore	175	1	6	2.0	2.0	2.0	2.0	4	2	Y	Good	Tight forks in crown. Potential included bark.	Nil	N/A	20-40	B1,2	3.80	13.86
H29	5850	Acer pseudoplatanus Sycamore	155	1	10	1.0	1.0	1.0	1.0	4	3	Y	Good	NVD	Nil	N/A	20-40	B1,2	5.24	10.87
H29	5853	Acer pseudoplatanus Sycamore	480	1	10	4.0	4.0	3.0	5.0	2	3	M	Good	Ivy covered.	Nil	N/A	20-40	B1,2	6.53	104.24
H29	5854	Crataegus monogyna Hawthorn	480	1	12	4.0	3.0	3.0	4.0	0	3	M	Good	Ivy covered. Old wound, decay at 2m ht	Nil	N/A	20-40	B1,2	5.71	104.24
H29	5855	Fraxinus excelsior Ash	1200	MS	12	5.0	4.0	4.0	5.0	1	5	M	Good	Potential included bark at base. Crossing branches, decay in crown	Nil	N/A	20-40	B1,2	5.45	452.45
G81	4975	Acer pseudoplatanus Sycamore	380	1	14	4.0	4.0	3.0	2.0	2	5	M	Good	Old pruning wounds to branches and main stem (decay?)	Nil	N/A	20-40	B1,2	4.56	65.33
G79	4927	Tilia europaea Common Lime	369	1	14	3.0	4.0	3.0	4.0	2	2	M	Good	Old pruning wound to main stem, probable decay, else No visible defects	Nil	N/A	20-40	B1,2	4.43	61.61
G173	5566	Cupressocyparis leylandii Leyland cypress	419	MS	15	2.0	1.0	2.0	2.0	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	4.19	55.16
	633	Acer pseudoplatanus Sycamore	518	1	14	5.0	4.0	5.0	4.0	3	3	M	Good	Occasional wounds to main stem (decay?)	Nil	N/A	20-40	B1,2	5.82	121.40
G171	5541	Tilia europaea Common Lime	546	1	15	4.0	3.0	4.0	5.0	2	3	M	Good	Epicormics, else No visible defects	Nil	N/A	20-40	B1,2	6.55	134.88
G147	5393	Cupressocyparis leylandii Leyland cypress	478	1	15	2.0	2.0	2.0	2.0	1	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	5.74	103.38
	24	Fraxinus excelsior Ash	485	1	14	5.0	5.0	5.0	6.0	3	6	M	Fair	Average condition	Nil	N/A	40+	B2	5.82	106.43



**TOTAL CATEGORY B TREES Heyford Park Nicholson's Tree Survey November 2006**

Group No	Tag	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physiological Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
						N	S	E	W											
180		Prunus avium Cherry	319	1	9	4.0	5.0	5.0	3.0	0	5	M	Fair	Average condition	Nil	N/A	20-40	B2	3.83	46.04
186		Acer pseudoplatanus Sycamore	488	1	15	7.0	5.0	4.0	7.0	2	6	M	Fair	Average condition	Nil	N/A	40+	B2	5.86	107.75
187		Acer pseudoplatanus Sycamore	316	1	12	5.0	5.0	1.0	5.0	2	6	M	Fair	Average condition	Nil	N/A	40+	B2	3.79	45.18
188		Fagus sylvatica Beech	580	1	14	6.0	6.0	8.0	4.0	2	5	M	Fair	Average condition	Nil	N/A	40+	B2	6.96	152.20
189		Fagus sylvatica Beech	669	1	14	8.0	8.0	4.0	7.0	2	7	M	Good	Average condition	Nil	N/A	40+	B2	8.03	202.50
194		Crataegus monogyna Hawthorn	382	MS	7	3.0	3.0	3.0	3.0	0	3	M	Fair	Average condition	Nil	N/A	20-40	B2	3.82	45.85
198		Betula alba Silver birch	428	1	12	4.0	5.0	5.0	2.0	0	6	M	Fair	Average condition	Nil	N/A	20-40	B2	5.14	82.88
199		Prunus avium Cherry	441	1	10	2.0	6.0	3.0	7.0	2	4	M	Fair	Average condition	Nil	N/A	20-40	B2	5.29	87.99
200		Betula alba Silver birch	361	1	13	5.0	2.0	5.0	4.0	0	8	M	Fair	Average condition	Nil	N/A	20-40	B2	4.33	58.96
202		Betula alba Silver birch	303	1	8	1.0	6.0	5.0	0.0	0	5	M	Fair	Average condition	Nil	N/A	20-40	B2	3.64	41.54
207		Betula alba Silver birch	309	1	10	5.0	4.0	4.0	2.0	1	5	M	Fair	Average condition	Nil	N/A	20-40	B2	3.71	43.20
209		Betula alba Silver birch	349	1	12	4.0	5.0	3.5	3.5	1	4	M	Fair	Average condition	Nil	N/A	20-40	B2	4.19	55.11
210		Betula alba Silver birch	505	1	14	5.0	4.0	4.0	6.0	1	6	M	Fair	Average condition	Nil	N/A	20-40	B2	6.06	115.39
211		Prunus avium Cherry	455	MS	11	2.0	4.0	3.5	4.0	1	4	M	Fair	Average condition	Nil	N/A	20-40	B2	4.55	65.05
212		Acer pseudoplatanus Sycamore	267	1	10	5.0	3.0	3.5	4.0	3	2	M	Fair	Average condition	Nil	N/A	40+	B2	3.20	32.25
213		Prunus avium Cherry	512	1	10	5.0	6.0	5.0	6.0	0	5	M	Fair	Included bark and cavity in main fork	Nil	N/A	10-20	B2	6.14	118.61
214		Chamaecyparis lawsoniana Lawsons cypress	340	1	13	3.0	3.0	3.0	3.0	1	0	M	Good	Average condition	Nil	N/A	20-40	B2	4.08	52.30
215		Acer platanoides Norway maple	369	1	14	3.0	4.0	6.0	4.0	2	7	M	Fair	Average condition	Nil	N/A	40+	B2	4.43	61.61
216		Acer platanoides Norway maple	449	1	14	4.5	7.0	4.0	4.0	2	7	M	Fair	Stem wound at 1.2n	Nil	N/A	40+	B2	5.39	91.21
217		Acer platanoides Norway maple	531	1	14	8.0	6.0	6.5	6.0	2	8	M	Fair	Large hooked limbs at 3.0e and 5.0 n	Nil	N/A	20-40	B2	6.37	127.57
221		Betula alba Silver birch	244	1	12	1.0	3.0	2.0	4.0	0	3	M	Fair	Average condition	Nil	N/A	10-20	B2	2.93	26.94
222		Prunus avium Cherry	437	1	8	3.0	7.0	7.0	6.0	0	4	M	Fair	Average condition	Nil	N/A	10-20	B2	5.24	86.40
223		Crataegus monogyna Hawthorn	281	MS	7	3.0	2.0	1.0	4.0	0	3	M	Fair	Average condition	Nil	N/A	10-20	B2	2.81	24.81
224		Betula alba Silver birch	478	1	13	5.0	5.0	6.0	4.0	0	3	M	Fair	Average condition	Nil	N/A	20-40	B2	5.74	103.38
226		Sorbus intermedia Swedish Whitebeam	534	1	11	4.0	5.0	5.0	4.0	1	4	M	Fair	Average condition	Nil	N/A	20-40	B2	6.41	129.02
228		Sorbus intermedia Swedish Whitebeam	637	1	11	3.5	5.0	4.0	4.0	1	4	M	Fair	Average condition	Nil	N/A	10-20	B2	7.64	183.59
231		Betula alba Silver birch	454	1	12	5.0	7.0	6.0	3.0	1	5	M	Fair	Average condition	Nil	N/A	20-40	B2	5.45	93.26
232		Crataegus monogyna Hawthorn	158	1	5	2.0	3.0	3.0	3.0	1	2	M	Fair	Average condition	Nil	N/A	20-40	B2	1.90	11.29
233		Crataegus monogyna Hawthorn	212	1	5	2.0	3.0	2.5	3.0	1	2	M	Fair	Average condition	Nil	N/A	20-40	B2	2.54	20.33
234		Sorbus intermedia Swedish Whitebeam	449	1	9	4.0	4.0	4.0	3.0	1	4	M	Fair	Average condition	Nil	N/A	20-40	B2	5.39	91.21
235		Sorbus intermedia Swedish Whitebeam	584	1	9	4.0	4.0	5.0	3.0	1	4	M	Fair	Average condition	Nil	N/A	20-40	B2	7.01	154.31
236		Sorbus intermedia Swedish Whitebeam	546	1	10	4.0	3.0	4.0	3.0	1	4	M	Fair	Large basal wound w large stem wound 1.5w	Nil	N/A	10-20	B2	6.55	134.88
238		Betula alba Silver birch	294	1	12	2.0	4.0	3.5	3.0	1	5	M	Fair	Average condition	Nil	N/A	10-20	B2	3.53	39.11
250		Betula alba Silver birch	306	1	13	2.0	3.0	5.5	2.0	0	6	M	Fair	Average condition	Nil	N/A	20-40	B2	3.67	42.37
254		Acer platanoides Norway maple	542	1	14	6.0	6.0	7.0	7.0	2	6	M	Fair	Average condition	Nil	N/A	40+	B2	6.50	132.91
255		Populus nigra Italica Lombardy Poplar	323	1	21	2.0	4.0	3.0	3.0	1	8	M	Fair	Average condition	Nil	N/A	20-40	B2	3.88	47.20
256		Acer pseudoplatanus Sycamore	434	1	14	2.0	7.0	7.0	5.0	2	6	M	Fair	Average condition	Nil	N/A	40+	B2	5.21	85.22
257		Thuja plicata Western Red Cedar	535	1	16	3.0	5.0	3.0	5.0	1	4	M	Fair	Basal wound n	Nil	N/A	20-40	B2	6.42	129.50
262		Sorbus intermedia Swedish Whitebeam	461	1	10	4.0	4.0	4.0	5.0	0	4	M	Fair	Average condition	Nil	N/A	20-40	B2	5.53	96.15
265		Betula alba Silver birch	399	1	11	5.0	3.0	4.0	4.0	1	5	M	Fair	Average condition	Nil	N/A	20-40	B2	4.79	72.03
267		Betula alba Silver birch	371	1	11	3.0	5.0	4.0	5.0	1	5	M	Fair	Average condition	Nil	N/A	20-40	B2	4.45	62.28
268		Acer platanoides Norway maple	393	1	11	5.0	3.0	3.0	6.0	2	6	M	Fair	Average condition	Nil	N/A	40+	B2	4.72	69.88
270		Acer platanoides Norway maple	397	1	11	1.0	5.0	4.0	5.0	2	7	M	Fair	Average condition	Nil	N/A	40+	B2	4.76	71.31
273		Aesculus hippocastanum Horse Chestnut	706	1	16	6.0	7.0	7.0	7.0	2	6	M	Good	Average condition	Nil	N/A	40+	B2	8.47	225.52
283		Acer pseudoplatanus Sycamore	353	1	12	4.0	5.0	5.0	5.0	2	5	M	Fair	Average condition	Nil	N/A	40+	B2	4.24	56.38
286		Fraxinus excelsior Ash	534	1	12	6.0	6.0	6.0	6.0	2	3	M	Fair	Average condition	Nil	N/A	20-40	B2	6.41	129.02
292		Acer pseudoplatanus Sycamore	533	1	12	4.0	3.0	4.0	4.0	2	6	M	Fair	Average condition	Nil	N/A	20-40	B2	6.40	128.54
304		Fagus sylvatica Beech	447	1	16	3.0	4.0	3.0	5.0	2	6	M	Fair	Significant stem wound at gl to 1.5 n major dead limb 4.0w	Crown clean	P	20-40	B2	5.36	90.40
305		Acer pseudoplatanus Sycamore	548	MS	12	1.0	7.0	8.0	2.0	2	4	M	Fair	V tight main fork at 0.5 included bark	Nil	N/A	20-40	B2	5.48	94.36
306		Acer pseudoplatanus Sycamore	557	1	15	5.5	3.0	8.0	3.0	2	5	M	Fair	Average condition	Nil	N/A	20-40	B2	6.68	140.37
309		Populus nigra Italica Lombardy Poplar	709	1	19	5.0	4.0	3.0	3.0	1	5	M	Fair	Average condition	Nil	N/A	20-40	B2	8.51	227.44
314		Betula alba Silver birch	354	1	11	1.0	6.0	4.0	5.0	1	5	M	Fair	Average condition	Nil	N/A	20-40	B2	4.25	56.70
318		Crataegus monogyna Hawthorn	343	MS	9	3.0	3.0	3.5	2.0	1	4	M	Fair	Average condition	Nil	N/A	20-40	B2	3.43	36.97
320		Betula alba Silver birch	394	1	13	4.0	4.0	4.0	4.0	1	4	M	Fair	Average condition	Nil	N/A	20-40	B2	4.73	70.24
323		Betula alba Silver birch	340	1	10	3.0	4.0	3.0	3.0	2	4	M	Fair	Average condition	Nil	N/A	20-40	B2	4.08	52.30
324		Acer platanoides Norway maple	516	1	9	5.0	5.0	5.0	4.0	2	4	M	Fair	Average condition	Nil	N/A	20-40	B2	6.19	120.47
326		Betula alba Silver birch	371	1	9	5.0	3.0	5.0	3.0	1	6	M	Fair	Average condition	Nil	N/A	20-40	B2	4.45	62.28
327		Betula alba Silver birch	296	1	9	4.0	4.0	2.0	5.0	1	4	M	Fair	Average condition	Nil	N/A	20-40	B2	3.55	39.64

**TOTAL CATEGORY B TREES Heyford Park Nicholson's Tree Survey November 2006**

Group No	Tag	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physiological Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
						N	S	E	W											
328		Crataegus monogyna Hawthorn	287	MS	5	3.0	3.0	3.0	1.0	1	3	M	Fair	Average condition	Nil	N/A	20-40	B2	2.87	25.88
329		Crataegus monogyna Hawthorn	325	1	6	3.0	3.0	3.0	3.0	1	3	M	Fair	Average condition	Nil	N/A	20-40	B2	3.90	47.79
332		Betula alba Silver birch	403	1	11	6.0	3.0	3.0	5.0	1	6	M	Fair	Average condition	Nil	N/A	20-40	B2	4.84	73.48
333		Betula alba Silver birch	389	1	10	0.0	7.0	5.0	0.0	1	6	M	Fair	Average condition	Nil	N/A	20-40	B2	4.67	68.46
334		Crataegus monogyna Hawthorn	241	1	7	4.0	2.0	3.0	3.0	1	4	M	Fair	Average condition	Nil	N/A	20-40	B2	2.89	26.28
336		Betula alba Silver birch	224	1	8	2.0	3.0	3.0	2.0	1	3	M	Fair	Average condition	Nil	N/A	20-40	B2	2.69	22.70
338		Tilia europaea Common Lime	360	1	10	4.0	5.0	4.0	5.0	2	5	M	Fair	Average condition	Nil	N/A	40+	B2	4.32	58.64
341		Populus nigra Italica Lombardy Poplar	666	1	19	4.0	3.0	5.0	2.0	1	5	M	Fair	Average condition	Nil	N/A	20-40	B2	7.99	200.69
342		Populus nigra Italica Lombardy Poplar	622	1	16	3.0	2.0	3.0	2.0	1	5	M	Fair	Average condition	Nil	N/A	20-40	B2	7.46	175.04
343		Carpinus betulus Hornbeam	250	1	9	2.5	2.5	2.0	4.0	3	4	M	Fair	Average condition	Nil	N/A	40+	B2	3.00	28.28
344		Populus nigra Italica Lombardy Poplar	708	1	20	3.0	3.0	3.5	3.0	1	4	M	Fair	Average condition	Nil	N/A	20-40	B2	8.50	226.80
345		Populus nigra Italica Lombardy Poplar	579	1	20	3.0	3.0	3.0	2.0	1	5	M	Fair	Average condition	Nil	N/A	20-40	B2	6.95	151.68
346		Acer pseudoplatanus Sycamore	297	1	9	3.0	3.0	3.0	3.0	3	4	M	Fair	Average condition	Nil	N/A	40+	B2	3.56	39.91
347		Populus nigra Italica Lombardy Poplar	552	1	20	2.0	2.5	3.0	2.0	1	8	M	Fair	Average condition	Nil	N/A	20-40	B2	6.62	137.86
348		Populus nigra Italica Lombardy Poplar	559	1	20	3.0	2.0	3.0	2.0	1	5	M	Fair	Average condition	Nil	N/A	20-40	B2	6.71	141.38
350		Populus nigra Italica Lombardy Poplar	385	1	20	2.0	2.0	2.0	2.0	1	11	M	Fair	Average condition	Nil	N/A	20-40	B2	4.62	67.06
351		Populus nigra Italica Lombardy Poplar	579	1	18	3.0	2.0	6.0	1.0	1	6	M	Fair	Average condition	Nil	N/A	20-40	B2	6.95	151.68
352		Populus nigra Italica Lombardy Poplar	438	1	21	2.0	2.0	2.0	1.0	1	10	M	Fair	Major dead wood	Crown clean	U	20-40	B2	5.26	86.80
353		Populus nigra Italica Lombardy Poplar	560	1	18	5.0	2.0	3.0	4.0	1	7	M	Fair	Major dead wood	Crown clean	U	20-40	B2	6.72	141.89
359		Acer pseudoplatanus Sycamore	619	1	15	4.5	6.0	5.0	5.0	2	5	M	Fair	Average condition	Nil	N/A	40+	B2	7.43	173.36
360		Pinus sylvestris Scots pine	463	1	11	6.0	4.0	5.0	5.0	0	7	M	Fair	Average condition	Nil	N/A	20-40	B2	5.56	96.99
362		Pinus sylvestris Scots pine	286	1	10	4.0	2.0	2.0	3.0	0	5	M	Fair	Average condition	Nil	N/A	20-40	B2	3.43	37.01
364		Crataegus monogyna Hawthorn	424	1	8	3.0	3.0	3.0	3.0	0	2	M	Fair	Average condition	Nil	N/A	40+	B2	5.09	81.34
369		Pinus sylvestris Scots pine	704	1	15	3.0	4.0	4.0	4.5	0	8	M	Fair	Average condition	Nil	N/A	20-40	B2	8.45	224.24
371		Acer pseudoplatanus Sycamore	431	1	14	5.0	5.0	5.0	4.0	2	5	M	Fair	Average condition	Nil	N/A	40+	B2	5.17	84.05
372		Acer pseudoplatanus Sycamore	600	1	14	2.0	8.0	5.0	5.0	2	5	M	Fair	Basal wound gl s	Nil	N/A	20-40	B2	7.20	162.88
375		Acer pseudoplatanus Sycamore	455	1	11	4.0	6.0	3.0	5.0	2	5	M	Fair	Average condition	Nil	N/A	40+	B2	5.46	93.67
376		Quercus ilex Holm Oak	1380	MS	12	6.0	5.0	6.0	5.0	3	4	M	Fair	Significant decay in central stem stems widely spaced on coppice stool	Remove central stem	U	40+	B2	13.80	598.36
377		Fraxinus excelsior Ash	601	1	14	7.0	7.0	7.0	9.0	1	5	M	Fair	Average condition	Nil	N/A	40+	B2	7.21	163.42
381		Pinus sylvestris Scots pine	692	MS	13	4.0	6.0	4.0	6.0	0	7	M	Fair	Average condition	Nil	N/A	20-40	B2	6.92	150.46
384		Fraxinus excelsior Ash	449	1	14	3.0	4.0	2.0	3.0	2	6	M	Fair	Average condition	Nil	N/A	40+	B2	5.39	91.21
385		Pinus sylvestris Scots pine	732	1	14	6.0	3.0	4.0	4.0	0	6	M	Fair	Average condition	Nil	N/A	20-40	B2	8.78	242.43
386		Pinus sylvestris Scots pine	696	1	15	5.0	5.0	6.0	5.0	0	8	M	Fair	Average condition	Nil	N/A	20-40	B2	8.35	219.17
387		Pinus sylvestris Scots pine	790	1	14	7.0	5.0	7.0	4.0	0	8	M	Fair	Average condition	Nil	N/A	20-40	B2	9.48	282.37
388		Fraxinus excelsior Ash	381	1	12	4.0	2.0	2.0	3.0	2	6	M	Fair	Average condition	Nil	N/A	40+	B2	4.57	65.68
389		Pinus sylvestris Scots pine	381	1	12	2.0	4.0	2.0	3.0	0	6	M	Fair	Average condition	Nil	N/A	20-40	B2	4.57	65.68
392		Pinus sylvestris Scots pine	701	1	15	5.0	4.0	1.0	2.0	0	10	M	Fair	Average condition	Nil	N/A	20-40	B2	8.41	222.33
393		Fraxinus excelsior Ash	557	1	14	4.0	8.0	4.0	6.0	1	7	M	Fair	Average condition	Nil	N/A	20-40	B2	6.68	140.37
394		Taxus baccata Yew	392	1	6	4.0	4.0	4.0	4.0	1	2	M	Fair	Average condition	Nil	N/A	40+	B2	4.70	69.52
395		Fraxinus excelsior Ash	595	1	15	6.0	6.0	6.0	6.0	1	6	M	Fair	Average condition	Nil	N/A	40+	B2	7.14	160.18
399		Acer pseudoplatanus Sycamore	1020	MS	12	5.0	5.0	5.0	5.0	2	6	M	Fair	Average condition	Nil	N/A	20-40	B2	10.20	326.89
400		Pinus sylvestris Scots pine	542	1	14	5.0	5.0	2.0	5.0	0	4	M	Fair	Average condition	Nil	N/A	20-40	B2	6.50	132.91
401		Acer pseudoplatanus Sycamore	420	1	12	4.0	4.0	1.0	4.0	2	5	M	Fair	Average condition	Nil	N/A	40+	B2	5.04	79.81
402		Acer pseudoplatanus Sycamore	358	1	13	4.0	4.0	4.0	1.0	2	6	M	Fair	Average condition	Nil	N/A	40+	B2	4.30	57.99
403		Acer pseudoplatanus Sycamore	689	1	12	5.0	2.0	2.0	2.0	1	6	M	Fair	Dead in top	remove dead	P	20-40	B2	8.27	214.79
404		Acer pseudoplatanus Sycamore	353	1	12	3.0	3.0	3.0	3.0	2	4	M	Fair	Average condition	Nil	N/A	40+	B2	4.24	56.38
405		Pinus sylvestris Scots pine	681	1	14	4.0	4.0	5.0	4.0	0	8	M	Fair	Average condition	Nil	N/A	20-40	B2	8.17	209.83
406		Pinus sylvestris Scots pine	730	1	14	4.0	2.0	3.0	3.0	0	7	M	Fair	Average condition	Nil	N/A	20-40	B2	8.76	241.11
407		Pinus sylvestris Scots pine	764	1	15	4.0	4.0	4.0	4.0	0	8	M	Fair	Average condition	Nil	N/A	20-40	B2	9.17	264.09
409		Acer pseudoplatanus Sycamore	471	1	12	5.0	5.0	3.0	6.0	2	4	M	Fair	Average condition	Nil	N/A	40+	B2	5.65	100.37
410		Acer pseudoplatanus Sycamore	821	1	14	8.0	7.0	3.0	3.0	2	8	M	Fair	Ivy clad stem	Cut ivy to allow full inspection	P	20-40	B2	9.85	304.97
411		Aesculus hippocastanum Horse Chestnut	805	1	13	8.0	6.0	6.0	5.0	0	6	M	Fair	Basal decay n stem cavity 3.0 n	Nil	N/A	20-40	B2	9.66	293.20
412		Fraxinus excelsior Ash	458	1	15	4.0	5.0	4.0	6.0	2	6	M	Fair	aav	Nil	N/A	40+	B2	5.50	94.91
414		Fraxinus excelsior Ash	555	1	16	3.0	5.0	5.0	4.0	2	5	M	Fair	Average condition	Nil	N/A	40+	B2	6.66	139.37
415		Fraxinus excelsior Ash	675	1	15	6.0	7.0	4.0	4.0	1	9	M	Fair	Ivy clad stem	Cut ivy to allow full inspection	P	20-40	B2	8.10	206.15
416		Fraxinus excelsior Ash	835	1	15	8.0	8.0	8.0	8.0	0	5	M	Fair	Average condition	Nil	N/A	20-40	B2	10.02	315.46
418		Larix eurolepis European Larch	343	1	13	3.0	3.0	3.0	3.0	0	5	M	Fair	Average condition	Nil	N/A	20-40	B2	4.12	53.23

**TOTAL CATEGORY B TREES Heyford Park Nicholson's Tree Survey November 2006**

Group No	Tag	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physiological Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
						N	S	E	W											
419		Fraxinus excelsior Ash	464	1	13	5.0	5.0	5.0	5.0	2	6	M	Fair	Average condition	Nil	N/A	40+	B2	5.57	97.41
425		Acer platanoides Norway maple	440	1	10	4.0	5.0	4.0	5.0	2	4	M	Fair	Average condition	Nil	N/A	20-40	B2	5.28	87.59
429		Populus nigra Italica Lombardy Poplar	642	1	20	2.0	4.0	3.0	2.0	0	6	M	Fair	Average condition	Nil	N/A	20-40	B2	7.70	186.48
430		Populus nigra Italica Lombardy Poplar	584	1	18	3.0	2.0	2.0	2.0	0	6	M	Fair	Average condition	Nil	N/A	20-40	B2	7.01	154.31
431		Populus nigra Italica Lombardy Poplar	612	1	20	2.0	4.0	2.0	3.0	0	5	M	Fair	Average condition	Nil	N/A	20-40	B2	7.34	169.46
432		Populus nigra Hybrid black poplar	571	1	19	2.0	3.0	7.0	2.0	1	10	M	Fair	Average condition	Nil	N/A	20-40	B2	6.85	147.52
441		Tilia europaea Common Lime	408	1	11	5.0	5.0	5.0	5.0	2	3	M	Fair	Average condition	Nil	N/A	40+	B2	4.90	75.32
443		Tilia europaea Common Lime	448	1	13	5.0	5.0	5.0	5.0	2	4	M	Fair	Average condition	Nil	N/A	40+	B2	5.38	90.81
447		Betula alba Silver birch	446	1	11	4.0	3.0	5.0	3.0	1	3	M	Fair	Stem wound 1.5 e	Nil	N/A	10-20	B2	5.35	90.00
448		Betula alba Silver birch	459	1	12	4.0	4.0	5.0	5.0	1	4	M	Fair	Basal cavity	Nil	N/A	10-20	B2	5.51	95.32
470		Betula alba Silver birch	571	1	15	5.0	7.0	5.5	5.0	1	6	M	Fair	Average condition	Nil	N/A	20-40	B2	6.85	147.52
476		Tilia europaea Common Lime	660	1	16	6.0	5.0	4.0	6.0	2	4	M	Fair	Average condition	Nil	N/A	40+	B2	7.92	197.09
477		Fagus sylvatica Beech	602	1	16	5.0	5.0	5.0	2.0	2	6	M	Fair	Average condition	Nil	N/A	40+	B2	7.22	163.97
488		Acer pseudoplatanus Sycamore	859	MS	17	5.0	6.0	5.0	5.0	2	5	M	Fair	Forked at 1.0 4 stems decay in union	Nil	N/A	20-40	B2	8.59	231.84
511		Pinus sylvestris Scots pine	432	1	11	3.0	3.0	3.0	4.0	1	4	M	Fair	Average condition	Nil	N/A	40+	B2	5.18	84.44
519		Acer pseudoplatanus Sycamore	642	1	10	6.0	8.0	7.0	7.0	1	3	M	Fair	Average condition	Nil	N/A	20-40	B2	7.70	186.48
525		Chamaecyparis lawsoniana Lawsons cypress	460	1	13	2.0	2.0	2.0	2.0	0	4	M	Fair	Average condition	Nil	N/A	20-40	B2	5.52	95.74
535		Acer pseudoplatanus Sycamore	850	MS	15	6.0	7.0	2.0	8.0	1	4	M	Fair	Multi stem from 1.0 with wet decay pockets	Nil	N/A	20-40	B2	8.50	227.01
536		Thuja plicata Western Red Cedar	468	1	15	3.0	2.0	1.0	4.0	0	2	M	Fair	Average condition	Nil	N/A	20-40	B2	5.62	99.10
550		Acer platanoides Norway maple	937	1	15	7.0	7.0	7.0	7.0	1	5	M	Fair	Multi stem from 3.0 with included bark evident in all unions, very tight forks above in upper crown more inc bark	Nil	N/A	20-40	B2	11.24	397.24
553		Taxus baccata fastigiata Irish Yew	435	MS	8	2.0	2.0	2.0	2.0	0	0.3	M	Fair	Average condition	Nil	N/A	40+	B2	4.35	59.45
554		Betula alba Silver birch	217	1	11	2.0	2.0	2.0	2.0	2	4	M	Fair	Average condition	Nil	N/A	20-40	B2	2.60	21.31
555		Sorbus intermedia Swedish Whitebeam	821	MS	11	5.0	5.0	5.0	5.0	0	4	M	Fair	Dead split limb in crown	Remove dead split limb	P	20-40	B2	8.21	211.78
556		Sorbus intermedia Swedish Whitebeam	644	1	11	5.0	5.0	4.0	5.0	0	5	M	Fair	Average condition	Nil	N/A	20-40	B2	7.73	187.65
559		Tilia europaea Common Lime	473	1	17	5.0	6.0	2.0	6.0	1	6	M	Fair	Average condition	Nil	N/A	40+	B2	5.68	101.23
560		Acer pseudoplatanus Sycamore	998	MS	17	7.0	6.0	7.0	3.0	1	6	M	Fair	Four stems from gl with included bark and cavity, more inc bark in forks in upper canopy	Nil	N/A	10-20	B2	9.98	312.94
574		Sorbus intermedia Swedish Whitebeam	595	1	11	4.0	4.0	4.0	4.0	0	3	M	Fair	Average Condition	Nil	N/A	20-40	B2	7.14	160.18
577		Sorbus intermedia Swedish Whitebeam	770	MS	9	4.0	4.0	4.0	4.0	0	2	M	Fair	Average condition	Nil	N/A	10-20	B2	7.70	186.29
581		Acer pseudoplatanus Sycamore	437	1	9	5.0	5.0	5.0	5.0	2	2	M	Fair	Dead limb removed from 2.0 s	Nil	N/A	40+	B2	5.24	86.40
598		Pinus nigra var maritima Corsican Pine	370	1	8	3.0	3.0	3.0	3.0	2	2	M	Fair	Average condition	Nil	N/A	40+	B2	4.44	61.94
603		Betula alba Silver birch	505	1	13	5.0	5.0	5.0	5.0	0	4	M	Fair	Small decay pockets on stem associated with previous branch removals	Nil	N/A	20-40	B2	6.06	115.39
608		Prunus Flowering Cherry	477	1	7	4.0	4.0	4.0	4.0	1	4	M	Fair	Average condition	Nil	N/A	20-40	B2	5.72	102.95
614		Copper maple	561	1	13	5.0	5.0	5.0	5.0	2	4	M	Fair	Forked at 1.8	Nil	N/A	40+	B2	6.73	142.39
622		Salix chysocoma Weeping willow	673	1	11	7.0	6.0	6.0	7.0	1	6	M	Fair	Average condition	Nil	N/A	20-40	B2	8.08	204.93
625		Sorbus aria Whitebeam	544	1	13	4.0	3.0	2.0	4.0	2	2	M	Good	No visible defects	Nil	N/A	20-40	B2	4.80	133.90
677		Pinus sylvestris Scots pine	409	1	10	3.0	3.0	3.0	3.0	1	3	M	Good	No visible defects	None	N/A	40+	B2	2.70	75.69
691		Fraxinus excelsior Ash	707	MS	12	5.0	6.0	6.0	6.0	1	2	M	Fair	Minor deadwood	None	N/A	40+	B2	7.07	157.05
696		Acer saccharinum Silver maple	400	1	8	3.5	3.5	3.5	3.5	2	3	M	Good	Basal suckers	Remove suckers	P	40+	B2	4.80	72.39
698		Betula alba Silver birch	270	MS	9	4.0	4.0	5.0	4.0	2	1	M	Good	No visible defects	None	N/A	20-40	B2	2.70	22.91
699		Fraxinus excelsior Ash	250	1	6	3.0	2.0	3.0	3.0	2	3	SM	Good	No visible defects	None	N/A	40+	B2	3.00	28.28
700		Fraxinus excelsior Ash	272	1	6	2.0	3.0	3.0	3.0	2	3	SM	Good	No visible defects	None	N/A	40+	B2	3.26	33.47
702		Quercus rubra Red oak	176	1	5	3.0	3.0	3.0	3.0	1.5	4	SM	Good	No visible defects	None	N/A	40+	B2	2.11	14.02
709		Acer platanoides Norway maple	313	1	9	4.0	4.0	4.0	4.0	2	2	M	Good	No visible defects	None	N/A	40+	B2	3.76	44.33
710		Salix sepulcralis chysocoma Weeping willow	321	1	8	4.0	3.0	3.0	4.0	2.5	2	M	Good	Minor dead wood	Crown clean	P	40+	B2	3.85	46.62
712		Cupressocyparis leylandii Leyland cypress	305	1	6	1.5	1.5	1.5	1.5	1	1	M	Good	No visible defects	None	N/A	40+	B2	3.66	42.09
721		Acer pseudoplatanus Sycamore	302	1	7	4.0	4.0	4.0	4.0	1.5	5	M	Good	No visible defects	Crown lift to 2.5 m	P	40+	B2	3.62	41.27
725		Salix sepulcralis chysocoma Weeping willow	204	1	4	2.0	2.0	2.0	2.0	0	6	M	Good	No visible defects	None	N/A	40+	B2	2.45	18.83
738		Acer platanoides Norway maple	320	1	8	3.0	3.0	3.0	3.0	2	3	M	Good	No visible defects	None	N/A	20-40	B2	3.84	46.33
2014		Acer pseudoplatanus Sycamore	541	1	12	5.0	6.0	4.0	5.0	2	4	M	Fair	Average condition	Nil	N/A	40+	B2	6.49	132.42
2025		Acer pseudoplatanus Sycamore	399	1	13	4.0	4.0	5.0	2.0	2	4	M	Fair	Average condition	Nil	N/A	40+	B2	4.79	72.03
2026		Crataegus monogyna Hawthorn	398	MS	6	3.0	2.0	2.0	2.0	1	2	M	Fair	Average condition	Nil	N/A	40+	B2	3.98	49.77
2190		Acer pseudoplatanus Sycamore	571	MS	12	4.0	4.0	4.0	4.0	2	5	M	Fair	Broken limb	Remove broken limb	P	40+	B2	5.71	102.44







**TOTAL CATEGORY B TREES Heyford Park Nicholson's Tree Survey November 2006**

Group No	Tag	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physiological Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
						N	S	E	W											
G21	4202	Acer pseudoplatanus Sycamore	503	1	13	4.0	7.0	4.0	2.0	1	5	M	Fair	Average condition	Nil	N/A	20-40	B2	6.04	114.47
G21	4203	Aesculus hippocastanum Horse chestnut	491	1	13	7.0	8.0	5.0	4.0	2	5	M	Good	Average condition	Nil	N/A	20-40	B2	5.89	109.08
G21	4204	Fagus sylvatica Beech	483	1	13	7.0	6.0	3.0	3.0	3	6	M	Good	Average condition	Nil	N/A	40+	B2	5.80	105.55
G21	4205	Acer pseudoplatanus Sycamore	433	1	13	6.0	7.0	3.5	3.5	1	5	M	Fair	Average condition	Nil	N/A	20-40	B2	5.20	84.83
G21	4206	Fagus sylvatica Beech	671	1	14	8.0	7.0	6.0	4.0	2	5	M	Fair	Average condition	Nil	N/A	20-40	B2	8.05	203.71
G21	4207	Aesculus hippocastanum Horse chestnut	440	1	12	4.5	5.0	3.0	4.0	2	6	M	Fair	Previously pollarded	Nil	N/A	20-40	B2	5.28	87.59
G21	4208	Aesculus hippocastanum Horse chestnut	569	1	12	6.0	6.0	6.0	4.0	2	6	M	Fair	Average condition	Nil	N/A	20-40	B2	6.83	146.49
G21	4209	Fagus sylvatica Beech	530	1	13	6.0	7.0	4.0	6.0	2	5	M	Good	Average condition	Nil	N/A	40+	B2	6.36	127.09
G21	4210	Aesculus hippocastanum Horse chestnut	608	1	13	5.0	5.0	6.0	4.0	2	7	M	Fair	Average condition	Nil	N/A	20-40	B2	7.30	167.25
G21	4211	Fagus sylvatica Beech	579	1	14	8.0	8.0	4.0	5.0	2	7	M	Fair	Average condition	Nil	N/A	40+	B2	6.95	151.68
G21	4212	Acer pseudoplatanus Sycamore	500	1	13	6.0	7.0	4.0	6.0	1	6	M	Poor	Average condition	Nil	N/A	20-40	B2	6.00	113.11
G23	4216	Sorbus intermedia Swedish Whitebeam	534	1	11	3.0	4.0	5.0	3.0	1	4	M	Fair	Average condition	Nil	N/A	20-40	B2	6.41	129.02
G23	4218	Sorbus intermedia Swedish Whitebeam	512	1	10	3.0	4.0	4.0	3.0	1	4	M	Fair	Stem wounds at 0.4n	Nil	N/A	10-20	B2	6.14	118.61
G23	4219	Sorbus intermedia Swedish Whitebeam	544	1	11	3.0	4.0	5.0	4.0	1	4	M	Fair	Average condition	Nil	N/A	20-40	B2	6.53	133.90
G24	4220	Fagus sylvatica Beech	438	1	13	6.0	5.0	5.0	7.0	2	6	M	Fair	Average condition	Nil	N/A	40+	B2	5.26	86.80
G24	4221	Aesculus hippocastanum Horse chestnut	562	1	14	5.0	5.0	3.5	5.0	2	7	M	Fair	Average condition	Nil	N/A	20-40	B2	6.74	142.90
G24	4222	Fagus sylvatica Beech	505	1	14	4.0	5.0	3.0	3.0	2	7	M	Fair	Average condition	Nil	N/A	40+	B2	6.06	115.39
G24	4223	Aesculus hippocastanum Horse chestnut	473	1	12	5.0	6.0	4.0	3.0	1	6	M	Fair	included bark and historic split in fork 3.0w	Check condition on split	U	10-20	B2	5.68	101.23
G24	4224	Fagus sylvatica Beech	542	1	14	6.0	5.0	3.0	3.0	2	6	M	Fair	Average condition	Nil	N/A	40+	B2	6.50	132.91
G24	4225	Aesculus hippocastanum Horse chestnut	438	1	13	5.0	6.0	5.5	5.0	2	3	M	Fair	Included bark in fork 4.0	Nil	N/A	20-40	B2	5.26	86.80
G24	4226	Aesculus hippocastanum Horse chestnut	488	1	13	5.0	6.0	4.5	6.0	2	4	M	Fair	Average condition	Nil	N/A	40+	B2	5.86	107.75
G24	4227	Fagus sylvatica Beech	558	1	14	6.0	7.0	5.0	3.0	2	6	M	Fair	Stem wound 1.2 e	Nil	N/A	40+	B2	6.70	140.88
G24	4228	Aesculus hippocastanum Horse chestnut	539	1	12	4.0	5.0	5.0	3.0	2	6	M	Fair	Average condition	Nil	N/A	40+	B2	6.47	131.45
G25	4229	Sorbus intermedia Swedish Whitebeam	542	1	10	4.0	5.0	3.0	5.0	1	4	M	Fair	Average condition	Nil	N/A	20-40	B2	6.50	132.91
G25	4230	Aesculus hippocastanum Horse chestnut	406	1	11	4.0	5.0	4.0	4.0	2	6	M	Fair	Average condition	Nil	N/A	40+	B2	4.87	74.58
G25	4231	Sorbus intermedia Swedish Whitebeam	463	MS	10	4.0	3.0	4.0	3.0	1	4	M	Fair	Average condition	Nil	N/A	20-40	B2	4.63	67.35
G25	4232	Sorbus intermedia Swedish Whitebeam	462	1	8	3.0	4.0	3.0	4.0	1	4	M	Fair	Woodpecker holeson main stem	Nil	N/A	20-40	B2	5.54	96.57
G25	4233	Sorbus intermedia Swedish Whitebeam	470	1	10	5.0	4.0	4.0	4.0	1	5	M	Fair	Average condition	Nil	N/A	20-40	B2	5.64	99.95
G25	4234	Sorbus intermedia Swedish Whitebeam	489	1	10	3.0	4.0	4.0	4.0	1	5	M	Fair	Average condition	Nil	N/A	20-40	B2	5.87	108.19
G25	4235	Sorbus intermedia Swedish Whitebeam	648	1	10	5.0	3.0	3.0	5.0	1	5	M	Fair	Average condition	Nil	N/A	20-40	B2	7.78	189.98
G25	4236	Sorbus intermedia Swedish Whitebeam	536	1	10	3.0	4.5	4.0	4.5	1	3	M	Fair	Average condition	Nil	N/A	20-40	B2	6.43	129.99
G25	4237	Sorbus intermedia Swedish Whitebeam	645	1	10	4.5	4.0	4.0	5.0	1	5	M	Fair	Average condition	Nil	N/A	20-40	B2	7.74	188.23
G25	4238	Sorbus intermedia Swedish Whitebeam	500	1	10	3.5	4.0	3.0	4.0	1	4	M	Fair	old ffb on stem to e possibly In. hisp stem split	Remove e stem	U	10-20	B2	6.00	113.11
G26	4240	Sorbus intermedia Swedish Whitebeam	508	1	10	5.0	3.0	4.0	4.0	1	5	M	Fair	Average condition	Nil	N/A	20-40	B2	6.10	116.76
G26	4241	Sorbus intermedia Swedish Whitebeam	601	1	10	4.0	5.0	4.0	5.0	1	5	M	Fair	Average condition	Nil	N/A	20-40	B2	7.21	163.42
G28	4246	Acer pseudoplatanus Sycamore	485	1	14	3.0	7.0	4.0	3.0	2	7	M	Fair	Average condition	Nil	N/A	40+	B2	5.82	106.43
G28	4247	Fraxinus excelsior Ash	255	1	12	1.5	5.0	3.0	1.0	2	8	M	Fair	Average condition	Nil	N/A	40+	B2	3.06	29.42
G28	4248	Fraxinus excelsior Ash	344	1	14	2.0	8.0	3.0	3.0	2	7	M	Fair	Average condition	Nil	N/A	40+	B2	4.13	53.54
G28	4249	Acer pseudoplatanus Sycamore	364	1	14	1.0	6.0	2.0	4.0	2	6	M	Fair	Average condition	Nil	N/A	40+	B2	4.37	59.95
G28	4250	Fagus sylvatica Beech	448	1	14	3.0	7.0	4.0	4.0	2	5	M	Fair	Average condition	Nil	N/A	40+	B2	5.38	90.81
G28	4251	Acer pseudoplatanus Sycamore	433	1	14	1.0	6.0	2.0	4.0	2	7	M	Fair	Average condition	Nil	N/A	40+	B2	5.20	84.83
G28	4252	Acer pseudoplatanus Sycamore	365	MS	13	1.0	3.0	1.0	2.0	1	9	M	Fair	Average condition	Nil	N/A	20-40	B2	3.65	41.86
G28	4253	Fagus sylvatica Beech	204	1	14	2.0	1.0	1.0	1.0	1	8	M	Fair	Average condition	Nil	N/A	20-40	B2	2.45	18.83
G28	4254	Fagus sylvatica Beech	333	1	15	2.0	4.0	3.0	4.0	2	8	M	Fair	Average condition	Nil	N/A	40+	B2	4.00	50.17
G28	4256	Fagus sylvatica Beech	297	1	14	2.0	4.0	2.0	3.0	3	8	M	Fair	Average condition	Nil	N/A	40+	B2	3.56	39.91









**TOTAL CATEGORY B TREES Heyford Park Nicholson's Tree Survey November 2006**

Group No	Tag	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physiological Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
						N	S	E	W											
G54	4741	Pinus sylvestris Scots pine	336	1	11	2.0	1.0	0.0	4.0	0	4	M	Fair	Ivy clad stem	Nil	N/A	20-40	B2	4.03	51.08
G54	4742	Larix eurolepis Larch	438	1	15	3.0	3.0	5.0	2.0	0	6	M	Fair	Average condition	Nil	N/A	20-40	B2	5.26	86.80
G54	4744	Pinus sylvestris Scots pine	277	1	15	1.0	1.0	2.0	4.0	0	8	M	Fair	Average condition	Nil	N/A	20-40	B2	3.32	34.72
G54	4745	Larix eurolepis Larch	359	1	16	4.0	1.0	4.0	4.0	0	5	M	Fair	Average condition	Nil	N/A	20-40	B2	4.31	58.31
G54	4746	Pinus sylvestris Scots pine	327	1	15	3.0	1.0	2.0	4.0	0	7	M	Fair	Average condition	Nil	N/A	20-40	B2	3.92	48.38
G54	4748	Larix eurolepis Larch	386	1	16	1.0	3.0	3.0	4.0	0	7	M	Fair	Average condition	Nil	N/A	20-40	B2	4.63	67.41
G54	4749	Larix eurolepis Larch	305	1	15	2.0	1.0	2.0	3.0	0	7	M	Fair	stem canker at 4.0s	Nil	N/A	20-40	B2	3.66	42.09
G54	4751	Pinus sylvestris Scots pine	257	1	14	1.0	1.0	3.0	1.0	0	7	M	Fair	Average condition	Nil	N/A	20-40	B2	3.08	29.88
G54	4752	Larix eurolepis Larch	300	1	14	1.0	1.0	3.0	3.0	0	6	M	Fair	Average condition	Nil	N/A	20-40	B2	3.60	40.72
G54	4753	Larix eurolepis Larch	450	1	15	3.0	2.0	6.0	5.0	0	4	M	Fair	Ivy clad stem	Nil	N/A	20-40	B2	5.40	91.62
G54	4767	Larix eurolepis Larch	324	1	15	2.0	2.0	4.0	3.0	0	7	M	Fair	Average condition	Nil	N/A	20-40	B2	3.89	47.50
G54	4768	Larix eurolepis Larch	290	1	12	1.0	2.0	5.0	1.0	0	6	M	Fair	Average condition	Nil	N/A	20-40	B2	3.48	38.05
G54	4769	Pinus sylvestris Scots pine	346	1	14	2.0	2.0	5.0	0.0	0	8	M	Fair	Average condition	Nil	N/A	20-40	B2	4.15	54.17
G54	4771	Larix eurolepis Larch	265	1	14	2.0	2.0	5.0	1.0	0	4	M	Fair	Stem kinks at 8	Nil	N/A	20-40	B2	3.18	31.77
G54	4772	Pinus sylvestris Scots pine	311	1	13	1.0	1.0	5.0	0.0	0	8	M	Fair	Leaning to e	Nil	N/A	20-40	B2	3.73	43.76
G54	4774	Larix eurolepis Larch	381	1	15	2.0	2.0	5.0	5.0	0	6	M	Fair	Average condition	Nil	N/A	20-40	B2	4.57	65.68
G54	4775	Larix eurolepis Larch	414	1	15	2.0	2.0	5.0	4.0	0	5	M	Fair	Average condition	Nil	N/A	20-40	B2	4.97	77.55
G54	4776	Pinus sylvestris Scots pine	236	1	15	1.0	1.0	2.0	2.0	0	10	M	Fair	Average condition	Nil	N/A	20-40	B2	2.83	25.20
G54	4777	Larix eurolepis Larch	390	1	15	2.0	2.0	5.0	1.0	0	6	M	Fair	Average condition	Nil	N/A	20-40	B2	4.68	68.82
G54	4778	Larix eurolepis Larch	294	1	15	2.0	2.0	4.0	4.0	0	6	M	Fair	Average condition	Nil	N/A	20-40	B2	3.53	39.11
G62	4780	Quercus rubra Red oak	169	1	5	3.5	3.5	3.5	3.5	3	1.5	SM	Fair	Wound damage to stem at 0.5 m	None	N/A	40+	B2	2.03	12.92
G70	4835	Fraxinus excelsior Ash	411	1	13	4.0	5.0	4.0	4.0	2	4	M	Fair	Average condition	Nil	N/A	40+	B2	4.93	76.43
G70	4838	Pinus sylvestris Scots pine	749	1	15	5.0	6.0	3.0	4.0	0	5	M	Fair	Ivy clad stem	Sever ivy and reinspect	P	20-40	B2	8.99	253.82
G70	4839	Pinus sylvestris Scots pine	396	1	13	2.0	4.0	6.0	1.0	0	9	M	Fair	Ivy clad stem	Sever ivy and reinspect	P	20-40	B2	4.75	70.95
G70	4841	Pinus sylvestris Scots pine	378	1	12	1.0	2.0	2.0	3.0	0	5	M	Fair	Ivy clad stem	Sever ivy and reinspect	P	20-40	B2	4.54	64.65
G70	4843	Pinus sylvestris Scots pine	500	1	14	2.0	4.0	3.0	3.0	0	6	M	Fair	Ivy clad stem	Sever ivy and reinspect	P	20-40	B2	6.00	113.11
G70	4844	Pinus sylvestris Scots pine	573	1	15	3.0	3.0	3.0	3.0	0	8	M	Fair	Ivy clad stem	Sever ivy and reinspect	P	20-40	B2	6.88	148.55
G70	4848	Acer pseudoplatanus Sycamore	407	1	13	5.0	5.0	5.0	5.0	2	5	M	Fair	Average condition	Nil	N/A	40+	B2	4.88	74.95
G70	4849	Pinus sylvestris Scots pine	475	1	14	4.0	4.0	4.0	4.0	0	6	M	Fair	Ivy clad stem	Sever ivy and reinspect	P	20-40	B2	5.70	102.08
G70	4857	Fraxinus excelsior Ash	587	1	14	6.0	6.0	6.0	6.0	1	5	M	Fair	Average condition	Nil	N/A	40+	B2	7.04	155.90
G70	4859	Pinus sylvestris Scots pine	585	1	15	3.0	4.0	4.0	5.0	0	8	M	Fair	Average condition	Nil	N/A	20-40	B2	7.02	154.84
G70	4862	Pinus sylvestris Scots pine	609	1	14	5.0	2.0	3.0	4.0	0	6	M	Fair	Average condition	Nil	N/A	20-40	B2	7.31	167.80
G95	5057	Sorbus intermedia Swedish Whitebeam	676	1	10	4.0	5.0	4.0	4.0	0	2	M	Fair	Vehicle damage	Crown clean, lift statutory height	P	10-20	B2	8.11	206.76
G95	5059	Sorbus intermedia Swedish Whitebeam	635	1	10	4.0	4.0	3.0	4.0	0	2	M	Good	No visible defects	None	N/A	10-20	B2	7.62	182.44
G96	5062	Fraxinus excelsior Ash	149	1	7	2.0	2.0	2.0	2.0	2	2.5	SM	Fair	Bark stripped south	None	N/A	40+	B2	1.79	10.04
G96	5064	Fraxinus excelsior Ash	110	1	6	1.0	1.0	1.0	1.0	3	2.5	SM	Fair	No visible defects	None	N/A	40+	B2	1.32	5.47
G96	5065	Fraxinus excelsior Ash	131	1	6	2.0	2.0	2.0	1.0	3	2.5	SM	Good	No visible defects	None	N/A	40+	B2	1.57	7.76
G97	5066	Fraxinus excelsior Ash	137	1	8	2.0	2.0	2.0	2.0	4	3.5	SM	Fair	No visible defects	None	N/A	40+	B2	1.64	8.49
G97	5067	Fraxinus excelsior Ash	195	1	7	2.0	2.0	2.0	2.0	2.5	3	SM	Good	Bark wounds	None	N/A	40+	B2	2.34	17.20
G97	5068	Fraxinus excelsior Ash	177	1	7	4.0	3.0	3.0	3.0	2.5	3	SM	Good	No visible defects	None	N/A	40+	B2	2.12	14.17
G97	5070	Crataegus monogyna Hawthorn	211	1	5	2.5	2.5	2.5	2.5	1	2	M	Good	No visible defects	None	N/A	20-40	B2	2.53	20.14
G98	5076	Acer pseudoplatanus Sycamore	210	1	7	2.5	2.5	2.5	2.5	3	2	M	Good	No visible defects	None	N/A	40+	B2	2.52	19.95
G98	5077	Acer platanooides Norway maple	110	1	6	2.0	2.0	2.0	2.0	2	2.5	SM	Good	No visible defects	None	N/A	40+	B2	1.32	5.47
G98	5078	Acer platanooides Norway maple	162	1	6	1.0	2.0	2.0	2.0	3	3	M	Good	Lowest limb, tight fork and included bark	Remove low limb	P	40+	B2	1.94	11.87
G98	5079	Acer platanooides Norway maple	181	1	6.5	2.0	2.0	2.0	2.0	2	2.5	M	Good	No visible defects	None	N/A	40+	B2	2.17	14.82
G98	5080	Acer platanooides Norway maple	181	1	7	2.0	2.0	2.0	1.0	2	2.5	M	Good	No visible defects	None	N/A	40+	B2	2.17	14.82
G106	5109	Acer platanooides Norway maple	352	1	13	3.0	4.0	4.0	3.0	2	1.5	M	Good	No visible defects	Lift roadside to statutory height	P	20-40	B2	4.22	56.06
G106	5110	Acer platanooides Norway maple	284	1	13	2.0	4.0	3.0	3.0	2	1.5	M	Good	Tight forks with included bark	Nil	N/A	20-40	B2	3.41	36.49
G106	5112	Acer platanooides Norway maple	350	1	14	4.0	3.0	4.0	3.0	2	1.5	M	Good	Minor vehicle branch damage (north)	Crown lift roadside	P	20-40	B2	4.20	55.42
G106	5113	Acer platanooides Norway maple	293	1	13	3.0	2.0	3.0	3.0	2	1.5	M	Good	Minor stem bark, damage/tight fork at 1.8m	Crown lift roadside	P	20-40	B2	3.52	38.84
G106	5114	Acer platanooides Norway maple	235	1	8	3.0	3.0	2.0	2.0	2	2	M	Good	No visible defects	Crown lift roadside	P	20-40	B2	2.82	24.99
G106	5115	Acer platanooides Norway maple	318	1	9	4.0	3.0	3.0	3.0	2	2	M	Good	No visible defects	Crown lift roadside	P	20-40	B2	3.82	45.75
G106	5116	Acer platanooides Norway maple	302	1	9	3.0	3.0	3.0	3.0	2	2	M	Good	Tight forks including bark	Lift roadside	P	20-40	B2	3.62	41.27
G107	5117	Sorbus intermedia Swedish Whitebeam	284	1	6	2.0	2.0	2.0	2.0	1	2	M	Good	No visible defects	Minor crown lift	P	20-40	B2	3.41	36.49
G107	5118	Sorbus intermedia Swedish Whitebeam	238	1	6	2.0	2.0	2.0	2.0	1	2	M	Good	No visible defects	Minor crown lift	P	20-40	B2	2.86	25.63
G107	5119	Sorbus intermedia Swedish Whitebeam	271	1	6	2.5	2.0	2.0	2.0	1	2	M	Good	No visible defects	Minor crown lift	P	20-40	B2	3.25	33.23
G107	5120	Sorbus intermedia Swedish Whitebeam	237	1	6	2.0	2.0	2.0	2.0	1	2	M	Good	No visible defects	Minor crown lift	P	20-40	B2	2.84	25.41
G107	5121	Sorbus intermedia Swedish Whitebeam	316	1	6	2.0	2.0	2.0	2.0	1	2	M	Good	No visible defects	Minor crown lift	P	20-40	B2	3.79	45.18
G107	5122	Sorbus intermedia Swedish Whitebeam	251	1	6	2.0	2.0	2.0	2.0	1	2	M	Good	No visible defects	Minor crown lift	P	20-40	B2	3.01	28.50
G107	5123	Sorbus intermedia Swedish Whitebeam	212	1	5	2.0	2.0	2.0	2.0	1	2	M	Fair	No visible defects	Minor crown lift	P	20-40	B2	2.54	20.33

**TOTAL CATEGORY B TREES Heyford Park Nicholson's Tree Survey November 2006**

Group No	Tag	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physiological Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
						N	S	E	W											
G107	5124	Sorbus domestica Bastard service tree	228	1	6	2.0	2.0	2.0	2.0	1	2.5	M	Good	No visible defects	Nil	N/A	20-40	B2	2.74	23.52
G107	5125	Sorbus intermedia Swedish Whitebeam	240	1	6	2.0	2.0	2.0	2.0	1	2	M	Fair	No visible defects	Minor crown lift	P	20-40	B2	2.88	26.06
G107	5126	Sorbus intermedia Swedish Whitebeam	256	1	6	2.0	2.0	2.0	2.0	1	2	M	Good	No visible defects	Minor crown lift	P	20-40	B2	3.07	29.65
G107	5127	Sorbus intermedia Swedish Whitebeam	233	1	6	2.5	2.5	2.5	2.5	2	2	M	Fair	No visible defects	Minor crown lift	P	20-40	B2	2.80	24.56
G107	5128	Sorbus intermedia Swedish Whitebeam	241	1	6	2.5	2.5	2.5	2.5	2	2	M	Fair	No visible defects	Minor crown lift	P	20-40	B2	2.89	26.28
G108	5129	Acer platanoides Norway maple	224	1	7	3.0	3.0	4.0	3.0	2	2.5	M	Good	No visible defects	Nil	N/A	20-40	B2	2.69	22.70
G108	5130	Acer platanoides Norway maple	299	1	7	4.0	5.0	4.0	4.0	2	1	M	Good	No visible defects	Crown lift by 1.5 m	P	20-40	B2	3.59	40.45
G108	5132	Acer platanoides Norway maple	324	1	7	4.0	4.0	4.0	3.0	2	2.5	M	Good	Included bark/weak branch	Crown clean	P	20-40	B2	3.89	47.50
G108	5133	Acer platanoides Norway maple	227	1	7	3.0	3.0	3.0	3.0	2	2	M	Good	No visible defects	Crown lift roadside	P	20-40	B2	2.72	23.31
G108	5134	Acer platanoides Norway maple	314	1	7	4.0	4.0	4.0	4.0	2	2.8	M	Good	No visible defects	Crown lift roadside	P	20-40	B2	3.77	44.61
G109	5135	Acer pseudoplatanus Sycamore	344	1	7	4.0	3.0	3.0	3.0	3	3	M	Good	No visible defects	None	N/A	20-40	B2	4.13	53.54
G109	5138	Acer platanoides Norway maple	238	1	6	3.0	3.0	3.0	3.0	2	2	M	Good	No visible defects	None	N/A	20-40	B2	2.86	25.63
G110	5141	Sorbus intermedia Swedish Whitebeam	191	1	4	2.5	2.5	2.0	2.0	1	1.5	M	Fair	Minor bark stem wounds	Lift over road	P	20-40	B2	2.29	16.51
G110	5142	Sorbus intermedia Swedish Whitebeam	178	1	4	2.5	2.5	2.0	2.0	1	1.5	M	Fair	No visible defects	Lift over road	P	20-40	B2	2.14	14.34
G110	5143	Sorbus intermedia Swedish Whitebeam	204	1	4	2.5	2.5	2.0	2.0	1	1.5	M	Good	Minor bark wound	Lift over road	P	20-40	B2	2.45	18.83
G110	5144	Sorbus intermedia Swedish Whitebeam	157	1	4	2.5	2.5	2.0	2.0	1	1.5	M	Fair	No visible defects	Lift over road	P	20-40	B2	1.88	11.15
G110	5145	Sorbus intermedia Swedish Whitebeam	203	1	4	2.5	2.5	2.0	2.0	1	1.5	M	Fair	No visible defects	Lift over road	P	20-40	B2	2.44	18.64
G110	5146	Sorbus intermedia Swedish Whitebeam	222	1	4	2.5	2.5	2.0	2.0	1	1.5	M	Fair	No visible defects	Lift over road	P	20-40	B2	2.66	22.30
G110	5147	Sorbus intermedia Swedish Whitebeam	195	1	4	2.5	2.5	2.0	2.0	1	1.5	M	Fair	No visible defects	Lift over road	P	20-40	B2	2.34	17.20
G110	5148	Sorbus intermedia Swedish Whitebeam	215	1	4	2.5	2.5	2.0	2.0	1	1.5	M	Fair	No visible defects	Lift over road	P	20-40	B2	2.58	20.91
G110	5149	Sorbus intermedia Swedish Whitebeam	190	1	4	2.5	2.5	2.0	2.0	1	1.5	M	Fair	Minor stem bark	Lift over road	P	20-40	B2	2.28	16.33
G110	5150	Sorbus intermedia Swedish Whitebeam	195	1	4	2.5	2.5	2.0	2.0	1	1.5	M	Fair	Minor stem bark	Lift over road	P	20-40	B2	2.34	17.20
G110	5151	Sorbus intermedia Swedish Whitebeam	181	1	4	2.5	2.5	2.0	2.0	1	1.5	M	Good	Minor stem bark	Lift over road	P	20-40	B2	2.17	14.82
G110	5152	Sorbus intermedia Swedish Whitebeam	197	1	4	2.5	2.5	2.0	2.0	1	1.5	M	Fair	Minor stem bark	Lift over road	P	20-40	B2	2.36	17.56
G110	5153	Sorbus intermedia Swedish Whitebeam	214	1	4	2.5	2.5	2.0	2.0	1	1.5	M	Fair	Minor stem bark	Lift over road	P	20-40	B2	2.57	20.72
G110	5154	Sorbus intermedia Swedish Whitebeam	227	1	4	2.5	2.5	2.0	2.0	1	1.5	M	Fair	Minor stem bark	Lift over road	P	20-40	B2	2.72	23.31
G110	5155	Sorbus intermedia Swedish Whitebeam	240	1	4	2.5	2.5	2.0	2.0	1	1.5	M	Fair	Minor stem bark wounds	Lift over road	P	20-40	B2	2.88	26.06
G111	5156	Acer platanoides Norway maple	283	1	8	3.0	4.0	4.0	4.0	1	2	M	Good	No visible defects	None	N/A	20-40	B2	3.40	36.24
G111	5157	Acer platanoides Norway maple	308	1	8	4.0	3.0	4.0	4.0	3	2	M	Good	Tight fork/include bark at 2 m	None	N/A	20-40	B2	3.70	42.92
G111	5158	Acer platanoides Norway maple	310	1	8	3.0	4.0	4.0	3.0	3	2	M	Good	Tight fork/include bark Minor dead wood	Crown clean	P	20-40	B2	3.72	43.48
G111	5160	Acer platanoides Norway maple	202	1	7	3.0	2.0	3.0	2.0	3	2.5	M	Good	No visible defects	None	N/A	20-40	B2	2.42	18.46
G111	5161	Acer platanoides Norway maple	212	1	7	2.0	3.0	3.0	2.0	3	2	M	Good	Basal epicormics <20o lean	None	N/A	20-40	B2	2.54	20.33
G111	5162	Acer platanoides Norway maple	179	1	7	2.0	2.0	2.0	2.0	3	2	M	Good	Tight forks included bark	None	N/A	20-40	B2	2.15	14.50
G111	5163	Acer platanoides Norway maple	146	1	6	2.0	2.0	2.0	2.0	3	2	M	Good	No visible defects	None	N/A	20-40	B2	1.75	9.64
G111	5164	Acer platanoides Norway maple	164	1	7	2.0	2.0	2.0	2.0	3	2	M	Good	No visible defects	None	N/A	20-40	B2	1.97	12.17
G111	5165	Acer platanoides Norway maple	233	1	8	2.0	2.0	3.0	3.0	3	2	M	Good	No visible defects	None	N/A	40+	B2	2.80	24.56
G111	5167	Acer platanoides Norway maple	354	1	9	4.0	3.0	4.0	4.0	3	2	M	Good	Included bark	None	N/A	40+	B2	4.25	56.70
G112	5168	Sorbus intermedia Swedish Whitebeam	393	1	6	3.0	3.0	3.0	3.0	0	3	M	Good	Hollow cavity at 1.5 m	None	N/A	20-40	B2	4.72	69.88
G112	5169	Acer pseudoplatanus Sycamore	524	1	10	5.0	5.0	5.0	5.0	1	3.5	M	Good	Stem cavity at 2 m	Lift over road	P	40+	B2	6.29	124.23
G112	5170	Fraxinus excelsior Ash	550	1	11	6.0	6.0	6.0	6.0	1	3.5	M	Good	Multiple branch removals at 2 m and minor deadwood	Crown clean, lift over road	P	40+	B2	6.60	136.87
G112	5171	Sorbus intermedia Swedish Whitebeam	579	1	9	4.0	4.0	4.0	4.0	0	3	M	Good	Minor cavity at 2 m	None	N/A	20-40	B2	6.95	151.68
G112	5172	Sorbus intermedia Swedish Whitebeam	531	1	9	3.0	4.0	4.0	4.0	0	3	M	Good	Minor dead wood	Crown clean	P	20-40	B2	6.37	127.57
G112	5174	Fraxinus excelsior Ash	568	1	12	5.0	5.0	5.0	5.0	1	2	M	Good	Dead wood	Crown clean	P	40+	B2	6.82	145.97
G114	5181	Sorbus intermedia Swedish Whitebeam	665	1	8	4.0	5.0	4.0	3.0	3	2	M	Good	Minor dead wood	Crown clean	P	20-40	B2	7.98	200.08



**TOTAL CATEGORY B TREES Heyford Park Nicholson's Tree Survey November 2006**

Group No	Tag	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physiological Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
						N	S	E	W											
G114	5182	Sorbus intermedia Swedish Whitebeam	641	1	7	4.0	4.0	3.0	3.0	0	2	M	Good	Dead wood	Crown clean	P	20-40	B2	7.69	185.90
G114	5183	Sorbus intermedia Swedish Whitebeam	394	1	6.5	3.0	3.0	3.0	3.0	0	2	M	Fair	Dead wood	Crown clean	P	20-40	B2	4.73	70.24
G114	5184	Sorbus intermedia Swedish Whitebeam	504	1	6.5	4.0	4.5	3.5	3.0	0	2	M	Fair	Minor dead wood and crossing branches	Crown clean	P	20-40	B2	6.05	114.93
G114	5185	Sorbus intermedia Swedish Whitebeam	507	MS	7	2.5	4.0	3.0	3.0	0	2	M	Fair	Minor dead wood	Crown clean	P	20-40	B2	5.07	80.76
G114	5186	Sorbus intermedia Swedish Whitebeam	466	1	7	2.5	3.0	2.5	3.0	0	2	M	Fair	Minor dead wood inonotus bracket	Crown clean	P	20-40	B2	5.59	98.25
G114	5187	Sorbus intermedia Swedish Whitebeam	469	1	7	3.0	4.0	2.5	3.0	0	2	M	Fair	Minor dead wood	Crown clean	P	20-40	B2	5.63	99.52
G114	5188	Sorbus intermedia Swedish Whitebeam	496	MS	7	4.0	3.5	3.0	4.0	0	2	M	Good	Tight fork with included bark/minor bark wound	Crown clean	P	20-40	B2	4.96	77.30
G115	5191	Acer pseudoplatanus Sycamore	545	1	8	4.0	4.0	5.0	4.0	1	3	M	Good	No visible defects	None	N/A	40+	B2	6.54	134.39
G115	5192	Acer platanoides Norway maple	451	1	8	5.0	3.0	5.0	5.0	1	2	M	Good	Old pruning wound at 10 m/minor dead wood	Crown clean	P	40+	B2	5.41	92.03
G115	5193	Chamaecyparis lawsoniana Lawsons cypress	529	MS	7	2.0	2.0	2.0	2.0	0.5	0	M	Good	No visible defects	None	N/A	40+	B2	5.29	87.93
G116	5197	Sorbus intermedia Swedish Whitebeam	475	MS	6	3.0	3.5	3.0	3.0	0	2	M	Fair	Minor dead wood	Crown clean	P	20-40	B2	4.75	70.89
G116	5199	Sorbus intermedia Swedish Whitebeam	486	1	6	3.0	3.0	3.0	3.0	0.5	2	M	Good	Minor dead wood	Crown clean	P	20-40	B2	5.83	106.87
G117	5200	Cupressocyparis leylandii Leyland cypress	540	MS	9	2.0	2.0	2.0	2.0	0.5	0	M	Good	No visible defects	None	N/A	20-40	B2	5.40	91.62
G117	5201	Chamaecyparis lawsoniana Lawsons cypress	566	MS	9	2.0	2.0	2.0	2.0	0.5	0	M	Good	No visible defects	None	N/A	20-40	B2	5.66	100.66
G117	5202	Chamaecyparis lawsoniana Lawsons cypress	921	MS	10	1.5	1.5	0.0	3.0	0.5	0	M	Good	No visible defects	None	N/A	20-40	B2	9.21	266.52
G117	5203	Chamaecyparis lawsoniana Lawsons cypress	488	MS	10	1.5	1.5	3.0	0.0	0.5	0	M	Good	No visible defects	None	N/A	20-40	B2	4.88	74.82
G118	5204	Betula alba Silver birch	313	1	8	5.0	4.0	5.0	4.0	0	2	M	Good	No visible defects	Crown clean	P	20-40	B2	3.76	44.33
G118	5205	Betula alba Silver birch	440	1	8	5.0	5.0	5.0	5.0	0	2	M	Good	No visible defects	Crown clean	P	20-40	B2	5.28	87.59
G118	5206	Betula alba Silver birch	525	1	8	5.0	5.0	5.0	5.0	0	2	M	Good	Some minor dead wood	Crown clean	P	20-40	B2	6.30	124.71
G118	5207	Betula alba Silver birch	349	1	8	5.0	5.0	5.0	5.0	0	2	M	Good	Witch's broom, minor dead wood	None	N/A	20-40	B2	4.19	55.11
G118	5208	Betula alba Silver birch	437	1	8	3.0	4.0	4.0	3.0	0	2	M	Good	No visible defects	None	N/A	20-40	B2	5.24	86.40
G119	5209	Sorbus intermedia Swedish Whitebeam	442	1	6	4.0	4.0	4.0	4.0	0	1	M	Good	No visible defects	None	N/A	20-40	B2	5.30	88.39
G119	5210	Aesculus hippocastanum Horse Chestnut	659	MS	8	4.0	4.0	4.0	5.0	3	2	M	Fair	Tight fork included bark	None	N/A	40+	B2	6.59	136.45
G119	5211	Fraxinus excelsior Ash	474	1	9	5.0	5.0	5.0	5.0	2	2	M	Good	Dead wood	Crown clean	P	40+	B2	5.69	101.65
G119	5212	Sorbus intermedia Swedish Whitebeam	409	1	6	4.0	4.0	4.0	4.0	0	2	M	Fair	Minor dead wood	Crown clean	N/A	10-20	B2	4.91	75.69
G119	5213	Aesculus hippocastanum Horse Chestnut	537	1	7.5	5.0	4.0	5.0	5.0	3	2	M	Good	Cameraria orridella affecting foliage	None	N/A	40+	B2	6.44	130.47
G119	5214	Fraxinus excelsior Ash	335	1	8	5.0	3.0	4.0	4.0	2	1	M	Good	No visible defects	None	N/A	40+	B2	4.02	50.78
G119	5215	Sorbus intermedia Swedish Whitebeam	424	1	6	3.0	3.0	3.0	3.0	0	1.5	M	Fair	No visible defects	Crown clean	P	20-40	B2	5.09	81.34
G121	5224	Cupressocyparis leylandii Leyland cypress	399	1	13	3.0	1.0	3.0	3.0	1	2	M	Fair	No visible defects, power and phone lines	None	N/A	20-40	B2	4.79	72.03
G121	5225	Cupressocyparis leylandii Leyland cypress	431	1	13	1.0	3.0	2.5	2.5	1	2	M	Fair	No visible defects, power and phone lines	None	N/A	20-40	B2	5.17	84.05
G121	5226	Cupressocyparis leylandii Leyland cypress	491	1	15	3.0	2.0	3.0	1.0	1	2	M	Fair	No visible defects, power line through centre of crown	None	N/A	20-40	B2	5.89	109.08
G122	5232	Picea abies Norway spruce	359	MS	9	2.5	2.5	2.5	2.5	3	1.5	M	Fair	Twin leader	None	N/A	20-40	B2	3.59	40.49
G123	5235	Prunus Flowering Cherry	185	1	6	2.5	2.5	2.5	2.5	1	1.5	M	Fair	No visible defects	None	N/A	20-40	B2	2.22	15.49
G123	5236	Prunus Flowering Cherry	372	1	8.5	4.5	4.0	4.0	3.0	1	1	M	Fair	Some minor dead wood	Crown clean	P	20-40	B2	4.46	62.61
G123	5237	Prunus Flowering Cherry	360	1	8.5	4.0	4.0	3.0	4.0	1	2	M	Good	Branch wound on low western limb	None	N/A	20-40	B2	4.32	58.64
G123	5238	Sorbus intermedia Swedish Whitebeam	414	1	7	3.0	3.0	2.5	3.0	1	2	M	Good	No visible defects	None	N/A	20-40	B2	4.97	77.55
G125	5241	Acer platanoides Norway maple	92	1	5	1.5	1.5	1.5	1.5	5	1.5	M	Good	Old basal damage	None	N/A	40+	B2	1.10	3.83
G126	5245	Acer saccharinum Silver maple	333	1	8.5	3.5	2.0	3.5	3.5	3	1.5	M	Good	Basal suckers	Crown clean	P	40+	B2	4.00	50.17
G126	5246	Acer platanoides Norway maple	280	1	9	2.0	4.0	4.0	2.0	3	1.5	M	Good	No visible defects	None	N/A	40+	B2	3.36	35.47
G126	5247	Acer saccharinum Silver maple	305	1	10	3.0	4.0	2.0	3.0	3	1.5	M	Good	Basal suckers	Crown clean	P	40+	B2	3.66	42.09
G126	5248	Acer saccharinum Silver maple	487	1	10	4.0	4.0	4.0	4.0	3	1.5	M	Good	Basal suckers	Crown clean	P	40+	B2	5.84	107.31
G126	5249	Acer platanoides Norway maple	253	1	8	3.0	3.0	4.0	3.0	2	2	M	Good	No visible defects	None	N/A	40+	B2	3.04	28.96
G126	5250	Acer platanoides Norway maple	311	1	8	3.0	2.0	4.0	3.0	2	2	M	Good	Tight forks included bark	None	N/A	40+	B2	3.73	43.76
G126	5251	Acer platanoides Norway maple	340	1	8	2.0	4.0	4.0	4.0	2	1	M	Good	Minor dead wood	Crown clean	P	40+	B2	4.08	52.30
G127	5253	Acer pseudoplatanus Sycamore	349	1	7	3.0	4.0	4.0	4.0	2	2	M	Good	Tight forks included bark	None	N/A	40+	B2	4.19	55.11
G127	5254	Acer platanoides Norway maple	239	1	7	3.0	2.0	3.0	3.0	2	2.5	M	Good	No visible defects	None	N/A	40+	B2	2.87	25.84

**TOTAL CATEGORY B TREES Heyford Park Nicholson's Tree Survey November 2006**

Group No	Tag	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physiological Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
						N	S	E	W											
G128	5256	Acer platanoides Norway maple	253	1	7	3.0	2.0	3.0	2.0	2	2.5	M	Good	No visible defects	None	N/A	40+	B2	3.04	28.96
G128	5257	Acer platanoides Norway maple	278	1	7	4.0	3.0	3.0	3.0	2	2	M	Good	No visible defects	None	N/A	40+	B2	3.34	34.97
G128	5258	Acer platanoides Norway maple	374	1	9.5	3.0	3.0	3.0	3.0	2	2	M	Good	No visible defects	None	N/A	40+	B2	4.49	63.29
G128	5260	Acer platanoides Norway maple	229	1	9	3.0	2.0	2.0	3.0	2	1.5	M	Good	No visible defects	None	N/A	40+	B2	2.75	23.73
G128	5261	Acer platanoides Norway maple	307	1	10	2.0	4.0	4.0	2.0	2	2	M	Good	No visible defects	None	N/A	40+	B2	3.68	42.64
G128	5262	Acer platanoides Norway maple	311	1	10	2.0	3.0	3.5	2.0	2	2	M	Good	No visible defects	None	N/A	40+	B2	3.73	43.76
G128	5263	Acer platanoides Norway maple	282	1	10	3.0	2.0	2.0	3.0	2	2	M	Good	No visible defects	None	N/A	40+	B2	3.38	35.98
G128	5264	Acer platanoides Norway maple	280	1	10	3.0	2.0	4.0	3.0	2	1	M	Good	No visible defects	None	N/A	40+	B2	3.36	35.47
G129	5266	Acer platanoides Norway maple	263	1	9	3.5	3.5	3.5	3.5	2	1.5	M	Good	Basal suckers	Crown clean	P	40+	B2	3.16	31.30
G129	5267	Acer platanoides Norway maple	237	1	8	4.0	4.0	4.0	4.0	2	2	M	Good	Basal suckers	Crown clean	P	40+	B2	2.84	25.41
G129	5268	Acer platanoides Norway maple	162	1	9.5	2.0	2.0	2.0	2.5	2	3	M	Good	No visible defects	None	N/A	40+	B2	1.94	11.87
G129	5269	Acer platanoides Norway maple	179	1	6.5	2.0	2.0	2.0	2.0	2	2	M	Good	No visible defects	None	N/A	40+	B2	2.15	14.50
G129	5270	Acer platanoides Norway maple	230	1	7	3.5	3.5	3.5	3.5	2	1.5	M	Good	Some basal suckers	Crown clean	P	40+	B2	2.76	23.93
G130	5271	Acer platanoides Norway maple	337	1	9	3.0	3.0	3.0	3.0	2	2	M	Fair	Some dead wood	Crown clean	P	40+	B2	4.04	51.38
G130	5272	Acer platanoides Norway maple	162	1	7	2.0	2.0	1.5	1.5	3	2	M	Good	No visible defects	None	N/A	40+	B2	1.94	11.87
G130	5273	Acer platanoides Norway maple	262	1	9	3.5	3.5	3.5	3.5	2	2.5	M	Good	No visible defects	None	N/A	40+	B2	3.14	31.06
G130	5275	Acer platanoides Norway maple	376	1	10	4.0	4.0	4.0	4.0	2	3	M	Good	Tight forks included bark	Crown clean	P	40+	B2	4.51	63.97
G130	5276	Acer platanoides Norway maple	228	1	9	2.0	2.0	2.0	2.0	3	2	M	Good	Some dead wood	Crown clean	P	40+	B2	2.74	23.52
G130	5277	Acer platanoides Norway maple	190	1	6	2.0	2.0	2.0	2.0	3	2	M	Good	No visible defects	None	N/A	40+	B2	2.28	16.33
G130	5278	Acer platanoides Norway maple	190	1	8	2.0	2.0	2.0	2.0	3	2	M	Good	No visible defects	None	N/A	40+	B2	2.28	16.33
G130	5279	Acer saccharinum Silver maple	264	1	9	2.0	2.5	2.5	2.5	3	2	M	Good	No visible defects	None	N/A	40+	B2	3.17	31.53
G131	5292	Acer platanoides Norway maple	230	1	9	3.0	4.0	1.0	2.0	2	2	M	Good	Minor dead wood	None	N/A	40+	B2	2.76	23.93
G131	5293	Acer saccharinum Silver maple	295	1	10	5.0	1.0	3.0	3.0	2	2	M	Good	No visible defects	None	N/A	40+	B2	3.54	39.37
G131	5294	Acer pseudoplatanus Sycamore	333	1	10	3.0	3.0	6.0	3.0	2	3	M	Good	No visible defects	None	N/A	40+	B2	4.00	50.17
G131	5295	Acer pseudoplatanus Sycamore	342	1	9	2.0	4.0	5.0	3.0	2	2.5	M	Good	No visible defects	None	N/A	40+	B2	4.10	52.92
G132	5296	Acer saccharinum Silver maple	266	1	7	3.0	3.0	3.0	3.0	3	2	M	Good	No visible defects	None	N/A	40+	B2	3.19	32.01
G132	5298	Acer saccharinum Silver maple	309	1	7	3.0	3.0	3.0	3.0	3	2	M	Fair	No visible defects	None	N/A	40+	B2	3.71	43.20
G132	5300	Acer cappadocium Maple	303	1	8	3.0	3.0	3.0	3.0	3	1	M	Good	No visible defects	None	N/A	40+	B2	3.64	41.54
G133	5301	Acer platanoides Norway maple	323	1	8	3.0	5.0	5.0	4.0	2	2	M	Good	Tight forks included bark	None	N/A	40+	B2	3.88	47.20
G133	5302	Acer platanoides Norway maple	386	1	8.5	3.0	2.0	4.0	4.0	2	2.5	M	Good	No visible defects	None	N/A	40+	B2	4.63	67.41
G133	5303	Acer platanoides Norway maple	321	1	8	3.0	3.0	3.0	3.0	2	2	M	Good	No visible defects	None	N/A	40+	B2	3.85	46.62
G133	5304	Acer platanoides Norway maple	354	1	8	4.0	3.0	4.0	4.0	2	2	M	Good	Tight forks with included bark	None	N/A	40+	B2	4.25	56.70
G134	5311	Acer pseudoplatanus Sycamore	280	1	9	3.0	3.0	3.0	3.0	3	2	M	Fair	Sparse canopy	None	N/A	40+	B2	3.36	35.47
G134	5320	Acer pseudoplatanus Sycamore	206	1	7	2.5	2.0	3.0	2.0	3	2	M	Fair	No visible defects	None	N/A	40+	B2	2.47	19.20
G135	5321	Cupressocyparis leylandii Leyland cypress	266	1	9	2.0	2.0	2.0	2.0	1	1.5	M	Good	No visible defects	None	N/A	20-40	B2	3.19	32.01
G135	5322	Cupressocyparis leylandii Leyland cypress	259	1	9	2.0	2.0	2.0	2.0	1	1.5	M	Good	No visible defects	None	N/A	20-40	B2	3.11	30.35
G135	5323	Cupressocyparis leylandii Leyland cypress	282	MS	9	2.0	2.0	2.0	2.0	1	1.5	M	Good	No visible defects	None	N/A	20-40	B2	2.82	24.99
G137	5327	Prunus avium plena Cherry	124	1	4	2.0	2.0	3.0	1.5	1.5	2	SM	Fair	Central leader missing	None	N/A	10-20	B2	1.49	6.96
G137	5328	Sorbus intermedia Swedish Whitebeam	113	1	4.5	2.0	2.0	2.0	2.0	2	2	SM	Good	No visible defects	None	N/A	10-20	B2	1.36	5.78
G137	5329	Sorbus intermedia Swedish Whitebeam	152	MS	5	1.5	1.5	1.5	1.5	2	2.5	SM	Good	No visible defects	None	N/A	10-20	B2	1.52	7.26
G137	5330	Sorbus intermedia Swedish Whitebeam	112	1	4	1.5	1.5	1.5	1.5	1.5	2	SM	Fair	Basal bark wound	None	N/A	10-20	B2	1.34	5.68
G137	5331	Sorbus intermedia Swedish Whitebeam	105	1	4	1.5	1.5	1.5	1.5	1.5	2	SM	Good	No visible defects	None	N/A	10-20	B2	1.26	4.99
G137	5332	Sorbus intermedia Swedish Whitebeam	107	1	4	1.5	1.5	1.5	1.0	1.5	2	SM	Fair	No visible defects	None	N/A	10-20	B2	1.28	5.18
G137	5333	Sorbus intermedia Swedish Whitebeam	125	1	4	1.5	1.5	1.5	1.5	1.5	2	SM	Good	No visible defects	None	N/A	10-20	B2	1.50	7.07
G137	5334	Prunus avium plena Cherry	235	1	6	3.0	3.0	4.0	1.0	2	2	M	Good	No visible defects	None	N/A	20-40	B2	2.82	24.99
G137	5335	Sorbus intermedia Swedish Whitebeam	129	1	3	1.5	1.5	1.5	1.5	1.5	2	M	Good	No visible defects	None	N/A	20-40	B2	1.55	7.53
G137	5336	Sorbus intermedia Swedish Whitebeam	137	MS	3	1.0	1.0	1.0	1.0	1	2	M	Good	Basal bark wound	None	N/A	20-40	B2	1.37	5.90
G137	5338	Sorbus intermedia Swedish Whitebeam	134	1	4	1.0	1.5	1.5	1.0	1	2	M	Good	Stem bark wound	None	N/A	20-40	B2	1.61	8.12
G137	5340	Sorbus intermedia Swedish Whitebeam	155	MS	3.5	2.0	2.0	2.0	1.0	0.5	1.5	M	Good	Basal bark wound	None	N/A	10-20	B2	1.55	7.55
G138	5343	Fraxinus excelsior Ash	142	1	8	1.0	2.0	2.0	2.0	4	2	M	Fair	No visible defects	None	N/A	40+	B2	1.70	9.12
G138	5344	Fraxinus excelsior Ash	236	1	9	3.0	2.0	2.0	2.0	4	2	M	Good	No visible defects	None	N/A	40+	B2	2.83	25.20
G139	5346	Acer pseudoplatanus Sycamore	170	1	9	4.5	5.0	5.0	3.0	4	2	M	Fair	No visible defects	None	N/A	40+	B2	2.04	13.08
G139	5347	Fraxinus excelsior Ash	484	1	9	2.0	1.0	3.0	2.0	4	2	M	Good	No visible defects	None	N/A	40+	B2	5.81	105.99
G140	5348	Sorbus aucuparia Rowan	191	1	5	1.0	1.0	1.0	1.0	0.5	2	M	Good	No visible defects	None	N/A	10-20	B2	2.29	16.51
G138	5349	Fraxinus excelsior Ash	134	1	8	2.0	1.0	2.0	1.0	4	2	M	Good	No visible defects	None	N/A	40+	B2	1.61	8.12
G141	5351	Fraxinus excelsior Ash	181	1	8	2.0	2.0	2.0	2.0	4	2	M	Good	No visible defects	None	N/A	40+	B2	2.17	14.82

**TOTAL CATEGORY B TREES Heyford Park Nicholson's Tree Survey November 2006**

Group No	Tag	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physiological Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
						N	S	E	W											
G141	5352	Fraxinus excelsior Ash	254	1	8	2.0	2.0	2.0	2.0	4	2	M	Good	No visible defects	None	N/A	40+	B2	3.05	29.19
G142	5355	Sorbus aucuparia Rowan	157	1	5	1.5	1.5	1.5	1.5	1	1.5	M	Good	No visible defects	None	N/A	10-20	B2	1.88	11.15
G143	5357	Sorbus aucuparia Rowan	224	1	6	1.5	1.5	1.5	1.5	1	2	M	Good	No visible defects	None	N/A	10-20	B2	2.69	22.70
G144	5358	Acer pseudoplatanus Sycamore	171	1	6	2.0	2.0	2.0	2.0	3	2	M	Good	No visible defects	None	N/A	40+	B2	2.05	13.23
G144	5360	Fraxinus excelsior Ash	129	1	7	2.0	2.0	2.0	2.0	3	2	SM	Poor	Sparse canopy	None	N/A	20-40	B2	1.55	7.53
G144	5361	Acer pseudoplatanus Sycamore	208	1	7	3.0	3.0	3.0	3.0	3	2	M	Fair	No visible defects	None	N/A	40+	B2	2.50	19.57
G145	5366	Prunus avium plena Cherry	145	1	6	1.0	1.0	2.0	1.0	1.5	3	M	Good	Broken branches	Crown clean	P	20-40	B2	1.74	9.51
G145	5367	Sorbus aucuparia Rowan	183	1	5.5	1.5	1.5	1.5	1.5	1.5	2	M	Good	No visible defects	None	N/A	20-40	B2	2.20	15.15
G146	5368	Acer pseudoplatanus Sycamore	131	1	5	1.0	1.0	1.0	1.0	4	2	SM	Good	No visible defects	None	N/A	40+	B2	1.57	7.76
G146	5369	Juglans regia Walnut	149	1	5	2.0	2.0	2.0	2.0	3	2	SM	Good	No visible defects	None	N/A	40+	B2	1.79	10.04
G146	5370	Juglans regia Walnut	161	1	5	2.0	2.0	2.0	2.0	3	2	SM	Good	No visible defects	None	N/A	40+	B2	1.93	11.73
G153	5445	Acer platanoides Norway maple	249	1	6	3.0	2.0	2.0	2.0	2	2	SM	Good	No visible defects	None	N/A	40+	B2	2.99	28.05
G153	5446	Acer platanoides Norway maple	268	1	6	2.0	2.0	2.0	2.0	2	2	SM	Good	Tight fork included bark	None	N/A	20-40	B2	3.22	32.50
G153	5447	Acer platanoides Norway maple	277	1	6	2.0	2.0	2.0	2.0	2	2	SM	Good	Tight fork included bark	None	N/A	20-40	B2	3.32	34.72
G154	5448	Acer platanoides Norway maple	286	1	7	3.0	3.0	3.0	3.0	2	2	M	Good	No visible defects	None	N/A	40+	B2	3.43	37.01
G154	5449	Acer platanoides Norway maple	274	1	7	3.0	3.0	3.0	3.0	2	2	M	Good	Tight fork included bark	None	N/A	40+	B2	3.29	33.97
G160	5581	Acer platanoides Norway maple	227	1	6	2.5	2.5	3.0	3.0	2	2.5	M	Good	Minor branch injuries	Crown clean	P	40+	B2	2.72	23.31
G160	5582	Acer platanoides Norway maple	232	1	7	3.0	3.0	3.0	3.0	2	2.5	M	Good	Minor branch wound east	Crown clean	P	40+	B2	2.78	24.35
G160	5583	Acer platanoides Norway maple	274	1	7	4.0	3.0	3.0	3.0	2	2.5	M	Good	Surface root bark mower wounds	None	N/A	40+	B2	3.29	33.97
G160	5584	Acer platanoides Norway maple	239	1	7	3.0	3.0	3.0	3.0	2	2.5	M	Good	No visible defects	None	N/A	40+	B2	2.87	25.84
G180	5590	Alnus incana Grey Alder	319	1	10	5.0	5.0	5.0	5.0	3	3	M	Good	10o lean to east	None	N/A	40+	B2	3.83	46.04
G180	5591	Alnus incana Grey Alder	264	1	9	3.0	2.0	3.0	3.0	3	3.5	M	Good	Minor base injury	None	N/A	40+	B2	3.17	31.53
G180	5592	Alnus incana Grey Alder	202	1	9	2.0	2.0	3.0	2.0	3	2	M	Good	Basal epicormic	None	N/A	40+	B2	2.42	18.46
G186	5647	Pinus nigra var maritima Corsican Pine	378	1	12	4.0	4.0	4.0	4.0	2	4	M	Fair	Average condition	Nil	N/A	40+	B2	4.54	64.65
	156	Crataegus monogyna Hawthorn	527	1	9	5.0	3.0	3.0	4.0	1	4	M	Fair	Average condition	Nil	N/A	20-40	B3	6.32	125.66
G14	4106	Pinus sylvestris Scots pine	399	1	13	2.0	3.0	3.0	2.0	1	10	M	Fair	Average condition	Nil	N/A	40+	B3	4.79	72.03
G53	4490	Fraxinus excelsior Ash	328	1	12	5.0	5.0	3.0	2.0	1	4	M	Fair	Average condition	Nil	N/A	40+	B3	3.94	48.68
G54	4779	Pinus sylvestris Scots pine	304	1	15	3.0	2.0	3.0	1.0	0	10	M	Fair	Stem kinks at 8	Nil	N/A	20-40	B3	3.65	41.81
G113	5177	Salix fragilis Willow	387	1	11	3.0	4.0	5.0	3.0	0	2	M	Good	Minor dead wood	Crown clean pollard	P	40+	B3	4.64	67.76
G113	5178	Salix fragilis Willow	157	1	10	0.5	0.5	3.0	0.0	0	2	M	Fair	No visible defects	(Pollard) Dead wood	P	40+	B3	1.88	11.15
G113	5179	Salix fragilis Willow	621	MS	11	6.0	3.0	5.0	1.0	0	2	M	Good	30o lean over road. Basal bark wound	(Pollard) Dead wood	P	40+	B3	6.21	121.17
G113	5180	Salix fragilis Willow	760	MS	11	6.0	6.0	3.0	5.0	0	2	M	Good	Some dead wood. Basal bark wound	(Pollard) Dead wood	P	40+	B3	7.60	181.48
G125	5242	Malus domestica Apple	241	MS	4.5	2.0	2.0	2.0	2.0	1	0	M	Good	No visible defects	-	N/A	40+	B3	2.41	18.25

**TOTAL CATEGORY C TREES Heyford Park Nicholson's Tree Survey November 2006**

Group No	Tag	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physiological Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
						N	S	E	W											
	573	Sorbus intermedia Swedish Whitebeam	695	MS	11	5.0	5.0	5.0	5.0	0	2	M	Good	Included bark at base of main stem	None	N/A	10-20	C1,2	8.34	218.54
	2	Acer pseudoplatanus Sycamore	293	1	17	1.0	1.0	5.0	6.0	2	5	M	Fair	Av suppressed	Nil	N/A	20-40	C1	3.52	38.84
	16	Acer pseudoplatanus Sycamore	486	1	17	1.0	4.0	9.0	6.0	2	7	M	Fair	Decay pocket in base s	Monitor	P	10-20	C1	5.83	106.87
	23	Buxus sempervirens Box	250	MS	6	2.5	2.5	2.5	2.5	0	3	M	Good	Average condition	Nil	N/A	40+	C1	2.50	19.64
	32	Chamaecyparis thyoides White Cedar	391	MS	10	1.0	1.0	1.0	2.0	0	3	M	Fair	Av tight fork at gl included bark	Nil	N/A	10	C1	3.91	48.04
	33	Chamaecyparis thyoides White Cedar	518	MS	9	1.5	1.5	1.5	1.5	0	2	M	Fair	Average condition	Nil	N/A	20-40	C1	5.18	84.31
	34	Chamaecyparis thyoides White Cedar	658	MS	10	2.0	2.0	2.0	2.0	0	n/a	M	Fair	Average condition	Nil	N/A	20-40	C1	6.58	136.04
	35	Chamaecyparis thyoides White Cedar	665	MS	10	2.0	2.0	2.0	2.0	0	n/a	M	Fair	Average condition	Nil	N/A	20-40	C1	6.65	138.95
	37	Fraxinus excelsior Ash	349	1	16	3.0	2.0	1.0	5.0	2	7	M	Poor	Average condition	Nil	N/A	10-20	C1	4.19	55.11
	76	Chamaecyparis lawsoniana Lawsons cypress	580	MS	11	1.0	1.0	1.0	1.0	0	n/a	M	Good	Gone	Nil	N/A	40+	C1	5.80	105.70
	77	Chamaecyparis lawsoniana Lawsons cypress	720	MS	11	1.0	1.0	1.0	1.0	0	n/a	M	Good	Gone	Nil	N/A	40+	C1	7.20	162.88
	78	Chamaecyparis lawsoniana Lawsons cypress	415	1	11	1.0	1.0	1.0	1.0	0	n/a	M	Good	Gone	Nil	N/A	40+	C1	4.98	77.92
	79	Chamaecyparis lawsoniana Lawsons cypress	655	MS	11	1.0	1.0	1.0	1.0	0	n/a	M	Good	Gone	Nil	N/A	40+	C1	6.55	134.80
	80	Chamaecyparis lawsoniana Lawsons cypress	507	MS	11	1.0	1.0	1.0	1.0	0	n/a	M	Good	Gone	Nil	N/A	40+	C1	5.07	80.76
	86	Prunus Atropurpurea Pissards Plum	258	MS	5	4.0	2.0	5.0	3.0	1	2	M	Fair	Average condition	Nil	N/A	10-20	C1	2.58	20.91
	88	Prunus Atropurpurea Pissards Plum	201	1	3	4.0	3.0	4.0	1.0	1	2	M	Fair	Av stem wound at gl e	Nil	N/A	10-20	C1	2.41	18.28
	90	Quercus robur Pedunculate oak	106	1	7	2.0	1.0	1.5	1.5	7	3	Y	Good	Gone	Nil	N/A	40+	C1	1.27	5.08
	109	Laburnum anagyroides Common laburnum	561	MS	8	4.5	3.0	3.0	5.0	0	5	M	Poor	Average condition	Nil	N/A	10-20	C1	5.61	98.89
	111	Lilac	184	1	4	2.0	1.0	3.0	1.0	0	2	M	Fair	Average condition	Nil	N/A	10-20	C1	2.21	15.32
	112	Laburnum anagyroides Common laburnum	664	MS	9	6.0	3.0	5.0	2.5	0	5	M	Fair	Trunk split typical of species	Nil	N/A	10-20	C1	6.64	138.53
	115	Prunus Atropurpurea Pissards Plum	198	1	6	3.0	3.0	3.5	1.0	1	2	M	Fair	Average condition	Nil	N/A	10-20	C1	2.38	17.74
	121	Aesculus hippocastanum Horse Chestnut	521	1	11	4.5	5.0	4.0	6.0	3	4	M	Good	stem bleeding 1.0 w	Nil	N/A	10-20	C1	6.25	122.81
	122	Sorbus aucuparia Rowan	218	1	7	3.0	3.0	3.0	1.5	0	4	M	Fair	Average condition	Nil	N/A	10-20	C1	2.62	21.50
	123	Fraxinus excelsior Ash	263	1	10	4.0	5.0	3.5	3.0	4	4	M	Poor	Average condition	Nil	N/A	10-20	C1	3.16	31.30
	146	Sorbus aucuparia Rowan	209	1	9	3.0	3.0	3.0	3.0	0	4	M	Fair	Average condition	Nil	N/A	20-40	C1	2.51	19.76
	147	Sorbus aucuparia Rowan	162	1	7	3.0	3.0	3.0	3.0	0	4	M	Fair	Average condition	Nil	N/A	20-40	C1	1.94	11.87
	150	Prunus avium Cherry	201	1	5	3.0	5.0	4.0	4.0	0	2	M	Fair	Average condition	Nil	N/A	10-20	C1	2.41	18.28
	152	Malus domestica Apple	89	1	4	1.0	1.0	2.0	1.0	1	1.5	M	Fair	Average condition	Nil	N/A	10-20	C1	1.07	3.58
	433	Populus nigra Hybrid black poplar	1136	1	19	8.0	6.0	6.0	8.0	0	6	M	Poor	Forked at 2.0	Nil	N/A	10-20	C1	13.63	583.88
	435	Populus nigra Italica Lombardy Poplar	828	1	19	5.0	6.0	4.0	4.0	2	5	M	Fair	Decay pocket in main fork at 2.0	Inspect	U	10-20	C1	9.94	310.19
	564	Cupressocyparis leylandii Leyland cypress	511	1	10	2.0	2.0	2.0	2.0	2	0	M	Good	No visible defects	None	N/A	20-40	C1	6.13	118.14
	565	Chamaecyparis lawsoniana Lawsons cypress	300	1	5	1.0	1.0	1.0	1.0	1	0	M	Fair	Suppressed by 566	None	N/A	20-40	C1	3.60	40.72
	566	Cupressocyparis leylandii Leyland cypress	426	1	10	2.0	2.0	2.0	1.0	1	0	M	Good	No visible defects	None	N/A	40+	C1	5.11	82.11
	570	Malus domestica Apple	368	1	6	3.0	4.0	4.0	4.0	0	1.5	M	Poor	Minor deadwood	None	N/A	10-20	C1	4.42	61.27
	571	Sorbus intermedia Swedish Whitebeam	689	MS	7	5.0	5.0	5.0	5.0	0	2	OM	Fair	10o stem lean (N)	None	N/A	10-20	C1	6.89	149.16
	572	Malus domestica Apple	394	1	5	2.0	4.0	3.0	3.0	1	2	M	Poor	No visible defects	None	N/A	10-20	C1	4.73	70.24
	626	Prunus Flowering Cherry	568	1	12	4.0	4.0	4.0	4.0	1	2	M	Fair	Occluded bark to stem, deadwood less than 50mm diameter	Nil	N/A	10-20	C1	5.56	145.97
	627	Prunus Flowering Cherry	405	1	8	5.0	4.0	3.0	4.0	0	2	M	Fair	Occluded pruning wounds to spring of crown (decay?)	Nil	N/A	20-40	C1	4.42	74.21
	642	Aesculus hippocastanum Horse Chestnut	657	1	15	5.0	4.0	4.0	4.0	3	4	M	Good	Significant included barkdevelopment at 2 m ht (possible future instability) (2 forks)	Nil	N/A	20-40	C1	4.88	195.30
	644	Thuja plicata Western Red Cedar	556	MS	14	2.0	2.0	2.0	2.0	2	2	M	Good	No visible defects	Nil	N/A	10-20	C1	5.56	97.13
	646	Malus domestica Apple	442	MS	7	4.0	4.0	4.0	4.0	1	2	M	Fair	Significant decay in main branches	Nil	N/A	<10	C1	4.42	61.38

**TOTAL CATEGORY C TREES Heyford Park Nicholson's Tree Survey November 2006**

Group No	Tag	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physiological Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
						N	S	E	W											
657		Acer pseudoplatanus Sycamore	407	1	12	3.0	4.0	3.0	4.0	1	4	M	Poor	Included bark to main branch on north side, poor foliage	Nil	N/A	<10	C1	4.88	74.95
662		Crataegus monogyna Hawthorn	431	MS	6	4.0	4.0	3.0	1.0	1	4	M	Good	Decay to main fork at ground level	Nil	N/A	<10	C1	4.31	58.37
666		Crataegus monogyna Hawthorn	182	MS	3	2.0	2.0	2.0	2.0	2	2	M	Fair	Damage/decay to main stem	Nil	N/A	10-20	C1	1.82	10.41
668		Fraxinus excelsior Ash	278	1	11	5.0	4.0	4.0	1.0	2	2	M	Fair	Foliage thin	Nil	N/A	10-20	C1	3.34	34.97
670		Fraxinus excelsior Ash	231	1	11	4.0	4.0	0.0	3.0	1	2	M	Fair	Crown unbalanced by 669	Nil	N/A	10-20	C1	2.77	24.14
671		Sorbus aria Whitebeam	777	1	10	4.0	4.0	4.0	3.0	1	2	M	Fair	Old pruning wounds (occluded)	Nil	N/A	10-20	C1	9.32	273.16
672		Sorbus intermedia Swedish Whitebeam	646	1	10	5.0	4.0	3.0	4.0	1	4	M	Fair	Old pruning wounds (occluded)	Nil	N/A	10-20	C1	7.75	188.81
675		Prunus Flowering Cherry	376	MS	9	3.0	2.0	3.0	3.0	2	2	M	Good	Included bark to codominant stems at ground level	tree worked , jan 2007	N/A	10-20	C1	3.76	44.42
678		Chamaecyparis lawsoniana Lawsons cypress	501	MS	10	2.0	2.0	2.0	2.0	0.5	0.5	M	Fair	No visible defects	None	N/A	40+	C1	2.43	78.86
679		Chamaecyparis lawsoniana Lawsons cypress	594	MS	10	2.0	2.0	2.0	2.0	0.5	0.5	M	Fair	No visible defects	None	N/A	40+	C1	2.76	110.86
682		Acer platanoides - Acer platanoides Norway maple	619	1	7	3.0	1.5	3.0	3.0	3	1.5	M	Good	Girdling root with bark damage	None	N/A	40+	C1	7.43	173.36
684		Crataegus monogyna Hawthorn	243	MS	4	2.0	2.0	1.0	1.0	0.5	2.5	M	Fair	Dead wood	Crown clean	P	10-20	C1	2.43	18.55
686		Acer platanoides Norway maple	230	1	6	3.0	3.0	3.0	3.0	3	2.5	M	Good	No visible defects	None	N/A	40+	C1	2.76	23.93
690		Acer pseudoplatanus Sycamore	349	1	9	2.0	2.0	2.0	1.0	2	3	M	Fair	Suppressed by 691 - 689	None	N/A	40+	C1	4.19	55.11
707		Acer platanoides Norway maple	456	MS	8	3.0	3.0	4.0	4.0	2	3	M	Fair	Tight forks included bark	None	N/A	10-20	C1	4.56	65.33
713		Sorbus aucuparia Rowan	273	1	5	2.5	2.5	3.0	2.0	1.5	1	M	Fair	Basal suckers	Remove basal suckers	P	10-20	C1	3.28	33.72
714		Chamaecyparis lawsoniana Lawsons cypress	284	1	7	2.0	2.0	2.0	2.0	1	1	M	Good	No visible defects	None	N/A	20-40	C1	3.41	36.49
715		Chamaecyparis lawsoniana Lawsons cypress	349	MS	7	2.0	2.0	2.0	2.0	0	1	M	Good	No visible defects	None	N/A	20-40	C1	3.49	38.27
716		Prunus Flowering Cherry	268	MS	6	1.5	1.5	1.5	1.5	2	1	M	Fair	Suppressed by 5715	None	N/A	10-20	C1	2.68	22.57
731		Picea abies Norway spruce	457	MS	10	2.5	2.5	2.5	2.5	0	2	M	Good	Competing sub-leader	Remove competing leader at base	P	40+	C1	4.57	65.62
732		Prunus Flowering Cherry	280	1	8	3.0	3.0	3.0	3.0	3	2	M	Good	No visible defects	None	N/A	20-40	C1	3.36	35.47
734		Chamaecyparis lawsoniana Lawsons cypress	525	MS	7	2.5	2.5	2.5	2.5	0	0.5	M	Good	No visible defects	None	N/A	20-40	C1	5.25	86.60
735		Malus domestica Apple	291	1	5	3.0	3.0	3.0	3.0	0	1	M	Good	No visible defects	None	N/A	40+	C1	3.49	38.31
736		Cupressocyparis leylandii Leyland cypress	165	MS	15	3.0	3.0	3.0	3.0	0	0.5	M	Good	Phone lines through crown	None	N/A	40+	C1	1.65	8.55
741		Eucalyptus cider gum	591	MS	11	2.0	3.0	4.0	2.0	3	2	M	Good	Tight fork at base	Remove secondary limb	P	40+	C1	5.91	109.74
742		Sorbus aucuparia Rowan	166	1	6	2.0	2.0	2.0	2.0	1	2.5	M	Fair	Stem wound at branching	None	N/A	10-20	C1	1.99	12.47
743		Cupressocyparis leylandii Leyland cypress	546	MS	11	3.0	2.0	3.0	3.0	2	2	M	Fair	Broken branch	None	N/A	40+	C1	5.46	93.67
744		Cupressocyparis leylandii Leyland cypress	519	1	11	1.0	3.0	3.0	3.0	2	2	M	Fair	No visible defects	None	N/A	40+	C1	6.23	121.87
745		Sorbus aucuparia Rowan	220	1	8	2.0	2.0	2.0	2.0	1	2.5	M	Good	Tight fork and included bark	None	N/A	10-20	C1	2.64	21.90
746		Prunus Flowering Cherry	308	1	7	3.0	2.0	2.0	4.0	2	2	M	Fair	Weak fork @ 2.5 m	None	N/A	10-20	C1	3.70	42.92
748		Sorbus aucuparia Rowan	236	1	7	2.0	2.0	2.0	1.5	0.5	2	M	Good	No visible defects	None	N/A	10-20	C1	2.83	25.20
754		Prunus Flowering Cherry	302	1	5	3.5	3.5	3.5	2.0	2	2	M	Fair	Tight fork included bark	None	N/A	20-40	C1	3.62	41.27
755		Acer pseudoplatanus Sycamore	148	1	5	2.0	2.0	2.0	2.0	4	1.5	SM	Good	Small basal cavity	None	N/A	40+	C1	1.78	9.91
756		Robinia pseudoacacia False acacia	203	1	4	2.0	2.0	2.0	2.0	3	2	SM	Fair	Minor dead wood	Crown clean	P	40+	C1	2.44	18.64
759		Acer pseudoplatanus Sycamore	124	1	5	2.0	2.0	2.0	2.0	6	2	SM	Good	No visible defects	None	N/A	40+	C1	1.49	6.96
760		Salix caprea Goat willow	507	MS	6	3.0	5.0	3.0	3.0	2	2	M	Good	Minor cavity (W)	None	N/A	20-40	C1	5.07	80.76
761		Fraxinus excelsior Ash	125	1	5	2.0	2.0	2.0	2.0	4	2	SM	Good	No visible defects	None	N/A	40+	C1	1.50	7.07
762		Fraxinus excelsior Ash	129	1	4	1.0	1.0	1.0	1.0	4	2	SM	Good	No visible defects	None	N/A	40+	C1	1.55	7.53
763		Juglans regia Walnut	112	1	5	2.0	2.0	2.0	2.0	3	1.5	SM	Good	No visible defects	None	N/A	40+	C1	1.34	5.68
771		Betula alba Silver birch	160	1	5	2.0	2.0	2.0	2.0	3	0.5	SM	Good	No visible defects	None	N/A	20-40	C1	1.60	11.58
773		Cupressocyparis leylandii Leyland cypress	368	1	7	2.0	2.0	2.0	2.0	1	0	SM	Good	No visible defects	None	N/A	40+	C1	3.78	61.27
775		Prunus Flowering Cherry	319	1	6	3.0	3.0	4.0	3.0	2	2	M	Good	No visible defects	None	N/A	20-40	C1	5.44	46.04
781		Fraxinus excelsior Ash	133	1	5	2.0	2.0	2.0	2.0	3	2	M	Good	No visible defects	None	N/A	40+	C1	2.78	8.00
784		Acer pseudoplatanus Sycamore	315	1	8	3.5	3.5	3.5	3.5	3	2	M	Good	No visible defects	None	N/A	40+	C1	1.45	44.89
787		Alnus cordata Italian alder	544	MS	8	3.0	4.0	5.0	4.0	2	2	M	Good	Tight forks/included bark at base	None	N/A	20-40	C1	1.46	92.98
792		Juglans regia Walnut	232	1	9	4.0	4.0	4.0	4.0	3	2	M	Good	Old basal cavity/wound	None	N/A	40+	C1	1.46	24.35
795		Sorbus aucuparia Rowan	121	1	5	1.0	1.0	1.0	1.0	0.5	2	M	Fair	Basal wounds	None	N/A	10-20	C1	1.48	6.62
796		Sorbus aucuparia Rowan	122	1	5	1.0	1.0	1.0	1.0	0.5	2	M	Good	Stem lean (N), basal wounds	None	N/A	10-20	C1	5.13	6.73
797		Sorbus aucuparia Rowan	122	1	5	1.0	1.0	1.0	1.0	0.5	2	M	Good	Basal wounds	None	N/A	10-20	C1	3.24	6.73
798		Sorbus aucuparia Rowan	123	1	5	1.0	1.0	1.0	1.0	0.5	2	M	Good	Basal wounds	None	N/A	10-20	C1	3.40	6.85
801		Alnus incana Grey alder	513	MS	8	3.0	3.0	3.0	3.0	2	1	M	Fair	Tight forks included bark	None	N/A	20-40	C1	6.46	82.69
804		Acer pseudoplatanus Sycamore	324	MS	8	2.0	3.0	3.0	3.0	3	3	M	Good	Included bark bark	None	N/A	40+	C1	5.56	32.98
808		Acer platanoides Norway maple	283	1	7	4.0	4.0	4.0	4.0	3	2	M	Good	Tight forks included bark	None	N/A	40+	C1	2.76	36.24
810		Acer pseudoplatanus Sycamore	538	1	10	5.0	5.0	5.0	5.0	1	3	M	Fair	Major stem wounds	None	N/A	20-40	C1	2.88	130.96

**TOTAL CATEGORY C TREES Heyford Park Nicholson's Tree Survey November 2006**

Group No	Tag	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physiological Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
						N	S	E	W											
812		Acer pseudoplatanus Sycamore	463	1	7	5.0	5.0	5.0	5.0	2	3	M	Fair	No visible defects	None	N/A	40+	C1	6.54	96.99
814		Cotoneaster	230	1	6	3.0	2.0	3.0	3.0	1	2	M	Good	Included bark to large branch (south)	Remove included bark branch	P	<10	C1	6.98	23.93
819		Sorbus aria Whitebeam	240	1	5	2.0	1.0	2.0	1.0	2	2	M	Fair	Included bark to main fork	Nil	N/A	10-20	C1	2.64	26.06
822		Sorbus aria Whitebeam	545	1	9	4.0	4.0	3.0	4.0	0	2	M	Fair	Old wounds and rot pocket to spring of crown (decay?)	Nil	N/A	10-20	C1	3.44	134.39
823		Sorbus aria Whitebeam	582	1	11	4.0	4.0	3.0	4.0	0	2	M	Fair	No visible defects	Nil	N/A	10-20	C1	6.82	153.25
827		Carpinus betulus Hornbeam (fastigata)	264	MS	10	3.0	3.0	3.0	3.0	2	3	M	Good	Included bark at spring of crown at 1.5 m	Nil	N/A	20-40	C1	2.88	21.90
828		Acer platanoides Norway maple	287	1	15	4.0	1.0	3.0	3.0	3	2	M	Good	Included bark at 2 m height	Nil	N/A	20-40	C1	4.54	37.27
835		Prunus Flowering Cherry	568	1	8	4.0	4.0	5.0	4.0	1	2	M	Fair	No visible defects	Nil	N/A	10-20	C1	6.82	145.97
836		Acer platanoides Norway maple	240	1	9	4.0	4.0	3.0	4.0	1	3	M	Fair	Mower damage to base of stem	Nil	N/A	20-40	C1	2.88	26.06
837		Acer platanoides Norway maple	378	1	9	5.0	4.0	5.0	4.0	1	2	M	Good	Included bark to main stem forks	Nil	N/A	20-40	C1	4.54	64.65
856		Cupressocyparis leylandii Leyland cypress	553	1	16	3.0	3.0	2.0	3.0	2	4	M	Good	Included bark to main fork	Nil	N/A	10-20	C1	6.64	138.36
868		Fraxinus excelsior Ash	152	1	6	2.0	2.0	2.0	2.0	3	2	SM	Good	No visible defects	None	N/A	40+	C1	3.66	10.45
869		Fraxinus excelsior Ash	152	1	5.5	3.0	3.0	3.0	3.0	3	2	SM	Good	No visible defects	None	N/A	40+	C1	4.60	10.45
870		Fraxinus excelsior Ash	150	1	6	2.0	2.0	2.0	2.0	3	2	SM	Good	No visible defects	None	N/A	40+	C1	2.21	10.18
876		Crataegus monogyna Hawthorn	366	MS	5	1.0	2.5	2.5	2.5	0.5	1	M	Fair	No visible defects	None	N/A	40+	C1	3.66	42.09
877		Prunus Flowering Cherry	383	1	6	1.0	2.0	1.5	2.0	2	3	M	Good	No visible defects	None	N/A	20-40	C1	3.90	66.37
879		Prunus Flowering Cherry	184	1	5	2.0	2.0	2.0	2.0	2	2	M	Good	No visible defects	None	N/A	20-40	C1	3.64	15.32
880		Prunus Flowering Cherry	320	1	8	4.0	4.0	4.0	4.0	2	2	M	Good	No visible defects	None	N/A	20-40	C1	1.76	46.33
881		Prunus Flowering Cherry	325	1	8	4.0	4.0	4.0	4.0	2	2.5	M	Good	Ntight forks included bark	None	N/A	20-40	C1	2.64	47.79
888		Chamaecyparis lawsoniana Lawsons cypress	364	MS	5	0.5	0.5	0.5	0.5	1	0	M	Good	No visible defects	None	N/A	20-40	C1	3.64	41.63
891		Juglans regia Walnut	147	1	5	2.0	2.0	2.0	3.0	3	1	SM	Good	No visible defects	None	N/A	40+	C1	2.62	9.78
894		Prunus Flowering Cherry	220	1	5	2.0	2.0	2.0	2.0	3	1.5	SM	Fair	No visible defects	None	N/A	20-40	C1	2.64	21.90
904		Prunus cerasifera Myrobalan Plum	315	MS	5	3.0	3.0	3.0	3.0	1	1.5	M	Fair	Basal sucker, stubs and dead wood	Crown clean	P	20-40	C1	3.15	31.18
906		Alnus cordata Italian alder	218	1	8	2.0	2.0	2.5	2.0	1	1.5	SM	Fair	No visible defects	None	N/A	20-40	C1	2.62	21.50
908		Robinia pseudoacacia False acacia	152	1	5	1.0	2.0	1.0	2.0	4	2.5	SM	Good	No visible defects	None	N/A	40+	C1	1.82	10.45
914		Prunus Atropurpurea Pissards Plum	158	1	4	2.0	1.0	2.0	2.0	1.5	1	SM	Fair	No visible defects	None	N/A	20-40	C1	1.90	11.29
917		Prunus Flowering Cherry	393	1	5	2.0	2.0	2.0	2.0	2	2	SM	Good	No visible defects	None	N/A	20-40	C1	4.72	69.88
920		Juglans regia Walnut	228	1	6	2.0	2.0	2.0	2.0	3	2	SM	Fair	Festooned in creeper	Crown clean	P	40+	C1	2.74	23.52
931		Acer pseudoplatanus Sycamore	386	1	9	4.0	4.0	4.0	4.0	3	2.5	M	Good	No visible defects	None	N/A	40+	C1	4.63	67.41
932		Sorbus aucuparia Rowan	115	1	4	1.5	1.5	0.0	2.0	2	2	M	Fair	No visible defects	None	N/A	10-20	C1	1.38	5.98
2001		Robinia pseudoacacia False acacia	180	1	9	2.0	4.0	3.0	4.0	2	4	M	Fair	Average condition	Nil	N/A	20-40	C1	2.16	14.66
2010		Fagus sylvatica Beech	81	1	6	1.0	1.0	1.0	1.0	8	1.5	SM	Fair	Average condition	Nil	N/A	40+	C1	0.97	2.97
2043		Juglans regia Walnut	94	1	3	1.0	1.0	1.0	1.0	8	0	Y	Good	No visible defects, untagged	None	N/A	40+	C1	1.13	4.00
2044		Betula utilis Himalayan birch	110	1	6	1.0	1.0	1.0	1.0	3	2	Y	Good	No visible defects, untagged	Remove stake	P	40+	C1	1.32	5.47
2045		Eucalyptus gunni Eucalyptus	148	1	9	1.0	1.0	1.0	1.0	5	3	SM	Good	No visible defects	None	N/A	40+	C1	1.78	9.91
2046		Eucalyptus gunni Eucalyptus	135	1	9	1.0	1.0	1.0	1.0	5	3	SM	Good	No visible defects	None	N/A	40+	C1	1.62	8.25
2050		Acer pseudoplatanus Sycamore	105	1	3	1.0	1.0	1.0	1.0	8	0.5	Y	Good	No visible defects	None	N/A	40+	C1	1.26	4.99
2051		Acer pseudoplatanus Sycamore	77	1	5	2.0	2.0	2.0	2.0	6	1	Y	Good	No visible defects	None	N/A	40+	C1	0.92	2.68
2052		Acer pseudoplatanus Sycamore	159	1	5	2.0	2.0	2.0	2.0	6	1	Y	Good	No visible defects	None	N/A	40+	C1	1.91	11.44
2054		Fraxinus excelsior Ash	84	1	3	1.0	1.0	1.0	1.0	8	0.5	Y	Good	No visible defects	None	N/A	40+	C1	1.01	3.19
2075		Aesculus hippocastanum Horse Chestnut	432	1	12	1.0	2.0	2.0	3.0	3	2	M	Fair	Old stem damage, occluded. Basal bleeding. Crown suppressed either side.	Nil	N/A	10-20	C1	5.18	84.44
2091		Acer pseudoplatanus Sycamore	101	1	4	1.0	1.0	1.0	1.0	6	2	Y	Good	In raised bed, transplant ?	Nil	N/A	10-20	C1	1.21	4.62
2100		Crataegus monogyna Hawthorn	201	MS	4	2.0	2.0	2.0	2.0	2	1	M	Good	Damage, decay to main stem.	Nil	N/A	10-20	C1	2.01	12.69
2101		Crataegus monogyna Hawthorn	181	1	4	2.0	1.0	2.0	1.0	2	1	M	Good	Damage, decay to main stem	Nil	N/A	10-20	C1	2.17	14.82
2102		Crataegus monogyna Hawthorn	215	1	4	2.0	2.0	2.0	2.0	2	2	M	Good	Damage, decay to main stem	Nil	N/A	10-20	C1	2.58	20.91
2108		Crataegus monogyna Hawthorn	182	MS	6	1.0	2.0	2.0	2.0	2	2	M	Good	Damage, decay to main stem	Nil	N/A	10-20	C1	1.82	10.41
2109		Crataegus monogyna Hawthorn	152	MS	5	1.0	2.0	2.0	1.0	1	2	M	Fair	No visible defects	Nil	N/A	10-20	C1	1.52	7.26
2113		Crataegus monogyna Hawthorn	158	MS	5	1.0	1.0	2.0	0.0	2	2	M	Fair	Damage, decay to main stem	Nil	N/A	10-20	C1	1.58	7.84
2114		Crataegus monogyna Hawthorn	136	MS	4	2.0	1.0	2.0	2.0	2	1	M	Fair	Damage, decay to main stem	Nil	N/A	10-20	C1	1.36	5.81
2115		Crataegus monogyna Hawthorn	180	MS	4	2.0	2.0	2.0	2.0	2	0	M	Good	No visible defects	Nil	N/A	10-20	C1	1.80	10.18
2116		Crataegus monogyna Hawthorn	204	MS	5	2.0	2.0	2.0	2.0	2	2	M	Good	Damage, decay to main stem	Nil	N/A	10-20	C1	2.04	13.08
2118		Crataegus monogyna Hawthorn	193	MS	4	1.0	1.0	1.0	1.0	2	1	M	Good	Damage, decay to main stem	Nil	N/A	10-20	C1	1.93	11.70
2119		Crataegus monogyna Hawthorn	181	MS	4	1.0	1.0	1.0	1.0	2	0	M	Fair	No visible defects	Nil	N/A	10-20	C1	1.81	10.29
2120		Betula alba Silver birch	227	1	10	2.0	2.0	2.0	2.0	1	3	M	Fair	Leaning to north	Nil	N/A	10-20	C1	2.72	23.31
2149		Sorbus aria Whitebeam	263	1	7	2.0	2.0	2.0	2.0	1	2	M	Good	Severe lean to north	Nil	N/A	20-40	C1	3.16	31.30
2150		Sorbus aria Whitebeam	244	1	6	2.0	2.0	2.0	2.0	1	2	M	Good	Severe lean to east	Nil	N/A	20-40	C1	2.93	26.94
2151		Sorbus aria Whitebeam	258	1	6	2.0	2.0	2.0	2.0	1	2	M	Good	Severe lean to east	Nil	N/A	20-40	C1	3.10	30.12
2152		Sorbus aria Whitebeam	197	1	5	2.0	2.0	2.0	2.0	1	2	M	Good	Severe lean to east	Nil	N/A	20-40	C1	2.36	17.56
2175		Prunus avium plena Cherry	101	1	5	1.0	1.0	1.0	1.0	4	2	SM	Good	No visible defects	Nil	N/A	20-40	C1	1.21	4.62
2176		Prunus avium plena Cherry	92	1	5	1.0	1.0	1.0	1.0	4	2	SM	Good	No visible defects	Nil	N/A	20-40	C1	1.10	3.83
2177		Prunus avium plena Cherry	75	1	5	1.0	1.0	1.0	1.0	4	2	SM	Good	No visible defects	Nil	N/A	20-40	C1	0.90	2.55
2178		Prunus avium plena Cherry	87	1	4.5	1.0	2.0	2.0	2.0	3	2	Y	Good	No visible defects	Nil	N/A	20-40	C1	1.04	3.42

**TOTAL CATEGORY C TREES Heyford Park Nicholson's Tree Survey November 2006**

Group No	Tag	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physiological Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
						N	S	E	W											
2179		Prunus avium plena Cherry	106	1	5	2.0	2.0	2.0	2.0	3	2	Y	Good	No visible defects	Nil	N/A	20-40	C1	1.27	5.08
2180		Prunus avium plena Cherry	88	1	5	2.0	2.0	2.0	2.0	3	2	Y	Good	No visible defects	Nil	N/A	20-40	C1	1.06	3.50
2182		Sorbus aucuparia Rowan	151	1	5	2.0	2.0	2.0	2.0	0.5	2.5	M	Good	No visible defects	Nil	N/A	10-20	C1	1.81	10.32
2183		Sorbus aucuparia Rowan	161	1	5	2.0	2.0	2.0	2.0	0.5	2.5	M	Good	No visible defects	Nil	N/A	10-20	C1	1.93	11.73
2204		Salix caprea Goat willow	566	MS	6	5.0	5.0	4.0	4.0	2	2	M	Good	Tight fork/included bark	Nil	N/A	20-40	C1	5.66	100.66
2205		Cupressocyparis leylandii Leyland cypress	236	MS	4.5	0.5	0.5	0.5	0.5	1	0	M	Fair	No visible defects	Nil	N/A	20-40	C1	2.36	17.50
2206		Cupressocyparis leylandii Leyland cypress	225	MS	4.5	0.5	0.5	0.5	0.5	1	0	M	Fair	No visible defects	Nil	N/A	20-40	C1	2.25	15.91
2209		Salix fragilis Willow	451	1	13	3.0	3.0	3.0	3.0	3	0	M	Fair	No visible defects(ivy covered)	Nil	N/A	20-40	C1	5.41	92.03
2210		Pinus wallichiana Bhutan pine	255	MS	6	2.0	2.0	2.0	2.0	2	0	M	Good	Thin stems at 0.3 m	Fell as thinning operation	P	10-20	C1	2.55	20.43
2215		Chamaecyparis lawsoniana Lawsons cypress	758	MS	5	1.5	1.5	1.5	1.5	0	0	M	Fair	Loosing columner form	Nil	N/A	10-20	C1	7.58	180.53
2218		Chamaecyparis lawsoniana Lawsons cypress	254	1	5	1.0	2.0	2.0	2.0	1	0	M	Good	No visible defects	Nil	N/A	20-40	C1	3.05	29.19
2219		Chamaecyparis lawsoniana Lawsons cypress	520	1	5	1.0	1.0	1.5	1.5	1	0	M	Good	No visible defects	Nil	N/A	20-40	C1	6.24	122.34
2220		Chamaecyparis lawsoniana Lawsons cypress	725	1	5	1.0	1.5	1.0	1.0	1	0	M	Good	No visible defects	Nil	N/A	20-40	C1	8.70	237.82
2222		Cupressocyparis leylandii Leyland cypress	390	1	16	2.0	3.0	2.0	2.5	1	2	M	Good	No visible defects	Nil	N/A	40+	C1	4.68	68.82
2223		Cupressocyparis leylandii Leyland cypress	390	1	16	2.0	2.0	2.0	2.0	1	2	M	Good	No visible defects	Nil	N/A	40+	C1	4.68	68.82
2227		Malus domestica Apple	80	1	3.5	1.5	1.5	1.0	1.0	2	1	M	Good	No visible defects	Nil	N/A	10-20	C1	0.96	2.90
2228		Acer saccharinum Silver maple	154	1	4	2.0	2.0	2.0	2.0	2	3	M	Fair	No visible defects	Nil	N/A	10-20	C1	1.85	10.73
2229		Acer saccharinum Silver maple	168	1	6	3.0	2.0	3.0	2.0	2	2.5	M	Good	No visible defects	Nil	N/A	20-40	C1	2.02	12.77
2230		Crataegus monogyna Hawthorn	45	1	3	0.5	1.0	1.0	0.5	4	1.5	SM	Fair	No visible defects	Nil	N/A	20-40	C1	0.54	0.92
2231		Prunus Flowering Cherry	52	MS	6	2.0	2.0	2.0	0.5	2	2	M	Good	No visible defects	Nil	N/A	10-20	C1	0.52	0.85
2239		Cupressocyparis leylandii Leyland cypress	122	MS	7	2.0	2.0	3.0	2.0	2	0	M	Fair	No visible defects	Nil	N/A	20-40	C1	1.22	4.68
2240		Cupressocyparis leylandii Leyland cypress	210	1	8	2.0	2.0	1.5	2.0	2	0	M	Good	No visible defects	Nil	N/A	20-40	C1	2.52	19.95
2248		Eucalyptus gunni Eucalyptus	96	1	4	1.0	1.0	1.0	1.0	6	0.5	Y	Good	No visible defects	Nil	N/A	40+	C1	1.15	4.17
2250		Chamaecyparis lawsoniana Lawsons cypress	176	MS	3	0.5	0.0	0.5	0.5	0.5	0	SM	Fair	No visible defects	Nil	N/A	20-40	C1	1.76	9.73
2251		Chamaecyparis lawsoniana Lawsons cypress	153	1	3	0.5	0.0	0.5	0.5	0.5	0	SM	Fair	No visible defects	Nil	N/A	20-40	C1	1.84	10.59
2252		Chamaecyparis lawsoniana Lawsons cypress	197	1	3	0.5	0.0	0.5	0.5	0.5	0	SM	Fair	No visible defects	Nil	N/A	20-40	C1	2.36	17.56
2253		Sorbus aucuparia Rowan	130	1	5	2.0	2.0	2.0	2.0	1	2	SM	Fair	No visible defects	Nil	N/A	10-20	C1	1.56	7.65
2254		Alnus cordata Italian alder	427	MS	8	5.0	3.0	4.0	3.0	3	2	M	Good	Included bark, tight forks at 0.25	Nil	N/A	10-20	C1	4.27	57.29
2257		Juniperus communis Juniper	244	MS	3.5	1.0	1.0	1.0	1.0	1	0	M	Fair	No visible defects	Nil	N/A	10-20	C1	2.44	18.71
2258		Pinus sylvestris Scots pine	334	1	7	2.0	2.0	2.0	2.0	2	4	M	Fair	Poor previous pruning	Nil	N/A	20-40	C1	4.01	50.47
2259		Rhus typhina Sumach	251	MS	2	1.0	3.0	4.0	0.0	1	1	M	Fair	No visible defects	Nil	N/A	10-20	C1	2.51	19.79
2267		Acer pseudoplatanus Sycamore	155	MS	6	2.0	2.0	2.0	1.0	3	1	Y	Good	Growing in ornamental bed, else No visible defects	Nil	N/A	10-20	C1	1.55	7.55
2268		Pyrus communis Common Pear	84	1	6	1.0	1.0	1.0	1.0	2	2	Y	Good	Growing very close to foundations, transplant ?	Nil	N/A	10-20	C1	1.01	3.19
2277		Sorbus aria Whitebeam	384	1	10	4.0	4.0	3.0	4.0	1	2	M	Good	Included bark to main forks	Nil	N/A	10-20	C1	4.61	66.72
2281		Salix fragilis Willow	154	MS	4	2.0	2.0	2.0	2.0	5	0	Y	Good	No visible defects	None	N/A	40+	C1	1.54	7.45
2282		Cupressocyparis leylandii Leyland cypress	305	1	8	2.0	2.0	2.0	2.0	1	1	M	Fair	Included bark in main fork	Nil	N/A	10-20	C1	3.66	42.09
2284		Crataegus monogyna Hawthorn	118	1	5	2.0	2.0	2.0	2.0	2	3	M	Fair	No visible defects	Nil	N/A	20-40	C1	1.42	6.30
2285		Crataegus monogyna Hawthorn	94	1	5	2.0	2.0	2.0	2.0	2	3	M	Fair	No visible defects	Nil	N/A	20-40	C1	1.13	4.00
2286		Crataegus monogyna Hawthorn	132	1	6	2.0	2.0	1.0	3.0	2	3	M	Good	No visible defects	Nil	N/A	20-40	C1	1.58	7.88
2296		Malus domestica Apple	129	1	6	2.0	2.0	2.0	2.0	2	3	SM	Good	No visible defects	None	N/A	20-40	C1	1.55	7.53
2297		Malus domestica Apple	131	1	6	2.0	2.0	2.0	2.0	1	3	SM	Good	No visible defects	None	N/A	20-40	C1	1.57	7.76
2298		Chamaecyparis lawsoniana Lawsons cypress	146	MS	3	0.5	0.5	0.5	0.5	0.5	0	SM	Good	No visible defects	None	N/A	20-40	C1	1.46	6.70
2299		Chamaecyparis lawsoniana Lawsons cypress	146	MS	3	0.5	0.5	0.5	0.5	0.5	0	SM	Good	No visible defects	None	N/A	20-40	C1	1.46	6.70
2300		Chamaecyparis lawsoniana Lawsons cypress	424	MS	4	0.5	0.5	0.5	0.5	0.5	0	M	Good	No visible defects	None	N/A	10-20	C1	4.24	56.49
2301		Eucalyptus gunni Eucalyptus	120	1	7	2.0	2.0	2.0	2.0	4	2	SM	Poor	Stem tie constriction No tag	Remove stake and tie	P	20-40	C1	1.44	6.52
2302		Eucalyptus gunni Eucalyptus	93	1	6	1.0	1.0	1.0	1.0	4	0.5	Y	Good	No visible defects	None	N/A	20-40	C1	1.12	3.91
2303		Cedrus deodara Deodara	94	1	5	1.0	1.0	1.0	1.0	3	0	Y	Good	No visible defects	None	N/A	40+	C1	1.13	4.00



**TOTAL CATEGORY C TREES Heyford Park Nicholson's Tree Survey November 2006**

Group No	Tag	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physiological Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
						N	S	E	W											
	2304	Prunus Atropurpurea Pissards Plum	106	1	4	1.5	1.5	1.5	1.5	2	0.5	M	Good	No visible defects	None	N/A	40+	C1	1.27	5.08
	2308	Acer pseudoplatanus Sycamore	370	1	7	4.0	3.0	3.0	3.0	3	2	M	Good	Previous poor pruning practice	Crown clean	P	10-20	C1	4.44	61.94
	2309	Salix caprea Goat willow	136	1	5	2.0	2.0	2.0	2.0	3	1	M	Fair	No visible defects	None	N/A	10-20	C1	1.63	8.37
	2310	Salix babalonica Var perkinensis Tortuensa Corkscrew willow	118	MS	4	0.0	1.0	1.0	1.0	3	0.5	SM	Good	Very close to building	None	N/A	20-40	C1	1.18	4.37
	2311	Eucalyptus gunni Eucalyptus	107	1	7	1.5	1.5	1.5	0.5	4	0.5	Y	Fair	No visible defects	None	N/A	40+	C1	1.28	5.18
	2312	Eucalyptus gunni Eucalyptus	130	1	6	2.0	2.0	2.0	3.0	3	0	Y	Good	Pollarded at 2.4 m	None	N/A	20-40	C1	1.56	7.65
G2	4011	Thuja plicata Westen Red Cedar	303	MS	8	2.5	1.0	1.0	1.0	1	n/a	M	Fair	Average condition	Nil	N/A	20-40	C1	3.03	28.85
G2	4012	Thuja plicata Westen Red Cedar	187	1	10	1.0	1.0	1.0	1.0	1	n/a	M	Fair	Average condition	Nil	N/A	20-40	C1	2.24	15.82
G2	4013	Thuja plicata Westen Red Cedar	256	1	10	2.0	2.0	2.0	2.0	1	n/a	M	Poor	Average condition	Nil	N/A	10-20	C1	3.07	29.65
G2	4014	Thuja plicata Westen Red Cedar	354	1	16	2.0	2.0	2.0	2.0	1	n/a	M	Fair	Average condition	Nil	N/A	20-40	C1	4.25	56.70
G2	4015	Thuja plicata Westen Red Cedar	521	MS	16	2.0	2.0	2.0	2.0	1	n/a	M	Fair	Av top 6m dead	Remove dead section	P	10-20	C1	5.21	85.29
G2	4016	Thuja plicata Westen Red Cedar	441	1	16	2.0	2.0	3.0	2.0	1	n/a	M	Fair	Average condition	Nil	N/A	20-40	C1	5.29	87.99
G2	4017	Thuja plicata Westen Red Cedar	471	MS	16	2.0	2.0	2.0	2.0	1	n/a	M	Fair	Average condition	Nil	N/A	20-40	C1	4.71	69.70
G2	4018	Thuja plicata Westen Red Cedar	212	1	10	2.0	2.0	2.0	2.0	1	n/a	M	Fair	Average condition	Nil	N/A	10-20	C1	2.54	20.33
G2	4019	Thuja plicata Westen Red Cedar	699	MS	17	3.0	2.0	2.0	3.0	1	n/a	M	Fair	Average condition	Nil	N/A	20-40	C1	6.99	153.52
G2	4020	Thuja plicata Westen Red Cedar	353	1	15	2.0	2.0	2.0	2.0	1	n/a	M	Fair	Average condition	Nil	N/A	20-40	C1	4.24	56.38
G2	4021	Thuja plicata Westen Red Cedar	240	1	10	1.0	2.0	1.0	2.0	1	n/a	M	Fair	Average condition	Nil	N/A	20-40	C1	2.88	26.06
G2	4022	Thuja plicata Westen Red Cedar	415	1	17	1.0	2.0	2.0	2.0	1	n/a	M	Fair	Average condition	Nil	N/A	20-40	C1	4.98	77.92
G2	4023	Thuja plicata Westen Red Cedar	271	1	9	2.0	2.0	1.0	4.0	1	2	M	Fair	Average condition	Nil	N/A	10-20	C1	3.25	33.23
G2	4024	Thuja plicata Westen Red Cedar	394	MS	9	2.0	2.0	2.0	2.0	1	n/a	M	Fair	Average condition	Nil	N/A	10-20	C1	3.94	48.78
G2	4025	Thuja plicata Westen Red Cedar	273	1	14	2.0	2.0	2.0	2.0	1	n/a	M	Fair	Average condition	Nil	N/A	20-40	C1	3.28	33.72
G4	4048	Conifer	364	MS	5	0.5	0.5	0.5	0.5	0	n/a	M	Fair	Average condition	Nil	N/A	20-40	C1	3.64	41.63
G4	4049	Conifer	591	MS	6	1.0	1.0	1.0	1.0	0	n/a	M	Fair	Average condition	Nil	N/A	20-40	C1	5.91	109.74
G4	4050	Conifer	568	MS	7	1.0	1.0	1.0	1.0	0	n/a	M	Fair	Average condition	Nil	N/A	20-40	C1	5.68	101.37
G4	4051	Conifer	640	MS	6	1.0	1.0	1.0	1.0	0	n/a	M	Fair	Av spreading stems	Nil	N/A	10-20	C1	6.40	128.70
G5	4055	Betula alba Silver birch	282	1	11	2.0	3.0	2.0	2.0	1	3	M	Poor	Average condition	Nil	N/A	10-20	C1	3.38	35.98
G8	4073	Acer platanoides Norway maple	160	1	9	3.0	3.0	3.0	1.0	5	3	M	Good	Average condition	Nil	N/A	40+	C1	1.92	11.58
G8	4074	Acer platanoides Norway maple	153	1	9	3.0	3.0	3.0	1.0	5	3	M	Good	Average condition	Nil	N/A	40+	C1	1.84	10.59
G8	4075	Acer platanoides Norway maple	143	1	7	3.0	2.0	3.0	3.0	5	2	M	Fair	Average condition	Nil	N/A	40+	C1	1.72	9.25
G8	4077	Acer platanoides Norway maple (Purple)	148	1	8	2.0	3.0	2.0	3.0	5	3	M	Fair	Average condition	Nil	N/A	40+	C1	1.78	9.91
G8	4078	Acer platanoides Norway maple (Drummondii)	154	1	8	2.0	3.0	3.0	3.0	3	4	M	Fair	Split limb in upper crown and reverting	Nil	N/A	10-20	C1	1.85	10.73
G10	4086	Acer platanoides Norway maple	169	1	8	2.0	2.0	3.0	2.0	4	3	M	Good	Average condition	Nil	N/A	40+	C1	2.03	12.92
G10	4087	Acer platanoides Norway maple	149	1	7	2.0	2.0	2.0	2.0	4	4	M	Good	Average condition	Nil	N/A	40+	C1	1.79	10.04
G10	4088	Acer platanoides Norway maple	166	1	8	2.0	2.0	2.0	2.0	4	3	M	Good	Average condition	Nil	N/A	40+	C1	1.99	12.47
G10	4089	Acer platanoides Norway maple	219	1	8	2.5	3.0	3.0	3.0	4	3	M	Good	Gone	Nil	N/A	40+	C1	2.63	21.70
G12	4094	Chamaecyparis lawsoniana lawsons cypress	230	MS	4	1.0	1.0	1.0	1.0	0	n/a	M	Good	Average condition	Nil	N/A	20-40	C1	2.30	16.62
G12	4095	Chamaecyparis lawsoniana lawsons cypress	244	MS	5	1.0	1.0	1.0	1.0	0	n/a	M	Good	Average condition	Nil	N/A	20-40	C1	2.44	18.71
G12	4096	Chamaecyparis lawsoniana lawsons cypress	197	MS	5	1.0	1.0	1.0	1.0	0	n/a	M	Good	Average condition	Nil	N/A	20-40	C1	1.97	12.19
G12	4097	Chamaecyparis lawsoniana lawsons cypress	199	MS	5	1.0	1.0	1.0	1.0	0	n/a	M	Good	Average condition	Nil	N/A	20-40	C1	1.99	12.44
G13	4098	Chamaecyparis lawsoniana lawsons cypress	220	MS	4	1.0	1.0	1.0	1.0	0	n/a	M	Good	Average condition	Nil	N/A	20-40	C1	2.20	15.21
G13	4099	Chamaecyparis lawsoniana lawsons cypress	225	MS	5	1.0	1.0	1.0	1.0	0	n/a	M	Good	Average condition	Nil	N/A	20-40	C1	2.25	15.91
G13	4100	Chamaecyparis lawsoniana lawsons cypress	205	MS	5	1.0	1.0	1.0	1.0	0	n/a	M	Good	Average condition	Nil	N/A	20-40	C1	2.05	13.20
G14	4107	Pinus sylvestris Scots pine	291	1	15	1.0	1.0	4.0	0.0	1	10	M	Fair	Kinked stem at 10m end loaded	Nil	N/A	10-20	C1	3.49	38.31
G60	4765	Prunus laurocerasus Cherry Laurel	475	MS	3	2.0	2.0	2.0	2.0	3+	0	SM	Fair	No visible defects	None	N/A	10-20	C1	4.75	70.89
G63	4796	Fagus sylvatica Beech	575	1	16	4.0	4.0	5.0	5.0	2	2	M	Poor	Deadwood major ganaderma at base	Fell to ground level	P	<10	C1	6.90	149.59
G72	4882	Acer platanoides Norway maple	462	1	13	3.0	4.0	4.0	4.0	3	3	M	Fair	Patches of crown die back and coccus growth (declining ?)	Nil	N/A	10-20	C1	5.54	96.57
G73	4883	Betula alba Silver birch	416	1	14	4.0	4.0	3.0	1.0	0	2	M	Fair	No visible defects	Nil	N/A	<10	C1	4.99	78.30
G73	4888	Betula alba Silver birch	277	1	14	1.0	4.0	2.0	1.0	0	2	M	Fair	No visible defects	Nil	N/A	<10	C1	3.32	34.72
G73	4891	Betula alba Silver birch	267	1	12	4.0	3.0	2.0	1.0	0	2	M	Fair	Occluded wound on main stem (decay ?) crown off centre	Nil	N/A	<10	C1	3.20	32.25
G73	4892	Betula alba Silver birch	362	1	13	5.0	3.0	3.0	5.0	0	3	M	Fair	No visible defects	Nil	N/A	<10	C1	4.34	59.29
G73	4895	Betula alba Silver birch	292	1	12	4.0	3.0	2.0	3.0	0	1.5	M	Poor	No visible defects	Nil	N/A	10-20	C1	3.50	38.58
G73	4899	Betula alba Silver birch	357	1	14	4.0	4.0	3.0	3.0	0	2	M	Fair	No visible defects	Nil	N/A	10-20	C1	4.28	57.66
G74	4903	Aesculus hippocastanum Horse chestnut	635	1	15	4.0	4.0	4.0	3.0	3	2	M	Good	Included bark in main stem at 1.5 m ht	Nil	N/A	<10	C1	7.62	182.44
G74	4905	Acer platanoides Norway maple	456	1	14	4.0	4.0	3.0	3.0	3	3	M	Good	Significant rot pocket to main stem at 1.5 m ht	Nil	N/A	10-20	C1	5.47	94.08

**TOTAL CATEGORY C TREES Heyford Park Nicholson's Tree Survey November 2006**

Group No	Tag	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physiological Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
						N	S	E	W											
G77	4920	Aesculus hippocastanum Horse chestnut	333	1	13	3.0	3.0	4.0	3.0	3	2	M	Good	Large wound to base of one main stem, serious	Nil	N/A	<10	C1	4.00	50.17
G79	4929	Tilia europaea Common Lime	549	MS	15	2.0	4.0	4.0	5.0	2	3	M	Fair	Included bark to fork at ground level, foliage poor	Nil	N/A	20-40	C1	5.49	94.70
G80	4940	Acer pseudoplatanus Sycamore	450	1	14	5.0	4.0	5.0	4.0	1	2	M	Good	Wet rot pocket to main stem. Decay in main fork union	Nil	N/A	10-20	C1	5.40	91.62
G80	4941	Acer pseudoplatanus Sycamore	562	MS	14	4.0	5.0	3.0	3.0	1	4	M	Good	Included bark and probable deep rot pocket to main fork at 2 m ht	Investigate extent of decay in main stem	U	<10	C1	5.62	99.24
G80	4943	Betula alba Silver birch	307	1	14	0.0	4.0	3.0	4.0	0	5	M	Fair	Unbalanced crown	Nil	N/A	<10	C1	3.68	42.64
G80	4952	Lilac	198	MS	4	3.0	3.0	3.0	3.0	0	1	M	Good	Damage, decay to main branches	Nil	N/A	<10	C1	1.98	12.32
G80	4956	Laburnum anagyroides Common laburnum	372	MS	14	4.0	2.0	4.0	4.0	0	3	M	Good	Leaning. Rot pocket in main fork	Nil	N/A	<10	C1	3.72	43.48
G82	4980	Prunus avium Cherry	376	1	9	4.0	5.0	4.0	4.0	0	3	M	Fair	Main limb encroaching on roof of wooden shed. Old pruning wounds and foliage thin	Remove old shed	P	<10	C1	4.51	63.97
G83	4982	Crataegus monogyna Hawthorn	205	1	4	1.0	2.0	2.0	2.0	2	3	M	Fair	Old damage, decay to main stem	Nil	N/A	<10	C1	2.46	19.01
G85	4997	Aesculus hippocastanum Horse chestnut	377	1	9	3.0	2.0	3.0	3.0	2	2	M	Fair	Advanced decay to old pruning wounds at 2 m ht	Nil	N/A	<10	C1	4.52	64.31
G86	5005	Aesculus hippocastanum Horse chestnut	579	1	12	3.0	4.0	5.0	7.0	2	2	M	Good	Included bark to upright co dominant stem	Nil	N/A	<10	C1	6.95	151.68
G86	5006	Aesculus hippocastanum Horse chestnut	692	1	12	3.0	5.0	5.0	4.0	2	2	M	Good	Included bark to main forks at 2 m height	Nil	N/A	<10	C1	8.30	216.66
G87	5008	Aesculus hippocastanum Horse chestnut	538	1	12	3.0	3.0	6.0	4.0	2	2	M	Good	Significant decay to old pruning wounds in main fork. Bark necrosis on stem	Nil	N/A	<10	C1	6.46	130.96
G91	5030	Crataegus monogyna Hawthorn	234	MS	4	3.0	3.0	2.0	1.0	2	2	M	Good	Damage, decay to main stem	Nil	N/A	10-20	C1	2.34	17.20
G91	5031	Crataegus monogyna Hawthorn	202	MS	4	1.0	1.0	1.0	1.0	2	2	M	Good	Damage, decay to main stem	Nil	N/A	10-20	C1	2.02	12.82
G91	5032	Crataegus monogyna Hawthorn	193	MS	4	1.0	1.0	1.0	0.0	2	2	M	Good	Damage, decay to main stem	Nil	N/A	10-20	C1	1.93	11.70
G91	5033	Crataegus monogyna Hawthorn	242	MS	5	2.0	2.0	1.0	2.0	2	2	M	Good	Damage, decay to main stem	Nil	N/A	10-20	C1	2.42	18.40
G95	5058	Sorbus intermedia Swedish Whitebeam	655	1	10	3.0	4.0	3.0	3.0	0	2.5	M	Fair	Major dead limb and wood, stem decays	Crown clean and reduce by 30%	P	10-20	C1	7.86	194.11
G95	5060	Sorbus intermedia Swedish Whitebeam	598	1	10	4.0	4.0	3.0	3.0	0	2	M	Fair	Minor dead wood	Crown clean	P	10-20	C1	7.18	161.80
G95	5061	Sorbus intermedia Swedish Whitebeam	677	1	10	4.0	5.0	4.0	4.0	0	2.5	M	Poor	Inonotus bracket, roadside damage limb	Crown reduce by 30%	P	10-20	C1	8.12	207.37
G98	5082	Fraxinus excelsior Ash	127	1	6	2.0	2.0	2.0	2.0	3	2.5	SM	Good	No visible defects	None	N/A	40+	C1	1.52	7.30
G98	5083	Fraxinus excelsior Ash	132	1	5	2.0	2.0	2.0	2.0	3	2.5	SM	Fair	Sparse foliage	None	N/A	40+	C1	1.58	7.88
G99	5084	Acer cappadocum Maple	91	1	3.5	1.5	1.5	1.5	1.5	1	2.5	SM	Fair	Basal bark wound	None	N/A	20-40	C1	1.09	3.75
G138	5341	Fraxinus excelsior Ash	75	1	4	1.0	1.0	1.0	1.0	4	1.5	Y	Good	No visible defects	None	N/A	40+	C1	0.90	2.55
G151	5373	Fraxinus excelsior Ash	95	1	5	1.0	2.0	2.0	1.0	2	2	SM	Fair	No visible defects	None	N/A	20-40	C1	1.14	4.08
G151	5375	Prunus avium plena Cherry	193	1	4	3.0	2.0	4.0	4.0	1	2	M	Fair	Basal suckers	None	N/A	10-20	C1	2.32	16.85
G151	5376	Alnus cordata Italian alder	260	1	9	3.0	3.0	3.0	3.0	2	2	M	Good	No visible defects	None	N/A	20-40	C1	3.12	30.59
G151	5377	Sorbus aucuparia Rowan	130	1	4.5	1.5	1.5	1.5	1.5	0.5	2.5	M	Good	No visible defects	None	N/A	10-20	C1	1.56	7.65
G151	5379	Prunus avium plena Cherry	75	1	5	1.0	1.0	1.0	1.0	3	2	SM	Good	No visible defects	None	N/A	20-40	C1	0.90	2.55
G151	5380	Alnus cordata Italian alder	113	1	6	1.0	1.0	1.0	1.0	3	0.5	SM	Good	No visible defects	None	N/A	20-40	C1	1.36	5.78
G151	5381	Alnus cordata Italian alder	201	1	7	2.5	2.5	3.0	3.0	2	1.5	M	Fair	Tight fork included bark	None	N/A	20-40	C1	2.41	18.28
G151	5384	Chamaecyparis lawsoniana Lawsons cypress	257	1	5	0.5	0.5	0.5	0.5	1	0.5	M	Good	No visible defects	None	N/A	20-40	C1	3.08	29.88
G152	5438	Cupressocyparis leylandii Leyland cypress	1414	MS	15	3.0	3.0	4.0	5.0	1	0	M	Fair	Bark stripping injury	None	N/A	40+	C1	14.14	628.21
G152	5439	Prunus avium plena Cherry	267	1	7	3.0	4.0	5.0	4.0	3	2	M	Good	No visible defects	None	N/A	20-40	C1	3.20	32.25
G152	5440	Prunus avium plena Cherry	243	1	5	5.0	5.0	5.0	5.0	2	2	M	Good	Tight forks included bark	None	N/A	20-40	C1	2.92	26.72
G152	5441	Prunus avium plena Cherry	242	1	6	4.0	4.0	4.0	5.0	3	2	M	Good	No visible defects	None	N/A	20-40	C1	2.90	26.50
G152	5442	Prunus avium plena Cherry	198	1	5	4.0	4.0	4.0	3.0	3	2	M	Fair	Tight forks	None	N/A	20-40	C1	2.38	17.74
G152	5443	Prunus avium plena Cherry	239	1	5	4.0	4.0	4.0	4.0	3	2	M	Good	No visible defects	None	N/A	20-40	C1	2.87	25.84
G152	5444	Prunus avium plena Cherry	319	1	6	5.0	5.0	5.0	5.0	3	2	M	Good	No visible defects	None	N/A	20-40	C1	3.83	46.04
G154	5451	Sorbus aucuparia Rowan	110	1	4	2.0	2.0	2.0	2.0	0.5	3	M	Fair	No visible defects	None	N/A	10-20	C1	1.32	5.47
G154	5452	Sorbus aucuparia Rowan	104	1	5	0.5	1.0	1.0	1.0	0.5	3	M	Fair	15o stem lean (SE)	None	N/A	10-20	C1	1.25	4.89
G154	5453	Sorbus aucuparia Rowan	77	1	4	0.5	1.5	0.5	0.5	0.5	3	M	Fair	No visible defects	None	N/A	10-20	C1	0.92	2.68
G154	5454	Sorbus aucuparia Rowan	94	1	4	1.0	1.0	1.0	1.0	0.5	2	M	Fair	Basal suckers	None	N/A	10-20	C1	1.13	4.00
G154	5455	Sorbus aucuparia Rowan	120	1	4.5	1.0	1.5	1.0	1.0	0.5	3	M	Poor	No visible defects	None	N/A	10-20	C1	1.44	6.52
G154	5456	Sorbus aucuparia Rowan	115	1	5	1.0	1.0	1.0	1.0	0.5	3	M	Fair	No visible defects	None	N/A	10-20	C1	1.38	5.98
G154	5457	Sorbus aucuparia Rowan	110	1	6	1.0	1.0	1.0	1.0	0.5	3	M	Fair	Basal wounds	None	N/A	10-20	C1	1.32	5.47
G155	5458	Prunus avium plena Cherry	294	1	8	4.0	4.0	4.0	3.0	1	2	M	Good	Tight fork at 0.5 m sub leader	Remove "sub leader"	P	20-40	C1	3.53	39.11
G155	5459	Prunus avium plena Cherry	212	1	7	3.0	3.0	3.0	3.0	1	2	M	Good	Tight forks and included bark	None	N/A	20-40	C1	2.54	20.33
G155	5460	Prunus avium plena Cherry	252	1	8	3.0	3.0	3.0	3.0	1	2	M	Good	Tight forks and included bark	None	N/A	20-40	C1	3.02	28.73
G155	5461	Prunus avium plena Cherry	247	1	8	3.0	3.0	3.0	3.0	1	2	M	Good	Tight forks and included bark	None	N/A	20-40	C1	2.96	27.60
G155	5463	Prunus avium plena Cherry	241	1	7	3.0	3.0	3.0	3.0	1	2	M	Good	Tight forks and included bark	None	N/A	20-40	C1	2.89	26.28
G155	5464	Prunus avium plena Cherry	331	1	8	3.0	3.0	3.0	3.0	2	2	M	Good	No visible defects	None	N/A	10-20	C1	3.97	49.57
G158	5478	Prunus padus Bird Cherry	142	1	6	2.0	2.0	2.0	2.0	2	3	M	Fair	Tight fork and included bark	None	N/A	10-20	C1	1.70	9.12

**TOTAL CATEGORY C TREES Heyford Park Nicholson's Tree Survey November 2006**

Group No	Tag	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physiological Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
						N	S	E	W											
G158	5479	Sorbus aucuparia Rowan	133	1	5	1.0	1.0	1.0	1.0	2	1.5	M	Good	No visible defects	None	N/A	10-20	C1	1.60	8.00
G158	5480	Prunus padus Bird Cherry	126	1	4	1.5	1.5	1.5	1.5	2	2.5	SM	Fair	No visible defects	None	N/A	10-20	C1	1.51	7.18
G158	5481	Prunus padus Bird Cherry	105	1	5	2.0	2.0	2.0	2.0	1	3	SM	Poor	No visible defects	None	N/A	10-20	C1	1.26	4.99
G159	5489	Acer platanoides Norway maple	253	1	9	4.0	3.0	3.0	3.0	3	2	M	Good	Old wound on main stem from ground to 1.2 m height. Occluding satisfactorily	Nil	N/A	20-40	C1	3.04	28.96
G159	5495	Acer platanoides Norway maple	223	1	9	1.0	3.0	3.0	3.0	3	2	M	Good	Crown unbalanced by influence of 5494	Nil	N/A	10-20	C1	2.68	22.50
G159	5498	Acer platanoides Norway maple	288	1	10	4.0	1.0	4.0	3.0	3	2	M	Fair	Partial die back in crown.	Remove dead part of crown	P	20-40	C1	3.46	37.53
G159	5500	Acer platanoides Norway maple	236	1	7	1.0	4.0	3.0	4.0	3	2	M	Good	Crown very unbalanced by influence of 5498	Nil	N/A	10-20	C1	2.83	25.20
G172	5542	Crataegus monogyna Hawthorn	241	MS	4	3.0	1.0	1.0	2.0	2	2	M	Good	No visible defects	Nil	N/A	10-20	C1	2.41	18.25
G172	5545	Crataegus monogyna Hawthorn	214	1	4	1.0	1.0	1.0	2.0	2	2	M	Good	Some old wounds, possible decay to main stem	Nil	N/A	10-20	C1	2.57	20.72
	629	Acer pseudoplatanus Sycamore	411	1	13	6.0	4.0	3.0	4.0	2	3	M	Fair	No visible defects	Nil	N/A	20-40	C1,2	5.38	76.43
	647	Chamaecyparis lawsoniana Lawsons cypress	484	1	16	2.0	2.0	3.0	1.0	1	3	M	Good	Growing together with 2089	Nil	N/A	10-20	C1,2	3.70	105.99
	843	Tilia europaea Common Lime	288	MS	10	3.0	2.0	4.0	4.0	2	2	M	Fair	Included bark in forks at base	Nil	N/A	10-20	C1,2	2.88	26.06
	846	Tilia europaea Common Lime	448	1	14	3.0	4.0	4.0	5.0	2	3	M	Good	Several included bark forks at spring of crown	Nil	N/A	10-20	C1,2	5.38	90.81
	847	Acer platanoides Norway maple	308	1	12	4.0	1.0	3.0	4.0	2	3	M	Fair	Large old wound to lower main stem (decay)	Nil	N/A	10-20	C1,2	3.70	42.92
	848	Tilia europaea Common Lime	495	1	15	3.0	3.0	3.0	4.0	2	2	M	Good	Large old wound to lower main stem , probable decay	Nil	N/A	10-20	C1,2	5.94	110.86
	862	Sorbus aria Whitebeam	345	1	6	3.0	3.0	4.0	3.0	1	2	M	Good	Included bark to main spring of crown	Nil	N/A	10-20	C1,2	4.14	53.85
	2048	Cotoneaster	599	MS	5	3.0	3.0	3.0	3.0	1	3	M	Good	NVD	Nil	N/A	10-20	C1,2	5.99	112.74
	2049	Ilex aquifolium Holly	126	1	8	2.0	2.0	2.0	1.0	2	2	M	Good	Minor stem damage. Tight union in upper crown	Nil	N/A	20-40	C1,2	1.51	7.18
	2089	Cupressocyparis leylandii Leyland cypress	382	1	14	1.0	0.0	0.0	3.0	1	2	M	Good	Growing together with 647	Nil	N/A	10-20	C1,2	4.58	66.02
	2123	Chamaecyparis lawsoniana lawsons cypress	390	1	16	2.0	2.0	2.0	1.0	1	2	M	Good	No visible defects	Nil	N/A	10-20	C1,2	4.68	68.82
	2126	Chamaecyparis lawsoniana lawsons cypress	337	1	16	2.0	2.0	0.0	0.0	1	3	M	Good	Crown restricted by adjacent trees	Nil	N/A	10-20	C1,2	4.04	51.38
	2127	Chamaecyparis lawsoniana lawsons cypress	346	1	16	2.0	2.0	0.0	0.0	1	3	M	Good	Crown restricted by adjacent trees	Nil	N/A	10-20	C1,2	4.15	54.17
	2129	Chamaecyparis lawsoniana lawsons cypress	481	1	16	2.0	2.0	0.0	0.0	1	3	M	Good	Crown restricted by adjacent trees	Reduce smaller main stem	P	10-20	C1,2	5.77	104.68
	2130	Chamaecyparis lawsoniana lawsons cypress	363	1	16	3.0	3.0	0.0	1.0	1	3	M	Good	No visible defects	Nil	N/A	10-20	C1,2	4.36	59.62
	2132	Thuja plicata Western Red Cedar	372	1	16	3.0	3.0	1.0	1.0	1	2	M	Fair	No visible defects	Nil	N/A	10-20	C1,2	4.46	62.61
	2133	Chamaecyparis lawsoniana lawsons cypress	381	1	12	3.0	3.0	1.0	0.0	1	2	M	Fair	Top broken off	Nil	N/A	10-20	C1,2	4.57	65.68
	2134	Chamaecyparis lawsoniana lawsons cypress	343	1	16	3.0	3.0	0.0	0.0	1	3	M	Fair	Crown restricted by adjacent trees	Nil	N/A	10-20	C1,2	4.12	53.23
	2135	Chamaecyparis lawsoniana lawsons cypress	344	1	16	3.0	3.0	0.0	3.0	1	3	M	Fair	Crown restricted by adjacent trees	Nil	N/A	10-20	C1,2	4.13	53.54
	2136	Thuja plicata Western Red Cedar	539	MS	16	3.0	3.0	3.0	0.0	1	2	M	Good	Included bark at base of main stem	Monitor fork in main stem	P	10-20	C1,2	5.39	91.28
	2138	Chamaecyparis lawsoniana lawsons cypress	405	1	16	3.0	3.0	0.0	0.0	1	3	M	Good	Crown restricted by adjacent trees	Nil	N/A	10-20	C1,2	4.86	74.21
	2139	Chamaecyparis lawsoniana lawsons cypress	338	1	16	3.0	0.0	3.0	3.0	1	3	M	Good	Crown restricted by adjacent trees	Nil	N/A	10-20	C1,2	4.06	51.69
H17	4555	Thuja plicata Westen Red Cedar	362	1	12	2.0	2.0	1.0	1.0	2	2	M	Fair	Fungit(?) to bark crevices. Fluting and past damage to main stem	Check decay, monitor	P	10-20	C1,2	4.34	59.29
H17	4556	Thuja plicata Westen Red Cedar	366	MS	8	2.0	2.0	2.0	1.0	2	2	M	Fair	Dead top	Remove deadwood	P	10-20	C1,2	3.66	42.09
H17	4559	Thuja plicata Westen Red Cedar	305	MS	6	2.0	2.0	1.0	1.0	2	2	M	Fair	Original top lost, lower branches forming top of crown	Nil	N/A	Oct-20	C1,2	3.05	29.23
H17	4564	Thuja plicata Western Red Cedar	200	MS	6	1.0	1.0	1.0	1.0	2	2	M	Fair	Suppressed, leaning to east	Nil	N/A	10-20	C1,2	2.00	12.57
H17	4570	Thuja plicata Western Red Cedar	270	MS	3	2.0	1.0	2.0	1.0	1	0	M	Poor	No visible defects	Nil	N/A	10-20	C1,2	2.70	22.91
H17	4577	Thuja plicata Western Red Cedar	252	1	12	1.0	1.0	2.0	2.0	2	2	M	Fair	Old damage to main stem, calloused over	Nil	N/A	10-20	C1,2	3.02	28.73
H17	4586	Thuja plicata Western Red Cedar	199	1	11	1.0	1.0	2.0	2.0	2	2	M	Fair	Previously suppressed, recovering (?)	Nil	N/A	10-20	C1,2	2.39	17.92
H17	4587	Thuja plicata Western Red Cedar	295	1	14	1.0	1.0	2.0	2.0	2	2	M	Fair	Previously suppressed, recovering (?)	Nil	N/A	10-20	C1,2	3.54	39.37
H17	4588	Thuja plicata Western Red Cedar	282	1	10	1.0	1.0	2.0	2.0	2	1	M	Fair	Original top dead, lower branches forming top of crown	Remove deadwood. Remove ivy	P	10-20	C1,2	3.38	35.98
H17	4589	Thuja plicata Western Red Cedar	300	1	10	1.0	1.0	2.0	2.0	2	1	M	Fair	Occasional deadwood	Remove deadwood. Remove ivy	P	10-20	C1,2	3.60	40.72
H17	4594	Thuja plicata Western Red Cedar	277	1	11	1.0	1.0	2.0	2.0	2	1	M	Fair	Dead top	Remove deadwood. Remove ivy	P	10-20	C1,2	3.32	34.72
H17	4595	Thuja plicata Western Red Cedar	227	1	14	1.0	1.0	2.0	2.0	2	2	M	Fair	No visible defects	Nil	N/A	10-20	C1,2	2.72	23.31
H17	4618	Thuja plicata Western Red Cedar	254	1	10	1.0	1.0	2.0	2.0	2	2	M	Fair	Previous damage, decay to main stem, calloused over	Nil	N/A	10-20	C1,2	3.05	29.19
H17	4620	Thuja plicata Western Red Cedar	143	1	12	1.0	1.0	1.0	1.0	1	2	M	Fair	Suppressed	monitor	P	10-20	C1,2	1.72	9.25
H17	4622	Thuja plicata Western Red Cedar	167	1	13	1.0	1.0	2.0	2.0	1	2	M	Fair	Suppressed	monitor	P	10-20	C1,2	2.00	12.62

**TOTAL CATEGORY C TREES Heyford Park Nicholson's Tree Survey November 2006**

Group No	Tag	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physiological Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
						N	S	E	W											
G72	4879	Acer platanoides Norway maple	452	1	15	6.0	5.0	4.0	3.0	3	3	M	Good	Crown unbalanced to NE	Nil	N/A	20-40	C1,2	5.42	92.44
G72	4880	Aesculus hippocastanum Horse chestnut	529	1	14	4.0	3.0	3.0	3.0	3	2	M	Good	Included bark and rot pockets to main stem	Nil	N/A	20-40	C1,2	6.35	126.61
G72	4881	Acer platanoides Norway maple	435	1	13	5.0	4.0	3.0	3.0	3	3	M	Good	No visible defects	Nil	N/A	10-20	C1,2	5.22	85.61
G75	4908	Betula alba Silver birch	335	1	15	2.0	4.0	4.0	2.0	0	2	M	Good	Fluting to base, old pruning wounds in upper stem	Nil	N/A	10-20	C1,2	4.02	50.78
G75	4909	Betula alba Silver birch	345	1	15	5.0	5.0	3.0	4.0	0	3	M	Fair	Old pruning wound to upper stem, foliage thin	Nil	N/A	<10	C1,2	4.14	53.85
G79	4936	Acer pseudoplatanus Sycamore	769	MS	14	4.0	2.0	4.0	4.0	1	4	M	Fair	Deadwood in crown, foliage thin	Nil	N/A	10-20	C1,2	7.69	185.81
G76	4967	Betula alba Silver birch	498	1	15	6.0	5.0	4.0	4.0	0	3	M	Good	Long lateral branches especially to south, end loading ?	Reduce longer branches	P	<10	C1,2	5.98	112.21
G76	4971	Betula alba Silver birch	272	1	14	3.0	4.0	2.0	1.0	0	2	M	Fair	Fluting and old wounds to main stem. Included bark in fork at 1.5 m	Nil	N/A	<10	C1,2	3.26	33.47
G84	4994	Aesculus hippocastanum Horse chestnut	327	1	11	3.0	4.0	2.0	2.0	3	2	M	Good	Significant wounds to main stem, decay ?	Nil	N/A	10-20	C1,2	3.92	48.38
G89	5021	Aesculus hippocastanum Horse chestnut	573	1	11	4.0	4.0	4.0	4.0	1	2	M	Poor	Crown die back, especially on north. Bleeding canker to main stem and branches	Remove dead branches and rebalance crown	U	10-20	C1,2	6.88	148.55
G89	5022	Aesculus hippocastanum Horse chestnut	382	1	10	3.0	3.0	3.0	3.0	2	2	M	Fair	Bleeding canker on main stem. Many occluded old wounds	Monitor condition	P	10-20	C1,2	4.58	66.02
G90	5025	Aesculus hippocastanum Horse chestnut	461	1	12	4.0	4.0	3.0	4.0	2	2	M	Good	Large cavity to main fork at 2 m height	Nil	N/A	<10	C1,2	5.53	96.15
G90	5026	Aesculus hippocastanum Horse chestnut	217	1	10	2.0	2.0	2.0	2.0	1	1	M	Poor	Old wounds to lower main stem	Nil	N/A	<10	C1,2	2.60	21.31
G90	5027	Aesculus hippocastanum Horse chestnut	376	1	11	2.0	3.0	3.0	3.0	2	2	M	Good	Several small wounds and cavities to main spring of crown, also included bark. Bleeding canker.	Nil	N/A	10-20	C1,2	4.51	63.97
G93	5035	Cupressocyparis leylandii Leyland cypress	327	1	16	2.0	1.0	2.0	1.0	2	2	M	Good	Growing close to kerb line. Old occluded damage to base	Nil	N/A	10-20	C1,2	3.92	48.38
G93	5036	Cupressocyparis leylandii Leyland cypress	308	1	16	1.0	1.0	2.0	2.0	1	2	M	Good	Close to kerb, else No visible defects	Nil	N/A	10-20	C1,2	3.70	42.92
G93	5037	Cupressocyparis leylandii Leyland cypress	334	1	16	1.0	1.0	2.0	2.0	2	2	M	Good	Close to kerb. Old damage to base, else No visible defects	Nil	N/A	10-20	C1,2	4.01	50.47
G93	5038	Cupressocyparis leylandii Leyland cypress	449	1	16	1.0	3.0	3.0	2.0	2	2	M	Good	Close to kerb. Old damage to base, else No visible defects	Nil	N/A	10-20	C1,2	5.39	91.21
G93	5039	Cupressocyparis leylandii Leyland cypress	379	1	16	3.0	0.0	2.0	2.0	2	2	M	Good	Close to Kerb, Old damage to base, else No visible defects	Nil	N/A	10-20	C1,2	4.55	64.99
G93	5040	Cupressocyparis leylandii Leyland cypress	357	1	16	1.0	1.0	3.0	2.0	2	2	M	Good	Close to kerb, else No visible defects	Nil	N/A	10-20	C1,2	4.28	57.66
G93	5041	Cupressocyparis leylandii Leyland cypress	441	1	16	0.0	3.0	2.0	2.0	2	2	M	Good	Close to kerb, included bark at base of main stem	Reduce south west codominant stem	P	10-20	C1,2	5.29	87.99
G93	5042	Cupressocyparis leylandii Leyland cypress	397	1	16	2.0	2.0	2.0	2.0	2	2	M	Good	Close to kerb, else No visible defects	Nil	N/A	10-20	C1,2	4.76	71.31
G93	5043	Cupressocyparis leylandii Leyland cypress	334	1	16	2.0	1.0	2.0	1.0	2	2	M	Good	Close to kerb, else No visible defects	Nil	N/A	10-20	C1,2	4.01	50.47
G93	5045	Cupressocyparis leylandii Leyland cypress	297	1	16	0.0	1.0	2.0	2.0	1	2	M	Good	Close to kerb, else No visible defects	Nil	N/A	10-20	C1,2	3.56	39.91
G93	5046	Cupressocyparis leylandii Leyland cypress	411	1	16	1.0	2.0	2.0	2.0	2	2	M	Good	Close to kerb, else No visible defects	Nil	N/A	10-20	C1,2	4.93	76.43
G93	5047	Cupressocyparis leylandii Leyland cypress	331	1	16	2.0	2.0	2.0	2.0	2	1	M	Good	Close to kerb, else No visible defects	Nil	N/A	10-20	C1,2	3.97	49.57
G93	5048	Cupressocyparis leylandii Leyland cypress	500	1	16	3.0	0.0	2.0	2.0	2	3	M	Good	Close to kerb, included bark to main stem	Nil	N/A	10-20	C1,2	6.00	113.11
G93	5049	Cupressocyparis leylandii Leyland cypress	431	1	16	0.0	3.0	2.0	2.0	2	3	M	Good	Close to kerb, else No visible defects	Nil	N/A	10-20	C1,2	5.17	84.05
G94	5052	Fagus sylvatica Beech	579	1	12	5.0	4.0	4.0	4.0	2	3	M	Good	Growing in concrete surfacing. Damage, decay to main stem	Nil	N/A	10-20	C1,2	6.95	151.68
G94	5053	Aesculus hippocastanum Horse chestnut	516	1	12	4.0	3.0	4.0	4.0	2	3	M	Good	As 5054	Nil	N/A	10-20	C1,2	6.19	120.47
G94	5054	Aesculus hippocastanum Horse chestnut	608	1	12	4.0	5.0	4.0	4.0	2	3	M	Good	Stem in concrete surfacing. Rot pockets to spring of crown	Nil	N/A	10-20	C1,2	7.30	167.25
G94	5055	Fagus sylvatica Beech	500	1	11	5.0	2.0	5.0	4.0	2	2	M	Fair	Occluded pruning wounds to main spring of crown. Patches of crown dieback	Nil	N/A	10-20	C1,2	6.00	113.11
G94	5056	Aesculus hippocastanum Horse chestnut	418	1	11	3.0	3.0	5.0	5.0	2	2	M	Good	Bleeding canker to stem and main branches	Nil	N/A	10-20	C1,2	5.02	79.05
G147	5387	Cupressocyparis leylandii Leyland cypress	628	1	15	3.0	3.0	3.0	3.0	1	2	M	Good	Included bark to main branch unions	Nil	N/A	10-20	C1,2	7.54	178.44
G147	5388	Cupressocyparis leylandii Leyland cypress	531	1	15	2.0	2.0	1.0	2.0	1	2	M	Good	Included bark to main branch unions	Nil	N/A	10-20	C1,2	6.37	127.57

**TOTAL CATEGORY C TREES Heyford Park Nicholson's Tree Survey November 2006**

Group No	Tag	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physiological Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
						N	S	E	W											
G147	5394	Cupressocyparis leylandii Leyland cypress	524	1	15	2.0	2.0	2.0	2.0	1	2	M	Good	Included bark to main branch unions	Nil	N/A	10-20	C1,2	6.29	124.23
G147	5395	Cupressocyparis leylandii Leyland cypress	477	1	15	2.0	2.0	2.0	2.0	1	2	M	Good	Included bark to main branch unions	Nil	N/A	10-20	C1,2	5.72	102.95
G147	5400	Cupressocyparis leylandii Leyland cypress	507	MS	15	2.0	2.0	1.0	2.0	1	2	M	Good	No visible defects	Nil	N/A	10-20	C1,2	5.07	80.76
G147	5404	Cupressocyparis leylandii Leyland cypress	426	1	15	2.0	2.0	1.0	1.0	1	2	M	Good	No visible defects	Nil	N/A	10-20	C1,2	5.11	82.11
G147	5405	Cupressocyparis leylandii Leyland cypress	472	MS	15	2.0	2.0	1.0	1.0	1	2	M	Good	Included bark to lower stem	Nil	N/A	10-20	C1,2	4.72	70.00
G147	5406	Cupressocyparis leylandii Leyland cypress	404	1	15	2.0	2.0	2.0	1.0	1	2	M	Good	No visible defects	Nil	N/A	10-20	C1,2	4.85	73.85
G149	5411	Acer platanoides Norway maple	288	1	13	1.0	4.0	4.0	4.0	2	3	M	Good	Old wound to main stem, occluded. Crown unbalanced.	Nil	N/A	10-20	C1,2	3.46	37.53
G167	5515	Aesculus hippocastanum Horse Chestnut	412	1	12	4.0	3.0	3.0	4.0	2	2	M	Good	Very close to building, causing unbalanced crown, else No visible defects	Nil	N/A	10-20	C1,2	4.94	76.80
G167	5516	Aesculus hippocastanum Horse Chestnut	543	1	12	5.0	4.0	4.0	4.0	1	3	M	Fair	Included bark to main stem fork	Nil	N/A	10-20	C1,2	6.52	133.40
G167	5518	Aesculus hippocastanum Horse Chestnut	347	1	10	4.0	3.0	4.0	4.0	1	3	M	Fair	Burr formation to main branching at 2 m height. Lower stem has poor taper development.	Nil	N/A	<10	C1,2	4.16	54.48
G167	5519	Aesculus hippocastanum Horse Chestnut	481	1	12	4.0	4.0	4.0	4.0	2	4	M	Good	Large wound and decay to lower stem. Included bark in main fork.	Nil	N/A	<10	C1,2	5.77	104.68
G171	5537	Acer platanoides Norway maple	270	1	10	4.0	3.0	2.0	3.0	1	2	M	Fair	Occasional bark necrosis, bleeding	Nil	N/A	10-20	C1,2	3.24	32.98
G171	5539	Tilia europaea Common Lime	354	1	13	1.0	4.0	3.0	4.0	2	2	M	Fair	Epicormics, else No visible defects	Nil	N/A	10-20	C1,2	4.25	56.70
G173	5551	Cupressocyparis leylandii Leyland cypress	428	MS	15	2.0	1.0	3.0	3.0	2	2	M	Good	Included bark to main forks.	Nil	N/A	10-20	C1,2	4.28	57.56
G173	5552	Cupressocyparis leylandii Leyland cypress	460	MS	15	3.0	3.0	4.0	1.0	2	2	M	Good	No visible defects	Nil	N/A	10-20	C1,2	4.60	66.48
G173	5557	Cupressocyparis leylandii Leyland cypress	378	1	15	3.0	3.0	3.0	3.0	2	2	M	Good	Damage, decay to lower main stem, else No visible defects	Nil	N/A	20-40	C1,2	4.54	64.65
G173	5563	Cupressocyparis leylandii Leyland cypress	469	1	15	1.0	3.0	3.0	3.0	2	2	M	Good	Included bark to large forks	Nil	N/A	10-20	C1,2	5.63	99.52
G173	5568	Cupressocyparis leylandii Leyland cypress	468	MS	15	3.0	1.0	3.0	2.0	2	3	M	Good	Included bark to fork at 1 m height	Nil	N/A	10-20	C1,2	4.68	68.82
G173	5570	Acer pseudoplatanus Sycamore	280	1	12	3.0	3.0	3.0	4.0	3	2	M	Good	Included bark to main fork	Nil	N/A	10-20	C1,2	3.36	35.47
H37	5596	Cupressocyparis leylandii Leyland cypress	255	1	8	0.0	2.0	1.0	1.0	1	2	M	Good	Previously topped to 5m ht	Nil	N/A	10-20	C1,2	3.06	29.42
H37	5597	Cupressocyparis leylandii Leyland cypress	139	1	8	0.0	2.0	1.0	1.0	1	2	M	Good	Previously topped to 5m ht	Nil	N/A	10-20	C1,2	1.67	8.74
H37	5598	Cupressocyparis leylandii Leyland cypress	203	1	8	0.0	2.0	1.0	1.0	1	2	M	Good	Previously topped to 5m ht	Nil	N/A	10-20	C1,2	2.44	18.64
H37	5599	Cupressocyparis leylandii Leyland cypress	254	1	8	0.0	2.0	1.0	1.0	1	2	M	Good	Previously topped to 5m ht	Nil	N/A	10-20	C1,2	3.05	29.19
H37	5600	Cupressocyparis leylandii Leyland cypress	161	1	8	0.0	2.0	1.0	1.0	1	2	M	Good	Previously topped to 5m ht	Nil	N/A	10-20	C1,2	1.93	11.73
H37	5601	Cupressocyparis leylandii Leyland cypress	124	1	8	0.0	2.0	1.0	1.0	1	2	M	Good	Previously topped to 5m ht	Nil	N/A	10-20	C1,2	1.49	6.96
H37	5602	Cupressocyparis leylandii Leyland cypress	140	1	8	0.0	2.0	1.0	1.0	1	2	M	Good	Previously topped to 5m ht	Nil	N/A	10-20	C1,2	1.68	8.87
H37	5603	Cupressocyparis leylandii Leyland cypress	148	1	8	0.0	2.0	1.0	1.0	1	2	M	Good	Previously topped to 5m ht	Nil	N/A	10-20	C1,2	1.78	9.91
H37	5604	Cupressocyparis leylandii Leyland cypress	125	1	8	0.0	2.0	1.0	1.0	1	2	M	Good	Previously topped to 5m ht	Nil	N/A	10-20	C1,2	1.50	7.07
H37	5605	Cupressocyparis leylandii Leyland cypress	251	1	8	0.0	2.0	1.0	1.0	1	2	M	Good	Previously topped to 5m ht	Nil	N/A	10-20	C1,2	3.01	28.50
H37	5606	Cupressocyparis leylandii Leyland cypress	249	1	8	0.0	2.0	1.0	1.0	1	2	M	Good	Previously topped to 5m ht	Nil	N/A	10-20	C1,2	2.99	28.05
H37	5607	Cupressocyparis leylandii Leyland cypress	415	1	8	2.0	0.0	1.0	1.0	1	2	M	Good	Previously topped to 5m ht	Nil	N/A	10-20	C1,2	4.98	77.92
H37	5608	Cupressocyparis leylandii Leyland cypress	468	1	8	2.0	0.0	1.0	1.0	1	2	M	Good	Previously topped to 5m ht	Nil	N/A	10-20	C1,2	5.62	99.10
H37	5609	Cupressocyparis leylandii Leyland cypress	325	1	8	2.0	0.0	1.0	1.0	1	2	M	Good	Previously topped to 5m ht	Nil	N/A	10-20	C1,2	3.90	47.79
H37	5610	Cupressocyparis leylandii Leyland cypress	159	1	8	2.0	0.0	1.0	1.0	1	2	M	Good	Previously topped to 5m ht	Nil	N/A	10-20	C1,2	1.91	11.44
H37	5611	Cupressocyparis leylandii Leyland cypress	343	1	8	2.0	0.0	1.0	1.0	1	2	M	Good	Previously topped to 5m ht	Nil	N/A	10-20	C1,2	4.12	53.23

**TOTAL CATEGORY C TREES Heyford Park Nicholson's Tree Survey November 2006**

Group No	Tag	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physiological Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
						N	S	E	W											
H37	5612	Cupressocypariss leylandii Leyland cypress	291	1	8	2.0	0.0	1.0	1.0	1	2	M	Good	Previously topped to 5m ht	Nil	N/A	10-20	C1,2	3.49	38.31
H37	5613	Cupressocypariss leylandii Leyland cypress	539	1	8	2.0	0.0	1.0	1.0	1	2	M	Good	Previously topped to 5m ht	Nil	N/A	10-20	C1,2	6.47	131.45
G79A	5808	Acer pseudoplatanus Sycamore	550	MS	11	0.0	1.0	1.0	1.0	3	4	M	Good	Potential included bark at base else NVD	Nil	N/A	20-40	C1,2	5.39	95.05
G79A	5812	Acer pseudoplatanus Sycamore	180	1	10	0.0	3.0	3.0	0.0	3	5	M	Good	Leaning with unbalanced crown to E	Nil	N/A	20-40	C1,2	4.55	14.66
G79A	5813	Acer pseudoplatanus Sycamore	195	1	11	2.0	2.0	2.0	0.0	3	4	M	Good	Leaning to E. Squirrel damage	Nil	N/A	20-40	C1,2	4.28	17.20
G79A	5814	Acer pseudoplatanus Sycamore	180	1	12	3.0	0.0	3.0	0.0	3	4	M	Good	Crown unbalanced to E by adjacent lime and declining Rowan	Nil	N/A	20-40	C1,2	5.29	14.66
G79A	5815	Acer pseudoplatanus Sycamore	210	1	11	3.0	1.0	2.0	1.0	3	3	M	Good	Leaning with unbalanced crown to E	Nil	N/A	20-40	C1,2	4.76	19.95
G79A	5820	Acer pseudoplatanus Sycamore	620	MS	12	3.0	3.0	3.0	0.0	3	3	M	Good	Potential included bark at base else NVD	Nil	N/A	20-40	C1,2	4.01	120.78
G79A	5821	Acer pseudoplatanus Sycamore	430	MS	11	3.0	3.0	3.0	0.0	3	3	M	Good	Potential included bark at base else NVD. Crown unbalanced by adjacent lime	Nil	N/A	20-40	C1,2	3.56	58.10
G79A	5823	Acer pseudoplatanus Sycamore	500	MS	12	0.0	2.0	2.0	0.0	3	4	M	Good	Potential included bark at base	Nil	N/A	10-20	C1,2	4.93	78.55
G79A	5824	Acer pseudoplatanus Sycamore	410	MS	12	2.0	2.0	3.0	2.0	3	3	M	Good	Included bark at base, significant squirrel damage	Nil	N/A	10-20	C1,2	3.97	52.82
G79A	5825	Acer pseudoplatanus Sycamore	160	1	12	3.0	0.0	3.0	1.0	3	4	M	Good	Leaning to East, crown unbalanced	Nil	N/A	10-20	C1,2	6.00	11.58
G79A	5826	Acer pseudoplatanus Sycamore	180	1	10	0.0	3.0	3.0	1.0	3	5	M	Good	Crown unbalanced	Nil	N/A	10-20	C1,2	5.17	14.66
G79A	5827	Acer pseudoplatanus Sycamore	230	1	12	4.0	4.0	2.0	0.0	2	5	M	Good	Very close to boundary wall else NVD	Nil	N/A	10-20	C1,2	6.95	23.93
H29	5831	Acer pseudoplatanus Sycamore	540	MS	12	3.0	4.0	4.0	3.0	3	3	M	Good	Rubbing crossing branches, probable decay in crown.	Nil	N/A	10-20	C1,2	6.19	91.62
H29	5832	Acer pseudoplatanus Sycamore	125	1	10	2.0	2.0	2.0	2.0	3	4	Y	Good	Restricted crown	Nil	N/A	10-20	C1,2	7.30	7.07
H29	5833	Prunus avium plena Cherry	312	1	12	4.0	3.0	3.0	3.0	2	4	M	Fair	Ivy covered. Significant fork at 3m ht with included bark. Growing on bank, stability?	Nil	N/A	10-20	C1,2	6.00	44.04
H29	5834	Acer pseudoplatanus Sycamore	160	1	7	1.0	3.0	3.0	1.0	3	3	M	Good	NVD	Nil	N/A	10-20	C1,2	5.02	11.58
H29	5835	Acer pseudoplatanus Sycamore	140	1	8	1.0	1.0	1.0	1.0	3	4	M	Good	Growing on bank else NVD	Nil	N/A	10-20	C1,2	7.54	8.87
H29	5836	Acer pseudoplatanus Sycamore	325	1	12	0.0	4.0	3.0	3.0	3	4	M	Good	Crown unbalanced to south, else NVD	Nil	N/A	10-20	C1,2	6.37	47.79
H29	5838	Prunus avium plena Cherry	410	MS	10	4.0	1.0	0.0	4.0	1	3	M	Fair	Crown unbalanced due to influence of 5837	Nil	N/A	10-20	C1,2	6.29	52.82
H29	5839	Fraxinus excelsior Ash	290	1	18	6.0	0.0	5.0	1.0	1	3	M	Good	Leaning to North	Nil	N/A	10-20	C1,2	5.72	38.05
H29	5842	Fraxinus excelsior Ash	830	MS	16	5.0	5.0	5.0	5.0	2	4	M	Good	Suppressed stems dying back. Occasional damage with decay to better stems	Nil	N/A	10-20	C1,2	5.07	216.45
H29	5844	Acer Platanoides Norway Maple	530	MS	11	3.0	2.0	4.0	4.0	2	3	M	Good	Ingrown wire, decay to branches	Remove damaged stems to W	P	10-20	C1,2	5.11	88.26
H29	5845	Prunus avium Cherry	460	MS	10	2.0	0.0	2.0	3.0	2	3	M	Good	Significant included bark to multiple stem unions	Nil	N/A	10-20	C1,2	4.72	66.48
H29	5846	Fraxinus excelsior Ash	800	MS	10	2.0	1.0	2.0	3.0	2	3	M	Fair	Included bark at base, significant squirrel damage	Nil	N/A	10-20	C1,2	4.85	201.09
H29	5848	Fraxinus excelsior Ash	920	MS	11	6.0	5.0	4.0	4.0	2	4	M	Good	Tight stems at base. Potential included bark.	Nil	N/A	10-20	C1,2	3.46	265.94
H29	5851	Acer pseudoplatanus Sycamore	310	MS	10	2.0	2.0	3.0	3.0	4	3	Y	Good	Rubbing branch on main stem	Remove circling branch	P	10-20	C1,2	4.94	30.19
H29	5852	Acer pseudoplatanus Sycamore	450	MS	12	3.0	3.0	3.0	3.0	2	3	M	Good	Included bark at base	Nil	N/A	10-20	C1,2	6.52	63.63
	640	Acer platanoides Norway maple	412	1	13	4.0	4.0	2.0	3.0	2	3	M	Poor	Significant deadwood in crown, crown suppressed by adjacent Aesculus hippocastanum Horse chestnut	Deadwood >50 mm	P	20-40	C1/R	3.84	76.80
	166	Betula alba Silver birch	269	1	12	3.0	5.0	2.0	4.0	0	5	M	Poor	Average condition	Nil	N/A	10-20	C2	3.23	32.74
	169	Sorbus aucuparia Rowan	87	1	4	1.0	1.0	1.0	1.0	2	2	SM	Fair	Average condition	Nil	N/A	20-40	C2	1.04	3.42
	176	Prunus avium Cherry	320	1	8	3.0	4.0	4.0	3.0	0	3	M	Poor	Average condition	Nil	N/A	10-20	C2	3.84	46.33
	181	Crataegus monogyna Hawthorn	316	1	8	3.0	3.0	3.0	3.0	0	4	M	Fair	Average condition	Nil	N/A	10-20	C2	3.79	45.18
	183	Crataegus monogyna Hawthorn	247	1	8	2.5	2.0	3.0	2.0	0	4	M	Fair	Average condition	Nil	N/A	10-20	C2	2.96	27.60
	192	Betula alba Silver birch	292	1	9	2.0	5.0	3.0	4.0	0	3	M	Fair	Average condition	Nil	N/A	10-20	C2	3.50	38.58
	203	Betula alba Silver birch	168	1	8	2.0	2.0	2.0	2.0	0	3	M	Poor	Average condition	Nil	N/A	10-20	C2	2.02	12.77
	204	Crataegus monogyna Hawthorn	320	MS	7	2.0	3.0	3.0	3.0	0	3	M	Fair	Average condition	Nil	N/A	10-20	C2	3.20	32.17
	205	Betula alba Silver birch	345	1	12	3.0	5.0	4.0	2.0	0	7	M	Fair	Average condition	Nil	N/A	10-20	C2	4.14	53.85
	206	Crataegus prunifolia Cockspur thorn	194	1	5	4.0	5.0	2.0	6.0	1	3	M	Fair	Average condition	Nil	N/A	10-20	C2	2.33	17.03
	208	Prunus Flowering Cherry	368	1	7	4.0	2.0	1.0	6.0	1	3	M	Fair	Significant cavity in stem s	Nil	N/A	10-20	C2	4.42	61.27
	227	Crataegus monogyna Hawthorn	100	1	4	1.0	2.0	1.0	2.0	2	3	SM	Fair	Average condition	Nil	N/A	20-40	C2	1.20	4.52
	241	Betula alba Silver birch	343	1	12	2.0	4.0	5.0	5.0	0	7	M	Fair	Stem wound at 0.5w	Nil	N/A	10-20	C2	4.12	53.23
	242	Betula alba Silver birch	229	1	9	1.0	3.0	4.0	3.0	0	5	M	Fair	Average condition	Nil	N/A	10-20	C2	2.75	23.73
	243	Betula alba Silver birch	476	1	12	7.0	6.0	6.0	4.0	0	6	M	Poor	Average condition	Nil	N/A	10-20	C2	5.71	102.51
	245	Prunus avium Cherry	260	1	7	6.0	3.0	2.0	5.0	1	5	M	Fair	Average condition	Nil	N/A	10-20	C2	3.12	30.59
	246	Crataegus monogyna Hawthorn	247	1	7	3.0	3.0	4.0	3.0	0	3	M	Fair	Average condition	Nil	N/A	10-20	C2	2.96	27.60
	258	Prunus Flowering Cherry	515	1	13	7.5	5.0	5.0	2.0	1	3	M	Fair	Average condition	Nil	N/A	10-20	C2	6.18	120.00
	260	Betula alba Silver birch	210	1	9	2.0	7.0	4.0	1.0	0	6	M	Fair	Leaning	Nil	N/A	10-20	C2	2.52	19.95
	269	Fraxinus excelsior Ash	141	1	6	2.0	2.0	2.0	2.0	4	2.5	M	Fair	Lifting tree pit and surrounding paving	Nil	N/A	20-40	C2	1.69	9.00
	274	Betula alba Silver birch	572	1	13	4.0	5.0	4.0	8.0	1	6	M	Fair	Average condition	Nil	N/A	10-20	C2	6.86	148.03
	275	Betula alba Silver birch	588	1	14	2.0	5.0	5.0	5.0	1	6	M	Fair	Average condition	Nil	N/A	10-20	C2	7.06	156.43
	276	Betula alba Silver birch	323	1	12	4.0	2.0	5.0	3.0	1	7	M	Fair	Average condition	Nil	N/A	10-20	C2	3.88	47.20
	279	Acer pseudoplatanus Sycamore	557	1	12	4.0	4.0	3.5	5.0	1	7	M	Fair	Significant basal wound	Full VTA	U	10-20	C2	6.68	140.37

**TOTAL CATEGORY C TREES Heyford Park Nicholson's Tree Survey November 2006**

Group No	Tag	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physiological Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
						N	S	E	W											
284		Lilac	155	MS	6	4.0	4.0	4.0	4.0	1	2	M	Fair	Average condition	Nil	N/A	10-20	C2	1.55	7.55
296		Prunus cerasifera Myrobalan Plum	364	MS	10	4.0	3.0	4.0	4.0	1	4	M	Fair	Average condition	Nil	N/A	10-20	C2	3.64	41.63
311		Betula alba Silver birch	396	MS	10	5.0	5.0	2.0	5.0	1	4	M	Fair	Average condition	Nil	N/A	10-20	C2	3.96	49.27
313		Crataegus monogyna Hawthorn	345	MS	4	4.0	4.0	4.0	4.0	1	2	M	Fair	Average condition	Nil	N/A	20-40	C2	3.45	37.40
315		Betula alba Silver birch	394	1	11	6.0	5.0	6.0	6.0	1	5	M	Fair	Minor decay in main fork scar on top of se stem	Nil	N/A	10-20	C2	4.73	70.24
316		Chamaecyparis lawsoniana Lawsons cypress	480	MS	6	1.0	1.0	1.0	1.0	0.5	gl	M	Fair	Average condition	Nil	N/A	20-40	C2	4.80	72.39
317		Chamaecyparis lawsoniana Lawsons cypress	358	MS	5	1.0	1.0	1.0	1.0	0.5	gl	M	Fair	Average condition	Nil	N/A	20-40	C2	3.58	40.27
322		Betula alba Silver birch	395	MS	6	2.0	2.0	2.0	2.0	4	na	SM	Fair	Coppice stool	Nil	N/A	20-40	C2	3.95	49.02
330		Chamaecyparis thyoides White Cedar	254	1	9	2.0	2.0	2.0	2.0	1	2	M	Fair	Average condition	Nil	N/A	20-40	C2	3.05	29.19
335		Betula alba Silver birch	185	1	9	3.0	1.0	4.0	0.0	1	4	M	Fair	Average condition	Nil	N/A	20-40	C2	2.22	15.49
354		Fraxinus excelsior Ash	429	MS	5	2.0	2.0	2.0	2.0	5	2	SM	Fair	Coppice stool	Nil	N/A	40+	C2	4.29	57.83
356		Crataegus monogyna Hawthorn	238	MS	4	3.0	3.0	3.0	3.0	0	2	M	Fair	Average condition	Nil	N/A	10-20	C2	2.38	17.80
357		Crataegus monogyna Hawthorn	250	1	5	4.0	4.0	4.0	4.0	0	2	M	Fair	Average condition	Nil	N/A	10-20	C2	3.00	28.28
358		Betula alba Silver birch	366	1	7	5.0	5.0	5.0	5.0	0	2	M	Fair	Decay pocket in main stem	Nil	N/A	10-20	C2	4.39	60.61
365		Crataegus monogyna Hawthorn	242	1	6	2.0	2.0	2.0	2.0	0	2	M	Fair	Average condition	Nil	N/A	20-40	C2	2.90	26.50
382		Fraxinus excelsior Ash	173	MS	5	3.0	3.0	3.0	3.0	4	1	SM	Fair	Average condition	Nil	N/A	40+	C2	1.73	9.40
391		Fagus sylvatica Beech	920	1	15	7.0	8.0	8.0	6.0	0	6	M	Poor	Average condition	Nil	N/A	10-20	C2	11.04	382.95
397		Pinus sylvestris Scots pine	548	1	12	3.0	3.0	8.0	0.0	0	8	M	Fair	Leaning to e	Nil	N/A	10-20	C2	6.58	135.87
408		Fraxinus excelsior Ash	546	MS	9	3.0	2.0	3.0	3.0	3	2	M	Fair	Growing on edge of bunker entrance	Nil	N/A	20-40	C2	5.46	93.67
422		Acer pseudoplatanus Sycamore	850	MS	9	3.0	3.0	3.0	3.0	3	2	SM	Fair	Coppice stool	Nil	N/A	20-40	C2	8.50	227.01
423		Acer pseudoplatanus Sycamore	422	MS	9	3.0	3.0	3.0	3.0	3	2	SM	Fair	Coppice stool	Nil	N/A	20-40	C2	4.22	55.95
424		Fraxinus excelsior Ash	190	1	9	3.0	2.0	3.0	3.0	3	4	M	Fair	Average condition	Nil	N/A	40+	C2	2.28	16.33
436		Populus nigra Hybrid black poplar	651	1	18	7.0	4.0	3.0	10.0	1	8	M	Fair	Average condition	Nil	N/A	10-20	C2	7.81	191.75
438		Populus nigra Hybrid black poplar	735	1	19	6.0	7.0	4.0	10.0	1	8	M	Fair	Average condition	Nil	N/A	10-20	C2	8.82	244.42
439		Prunus avium Cherry laurel	835	MS	6	3.0	6.0	4.0	4.0	2	n/a	M	Fair	Average condition	Nil	N/A	10-20	C2	8.35	219.07
440		Populus nigra Hybrid black poplar	1191	MS	19	6.0	11.0	11.0	8.0	1	5	M	Fair	Main fork at 1.0 with included bark	Nil	N/A	10-20	C2	11.91	445.69
471		Malus domestica Apple	162	1	6	3.0	3.0	3.0	3.0	1	2	M	Fair	Average condition	Nil	N/A	10-20	C2	1.94	11.87
474		Chamaecyparis lawsoniana Lawsons cypress	800	MS	12	3.0	2.0	2.0	2.0	1	2	M	Fair	Average condition	Nil	N/A	10-20	C2	8.00	201.09
475		Chamaecyparis lawsoniana Lawsons cypress	605	MS	12	2.0	2.0	2.0	3.0	1	2	M	Fair	Average condition	Nil	N/A	10-20	C2	6.05	115.01
479		Ilex aquifolium Holly	283	MS	6	2.0	2.0	2.0	2.0	1	3	M	Fair	Average condition	Nil	N/A	20-40	C2	2.83	25.16
480		Prunus Atropurpurea Pissards Plum	336	1	8	3.0	2.0	3.0	3.0	1	3	M	Fair	Average condition	Nil	N/A	10-20	C2	4.03	51.08
484		Chamaecyparis lawsoniana Lawsons cypress	559	1	11	2.0	2.0	3.0	2.0	1	4	M	Fair	Two principle limbs removed in past	Nil	N/A	10-20	C2	6.71	141.38
485		Prunus avium Cherry	555	1	8	4.0	4.0	4.0	4.0	1	4	M	Fair	Main fork at 1.70 with included bark	Nil	N/A	10-20	C2	6.66	139.37
486		Chamaecyparis lawsoniana Lawsons cypress	299	1	9	2.0	3.0	1.0	2.0	1	0.2	M	Fair	Average condition	Nil	N/A	20-40	C2	3.59	40.45
487		Chamaecyparis lawsoniana Lawsons cypress	781	MS	9	2.0	3.0	2.0	1.0	1	1.5	M	Fair	Average condition	Nil	N/A	20-40	C2	7.81	191.65
490		Prunus Flowering Cherry	395	MS	8	4.0	2.0	2.0	3.0	1	2	M	Fair	Average condition	Nil	N/A	10-20	C2	3.95	49.02
491		Acer pseudoplatanus Sycamore	292	1	8	4.0	3.0	4.0	4.0	3	2	M	Fair	Average condition	Nil	N/A	40+	C2	3.50	38.58
492		Chamaecyparis lawsoniana Lawsons cypress	229	MS	6	0.5	0.5	1.0	0.0	2	2	M	Fair	Average condition	Nil	N/A	20-40	C2	2.29	16.48
493		Cupressocyparis leylandii Leyland cypress	415	1	11	2.0	2.0	2.0	2.0	2	2	M	Fair	Average condition	Nil	N/A	20-40	C2	4.98	77.92
494		Chamaecyparis lawsoniana Lawsons cypress	443	MS	10	2.0	2.0	2.0	2.0	2	2	M	Fair	Average condition	Nil	N/A	20-40	C2	4.43	61.66
500		Chamaecyparis lawsoniana Lawsons cypress	489	1	11	2.0	2.0	2.0	2.0	1	3	M	Fair	Average condition	Nil	N/A	20-40	C2	5.87	108.19
501		Chamaecyparis lawsoniana Lawsons cypress	353	1	10	1.0	1.0	1.0	1.0	1	3	M	Fair	Average condition	Nil	N/A	20-40	C2	4.24	56.38
502		Chamaecyparis lawsoniana Lawsons cypress	493	1	11	2.0	2.0	2.0	2.0	1	3	M	Fair	Average condition	Nil	N/A	20-40	C2	5.92	109.97
503		Crataegus monogyna Hawthorn	576	MS	7	2.0	2.0	2.0	2.0	2	3	M	Fair	Average condition	Nil	N/A	20-40	C2	5.76	104.24
504		Crataegus monogyna Hawthorn	254	MS	6	2.0	2.0	2.0	2.0	2	3	M	Fair	Average condition	Nil	N/A	20-40	C2	2.54	20.27
506		Acer pseudoplatanus Sycamore	325	1	8	4.0	2.0	4.0	4.0	1	3	M	Fair	Average condition	Nil	N/A	20-40	C2	3.90	47.79
508		Crataegus monogyna Hawthorn	382	MS	7	2.0	3.0	2.0	2.0	1	2	M	Fair	Average condition	Nil	N/A	20-40	C2	3.82	45.85
509		Acer pseudoplatanus Sycamore	561	MS	11	6.0	6.0	6.0	6.0	1	3	M	Fair	severe squirrel damage	Nil	N/A	10-20	C2	5.61	98.89
510		Crataegus monogyna Hawthorn	341	MS	7	2.0	2.0	2.0	2.0	1	3	M	Fair	Average condition	Nil	N/A	20-40	C2	3.41	36.54
516		Crataegus monogyna Hawthorn	367	MS	6	2.0	2.0	3.0	1.0	0	2	OM	Fair	Average condition	Nil	N/A	10-20	C2	3.67	42.32
517		Acer pseudoplatanus Sycamore	290	1	10	3.0	3.0	4.0	3.0	3	3	M	Fair	Average condition	Nil	N/A	40+	C2	3.48	38.05
521		Acer pseudoplatanus Sycamore	191	1	8	3.0	3.0	3.0	3.0	4	4	M	Fair	Average condition	Nil	N/A	40+	C2	2.29	16.51



**TOTAL CATEGORY C TREES Heyford Park Nicholson's Tree Survey November 2006**

Group No	Tag	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physiological Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
						N	S	E	W											
	526	Chamaecyparis lawsoniana Lawson's cypress	381	1	13	2.0	2.0	2.0	2.0	0	4	M	Poor	Average condition	Nil	N/A	10-20	C2	4.57	65.68
	529	Acer pseudoplatanus Sycamore	270	1	10	0.0	5.0	4.0	5.0	4	2	M	Fair	Main fork at 2.5with included bark	Nil	N/A	20-40	C2	3.24	32.98
	530	Prunus Atropurpurea Pissards Plum	161	1	6	2.0	2.0	2.0	2.0	2	2	M	Fair	Average condition	Nil	N/A	20-40	C2	1.93	11.73
	531	Prunus Flowering Cherry	114	1	4	2.0	2.0	2.0	2.0	1	1.5	M	Fair	Average condition	Nil	N/A	10-20	C2	1.37	5.88
	532	Chamaecyparis lawsoniana Lawson's cypress	394	1	10	2.0	2.0	2.0	2.0	1	0	M	Fair	Average condition	Nil	N/A	20-40	C2	4.73	70.24
	533	Chamaecyparis lawsoniana Lawson's cypress	387	1	10	2.0	2.0	2.0	2.0	1	0	M	Fair	Average condition	Nil	N/A	20-40	C2	4.64	67.76
	540	Prunus Flowering Cherry	228	MS	3	4.0	4.0	5.0	3.0	1	1	M	Fair	Average condition	Nil	N/A	20-40	C2	2.28	16.33
	541	Ilex aquifolium Holly	193	MS	5	2.0	1.0	2.0	1.0	2	2	M	Fair	Twin stem from base v close to dwelling	Nil	N/A	10-20	C2	1.93	11.70
	543	Prunus Flowering Cherry	137	1	3	1.0	3.0	3.0	3.0	2	1.5	M	Fair	Average condition	Nil	N/A	20-40	C2	1.64	8.49
	544	Malus domestica Apple	195	1	4	2.0	3.0	2.0	3.0	1	1.5	M	Fair	Average condition	Nil	N/A	10-20	C2	2.34	17.20
	545	Pyrus communis Common Pear	269	MS	7	3.0	3.0	1.0	3.0	0	3	M	Poor	Average condition	Nil	N/A	10-20	C2	2.69	22.74
	546	Prunus lusitanica Portuguese Laurel	177	1	4	1.0	3.0	3.0	1.0	2	3	M	Fair	Average condition	Nil	N/A	10-20	C2	2.12	14.17
	548	Prunus lusitanica Portuguese Laurel	127	1	4	1.0	2.0	2.0	0.0	2	3	M	Fair	Average condition	Nil	N/A	10-20	C2	1.52	7.30
	551	Chamaecyparis lawsoniana Lawson's cypress	273	1	10	2.0	2.0	2.0	2.0	1	5	M	Fair	Main fork at 3.5m included bark	Nil	N/A	10-20	C2	3.28	33.72
	557	Chamaecyparis lawsoniana Lawson's cypress	418	MS	12	2.0	2.0	2.0	2.0	1	2	M	Fair	Average condition	Nil	N/A	20-40	C2	4.18	54.90
	558	Thuja plicata Western Red Cedar	366	MS	8	3.0	2.0	3.0	2.0	1	2	M	Fair	Suppressed under adjacent tree	Nil	N/A	10-20	C2	3.66	42.09
	579	Fraxinus excelsior Ash	313	1	10	4.0	4.0	4.0	4.0	3	4	M	Fair	Average condition	Nil	N/A	20-40	C2	3.76	44.33
	580	Fraxinus excelsior Ash	138	1	9	2.0	2.0	1.5	2.0	4	3	M	Good	Gone	Nil	N/A	40+	C2	1.66	8.62
	582	Acer pseudoplatanus Sycamore	229	1	6	3.0	3.0	3.0	3.0	3	2.5	M	Fair	Small crossing/rubbing limb in lower crown	Nil	N/A	40+	C2	2.75	23.73
	583	Quercus rubra Red oak	151	1	7	3.0	3.0	3.0	3.0	4	2.5	SM	Fair	Heavy low branches	Nil	N/A	40+	C2	1.81	10.32
	585	Prunus Atropurpurea Pissards Plum	276	MS	5	3.0	3.0	3.0	3.0	1	2	M	Fair	Potential for main fork to split	Nil	N/A	10-20	C2	2.76	23.93
	588	variegated poplar	479	MS	13	4.0	4.0	4.0	4.0	2	2	M	Fair	Large secondary leader from 1.0	Nil	N/A	20-40	C2	4.79	72.09
	589	variegated poplar	465	1	11	4.0	4.0	4.0	4.0	2	2	M	Fair	Internal decay evident from weeping wound on stem at 1.2 e	Nil	N/A	10-20	C2	5.58	97.83
	590	Acer pseudoplatanus Sycamore	159	MS	3	1.0	1.0	1.0	1.0	6	1	M	Fair	Heavily topped	Nil	N/A	20-40	C2	1.59	7.94
	591	Prunus Atropurpurea Pissards Plum	228	1	6	3.0	3.0	3.0	3.0	0	3	M	Fair	Rubbing limb at 3.0e	Nil	N/A	20-40	C2	2.74	23.52
	595	Prunus Atropurpurea Pissards Plum	201	MS	5	3.0	3.0	3.0	3.0	1	2	M	Fair	Average condition	Nil	N/A	20-40	C2	2.01	12.69
	597	Prunus Flowering Cherry	324	1	5	3.0	4.0	4.0	4.0	0	2	M	Fair	Average condition	Nil	N/A	10-20	C2	3.89	47.50
	599	Cupressocyparis leylandii Leyland cypress	562	1	9	3.0	3.0	3.0	3.0	1	0	M	Fair	Average condition	Nil	N/A	40+	C2	6.74	142.90
	604	Prunus Atropurpurea Pissards Plum	259	MS	6	3.0	3.0	3.0	3.0	1	3	M	Fair	Weak fork at 1.2 e	Nil	N/A	20-40	C2	2.59	21.08
	606	Acer pseudoplatanus Sycamore	219	1	7	2.0	3.5	2.0	3.0	2	4	M	Fair	Average condition	Nil	N/A	40+	C2	2.63	21.70
	611	Cupressocyparis leylandii Leyland cypress	759	MS	13	4.0	4.0	4.0	4.0	1	2	M	Fair	V close to dwellings etc	Nil	N/A	10-20	C2	7.59	181.00
	618	Chamaecyparis lawsoniana Lawson's cypress	330	1	7	2.0	3.0	3.0	2.0	1	1	M	Fair	Average condition	Nil	N/A	20-40	C2	3.96	49.27
	619	Chamaecyparis lawsoniana Lawson's cypress	452	MS	7	2.0	2.0	2.0	2.0	1	2	M	Fair	Average condition	Nil	N/A	20-40	C2	4.52	64.19
	623	Fraxinus excelsior Ash	187	1	8	3.0	3.0	3.0	3.0	3	4	M	Fair	Average condition	Nil	N/A	40+	C2	2.24	15.82
	720	Betula alba Silver birch	287	1	6	3.0	3.0	3.0	3.0	1.5	0	M	Fair	No visible defects	None	N/A	10-20	C2	3.44	37.27
	724	Cupressocyparis leylandii Leyland cypress	802	MS	8	2.0	2.0	2.0	2.0	0	1	M	Good	Tight forks included bark	None	N/A	20-40	C2	8.02	202.09
	729	Prunus Flowering Cherry	392	1	8	4.0	4.0	5.0	4.0	0	1	M	Good	No visible defects	Crown clean	P	10-20	C2	4.70	69.52
	2003	Acer pseudoplatanus Sycamore	81	1	5	1.0	1.0	1.0	1.0	7	n/a	SM	Fair	Average condition	Nil	N/A	40+	C2	0.97	2.97
7	2004	Acer pseudoplatanus Sycamore	97	1	7	2.0	2.0	2.0	2.0	7	n/a	SM	Fair	Average condition	Nil	N/A	40+	C2	1.16	4.26
	2005	Acer pseudoplatanus Sycamore	80	1	7	1.0	2.0	2.0	2.0	7	n/a	SM	Fair	Average condition	Nil	N/A	40+	C2	0.96	2.90
	2007	Crataegus monogyna Hawthorn	244	1	7	2.0	4.0	2.0	2.0	1	3	M	Fair	Average condition	Nil	N/A	10-20	C2	2.93	26.94
	2008	Crataegus monogyna Hawthorn	127	1	5	2.0	2.0	2.0	2.0	2	2	SM	Fair	Average condition	Nil	N/A	40+	C2	1.52	7.30
	2009	Crataegus monogyna Hawthorn	127	1	6	2.5	2.0	2.0	2.0	2	2	SM	Fair	Average condition	Nil	N/A	40+	C2	1.52	7.30
	2012	Fraxinus excelsior Ash	276	MS	7	2.0	3.0	3.0	2.0	6	2	SM	Fair	Coppice	Nil	N/A	40+	C2	2.76	23.93
	2013	Acer pseudoplatanus Sycamore	290	MS	6	2.0	2.0	2.0	2.0	6	2	SM	Fair	Coppice	Nil	N/A	40+	C2	2.90	26.42
	2015	Fraxinus excelsior Ash	103	1	6	2.0	1.0	1.0	2.0	7	2	Y	Fair	Average condition	Nil	N/A	40+	C2	1.24	4.80
	2016	Acer pseudoplatanus Sycamore	216	1	5	1.0	1.0	1.0	1.0	7	2	Y	Fair	Average condition	Nil	N/A	40+	C2	2.59	21.11
	2017	Fraxinus excelsior Ash	78	1	5	1.0	1.0	1.0	1.0	7	2	Y	Fair	Average condition	Nil	N/A	40+	C2	0.94	2.75
	2018	Fraxinus excelsior Ash	107	1	7	2.0	0.0	1.0	1.0	7	2	Y	Fair	Average condition	Nil	N/A	40+	C2	1.28	5.18

**TOTAL CATEGORY C TREES Heyford Park Nicholson's Tree Survey November 2006**

Group No	Tag	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physiological Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
						N	S	E	W											
2019		Fraxinus excelsior Ash	127	1	8	1.0	2.0	1.0	1.0	7	2	Y	Fair	Average condition	Nil	N/A	40+	C2	1.52	7.30
2020		Acer pseudoplatanus Sycamore	113	MS	6	2.0	2.0	2.0	2.0	6	2	SM	Fair	Coppice	Nil	N/A	40+	C2	1.13	4.01
2021		Acer pseudoplatanus Sycamore	364	MS	7	1.0	1.0	1.0	1.0	6	2	Y	Fair	Average condition	Nil	N/A	40+	C2	3.64	41.63
2022		Acer pseudoplatanus Sycamore	137	1	7	1.0	1.0	1.0	1.0	6	2	Y	Fair	Average condition	Nil	N/A	40+	C2	1.64	8.49
2023		Acer pseudoplatanus Sycamore	264	1	7	1.0	1.0	1.0	1.0	6	2	Y	Fair	Average condition	Nil	N/A	40+	C2	3.17	31.53
2024		Acer pseudoplatanus Sycamore	122	1	7	1.0	1.0	1.0	1.0	6	2	Y	Fair	Average condition	Nil	N/A	40+	C2	1.46	6.73
2027		Acer pseudoplatanus Sycamore and Fraxinus excelsior Ash Coppice	75-175	MS	8	3.0	3.0	3.0	3.0	2	2	SM	Fair	Coppice growing through fence approx 100 stems	Nil	N/A	20-40	C2	NA	NA
2028		Eucalyptus gunni Eucalyptus	97	1	9	0.5	0.5	0.5	0.5	8	5	SM	Fair	Average condition	Nil	N/A	40+	C2	1.16	4.26
2030		Acer platanoides Norway maple	92	1	6	1.0	0.0	1.0	1.0	8	3	SM	Fair	Average condition	Nil	N/A	40+	C2	1.10	3.83
2031		Acer pseudoplatanus Sycamore	365	1	8	2.0	3.0	3.0	3.0	5	2	M	Fair	Average condition	Nil	N/A	40+	C2	4.38	60.28
2032		Acer platanoides Norway maple	140	MS	6	1.0	1.0	1.0	1.0	8	3	SM	Fair	Average condition	Nil	N/A	40+	C2	1.40	6.16
2033		Chamaecyparis lawsoniana lawsons cypress	611	MS	10	2.0	1.0	3.0	1.0	1	2	M	Fair	Average condition	Nil	N/A	20-40	C2	6.11	117.30
2034		Chamaecyparis lawsoniana lawsons cypress	201	1	8	1.0	1.0	1.0	2.0	1	2	M	Fair	Average condition	Nil	N/A	20-40	C2	2.41	18.28
2035		Acer pseudoplatanus Sycamore	227	MS	5	2.0	2.0	2.0	2.0	6	2	SM	Fair	Average condition	Nil	N/A	40+	C2	2.27	16.19
2036		Sorbus aucuparia Rowan	144	1	5	2.0	2.0	2.0	2.0	0	2	M	Fair	Leaning to w	Nil	N/A	10-20	C2	1.73	9.38
2037		Fraxinus excelsior Ash	182	1	7	1.0	1.0	1.0	1.0	6	4	SM	Fair	Average condition	Nil	N/A	40+	C2	2.18	14.99
2038		Acer pseudoplatanus Sycamore	125	1	7	1.0	2.0	2.0	2.0	6	4	SM	Fair	Average condition	Nil	N/A	40+	C2	1.50	7.07
2039		Acer pseudoplatanus Sycamore	325	MS	10	2.0	1.0	0.0	4.0	2	6	M	Fair	Etiolated amongst adjacent trees	Nil	N/A	20-40	C2	3.25	33.19
2040		Prunus lusitanica Portugese laurel	138	1	4	1.0	2.0	2.0	1.0	2	3	M	Fair	Average condition	Nil	N/A	10-20	C2	1.66	8.62
2055		Fraxinus excelsior Ash	167	1	6	1.0	1.0	1.0	1.0	2	2	SM	Fair	Topped several times poor specimen	Nil	N/A	40+	C2	2.00	12.62
2056		Fraxinus excelsior Ash	227	1	7	1.0	2.0	1.0	2.0	2	2	SM	Fair	Topped several times poor specimen	Nil	N/A	40+	C2	2.72	23.31
2057		Acer pseudoplatanus Sycamore	297	1	12	4.0	4.0	5.0	2.0	2	4	M	Fair	lower branches on e side removed leaving stubs	Nil	N/A	40+	C2	3.56	39.91
2058		Acer pseudoplatanus Sycamore	215	1	6	2.0	2.0	2.0	2.0	4	2	SM	Fair	Poor structural condition v close to shed/dwelling	Nil	N/A	40+	C2	2.58	20.91
2059		Poplar	170	1	7	1.0	3.0	1.0	2.0	7	1	SM	Fair	Sucker from adjacent trees No long term future	Nil	N/A	40+	C2	2.04	13.08
2060		Chamaecyparis lawsoniana lawsons cypress	343	1	6	2.0	2.0	2.0	1.0	1	0	M	Fair	V close to dwelling	Nil	N/A	20-40	C2	4.12	53.23
2061		Ilex aquifolium Holly	191	MS	5	2.0	2.0	2.0	1.0	2	2	M	Fair	Forked at 1.0 v close to dwelling	Nil	N/A	20-40	C2	1.91	11.46
2062		Chamaecyparis lawsoniana lawsons cypress	302	1	4	1.0	2.0	2.0	2.0	2	1	M	Fair	V close to dwelling	Nil	N/A	20-40	C2	3.62	41.27
2063		Betula alba Silver birch	146	1	10	3.0	3.0	3.0	3.0	2	3	M	Fair	Trunk distorting on concrete fence post	Nil	N/A	20-40	C2	1.75	9.64
2064		Conifer	269	MS	4	2.0	2.0	2.0	2.0	1	0	M	Fair	Average condition	Nil	N/A	10-20	C2	2.69	22.74
2065		Conifer	378	MS	4	2.0	2.0	2.0	2.0	1	0	M	Fair	Average condition	Nil	N/A	10-20	C2	3.78	44.89
2066		Conifer	287	MS	3	1.0	2.0	2.0	2.0	2	0	M	Fair	V close to dwelling	Nil	N/A	10-20	C2	2.87	25.88
2067		Fraxinus excelsior Ash	160	1	8	2.0	2.0	2.0	2.0	5	2	SM	Good	self seeded, being damaged by post	Nil	N/A	40+	C2	1.92	11.58
2068		Acer platanoides Norway maple	169	1	8	3.0	3.0	3.0	3.0	4	1.2	M	Fair	Average condition	Nil	N/A	40+	C2	2.03	12.92
2070		Betula alba Silver birch	86	1	7	1.0	1.0	1.0	1.0	3	3	SM	Fair	Average condition	Nil	N/A	40+	C2	1.03	3.35
2071		Acer platanoides Norway maple	221	MS	7	3.0	3.0	3.0	3.0	4	3	SM	Fair	Trifurcated at gl	Nil	N/A	40+	C2	2.21	15.35
2073		Picea abies Norway spruce	132	1	9	2.0	2.0	2.0	2.0	2	3	M	Fair	Average condition	Nil	N/A	40+	C2	1.58	7.88
2156		Aesculus hippocastanum Horse Chestnut	84	1	4	1.0	1.0	1.0	1.0	5	1.5	Y	Fair	Basal bark wounds	De-stake	P	40+	C2	1.01	3.19
2157		Aesculus hippocastanum Horse Chestnut	108	1	4	1.0	1.0	1.0	1.0	5	1.5	Y	Fair	Basal bark wounds	De-stake	P	40+	C2	1.30	5.28
2158		Aesculus hippocastanum Horse Chestnut	104	1	4	1.0	1.0	1.0	1.0	5	1.5	Y	Fair	Basal bark wounds	De-stake	P	40+	C2	1.25	4.89
2159		Aesculus hippocastanum Horse Chestnut	135	1	4	1.0	1.0	1.0	1.0	5	1.5	Y	Fair	Basal bark wounds	De-stake	P	40+	C2	1.62	8.25
2160		Aesculus hippocastanum Horse Chestnut	85	1	4	1.0	1.0	1.0	1.0	5	1.5	Y	Fair	Basal bark wounds	De-stake	P	40+	C2	1.02	3.27
2161		Aesculus hippocastanum Horse Chestnut	91	1	4	1.0	1.0	1.0	1.0	5	1.5	Y	Fair	Basal bark wounds	De-stake	P	40+	C2	1.09	3.75
2162		Aesculus hippocastanum Horse Chestnut	75	1	4	1.0	1.0	1.0	1.0	5	1.5	Y	Fair	Basal bark wounds	De-stake	P	40+	C2	0.90	2.55
2163		Aesculus hippocastanum Horse Chestnut	83	1	4	1.0	1.0	1.0	1.0	5	1.5	Y	Fair	Basal bark wounds	De-stake	P	40+	C2	1.00	3.12
2164		Aesculus hippocastanum Horse Chestnut	93	1	4	1.0	1.0	1.0	1.0	5	1.5	Y	Fair	Basal bark wounds	De-stake	P	40+	C2	1.12	3.91
2165		Aesculus hippocastanum Horse Chestnut	82	1	4	1.0	1.0	1.0	1.0	5	1.5	Y	Fair	Basal bark wounds	De-stake	P	40+	C2	0.98	3.04
2166		Aesculus hippocastanum Horse Chestnut	87	1	4	1.0	1.0	1.0	1.0	5	1.5	Y	Fair	Basal bark wounds	De-stake	P	40+	C2	1.04	3.42
2167		Aesculus hippocastanum Horse Chestnut	76	1	4	1.0	1.0	1.0	1.0	5	1.5	Y	Fair	Basal bark wounds	De-stake	P	40+	C2	0.91	2.61

**TOTAL CATEGORY C TREES Heyford Park Nicholson's Tree Survey November 2006**

Group No	Tag	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physiological Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
						N	S	E	W											
	2168	Aesculus hippocastanum Horse Chestnut	79	1	4	1.0	1.0	1.0	1.0	5	1.5	Y	Fair	Basal bark wounds	De-stake	P	40+	C2	0.95	2.82
	2169	Aesculus hippocastanum Horse Chestnut	88	1	4	1.0	1.0	1.0	1.0	5	1.5	Y	Fair	Basal bark wounds	De-stake	P	40+	C2	1.06	3.50
	2170	Aesculus hippocastanum Horse Chestnut	96	1	4	1.0	1.0	1.0	1.0	5	1.5	Y	Fair	Basal bark wounds	De-stake	P	40+	C2	1.15	4.17
	2191	Fraxinus excelsior Ash	108	1	10	2.0	2.0	2.0	2.0	7	4	SM	Good	Good	Nil	N/A	40+	C2	1.30	5.28
	2192	Fraxinus excelsior Ash	87	1	8	1.0	2.0	1.0	1.0	7	4	SM	Good	Good	Nil	N/A	40+	C2	1.04	3.42
	2193	Fraxinus excelsior Ash	62	1	8	2.0	2.0	2.0	2.0	7	5	SM	Good	Good	Nil	N/A	40+	C2	0.74	1.74
	2194	Acer pseudoplatanus Sycamore	280	MS	6	2.0	2.0	2.0	2.0	6	3	SM	Good	Multi stem on bank	Nil	N/A	40+	C2	2.80	24.63
	2195	Acer pseudoplatanus Sycamore	75	1	7	2.0	2.0	2.0	2.0	6	3	SM	Good	Gone	Nil	N/A	40+	C2	0.90	2.55
	2196	Acer platanoides Norway maple	163	MS	6	2.0	1.0	1.0	2.0	6	3	SM	Good	Coppice stool	Nil	N/A	40+	C2	1.63	8.35
	2197	Acer platanoides Norway maple	104	MS	6	1.0	2.0	1.0	2.0	6	3	SM	Good	Coppice stool	Nil	N/A	40+	C2	1.04	3.40
	2198	Acer pseudoplatanus Sycamore	180	MS	6	2.0	2.0	1.0	2.0	6	3	SM	Good	Coppice stool	Nil	N/A	40+	C2	1.80	10.18
	2199	Acer pseudoplatanus Sycamore	112	MS	6	2.0	2.0	2.0	2.0	6	3	SM	Good	Coppice stool	Nil	N/A	40+	C2	1.12	3.94
	2201	Cornus sanguinea Dogwood	238	MS	5	3.0	3.0	3.0	3.0	1	0	M	Good	Good	Nil	N/A	10-20	C2	2.38	17.80
	2216	Malus domestica Apple	160	MS	3.5	2.0	3.0	3.0	2.0	1	1	M	Fair	No visible defects	Crown clean	P	20-40	C2	1.60	8.04
	2217	Prunus Flowering Cherry	292	MS	4	3.0	3.0	3.0	3.0	1	0	M	Fair	Canker wounds	Nil	N/A	10-20	C2	2.92	26.79
	2225	Acer platanoides Norway maple	80	MS	5	1.5	1.0	2.0	1.0	2	0.5	Y	Good	No visible defects	Nil	N/A	10-20	C2	0.80	2.01
	2226	Acer platanoides Norway maple	80	MS	5	0.0	1.0	2.0	1.0	2	0.5	Y	Good	No visible defects	Nil	N/A	10-20	C2	0.80	2.01
G3	4038	Acer pseudoplatanus Sycamore	175	1	14	1.0	1.0	1.0	4.0	2	6	M	Fair	Average condition	Nil	N/A	20-40	C2	2.10	13.86
G16	4123	Thuja plicata Westen Red Cedar	279	1	11	3.0	3.0	3.0	3.0	2	4	M	Good	Average condition	Nil	N/A	40+	C2	3.35	35.22
G16	4124	Thuja plicata Westen Red Cedar	509	1	14	3.0	4.0	3.0	3.0	2	4	M	Good	Average condition	Nil	N/A	40+	C2	6.11	117.22
G16	4125	Thuja plicata Westen Red Cedar	267	1	11	3.0	3.0	1.0	3.0	2	4	M	Good	Average condition	Nil	N/A	40+	C2	3.20	32.25
G16	4126	Thuja plicata Westen Red Cedar	326	MS	10	2.0	3.0	2.0	1.0	2	4	M	Good	Average condition	Nil	N/A	40+	C2	3.26	33.39
G16	4127	Thuja plicata Westen Red Cedar	282	1	12	2.0	4.0	1.0	1.0	2	4	M	Good	Average condition	Nil	N/A	40+	C2	3.38	35.98
G16	4128	Thuja plicata Westen Red Cedar	287	1	12	2.0	4.0	1.0	1.0	2	4	M	Good	Average condition	Nil	N/A	40+	C2	3.44	37.27
G16	4129	Thuja plicata Westen Red Cedar	176	1	10	2.0	2.0	1.0	2.0	2	4	M	Good	Average condition	Nil	N/A	20-40	C2	2.11	14.02
G16	4130	Thuja plicata Westen Red Cedar	412	MS	12	3.0	2.0	1.0	1.0	1	4	M	Poor	Average condition	Nil	N/A	10-20	C2	4.12	53.33
G16	4131	Thuja plicata Westen Red Cedar	396	MS	12	3.0	4.0	2.0	1.0	1	4	M	Fair	Average condition	Nil	N/A	20-40	C2	3.96	49.27
G16	4132	Thuja plicata Westen Red Cedar	156	1	12	3.0	4.0	1.0	1.0	1	4	M	Fair	Average condition	Nil	N/A	20-40	C2	1.87	11.01
G16	4133	Thuja plicata Westen Red Cedar	291	1	12	3.0	4.0	1.0	1.0	1	4	M	Fair	Average condition	Nil	N/A	20-40	C2	3.49	38.31
G16	4134	Thuja plicata Westen Red Cedar	270	1	12	3.0	4.0	1.0	1.0	1	4	M	Fair	Average condition	Nil	N/A	20-40	C2	3.24	32.98
G16	4135	Thuja plicata Westen Red Cedar	338	MS	12	3.0	4.0	1.0	1.0	1	4	M	Fair	Average condition	Nil	N/A	20-40	C2	3.38	35.90
G16	4136	Thuja plicata Westen Red Cedar	270	1	12	3.0	4.0	1.0	1.0	1	4	M	Fair	Average condition	Nil	N/A	20-40	C2	3.24	32.98
G16	4137	Thuja plicata Westen Red Cedar	326	1	11	3.0	4.0	1.0	1.0	1	4	M	Fair	Average condition	Nil	N/A	20-40	C2	3.91	48.08
G16	4138	Thuja plicata Westen Red Cedar	333	MS	9	2.0	4.0	1.0	1.0	1	4	M	Fair	Average condition	Nil	N/A	20-40	C2	3.33	34.84
G16	4139	Thuja plicata Westen Red Cedar	342	1	12	3.0	4.0	1.0	1.0	2	4	M	Fair	Average condition	Nil	N/A	20-40	C2	4.10	52.92
G16	4140	Thuja plicata Westen Red Cedar	126	1	8	2.0	2.0	1.0	1.0	1	4	M	Fair	Average condition	Nil	N/A	20-40	C2	1.51	7.18
G16	4141	Thuja plicata Westen Red Cedar	487	1	13	3.0	4.0	1.0	3.0	2	4	M	Fair	Average condition	Nil	N/A	20-40	C2	5.84	107.31
G17	4142	Betula alba Silver birch	117	1	7	1.0	1.0	2.0	1.0	3	3	SM	Fair	Average condition	Nil	N/A	20-40	C2	1.40	6.19
G17	4143	Betula alba Silver birch	96	1	7	1.0	2.0	1.0	1.0	3	3	SM	Fair	Average condition	Nil	N/A	20-40	C2	1.15	4.17
G17	4144	Betula alba Silver birch	75	1	6	1.0	1.0	1.0	1.0	3	2	SM	Fair	Average condition	Nil	N/A	20-40	C2	0.90	2.55
G18	4163	Acer pseudoplatanus Sycamore	360	1	12	1.0	2.0	4.0	5.0	1	6	M	Poor	Average condition	Nil	N/A	10-20	C2	4.32	58.64
G19	4184	Pinus sylvestris Scots pine	319	1	14	2.0	1.0	3.0	1.0	0	12	M	Poor	Average condition	Nil	N/A	10-20	C2	3.83	46.04
G22	4213	Betula alba Silver birch	90	1	6	1.0	2.0	2.0	1.0	1	4	SM	Fair	Average condition	Nil	N/A	10-20	C2	1.08	3.66
G22	4214	Betula alba Silver birch	101	1	6	1.0	2.0	1.0	2.0	1	4	SM	Fair	Average condition	Nil	N/A	10-20	C2	1.21	4.62
G22	4215	Betula alba Silver birch	152	1	7	1.0	3.0	2.0	2.0	1	3	M	Fair	Average condition	Nil	N/A	10-20	C2	1.82	10.45
G23	4217	Sorbus intermedia Swedish Whitebeam	540	1	10	3.0	3.0	3.0	4.0	1	4	M	Poor	Average condition	Nil	N/A	10-20	C2	6.48	131.93
G26	4239	Sorbus intermedia Swedish Whitebeam	582	1	10	3.0	4.0	4.0	5.0	1	6	M	Fair	Historic tear out on e stem	Nil	N/A	10-20	C2	6.98	153.25
G27	4242	Chamaecyparis lawsoniana lawsons cypress	221	1	8	2.0	1.0	2.0	2.0	1	0	M	Good	Average condition	Nil	N/A	40+	C2	2.65	22.10
G27	4243	Chamaecyparis lawsoniana lawsons cypress	336	MS	8	1.0	1.0	2.0	2.0	1	0	M	Good	Average condition	Nil	N/A	40+	C2	3.36	35.47
G27	4244	Chamaecyparis lawsoniana lawsons cypress	321	MS	8	1.0	1.0	2.0	2.0	1	0	M	Good	Average condition	Nil	N/A	40+	C2	3.21	32.38
G27	4245	Chamaecyparis lawsoniana lawsons cypress	322	1	8	1.0	2.0	2.0	2.0	1	0	M	Good	Average condition	Nil	N/A	40+	C2	3.86	46.91
G28	4255	Fagus sylvatica Beech	400	1	15	1.0	4.0	6.0	3.0	2	6	M	Fair	Bark scars on main stem	Nil	N/A	10-20	C2	4.80	72.39
G28	4263	Fagus sylvatica Beech	623	1	15	8.0	7.0	4.0	3.0	2	7	M	Fair	Wounds in main stem w 7m tight main forks with included bark	VTA	U	10-20	C2	7.48	175.61
G28	4264	Acer pseudoplatanus Sycamore	346	1	15	0.0	3.0	4.0	2.0	1	9	M	Fair	Average condition	Nil	N/A	10-20	C2	4.15	54.17
G28	4282	Acer pseudoplatanus Sycamore	459	1	15	5.0	7.0	3.0	4.0	2	6	M	Fair	Significant stem wound at 1.0 n	Nil	N/A	10-20	C2	5.51	95.32
G29	4295	Crataegus monogyna Hawthorn	215	1	4	0.0	2.0	2.0	2.0	0	2	M	Fair	Average condition	Nil	N/A	10-20	C2	2.58	20.91
G29	4296	Crataegus monogyna Hawthorn	286	1	6	0.0	2.0	2.0	2.0	0	3	M	Fair	Average condition	Nil	N/A	10-20	C2	3.43	37.01
G29	4297	Crataegus monogyna Hawthorn	218	1	6	0.0	2.0	2.0	2.0	0	3	M	Fair	Average condition	Nil	N/A	10-20	C2	2.62	21.50

**TOTAL CATEGORY C TREES Heyford Park Nicholson's Tree Survey November 2006**

Group No	Tag	Species (Botanical)	Diam (mm)	Stems	Ht m (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physiological Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
						N	S	E	W											
G30	4298	Acer pseudoplatanus Sycamore	509	MS	13	3.0	3.0	5.0	4.0	2	7	M	Fair	Average condition	Nil	N/A	20-40	C2	5.09	81.40
G30	4299	Acer pseudoplatanus Sycamore	202	1	13	1.5	2.0	2.0	2.0	4	7	M	Fair	Average condition	Nil	N/A	40+	C2	2.42	18.46
G30	4302	Acer pseudoplatanus Sycamore	535	MS	15	3.0	3.0	4.0	4.0	2	8	M	Fair	Multistem with lots of included bark	Nil	N/A	20-40	C2	5.35	89.93
G30	4303	Acer pseudoplatanus Sycamore	492	MS	15	5.0	3.0	6.0	2.0	2	6	M	Fair	Average condition	Nil	N/A	20-40	C2	4.92	76.06
G33	4312	Betula alba Silver birch	159	1	6	1.0	3.0	3.0	1.0	1	2	M	Fair	Suppressed	Nil	N/A	20-40	C2	1.91	11.44
G37	4335	Acer pseudoplatanus Sycamore	510	MS	8	3.0	3.0	3.0	3.0	2	3	M	Fair	Coppice growing through fence	Nil	N/A	20-40	C2	5.10	81.72
G37	4336	Acer pseudoplatanus Sycamore	480	MS	8	3.0	3.0	3.0	3.0	2	3	M	Fair	Coppice growing through fence	Nil	N/A	20-40	C2	4.80	72.39
G37	4338	Acer pseudoplatanus Sycamore	216	MS	8	1.0	1.0	1.0	2.0	3	2	SM	Fair	Average condition	Nil	N/A	40+	C2	2.16	14.66
G39	4340	Acer pseudoplatanus Sycamore	650	MS	9	3.0	3.0	3.0	3.0	3	3	M	Fair	Coppice growing through fence	Nil	N/A	20-40	C2	6.50	132.75
G40	4345	Fraxinus excelsior Ash	196	1	12	3.0	2.0	1.0	4.0	3	8	M	Fair	Average condition	Nil	N/A	20-40	C2	2.35	17.38
G41	4361	Betula alba Silver birch	403	1	11	2.0	5.0	4.0	4.0	1	5	M	Fair	Cavity in main stem 4.0	Nil	N/A	10-20	C2	4.84	73.48
G41	4362	Betula alba Silver birch	169	1	9	2.0	1.0	2.0	1.0	1	7	M	Fair	Average condition	Nil	N/A	10-20	C2	2.03	12.92
G41	4363	Betula alba Silver birch	438	1	12	4.0	5.0	4.0	3.0	1	2	M	Fair	Average condition	Nil	N/A	10-20	C2	5.26	86.80
G41	4365	Crataegus monogyna Hawthorn	221	MS	7	3.0	2.0	3.0	3.0	1	3	M	Fair	Basal wound	Nil	N/A	10-20	C2	2.21	15.35
G41	4367	Betula alba Silver birch	184	1	8	1.0	3.0	1.0	2.0	1	4	M	Fair	Stem wound at 1.5 e	Nil	N/A	10-20	C2	2.21	15.32
G43	4385	Chamaecyparis lawsoniana lawsons cypress	190	1	8	2.0	2.0	2.0	2.0	1	2	M	Fair	Average condition	Nil	N/A	40+	C2	2.28	16.33
G43	4391	Acer platanoides Norway maple	368	1	12	3.0	3.0	2.0	6.0	1	4	M	Poor	Average condition	Nil	N/A	10-20	C2	4.42	61.27
G46	4410	Crataegus monogyna Hawthorn	205	1	6	0.0	2.0	3.0	0.0	0	3	M	Fair	Average condition	Nil	N/A	10-20	C2	2.46	19.01
G47	4411	Prunus laurocerasus Cherry laurel	487	MS	6	2.0	3.0	3.0	3.0	2	n/a	M	Fair	Average condition	Nil	N/A	20-40	C2	4.87	74.52
G47	4412	Prunus laurocerasus Cherry laurel	224	MS	6	3.0	1.0	1.0	4.0	2	n/a	M	Fair	Average condition	Nil	N/A	20-40	C2	2.24	15.77
G47	4413	Prunus laurocerasus Cherry laurel	395	MS	7	5.0	2.0	4.0	4.0	2	n/a	M	Fair	Average condition	Nil	N/A	20-40	C2	3.95	49.02
G47	4414	Prunus laurocerasus Cherry laurel	418	MS	6	1.0	2.0	3.0	2.0	2	n/a	M	Poor	Average condition	Nil	N/A	10-20	C2	4.18	54.90
G47	4416	Prunus laurocerasus Cherry laurel	510	MS	8	5.0	2.0	5.0	4.0	2	n/a	M	Fair	Average condition	Nil	N/A	10-20	C2	5.10	81.72
G47	4417	Prunus laurocerasus Cherry laurel	576	MS	8	2.0	5.0	5.0	5.0	2	n/a	M	Fair	Average condition	Nil	N/A	10-20	C2	5.76	104.24
G47	4418	Prunus laurocerasus Cherry laurel	321	MS	9	2.0	3.0	4.0	5.0	2	n/a	M	Fair	Average condition	Nil	N/A	10-20	C2	3.21	32.38
G47	4419	Prunus laurocerasus Cherry laurel	206	MS	9	4.0	2.0	2.0	3.0	2	n/a	M	Fair	Average condition	Nil	N/A	10-20	C2	2.06	13.33
G47	4420	Prunus laurocerasus Cherry laurel	684	MS	8	4.0	2.0	4.0	5.0	2	n/a	M	Fair	Average condition	Nil	N/A	10-20	C2	6.84	147.00
G47	4421	Prunus laurocerasus Cherry laurel	564	MS	4	6.0	0.0	3.0	4.0	2	n/a	M	Fair	Average condition	Nil	N/A	10-20	C2	5.64	99.95
G47	4422	Prunus laurocerasus Cherry laurel	573	MS	6	6.0	1.0	4.0	3.0	2	n/a	M	Fair	Average condition	Nil	N/A	10-20	C2	5.73	103.16
G47	4423	Prunus laurocerasus Cherry laurel	138	1	4	2.0	2.0	2.0	2.0	1	n/a	M	Poor	Average condition	Nil	N/A	10-20	C2	1.66	8.62
G48	4434	Acer pseudoplatanus Sycamore	391	MS	12	1.0	3.0	4.0	3.0	2	5	M	Fair	Forked at gl included bark	Nil	N/A	10-20	C2	3.91	48.04
G48	4436	Acer pseudoplatanus Sycamore	342	1	12	3.0	3.0	2.0	4.0	1	6	M	Poor	Average condition	Nil	N/A	10-20	C2	4.10	52.92
G49	4446	Pinus sylvestris Scots pine	302	1	11	4.0	0.0	1.0	3.0	0	7	M	Fair	Average condition	Nil	N/A	10-20	C2	3.62	41.27
G51	4470	Chamaecyparis lawsoniana lawsons cypress	195	1	7	0.0	3.0	2.0	2.0	1	3	M	Fair	Average condition	Nil	N/A	20-40	C2	2.34	17.20
G51	4471	Chamaecyparis lawsoniana lawsons cypress	220	MS	8	2.0	2.0	2.0	1.0	1	3	M	Fair	Stem wounds	Nil	N/A	20-40	C2	2.20	15.21
G51	4472	Pinus wallichiana Bhutan pine	286	1	10	2.0	3.0	3.0	3.0	3	3	M	Fair	Average condition	Nil	N/A	40+	C2	3.43	37.01
G51	4473	Cryptomeria japonica Elegans	148	1	6	1.0	1.0	1.0	1.0	1	3	M	Fair	Average condition	Nil	N/A	10-20	C2	1.78	9.91
G51	4474	Pinus nigra var maritima Corsican Pine	260	1	7	2.0	2.0	2.0	2.0	5	2.5	M	Fair	Average condition	Nil	N/A	40+	C2	3.12	30.59
G51	4475	Cryptomeria japonica Elegans	189	1	6	1.0	1.0	1.0	1.0	1	3	M	Fair	Minor bark wound gl	Nil	N/A	10-20	C2	2.27	16.16
G51	4476	Picea abies Norway spruce	247	1	9	2.0	2.0	2.0	2.0	2	4	M	Fair	Average condition	Nil	N/A	20-40	C2	2.96	27.60
G53	4481	Acer pseudoplatanus Sycamore	102	1	7	2.0	2.0	1.0	2.0	4	2	SM	Fair	Average condition	Nil	N/A	40+	C2	1.22	4.71
G53	4482	Acer platanoides Norway maple	155	1	7	3.0	3.0	3.0	2.0	4	2.5	M	Fair	V tight fork at 2.5 included bark	Nil	N/A	10-20	C2	1.86	10.87
G53	4483	Acer platanoides Norway maple (Purple)	185	1	7	3.0	3.0	2.0	3.0	4	1.6	M	Fair	Average condition	Nil	N/A	40+	C2	2.22	15.49
G53	4484	Acer platanoides Norway maple (Purple)	195	1	8	3.0	3.0	3.0	3.0	4	2	M	Fair	Basal wound gl e	Nil	N/A	40+	C2	2.34	17.20
G53	4485	Acer platanoides Norway maple (Purple)	165	1	7	3.0	3.0	3.0	3.0	4	2	M	Fair	Average condition	Nil	N/A	40+	C2	1.98	12.32
G53	4486	Acer platanoides Norway maple (Purple)	125	1	6	3.0	3.0	2.0	3.0	4	2	M	Fair	Average condition	Nil	N/A	40+	C2	1.50	7.07
G53	4494	Acer pseudoplatanus Sycamore	285	1	13	0.0	5.0	3.0	1.0	2	7	M	Fair	Drawn up specimen due to surrounding trees	Nil	N/A	10-20	C2	3.42	36.75
G53	4495	Acer pseudoplatanus Sycamore	599	MS	13	2.0	3.0	4.0	0.0	2	4	M	Fair	Indications of interbar cracks etc in 2 main stems	Nil	N/A	10-20	C2	5.99	112.74
G53	4497	Acer pseudoplatanus Sycamore	564	MS	12	2.0	2.0	4.0	4.0	2	5	M	Fair	Trifurcated at gl	Nil	N/A	20-40	C2	5.64	99.95
G53	4498	Acer pseudoplatanus Sycamore	357	1	13	2.0	2.0	4.0	4.0	2	9	M	Fair	Bark damage up trunk drought damage	Nil	N/A	10-20	C2	4.28	57.66
G53	4526	Acer pseudoplatanus Sycamore	486	1	14	5.0	6.0	5.0	3.0	2	6	M	Fair	Significant bark damage	Nil	N/A	10-20	C2	5.83	106.87
G53	4528	Acer pseudoplatanus Sycamore	365	1	13	2.0	5.0	2.0	3.0	2	6	M	Fair	Major aquirrel damage	Nil	N/A	10-20	C2	4.38	60.28
G53	4532	Acer pseudoplatanus Sycamore	414	1	12	6.0	3.0	0.0	7.0	2	6	M	Fair	Trunk wound at 1.0 s	Nil	N/A	10-20	C2	4.97	77.55
G53	4537	Acer pseudoplatanus Sycamore	223	1	11	1.0	3.0	0.0	4.0	4	7	M	Fair	Suppressed under adjacent tree	Nil	N/A	20-40	C2	2.68	22.50
H17	4539	Thuja plicata Westen Red Cedar	286	1	10	3.0	3.0	3.0	3.0	2	3	M	Fair	Average condition	Nil	N/A	20-40	C2	3.43	37.01
H17	4540	Fraxinus excelsior Ash	219	1	10	4.0	4.0	2.0	2.0	2	5	M	Fair	Average condition	Nil	N/A	20-40	C2	2.63	21.70
H17	4550	Acer pseudoplatanus Sycamore	326	1	9	3.0	3.0	1.0	2.0	3	4	M	Fair	Co-dominant with 4551	Nil	N/A	20-40	C2	3.91	48.08
H17	4551	Acer pseudoplatanus Sycamore	167	1	9	3.0	3.0	2.0	1.0	3	4	M	Fair	Co-dominant with 4550	Nil	N/A	20-40	C2	2.00	12.62
H17	4558	Acer pseudoplatanus Sycamore	540	MS	10	4.0	4.0	2.0	2.0	2	4	M	Fair	Three stems from gl included bark	Nil	N/A	10-20	C2	5.40	91.62

**TOTAL CATEGORY C TREES Heyford Park Nicholson's Tree Survey November 2006**

Group No	Tag	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physiological Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
						N	S	E	W											
H17	4560	Acer pseudoplatanus Sycamore	692	MS	10	4.0	4.0	3.0	2.0	2	5	M	Fair	Coppice stool with 5 stems from gl and included bark in all	Nil	N/A	10-20	C2	6.92	150.46
H17	4562	Acer pseudoplatanus Sycamore	635	MS	10	4.0	4.0	3.0	2.0	2	4	M	Fair	Coppice stool with 3 stems from gl and included bark in all	Nil	N/A	10-20	C2	6.35	126.69
H17	4563	Fraxinus excelsior Ash	178	1	10	0.0	5.0	3.0	2.0	2	6	M	Fair	Growing out from tree l8ne to a significant degree	Nil	N/A	10-20	C2	2.14	14.34
H17	4571	Acer pseudoplatanus Sycamore	261	1	10	2.0	4.0	2.0	2.0	3	4	M	Fair	Average condition	Nil	N/A	40+	C2	3.13	30.82
H17	4572	Sorbus intermedia Swedish Whitebeam	214	MS	7	0.0	3.0	1.0	1.0	1	3	M	Fair	Suppressed under adjacent tree	Nil	N/A	10-20	C2	2.14	14.39
G54	4632	Pinus sylvestris Scots pine	183	1	7	1.0	0.0	0.0	3.0	0	4	M	Fair	Suppressed under adjacent tree	Nil	N/A	10-20	C2	2.20	15.15
G54	4636	Thuja plicata Westen Red Cedar	95	1	5	1.0	1.0	1.0	1.0	2	2	SM	Fair	Suppressed under adjacent tree	Nil	N/A	20-40	C2	1.14	4.08
G54	4638	Pinus sylvestris Scots pine	234	1	10	1.0	2.0	1.0	4.0	0	7	M	Fair	Suppressed under adjacent tree	Nil	N/A	10-20	C2	2.81	24.77
G54	4639	Betula alba Silver birch	114	1	7	0.0	1.0	1.0	3.0	0	3	M	Fair	Suppressed under adjacent tree	Nil	N/A	10-20	C2	1.37	5.88
G54	4641	Pinus sylvestris Scots pine	254	1	7	0.0	1.0	0.0	4.0	0	7	M	Fair	Suppressed under adjacent tree	Nil	N/A	10-20	C2	3.05	29.19
G54	4644	Pinus sylvestris Scots pine	168	1	9	2.0	0.0	1.0	2.0	0	7	M	Fair	Suppressed under adjacent tree	Nil	N/A	10-20	C2	2.02	12.77
G55	4649	Acer platanoides Norway maple	195	1	10	0.0	3.0	3.0	3.0	4	2	M	Fair	one sided duevto adjacent tree	Nil	N/A	40+	C2	2.34	17.20
G55	4651	Thuja plicata Westen Red Cedar	214	1	11	2.0	0.0	3.0	0.0	0	5	M	Poor	Suppressed under adjacent tree	Nil	N/A	10-20	C2	2.57	20.72
G55	4656	Thuja plicata Westen Red Cedar	208	1	10	2.0	2.0	1.0	2.0	1	3	M	Fair	Suppressed under adjacent tree	Nil	N/A	10-20	C2	2.50	19.57
G56	4659	Prunus laurocerasus Cherry laurel	264	MS	6	3.0	3.0	3.0	3.0	0	0	M	Fair	Average condition	Nil	N/A	10-20	C2	2.64	21.90
G58	4677	Chamaecyparis lawsoniana lawsons cypress	372	1	8	2.0	2.0	2.0	2.0	1	1	M	Fair	Average condition	Nil	N/A	10-20	C2	4.46	62.61
G58	4678	Chamaecyparis lawsoniana lawsons cypress	824	1	12	3.0	2.0	3.0	3.0	0	1	M	Fair	Average condition	Nil	N/A	10-20	C2	9.89	307.20
G54	4681	Larix eurolepis Larch	311	1	8	3.0	1.0	6.0	1.0	0	7	M	Fair	Suppressed under adjacent tree	Nil	N/A	10-20	C2	3.73	43.76
G54	4682	Larix eurolepis Larch	377	1	9	4.0	3.0	2.0	6.0	0	6	M	Fair	Suppressed under adjacent tree	Nil	N/A	10-20	C2	4.52	64.31
G54	4690	Larix eurolepis Larch	150	1	8	1.0	1.0	1.0	1.0	0	4	M	Poor	Average condition	Nil	N/A	<10	C2	1.80	10.18
G54	4695	Larix eurolepis Larch	215	1	8	1.0	1.0	3.0	1.0	0	5	M	Fair	Suppressed under adjacent tree	Nil	N/A	10-20	C2	2.58	20.91
G54	4703	Pinus sylvestris Scots pine	131	1	5	2.0	0.0	0.0	1.0	0	5	M	Fair	Suppressed under adjacent tree	Nil	N/A	10-20	C2	1.57	7.76
G54	4709	Crataegus monogyna Hawthorn	257	1	7	2.0	1.0	3.0	3.0	0	3	M	Fair	Average condition	Nil	N/A	20-40	C2	3.08	29.88
G54	4713	Larix eurolepis Larch	211	1	12	2.0	1.0	4.0	1.0	0	5	M	Fair	Average condition	Nil	N/A	10-20	C2	2.53	20.14
G54	4715	Pinus sylvestris Scots pine	340	1	14	3.0	1.0	1.0	2.0	0	8	M	Fair	Major stem scar with dysfunctional timber behind and wood pecker feeding holes from 1.5-6.5 w	Nil	N/A	10-20	C2	4.08	52.30
G54	4718	Larix eurolepis Larch	219	1	8	1.0	1.0	0.0	6.0	0	4	M	Fair	Suppressed under adjacent tree	Nil	N/A	10-20	C2	2.63	21.70
G54	4724	Larix eurolepis Larch	223	1	7	0.0	2.0	0.0	7.0	0	6	M	Fair	Suppressed under adjacent tree	Nil	N/A	10-20	C2	2.68	22.50
G54	4729	Larix eurolepis Larch	219	1	9	2.0	2.0	2.0	1.0	1	3	M	Fair	Average condition	Nil	N/A	20-40	C2	2.63	21.70
G54	4739	Larix eurolepis Larch	219	1	8	1.0	1.0	6.0	0.0	0	5	M	Fair	Suppressed under adjacent tree	Nil	N/A	10-20	C2	2.63	21.70
G54	4743	Larix eurolepis Larch	166	1	7	1.0	0.0	0.0	4.0	0	4	M	Fair	Suppressed under adjacent tree	Nil	N/A	10-20	C2	1.99	12.47
G54	4750	Crataegus monogyna Hawthorn	188	MS	7	2.0	2.0	2.0	2.0	1	3	M	Fair	Average condition	Nil	N/A	10-20	C2	1.88	11.11
G60	4754	Prunus laurocerasus Cherry Laurel	172	MS	4	3.0	3.0	3.0	3.0	3+	0	SM	Good	Suppressed by 4755	None	N/A	20-40	C2	1.72	9.30
G60	4758	Prunus laurocerasus Cherry Laurel	367	MS	3	2.0	2.0	2.0	2.0	3+	0	M	Fair	No visible defects	None	N/A	10-20	C2	3.67	42.32
G61	4761	Fagus sylvatica Beech	754	MS	18	10.0	10.0	6.0	6.0	3	2	M	Good	Thin leaders from base	None	N/A	20-40	C2	7.54	178.63
G54	4770	Pinus sylvestris Scots pine	276	1	12	1.0	1.0	5.0	0.0	0	8	M	Fair	Significant lean to e stem wound 3.0-5.0 w	Nil	N/A	10-20	C2	3.31	34.47
G54	4773	Pinus sylvestris Scots pine	397	1	9	2.0	3.0	4.0	6.0	0	5	M	Fair	Forked at 5m and suppressed under adjacent trees, wide spread	Nil	N/A	10-20	C2	4.76	71.31
G62	4788	Fagus sylvatica Beech	505	1	15	5.0	4.0	5.0	4.0	2	2	M	Good	Base - 2 m large open stem wound	None	N/A	40+	C2	6.06	115.39
G62	4792	Fagus sylvatica Beech	815	1	19	5.0	5.0	5.0	6.0	2	3	M	Fair	Fagus sylvatica Beech bark disease felted Fagus sylvatica Beech cockus	Nil	N/A	40+	C2	9.78	300.53
G67	4807	Acer pseudoplatanus Sycamore	383	1	11	3.0	3.0	3.0	3.0	2	6	M	Fair	Average condition	Nil	N/A	20-40	C2	4.60	66.37
G67	4808	Fraxinus excelsior Ash	317	1	13	5.0	3.0	0.0	6.0	2	6	M	Fair	Average condition	Nil	N/A	20-40	C2	3.80	45.47
G67	4809	Acer pseudoplatanus Sycamore	164	1	9	1.0	1.0	2.0	1.0	4	6	M	Fair	Suppressed under adjacent tree	Nil	N/A	10-20	C2	1.97	12.17
G67	4810	Acer pseudoplatanus Sycamore	391	1	10	3.0	1.0	2.0	2.0	3	6	M	Fair	Average condition	Nil	N/A	10-20	C2	4.69	69.17
G67	4811	Acer pseudoplatanus Sycamore	343	1	10	2.0	2.0	2.0	3.0	3	6	M	Fair	Tight fork at 1.2 with included bark	Nil	N/A	10-20	C2	4.12	53.23
G67	4812	Acer pseudoplatanus Sycamore	356	MS	9	1.0	1.0	2.0	2.0	4	6	M	Fair	Tight fork at gl with included bark	Nil	N/A	10-20	C2	3.56	39.82
G67	4813	Acer pseudoplatanus Sycamore	760	MS	12	3.5	5.0	4.0	5.0	2	6	M	Fair	Poor basal union	Nil	N/A	10-20	C2	7.60	181.48
G68	4814	Quercus rubra Red oak	134	1	6	3.0	3.0	3.0	3.0	4	2	M	Fair	Average condition	Nil	N/A	40+	C2	1.61	8.12
G68	4815	Quercus rubra Red oak	100	1	6	3.0	3.0	3.0	3.0	4	2	M	Fair	Average condition	Nil	N/A	40+	C2	1.20	4.52
G68	4816	Quercus rubra Red oak	179	1	8	3.0	3.0	3.0	3.0	4	2.5	M	Fair	Average condition	Nil	N/A	40+	C2	2.15	14.50
G68	4817	Quercus rubra Red oak	201	1	8	3.0	3.0	3.0	3.0	4	2.5	M	Fair	Average condition	Nil	N/A	40+	C2	2.41	18.28
G68	4818	Quercus rubra Red oak	158	1	8	3.0	3.0	3.0	3.0	4	2.5	M	Fair	Average condition	Nil	N/A	40+	C2	1.90	11.29
G68	4819	Quercus rubra Red oak	202	1	9	3.0	3.0	3.0	3.0	4	2.5	M	Fair	Average condition	Nil	N/A	40+	C2	2.42	18.46
G68	4820	Quercus rubra Red oak	163	1	8	3.0	3.0	3.0	3.0	4	2.5	M	Fair	Average condition	Nil	N/A	40+	C2	1.96	12.02
G68	4821	Quercus rubra Red oak	170	1	8	3.0	3.0	3.0	3.0	4	2.5	M	Fair	Average condition	Nil	N/A	40+	C2	2.04	13.08
G70	4822	Acer pseudoplatanus Sycamore	203	1	11	4.0	1.0	2.0	3.0	3	3	M	Fair	Average condition	Nil	N/A	40+	C2	2.44	18.64
G70	4823	Crataegus monogyna Hawthorn	333	MS	7	2.0	2.0	3.0	3.0	1	2	M	Fair	Average condition	Nil	N/A	20-40	C2	3.33	34.84
G70	4824	Fraxinus excelsior Ash	202	1	10	2.0	2.0	2.0	2.0	4	5	M	Fair	Average condition	Nil	N/A	40+	C2	2.42	18.46
G70	4825	Fraxinus excelsior Ash	448	MS	10	3.0	2.0	5.0	0.0	2	5	M	Fair	Forked at gl included bark	Nil	N/A	10-20	C2	4.48	63.06
G70	4826	Fraxinus excelsior Ash	196	1	10	1.0	2.0	4.0	0.0	2	4	M	Fair	Average condition	Nil	N/A	20-40	C2	2.35	17.38
G70	4827	Fraxinus excelsior Ash	357	1	12	2.0	3.0	3.0	2.0	3	5	M	Fair	Poplar leaning into	Nil	N/A	40+	C2	4.28	57.66

**TOTAL CATEGORY C TREES Heyford Park Nicholson's Tree Survey November 2006**

Group No	Tag	Species (Botanical)	Diam (mm)	Stems	Ht m (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physiological Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
						N	S	E	W											
G70	4828	Fraxinus excelsior Ash	273	1	12	2.0	2.0	2.0	2.0	3	6	M	Fair	Average condition	Nil	N/A	40+	C2	3.28	33.72
G70	4830	Fraxinus excelsior Ash	172	1	12	2.0	3.0	3.0	1.0	3	6	M	Fair	Average condition	Nil	N/A	40+	C2	2.06	13.39
G70	4831	Fraxinus excelsior Ash	121	1	12	3.0	0.0	1.0	1.0	3	8	M	Fair	Average condition	Nil	N/A	40+	C2	1.45	6.62
G70	4832	Fraxinus excelsior Ash	131	1	12	3.0	3.0	3.0	2.0	3	8	M	Fair	Average condition	Nil	N/A	40+	C2	1.57	7.76
G70	4833	Fraxinus excelsior Ash	89	1	7	0.0	2.0	1.0	1.0	2	4	M	Fair	Suppressed under adjacent tree	Nil	N/A	20-40	C2	1.07	3.58
G70	4834	Fraxinus excelsior Ash	175	1	12	3.0	3.0	3.0	3.0	3	7	M	Fair	Average condition	Nil	N/A	40+	C2	2.10	13.86
G70	4836	Fraxinus excelsior Ash	223	1	12	0.0	4.0	3.0	3.0	2	5	M	Fair	Leaning to s	Nil	N/A	20-40	C2	2.68	22.50
G70	4837	Crataegus monogyna Hawthorn	200	MS	7	2.0	2.0	2.0	2.0	1	2	M	Fair	Average condition hedge line-29 stems	Nil	N/A	20-40	C2	2.00	12.57
G70	4840	Fraxinus excelsior Ash	132	1	9	2.0	2.0	2.0	2.0	3	5	M	Fair	Ivy clad stem	Sever ivy and reinspect	P	40+	C2	1.58	7.88
G70	4845	Acer pseudoplatanus Sycamore	81	1	8	2.0	2.0	2.0	2.0	4	4	M	Fair	Average condition	Nil	N/A	40+	C2	0.97	2.97
G70	4846	Acer pseudoplatanus Sycamore	179	1	11	3.0	3.0	3.0	3.0	4	6	M	Fair	Forked at 4	Nil	N/A	20-40	C2	2.15	14.50
G70	4847	Acer pseudoplatanus Sycamore	141	1	10	2.0	2.0	2.0	2.0	4	6	M	Fair	Average condition	Nil	N/A	40+	C2	1.69	9.00
G70	4850	Acer pseudoplatanus Sycamore	100	1	9	2.0	2.0	2.0	2.0	2	4	M	Fair	Growing in fence line 11 no	Nil	N/A	10-20	C2	1.20	4.52
G70	4852	Prunus Flowering Cherry	88	1	9	2.0	0.0	1.0	1.0	3	4	M	Fair	Average condition	Nil	N/A	20-40	C2	1.06	3.50
G70	4853	Acer pseudoplatanus Sycamore	135	1	10	3.0	0.0	2.0	2.0	4	5	M	Fair	Average condition	Nil	N/A	40+	C2	1.62	8.25
G70	4854	Acer pseudoplatanus Sycamore	381	1	10	2.0	2.0	2.0	2.0	4	3	M	Fair	Average condition	Nil	N/A	40+	C2	4.57	65.68
G70	4855	Fraxinus excelsior Ash	136	1	10	3.0	3.0	3.0	3.0	3	4	M	Fair	Average condition	Nil	N/A	40+	C2	1.63	8.37
G70	4856	Acer pseudoplatanus Sycamore	79	1	8	2.0	2.0	2.0	1.0	6	3	SM	Fair	Average condition	Nil	N/A	40+	C2	0.95	2.82
G70	4858	Fraxinus excelsior Ash	206	1	10	2.0	2.0	3.0	0.0	2	5	M	Fair	Average condition	Nil	N/A	40+	C2	2.47	19.20
G70	4860	Pinus sylvestris Scots pine	370	1	10	2.0	3.0	2.0	4.0	0	7	M	Fair	Average condition	Nil	N/A	20-40	C2	4.44	61.94
G70	4861	Fraxinus excelsior Ash	598	1	12	3.0	2.0	7.0	3.0	2	4	M	Fair	Average condition	Nil	N/A	20-40	C2	7.18	161.80
G70	4864	Prunus Flowering Cherry	219	MS	10	4.0	3.0	3.0	3.0	2	5	M	Fair	Average condition	Nil	N/A	40+	C2	2.19	15.07
G70	4865	Fraxinus excelsior Ash	670	MS	12	5.0	4.0	4.0	4.0	2	5	M	Fair	Three stems from gl included bark	Nil	N/A	20-40	C2	6.70	141.04
G70	4866	Picea abies Norway spruce	115	1	5	2.0	2.0	2.0	2.0	4	2	M	Fair	Average condition	Nil	N/A	40+	C2	1.38	5.98
G69	4867	Chamaecyparis lawsoniana lawsons cypress	590	MS	12	3.0	3.0	3.0	3.0	1	2	M	Fair	Average condition	Nil	N/A	20-40	C2	5.90	109.37
G69	4868	Chamaecyparis lawsoniana lawsons cypress	475	MS	10	3.0	3.0	3.0	3.0	1	2	M	Fair	Average condition	Nil	N/A	20-40	C2	4.75	70.89
G69	4869	Chamaecyparis lawsoniana lawsons cypress	399	MS	10	3.0	3.0	3.0	3.0	1	2	M	Fair	Average condition	Nil	N/A	20-40	C2	3.99	50.02
G69	4870	Chamaecyparis lawsoniana lawsons cypress	374	MS	12	3.0	3.0	3.0	3.0	1	2	M	Fair	Average condition	Nil	N/A	20-40	C2	3.74	43.95
G69	4871	Chamaecyparis lawsoniana lawsons cypress	394	MS	12	3.0	3.0	3.0	3.0	1	2	M	Fair	Average condition	Nil	N/A	20-40	C2	3.94	48.78
G69	4872	Chamaecyparis lawsoniana lawsons cypress	451	MS	12	3.0	3.0	3.0	3.0	1	2	M	Fair	Average condition	Nil	N/A	20-40	C2	4.51	63.91
G103	5091	Fraxinus excelsior Ash	127	1	5.5	2.0	2.0	2.0	2.0	3	3	SM	Fair	Minor branch wound	None	N/A	20-40	C2	1.52	7.30
G103	5092	Fraxinus excelsior Ash	176	1	6.5	2.0	2.0	2.0	3.0	3	2	M	Fair	No visible defects	None	N/A	40+	C2	2.11	14.02
G104	5094	Chamaecyparis lawsoniana Lawsons cypress	611	MS	17	2.0	3.0	3.0	3.0	0	1.5	M	Good	Tight forks and included bark	Lift to statutory height roadside	P	20-40	C2	6.11	117.30
G104	5095	Chamaecyparis lawsoniana Lawsons cypress	492	1	16	2.0	3.0	3.0	3.0	0	1.5	M	Fair	No visible defects	Lift to statutory height roadside	P	20-40	C2	5.90	109.52
G104	5096	Chamaecyparis lawsoniana Lawsons cypress	465	1	16	3.0	3.0	3.0	3.0	0	1.5	M	Good	No visible defects	Lift to statutory height roadside	P	20-40	C2	5.58	97.83
G104	5097	Chamaecyparis lawsoniana Lawsons cypress	644	MS	16	2.0	3.0	3.0	3.0	0	1	M	Good	Low included bark	Lift to statutory height roadside	P	20-40	C2	6.44	130.31
G104	5098	Chamaecyparis lawsoniana Lawsons cypress	623	MS	16	2.0	3.0	3.0	3.0	0	1.5	M	Good	Low included bark	Lift to statutory height roadside	P	20-40	C2	6.23	121.95
G104	5099	Chamaecyparis lawsoniana Lawsons cypress	666	MS	15	2.0	3.0	3.0	3.0	0	1.5	M	Good	Low included bark	Lift to statutory height roadside	P	20-40	C2	6.66	139.37
G104	5100	Chamaecyparis lawsoniana Lawsons cypress	529	1	15	2.0	3.0	3.0	3.0	0	1.5	M	Good	Included bark	Lift to statutory height roadside	P	20-40	C2	6.35	126.61
G104	5101	Chamaecyparis lawsoniana Lawsons cypress	539	1	15	2.0	3.0	3.0	3.0	0	1.5	M	Good	No visible defects	Lift to statutory height roadside	P	20-40	C2	6.47	131.45
G104	5102	Chamaecyparis lawsoniana Lawsons cypress	545	1	15	2.0	3.0	3.0	3.0	0	2	M	Good	Eastley lean <30o	None	N/A	20-40	C2	6.54	134.39
G106	5111	Acer platanoides Norway maple	302	1	13	2.0	3.0	2.0	4.0	2	1.5	M	Fair	Cavity at 1 m (East)	Crown clean	P	20-40	C2	3.62	41.27
G109	5136	Sorbus aucuparia Rowan	152	1	6	2.0	2.0	2.0	2.0	0	2	M	Fair	Basal damage	None	N/A	10-20	C2	1.82	10.45
G109	5139	Sorbus aucuparia Rowan	184	1	8	2.0	3.0	2.0	3.0	0	2	M	Fair	Minor branch crowding	Crown clean	P	10-20	C2	2.21	15.32
G109	5140	Acer platanoides Norway maple	436	1	8	4.0	4.0	4.0	4.0	2	2	M	Good	Tight forks including bark	Crown lift over road	P	20-40	C2	5.23	86.01
G111	5159	Acer platanoides Norway maple	221	1	7	2.0	2.0	3.0	2.0	3	2	M	Poor	Dead wood significant	Dead wood	P	10-20	C2	2.65	22.10
G111	5166	Acer platanoides Norway maple	259	1	8	2.0	2.0	3.0	3.0	3	2	M	Good	Included bark/tight fork	None	N/A	20-40	C2	3.11	30.35
G112	5173	Fraxinus excelsior Ash	510	1	11	4.0	4.0	4.0	4.0	1	3	M	Fair	Major previous pruning wound dead wood	Crown clean	P	20-40	C2	6.12	117.68
G112	5175	Aesculus hippocastanum Horse Chestnut	881	1	12	5.0	5.0	5.0	5.0	3	3	M	Good	Tight major stem junction with included bark	Crown lift over road	P	10-20	C2	10.57	351.17
G112	5176	Fraxinus excelsior Ash	640	1	12	4.0	4.0	3.0	5.0	1	2.5	M	Good	Significant cavity at 1.5 m	Crown clean and T/R test -reassess	U	20-40	C2	7.68	185.32
G115	5189	Acer platanoides Norway maple	614	1	8	4.0	3.0	4.0	4.0	1	2	M	Fair	Significant dead wood, old pruning wound at 1 m	Crown clean	P	20-40	C2	7.37	170.57

**TOTAL CATEGORY C TREES Heyford Park Nicholson's Tree Survey November 2006**

Group No	Tag	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physiological Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
						N	S	E	W											
G115	5190	Acer platanoides Norway maple	550	1	8	4.0	4.0	3.0	5.0	1	3	M	Fair	Cavity at 1.2 m	T/r ratio assessment	P	20-40	C2	6.60	136.87
G116	5194	Acer platanoides Norway maple	597	1	8	4.0	4.0	5.0	5.0	1	3	M	Fair	Conjoined cavities at 2 m	Crown reduce. Re inspect in 12 months	U	10-20	C2	7.16	161.26
G116	5195	Sorbus intermedia Swedish Whitebeam	321	MS	6	3.0	3.0	2.0	2.0	1	2.5	M	Fair	Tight fork/included bark at 0.6 m	Fell to ground level	P	10-20	C2	3.21	32.38
G116	5196	Acer platanoides Norway maple	599	1	8	5.0	5.0	5.0	6.0	1	2	M	Fair	Cavity at 0.5 m, significant dead wood	Crown clean, crown reduce	P	20-40	C2	7.19	162.34
G116	5198	Sorbus intermedia Swedish Whitebeam	388	1	5	2.0	3.0	3.0	3.0	0	2	M	Fair	Inonotus fruiting body at 1.2 m, minor dead wood	Crown clean	P	10-20	C2	4.66	68.11
G120	5216	Cupressocyparis leylandii Leyland cypress	649	MS	15	1.0	4.0	3.0	3.0	1	1	M	Fair	Included bark on main stem	None	N/A	20-40	C2	6.49	132.34
G120	5217	Cupressocyparis leylandii Leyland cypress	574	MS	13	0.0	4.0	2.0	3.0	1	1	M	Fair	No visible defects	Crown clean	P	20-40	C2	5.74	103.52
G120	5218	Cupressocyparis leylandii Leyland cypress	280	1	13	1.0	2.0	1.0	3.0	1	2	M	Fair	No visible defects	Crown clean	P	20-40	C2	3.36	35.47
G120	5221	Cupressocyparis leylandii Leyland cypress	371	1	15	3.0	2.0	2.0	2.0	1	4	M	Fair	No visible defects	Dead wood	P	20-40	C2	4.45	62.28
G120	5222	Cupressocyparis leylandii Leyland cypress	209	1	8	3.0	0.0	2.0	2.0	1	4	M	Poor	Suppressed specimen/over building	Fell to ground level	P	10-20	C2	2.51	19.76
G120	5223	Cupressocyparis leylandii Leyland cypress	182	MS	7	4.0	0.0	1.0	1.0	1	4	M	Poor	Leaning over building, suppressed specimen	Fell to ground level	P	10-20	C2	1.82	10.41
G122	5227	Cupressocyparis leylandii Leyland cypress	719	MS	10	3.0	3.0	3.0	3.0	1	0	M	Fair	Included bark, multi leaders	Crown clean	P	20-40	C2	7.19	162.43
G122	5228	Cupressocyparis leylandii Leyland cypress	420	MS	10	1.0	2.0	2.0	2.0	1	0	M	Fair	Some minor dead wood, low included bark	Crown clean	P	10-20	C2	4.20	55.42
G122	5229	Cupressocyparis leylandii Leyland cypress	423	MS	9	2.0	2.0	2.0	1.0	1	0	M	Fair	Low included bark, twin leaders	None	N/A	20-40	C2	4.23	56.22
G122	5230	Cupressocyparis leylandii Leyland cypress	403	MS	9	2.0	2.0	2.0	2.0	1	0	M	Fair	Low included bark	None	N/A	20-40	C2	4.03	51.03
G122	5231	Picea omorika Serbian spruce	370	MS	9	2.0	2.0	2.0	2.0	1.5	1.5	M	Fair	Twin leaders	None	N/A	10-20	C2	3.70	43.01
G122	5233	Chamaecyparis lawsoniana Lawsons cypress	742	MS	9	3.0	3.0	3.0	3.0	2	0	M	Fair	Power lines through centre of stems	None	N/A	20-40	C2	7.42	172.99
G124	5239	Picea omorika Serbian spruce	279	MS	8	1.0	1.0	1.0	1.0	1	0	M	Fair	Twin leaders	None	N/A	20-40	C2	2.79	24.46
H34	5243	Chamaecyparis lawsoniana Lawsons cypress	150	MS	16	1.5	1.5	1.5	1.5	1	0	M	Good	No visible defects	None	N/A	20-40	C2	1.50	7.07
H35	5244	Chamaecyparis lawsoniana Lawsons cypress	150	MS	16	1.5	1.5	1.5	1.5	1	0	M	Good	No visible defects	None	N/A	20-40	C2	1.50	7.07
G130	5274	Acer platanoides Norway maple	211	MS	4	1.5	1.5	1.5	1.5	0	2	Young Suckers	Fair	Suppressed	None	N/A	10-20	C2	2.11	13.99
G132	5297	Acer saccharinum Silver maple	182	1	7	2.0	3.0	0.0	3.0	3	2	M	Fair	Minor dead wood, suppressed	Fell to ground level	P	<10	C2	2.18	14.99
G132	5299	Acer pseudoplatanus Sycamore	251	MS	4.5	1.0	1.0	1.0	1.0	6	0.5	Y	Fair	No visible defects, seedling	None	N/A	40+	C2	2.51	19.79
G137	5337	Prunus avium plena Cherry	173	1	4	2.0	2.0	1.0	0.0	1	2.5	M	Fair	No visible defects	None	N/A	10-20	C2	2.08	13.54
G137	5339	Prunus avium plena Cherry	157	1	4	1.0	2.0	2.0	1.5	0	2.5	M	Fair	No visible defects	None	N/A	10-20	C2	1.88	11.15
G139	5345	Fraxinus excelsior Ash	165	1	8	2.0	2.0	1.0	2.0	4	2	M	Good	No visible defects	None	N/A	40+	C2	1.98	12.32
G140	5350	Sorbus aucuparia Rowan	107	1	4	1.0	1.0	1.0	1.0	0	2	M	Fair	Broken branch	Crown clean	P	10-20	C2	1.28	5.18
G141	5353	Fraxinus excelsior Ash	236	1	5	1.0	2.0	2.0	2.0	4	1.5	M	Fair	No visible defects	None	N/A	40+	C2	2.83	25.20
G142	5354	Sorbus aucuparia Rowan	118	1	4	1.0	1.0	1.0	1.0	1	1.5	M	Fair	No visible defects	None	N/A	10-20	C2	1.42	6.30
G144	5359	Fraxinus excelsior Ash	132	MS	5	1.5	1.5	1.5	1.5	3	2	SM	Fair	Tight fork included bark	None	N/A	40+	C2	1.32	5.47
G144	5363	Acer pseudoplatanus Sycamore	149	1	6	2.0	1.0	2.0	2.0	3	2	M	Fair	No visible defects	None	N/A	40+	C2	1.79	10.04
G148	5414	Acer pseudoplatanus Sycamore	333	1	13	4.0	4.0	5.0	2.0	2	4	M	Good	No visible defects	None	N/A	40+	C2	4.00	50.17
G148	5415	Acer pseudoplatanus Sycamore	388	1	13	5.0	3.0	3.0	4.0	2	3	M	Good	Tight fork at 5 m	None	N/A	40+	C2	4.66	68.11
G148	5416	Acer pseudoplatanus Sycamore	303	1	13	4.0	4.0	4.0	2.0	2	3	M	Good	Bark wounds 1 m stem	None	N/A	40+	C2	3.64	41.54
G148	5417	Cupressocyparis leylandii Leyland cypress	666	MS	15	3.0	3.0	2.0	3.0	1	2	M	Good	No visible defects	None	N/A	40+	C2	6.66	139.37
G148	5418	Acer pseudoplatanus Sycamore	303	1	13	3.0	3.0	4.0	4.0	2	3	M	Good	No visible defects	None	N/A	40+	C2	3.64	41.54
G148	5419	Cupressocyparis leylandii Leyland cypress	1049	MS	15	2.0	3.0	4.0	3.0	1	2	M	Good	No visible defects	None	N/A	40+	C2	10.49	345.75
G148	5420	Acer pseudoplatanus Sycamore	421	1	13	4.0	3.0	5.0	5.0	2	2	M	Fair	No visible defects	None	N/A	40+	C2	5.05	80.19
G148	5421	Cupressocyparis leylandii Leyland cypress	948	MS	15	3.0	2.0	4.0	3.0	1	2.5	M	Fair	No visible defects	None	N/A	40+	C2	9.48	282.37
G148	5422	Acer pseudoplatanus Sycamore	332	1	14	2.0	5.0	3.0	4.0	2	3	M	Fair	No visible defects	None	N/A	40+	C2	3.98	49.87
G148	5423	Cupressocyparis leylandii Leyland cypress	659	MS	15	3.0	2.0	2.0	3.0	1	2.5	M	Fair	No visible defects	None	N/A	40+	C2	6.59	136.45
G148	5424	Acer pseudoplatanus Sycamore	266	1	12	0.0	4.0	3.0	3.0	3	3	M	Poor	Suppressed by 5423	None	N/A	20-40	C2	3.19	32.01
G152	5428	Cupressocyparis leylandii Leyland cypress	1110	MS	11	3.0	4.0	2.0	3.0	2	3	M	Good	No visible defects	None	N/A	20-40	C2	11.10	387.13
G152	5429	Cupressocyparis leylandii Leyland cypress	1455	MS	11	3.0	3.0	5.0	2.0	2	3	M	Good	Basal cavities	None	N/A	20-40	C2	14.55	665.17
G152	5431	Cupressocyparis leylandii Leyland cypress	806	MS	11	2.0	3.0	3.0	3.0	2	2	M	Fair	No visible defects	None	N/A	40+	C2	8.06	204.12

**TOTAL CATEGORY C TREES Heyford Park Nicholson's Tree Survey November 2006**

Group No	Tag	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physiological Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
						N	S	E	W											
G152	5432	Acer pseudoplatanus Sycamore	351	1	10	3.0	2.0	5.0	4.0	3	4	M	Good	No visible defects	None	N/A	20-40	C2	4.21	55.74
G152	5433	Cupressocypariss leylandii Leyland cypress	1288	MS	11	4.0	4.0	4.0	4.0	1	3	M	Good	No visible defects	None	N/A	40+	C2	12.88	521.24
G152	5434	Acer pseudoplatanus Sycamore	283	1	9	0.0	3.0	4.0	4.0	2	3	M	Fair	No visible defects	None	N/A	20-40	C2	3.40	36.24
G152	5435	Prunus avium plena Cherry	302	1	9	4.0	2.0	4.0	4.0	1	3	M	Fair	Weak stem fracture at 3 m	None	N/A	10-20	C2	3.62	41.27
G152	5436	Acer pseudoplatanus Sycamore	568	1	10	4.0	4.0	3.0	5.0	2	4	M	Good	Old pruning wound. 100 lean east	None	N/A	40+	C2	6.82	145.97
G152	5437	Cupressocypariss leylandii Leyland cypress	657	MS	11	2.0	4.0	3.0	4.0	1	1.5	M	Fair	Bark stripped east	None	N/A	40+	C2	6.57	135.62
G160	5585	Acer platanoides Norway maple	311	1	7	4.0	4.0	4.0	4.0	3	2.5	M	Good	Tight forks and included bark	None	N/A	40+	C2	3.73	43.76
G160	5586	Acer platanoides Norway maple	262	1	7	3.0	3.0	3.0	3.0	3	3	M	Fair	Stem wound 0.5 m	None	N/A	40+	C2	3.14	31.06
G178	5587	Sorbus aucuparia Rowan	113	1	5	1.0	1.0	1.0	1.0	0	2	M	Poor	Crown injuries	None	N/A	10-20	C2	1.36	5.78
G178	5588	Sorbus aucuparia Rowan	137	1	5	1.5	1.5	1.5	1.5	0	2	M	Fair	No visible defects	None	N/A	10-20	C2	1.64	8.49
G178	5589	Sorbus aucuparia Rowan	128	1	5	1.5	1.5	1.5	1.5	0	2	M	Fair	No visible defects	None	N/A	10-20	C2	1.54	7.41
G181	5593	Fraxinus excelsior Ash	219	1	6	2.0	2.0	2.0	2.0	4	2	M	Good	Ivy/no visible defects	None	N/A	40+	C2	2.63	21.70
G181	5594	Acer pseudoplatanus Sycamore	150	1	5	1.5	1.5	1.5	1.5	3	2	M	Good	No visible defects	None	N/A	40+	C2	1.80	10.18
G181	5595	Prunus avium plena Cherry	169	1	6	3.0	2.0	2.0	3.0	3	1.5	M	Good	No visible defects	None	N/A	20-40	C2	2.03	12.92
G185	5626	Pinus sylvestris Scots pine	138	1	6	2.0	2.0	2.0	2.0	2	2	M	Fair	Average condition	Nil	N/A	40+	C2	1.66	8.62
G185	5627	Pinus sylvestris Scots pine	157	1	8	2.0	2.0	2.0	2.0	2	2	M	Fair	Average condition	Nil	N/A	40+	C2	1.88	11.15
G185	5628	Pinus sylvestris Scots pine	147	1	8	2.0	3.0	2.0	2.0	2	3	M	Fair	Average condition	Nil	N/A	40+	C2	1.76	9.78
G185	5629	Pinus sylvestris Scots pine	138	1	7	2.0	2.0	2.0	2.0	2	2	M	Fair	Average condition	Nil	N/A	40+	C2	1.66	8.62
G185	5630	Pinus sylvestris Scots pine	147	1	7	2.0	3.0	2.0	2.0	2	2	M	Fair	Average condition	Nil	N/A	40+	C2	1.76	9.78
G185	5631	Pinus sylvestris Scots pine	171	1	7	2.0	2.0	2.0	2.0	2	2.5	M	Fair	Average condition	Nil	N/A	40+	C2	2.05	13.23
G185	5632	Pinus sylvestris Scots pine	167	1	8	2.0	2.0	2.0	2.0	2	3	M	Fair	Average condition	Nil	N/A	40+	C2	2.00	12.62
G185	5633	Pinus sylvestris Scots pine	91	1	5	2.0	2.0	1.0	2.0	2	2	M	Fair	Average condition	Nil	N/A	40+	C2	1.09	3.75
G185	5634	Pinus sylvestris Scots pine	129	1	8	2.0	2.0	2.0	2.0	2	3	M	Fair	Average condition	Nil	N/A	40+	C2	1.55	7.53
G185	5635	Pinus sylvestris Scots pine	138	1	8	2.0	3.0	2.0	3.0	2	3	M	Fair	Average condition	Nil	N/A	40+	C2	1.66	8.62
G185	5636	Pinus sylvestris Scots pine	152	1	8	3.0	2.0	3.0	2.0	2	3	M	Fair	Average condition	Nil	N/A	40+	C2	1.82	10.45
G185	5637	Pinus sylvestris Scots pine	175	1	7	2.0	2.0	3.0	2.0	2	2	M	Fair	Average condition	Nil	N/A	40+	C2	2.10	13.86
G185	5638	Pinus sylvestris Scots pine	89	1	5	2.0	1.0	1.0	2.0	2	2	M	Fair	Average condition	Nil	N/A	40+	C2	1.07	3.58
G185	5639	Pinus sylvestris Scots pine	184	MS	7	2.0	2.0	2.0	2.0	2	2	M	Fair	Forked at 0.5	Nil	N/A	20-40	C2	1.84	10.64
G185	5640	Pinus sylvestris Scots pine	210	MS	7	3.0	3.0	3.0	3.0	2	2	M	Fair	Forked at 0.5	Nil	N/A	20-40	C2	2.10	13.86
G185	5641	Pinus sylvestris Scots pine	127	1	5	1.0	2.0	1.0	2.0	2	1.5	M	Fair	Average condition	Nil	N/A	40+	C2	1.52	7.30
G185	5642	Pinus sylvestris Scots pine	212	1	9	3.0	2.0	3.0	3.0	1	3	M	Fair	Average condition	Nil	N/A	40+	C2	2.54	20.33
G185	5643	Pinus sylvestris Scots pine	158	1	8	2.0	2.0	2.0	2.0	1	3	M	Fair	Average condition	Nil	N/A	40+	C2	1.90	11.29
G185	5644	Pinus sylvestris Scots pine	135	1	8	2.0	2.0	2.0	2.0	1	2.5	M	Fair	Average condition	Nil	N/A	40+	C2	1.62	8.25
G185	5645	Pinus sylvestris Scots pine	128	1	7	2.0	3.0	2.0	2.0	1	3	M	Fair	Average condition	Nil	N/A	40+	C2	1.54	7.41
G185	5646	Pinus sylvestris Scots pine	257	1	9	3.0	3.0	3.0	3.0	1	3	M	Fair	Average condition	Nil	N/A	40+	C2	3.08	29.88
G186	5648	Pinus nigra var maritima Corsican Pine	311	1	11	4.0	4.0	2.0	4.0	2	4	M	Fair	Average condition	Nil	N/A	40+	C2	3.73	43.76
G186	5649	Fraxinus excelsior Ash	187	1	11	3.0	2.0	2.0	2.0	3	4	M	Fair	Average condition	Nil	N/A	40+	C2	2.24	15.82
G186	5650	Pinus nigra var maritima Corsican Pine	313	1	12	2.0	3.0	2.0	3.0	2	4	M	Fair	Average condition	Nil	N/A	40+	C2	3.76	44.33
G186	5651	Fraxinus excelsior Ash	223	1	11	3.0	2.0	3.0	2.0	3	4	M	Fair	Average condition	Nil	N/A	40+	C2	2.68	22.50
G186	5652	Pinus nigra var maritima Corsican Pine	286	1	11	3.0	3.0	3.0	3.0	2	4	M	Fair	Average condition	Nil	N/A	40+	C2	3.43	37.01
G186	5653	Pinus nigra var maritima Corsican Pine	335	1	12	3.0	3.0	3.0	3.0	2	4	M	Fair	Average condition	Nil	N/A	40+	C2	4.02	50.78
G186	5654	Alnus glutinosa Alder	195	1	9	2.0	2.0	2.0	2.0	2	3	M	Fair	Average condition	Nil	N/A	20-40	C2	2.34	17.20
G186	5655	Pinus nigra var maritima Corsican Pine	235	1	11	3.0	3.0	3.0	3.0	2	4	M	Fair	Average condition	Nil	N/A	40+	C2	2.82	24.99
G186	5656	Alnus glutinosa Alder	107	1	6	1.0	1.0	1.0	1.0	0	2	M	Poor	Average condition	Nil	N/A	10-20	C2	1.28	5.18
G186	5657	Fraxinus excelsior Ash	216	1	10	2.0	2.0	2.0	2.0	3	3	M	Fair	Average condition	Nil	N/A	40+	C2	2.59	21.11
G186	5658	Pinus nigra var maritima Corsican Pine	312	1	12	2.0	3.0	3.0	3.0	2	4	M	Fair	Average condition	Nil	N/A	40+	C2	3.74	44.04
G186	5659	Fraxinus excelsior Ash	196	1	10	2.0	2.0	2.0	2.0	4	3	M	Fair	Average condition	Nil	N/A	40+	C2	2.35	17.38
G186	5660	Fagus sylvatica Beech	195	1	9	3.0	3.0	3.0	2.0	4	1.7	M	Fair	Average condition	Nil	N/A	40+	C2	2.34	17.20
G186	5661	Alnus glutinosa Alder	200	1	11	2.0	2.0	2.0	2.0	2	4	M	Fair	Average condition	Nil	N/A	20-40	C2	2.40	18.10
G186	5662	Fagus sylvatica Beech	199	1	8	3.0	3.0	3.0	3.0	3	2	M	Fair	Average condition	Nil	N/A	40+	C2	2.39	17.92
G186	5663	Alnus glutinosa Alder	235	1	7	3.0	3.0	3.0	3.0	2	1.6	M	Fair	Average condition	Nil	N/A	20-40	C2	2.82	24.99
G183	5664	Pinus sylvestris Scots pine	245	MS	8	2.0	3.0	3.0	3.0	1	3	M	Fair	Forked at 1.2	Nil	N/A	20-40	C2	2.45	18.86
G183	5665	Pinus sylvestris Scots pine	215	1	10	3.0	2.0	2.0	3.0	1	3	M	Fair	Average condition	Nil	N/A	40+	C2	2.58	20.91
G183	5666	Pinus sylvestris Scots pine	188	1	9	3.0	2.0	2.0	2.0	1	4	M	Fair	Average condition	Nil	N/A	40+	C2	2.26	15.99
G183	5667	Pinus sylvestris Scots pine	233	1	9	3.0	2.0	2.0	3.0	1	3	M	Fair	Average condition	Nil	N/A	40+	C2	2.80	24.56
G183	5668	Pinus sylvestris Scots pine	236	1	9	3.0	2.0	3.0	2.0	1	4	M	Fair	Average condition	Nil	N/A	40+	C2	2.83	25.20
G183	5669	Pinus sylvestris Scots pine	273	1	10	4.0	2.0	2.0	2.0	1	4	M	Fair	Average condition	Nil	N/A	40+	C2	3.28	33.72
G183	5670	Pinus sylvestris Scots pine	275	1	10	3.0	2.0	3.0	2.0	1	4	M	Fair	Average condition	Nil	N/A	40+	C2	3.30	34.22
G183	5671	Pinus sylvestris Scots pine	214	1	9	2.0	2.0	2.0	2.0	1	3	M	Fair	Average condition	Nil	N/A	40+	C2	2.57	20.72
G183	5672	Pinus sylvestris Scots pine	287	1	9	3.0	2.0	3.0	3.0	1	4	M	Fair	Forked at 2.0	Nil	N/A	20-40	C2	3.44	37.27
G183	5673	Pinus sylvestris Scots pine	183	1	8	3.0	2.0	3.0	2.0	1	4	M	Fair	Average condition	Nil	N/A	20-40	C2	2.20	15.15



**TOTAL CATEGORY C TREES Heyford Park Nicholson's Tree Survey November 2006**

Group No	Tag	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physiological Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
						N	S	E	W											
G183	5674	Pinus sylvestris Scots pine	325	1	9	4.0	3.0	4.0	3.0	1	3	M	Fair	Average condition	Nil	N/A	40+	C2	3.90	47.79
G183	5675	Pinus sylvestris Scots pine	195	1	5	2.0	2.0	3.0	1.0	1	2	M	Fair	Suppressed	Nil	N/A	10-20	C2	2.34	17.20
G183	5676	Pinus sylvestris Scots pine	227	1	8	3.0	2.0	3.0	2.0	1	4	M	Fair	Average condition	Nil	N/A	40+	C2	2.72	23.31
G183	5678	Pinus sylvestris Scots pine	256	1	9	3.0	2.0	3.0	3.0	1	4	M	Fair	Average condition	Nil	N/A	40+	C2	3.07	29.65
G183	5679	Pinus sylvestris Scots pine	200	1	9	2.0	2.0	2.0	2.0	1	3	M	Poor	Average condition	Nil	N/A	20-40	C2	2.40	18.10
G183	5681	Pinus sylvestris Scots pine	250	1	10	2.0	2.0	2.0	2.0	1	3	M	Fair	Average condition	Nil	N/A	40+	C2	3.00	28.28
G183	5682	Pinus sylvestris Scots pine	238	1	9	2.0	2.0	3.0	2.0	1	4	M	Fair	Average condition	Nil	N/A	40+	C2	2.86	25.63
G183	5683	Pinus sylvestris Scots pine	190	1	8	2.0	2.0	2.0	2.0	1	4	M	Fair	Average condition	Nil	N/A	20-40	C2	2.28	16.33
G183	5684	Pinus sylvestris Scots pine	183	1	9	2.0	2.0	2.0	2.0	1	5	M	Fair	Average condition	Nil	N/A	40+	C2	2.20	15.15
G183	5685	Pinus sylvestris Scots pine	285	1	9	3.0	2.0	2.0	4.0	1	3	M	Fair	Average condition	Nil	N/A	40+	C2	3.42	36.75
G183	5686	Pinus sylvestris Scots pine	181	1	8	2.0	2.0	2.0	2.0	1	3	M	Fair	Average condition	Nil	N/A	40+	C2	2.17	14.82
G183	5687	Pinus sylvestris Scots pine	212	1	9	3.0	2.0	2.0	3.0	1	3	M	Fair	Average condition	Nil	N/A	40+	C2	2.54	20.33
G183	5688	Pinus sylvestris Scots pine	221	1	9	2.0	2.0	2.0	2.0	1	2	M	Fair	Average condition	Nil	N/A	40+	C2	2.65	22.10
G183	5689	Pinus sylvestris Scots pine	287	1	10	2.0	2.0	2.0	2.0	1	4	M	Fair	Average condition	Nil	N/A	40+	C2	3.44	37.27
G183	5690	Pinus sylvestris Scots pine	145	1	8	2.0	2.0	2.0	2.0	1	3	M	Fair	Average condition	Nil	N/A	20-40	C2	1.74	9.51
G183	5691	Pinus sylvestris Scots pine	218	1	9	2.0	2.0	2.0	2.0	1	3	M	Fair	Average condition	Nil	N/A	40+	C2	2.62	21.50
G183	5692	Pinus sylvestris Scots pine	231	1	9	2.0	2.0	2.0	2.0	1	2	M	Fair	Average condition	Nil	N/A	40+	C2	2.77	24.14
G183	5693	Pinus sylvestris Scots pine	187	1	8	2.0	2.0	2.0	2.0	1	4	M	Fair	Reformed leader	Nil	N/A	20-40	C2	2.24	15.82
G183	5694	Pinus sylvestris Scots pine	132	1	7	2.0	2.0	3.0	2.0	1	5	M	Fair	Reformed leader	Nil	N/A	20-40	C2	1.58	7.88
G183	5695	Pinus sylvestris Scots pine	159	1	9	2.0	2.0	2.0	2.0	1	5	M	Fair	Average condition	Nil	N/A	40+	C2	1.91	11.44
G183	5696	Pinus sylvestris Scots pine	226	1	10	2.0	2.0	3.0	2.0	1	4	M	Fair	Average condition	Nil	N/A	40+	C2	2.71	23.11
G183	5697	Pinus sylvestris Scots pine	212	1	9	2.0	2.0	3.0	2.0	1	3	M	Fair	Average condition	Nil	N/A	40+	C2	2.54	20.33
G183	5698	Pinus sylvestris Scots pine	261	1	9	4.0	3.0	4.0	2.0	1	2	M	Fair	Average condition	Nil	N/A	40+	C2	3.13	30.82
G183	5699	Pinus sylvestris Scots pine	247	1	9	2.0	3.0	2.0	2.0	1	4	M	Fair	Average condition	Nil	N/A	40+	C2	2.96	27.60
G183	5700	Pinus sylvestris Scots pine	253	1	9	2.0	2.0	2.0	2.0	1	4	M	Fair	Average condition	Nil	N/A	40+	C2	3.04	28.96
G183	5701	Pinus sylvestris Scots pine	258	MS	9	2.0	2.0	2.0	2.0	1	4	M	Fair	Forked at 0.5	Nil	N/A	20-40	C2	2.58	20.91
G183	5702	Pinus sylvestris Scots pine	139	1	9	2.0	2.0	2.0	2.0	1	4	M	Fair	Average condition	Nil	N/A	40+	C2	1.67	8.74
G183	5703	Pinus sylvestris Scots pine	206	1	10	3.0	2.0	2.0	2.0	1	4	M	Fair	Average condition	Nil	N/A	40+	C2	2.47	19.20
G183	5704	Pinus sylvestris Scots pine	197	1	9	2.0	2.0	2.0	2.0	1	1.5	M	Fair	Average condition	Nil	N/A	40+	C2	2.36	17.56
G183	5705	Pinus sylvestris Scots pine	154	1	8	2.0	2.0	2.0	2.0	1	3	M	Fair	Average condition	Nil	N/A	40+	C2	1.85	10.73
G183	5706	Pinus sylvestris Scots pine	210	1	9	2.0	2.0	2.0	2.0	1	3	M	Fair	Average condition	Nil	N/A	40+	C2	2.52	19.95
G183	5707	Pinus sylvestris Scots pine	202	1	9	2.0	3.0	2.0	3.0	1	3	M	Fair	Average condition	Nil	N/A	40+	C2	2.42	18.46
G183	5708	Pinus sylvestris Scots pine	236	1	9	2.0	3.0	2.0	3.0	1	3	M	Fair	Average condition	Nil	N/A	40+	C2	2.83	25.20
G183	5709	Pinus sylvestris Scots pine	282	MS	9	2.0	4.0	3.0	2.0	1	1.5	M	Fair	Tight fork at 1.5	Nil	N/A	20-40	C2	2.82	24.99
G183	5710	Pinus sylvestris Scots pine	313	1	9	2.0	4.0	3.0	3.0	1	2	M	Fair	Average condition	Nil	N/A	40+	C2	3.76	44.33
G183	5712	Pinus sylvestris Scots pine	200	1	8	2.0	3.0	2.0	2.0	1	2	M	Fair	Average condition	Nil	N/A	40+	C2	2.40	18.10
G183	5713	Pinus sylvestris Scots pine	337	MS	8	4.0	4.0	2.0	3.0	1	3	M	Fair	Multi stem at 1.0	Nil	N/A	20-40	C2	3.37	35.68
G183	5714	Pinus sylvestris Scots pine	336	1	8	2.0	3.0	2.0	2.0	1	1.6	M	Fair	Forked at 1.6	Nil	N/A	20-40	C2	4.03	51.08
G183	5715	Pinus sylvestris Scots pine	194	1	8	2.0	2.0	2.0	2.0	1	2	M	Fair	Average condition	Nil	N/A	40+	C2	2.33	17.03
G183	5716	Pinus sylvestris Scots pine	310	MS	9	2.0	3.0	2.0	3.0	1	4	M	Fair	Forked at 1.0	Nil	N/A	20-40	C2	3.10	30.19
G183	5717	Pinus sylvestris Scots pine	253	1	9	2.0	3.0	2.0	2.0	1	4	M	Fair	Average condition	Nil	N/A	40+	C2	3.04	28.96
G183	5718	Pinus sylvestris Scots pine	202	1	9	2.0	3.0	3.0	2.0	1	3	M	Fair	Average condition	Nil	N/A	40+	C2	2.42	18.46
G183	5719	Pinus sylvestris Scots pine	290	1	10	2.0	3.0	3.0	3.0	1	3	M	Fair	Average condition	Nil	N/A	40+	C2	3.48	38.05
G183	5720	Pinus sylvestris Scots pine	278	1	9	2.0	3.0	2.0	3.0	1	4	M	Fair	Average condition	Nil	N/A	40+	C2	3.34	34.97
G183	5721	Pinus sylvestris Scots pine	228	1	8	2.0	3.0	3.0	2.0	1	2	M	Fair	Average condition	Nil	N/A	40+	C2	2.74	23.52
G183	5722	Pinus sylvestris Scots pine	291	1	9	2.0	3.0	2.0	3.0	1	4	M	Fair	Average condition	Nil	N/A	40+	C2	3.49	38.31
G183	5723	Pinus sylvestris Scots pine	189	1	9	2.0	3.0	2.0	2.0	1	4	M	Fair	Average condition	Nil	N/A	40+	C2	2.27	16.16
G183	5724	Pinus sylvestris Scots pine	282	1	10	2.0	4.0	2.0	2.0	1	4	M	Fair	Average condition	Nil	N/A	40+	C2	3.38	35.98
G183	5725	Pinus sylvestris Scots pine	165	1	8	2.0	2.0	3.0	2.0	1	4	M	Fair	Average condition	Nil	N/A	40+	C2	1.98	12.32
G183	5726	Pinus sylvestris Scots pine	190	1	9	2.0	2.0	2.0	2.0	1	4	M	Fair	Forked at 2.5	Nil	N/A	40+	C2	2.28	16.33
G183	5727	Pinus sylvestris Scots pine	202	1	9	2.0	2.0	2.0	2.0	1	3	M	Fair	Average condition	Nil	N/A	40+	C2	2.42	18.46
G183	5728	Pinus sylvestris Scots pine	317	MS	8	3.0	2.0	3.0	2.0	1	2	M	Fair	Forked at .75	Nil	N/A	20-40	C2	3.17	31.57
G183	5729	Pinus sylvestris Scots pine	230	1	9	3.0	3.0	3.0	2.0	1	4	M	Fair	Average condition	Nil	N/A	40+	C2	2.76	23.93
G183	5730	Pinus sylvestris Scots pine	172	1	7	2.0	1.0	1.0	1.0	1	3	M	Fair	Average condition	Nil	N/A	40+	C2	2.06	13.39
G183	5731	Pinus sylvestris Scots pine	169	1	9	2.0	2.0	2.0	2.0	1	2	M	Fair	Average condition	Nil	N/A	40+	C2	2.03	12.92
G183	5732	Pinus sylvestris Scots pine	212	1	9	3.0	2.0	2.0	2.0	1	4	M	Fair	Average condition	Nil	N/A	40+	C2	2.54	20.33
G183	5733	Pinus sylvestris Scots pine	201	1	9	3.0	3.0	3.0	3.0	1	2	M	Fair	Average condition	Nil	N/A	40+	C2	2.41	18.28
G183	5734	Pinus sylvestris Scots pine	131	1	6	2.0	2.0	2.0	2.0	1	2	M	Fair	Average condition	Nil	N/A	40+	C2	1.57	7.76
G183	5735	Pinus sylvestris Scots pine	190	1	8	3.0	3.0	3.0	2.0	1	1	M	Fair	Average condition	Nil	N/A	40+	C2	2.28	16.33
G183	5736	Pinus sylvestris Scots pine	160	1	8	3.0	2.0	3.0	2.0	1	3	M	Fair	Average condition	Nil	N/A	40+	C2	1.92	11.58
G183	5737	Pinus sylvestris Scots pine	199	1	9	3.0	3.0	3.0	3.0	1	4	M	Fair	Secondary leader at 3.5	remove secondary leader	P	40+	C2	2.39	17.92
G183	5738	Pinus sylvestris Scots pine	181	1	9	2.0	2.0	2.0	2.0	1	4	M	Fair	Forked at 4.0	Nil	N/A	20-40	C2	2.17	14.82
G183	5739	Pinus sylvestris Scots pine	185	1	9	2.0	2.0	1.0	2.0	1	4	M	Fair	Forked at 4.0	Nil	N/A	40+	C2	2.22	15.49
G183	5740	Pinus sylvestris Scots pine	213	1	10	3.0	3.0	3.0	3.0	1	4	M	Fair	Average condition	Nil	N/A	40+	C2	2.56	20.53
G183	5741	Pinus sylvestris Scots pine	209	1	9	3.0	2.0	3.0	2.0	1	5	M	Fair	Average condition	Nil	N/A	40+	C2	2.51	19.76
G183	5742	Pinus sylvestris Scots pine	247	1	9	3.0	2.0	2.0	3.0	1	3	M	Fair	Average condition	Nil	N/A	40+	C2	2.96	27.60
G183	5743	Pinus sylvestris Scots pine	260	1	9	3.0	2.0	3.0	3.0	1	4	M	Fair	Average condition	Nil	N/A	40+	C2	3.12	30.59
G183	5744	Pinus sylvestris Scots pine	232	MS	8	2.0	2.0	3.0	2.0	1	2	M	Fair	Average condition	Nil	N/A	40+	C2	2.32	16.91
G183	5745	Pinus sylvestris Scots pine	264	1	9	3.0	2.0	3.0	2.0	1	4	M	Fair	Average condition	Nil	N/A	40+	C2	3.17	31.53

**TOTAL CATEGORY C TREES Heyford Park Nicholson's Tree Survey November 2006**

Group No	Tag	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physiological Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
						N	S	E	W											
G183	5746	Pinus sylvestris Scots pine	189	1	9	3.0	2.0	2.0	3.0	1	4	M	Fair	Average condition	Nil	N/A	40+	C2	2.27	16.16
G183	5747	Pinus sylvestris Scots pine	224	1	8	2.0	3.0	2.0	3.0	1	1.5	M	Fair	Average condition	Nil	N/A	40+	C2	2.69	22.70
G183	5748	Pinus sylvestris Scots pine	198	1	9	3.0	2.0	2.0	2.0	1	3	M	Fair	Average condition	Nil	N/A	40+	C2	2.38	17.74
G183	5749	Pinus sylvestris Scots pine	248	1	9	3.0	3.0	4.0	2.0	1	3	M	Fair	Average condition	Nil	N/A	40+	C2	2.98	27.83
G183	5750	Pinus sylvestris Scots pine	254	1	9	3.0	2.0	3.0	2.0	1	2	M	Fair	Average condition	Nil	N/A	40+	C2	3.05	29.19
G183	5751	Pinus sylvestris Scots pine	213	1	9	2.0	2.0	2.0	2.0	1	4	M	Fair	Average condition	Nil	N/A	40+	C2	2.56	20.53
G183	5752	Pinus sylvestris Scots pine	239	1	9	3.0	3.0	2.0	2.0	1	4	M	Fair	Average condition	Nil	N/A	40+	C2	2.87	25.84
G183	5753	Pinus sylvestris Scots pine	150	1	8	2.0	2.0	2.0	3.0	1	3	M	Fair	Average condition	Nil	N/A	40+	C2	1.80	10.18
G183	5754	Pinus sylvestris Scots pine	207	1	9	2.5	2.0	2.0	2.0	1	2	M	Fair	Average condition	Nil	N/A	40+	C2	2.48	19.39
G183	5755	Pinus sylvestris Scots pine	225	1	9	3.0	2.0	2.0	2.0	1	4	M	Fair	Average condition	Nil	N/A	40+	C2	2.70	22.91
G183	5756	Pinus sylvestris Scots pine	257	1	9	2.0	2.0	2.0	2.0	1	4	M	Fair	Average condition	Nil	N/A	40+	C2	3.08	29.88
G183	5757	Pinus sylvestris Scots pine	205	1	9	2.0	2.0	2.0	2.0	1	4	M	Fair	Average condition	Nil	N/A	40+	C2	2.46	19.01
G183	5758	Pinus sylvestris Scots pine	339	1	9	3.0	2.0	2.0	3.0	1	1.5	M	Fair	Average condition	Nil	N/A	40+	C2	4.07	52.00
G183	5759	Pinus sylvestris Scots pine	216	1	9	3.0	2.0	2.0	3.0	1	3	M	Fair	Average condition	Nil	N/A	40+	C2	2.59	21.11
G183	5760	Pinus sylvestris Scots pine	230	1	8	3.0	3.0	3.0	3.0	1	3	M	Fair	Average condition	Nil	N/A	40+	C2	2.76	23.93
G183	5761	Pinus sylvestris Scots pine	183	1	8	2.0	2.0	2.0	2.0	1	4	M	Fair	Average condition	Nil	N/A	40+	C2	2.20	15.15
G183	5762	Pinus sylvestris Scots pine	181	1	7	2.0	4.0	3.0	2.0	1	1	M	Fair	Average condition	Nil	N/A	40+	C2	2.17	14.82
G183	5763	Pinus sylvestris Scots pine	263	1	9	4.0	2.0	3.0	3.0	1	3	M	Fair	Average condition	Nil	N/A	40+	C2	3.16	31.30
G183	5764	Pinus sylvestris Scots pine	305	1	9	4.0	3.0	3.0	4.0	1	4	M	Fair	Average condition	Nil	N/A	40+	C2	3.66	42.09
G183	5765	Pinus sylvestris Scots pine	268	1	9	2.0	3.0	3.0	2.0	1	3	M	Fair	Average condition	Nil	N/A	40+	C2	3.22	32.50
G183	5766	Pinus sylvestris Scots pine	253	1	9	2.0	2.0	3.0	2.0	1	2	M	Fair	Average condition	Nil	N/A	40+	C2	3.04	28.96
G183	5767	Pinus sylvestris Scots pine	154	1	8	2.0	2.0	2.0	2.0	1	3	M	Fair	Average condition	Nil	N/A	40+	C2	1.85	10.73
G183	5768	Pinus sylvestris Scots pine	182	1	8	3.0	2.0	3.0	2.0	1	2	M	Fair	Average condition	Nil	N/A	40+	C2	2.18	14.99
G183	5769	Pinus sylvestris Scots pine	154	1	8	2.0	2.0	2.0	2.0	1	3	M	Fair	Average condition	Nil	N/A	40+	C2	1.85	10.73
G183	5770	Pinus sylvestris Scots pine	172	1	9	2.0	2.0	2.0	2.0	1	4	M	Fair	Average condition	Nil	N/A	40+	C2	2.06	13.39
G183	5771	Pinus sylvestris Scots pine	147	1	8	2.0	2.0	2.0	2.0	1	3	M	Fair	Average condition	Nil	N/A	40+	C2	1.76	9.78
G183	5772	Pinus sylvestris Scots pine	205	1	9	2.0	3.0	2.0	2.0	1	4	M	Fair	Average condition	Nil	N/A	40+	C2	2.46	19.01
G183	5773	Pinus sylvestris Scots pine	180	1	9	2.0	2.0	2.0	2.0	1	4	M	Fair	Lifted by roots but now appears to be restabilised	Nil	N/A	20-40	C2	2.16	14.66
G183	5774	Pinus sylvestris Scots pine	224	1	8	2.0	3.0	2.0	2.0	1	1.5	M	Fair	Average condition	Nil	N/A	40+	C2	2.69	22.70
G183	5775	Pinus sylvestris Scots pine	189	1	9	2.0	2.0	2.0	2.0	1	4	M	Fair	Average condition	Nil	N/A	40+	C2	2.27	16.16
G183	5776	Pinus sylvestris Scots pine	182	1	8	2.0	2.0	2.0	3.0	1	3	M	Fair	Average condition	Nil	N/A	40+	C2	2.18	14.99
G183	5777	Pinus sylvestris Scots pine	190	1	9	2.0	2.0	2.0	2.0	1	3	M	Fair	Average condition	Nil	N/A	40+	C2	2.28	16.33
G183	5778	Pinus sylvestris Scots pine	205	1	9	2.0	2.0	3.0	3.0	1	3	M	Fair	Average condition	Nil	N/A	40+	C2	2.46	19.01
G183	5779	Pinus sylvestris Scots pine	165	1	8	3.0	2.0	3.0	3.0	1	1	M	Fair	Forked at 4.0	Nil	N/A	40+	C2	1.98	12.32
G183	5780	Pinus sylvestris Scots pine	296	MS	8	4.0	3.0	2.0	3.0	1	2	M	Fair	Forked at 1.4	Nil	N/A	40+	C2	2.96	27.53
G183	5781	Pinus sylvestris Scots pine	325	MS	9	3.0	3.0	3.0	3.0	1	1.5	M	Fair	Forked at 1.0	Nil	N/A	40+	C2	3.25	33.19
G183	5782	Pinus sylvestris Scots pine	302	1	9	3.0	2.0	2.0	3.0	1	4	M	Fair	Average condition	Nil	N/A	40+	C2	3.62	41.27
G183	5783	Pinus sylvestris Scots pine	235	1	8	3.0	3.0	2.0	3.0	1	1	M	Fair	Forked at 2.5	Nil	N/A	40+	C2	2.82	24.99
G182	5784	Pinus sylvestris Scots pine	363	1	10	3.0	3.0	3.0	3.0	1	3	M	Fair	Average condition	Nil	N/A	40+	C2	4.36	59.62
G182	5785	Pinus sylvestris Scots pine	223	1	2	0.0	4.0	2.0	2.0	1	1	M	Fair	Suppressed	Nil	N/A	10-20	C2	2.68	22.50
G182	5786	Pinus sylvestris Scots pine	259	1	9	2.0	3.0	2.0	2.0	1	3	M	Fair	Average condition	Nil	N/A	40+	C2	3.11	30.35
G182	5787	Pinus sylvestris Scots pine	172	1	8	1.0	2.0	2.0	2.0	1	3	M	Fair	Average condition	Nil	N/A	40+	C2	2.06	13.39
G182	5788	Pinus sylvestris Scots pine	260	1	9	2.0	3.0	2.0	2.0	1	1	M	Fair	Average condition	Nil	N/A	40+	C2	3.12	30.59
G182	5789	Pinus sylvestris Scots pine	296	1	9	2.0	3.0	2.0	3.0	1	3	M	Fair	Average condition	Nil	N/A	40+	C2	3.55	39.64
G182	5790	Pinus sylvestris Scots pine	255	1	9	2.0	2.0	2.0	3.0	1	3	M	Fair	Average condition	Nil	N/A	40+	C2	3.06	29.42
G182	5792	Pinus sylvestris Scots pine	226	1	8	3.0	1.0	2.0	1.0	1	1	M	Fair	Average condition	Nil	N/A	20-40	C2	2.71	23.11
G182	5793	Pinus sylvestris Scots pine	192	1	4	2.0	2.0	3.0	2.0	0	1.5	M	Fair	Suppressed	Nil	N/A	10-20	C2	2.30	16.68
G182	5794	Pinus sylvestris Scots pine	270	1	9	3.0	3.0	3.0	2.0	1	2	M	Fair	Average condition	Nil	N/A	40+	C2	3.24	32.98
G182	5795	Pinus sylvestris Scots pine	163	MS	7	1.0	1.0	2.0	1.0	0	2	M	Poor	Average condition	Nil	N/A	10-20	C2	1.63	8.35
G182	5796	Pinus sylvestris Scots pine	194	1	9	2.0	2.0	2.0	2.0	1	3	M	Fair	Average condition	Nil	N/A	40+	C2	2.33	17.03
G182	5797	Pinus sylvestris Scots pine	146	1	5	2.0	1.0	1.0	1.0	0	2	M	Fair	Suppressed	Nil	N/A	10-20	C2	1.75	9.64
G182	5800	Pinus sylvestris Scots pine	213	1	8	4.0	2.0	2.0	3.0	1	2	M	Fair	Average condition	Nil	N/A	40+	C2	2.56	20.53
G182	5801	Pinus sylvestris Scots pine	353	MS	10	4.0	2.0	3.0	3.0	1	3	M	Fair	Forked at 1.0	Nil	N/A	40+	C2	3.53	39.15
G182	5802	Pinus sylvestris Scots pine	132	1	9	2.0	1.0	1.0	1.0	1	4	M	Fair	Average condition	Nil	N/A	40+	C2	1.58	7.88
G182	5803	Pinus sylvestris Scots pine	266	1	9	3.0	2.0	1.0	2.0	1	4	M	Fair	Average condition	Nil	N/A	40+	C2	3.19	32.01
G182	5804	Pinus sylvestris Scots pine	223	1	9	3.0	2.0	2.0	2.0	1	3	M	Fair	Average condition	Nil	N/A	40+	C2	2.68	22.50
G182	5805	Pinus sylvestris Scots pine	161	1	7	1.0	1.0	1.0	1.0	1	4	M	Fair	Average condition	Nil	N/A	20-40	C2	1.93	11.73
G182	5806	Pinus sylvestris Scots pine	159	1	6	1.0	1.0	1.0	1.0	1	4	M	Fair	Average condition	Nil	N/A	40+	C2	1.91	11.44
G182	5807	Pinus sylvestris Scots pine	241	1	9	4.0	2.0	3.0	2.0	1	5	M	Fair	Average condition	Nil	N/A	40+	C2	2.89	26.28
EWS	5856	Silver Birch	148	1	10	2.0	2.0	2.0	2.0	3	5	SM	Good	Good	nwr but limited rooting due to tank no long term future	N/A	40+	C2	3.05	9.91
EWS	5857	Sycamore	152	1	8	2.0	2.0	2.0	2.0	5	3	SM	Good	Good	nwr but limited rooting due to tank no long term future	N/A	20-40	C2	2.56	10.45
EWS	5858	Silver Birch	219	1	10	3.0	3.0	3.0	3.0	2	5	M	Good	Average some wire damage from compound fence	nwr but limited rooting due to tank no long term future	N/A	40+	C2	2.87	21.70
EWS	5859	Sycamore	132	MS	10	4.0	2.0	4.0	4.0	3	5	SM	Good	Twin stem at gl with very weak fork distorting round tank wall	nwr but limited rooting due to tank no long term future	N/A	20-40	C2	1.80	5.47

**TOTAL CATEGORY C TREES Heyford Park Nicholson's Tree Survey November 2006**

Group No	Tag	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physiological Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
						N	S	E	W											
EWS	5860	Sycamore	138	MS	11	3.0	4.0	4.0	4.0	3	3	SM	Good	Twin stem at gl with very weak fork distorting round tank wall	nwr but limited rooting due to tank no long term future	N/A	20-40	C2	2.48	5.98
EWS	5861	Sycamore	123	1	10	3.0	2.0	3.0	3.0	4	5	SM	Good	Distorting round tank wall	nwr but limited rooting due to tank no long term future	N/A	20-40	C2	2.70	6.85
EWS	5862	Sycamore	115	1	10	4.0	1.0	3.0	3.0	4	3	SM	Good	Distorting round tank wall	nwr but limited rooting due to tank no long term future	N/A	20-40	C2	3.08	5.98
EWS	5863	Wild Cherry	114	MS	8	3.0	3.0	3.0	3.0	2	3	SM	Good	Being strangled at base due to growing through support wires distorting round tank wall	nwr but limited rooting due to tank no long term future	N/A	10 to 20	C2	2.46	4.08
EWS	5864	Sycamore	125	1	10	3.0	3.0	3.0	3.0	3	5	SM	Good	Distorting round tank wall	nwr but limited rooting due to tank no long term future		20-40	C2	4.07	7.07
	5865	Sycamore	138	1	10	2.0	2.0	2.0	2.0	4	5	SM	Good	Distorting round tank wall	nwr but limited rooting due to tank no long term future	N/A	20-40	C2	2.59	8.62
	5866	Sycamore	121	1	8	2.0	2.0	2.0	2.0	3	3	SM	poor	Squirrel damage in upper crown and distorting round tank wall	nwr but limited rooting due to tank no long term future	N/A	10 to 20	C2	2.76	6.62
	5867	Norway Maple	116	1	10	3.0	3.0	3.0	3.0	4	2	SM	Good	Distorting round tank wall	nwr but limited rooting due to tank no long term future	N/A	20-40	C2	2.20	6.09
G120	5219	Cupressocyparis leylandii Leyland cypress	266	MS	6	1.0	1.0	1.0	4.0	1	1	M	Poor	Suppressed by 5218 and 5220	Fell to ground level	P	10-20	C3	2.66	22.23
G120	5220	Cupressocyparis leylandii Leyland cypress	297	1	8	3.0	1.0	1.0	3.0	1	1	M	Fair	Also suppressed	Fell to ground level	P	10-20	C3	3.56	39.91
G130	5280	Acer platanoides Norway maple	132	1	4	2.0	2.0	2.5	2.0	0	2	M	Poor	Foliage die back, sparse canopy	Fell to ground level	P	<10	C3	1.58	7.88

**TREES FOR REMOVAL Heyford Park Nicholson's Tree Survey November 2006**

Group No	Tag	Trees removed for development reasons	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physiological Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
							N	S	E	W											
	5		Acer pseudoplatanus Sycamore	332	MS	13	2.0	2.0	1.0	5.0	2	6	M	Poor	Poor	Fell	P	<10	R	3.32	34.63
	21		Prunus avium Cherry	199	1	14	1.0	2.0	2.0	1.0	0	n/a	M	Poor	Poor	Fell	P	<10	R	2.39	17.92
	22		Betula alba Silver birch	226	1	11	1.0	1.0	1.0	3.0	0	n/a	M	Poor	Poor	Fell	P	<10	R	2.71	23.11
	24	R	Fraxinus excelsior Ash	485	1	14	5.0	5.0	5.0	6.0	3	6	M	Fair	Average condition	Nil	N/A	40+	B2	5.82	106.43
	31		Chamaecyparis thyoides White Cedar	409	MS	5	1.0	1.0	1.0	1.0	0	1	M	Poor	Average condition	Fell	P	<10	R	4.09	52.56
	57	R	Chamaecyparis lawsoniana Lawsons cypress	318	1	15	2.0	2.0	2.0	2.0	0	n/a	M	Fair	Gone	Nil	N/A	20-40	B2	3.82	45.75
	64	R	Chamaecyparis lawsoniana Lawsons cypress	303	1	17	2.0	2.0	2.0	2.0	0	n/a	M	Fair	Weak forkbat 9m	Fell	P	<10	R	3.64	41.54
	66	R	Crataegus monogyna Hawthorn	255	1	5	1.0	2.0	2.0	2.0	1	n/a	M	Poor	Av smothered in ivy and obstructing pavement	Fell	P	<10	R	3.06	29.42
	68	R	Acer platanoides Norway maple	496	1	15	4.0	5.0	5.5	5.0	2	6	M	Fair	Average condition	Nil	N/A	20-40	B2	5.95	111.31
	69	R	Chamaecyparis lawsoniana Lawsons cypress	484	1	17	2.0	2.0	2.0	2.0	1	3	M	Good	Gone	Nil	N/A	40+	B2	5.81	105.99
	73	R	Aesculus hippocastanum Horse Chestnut	1126	1	15	1.0	7.0	7.0	8.0	2	8	M	Good	Av one sided due to competition with adjacent tree now removed	Nil	N/A	20-40	B2	13.51	573.65
	76	R	Chamaecyparis lawsoniana Lawsons cypress	580	MS	11	1.0	1.0	1.0	1.0	0	n/a	M	Good	Gone	Nil	N/A	40+	C1	5.80	105.70
	77	R	Chamaecyparis lawsoniana Lawsons cypress	720	MS	11	1.0	1.0	1.0	1.0	0	n/a	M	Good	Gone	Nil	N/A	40+	C1	7.20	162.88
	78	R	Chamaecyparis lawsoniana Lawsons cypress	415	1	11	1.0	1.0	1.0	1.0	0	n/a	M	Good	Gone	Nil	N/A	40+	C1	4.98	77.92
	79	R	Chamaecyparis lawsoniana Lawsons cypress	655	MS	11	1.0	1.0	1.0	1.0	0	n/a	M	Good	Gone	Nil	N/A	40+	C1	6.55	134.80
	80	R	Chamaecyparis lawsoniana Lawsons cypress	507	MS	11	1.0	1.0	1.0	1.0	0	n/a	M	Good	Gone	Nil	N/A	40+	C1	5.07	80.76
	86	R	Prunus Atropurpurea Pissards Plum	258	MS	5	4.0	2.0	5.0	3.0	1	2	M	Fair	Average condition	Nil	N/A	10-20	C1	5.95	20.91
	88	R	Prunus Atropurpurea Pissards Plum	201	1	3	4.0	3.0	4.0	1.0	1	2	M	Fair	Av stem wound at gl e	Nil	N/A	10-20	C1	5.81	18.28
	89	R	Betula alba Silver birch	531	1	11	5.0	4.0	3.0	7.0	2	7	M	Fair	Average condition	Nil	N/A	10-20	B2	3.06	29.42
	93		Betula alba Silver birch	221	1	11	3.0	2.0	2.0	3.0	3	4	M	Poor	Average condition	Fell	P	<10	R	2.65	22.10
	95		Betula alba Silver birch	215	1	11	2.0	3.0	3.0	2.0	2	5	M	Poor	Poor	Fell	P	<10	R	2.58	20.91
	99	R	Betula alba Silver birch	316	1	11	4.0	4.0	4.0	4.0	1	4	M	Good	Average condition	Nil	N/A	20-40	B2	3.79	45.18
	111	R	Lilac	184	1	4	2.0	1.0	3.0	1.0	0	2	M	Fair	Average condition	Nil	N/A	10-20	C1	2.21	15.32
	114	R	Thuja plicata Western Red Cedar	504	1	14	3.0	3.0	3.0	3.0	1	5	M	Fair	Average condition	Nil	N/A	20-40	B2	6.05	114.93
	124	R	Fagus sylvatica Beech	594	1	16	4.0	8.0	3.0	8.0	2	6	M	Fair	Asymmetric to west	Nil	N/A	40+	B2	7.13	159.64
	125	R	Acer pseudoplatanus Sycamore	770	MS	15	9.0	5.0	6.0	7.0	2	5	M	Fair	Included bark at gl	Nil	N/A	40+	B2	7.70	186.29
	134	R	Crataegus monogyna Hawthorn	201	1	7	1.0	2.0	3.0	1.0	0	5	M	Poor	Poor	Fell	P	<10	R	2.41	18.28
	148		Tilia europaea Common Lime	124	MS	3	1.0	1.0	1.0	1.0	5	1	SM	Fair	Poor form	Nil	N/A	40+	R	1.24	4.83
	150	R	Prunus avium Cherry	201	1	5	3.0	5.0	4.0	4.0	0	2	M	Fair	Average condition	Nil	N/A	10-20	C1	2.41	18.28
	152	R	Malus domestica Apple	89	1	4	1.0	1.0	2.0	1.0	1	1.5	M	Fair	Average condition	Nil	N/A	10-20	C1	1.07	3.58
	156	R	Crataegus monogyna Hawthorn	527	1	9	5.0	3.0	3.0	4.0	1	4	M	Fair	Average condition	Nil	N/A	20-40	B3	6.32	125.66
	162	R	Betula alba Silver birch	441	1	15	5.0	5.0	5.0	5.0	0	3.5	M	Good	Average condition	Nil	N/A	20-40	B2	5.29	87.99
	177		Crataegus monogyna Hawthorn	256	MS	7	1.0	3.0	1.0	3.0	0	4	OM	Poor	Poor	Fell	P	<10	R	2.56	20.59
	178		Prunus avium Cherry	294	1	10	4.0	4.0	3.0	4.0	0	3	OM	Poor	Average condition	Nil	N/A	<10	R	3.53	39.11
	182	R	Crataegus monogyna Hawthorn	268	1	7	1.0	3.0	3.0	2.0	0	3	OM	Poor	Average condition	Nil	N/A	<10	R	3.22	32.50
	183	R	Crataegus monogyna Hawthorn	247	1	8	2.5	2.0	3.0	2.0	0	4	M	Fair	Average condition	Nil	N/A	10-20	C2	2.96	27.60
	192	R	Betula alba Silver birch	292	1	9	2.0	5.0	3.0	4.0	0	3	M	Fair	Average condition	Nil	N/A	10-20	C2	3.50	38.58
	194	R	Crataegus monogyna Hawthorn	382	MS	7	3.0	3.0	3.0	3.0	0	3	M	Fair	Average condition	Nil	N/A	20-40	B2	3.82	45.85
	196	R	Sorbus aucuparia Rowan	255	1	7	2.0	4.0	4.0	4.0	0	4	OM	V Poor	V poor	Fell	U	<10	R	3.06	29.42
	198	R	Betula alba Silver birch	428	1	12	4.0	5.0	5.0	2.0	0	6	M	Fair	Average condition	Nil	N/A	20-40	B2	5.14	82.88
	199	R	Prunus avium Cherry	441	1	10	2.0	6.0	3.0	7.0	2	4	M	Fair	Average condition	Nil	N/A	20-40	B2	5.29	87.99
	200	R	Betula alba Silver birch	361	1	13	5.0	2.0	5.0	4.0	0	8	M	Fair	Average condition	Nil	N/A	20-40	B2	4.33	58.96
	202	R	Betula alba Silver birch	303	1	8	1.0	6.0	5.0	0.0	0	5	M	Fair	Average condition	Nil	N/A	20-40	B2	3.64	41.54
	203	R	Betula alba Silver birch	168	1	8	2.0	2.0	2.0	2.0	0	3	M	Poor	Average condition	Nil	N/A	10-20	C2	2.02	12.77
	204	R	Crataegus monogyna Hawthorn	320	MS	7	2.0	3.0	3.0	3.0	0	3	M	Fair	Average condition	Nil	N/A	10-20	C2	3.20	32.17
	207	R	Betula alba Silver birch	309	1	10	5.0	4.0	4.0	2.0	1	5	M	Fair	Average condition	Nil	N/A	20-40	B2	3.71	43.20
	209	R	Betula alba Silver birch	349	1	12	4.0	5.0	3.5	3.5	1	4	M	Fair	Average condition	Nil	N/A	20-40	B2	4.19	55.11
	210	R	Betula alba Silver birch	505	1	14	5.0	4.0	4.0	6.0	1	6	M	Fair	Average condition	Nil	N/A	20-40	B2	6.06	115.39
	211	R	Prunus avium Cherry	455	MS	11	2.0	4.0	3.5	4.0	1	4	M	Fair	Average condition	Nil	N/A	20-40	B2	4.55	65.05
	212	R	Acer pseudoplatanus Sycamore	267	1	10	5.0	3.0	3.5	4.0	3	2	M	Fair	Average condition	Nil	N/A	40+	B2	3.20	32.25
	214	R	Chamaecyparis lawsoniana Lawsons cypress	340	1	13	3.0	3.0	3.0	3.0	1	0	M	Good	Average condition	Nil	N/A	20-40	B2	4.08	52.30
	221	R	Betula alba Silver birch	244	1	12	1.0	3.0	2.0	4.0	0	3	M	Fair	Average condition	Nil	N/A	10-20	B2	2.93	26.94
	222	R	Prunus avium Cherry	437	1	8	3.0	7.0	7.0	6.0	0	4	M	Fair	Average condition	Nil	N/A	10-20	B2	5.24	86.40
	223	R	Crataegus monogyna Hawthorn	281	MS	7	3.0	2.0	1.0	4.0	0	3	M	Fair	Average condition	Nil	N/A	10-20	B2	2.81	24.81
	224	R	Betula alba Silver birch	478	1	13	5.0	5.0	6.0	4.0	0	3	M	Fair	Average condition	Nil	N/A	20-40	B2	5.74	103.38
	227	R	Crataegus monogyna Hawthorn	100	1	4	1.0	2.0	1.0	2.0	2	3	SM	Fair	Average condition	Nil	N/A	20-40	C2	1.20	4.52

**TREES FOR REMOVAL Heyford Park Nicholson's Tree Survey November 2006**

Group No	Tag	Trees removed for development reasons	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physiological Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
							N	S	E	W											
	228	R	Sorbus intermedia Swedish Whitebeam	637	1	11	3.5	5.0	4.0	4.0	1	4	M	Fair	Average condition	Nil	N/A	10-20	B2	7.64	183.59
	229	R	Crataegus monogyna Hawthorn	112	1	4	0.0	2.0	0.0	2.0	0	2	M	Poor	Poor	Fell	P	<10	R	1.34	5.68
	231	R	Betula alba Silver birch	454	1	12	5.0	7.0	6.0	3.0	1	5	M	Fair	Average condition	Nil	N/A	20-40	B2	5.45	93.26
	232	R	Crataegus monogyna Hawthorn	158	1	5	2.0	3.0	3.0	3.0	1	2	M	Fair	Average condition	Nil	N/A	20-40	B2	1.90	11.29
	233	R	Crataegus monogyna Hawthorn	212	1	5	2.0	3.0	2.5	3.0	1	2	M	Fair	Average condition	Nil	N/A	20-40	B2	2.54	20.33
	238	R	Betula alba Silver birch	294	1	12	2.0	4.0	3.5	3.0	1	5	M	Fair	Average condition	Nil	N/A	10-20	B2	3.53	39.11
	239	R	Prunus avium Cherry	253	1	6	2.0	5.0	1.5	4.0	0	4	M	Poor	Average condition	Nil	N/A	<10	R	3.04	28.96
	241	R	Betula alba Silver birch	343	1	12	2.0	4.0	5.0	5.0	0	7	M	Fair	Stem wound at 0.5w	Nil	N/A	10-20	C2	4.12	53.23
	242	R	Betula alba Silver birch	229	1	9	1.0	3.0	4.0	3.0	0	5	M	Fair	Average condition	Nil	N/A	10-20	C2	2.75	23.73
	243	R	Betula alba Silver birch	476	1	12	7.0	6.0	6.0	4.0	0	6	M	Poor	Average condition	Nil	N/A	10-20	C2	5.71	102.51
	245	R	Prunus avium Cherry	260	1	7	6.0	3.0	2.0	5.0	1	5	M	Fair	Average condition	Nil	N/A	10-20	C2	3.12	30.59
	246	R	Crataegus monogyna Hawthorn	247	1	7	3.0	3.0	4.0	3.0	0	3	M	Fair	Average condition	Nil	N/A	10-20	C2	2.96	27.50
	248	R	Crataegus monogyna Hawthorn	153	1	7	2.0	2.0	2.0	2.0	0	2	M	Poor	Average condition	Nil	N/A	<10	R	1.84	10.59
	249		Populus nigra Italica Lombardy Poplar	498	1	16	2.0	2.0	2.0	2.0	0	9	M	Fair	Stem wound at 1.5 s	Nil	N/A	<10	R	5.98	112.21
	257	R	Thuja plicata Western Red Cedar	535	1	16	3.0	5.0	3.0	5.0	1	4	M	Fair	Basal wound n	Nil	N/A	20-40	B2	6.42	129.50
	258	R	Prunus Flowering Cherry	515	1	13	7.5	5.0	5.0	2.0	1	3	M	Fair	Average condition	Nil	N/A	10-20	C2	6.18	120.00
	260	R	Betula alba Silver birch	210	1	9	2.0	7.0	4.0	1.0	0	6	M	Fair	Leaning	Nil	N/A	10-20	C2	2.52	19.95
	261	R	Prunus Flowering Cherry	531	1	9	5.0	7.0	2.0	5.0	0	5	OM	Poor	Poor	Fell	U	<10	R	6.37	127.57
	264	R	Betula alba Silver birch	251	1	13	2.0	2.0	2.0	2.0	0	6	Dead	Dead	Dead	Fell	U	<10	R	3.01	28.50
	275	R	Betula alba Silver birch	588	1	14	2.0	5.0	5.0	5.0	1	6	M	Fair	Average condition	Nil	N/A	10-20	C2	7.06	156.43
	276	R	Betula alba Silver birch	323	1	12	4.0	2.0	5.0	3.0	1	7	M	Fair	Average condition	Nil	N/A	10-20	C2	3.88	47.20
	280		Aesculus hippocastanum Horse Chestnut	509	1	12	5.0	5.0	4.0	5.0	2	6	M	Fair	Significant stem bleeding	Nil	N/A	<10	R	6.11	117.22
	281		Aesculus hippocastanum Horse Chestnut	510	1	12	4.0	5.0	5.0	4.0	2	7	M	Fair	Significant stem bleeding and necrosis	Nil	N/A	<10	R	6.12	117.68
	283	R	Acer pseudoplatanus Sycamore	353	1	12	4.0	5.0	5.0	5.0	2	5	M	Fair	Average condition	Nil	N/A	40+	B2	4.24	56.38
	301	R	Ulmus glabra Wych Elm	900	1	16	8.0	6.0	8.0	6.0	0	6	M	Fair	Tight forks with included bark	Nil	N/A	<10	R	10.80	366.48
	307	R	Acer pseudoplatanus Sycamore	489	1	11	3.0	5.0	5.0	5.0	0	7	M	Fair	Large cavity in main stem 1.8 e	Fell	N/A	<10	R	5.87	108.19
	312	R	Ulmus procera Elm	467	1	17	5.0	4.0	5.0	5.0	0	5	M	Good	Average condition	Nil	N/A	<10	R	5.60	98.67
	316	R	Chamaecyparis lawsoniana Lawsons cypress	480	MS	6	1.0	1.0	1.0	1.0	0.5	gl	M	Fair	Average condition	Nil	N/A	20-40	C2	4.80	72.39
	317	R	Chamaecyparis lawsoniana Lawsons cypress	358	MS	5	1.0	1.0	1.0	1.0	0.5	gl	M	Fair	Average condition	Nil	N/A	20-40	C2	3.58	40.27
	325	R	Betula alba Silver birch	364	1	9	4.0	5.0	4.0	6.0	1	5	M	Fair	Major cavity in main stem at 2.0 e	Nil	N/A	<10	R	4.37	59.95
	331	R	Betula alba Silver birch	323	1	8	2.0	5.0	2.0	4.0	0	4	OM	Poor	Average condition	Nil	N/A	<10	R	3.88	47.20
	333	R	Betula alba Silver birch	389	1	10	0.0	7.0	5.0	0.0	1	6	M	Fair	Average condition	Nil	N/A	20-40	B2	4.67	68.46
	349		Populus nigra Italica Lombardy Poplar	325	1	17	2.0	2.0	2.0	3.0	1	8	M	Poor	Major dead wood	Crown clean	U	<10	R	3.90	47.79
	354	R	Fraxinus excelsior Ash	429	MS	5	2.0	2.0	2.0	2.0	5	2	SM	Fair	Coppice stool	Nil	N/A	40+	C2	4.29	57.83
	355	MS	Crataegus monogyna Hawthorn	259	MS	4	3.0	3.0	3.0	3.0	0	2	OM	Poor	Average condition	Nil	N/A	<10	R	2.59	21.08
	360	R	Pinus sylvestris Scots pine	463	1	11	6.0	4.0	5.0	5.0	0	7	M	Fair	Average condition	Nil	N/A	20-40	B2	5.56	96.99
	396	R	Larix eurolepis European Larch	373	1	12	2.0	3.0	3.0	4.0	0	4	M	Poor	Average condition	Nil	N/A	<10	R	4.48	62.95
	398	R	Pinus sylvestris Scots pine	535	1	4	0.0	0.0	0.0	0.0	0	0	Dead	Dead	Dead	Nil	N/A	<10	R	6.42	129.50
	413	R	Fraxinus excelsior Ash	837	1	17	7.0	8.0	8.0	7.0	0	8	M	Poor	Lots of dead material	Fell	U	<10	R	10.04	316.97
	421	R	Ulmus procera Elm	278	1	9	2.0	2.0	2.0	2.0	0	3	M	Fair	Will succumb to DED	Nil	N/A	<10	R	3.34	34.97
	437	R	Populus nigra Hybrid black poplar	719	1	17	10.0	10.0	3.0	7.0	1	6	M	Fair	Storm damage in upper crown	Nil	N/A	<10	R	8.63	233.90
	443	R	Tilia europaea Common Lime	448	1	13	5.0	5.0	5.0	5.0	2	4	M	Fair	Average condition	Nil	N/A	40+	B2	5.38	90.81
	472		Sorbus intermedia Swedish Whitebeam	679	1	9	4.0	4.0	4.0	4.0	4	4	Dead	Dead	Dead	Fell	U	<10	R	8.15	208.60
	473		Sorbus intermedia Swedish Whitebeam	751	1	9	4.0	4.0	4.0	2.0	1	5	M	Fair	Ganoderma on base n	Nil	N/A	<10	R	9.01	255.18
	474	R	Chamaecyparis lawsoniana Lawsons cypress	800	MS	12	3.0	2.0	2.0	2.0	1	2	M	Fair	Average condition	Nil	N/A	10-20	C2	8.00	201.09
	475	R	Chamaecyparis lawsoniana Lawsons cypress	605	MS	12	2.0	2.0	2.0	3.0	1	2	M	Fair	Average condition	Nil	N/A	10-20	C2	6.05	115.01
	478	R	Ilex Highclere Holly	180	1	5	3.0	2.0	3.0	3.0	0	3	M	Poor	Average condition	Nil	N/A	<10	R	2.16	14.66
	484	R	Chamaecyparis lawsoniana Lawsons cypress	559	1	11	2.0	2.0	3.0	2.0	1	4	M	Fair	Two principle limbs removed in past	Nil	N/A	10-20	C2	6.71	141.38
	486	R	Chamaecyparis lawsoniana Lawsons cypress	299	1	9	2.0	3.0	1.0	2.0	1	0.2	M	Fair	Average condition	Nil	N/A	20-40	C2	3.59	40.45
	487	R	Chamaecyparis lawsoniana Lawsons cypress	781	MS	9	2.0	3.0	2.0	1.0	1	1.5	M	Fair	Average condition	Nil	N/A	20-40	C2	7.81	191.65
	489	R	Crataegus monogyna Hawthorn	395	MS	8	3.0	3.0	1.0	3.0	0	2	OM	Poor	Average condition	Nil	N/A	<10	R	3.95	49.02
	492	R	Chamaecyparis lawsoniana Lawsons cypress	229	MS	6	0.5	0.5	1.0	0.0	2	2	M	Fair	Average condition	Nil	N/A	20-40	C2	2.29	16.48
	493	R	Cupressocyparis leylandii Leyland cypress	415	1	11	2.0	2.0	2.0	2.0	2	2	M	Fair	Average condition	Nil	N/A	20-40	C2	4.98	77.92

**TREES FOR REMOVAL Heyford Park Nicholson's Tree Survey November 2006**

Group No	Tag	Trees removed for development reasons	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physiological Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
							N	S	E	W											
	494	R	Chamaecyparis lawsoniana Lawsons cypress	443	MS	10	2.0	2.0	2.0	2.0	2	2	M	Fair	Average condition	Nil	N/A	20-40	C2	4.43	61.66
	500	R	Chamaecyparis lawsoniana Lawsons cypress	489	1	11	2.0	2.0	2.0	2.0	1	3	M	Fair	Average condition	Nil	N/A	20-40	C2	5.87	108.19
	501	R	Chamaecyparis lawsoniana Lawsons cypress	353	1	10	1.0	1.0	1.0	1.0	1	3	M	Fair	Average condition	Nil	N/A	20-40	C2	4.24	56.38
	502	R	Chamaecyparis lawsoniana Lawsons cypress	493	1	11	2.0	2.0	2.0	2.0	1	3	M	Fair	Average condition	Nil	N/A	20-40	C2	5.92	109.97
	522		Prunus Flowering Cherry	424	1	8	4.0	4.0	4.0	4.0	0	3	Dead	Dead	Dead	Fell	P	<10	R	5.09	81.34
	523		Prunus Flowering Cherry	403	1	8	3.0	3.0	3.0	3.0	0	2	Dead	Dead	Dead	Fell	P	<10	R	4.84	73.48
	524		Laburnum anagyroides Common laburnum	329	MS	6	4.0	4.0	1.0	4.0	0	3	OM	Poor	Poor	Nil	N/A	<10	R	3.29	34.01
	525	R	Chamaecyparis lawsoniana Lawsons cypress	460	1	13	2.0	2.0	2.0	2.0	0	4	M	Fair	Average condition	Nil	N/A	20-40	B2	5.52	95.74
	526	R	Chamaecyparis lawsoniana Lawsons cypress	381	1	13	2.0	2.0	2.0	2.0	0	4	M	Poor	Average condition	Nil	N/A	10-20	C2	4.57	65.68
	527		Betula alba Silver birch	230	1	10	1.0	2.0	3.0	1.0	0	5	M	Poor	Compost heap at base	Nil	N/A	<10	R	2.76	23.93
	528		Betula alba Silver birch	409	1	11	3.0	5.0	2.0	5.0	0	5	M	Poor	Compost heap at base	Nil	N/A	<10	R	4.91	75.69
	532	R	Chamaecyparis lawsoniana Lawsons cypress	394	1	10	2.0	2.0	2.0	2.0	1	0	M	Fair	Average condition	Nil	N/A	20-40	C2	4.73	70.24
	533	R	Chamaecyparis lawsoniana Lawsons cypress	387	1	10	2.0	2.0	2.0	2.0	1	0	M	Fair	Average condition	Nil	N/A	20-40	C2	4.64	67.76
	536	R	Thuja plicata Western Red Cedar	468	1	15	3.0	2.0	1.0	4.0	0	2	M	Fair	Average condition	Nil	N/A	20-40	B2	5.62	99.10
	538		Crataegus monogyna Hawthorn	162	1	4	1.0	1.0	1.0	1.0	0	2	OM	Poor	Poor	Nil	N/A	<10	R	1.94	11.87
	539		Crataegus monogyna Hawthorn	261	MS	6	2.0	2.0	2.0	2.0	0	3	OM	Poor	Poor	Nil	N/A	<10	R	2.61	21.40
	542		Plum	84	MS	3	0.0	2.0	2.0	2.0	0	1	SM	Poor	Stunted poor fruit tree	Nil	N/A	<10	R	0.84	2.22
	551	R	Chamaecyparis lawsoniana Lawsons cypress	273	1	10	2.0	2.0	2.0	2.0	1	5	M	Fair	Main fork at 3.5m included bark	Nil	N/A	10-20	C2	3.28	33.72
	557	R	Chamaecyparis lawsoniana Lawsons cypress	418	MS	12	2.0	2.0	2.0	2.0	1	2	M	Fair	Average condition	Nil	N/A	20-40	C2	4.18	54.90
	558	R	Thuja plicata Western Red Cedar	366	MS	8	3.0	2.0	3.0	2.0	1	2	M	Fair	Suppressed under adjacent tree	Nil	N/A	10-20	C2	3.66	42.09
	563		Prunus Flowering Cherry	251	1	7	2.0	2.0	1.0	2.0	0	1.5	OM	Poor	Basal bark wounds	Fell to ground level	P	<10	R	5.11	28.50
	564	R	Cupressocyparis leylandii Leyland cypress	511	1	10	2.0	2.0	2.0	2.0	2	0	M	Good	No visible defects	None	N/A	20-40	C1	6.13	118.14
	565	R	Chamaecyparis lawsoniana Lawsons cypress	300	1	5	1.0	1.0	1.0	1.0	1	0	M	Fair	Suppressed by 566	None	N/A	20-40	C1	3.60	40.72
	566	R	Cupressocyparis leylandii Leyland cypress	426	1	10	2.0	2.0	2.0	1.0	1	0	M	Good	No visible defects	None	N/A	40+	C1	5.11	82.11
	584		Salix Willow	383	1	10	4.0	4.0	4.0	5.0	0	4	M	Poor	southern stem with split and dysfunctional timber into main fork	Nil	N/A	<10	R	4.60	66.37
	586		Prunus Flowering Cherry	248	1	5	3.0	3.0	3.0	3.0	0	2.5	M	Poor	Average condition	Nil	N/A	<10	R	2.98	27.83
	593		Prunus Flowering Cherry	413	MS	7	3.0	4.0	3.0	4.0	0	2	OM	Poor	Very weak main fork	Nil	N/A	<10	R	4.13	53.59
	594		Prunus Flowering Cherry	201	MS	5	2.0	2.0	3.0	2.0	0	2	Dead	Dead	Dead	Fell	P	<10	R	2.01	12.69
	596		Prunus Flowering Cherry	303	MS	5	4.0	4.0	4.0	4.0	0	2	OM	Poor	Average condition	Nil	N/A	<10	R	3.03	28.85
	599	R	Cupressocyparis leylandii Leyland cypress	562	1	9	3.0	3.0	3.0	3.0	1	0	M	Fair	Average condition	Nil	N/A	40+	C2	6.74	142.90
	611	R	Cupressocyparis leylandii Leyland cypress	759	MS	13	4.0	4.0	4.0	4.0	1	2	M	Fair	V close to dwellings etc	Nil	N/A	10-20	C2	7.59	181.00
	615		Malus domestica Apple	280	1	3	2.0	1.0	2.0	2.0	0	2	Dead	Dead	Dead	Nil	N/A	<10	R	3.36	35.47
	618	R	Chamaecyparis lawsoniana Lawsons cypress	330	1	7	2.0	3.0	3.0	2.0	1	1	M	Fair	Average condition	Nil	N/A	20-40	C2	3.96	49.27
	619	R	Chamaecyparis lawsoniana Lawsons cypress	452	MS	7	2.0	2.0	2.0	2.0	1	2	M	Fair	Average condition	Nil	N/A	20-40	C2	4.52	64.19
	620		Betula alba Silver birch	430	1	10	3.0	5.0	4.0	4.0	0	4	M	Fair	Large scar on main stem gl - 1.3 from torn out limb top snappedcut associated decay and P betulinus brackets	Ascertain extent of decay	U	<10	R	5.16	83.66
	621		Malus domestica Apple	293	1	7	3.0	3.0	2.0	2.0	0	2	OM	Poor	Average condition	Nil	N/A	<10	R	3.52	38.84
	624		Prunus Flowering Cherry	304	1	11	3.0	1.0	4.0	1.0	2	2	M	Fair	* Deadwood, crown unbalanced, Spiral bark cracking on lower stem leading to decay in sapwood. Included bark at main spring. Spiral cracking of main limbs	Remove	P	<10	R	2.16	41.81
	631		Aesculus hippocastanum Horse Chestnut	513	1	14	5.0	4.0	3.0	4.0	0	2	M	Poor	Average condition	Fell	P	N/A	R	4.16	119.07
	636		Acer pseudoplatanus Sycamore	216	MS	6	2.0	2.0	2.0	2.0	0	0	Y	Good	Affected by existing foundations	Nil	N/A	<10	R	5.81	14.66
	637		Acer pseudoplatanus Sycamore	416	MS	6	2.0	2.0	2.0	2.0	0	0	Y	Good	Affected by existing foundations	Nil	N/A	<10	R	2.01	54.37
	644	R	Thuja plicata Western Red Cedar	556	MS	14	2.0	2.0	2.0	2.0	2	2	M	Good	No visible defects	Nil	N/A	10-20	C1	5.56	97.13

**TREES FOR REMOVAL Heyford Park Nicholson's Tree Survey November 2006**

Group No	Tag	Trees removed for development reasons	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physiological Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
							N	S	E	W											
	647	R	Chamaecyparis lawsoniana Lawsons cypress	484	1	16	2.0	2.0	3.0	1.0	1	3	M	Good	Growing together with 2089	Nil	N/A	10-20	C1,2	5.01	105.99
	649		Sorbus aucuparia Rowan	201	MS	2	1.0	1.0	1.0	1.0	4	1	Y	Poor	Damage to main stem, in raised bed	Nil	N/A	<10	R	5.94	12.69
	652	R	Betula alba Silver birch	320	1	15	3.0	2.0	3.0	2.0	1	2	M	Good	In raised bed, else No visible defects	Nil	N/A	10-20	B1	3.84	46.33
	678	R	Chamaecyparis lawsoniana Lawsons cypress	501	MS	10	2.0	2.0	2.0	2.0	0.5	0.5	M	Fair	No visible defects	None	N/A	40+	C1	3.22	78.86
	679	R	Chamaecyparis lawsoniana Lawsons cypress	594	MS	10	2.0	2.0	2.0	2.0	0.5	0.5	M	Fair	No visible defects	None	N/A	40+	C1	1.01	110.86
	692	R	Acer pseudoplatanus Sycamore	298	1	9	3.0	3.0	4.0	4.0	3	2.5	M	Good	Minor deadwood	Crown clean	P	40+	B1	3.58	40.18
	693	R	Acer pseudoplatanus Sycamore	268	1	7	3.0	3.0	3.0	3.0	3	3	M	Fair	No visible defects	None	N/A	40+	B1	3.22	32.50
	701		Quercus rubra Red oak	84	1	4	1.0	0.0	1.0	1.0	2	N/A	SM	Poor	Dead wood, minor basal wounds	Fell to ground level (suppressed by 702)	P	<10	R	1.01	3.19
	702	R	Quercus rubra Red oak	176	1	5	3.0	3.0	3.0	3.0	1.5	4	SM	Good	No visible defects	None	N/A	40+	B2	2.11	14.02
	705		Sorbus aucuparia Rowan	495	MS	4	1.0	3.0	2.0	3.0	1.5	N/A	OM	Poor	Major basal suckering	Fell to ground level	P	<10	R	4.95	76.99
	706		Prunus avium plena Cherry	158	MS	5	3.0	3.0	3.0	3.0	2	N/A	Dead	Dead	Dead wood	Fell to ground level	P	<10	R	1.58	7.84
	712	R	Cupressocyparis leylandii Leyland cypress	305	1	6	1.5	1.5	1.5	1.5	1	1	M	Good	No visible defects	None	N/A	40+	B2	3.66	42.09
	714	R	Chamaecyparis lawsoniana Lawsons cypress	284	1	7	2.0	2.0	2.0	2.0	1	1	M	Good	No visible defects	None	N/A	20-40	C1	3.41	36.49
	715	R	Chamaecyparis lawsoniana Lawsons cypress	349	MS	7	2.0	2.0	2.0	2.0	0	1	M	Good	No visible defects	None	N/A	20-40	C1	3.49	38.27
	724	R	Cupressocyparis leylandii Leyland cypress	802	MS	8	2.0	2.0	2.0	2.0	0	1	M	Good	Tight forks included bark	None	N/A	20-40	C2	8.02	202.09
	728		Prunus Flowering Cherry	449	MS	4.5	2.0	3.0	4.0	2.0	0	N/A	M	Fair	Major basal cavity	Fell to ground level	P	<10	R	4.49	63.34
	730		Prunus Flowering Cherry	208	1	3						N/A	Dead	Dead	Dead wood	Fell to ground level	P	N/A	R	2.50	19.57
	734	R	Chamaecyparis lawsoniana Lawsons cypress	525	MS	7	2.5	2.5	2.5	2.5	0	0.5	M	Good	No visible defects	None	N/A	20-40	C1	5.25	86.60
	736	R	Cupressocyparis leylandii Leyland cypress	165	MS	15	3.0	3.0	3.0	3.0	0	0.5	M	Good	Phone lines through crown	None	N/A	40+	C1	1.65	8.55
	737		Acer saccharinum Silver maple	234	MS	5	2.0	2.0	2.0	2.0	3	4	M	Fair	Tight fork with stem crack	Fell to ground level	P	<10	R	2.34	17.20
	743	R	Cupressocyparis leylandii Leyland cypress	546	MS	11	3.0	2.0	3.0	3.0	2	2	M	Fair	Broken branch	None	N/A	40+	C1	5.46	93.67
	744	R	Cupressocyparis leylandii Leyland cypress	519	1	11	1.0	3.0	3.0	3.0	2	2	M	Fair	No visible defects	None	N/A	40+	C1	6.23	121.87
	745	R	Sorbus aucuparia Rowan	220	1	8	2.0	2.0	2.0	2.0	1	2.5	M	Good	Tight fork and included bark	None	N/A	10-20	C1	2.64	21.90
	747	R	Sorbus aucuparia Rowan	110	1	5	1.5	1.5	1.5	1.5	0.5	2	M	Fair	Basal suckers stem cavity north	Fell to ground level	P	<10	R	1.32	5.47
	755	R	Acer pseudoplatanus Sycamore	148	1	5	2.0	2.0	2.0	2.0	4	1.5	SM	Good	Small basal cavity	None	N/A	40+	C1	1.78	51.69
	758	R	Tilia europaea Common Lime	204	1	6	3.0	2.0	2.0	2.0	3	1	SM	Good	No visible defects	None	N/A	40+	B1	2.45	18.83
	764	R	Juglans regia Walnut	178	1	6	3.0	3.0	3.0	3.0	3	1.5	SM	Good	No visible defects	None	N/A	40+	B1	2.14	14.34
	773	R	Cupressocyparis leylandii Leyland cypress	368	1	7	2.0	2.0	2.0	2.0	1	0	SM	Good	No visible defects	None	N/A	40+	C1	2.53	61.27
	778	R	Juglans regia Walnut	216	1	7	3.5	3.5	3.5	3.5	3	1.5	SM	Good	No visible defects	None	N/A	40+	B1	5.58	21.11
	779	R	Robinia pseudoacacia False acacia	211	1	5	2.5	2.5	2.5	2.5	3	1.5	SM	Good	No visible defects	None	N/A	40+	B1	4.44	20.14
	787	R	Alnus cordata Italian alder	544	MS	8	3.0	4.0	5.0	4.0	2	2	M	Good	Tight forks/included bark at base	None	N/A	20-40	C1	1.46	92.98
	788	R	Tilia europaea Common Lime	280	1	7	3.0	3.0	3.0	3.0	3	2	M	Good	No visible defects	None	N/A	40+	A1	6.76	35.47
	789		Crataegus monogyna Hawthorn	241	1	4	1.0	1.0	1.0	1.0	0	2	OM	Poor	Dead wood and die-back	Fell to ground level	P	<10	R	7.37	26.28
	791	R	Tilia cordata Small leaved lime	377	1	7	4.0	4.0	4.0	4.0	3	2	M	Good	No visible defects	None	N/A	40+	A1	2.76	64.31
	809		Prunus avium plena Cherry	563	1	8	5.0	5.0	5.0	5.0	1	3	M	Fair	Major cavity	Fell to ground level	P	<10	R	3.32	143.41
	813	R	Aesculus hippocastanum Horse Chestnut	614	1	3	1.0	1.0	1.0	1.0	5	3	M	Poor	Pollarded, growing within hard surface	Remove	P	0	R	2.80	170.57
	814	R	Cotoneaster	230	1	6	3.0	2.0	3.0	3.0	1	2	M	Good	Included bark to large branch (south)	Remove included bark branch	P	<10	C1	2.88	23.93
	815		Cotoneaster	277	1	5	2.0	2.0	2.0	2.0	1	2	M	Good	Over major ornamental immediately adjacent to existing foundations	Remove	P	0	R	6.54	34.72
	816		Sumach	280	MS	5	2.0	2.0	2.0	2.0	1	2	M	Good	Over major ornamental immediately adjacent to existing foundations	Remove	P	0	R	6.98	24.63
	819	R	Sorbus aria Whitebeam	240	1	5	2.0	1.0	2.0	1.0	2	2	M	Fair	Included bark to main fork	Nil	N/A	10-20	C1	2.64	26.06
	822	R	Sorbus aria Whitebeam	545	1	9	4.0	4.0	3.0	4.0	0	2	M	Fair	Old wounds and rot pocket to spring of crown (decay?)	Nil	N/A	10-20	C1	4.68	134.39
	823	R	Sorbus aria Whitebeam	582	1	11	4.0	4.0	3.0	4.0	0	2	M	Fair	No visible defects	Nil	N/A	10-20	C1	3.23	153.25
	827	R	Carpinus betulus Hornbeam (fastigata)	264	MS	10	3.0	3.0	3.0	3.0	2	3	M	Good	Included bark at spring of crown at 1.5 m	Nil	N/A	20-40	C1	2.15	21.90
	831	R	Betula alba Silver birch	390	1	10	6.0	5.0	5.0	5.0	1	2	M	Good	No visible defects	Nil	N/A	10-20	B1	4.68	68.82
	844		Sorbus aucuparia Rowan	269	1	10	0.0	1.0	2.0	0.0	0	5	M	Poor	Mostly dead	Fell	U	<10	R	3.23	32.74
	851	R	Crataegus monogyna Hawthorn	179	1	4	2.0	2.0	2.0	2.0	2	2	M	Good	Immediately adjacent to kerb, epicormics	Nil	N/A	<10	R	2.15	14.50
	852	R	Betula alba Silver birch	158	1	11	2.0	2.0	2.0	2.0	1	2	M	Good	Severely leaning, in raised bed	Nil	N/A	<10	R	1.90	11.29
	854	R	Cupressocyparis leylandii Leyland cypress	876	MS	17	3.0	3.0	3.0	4.0	2	0	M	Good	No visible defects	Nil	N/A	20-40	B1	8.76	241.11

**TREES FOR REMOVAL Heyford Park Nicholson's Tree Survey November 2006**

Group No	Tag	Trees removed for development reasons	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physiological Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
							N	S	E	W											
	855	R	Chamaecyparis lawsoniana Lawsons cypress	855	MS	14	0.0	4.0	3.0	3.0	2	0	M	Good	Immediately adjacent to foundations	Nil	N/A	10-20	R	8.55	229.69
	856	R	Cupressocyparis leylandii Leyland cypress	553	1	16	3.0	3.0	2.0	3.0	2	4	M	Good	Included bark to main fork	Nil	N/A	10-20	C1	6.64	138.36
	857	R	Cupressocyparis leylandii Leyland cypress	938	MS	16	3.0	3.0	3.0	3.0	2	1	M	Good	No visible defects	Nil	N/A	20-40	B1	9.38	276.45
	858	R	Cupressocyparis leylandii Leyland cypress	830	MS	16	2.0	2.0	2.0	2.0	2	1	M	Good	No visible defects	Nil	N/A	20-40	B1	8.30	216.45
	863	R	Cupressocyparis leylandii Leyland cypress	1068	MS	16	3.0	3.0	3.0	3.0	1	0	M	Good	No visible defects	Nil	N/A	20-40	B1,2	10.68	358.38
	866	R	Acer platanoides Norway maple	239	1	8	3.0	3.0	3.0	3.0	3	3	M	Good	No visible defects	None	N/A	40+	B1	2.00	25.84
	867	R	Prunus Flowering Cherry	177	1	6	3.0	2.0	3.0	3.0	2	2	M	Poor	Significant cavity	Fell to ground level	P	<10	R	4.32	14.17
	869	R	Fraxinus excelsior Ash	152	1	5.5	3.0	3.0	3.0	3.0	3	2	SM	Good	No visible defects	None	N/A	40+	C1	5.16	10.45
	870	R	Fraxinus excelsior Ash	150	1	6	2.0	2.0	2.0	2.0	3	2	SM	Good	No visible defects	None	N/A	40+	C1	3.34	10.18
	871	R	Prunus Flowering Cherry	360	1	4	1.0	1.0	1.0	1.0	3	3	M	Poor	Previous poor pruning	Fell to ground level	P	<10	R	3.66	58.64
	874	R	Chamaecyparis lawsoniana Lawsons cypress	516	MS	7	2.0	2.0	2.0	2.0	0.5	0	M	Good	No visible defects	None	N/A	20-40	B1	4.60	83.66
	875	R	Prunus avium plena Cherry	278	1	7	3.0	3.0	4.0	4.0	1	2	M	Good	No visible defects	None	N/A	20-40	B1	#REF!	34.97
	876	R	Crataegus monogyna Hawthorn	366	MS	5	1.0	2.5	2.5	2.5	0.5	1	M	Fair	No visible defects	None	N/A	40+	C1	3.66	42.09
	877	R	Prunus Flowering Cherry	383	1	6	1.0	2.0	1.5	2.0	2	3	M	Good	No visible defects	None	N/A	20-40	C1	#REF!	66.37
	880	R	Prunus Flowering Cherry	320	1	8	4.0	4.0	4.0	4.0	2	2	M	Good	No visible defects	None	N/A	20-40	C1	2.71	46.33
	884	R	Prunus Atropurpurea Pissards Plum	251	MS	5	2.0	2.0	2.0	2.0	1	1	SM	Good	No visible defects	None	N/A	40+	B1	2.51	19.79
	886	R	Fraxinus excelsior Ash	226	1	7	2.0	2.0	2.0	2.0	4	1	SM	Good	No visible defects	None	N/A	40+	B1	2.34	23.11
	888	R	Chamaecyparis lawsoniana Lawsons cypress	364	MS	5	0.5	0.5	0.5	0.5	1	0	M	Good	No visible defects	None	N/A	20-40	C1	3.64	41.63
	894	R	Prunus Flowering Cherry	220	1	5	2.0	2.0	2.0	2.0	3	1.5	SM	Fair	No visible defects	None	N/A	20-40	C1	2.64	21.90
	895	R	Tilia europaea Common Lime	195	1	7	2.5	2.5	2.5	2.5	4	1	SM	Good	No visible defects	None	N/A	40+	B1	2.34	17.20
	897	R	Robinia pseudoacacia False acacia	240	1	5	3.0	3.0	3.0	3.0	3	2	SM	Good	No visible defects	None	N/A	40+	B1	2.88	26.06
	898	R	Robinia pseudoacacia False acacia	243	1	5	2.0	2.0	2.0	2.0	3	2	SM	Good	No visible defects	None	N/A	40+	B1	2.92	26.72
	900	R	Prunus Atropurpurea Pissards Plum	217	1	5	2.0	2.0	3.0	3.0	1	2	M	Good	No visible defects	None	N/A	40+	B1	2.60	21.31
	903	R	Acer platanoides Norway maple	247	1	5	3.0	2.0	2.0	2.0	3	3	SM	Poor	Minor deadwood - bleeding canker	Fell to ground level	P	<10	R	2.96	27.60
	905	R	Fraxinus excelsior Ash	272	1	7	2.5	2.5	2.5	2.5	4	2	SM	Good	No visible defects	None	N/A	40+	B1	3.26	33.47
	906	R	Alnus cordata Italian alder	218	1	8	2.0	2.0	2.5	2.0	1	1.5	SM	Fair	No visible defects	None	N/A	20-40	C1	2.62	21.50
	907	R	Robinia pseudoacacia False acacia	349	1	6	2.5	2.5	2.5	2.5	4	2	SM	Poor	Canker, basal suckers	Fell to ground level	P	<10	R	4.19	55.11
	908	R	Robinia pseudoacacia False acacia	152	1	5	1.0	2.0	1.0	2.0	4	2.5	SM	Good	No visible defects	None	N/A	40+	C1	1.82	10.45
	914	R	Prunus Atropurpurea Pissards Plum	158	1	4	2.0	1.0	2.0	2.0	1.5	1	SM	Fair	No visible defects	None	N/A	20-40	C1	1.90	11.29
	915	R	Tilia europaea Common Lime	210	1	5	2.0	2.0	2.0	2.0	3	2	SM	Good	No visible defects	None	N/A	40+	B1	2.52	19.95
	916	R	Tilia europaea Common Lime	232	1	5.5	3.0	2.0	2.0	2.0	3	1	SM	Good	No visible defects	None	N/A	40+	B1	2.78	24.35
	919	R	Juglans regia Walnut	247	1	6.5	2.5	2.0	2.0	2.0	3	2	SM	Good	No visible defects	None	N/A	40+	B1	2.96	27.60
	931	R	Acer pseudoplatanus Sycamore	386	1	9	4.0	4.0	4.0	4.0	3	2.5	M	Good	No visible defects	None	N/A	40+	C1	4.63	67.41
	932	R	Sorbus aucuparia Rowan	115	1	4	1.5	1.5	0.0	2.0	2	2	M	Fair	No visible defects	None	N/A	10-20	C1	1.38	5.98
	2003	R	Acer pseudoplatanus Sycamore	81	1	5	1.0	1.0	1.0	1.0	7	n/a	SM	Fair	Average condition	Nil	N/A	40+	C2	0.97	2.97
	2004	R	Acer pseudoplatanus Sycamore	97	1	7	2.0	2.0	2.0	2.0	7	n/a	SM	Fair	Average condition	Nil	N/A	40+	C2	1.16	4.26
	2005	R	Acer pseudoplatanus Sycamore	80	1	7	1.0	2.0	2.0	2.0	7	n/a	SM	Fair	Average condition	Nil	N/A	40+	C2	0.96	2.90
	2008	R	Crataegus monogyna Hawthorn	127	1	5	2.0	2.0	2.0	2.0	2	2	SM	Fair	Average condition	Nil	N/A	40+	C2	1.52	7.30
	2009	R	Crataegus monogyna Hawthorn	127	1	6	2.5	2.0	2.0	2.0	2	2	SM	Fair	Average condition	Nil	N/A	40+	C2	1.52	7.30
	2029	R	Picea abies Norway Spruce	212	1	9	0.0	3.0	0.0	2.0	0	5	M	Poor	Average condition	Nil	N/A	<10	R	2.54	20.33
	2033	R	Chamaecyparis lawsoniana lawsons cypress	611	MS	10	2.0	1.0	3.0	1.0	1	2	M	Fair	Average condition	Nil	N/A	20-40	C2	6.11	117.30
	2034	R	Chamaecyparis lawsoniana lawsons cypress	201	1	8	1.0	1.0	1.0	2.0	1	2	M	Fair	Average condition	Nil	N/A	20-40	C2	2.41	18.28
	2041	R	Lilac	141	1	4	1.0	1.0	1.0	1.0	2	2	M	Poor	Poor	Nil	N/A	<10	R	1.69	9.00
	2042	R	Sorbus aucuparia Rowan	187	1	6	3.0	2.0	4.0	0.0	0	2	OM	Fair	Significant basal decay	Nil	N/A	<10	R	2.24	15.82
	2060	R	Chamaecyparis lawsoniana lawsons cypress	343	1	6	2.0	2.0	2.0	1.0	1	0	M	Fair	V close to dwelling	Nil	N/A	20-40	C2	4.12	53.23
	2062	R	Chamaecyparis lawsoniana lawsons cypress	302	1	4	1.0	2.0	2.0	2.0	2	1	M	Fair	V close to dwelling	Nil	N/A	20-40	C2	3.62	41.27
	2064	R	Conifer	269	MS	4	2.0	2.0	2.0	2.0	1	0	M	Fair	Average condition	Nil	N/A	10-20	C2	2.69	22.74
	2065	R	Conifer	378	MS	4	2.0	2.0	2.0	2.0	1	0	M	Fair	Average condition	Nil	N/A	10-20	C2	3.78	44.89
	2066	R	Conifer	287	MS	3	1.0	2.0	2.0	2.0	2	0	M	Fair	V close to dwelling	Nil	N/A	10-20	C2	2.87	25.88
	2069	R	Acer platanoides Norway maple	79	1	5	2.0	0.0	0.0	0.0	6	2	SM	Fair	Suppressed	Nil	N/A	<10	R	0.95	2.82
	2072	R	Acer platanoides Norway maple	103	1	6	0.0	1.0	1.0	0.0	2	3	SM	Fair	Suppressed	Nil	N/A	<10	R	1.24	4.80
	2076	R	Acer pseudoplatanus Sycamore	310	MS	8	2.0	2.0	2.0	2.0	0	0	Y	Good	Self seeded. Affected by existing foundations / tarmac	Fell	P	<10	R	3.10	30.19
	2077	R	Acer pseudoplatanus Sycamore	174	MS	8	2.0	2.0	2.0	2.0	0	0	Y	Good	Self seeded. Affected by existing foundations / tarmac	Fell	P	<10	R	1.74	9.51
	2078	R	Acer pseudoplatanus Sycamore	94	1	8	2.0	2.0	2.0	2.0	0	0	Y	Good	Self seeded. Affected by existing foundations / tarmac	Fell	P	<10	R	1.13	4.00



**TREES FOR REMOVAL Heyford Park Nicholson's Tree Survey November 2006**

Group No	Tag	Trees removed for development reasons	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physiological Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
							N	S	E	W											
	2079		Acer pseudoplatanus Sycamore	242	MS	8	2.0	2.0	2.0	2.0	0	0	Y	Good	Self seeded. Affected by existing foundations / tarmac	Fell	P	<10	R	2.42	18.40
	2080		Acer pseudoplatanus Sycamore	308	MS	8	2.0	2.0	2.0	2.0	0	0	Y	Good	Self seeded. Affected by existing foundations / tarmac	Fell	P	<10	R	3.08	29.81
	2081		Betula alba Silver birch	104	MS	8	2.0	2.0	2.0	2.0	0	0	Y	Good	Self seeded. Affected by existing foundations / tarmac	Fell	P	<10	R	1.04	3.40
	2082		Acer pseudoplatanus Sycamore	244	MS	8	2.0	2.0	2.0	2.0	0	0	Y	Good	Self seeded. Affected by existing foundations / tarmac	Fell	P	<10	R	2.44	18.71
	2083	R	Betula alba Silver birch	101	1	7	1.0	1.0	1.0	1.0	0	1	Y	Good	Self seeded. Affected by existing foundations / tarmac	Fell	P	<10	R	1.21	4.62
	2084	R	Betula alba Silver birch	94	1	7	1.0	1.0	1.0	1.0	0	1	Y	Good	Self seeded. Affected by existing foundations / tarmac	Fell	P	<10	R	1.13	4.00
	2085	R	Elderberry	245	MS	4	1.0	1.0	1.0	1.0	1	0	M	Good	Affected by existing foundations / existing tarmac	Fell	P	<10	R	2.45	18.86
	2086	R	Acer platanoides Norway maple	76	1	5	1.0	1.0	1.0	1.0	0	1	Y	Good	Self seeded in foundation	Fell	P	<10	R	0.91	2.61
	2087	R	Fraxinus excelsior Ash	135	MS	1	1.0	1.0	1.0	1.0	0	1	Y	Good	Self seeded in foundation	Fell	P	<10	R	1.35	5.73
	2088	R	Acer pseudoplatanus Sycamore	329	MS	3	3.0	3.0	3.0	1.0	0	1	Y	Good	Self seeded in foundation	Fell	P	<10	R	3.29	34.01
	2089	R	Cupressocyparis leylandii Leyland cypress	382	1	14	1.0	0.0	0.0	3.0	1	2	M	Good	Growing together with 647	Nil	N/A	10-20	C1,2	4.58	66.02
	2091	R	Acer pseudoplatanus Sycamore	101	1	4	1.0	1.0	1.0	1.0	6	2	Y	Good	In raised bed, transplant ?	Nil	N/A	10-20	C1	1.21	4.62
	2092	R	Betula alba Silver birch	78	1	10	0.0	2.0	1.0	1.0	2	4	Y	Good	Very poor, strangled by the foundations it is growing from	Fell	P	0	R	0.94	2.75
	2093		Prunus sp. Flowering cherry	198	MS	5	1.0	3.0	1.0	2.0	1	2	SM	Good	Poor, in raised bed	Nil	N/A	<10	R	1.98	12.32
	2094		Acer pseudoplatanus Sycamore	118	1	4	1.0	1.0	1.0	1.0	2	0	Y	Good	Self seeded in foundation	Fell	P	<10	R	1.42	6.30
	2095	R	Chamaecyparis lawsoniana lawsons cypress	181	1	5	1.0	1.0	1.0	1.0	2	0	Y	Good	In raised bed, immediately adjacent to existing building	Nil	N/A	<10	R	2.17	14.82
	2096	R	Acer pseudoplatanus Sycamore	182	1	5	2.0	1.0	2.0	2.0	2	0	Y	Good	Self seeded in hedge	Nil	N/A	<10	R	2.18	14.99
	2097		Acer pseudoplatanus Sycamore	228	MS	6	1.0	1.0	1.0	1.0	4	0	Y	Good	Self seeded in existing foundations	Fell	P	<10	R	2.28	16.33
	2098	R	Cupressocyparis leylandii Leyland cypress	97	1	4	1.0	1.0	1.0	1.0	4	0	Y	Good	Four small trees growing in hard standing	Fell	P	<10	R	1.16	4.26
	2104	R	Chamaecyparis lawsoniana lawsons cypress	245	MS	5	1.0	1.0	1.0	1.0	2	1	Y	Good	In raised bed	Nil	N/A	<10	R	2.45	18.86
	2105	R	Cupressocyparis leylandii Leyland cypress	255	MS	6	1.0	1.0	1.0	1.0	2	1	Y	Good	In raised bed	Nil	N/A	<10	R	2.55	20.43
	2106	R	Chamaecyparis lawsoniana lawsons cypress	294	MS	5	1.0	1.0	1.0	1.0	2	1	Y	Good	In raised bed	Nil	N/A	<10	R	2.94	27.16
	2107	R	Chamaecyparis lawsoniana lawsons cypress	119	MS	6	1.0	1.0	1.0	1.0	2	0	Y	Fair	Growing very close to foundations	Nil	N/A	<10	R	1.19	4.45
	2110		Crataegus monogyna Hawthorn	128	MS	4	1.0	1.0	0.0	0.0	1	2	M	Poor	Declining, poor growth	Nil	N/A	<10	R	1.28	5.15
	2111		Crataegus monogyna Hawthorn	196	MS	5	2.0	1.0	1.0	1.0	0	2	M	Poor	Mostly Dead	Nil	N/A	<10	R	1.96	12.07
	2112		Crataegus monogyna Hawthorn	142	MS	4	1.0	1.0	1.0	1.0	2	2	M	Fair	Damage, decay to main stem	Nil	N/A	<10	R	1.42	6.34
	2117		Crataegus monogyna Hawthorn	165	MS	3	2.0	1.0	1.0	1.0	2	2	M	Fair	Damage, decay to main stem, poor growth	Nil	N/A	<10	R	1.65	8.55
	2121	R	Chamaecyparis lawsoniana lawsons cypress	176	1	9	1.0	1.0	1.0	1.0	2	0	M	Fair	Suppressed by adjacent broad leafed trees	Nil	N/A	<10	R	2.11	14.02
	2122	R	Chamaecyparis lawsoniana lawsons cypress	192	MS	5	1.0	0.0	1.0	1.0	1	0	M	Poor	Suppressed	Remove	P	N/A	R	1.92	11.58
	2123	R	Chamaecyparis lawsoniana lawsons cypress	390	1	16	2.0	2.0	2.0	1.0	1	2	M	Good	No visible defects	Nil	N/A	10-20	C1,2	4.68	68.82
	2126	R	Chamaecyparis lawsoniana lawsons cypress	337	1	16	2.0	2.0	0.0	0.0	1	3	M	Good	Crown restricted by adjacent trees	Nil	N/A	10-20	C1,2	4.04	51.38
	2127	R	Chamaecyparis lawsoniana lawsons cypress	346	1	16	2.0	2.0	0.0	0.0	1	3	M	Good	Crown restricted by adjacent trees	Nil	N/A	10-20	C1,2	4.15	54.17
	2129	R	Chamaecyparis lawsoniana lawsons cypress	481	1	16	2.0	2.0	0.0	0.0	1	3	M	Good	Crown restricted by adjacent trees	Reduce smaller main stem	P	10-20	C1,2	5.77	104.68
	2130	R	Chamaecyparis lawsoniana lawsons cypress	363	1	16	3.0	3.0	0.0	1.0	1	3	M	Good	No visible defects	Nil	N/A	10-20	C1,2	4.36	59.62
	2132	R	Thuja plicata Western Red Cedar	372	1	16	3.0	3.0	1.0	1.0	1	2	M	Fair	No visible defects	Nil	N/A	10-20	C1,2	4.46	62.61
	2133	R	Chamaecyparis lawsoniana lawsons cypress	381	1	12	3.0	3.0	1.0	0.0	1	2	M	Fair	Top broken off	Nil	N/A	10-20	C1,2	4.57	65.68
	2134	R	Chamaecyparis lawsoniana lawsons cypress	343	1	16	3.0	3.0	0.0	0.0	1	3	M	Fair	Crown restricted by adjacent trees	Nil	N/A	10-20	C1,2	4.12	53.23
	2135	R	Chamaecyparis lawsoniana lawsons cypress	344	1	16	3.0	3.0	0.0	3.0	1	3	M	Fair	Crown restricted by adjacent trees	Nil	N/A	10-20	C1,2	4.13	53.54
	2136	R	Thuja plicata Western Red Cedar	539	MS	16	3.0	3.0	3.0	0.0	1	2	M	Good	Included bark at base of main stem	Monitor fork in main stem	P	10-20	C1,2	5.39	91.28
	2137	R	Thuja plicata Western Red Cedar	151	1	9								Dead	Fell	P	0	R	1.81	10.32	
	2138	R	Chamaecyparis lawsoniana lawsons cypress	405	1	16	3.0	3.0	0.0	0.0	1	3	M	Good	Crown restricted by adjacent trees	Nil	N/A	10-20	C1,2	4.86	74.21

**TREES FOR REMOVAL Heyford Park Nicholson's Tree Survey November 2006**

Group No	Tag	Trees removed for development reasons	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physiological Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
							N	S	E	W											
	2139	R	Chamaecyparis lawsoniana lawsons cypress	338	1	16	3.0	0.0	3.0	3.0	1	3	M	Good	Crown restricted by adjacent trees	Nil	N/A	10-20	C1,2	4.06	51.69
	2140		Acer pseudoplatanus Sycamore	197	MS	6	2.0	2.0	2.0	2.0	3	2	Y	Good	Growing in hard surface	Nil	N/A	<10	R	1.97	12.19
	2141		Acer pseudoplatanus Sycamore	172	MS	6	2.0	2.0	2.0	2.0	3	2	Y	Good	Growing in hard surface	Nil	N/A	<10	R	1.72	9.30
	2142	R	Conifer	340	MS	6	0.0	2.0	1.0	1.0	1	0	Y	Good	Growing in ornamental beds, very close to existing foundation	Nil	N/A	<10	R	3.40	36.32
	2143		Acer platanoides Norway maple	294	MS	8	0.0	3.0	2.0	1.0	2	2	Y	Good	Growing in ornamental beds, very close to existing foundation	Nil	N/A	<10	R	2.94	27.16
	2144		Acer platanoides Norway maple	245	MS	8	0.0	3.0	2.0	2.0	2	2	Y	Good	Growing in ornamental beds, very close to existing foundation	Nil	N/A	<10	R	2.45	18.86
	2145		Acer pseudoplatanus Sycamore	248	MS	7	0.0	2.0	2.0	2.0	2	0	Y	Good	Growing in ornamental beds, very close to existing foundation	Nil	N/A	<10	R	2.48	19.32
	2146		Acer pseudoplatanus Sycamore	159	1	6	0.0	2.0	2.0	2.0	2	2	Y	Good	Growing in ornamental beds, very close to existing foundation	Nil	N/A	<10	R	1.91	11.44
	2147		Acer platanoides Norway maple	324	MS	9	0.0	3.0	3.0	3.0	2	2	Y	Good	Growing in ornamental beds, very close to existing foundation	Nil	N/A	<10	R	3.24	32.98
	2148	R	Sorbus aria Whitebeam	258	1	8	2.0	2.0	2.0	2.0	1	2	M	Good	No visible defects	Nil	N/A	20-40	B1	3.10	30.12
	2153	R	Chamaecyparis lawsoniana Lawsons cypress	395	MS	3	1.0	1.0	1.0	1.0	3	0	Y	Good	Topped at 1.5 m	Nil	N/A	20-40	B1	3.95	49.02
	2154	R	Chamaecyparis lawsoniana Lawsons cypress	418	MS	3	1.0	1.0	1.0	1.0	3	0	Y	Good	Topped at 1.5 m	Nil	N/A	20-40	B1	4.18	54.90
	2155	R	Conifer	206	MS	3	1.0	1.0	1.0	1.0	3	0	Y	Good	Topped at 1.5m	Nil	N/A	20-40	B1	2.06	13.33
	2173	R	Acer platanoides Copper Norway Maple	142	1	5	2.0	2.0	2.0	2.0	4	2	SM	Good	No visible defects	Nil	N/A	40+	B1	1.70	9.12
	2174	R	Acer pseudoplatanus Sycamore	381	1	6	5.0	5.0	5.0	5.0	2	2.5	M	Good	No visible defects	Nil	N/A	40+	B1	4.57	65.68
	2178	R	Prunus avium plena Cherry	87	1	4.5	1.0	2.0	2.0	2.0	3	2	Y	Good	No visible defects	Nil	N/A	20-40	C1	1.04	3.42
	2179	R	Prunus avium plena Cherry	106	1	5	2.0	2.0	2.0	2.0	3	2	Y	Good	No visible defects	Nil	N/A	20-40	C1	1.27	5.08
	2183	R	Sorbus aucuparia Rowan	161	1	5	2.0	2.0	2.0	2.0	0.5	2.5	M	Good	No visible defects	Nil	N/A	10-20	C1	1.93	11.73
	2184	R	Prunus avium plena Cherry	175	1	4	2.0	2.0	2.0	2.0	N/A	2.5	OM	Poor	Major deadwood	Fell to ground level	P	<10	R	2.10	13.86
	2187		Acer pseudoplatanus Sycamore	199	MS	6	2.0	2.0	2.0	2.0	0	0.5	SM	Fair	No visible defects	Inappropriate location. Fell to ground level	P	<10	R	1.99	12.44
	2202	R	Chamaecyparis lawsoniana Lawsons cypress	245	1	9	2.0	2.0	2.0	2.0	2	2	Y	Good	Growing within laurel hedge	Nil	N/A	10-20	B1	2.94	27.16
	2203	R	Chamaecyparis lawsoniana Lawsons cypress	168	1	8	1.0	1.0	1.0	1.0	2	2	Y	Good	Growing within laurel hedge	Nil	N/A	10-20	B1	2.02	12.77
	2205	R	Cupressocyparis leylandii Leyland cypress	236	MS	4.5	0.5	0.5	0.5	0.5	1	0	M	Fair	No visible defects	Nil	N/A	20-40	C1	2.36	17.50
	2206	R	Cupressocyparis leylandii Leyland cypress	225	MS	4.5	0.5	0.5	0.5	0.5	1	0	M	Fair	No visible defects	Nil	N/A	20-40	C1	2.25	15.91
	2207		Prunus Flowering Cherry	170	1	3	1.5	0.5	2.0	1.0	N/A	1	M	Poor	Deadwood	Fell	N/A	<10	R	2.04	13.08
	2208		Acer pseudoplatanus Sycamore	89	MS	4	0.0	0.5	0.5	0.5	N/A	0	Y	Fair	Self save sapling	Fell	P	<10	R	0.89	2.49
	2211		Betula alba Silver birch	86	1	3.5	1.0	1.0	1.0	1.0	N/A	0	Y	Good	Poor rooting	Fell to ground level	P	<10	R	1.03	3.35
	2212		Fraxinus excelsior Ash	81	1	4	1.0	1.0	1.0	1.0	N/A	0.5	Y	Good	Poor rooting	Fell to ground level	P	<10	R	0.97	2.97
	2213		Fraxinus excelsior Ash	82	MS	4	1.0	1.0	1.0	1.0	N/A	0.5	Y	Good	Self seeded adjacent structure	Poor rooting	P	<10	R	0.82	2.11
	2214		Fraxinus excelsior Ash	90	1	5	1.0	1.0	1.0	1.0	N/A	1	Y	Fair	Self seeded	Fell to ground level	P	<10	R	1.08	3.66
	2215	R	Chamaecyparis lawsoniana Lawsons cypress	758	MS	5	1.5	1.5	1.5	1.5	0	0	M	Fair	Loosing columner form	Nil	N/A	10-20	C1	7.58	180.53
	2218	R	Chamaecyparis lawsoniana Lawsons cypress	254	1	5	1.0	2.0	2.0	2.0	1	0	M	Good	No visible defects	Nil	N/A	20-40	C1	3.05	29.19
	2219	R	Chamaecyparis lawsoniana Lawsons cypress	520	1	5	1.0	1.0	1.5	1.5	1	0	M	Good	No visible defects	Nil	N/A	20-40	C1	6.24	122.34
	2220	R	Chamaecyparis lawsoniana Lawsons cypress	725	1	5	1.0	1.5	1.0	1.0	1	0	M	Good	No visible defects	Nil	N/A	20-40	C1	8.70	237.82
	2221		Prunus Flowering Cherry	195	MS	5	3.0	3.0	3.0	3.0	N/A	2	OM	Poor	Cankers deadwood	Fell to ground level	P	<10	R	1.95	11.95
	2222	R	Cupressocyparis leylandii Leyland cypress	390	1	16	2.0	3.0	2.0	2.5	1	2	M	Good	No visible defects	Nil	N/A	40+	C1	4.68	68.82
	2223	R	Cupressocyparis leylandii Leyland cypress	390	1	16	2.0	2.0	2.0	2.0	1	2	M	Good	No visible defects	Nil	N/A	40+	C1	4.68	68.82
	2232	R	Acer platanoides Norway maple	62	MS	5	3.0	1.0	2.0	1.0	N/A	0	Y	Poor	Suppressed sucker	Fell to ground level	P	<10	R	0.62	1.21
	2233	R	Acer platanoides Norway maple	53	MS	5	3.0	2.0	1.0	2.0	N/A	0	Y	Poor	Suppressed sucker	Fell to ground level	P	<10	R	0.53	0.88
	2234	R	Acer platanoides Norway maple	51	MS	5	3.0	1.0	2.0	1.0	N/A	0	Y	Poor	Suppressed sucker	Fell to ground level	P	<10	R	0.51	0.82
	2235	R	Acer platanoides Norway maple	52	MS	5	0.5	0.5	0.5	0.5	N/A	0	Y	Poor	Suppressed sucker	Fell to ground level	P	<10	R	0.52	0.85
	2236	R	Calocedrus decurrens Incence cedar	140	1	6	1.0	1.0	1.0	1.0	1	0.5	M	Good	No visible defects	Nil	N/A	40+	B1	1.68	8.87
	2237	R	Calocedrus decurrens Incence cedar	140	1	6	1.0	1.0	1.0	1.0	1	0.5	M	Good	No visible defects	Nil	N/A	40+	B1	1.68	8.87
	2238	R	Calocedrus decurrens Incence cedar	140	1	6	1.0	1.0	1.0	1.0	1	0.5	M	Good	No visible defects	Nil	N/A	40+	B1	1.68	8.87
	2239	R	Cupressocyparis leylandii Leyland cypress	122	MS	7	2.0	2.0	3.0	2.0	2	0	M	Fair	No visible defects	Nil	N/A	20-40	C1	1.22	4.68
	2240	R	Cupressocyparis leylandii Leyland cypress	210	1	8	2.0	2.0	1.5	2.0	2	0	M	Good	No visible defects	Nil	N/A	20-40	C1	2.52	19.95

**TREES FOR REMOVAL Heyford Park Nicholson's Tree Survey November 2006**

Group No	Tag	Trees removed for development reasons	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physiological Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
							N	S	E	W											
	2241	R	Calocedrus decurrens Incence cedar	130	1	6	0.5	1.0	0.5	0.5	2	0.5	M	Good	No visible defects	Nil	N/A	40+	B1	1.56	7.65
	2242	R	Calocedrus decurrens Incence cedar	130	1	6	0.5	1.0	0.5	0.5	2	0.5	M	Good	No visible defects	Nil	N/A	40+	B1	1.56	7.65
	2243	R	Cupressocyparis leylandii Leyland cypress	119	MS	8	1.0	2.5	2.0	2.0	N/A	0	M	Fair	No visible defects	Fell to ground level	P	<10	R	1.19	4.45
	2244	R	Cupressocyparis leylandii Leyland cypress	121	MS	8	1.0	2.0	2.0	1.0	N/A	0	M	Fair	No visible defects	Fell to ground level, suppressing 2245	P	<10	R	1.21	4.60
	2245	R	Thuja plicata Western Red Cedar	140	1	7	1.0	1.0	1.0	1.5	2	0.5	M	Good	N, suppressed by 2244	Nil	N/A	40+	B1	1.68	8.87
	2246	R	Acer cappadocium Maple	70	1	4	0.0	2.0	1.0	1.0	N/A	0	Y	Fair	Sucker	Fell to ground level	N/A	<10	R	0.84	2.22
	2248	R	Eucalyptus gunni Eucalyptus	96	1	4	1.0	1.0	1.0	1.0	6	0.5	Y	Good	No visible defects	Nil	N/A	40+	C1	1.15	4.17
	2249	R	Genista aetnensis Mount etna broom	131	1	1	1.0	1.0	1.0	1.0	1	1	Y	Fair	No visible defects	Nil	N/A	<10	R	1.57	7.76
	2250	R	Chamaecyparis lawsoniana Lawsons cypress	176	MS	3	0.5	0.0	0.5	0.5	0.5	0	SM	Fair	No visible defects	Nil	N/A	20-40	C1	1.76	9.73
	2251	R	Chamaecyparis lawsoniana Lawsons cypress	153	1	3	0.5	0.0	0.5	0.5	0.5	0	SM	Fair	No visible defects	Nil	N/A	20-40	C1	1.84	10.59
	2252	R	Chamaecyparis lawsoniana Lawsons cypress	197	1	3	0.5	0.0	0.5	0.5	0.5	0	SM	Fair	No visible defects	Nil	N/A	20-40	C1	2.36	17.56
	2253	R	Sorbus aucuparia Rowan	130	1	5	2.0	2.0	2.0	2.0	1	2	SM	Fair	No visible defects	Nil	N/A	10-20	C1	1.56	7.65
	2254	R	Alnus cordata Italian alder	427	MS	8	5.0	3.0	4.0	3.0	3	2	M	Good	Included bark, tight forks at 0.25	Nil	N/A	10-20	C1	4.27	57.29
	2255	R	Tilia europaea Common Lime	588	1	8	4.0	4.0	4.0	4.0	2	2	M	Good	No visible defects	Nil	N/A	40+	A1	7.06	156.43
	2262		Rhus typhina Sumach	227	MS	7	3.0	3.0	3.0	3.0	1	3	M	Good	Close to foundations, else No visible defects	Nil	N/A	<10	R	2.27	16.19
	2263		Poplar	114	1	5	2.0	2.0	2.0	2.0	1	0	Y	Good	Growing out of kerb	Fell	P	<10	R	1.37	5.88
	2264		Poplar	95	1	6	3.0	3.0	3.0	3.0	2	0	Y	Good	Growing out of hard surface	Fell	P	<10	R	1.14	4.08
	2265		Poplar	363	MS	6	3.0	3.0	3.0	3.0	2	0	Y	Good	Growing out of hard surface	Fell	P	<10	R	3.63	41.40
	2266		Poplar	308	MS	4	2.0	2.0	2.0	2.0	2	0	Y	Good	Growing out of kerb	Fell	P	<10	R	3.08	29.81
	2269	R	Crataegus monogyna Hawthorn	141	1	6	3.0	3.0	1.0	3.0	1	2	M	Good	No visible defects	Nil	N/A	20-40	B1	1.69	9.00
	2270		Acer pseudoplatanus Sycamore	254	MS	8	2.0	2.0	2.0	2.0	2	2	Y	Good	Growing very close to foundations, Included bark at base	Fell	P	<10	R	2.54	20.27
	2271		Acer platanoides Norway maple	79	1	4	2.0	2.0	2.0	2.0	2	2	Y	Good	Growing out of foundations	Fell	P	<10	R	0.95	2.82
	2272		Acer platanoides Norway maple	74	1	4	2.0	2.0	2.0	2.0	2	2	Y	Good	Self sown adjacent to foundations	Fell	P	<10	R	0.89	2.48
	2273		Acer platanoides Norway maple	97	1	4	2.0	2.0	2.0	2.0	2	2	Y	Good	Self sown adjacent to foundations	Fell	P	<10	R	1.16	4.26
	2274		Acer platanoides Norway maple	262	MS	4	2.0	2.0	2.0	2.0	2	2	Y	Good	Self sown adjacent to foundations	Fell	P	<10	R	2.62	21.57
	2275		Acer platanoides Norway maple	99	1	8	2.0	2.0	2.0	2.0	2	2	Y	Good	Self sown adjacent to foundations	Fell	P	<10	R	1.19	4.43
	2276		Acer platanoides Norway maple	207	MS	8	2.0	2.0	2.0	2.0	2	2	Y	Good	Self sown adjacent to foundations	Fell	P	<10	R	2.07	13.46
	2278		Acer pseudoplatanus Sycamore	135	1	8	0.0	2.0	2.0	2.0	2	0	Y	Good	Growing in foundations	Fell	P	<10	R	1.62	8.25
	2279		Acer pseudoplatanus Sycamore	98	1	9	2.0	0.0	1.0	2.0	3	0	Y	Good	Growing in foundations	Fell	P	<10	R	1.18	4.35
	2280		Prunus avium Cherry	85	1	8	2.0	2.0	2.0	0.0	4	1	Y	Good	Growing in foundations	Fell	P	<10	R	1.02	3.27
	2281	R	Salix fragilis Willow	154	MS	4	2.0	2.0	2.0	2.0	5	0	Y	Good	No visible defects	None	N/A	40+	C1	1.54	7.45
	2282	R	Cupressocyparis leylandii Leyland cypress	305	1	8	2.0	2.0	2.0	2.0	1	1	M	Fair	Included bark in main fork	Nil	N/A	10-20	C1	3.66	42.09
	2283		Acer platanoides Norway maple	88	1	9	1.0	1.0	1.0	1.0	1	3	Y	Good	Growing in foundations	Fell	P	<10	R	1.06	3.50
	2287	R	Acer platanoides Norway maple	208	MS	5	2.0	2.0	2.0	2.0	1	2	Y	Good	Growing in hard surface	Fell	P	<10	R	2.08	13.59
	2288	R	Acer platanoides Norway maple	286	MS	4	2.0	2.0	2.0	2.0	1	2	Y	Good	Growing in hard surface	Fell	P	<10	R	2.86	25.70
	2289	R	Acer platanoides Norway maple	133	MS	5	2.0	2.0	2.0	2.0	1	2	Y	Good	Growing in hard surface	Fell	P	<10	R	1.33	5.56
	2290		Acer platanoides Norway maple	201	MS	4	2.0	2.0	2.0	2.0	1	2	Y	Good	Growing in hard surface	Fell	P	<10	R	2.01	12.69
	2291		Prunus avium Cherry	230	1	14	1.0	3.0	1.0	3.0	2	3	M	Good	Immediately adjacent to foundations	Fell	P	<10	R	2.76	23.93
	2292		Prunus avium Cherry	84	1	13	0.0	1.0	2.0	0.0	2	2	Y	Good	Immediately adjacent to foundations	Fell	P	<10	R	1.01	3.19
	2293		Prunus avium Cherry	89	1	13	0.0	1.0	2.0	0.0	2	2	Y	Good	Immediately adjacent to foundations	Fell	P	<10	R	1.07	3.58
	2294		Acer platanoides Norway maple	124	1	14	2.0	2.0	2.0	0.0	1	3	Y	Good	Immediately adjacent to foundations	Fell	P	<10	R	1.49	6.96
	2295		Prunus avium Cherry	175	1	15	2.0	2.0	0.0	3.0	0	3	M	Good	Immediately adjacent to foundations no tag dbh is est due to excessive bramble	Nil	N/A	<10	R	2.10	13.86
	2298	R	Chamaecyparis lawsoniana Lawsons cypress	146	MS	3	0.5	0.5	0.5	0.5	0.5	0	SM	Good	No visible defects	None	N/A	20-40	C1	1.46	6.70
	2299	R	Chamaecyparis lawsoniana Lawsons cypress	146	MS	3	0.5	0.5	0.5	0.5	0.5	0	SM	Good	No visible defects	None	N/A	20-40	C1	1.46	6.70
	2300	R	Chamaecyparis lawsoniana Lawsons cypress	424	MS	4	0.5	0.5	0.5	0.5	0.5	0	M	Good	No visible defects	None	N/A	10-20	C1	4.24	56.49
	2304	R	Prunus Atropurpurea Pissards Plum	106	1	4	1.5	1.5	1.5	1.5	2	0.5	M	Good	No visible defects	None	N/A	40+	C1	1.27	5.08
	2306	R	Fraxinus excelsior Ash	245	1	7	3.0	3.0	2.0	3.0	4	2	SM	Good	No visible defects	None	N/A	40+	B1	2.94	27.16
	2307	R	Eucalyptus gunni Eucalyptus	202	MS	8	1.0	1.0	1.0	1.0	5	2	SM	Good	Low tight fork with included bark	Fell to ground level	P	<10	R	2.02	12.82
	2308	R	Acer pseudoplatanus Sycamore	370	1	7	4.0	3.0	3.0	3.0	3	2	M	Good	Previous poor pruning practice	Crown clean	P	10-20	C1	4.44	61.94
	2311	R	Eucalyptus gunni Eucalyptus	107	1	7	1.5	1.5	1.5	0.5	4	0.5	Y	Fair	No visible defects	None	N/A	40+	C1	1.28	5.18
	2312	R	Eucalyptus gunni Eucalyptus	130	1	6	2.0	2.0	2.0	3.0	3	0	Y	Good	Pollarded at 2.4 m	None	N/A	20-40	C1	1.56	7.65
	4011	R	Thuja plicata Westen Red Cedar	303	MS	8	2.5	1.0	1.0	1.0	1	n/a	M	Fair	Average condition	Nil	N/A	20-40	C1	3.03	28.85
	4012	R	Thuja plicata Westen Red Cedar	187	1	10	1.0	1.0	1.0	1.0	1	n/a	M	Fair	Average condition	Nil	N/A	20-40	C1	2.24	15.82
	4013	R	Thuja plicata Westen Red Cedar	256	1	10	2.0	2.0	2.0	2.0	1	n/a	M	Poor	Average condition	Nil	N/A	10-20	C1	3.07	29.65
	4014	R	Thuja plicata Westen Red Cedar	354	1	16	2.0	2.0	2.0	2.0	1	n/a	M	Fair	Average condition	Nil	N/A	20-40	C1	4.25	56.70
	4015	R	Thuja plicata Westen Red Cedar	521	MS	16	2.0	2.0	2.0	2.0	1	n/a	M	Fair	Av top 6m dead	Remove dead section	P	10-20	C1	5.21	85.29

**TREES FOR REMOVAL Heyford Park Nicholson's Tree Survey November 2006**

Group No	Tag	Trees removed for development reasons	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physiological Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
							N	S	E	W											
4016	R		Thuja plicata Westen Red Cedar	441	1	16	2.0	2.0	3.0	2.0	1	n/a	M	Fair	Average condition	Nil	N/A	20-40	C1	5.29	87.99
4017	R		Thuja plicata Westen Red Cedar	471	MS	16	2.0	2.0	2.0	2.0	1	n/a	M	Fair	Average condition	Nil	N/A	20-40	C1	4.71	69.70
4018	R		Thuja plicata Westen Red Cedar	212	1	10	2.0	2.0	2.0	2.0	1	n/a	M	Fair	Average condition	Nil	N/A	10-20	C1	2.54	20.33
4019	R		Thuja plicata Westen Red Cedar	699	MS	17	3.0	2.0	2.0	3.0	1	n/a	M	Fair	Average condition	Nil	N/A	20-40	C1	6.99	153.52
4020	R		Thuja plicata Westen Red Cedar	353	1	15	2.0	2.0	2.0	2.0	1	n/a	M	Fair	Average condition	Nil	N/A	20-40	C1	4.24	56.38
4021	R		Thuja plicata Westen Red Cedar	240	1	10	1.0	2.0	1.0	2.0	1	n/a	M	Fair	Average condition	Nil	N/A	20-40	C1	2.88	26.06
4022	R		Thuja plicata Westen Red Cedar	415	1	17	1.0	2.0	2.0	2.0	1	n/a	M	Fair	Average condition	Nil	N/A	20-40	C1	4.98	77.92
4023	R		Thuja plicata Westen Red Cedar	271	1	9	2.0	2.0	1.0	4.0	1	2	M	Fair	Average condition	Nil	N/A	10-20	C1	3.25	33.23
4024	R		Thuja plicata Westen Red Cedar	394	MS	9	2.0	2.0	2.0	2.0	1	n/a	M	Fair	Average condition	Nil	N/A	10-20	C1	3.94	48.78
4025	R		Thuja plicata Westen Red Cedar	273	1	14	2.0	2.0	2.0	2.0	1	n/a	M	Fair	Average condition	Nil	N/A	20-40	C1	3.28	33.72
4048	R		Conifer	364	MS	5	0.5	0.5	0.5	0.5	0	n/a	M	Fair	Average condition	Nil	N/A	20-40	C1	3.64	41.63
4049	R		Conifer	591	MS	6	1.0	1.0	1.0	1.0	0	n/a	M	Fair	Average condition	Nil	N/A	20-40	C1	5.91	109.74
4050	R		Conifer	568	MS	7	1.0	1.0	1.0	1.0	0	n/a	M	Fair	Average condition	Nil	N/A	20-40	C1	5.68	101.37
4051	R		Conifer	640	MS	6	1.0	1.0	1.0	1.0	0	n/a	M	Fair	Av spreading stems	Nil	N/A	10-20	C1	6.40	128.70
4053			Betula alba Silver birch	255	1	11	2.0	3.0	1.0	2.0	1	7	M	Poor	Average condition	Nil	N/A	<10	R	3.06	29.42
4076			Acer platanoides Norway maple	158	1	8	2.0	3.0	3.0	3.0	5	3	M	Fair	Several torn out limbs in crown	Fell	P	<10	R	1.90	11.29
4094	R		Chamaecyparis lawsoniana lawsons cypress	230	MS	4	1.0	1.0	1.0	1.0	0	n/a	M	Good	Average condition	Nil	N/A	20-40	C1	2.30	16.62
4095	R		Chamaecyparis lawsoniana lawsons cypress	244	MS	5	1.0	1.0	1.0	1.0	0	n/a	M	Good	Average condition	Nil	N/A	20-40	C1	2.44	18.71
4096	R		Chamaecyparis lawsoniana lawsons cypress	197	MS	5	1.0	1.0	1.0	1.0	0	n/a	M	Good	Average condition	Nil	N/A	20-40	C1	1.97	12.19
4097	R		Chamaecyparis lawsoniana lawsons cypress	199	MS	5	1.0	1.0	1.0	1.0	0	n/a	M	Good	Average condition	Nil	N/A	20-40	C1	1.99	12.44
4098	R		Chamaecyparis lawsoniana lawsons cypress	220	MS	4	1.0	1.0	1.0	1.0	0	n/a	M	Good	Average condition	Nil	N/A	20-40	C1	2.20	15.21
4099	R		Chamaecyparis lawsoniana lawsons cypress	225	MS	5	1.0	1.0	1.0	1.0	0	n/a	M	Good	Average condition	Nil	N/A	20-40	C1	2.25	15.91
4100	R		Chamaecyparis lawsoniana lawsons cypress	205	MS	5	1.0	1.0	1.0	1.0	0	n/a	M	Good	Average condition	Nil	N/A	20-40	C1	2.05	13.20
4123	R		Thuja plicata Westen Red Cedar	279	1	11	3.0	3.0	3.0	3.0	2	4	M	Good	Average condition	Nil	N/A	40+	C2	3.35	35.22
4124	R		Thuja plicata Westen Red Cedar	509	1	14	3.0	4.0	3.0	3.0	2	4	M	Good	Average condition	Nil	N/A	40+	C2	6.11	117.22
4125	R		Thuja plicata Westen Red Cedar	267	1	11	3.0	3.0	1.0	3.0	2	4	M	Good	Average condition	Nil	N/A	40+	C2	3.20	32.25
4126	R		Thuja plicata Westen Red Cedar	326	MS	10	2.0	3.0	2.0	1.0	2	4	M	Good	Average condition	Nil	N/A	40+	C2	3.26	33.39
4127	R		Thuja plicata Westen Red Cedar	282	1	12	2.0	4.0	1.0	1.0	2	4	M	Good	Average condition	Nil	N/A	40+	C2	3.38	35.98
4128	R		Thuja plicata Westen Red Cedar	287	1	12	2.0	4.0	1.0	1.0	2	4	M	Good	Average condition	Nil	N/A	40+	C2	3.44	37.27
4129	R		Thuja plicata Westen Red Cedar	176	1	10	2.0	2.0	1.0	2.0	2	4	M	Good	Average condition	Nil	N/A	20-40	C2	2.11	14.02
4130	R		Thuja plicata Westen Red Cedar	412	MS	12	3.0	2.0	1.0	1.0	1	4	M	Poor	Average condition	Nil	N/A	10-20	C2	4.12	53.33
4131	R		Thuja plicata Westen Red Cedar	396	MS	12	3.0	4.0	2.0	1.0	1	4	M	Fair	Average condition	Nil	N/A	20-40	C2	3.96	49.27
4132	R		Thuja plicata Westen Red Cedar	156	1	12	3.0	4.0	1.0	1.0	1	4	M	Fair	Average condition	Nil	N/A	20-40	C2	1.87	11.01
4133	R		Thuja plicata Westen Red Cedar	291	1	12	3.0	4.0	1.0	1.0	1	4	M	Fair	Average condition	Nil	N/A	20-40	C2	3.49	38.31
4134	R		Thuja plicata Westen Red Cedar	270	1	12	3.0	4.0	1.0	1.0	1	4	M	Fair	Average condition	Nil	N/A	20-40	C2	3.24	32.98
4135	R		Thuja plicata Westen Red Cedar	338	MS	12	3.0	4.0	1.0	1.0	1	4	M	Fair	Average condition	Nil	N/A	20-40	C2	3.38	35.90
4136	R		Thuja plicata Westen Red Cedar	270	1	12	3.0	4.0	1.0	1.0	1	4	M	Fair	Average condition	Nil	N/A	20-40	C2	3.24	32.98
4137	R		Thuja plicata Westen Red Cedar	326	1	11	3.0	4.0	1.0	1.0	1	4	M	Fair	Average condition	Nil	N/A	20-40	C2	3.91	48.08
4138	R		Thuja plicata Westen Red Cedar	333	MS	9	2.0	4.0	1.0	1.0	1	4	M	Fair	Average condition	Nil	N/A	20-40	C2	3.33	34.84
4139	R		Thuja plicata Westen Red Cedar	342	1	12	3.0	4.0	1.0	1.0	2	4	M	Fair	Average condition	Nil	N/A	20-40	C2	4.10	52.92
4140	R		Thuja plicata Westen Red Cedar	126	1	8	2.0	2.0	1.0	1.0	1	4	M	Fair	Average condition	Nil	N/A	20-40	C2	1.51	7.18
4141	R		Thuja plicata Westen Red Cedar	487	1	13	3.0	4.0	1.0	3.0	2	4	M	Fair	Average condition	Nil	N/A	20-40	C2	5.84	107.31
4158	R		Acer pseudoplatanus Sycamore	394	1	11	2.0	4.0	5.0	5.0	2	4	M	Fair	Average condition	Nil	N/A	40+	B2	4.73	70.24
4159	R		Acer pseudoplatanus Sycamore	442	1	12	1.0	5.0	7.0	6.0	2	5	M	Fair	Minor cavity at 3.0e	Nil	N/A	40+	B2	5.30	88.39
4191			Fagus sylvatica Beech	563	1	14	4.0	3.0	5.0	2.0	0	6	M	Poor	Basal wounds inclded bark stem wounds	Fell	P	<10	R	6.76	143.41
4193	R		Acer pseudoplatanus Sycamore	502	1	13	7.0	5.0	3.0	7.0	1	4	M	Fair	Average condition	Nil	N/A	20-40	B2	6.02	114.02
4195	R		Pinus sylvestris Scots pine	348	1	12	5.0	1.0	5.0	1.0	0	7	M	Fair	Extended upper limb/stem to ne	reduce upper limb/stem by 25%	P	20-40	B2	4.18	54.79
4196	R		Pinus sylvestris Scots pine	373	1	12	4.0	3.0	4.0	2.0	0	4	M	Fair	Average condition	Nil	N/A	20-40	B2	4.48	62.95
4197	R		Acer pseudoplatanus Sycamore	387	1	13	4.0	5.0	4.0	5.0	2	6	M	Fair	Average condition	Nil	N/A	40+	B2	4.64	67.76
4220	R		Fagus sylvatica Beech	438	1	13	6.0	5.0	5.0	7.0	2	6	M	Fair	Average condition	Nil	N/A	40+	B2	5.26	86.80
4232	R		Sorbus intermedia Swedish Whitebeam	462	1	8	3.0	4.0	3.0	4.0	1	4	M	Fair	Woodpecker holeson main stem	Nil	N/A	20-40	B2	5.54	96.57
4242	R		Chamaecyparis lawsoniana lawsons cypress	221	1	8	2.0	1.0	2.0	2.0	1	0	M	Good	Average condition	Nil	N/A	40+	C2	2.65	22.10
4243	R		Chamaecyparis lawsoniana lawsons cypress	336	MS	8	1.0	1.0	2.0	2.0	1	0	M	Good	Average condition	Nil	N/A	40+	C2	3.36	35.47
4244	R		Chamaecyparis lawsoniana lawsons cypress	321	MS	8	1.0	1.0	2.0	2.0	1	0	M	Good	Average condition	Nil	N/A	40+	C2	3.21	32.38
4245	R		Chamaecyparis lawsoniana lawsons cypress	322	1	8	1.0	2.0	2.0	2.0	1	0	M	Good	Average condition	Nil	N/A	40+	C2	3.86	46.91

**TREES FOR REMOVAL Heyford Park Nicholson's Tree Survey November 2006**

Group No	Tag	Trees removed for development reasons	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physiological Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
							N	S	E	W											
4274			Ulmus procera Elm	435	1	14	2.0	5.0	5.0	5.0	0	4	M	Fair	Average condition	Nil	N/A	<10	R	5.22	85.61
4291	R		Acer pseudoplatanus Sycamore	427	MS	11	2.0	2.0	2.0	2.0	1	6	M	Fair	Average condition	Nil	N/A	20-40	B2	4.27	57.29
4292			Ulmus procera Elm	506	1	15	5.0	5.0	6.0	2.0	0	4	M	Fair	Average condition	Nil	N/A	<10	R	6.07	115.84
4328	R		Pinus sylvestris Scots pine	282	1	9	2.0	2.5	3.0	2.5	0	5	M	Fair	Average condition	Nil	N/A	20-40	B2	3.38	35.98
4329	R		Pinus sylvestris Scots pine	468	1	16	5.0	3.0	5.0	3.0	0	7	M	Fair	Average condition	Nil	N/A	20-40	B2	5.62	99.10
4330	R		Pinus sylvestris Scots pine	517	1	16	4.0	6.0	4.0	5.0	0	6	M	Fair	Average condition	Nil	N/A	20-40	B2	6.20	120.93
4331	R		Pinus sylvestris Scots pine	319	1	11	2.0	2.0	2.0	2.0	0	5	M	Fair	Average condition	Nil	N/A	20-40	B2	3.83	46.04
4332	R		Pinus sylvestris Scots pine	367	1	9	4.0	5.0	4.0	4.0	0	5	M	Fair	Average condition	Nil	N/A	20-40	B2	4.40	60.94
4333	R		Pinus sylvestris Scots pine	355	1	13	3.0	3.0	3.0	4.0	0	7	M	Fair	Average condition	Nil	N/A	20-40	B2	4.26	57.02
4337			Acer pseudoplatanus Sycamore	370	MS	6	2.0	2.0	2.0	2.0	3	2	M	Fair	Very decayed coppice base	Nil	N/A	<10	R	3.70	43.01
4339			Acer pseudoplatanus Sycamore	100	MS	8	3.0	3.0	3.0	3.0	3	2	SM	Fair	Decaying coppice stool	Nil	N/A	<10	R	1.00	3.14
4341			Acer pseudoplatanus Sycamore	150	MS	7	1.0	1.0	1.0	1.0	2	4	SM	Fair	Poor	Nil	N/A	<10	R	1.50	7.07
4342			Acer pseudoplatanus Sycamore	500	MS	9	3.0	3.0	3.0	3.0	2	3	M	Fair	Decaying coppice stool	Nil	N/A	<10	R	5.00	78.55
4379			Ulmus procera Elm	369	1	12	4.0	2.0	5.0	3.0	0	4	M	Fair	Average condition	Nil	N/A	<10	R	4.43	61.61
4385	R		Chamaecyparis lawsoniana lawsons cypress	190	1	8	2.0	2.0	2.0	2.0	1	2	M	Fair	Average condition	Nil	N/A	40+	C2	2.28	16.33
4399	R		Tilia europaea Common Lime	385	1	12	5.0	3.0	2.0	6.0	3	5	M	Fair	Average condition	Nil	N/A	40+	B2	4.62	67.06
4400	R		Acer pseudoplatanus Sycamore	307	1	11	1.0	4.0	3.0	5.0	3	5	M	Fair	Average condition	Nil	N/A	40+	B2	3.68	42.64
4415			Prunus laurocerasus Cherry laurel	272	1	7	3.0	3.0	2.0	3.0	0	n/a	M	Fair	Ganoderma fruiting body at base	Nil	N/A	<10	R	3.26	33.47
4424			Acer pseudoplatanus Sycamore	301	1	14	4.0	0.0	5.0	5.0	2	5	M	Fair	Large basal cavity	Nil	N/A	<10	R	3.61	40.99
4439	R		Fagus sylvatica Beech	888	1	14	7.0	7.0	7.0	7.0	1	4	M	Fair	Main forks at 1.0 & 2.5 with included bark	Nil	N/A	20-40	B2	10.66	356.78
4465			Acer pseudoplatanus Sycamore	405	1	12	0.0	6.0	2.0	2.0	0	5	M	Poor	Poor	Nil	N/A	<10	R	4.86	74.21
4470	R		Chamaecyparis lawsoniana lawsons cypress	195	1	7	0.0	3.0	2.0	2.0	1	3	M	Fair	Average condition	Nil	N/A	20-40	C2	2.34	17.20
4471	R		Chamaecyparis lawsoniana lawsons cypress	220	MS	8	2.0	2.0	2.0	1.0	1	3	M	Fair	Stem wounds	Nil	N/A	20-40	C2	2.20	15.21
4491			Acer pseudoplatanus Sycamore	657	MS	13	2.0	4.0	2.0	3.0	1	5	M	Fair	Tight fork at 1.0 included bark, cavity and fissure	Fell	P	<10	R	6.57	135.62
4508			Acer pseudoplatanus Sycamore	472	1	13	4.0	4.0	5.0	3.0	1	7	M	Fair	Significant decay at root collar	Fell	U	<10	R	5.66	100.80
4509			Acer pseudoplatanus Sycamore	406	1	12	5.0	2.0	2.0	2.0	2	5	M	Fair	Decay at root collar	Nil	N/A	<10	R	4.87	74.58
4510			Acer pseudoplatanus Sycamore	538	1	13	4.0	3.0	5.0	5.0	2	6	M	Fair	Decaying squirrel damage	Nil	N/A	<10	R	6.46	130.96
4539	R		Thuja plicata Westen Red Cedar	286	1	10	3.0	3.0	3.0	3.0	2	3	M	Fair	Average condition	Nil	N/A	20-40	C2	3.43	37.01
4541	R		Thuja plicata Westen Red Cedar	364	1	11	2.0	2.0	1.0	2.0	2	2	M	Fair	Dead top, Decay, damage to main stem	Fell	P	N/a	R	4.37	59.95
4542	R		Thuja plicata Westen Red Cedar	191	1	9	2.0	2.0	0.0	0.0	0	2	M	Poor	Mostly dead	Fell	P	N/a	R	2.29	16.51
4543	R		Thuja plicata Westen Red Cedar	267	1	12	1.0	2.0	1.0	1.0	1	2	M	Fair	Damage, decay to main stem	Fell	P	N/a	R	3.20	32.25
4544	R		Thuja plicata Westen Red Cedar	362	1	12	2.0	2.0	2.0	1.0	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	4.34	59.29
4545	R		Thuja plicata Westen Red Cedar	355	1	13	2.0	2.0	1.0	2.0	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	4.26	57.02
4546	R		Thuja plicata Westen Red Cedar	178	1	9	1.0	1.0	0.0	0.0	1	2	M	Poor	Suppressed by adjacent	Fell	P	N/a	R	2.14	14.34
4547	R		Thuja plicata Westen Red Cedar	310	1	13	2.0	2.0	1.0	1.0	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	3.72	43.48
4548	R		Thuja plicata Westen Red Cedar	321	1	13	2.0	2.0	1.0	0.0	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	3.85	46.62
4549	R		Thuja plicata Westen Red Cedar	346	1	13	2.0	2.0	2.0	1.0	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	4.15	54.17
4552	R		Thuja plicata Westen Red Cedar	123	1	8	2.0	0.0	1.0	1.0	2	1	M	Poor	Suppressed by adjacent	Fell	P	N/a	R	1.48	6.85
4553	R		Thuja plicata Westen Red Cedar	283	MS	9	2.0	1.0	1.0	0.0	2	1	M	Poor	Dead top. Damage, decay to main stem	Fell	P	N/a	R	2.83	25.16
4554	R		Thuja plicata Westen Red Cedar	234	1	12	2.0	2.0	1.0	2.0	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	2.81	24.77
4555	R		Thuja plicata Westen Red Cedar	362	1	12	2.0	2.0	1.0	1.0	2	2	M	Fair	Fungi(?) to bark crevices. Fluting and past damage to main stem	Check decay, monitor	P	10-20	C1,2	4.34	59.29
4556	R		Thuja plicata Westen Red Cedar	366	MS	8	2.0	2.0	2.0	1.0	2	2	M	Fair	Dead top	Remove deadwood	P	10-20	C1,2	3.66	42.09
4557	R		Thuja plicata Westen Red Cedar	380	1	13	2.0	2.0	1.0	2.0	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	4.56	65.33
4559	R		Thuja plicata Westen Red Cedar	305	MS	6	2.0	2.0	1.0	1.0	2	2	M	Fair	Original top lost, lower branches forming top of crown	Nil	N/A	Oct-20	C1,2	3.05	29.23
4561	R		Thuja plicata Westen Red Cedar	100	1	3	1.0	1.0	1.0	1.0	0	0	M	Poor	Suppressed	Fell	P	N/a	R	1.20	4.52
4564	R		Thuja plicata Westen Red Cedar	200	MS	6	1.0	1.0	1.0	1.0	2	2	M	Fair	Suppressed, leaning to east	Nil	N/A	10-20	C1,2	2.00	12.57
4565	R		Thuja plicata Westen Red Cedar	495	1	13	2.0	2.0	1.0	1.0	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	5.94	110.86
4566	R		Thuja plicata Westen Red Cedar	257	1	12	2.0	2.0	1.0	1.0	2	2	M	Good	Some damage to main stem, calloused over	Nil	N/A	20-40	B1,2	3.08	29.88
4567	R		Thuja plicata Westen Red Cedar	302	1	12	2.0	2.0	1.0	1.0	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	3.62	41.27
4568	R		Thuja plicata Westen Red Cedar	352	1	12	2.0	2.0	1.0	1.0	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	4.22	56.06
4569	R		Thuja plicata Westen Red Cedar	354	2	12	2.0	2.0	2.0	1.0	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	4.25	56.70
4570	R		Thuja plicata Westen Red Cedar	270	MS	3	2.0	1.0	2.0	1.0	1	0	M	Poor	No visible defects	Nil	N/A	10-20	C1,2	2.70	22.91
4573	R		Thuja plicata Westen Red Cedar	264	1	12	1.0	2.0	1.0	2.0	2	1	M	Good	No visible defects	Nil	N/A	20-40	B1,2	3.17	31.53
4574	R		Thuja plicata Westen Red Cedar	239	1	12	1.0	1.0	1.0	2.0	2	1	M	Good	No visible defects	Nil	N/A	20-40	B1,2	2.87	25.84
4575	R		Thuja plicata Westen Red Cedar	346	1	15	1.0	1.0	2.0	2.0	2	1	M	Good	Old damage, possible decay to main stem	Fell	P	N/a	R	4.15	54.17
4576	R		Thuja plicata Westen Red Cedar	342	1	15	1.0	1.0	2.0	2.0	2	1	M	Good	No visible defects	Nil	N/A	20-40	B1,2	4.10	52.92
4577	R		Thuja plicata Westen Red Cedar	252	1	12	1.0	1.0	2.0	2.0	2	2	M	Fair	Old damage to main stem, calloused over	Nil	N/A	10-20	C1,2	3.02	28.73

**TREES FOR REMOVAL Heyford Park Nicholson's Tree Survey November 2006**

Group No	Tag	Trees removed for development reasons	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physiological Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
							N	S	E	W											
4578	R		Thuja plicata Westen Red Cedar	156	1	10	1.0	1.0	2.0	2.0	1	2	M	Poor	Suppressed	Fell	P	N/a	R	1.87	11.01
4579	R		Thuja plicata Westen Red Cedar	425	1	15	1.0	1.0	2.0	2.0	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	5.10	81.72
4580	R		Thuja plicata Westen Red Cedar	235	1	13	1.0	1.0	2.0	1.0	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	2.82	24.99
4581	R		Thuja plicata Westen Red Cedar	219	1	12	1.0	1.0	1.0	2.0	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	2.63	21.70
4582	R		Thuja plicata Westen Red Cedar	372	1	15	1.0	1.0	2.0	2.0	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	4.46	62.61
4583	R		Thuja plicata Westen Red Cedar	400	1	14	2.0	1.0	2.0	2.0	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	4.80	72.39
4584	R		Thuja plicata Westen Red Cedar	594	1	14	1.0	2.0	2.0	2.0	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	7.13	159.64
4585	R		Thuja plicata Westen Red Cedar	220	MS	10	1.0	1.0	1.0	1.0	1	2	M	Poor	Included bark at gl. Suppressed	Fell	P	N/a	R	2.20	15.21
4586	R		Thuja plicata Westen Red Cedar	199	1	11	1.0	1.0	2.0	2.0	2	2	M	Fair	Previously suppressed, recovering (?)	Nil	N/A	10-20	C1,2	2.39	17.92
4587	R		Thuja plicata Westen Red Cedar	295	1	14	1.0	1.0	2.0	2.0	2	2	M	Fair	Previously suppressed, recovering (?)	Nil	N/A	10-20	C1,2	3.54	39.37
4588	R		Thuja plicata Westen Red Cedar	282	1	10	1.0	1.0	2.0	2.0	2	1	M	Fair	Original top dead, lower branches forming top of crown	Remove deadwood. Remove ivy	P	10-20	C1,2	3.38	35.98
4589	R		Thuja plicata Westen Red Cedar	300	1	10	1.0	1.0	2.0	2.0	2	1	M	Fair	Occasional deadwood	Remove deadwood. Remove ivy	P	10-20	C1,2	3.60	40.72
4590	R		Thuja plicata Westen Red Cedar	351	1	14	1.0	1.0	2.0	2.0	2	2	M	Good	No visible defects	remove ivy	P	20-40	B1,2	4.21	55.74
4591	R		Thuja plicata Westen Red Cedar	330	1	14	1.0	1.0	2.0	2.0	2	2	M	Good	No visible defects	remove ivy	P	20-40	B1,2	3.96	49.27
4592	R		Thuja plicata Westen Red Cedar	221	1	12	1.0	1.0	2.0	2.0	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	2.65	22.10
4593	R		Thuja plicata Westen Red Cedar	382	1	14	1.0	1.0	2.0	2.0	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	4.58	66.02
4594	R		Thuja plicata Westen Red Cedar	277	1	11	1.0	1.0	2.0	2.0	2	1	M	Fair	Dead top	Remove deadwood. Remove ivy	P	10-20	C1,2	3.32	34.72
4595	R		Thuja plicata Westen Red Cedar	227	1	14	1.0	1.0	2.0	2.0	2	2	M	Fair	No visible defects	Nil	N/A	10-20	C1,2	2.72	23.31
4596	R		Thuja plicata Westen Red Cedar	323	1	14	1.0	1.0	2.0	2.0	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	3.88	47.20
4597	R		Thuja plicata Westen Red Cedar	350	1	14	1.0	1.0	2.0	2.0	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	4.20	55.42
4598	R		Thuja plicata Westen Red Cedar	340	1	14	1.0	1.0	2.0	2.0	2	2	M	Good	Lower main stem sweeps to S. else no visible defects	Nil	N/A	20-40	B1,2	4.08	52.30
4599	R		Thuja plicata Westen Red Cedar	423	1	14	1.0	1.0	2.0	2.0	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	5.08	80.96
4600	R		Thuja plicata Westen Red Cedar	127	1	8	1.0	1.0	2.0	0.0	0	2	M	Poor	Suppressed	Fell	P	N/a	R	1.52	7.30
4601	R		Thuja plicata Westen Red Cedar	275	1	14	1.0	1.0	2.0	2.0	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	3.30	34.22
4602	R		Thuja plicata Westen Red Cedar	211	1	12	1.0	1.0	2.0	2.0	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	2.53	20.14
4603	R		Thuja plicata Westen Red Cedar	472	1	14	1.0	1.0	2.0	2.0	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	5.66	100.80
4604	R		Thuja plicata Westen Red Cedar	128	1	14	1.0	1.0	2.0	2.0	0	2	M	Poor	Suppressed	Fell	P	N/a	R	1.54	7.41
4605	R		Thuja plicata Westen Red Cedar	472	1	14	1.0	1.0	2.0	2.0	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	5.66	100.80
4606	R		Thuja plicata Westen Red Cedar	266	1	14	1.0	1.0	2.0	2.0	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	3.19	32.01
4607	R		Thuja plicata Westen Red Cedar	379	1	14	1.0	1.0	2.0	2.0	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	4.55	64.99
4608	R		Thuja plicata Westen Red Cedar	306	1	14	1.0	1.0	2.0	2.0	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	3.67	42.37
4609	R		Thuja plicata Westen Red Cedar	228	1	14	1.0	1.0	2.0	2.0	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	2.74	23.52
4610	R		Thuja plicata Westen Red Cedar	190	1	13	1.0	1.0	2.0	2.0	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	2.28	16.33
4611	R		Thuja plicata Westen Red Cedar	481	1	14	1.0	1.0	2.0	2.0	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	5.77	104.68
4612	R		Thuja plicata Westen Red Cedar	302	1	14	1.0	1.0	2.0	2.0	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	3.62	41.27
4613	R		Thuja plicata Westen Red Cedar	255	1	13	1.0	1.0	2.0	2.0	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	3.06	29.42
4614	R		Thuja plicata Westen Red Cedar	329	1	13	1.0	1.0	2.0	2.0	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	3.95	48.97
4615	R		Thuja plicata Westen Red Cedar	147	1	5	1.0	1.0	0.0	2.0	2	2	M	Poor	Suppressed	Fell	P	N/a	R	1.76	9.78
4616	R		Thuja plicata Westen Red Cedar	251	MS	4	1.0	1.0	0.0	2.0	2	2	M	Poor	Suppressed	Fell	P	N/a	R	2.51	19.79
4617	R		Thuja plicata Westen Red Cedar	272	1	10	1.0	1.0	2.0	2.0	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	3.26	33.47
4618	R		Thuja plicata Westen Red Cedar	254	1	10	1.0	1.0	2.0	2.0	2	2	M	Fair	Previous damage, decay to main stem, calloused over	Nil	N/A	10-20	C1,2	3.05	29.19
4619	R		Thuja plicata Westen Red Cedar	172	1	8	1.0	1.0	1.0	2.0	0	2	M	Fair	Old wind damage, suppressed	Fell	P	N/a	R	2.06	13.39
4620	R		Thuja plicata Westen Red Cedar	143	1	12	1.0	1.0	1.0	1.0	1	2	M	Fair	Suppressed	monitor	P	10-20	C1,2	1.72	9.25
4621	R		Thuja plicata Westen Red Cedar	284	1	12	1.0	1.0	2.0	2.0	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	3.41	36.49
4622	R		Thuja plicata Westen Red Cedar	167	1	13	1.0	1.0	2.0	2.0	1	2	M	Fair	Suppressed	monitor	P	10-20	C1,2	2.00	12.62
4623	R		Thuja plicata Westen Red Cedar	220	1	12	1.0	1.0	0.0	2.0	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	2.64	21.90
4624	R		Thuja plicata Westen Red Cedar	375	1	13	1.0	1.0	2.0	2.0	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	4.50	63.63
4625	R		Thuja plicata Westen Red Cedar	245	1	12	1.0	1.0	2.0	2.0	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	2.94	27.16
4626	R		Thuja plicata Westen Red Cedar	181	1	10	1.0	1.0	2.0	2.0	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	2.17	14.82
4627	R		Chamaecyparis lawsoniana lawsons cypress	414	1	13	1.0	1.0	2.0	2.0	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	4.97	77.55
4628	R		Thuja plicata Westen Red Cedar	294	1	12	1.0	1.0	2.0	2.0	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	3.53	39.11
4629	R		Thuja plicata Westen Red Cedar	394	1	12	2.0	1.0	2.0	2.0	2	2	M	Good	No visible defects	remove ivy	P	20-40	B1,2	4.73	70.24
4636	R		Thuja plicata Westen Red Cedar	95	1	5	1.0	1.0	1.0	1.0	2	2	SM	Fair	Suppressed under adjacent tree	Nil	N/A	20-40	C2	1.14	4.08
4642	R		Larix eurolepis Larch	124	1	6	1.0	1.0	0.0	1.0	0	3	M	Poor	Suppressed under adjacent tree	Nil	N/A	<10	R	1.49	6.96
4650	R		Euonymus europaeus Spindle	141	MS	3	2.0	2.0	2.0	0.0	0	1.5	M	Poor	Shrub	Nil	N/A	<10	R	1.41	6.25
4651	R		Thuja plicata Westen Red Cedar	214	1	11	2.0	0.0	3.0	0.0	0	5	M	Poor	Suppressed under adjacent tree	Nil	N/A	10-20	C2	2.57	20.72
4653	R		Prunus avium Cherry	98	1	5	0.0	2.0	2.0	0.0	2	3	M	Fair	Suppressed under adjacent tree	Nil	N/A	<10	R	1.18	4.35
4656	R		Thuja plicata Westen Red Cedar	208	1	10	2.0	2.0	1.0	2.0	1	3	M	Fair	Suppressed under adjacent tree	Nil	N/A	10-20	C2	2.50	19.57
4657	R		Chamaecyparis lawsoniana lawsons cypress	222	MS	7	0.0	2.0	1.0	2.0	1	2	M	Fair	Suppressed under adjacent tree	Nil	N/A	<10	R	2.22	15.49
4677	R		Chamaecyparis lawsoniana lawsons cypress	372	1	8	2.0	2.0	2.0	2.0	1	1	M	Fair	Average condition	Nil	N/A	10-20	C2	4.46	62.61

**TREES FOR REMOVAL Heyford Park Nicholson's Tree Survey November 2006**

Group No	Tag	Trees removed for development reasons	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physiological Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
							N	S	E	W											
	4678	R	Chamaecyparis lawsoniana lawsons cypress	824	1	12	3.0	2.0	3.0	3.0	0	1	M	Fair	Average condition	Nil	N/A	10-20	C2	9.89	307.20
	4712		Pinus sylvestris Scots pine	138	1	7	0.0	0.0	0.0	3.0	0	6	M	Poor	Suppressed under adjacent tree	Nil	N/A	<10	R	1.66	8.62
	4747		Larix eurolepis Larch	106	1	6	0.0	0.0	3.0	0.0	0	5	M	Poor	Suppressed under adjacent tree	Nil	N/A	<10	R	1.27	5.08
	4762		Fagus sylvatica Beech	538	1	17	9.0	9.0	3.0	4.0	3	2	M	Fair	Early signs of Fagus sylvatica Beech bark decease	Fell to ground level	P	10-20	R	6.46	130.96
	4803	R	Chamaecyparis lawsoniana Lawsons cypress	317	1	11	1.0	1.0	1.0	1.0	0.5	0	M	Good	No visible defects	None	N/A	40+	B1	3.80	45.47
	4829		Poplar	696	1	9	8.0	2.0	8.0	0.0	0	6	OM	Fair	Fallen	Nil	N/A	<10	R	8.35	219.17
	4842		Pinus sylvestris Scots pine	296	1	11	2.0	2.0	2.0	2.0	0	7	Dead	Dead	Dead	Fell	P	<10	R	3.55	39.64
	4851		Acer pseudoplatanus Sycamore	161	1	9	2.0	2.0	2.0	2.0	2	5	M	Fair	Significant squirrel damage	Nil	N/A	<10	R	1.93	11.73
	4867	R	Chamaecyparis lawsoniana lawsons cypress	590	MS	12	3.0	3.0	3.0	3.0	1	2	M	Fair	Average condition	Nil	N/A	20-40	C2	5.90	109.37
	4868	R	Chamaecyparis lawsoniana lawsons cypress	475	MS	10	3.0	3.0	3.0	3.0	1	2	M	Fair	Average condition	Nil	N/A	20-40	C2	4.75	70.89
	4869	R	Chamaecyparis lawsoniana lawsons cypress	399	MS	10	3.0	3.0	3.0	3.0	1	2	M	Fair	Average condition	Nil	N/A	20-40	C2	3.99	50.02
	4870	R	Chamaecyparis lawsoniana lawsons cypress	374	MS	12	3.0	3.0	3.0	3.0	1	2	M	Fair	Average condition	Nil	N/A	20-40	C2	3.74	43.95
	4871	R	Chamaecyparis lawsoniana lawsons cypress	394	MS	12	3.0	3.0	3.0	3.0	1	2	M	Fair	Average condition	Nil	N/A	20-40	C2	3.94	48.78
	4872	R	Chamaecyparis lawsoniana lawsons cypress	451	MS	12	3.0	3.0	3.0	3.0	1	2	M	Fair	Average condition	Nil	N/A	20-40	C2	4.51	63.91
	4873		Laburnum anagyroides Common laburnum	246	1	4	3.0	3.0	2.0	2.0	0	2	M	Poor	Dieback and included wire	Nil	N/A	<10	R	2.46	19.01
	4874		Laburnum anagyroides Common laburnum	210	1	4	2.0	1.0	1.0	2.0	0	3	M	Poor	Lean and decay	Nil	N/A	<10	R	2.10	13.86
	4875		Laburnum anagyroides Common laburnum	481	MS	4	3.0	3.0	3.0	3.0	0	2	M	Poor	Included bark multiple wounds	Nil	N/A	<10	R	4.81	72.69
	4894		Laburnum anagyroides Common laburnum	169	1	3	3.0	0.0	2.0	0.0	0	2	Y	Fair	Stem decay, leaning	Nil	N/A	<10	R	2.03	12.92
	4898		Laburnum anagyroides Common laburnum	225	1	4	3.0	0.0	1.0	1.0	0	2	M	Fair	Basal decay, leaning	Fell	P	<10	R	2.70	22.91
	4915		Tilia euchlora Lime	465	1	14	3.0	3.0	5.0	5.0	3	1	M	Good	Two main stems twisted, creating included bark union, compression fork. Rot pocket to main stem	Fell	P	<10	R	5.58	97.83
	4916		Acer pseudoplatanus Sycamore	305	1	11	4.0	1.0	3.0	4.0	0	3	M	Fair	Misshapen, damage and decay to main stem	Fell	P	<10	R	3.66	42.09
	4918		Acer pseudoplatanus Sycamore	463	1	13	5.0	4.0	3.0	3.0	3	4	M	Good	Decay to old pruning wounds at 3 m ht. Phone wire in crown.	Fell	P	<10	R	5.56	96.99
	4919	R	Tilia europaea Common Lime	379	1	14	4.0	4.0	4.0	4.0	2	1	M	Good	Occluded old wounds to main stem.	Nil	N/A	20-40	A1	4.55	64.99
	4922		Betula alba Silver birch	119	1	14	2.0	2.0	2.0	2.0	2	5	M	Fair	In raised bed, rooting restricted	Nil	N/A	10-20	R	1.43	6.41
	4923		Sorbus aucuparia Rowan	142	1	12	2.0	2.0	2.0	2.0	2	5	M	Fair	In raised bed, rooting restricted	Nil	N/A	<10	R	1.70	9.12
	4924		Sorbus aucuparia Rowan	163	1	12	3.0	2.0	2.0	2.0	2	4	M	Fair	In raised bed, included bark to main fork	Nil	N/A	<10	R	1.96	12.02
	4925		Betula alba Silver birch	175	1	12	2.0	2.0	2.0	2.0	1	3	M	Good	In raised bed, leaning severely to north	Nil	N/A	<10	R	2.10	13.86
	4926		Prunus avium Cherry	80	1	3	1.0	1.0	1.0	1.0	3	3	Y	Good	In raised bed	Nil	N/A	<10	R	0.96	2.90
	4945		Crataegus monogyna Hawthorn	183	MS	4	2.0	2.0	2.0	2.0	0	1	M	Poor	Significant deadwood	Fell	P	<10	R	1.83	10.52
	4953		Laburnum anagyroides Common laburnum	517	1	13	5.0	2.0	3.0	4.0	0	6	M	Fair	Damage, decay to main stem	Fell	P	<10	R	6.20	120.93
	4954		Laburnum anagyroides Common laburnum	284	MS	13	4.0	1.0	3.0	2.0	0	6	M	Fair	Damage, decay and die back in main stem and branches	Fell	P	<10	R	2.84	25.34
	4955		Laburnum anagyroides Common laburnum	559	MS	14	5.0	4.0	3.0	4.0	0	4	M	Poor	Western side of crown in decline	Fell	P	<10	R	5.59	98.18
	4957		Laburnum anagyroides Common laburnum	351	MS	14	4.0	3.0	3.0	2.0	0	3	M	Fair	Damage and decay to lower stem. Leaning over road	Fell	P	<10	R	3.51	38.71
	4958		Betula alba Silver birch	240	1	16	3.0	2.0	1.0	1.0	0	5	M	Fair	Damage and decay to lower stem	Fell	P	<10	R	2.88	26.06
	4959		Prunus avium Cherry	381	1	13	4.0	5.0	4.0	3.0	0	5	M	Poor	Damage and decay to main fork at 2.5 m ht	Fell	P	<10	R	4.57	65.68
	4960		Lilac	253	MS	4	0.0	4.0	4.0	3.0	0	1.5	M	Poor	Significant decay to main stem	Fell	P	<10	R	2.53	20.11
	4961		Laburnum anagyroides Common laburnum	460	MS	8	6.0	4.0	4.0	3.0	0	4	M	Fair	Splitting, included bark and decay to main fork at 1 m ht	Fell	P	<10	R	4.60	66.48
	4962		Lilac	250	MS	4	0.0	4.0	4.0	3.0	0	1.5	M	Poor	Significant decay to main stem	Fell	P	<10	R	2.50	19.64
	4963		Laburnum anagyroides Common laburnum	329	MS	6	5.0	1.0	3.0	3.0	0	2	M	Fair	Leaning significantly to north. Deadwood in crown	Fell	P	<10	R	3.29	34.01
	4964		Laburnum anagyroides Common laburnum	467	1	8	5.0	5.0	5.0	5.0	0	3	M	Fair	Significant old wound to main stem	Fell	P	<10	R	5.60	98.67
	4966		Betula alba Silver birch	173	1	11	0.0	3.0	1.0	2.0	0	2	M	Poor	Supressed	Fell	P	<10	R	2.08	13.54

**TREES FOR REMOVAL Heyford Park Nicholson's Tree Survey November 2006**

Group No	Tag	Trees removed for development reasons	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physiological Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
							N	S	E	W											
4981			Crataegus monogyna Hawthorn	229	1	3	2.0	2.0	2.0	2.0	0	2	M	Poor	Advanced decay to main stem	Fell	P	<10	R	2.75	23.73
4983			Crataegus monogyna Hawthorn	224	1	5	3.0	3.0	3.0	3.0	0	1	M	Poor	Severe decline	Fell	P	<10	R	2.69	22.70
4984	R		Chamaecyparis	143	MS	6	1.0	1.0	1.0	1.0	3	0	SM	Good	In raised bed, else No visible defects	Nil	N/A	20-40	B1	1.43	6.43
4985	R		Chamaecyparis											Ground level stem of 4984							
4986	R		Chamaecyparis	137	1	5	1.0	1.0	1.0	1.0	3	0	SM	Good	In raised bed, else No visible defects	Nil	N/A	10-20	B1	1.64	8.49
4987			Corylus avellana Hazel	384	MS	4	0.0	2.0	2.0	2.0	2	1	M	Good	In raised bed. Immediately adjacent to existing building	Fell	P	<10	R	3.84	46.33
4998	R		Aesculus hippocastanum Horse chestnut	357	1	9	3.0	2.0	3.0	3.0	2	2	M	Good	Advanced decay to old pruning wounds at 2 m ht	Nil	N/A	10-20	B1	4.28	57.66
4999	R		Aesculus hippocastanum Horse chestnut	383	1	10	3.0	2.0	3.0	3.0	2	2	M	Good	Decay to old pruning wounds adjacent to main fork	Nil	N/A	10-20	B1	4.60	66.37
5001	R		Aesculus hippocastanum Horse chestnut	477	1	12	3.0	3.0	4.0	4.0	2	2	M	Good	Suspect weak fork union at 2 m ht affecting north side of entire crown	Investigate	P	10-20	B1	5.72	102.95
5002	R		Aesculus hippocastanum Horse chestnut	659	1	12	3.0	3.0	4.0	4.0	2	2	M	Good	Tight fork unions / included bark at 2 m ht	Nil	N/A	10-20	B1	7.91	196.49
5003	R		Aesculus hippocastanum Horse chestnut	658	1	12	3.0	2.0	3.0	3.0	2	2	M	Good	Significant decay to old pruning wound at 2 m ht	Nil	N/A	10-20	B1	7.90	195.89
5004	R		Aesculus hippocastanum Horse chestnut	668	1	12	2.0	3.0	5.0	6.0	2	2	M	Good	Significant decay to old pruning wound at 2 m ht	Nil	N/A	10-20	B1	8.02	201.89
5007	R		Aesculus hippocastanum Horse chestnut	527	1	12	3.0	2.0	5.0	6.0	2	3	M	Good	Significant decay to old pruning wounds. Included bark to main fork	Nil	N/A	10-20	B1	6.32	125.66
5008	R		Aesculus hippocastanum Horse chestnut	538	1	12	3.0	3.0	6.0	4.0	2	2	M	Good	Significant decay to old pruning wounds in main fork. Bark necrosis on stem	Nil	N/A	<10	C1	6.46	130.96
5009	R		Aesculus hippocastanum Horse chestnut	461	1	12	4.0	4.0	4.0	2.0	2	2	M	Good	Occluding old pruning wounds to main branches	Nil	N/A	10-20	B1	5.53	96.15
5010	R		Aesculus hippocastanum Horse chestnut	556	1	12	4.0	5.0	4.0	5.0	3	1	M	Good	Possible rot pocket to main fork	Check main fork	P	20-40	A1	6.67	139.87
5011	R		Fraxinus excelsior Ash	129	1	7	1.0	1.0	1.0	1.0	4	3	SM	Fair	Damage to base of stem. Growing in concrete duct, rooting constraint, possible transplant	Fell	P	<10	R	1.55	7.53
5012	R		Fraxinus excelsior Ash	127	1	7	1.0	1.0	1.0	1.0	4	2	SM	Fair	Some dead wood else No visible defects. Possible transplant	Fell	P	<10	R	1.52	7.30
5013	R		Fraxinus excelsior Ash	94	1	7	1.0	1.0	1.0	1.0	4	3	SM	Fair	Possible transplant	Fell	P	<10	R	1.13	4.00
5014	R		Fraxinus excelsior Ash	111	1	7	1.0	1.0	1.0	1.0	4	3	SM	Fair	Some dead wood else No visible defects. Possible transplant	Fell	P	<10	R	1.33	5.57
5015	R		Fraxinus excelsior Ash	101	1	7	1.0	1.0	1.0	1.0	3	2	SM	Fair	Some dead wood, possible transplant	Fell	P	<10	R	1.21	4.62
5016	R		Fraxinus excelsior Ash	106	1	8	1.0	1.0	1.0	1.0	3	4	SM	Fair	Some dead wood, possible transplant	Fell	P	<10	R	1.27	5.08
5017	R		Fraxinus excelsior Ash	101	1	7	1.0	1.0	1.0	1.0	3	2	SM	Fair	Some dead wood, possible transplant	Fell	P	<10	R	1.21	4.62
5018	R		Fraxinus excelsior Ash	97	1	8	1.0	1.0	1.0	0.0	3	2	SM	Fair	Crown unbalanced. Some dead wood, possible transplant	Fell	P	<10	R	1.16	4.26
5019	R		Fraxinus excelsior Ash	99	1	7	1.0	1.0	1.0	1.0	3	3	SM	Fair	Some dead wood, possible transplant	Fell	P	<10	R	1.19	4.43
5020	R		Fraxinus excelsior Ash	135	1	8	1.0	2.0	2.0	2.0	3	3	SM	Fair	Some dead wood, possible transplant	Fell	P	<10	R	1.62	8.25
5029			Crataegus monogyna Hawthorn	159	MS	4	1.0	1.0	1.0	1.0	2	2	M	Fair	Damage, decay to main stem and branches	Nil	N/A	<10	R	1.59	7.94
5035	R		Cupressocyparis leylandii Leyland cypress	327	1	16	2.0	1.0	2.0	1.0	2	2	M	Good	Growing close to kerb line. Old occluded damage to base	Nil	N/A	10-20	C1,2	3.92	48.38
5036	R		Cupressocyparis leylandii Leyland cypress	308	1	16	1.0	1.0	2.0	2.0	1	2	M	Good	Close to kerb, else No visible defects	Nil	N/A	10-20	C1,2	3.70	42.92
5037	R		Cupressocyparis leylandii Leyland cypress	334	1	16	1.0	1.0	2.0	2.0	2	2	M	Good	Close to kerb. Old damage to base, else No visible defects	Nil	N/A	10-20	C1,2	4.01	50.47
5038	R		Cupressocyparis leylandii Leyland cypress	449	1	16	1.0	3.0	3.0	2.0	2	2	M	Good	Close to kerb. Old damage to base, else No visible defects	Nil	N/A	10-20	C1,2	5.39	91.21
5039	R		Cupressocyparis leylandii Leyland cypress	379	1	16	3.0	0.0	2.0	2.0	2	2	M	Good	Close to Kerb, Old damage to base, else No visible defects	Nil	N/A	10-20	C1,2	4.55	64.99
5040	R		Cupressocyparis leylandii Leyland cypress	357	1	16	1.0	1.0	3.0	2.0	2	2	M	Good	Close to kerb, else No visible defects	Nil	N/A	10-20	C1,2	4.28	57.66
5041	R		Cupressocyparis leylandii Leyland cypress	441	1	16	0.0	3.0	2.0	2.0	2	2	M	Good	Close to kerb, included bark at base of main stem.	Reduce south west codominant stem	P	10-20	C1,2	5.29	87.99
5042	R		Cupressocyparis leylandii Leyland cypress	397	1	16	2.0	2.0	2.0	2.0	2	2	M	Good	Close to kerb, else No visible defects	Nil	N/A	10-20	C1,2	4.76	71.31
5043	R		Cupressocyparis leylandii Leyland cypress	334	1	16	2.0	1.0	2.0	1.0	2	2	M	Good	Close to kerb, else No visible defects	Nil	N/A	10-20	C1,2	4.01	50.47
5044	R		Cupressocyparis leylandii Leyland cypress	263	1	16	0.0	0.0	1.0	1.0	1	2	M	Poor	Close to kerb, crown restricted	Fell	U	N/A	R	3.16	31.30
5045	R		Cupressocyparis leylandii Leyland cypress	297	1	16	0.0	1.0	2.0	2.0	1	2	M	Good	Close to kerb, else No visible defects	Nil	N/A	10-20	C1,2	3.56	39.91
5046	R		Cupressocyparis leylandii Leyland cypress	411	1	16	1.0	2.0	2.0	2.0	2	2	M	Good	Close to kerb, else No visible defects	Nil	N/A	10-20	C1,2	4.93	76.43



**TREES FOR REMOVAL Heyford Park Nicholson's Tree Survey November 2006**

Group No	Tag	Trees removed for development reasons	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physiological Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
							N	S	E	W											
	5047	R	Cupressocyparis leylandii Leyland cypress	331	1	16	2.0	2.0	2.0	2.0	2	1	M	Good	Close to kerb, else No visible defects	Nil	N/A	10-20	C1,2	3.97	49.57
	5048	R	Cupressocyparis leylandii Leyland cypress	500	1	16	3.0	0.0	2.0	2.0	2	3	M	Good	Close to kerb, included bark to main stem	Nil	N/A	10-20	C1,2	6.00	113.11
	5049	R	Cupressocyparis leylandii Leyland cypress	431	1	16	0.0	3.0	2.0	2.0	2	3	M	Good	Close to kerb, else No visible defects	Nil	N/A	10-20	C1,2	5.17	84.05
	5050		Crataegus monogyna Hawthorn	188	MS	5	2.0	2.0	5.0	1.0	1	2	M	Fair	Damage, decay to main stem	Nil	N/A	<10	R	1.88	11.11
	5051		Crataegus monogyna Hawthorn	143	MS	4	1.0	1.0	1.0	1.0	2	0	M	Poor	Damage, decay to main stem	Nil	N/A	<10	R	1.43	6.43
	5053	R	Aesculus hippocastanum Horse chestnut	516	1	12	4.0	3.0	4.0	4.0	2	3	M	Good	As 5054	Nil	N/A	10-20	C1,2	6.19	120.47
	5057	R	Sorbus intermedia Swedish Whitebeam	676	1	10	4.0	5.0	4.0	4.0	0	2	M	Fair	Vehicle damage	Crown clean, lift statutory height	P	10-20	B2	8.11	206.76
	5061	R	Sorbus intermedia Swedish Whitebeam	677	1	10	4.0	5.0	4.0	4.0	0	2.5	M	Poor	Inonotus bracket, roadside damage limb	Crown reduce by 30%	P	10-20	C1	8.12	207.37
	5075	R	Fraxinus excelsior Ash	155	1	7	2.0	2.0	2.0	2.0	3	2.5	SM	Good	No visible defects	None	N/A	40+	A1	1.86	10.87
	5076	R	Acer pseudoplatanus Sycamore	210	1	7	2.5	2.5	2.5	2.5	3	2	M	Good	No visible defects	None	N/A	40+	B2	2.52	19.95
	5077	R	Acer platanoides Norway maple	110	1	6	2.0	2.0	2.0	2.0	2	2.5	SM	Good	No visible defects	None	N/A	40+	B2	1.32	5.47
	5089	R	Acer pseudoplatanus Sycamore	274	1	9	4.0	4.0	4.0	4.0	2	2	M	Good	No visible defects	None	N/A	40+	A1	3.29	33.97
	5090	R	Sorbus aucuparia Rowan	195	1	6	2.5	2.5	2.5	2.5	1	2.5	M	Good	No visible defects	None	N/A	20-40	A1	2.34	17.20
	5094	R	Chamaecyparis lawsoniana Lawsons cypress	611	MS	17	2.0	3.0	3.0	3.0	0	1.5	M	Good	Tight forks and included bark	Lift to statutory height roadside	P	20-40	C2	6.11	117.30
	5095	R	Chamaecyparis lawsoniana Lawsons cypress	492	1	16	2.0	3.0	3.0	3.0	0	1.5	M	Fair	No visible defects	Lift to statutory height roadside	P	20-40	C2	5.90	109.52
	5096	R	Chamaecyparis lawsoniana Lawsons cypress	465	1	16	3.0	3.0	3.0	3.0	0	1.5	M	Good	No visible defects	Lift to statutory height roadside	P	20-40	C2	5.58	97.83
	5097	R	Chamaecyparis lawsoniana Lawsons cypress	644	MS	16	2.0	3.0	3.0	3.0	0	1	M	Good	Low included bark	Lift to statutory height roadside	P	20-40	C2	6.44	130.31
	5098	R	Chamaecyparis lawsoniana Lawsons cypress	623	MS	16	2.0	3.0	3.0	3.0	0	1.5	M	Good	Low included bark	Lift to statutory height roadside	P	20-40	C2	6.23	121.95
	5099	R	Chamaecyparis lawsoniana Lawsons cypress	666	MS	15	2.0	3.0	3.0	3.0	0	1.5	M	Good	Low included bark	Lift to statutory height roadside	P	20-40	C2	6.66	139.37
	5100	R	Chamaecyparis lawsoniana Lawsons cypress	529	1	15	2.0	3.0	3.0	3.0	0	1.5	M	Good	Included bark	Lift to statutory height roadside	P	20-40	C2	6.35	126.61
	5101	R	Chamaecyparis lawsoniana Lawsons cypress	539	1	15	2.0	3.0	3.0	3.0	0	1.5	M	Good	No visible defects	Lift to statutory height roadside	P	20-40	C2	6.47	131.45
	5102	R	Chamaecyparis lawsoniana Lawsons cypress	545	1	15	2.0	3.0	3.0	3.0	0	2	M	Good	Eastley lean <30o	None	N/A	20-40	C2	6.54	134.39
	5109	R	Acer platanoides Norway maple	352	1	13	3.0	4.0	4.0	3.0	2	1.5	M	Good	No visible defects	Lift roadside to statutory height	P	20-40	B2	4.22	56.06
	5131		Acer platanoides Norway maple	178	1	7	3.0	3.0	3.0	3.0	2	1.5	M	Fair	Minor basal bark wound	Fell to ground level	P	<10	R	2.14	14.34
	5137		Sorbus aucuparia Rowan	93	1	3.5	2.0	1.0	1.0	1.0	0	2.5	M	Poor	Basal damage	None	N/A	<10	R	1.12	3.91
	5193	R	Chamaecyparis lawsoniana Lawsons cypress	529	MS	7	2.0	2.0	2.0	2.0	0.5	0	M	Good	No visible defects	None	N/A	40+	B2	5.29	87.93
	5200	R	Cupressocyparis leylandii Leyland cypress	540	MS	9	2.0	2.0	2.0	2.0	0.5	0	M	Good	No visible defects	None	N/A	20-40	B2	5.40	91.62
	5201	R	Chamaecyparis lawsoniana Lawsons cypress	566	MS	9	2.0	2.0	2.0	2.0	0.5	0	M	Good	No visible defects	None	N/A	20-40	B2	5.66	100.66
	5202	R	Chamaecyparis lawsoniana Lawsons cypress	921	MS	10	1.5	1.5	0.0	3.0	0.5	0	M	Good	No visible defects	None	N/A	20-40	B2	9.21	266.52
	5203	R	Chamaecyparis lawsoniana Lawsons cypress	488	MS	10	1.5	1.5	3.0	0.0	0.5	0	M	Good	No visible defects	None	N/A	20-40	B2	4.88	74.82
	5216	R	Cupressocyparis leylandii Leyland cypress	649	MS	15	1.0	4.0	3.0	3.0	1	1	M	Fair	Included bark on main stem	None	N/A	20-40	C2	6.49	132.34
	5217	R	Cupressocyparis leylandii Leyland cypress	574	MS	13	0.0	4.0	2.0	3.0	1	1	M	Fair	No visible defects	Crown clean	P	20-40	C2	5.74	103.52
	5218	R	Cupressocyparis leylandii Leyland cypress	280	1	13	1.0	2.0	1.0	3.0	1	2	M	Fair	No visible defects	Crown clean	P	20-40	C2	3.36	35.47
	5219	R	Cupressocyparis leylandii Leyland cypress	266	MS	6	1.0	1.0	1.0	4.0	1	1	M	Poor	Suppressed by 5218 and 5220	Fell to ground level	P	10-20	C3	2.66	22.23
	5220	R	Cupressocyparis leylandii Leyland cypress	297	1	8	3.0	1.0	1.0	3.0	1	1	M	Fair	Also suppressed	Fell to ground level	P	10-20	C3	3.56	39.91
	5221	R	Cupressocyparis leylandii Leyland cypress	371	1	15	3.0	2.0	2.0	2.0	1	4	M	Fair	No visible defects	Dead wood	P	20-40	C2	4.45	62.28
	5222	R	Cupressocyparis leylandii Leyland cypress	209	1	8	3.0	0.0	2.0	2.0	1	4	M	Poor	Suppressed specimen/over building	Fell to ground level	P	10-20	C2	2.51	19.76
	5223	R	Cupressocyparis leylandii Leyland cypress	182	MS	7	4.0	0.0	1.0	1.0	1	4	M	Poor	Leaning over building, suppressed specimen	Fell to ground level	P	10-20	C2	1.82	10.41
	5224	R	Cupressocyparis leylandii Leyland cypress	399	1	13	3.0	1.0	3.0	3.0	1	2	M	Fair	No visible defects, power and phone lines	None	N/A	20-40	B2	4.79	72.03

**TREES FOR REMOVAL Heyford Park Nicholson's Tree Survey November 2006**

Group No	Tag	Trees removed for development reasons	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physiological Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
							N	S	E	W											
	5225	R	Cupressocyparis leylandii Leyland cypress	431	1	13	1.0	3.0	2.5	2.5	1	2	M	Fair	No visible defects, power and phone lines	None	N/A	20-40	B2	5.17	84.05
	5226	R	Cupressocyparis leylandii Leyland cypress	491	1	15	3.0	2.0	3.0	1.0	1	2	M	Fair	No visible defects, power line through centre of crown	None	N/A	20-40	B2	5.89	109.08
	5227	R	Cupressocyparis leylandii Leyland cypress	719	MS	10	3.0	3.0	3.0	3.0	1	0	M	Fair	Included bark, multi leaders	Crown clean	P	20-40	C2	7.19	162.43
	5228	R	Cupressocyparis leylandii Leyland cypress	420	MS	10	1.0	2.0	2.0	2.0	1	0	M	Fair	Some minor dead wood, low included bark	Crown clean	P	10-20	C2	4.20	55.42
	5229	R	Cupressocyparis leylandii Leyland cypress	423	MS	9	2.0	2.0	2.0	1.0	1	0	M	Fair	Low included bark, twin leaders	None	N/A	20-40	C2	4.23	56.22
	5230	R	Cupressocyparis leylandii Leyland cypress	403	MS	9	2.0	2.0	2.0	2.0	1	0	M	Fair	Low included bark	None	N/A	20-40	C2	4.03	51.03
	5233	R	Chamaecyparis lawsoniana Lawsons cypress	742	MS	9	3.0	3.0	3.0	3.0	2	0	M	Fair	Power lines through centre of stems	None	N/A	20-40	C2	7.42	172.99
	5234	R	Prunus Flowering Cherry	270	MS	4.5	1.0	4.0	4.0	3.0	N/A	1.5	M	Poor	Signs of canker, low included bark	None	N/A	<10	R	2.70	22.91
	5243	R	Chamaecyparis lawsoniana Lawsons cypress	150	MS	16	1.5	1.5	1.5	1.5	1	0	M	Good	No visible defects	None	N/A	20-40	C2	1.50	7.07
	5244	R	Chamaecyparis lawsoniana Lawsons cypress	150	MS	16	1.5	1.5	1.5	1.5	1	0	M	Good	No visible defects	None	N/A	20-40	C2	1.50	7.07
	5259	R	Acer platanoides Norway maple	304	1	8.5	2.0	3.0	4.0	3.0	2	2	M	Good	Tight fork with crack	Fell to ground level	P	<10	R	3.65	41.81
	5292	R	Acer platanoides Norway maple	230	1	9	3.0	4.0	1.0	2.0	2	2	M	Good	Minor dead wood	None	N/A	40+	B2	2.76	23.93
	5293	R	Acer saccharinum Silver maple	295	1	10	5.0	1.0	3.0	3.0	2	2	M	Good	No visible defects	None	N/A	40+	B2	3.54	39.37
	5294	R	Acer pseudoplatanus Sycamore	333	1	10	3.0	3.0	6.0	3.0	2	3	M	Good	No visible defects	None	N/A	40+	B2	4.00	50.17
	5295	R	Acer pseudoplatanus Sycamore	342	1	9	2.0	4.0	5.0	3.0	2	2.5	M	Good	No visible defects	None	N/A	40+	B2	4.10	52.92
	5305	R	Acer pseudoplatanus Sycamore	381	1	9	4.0	4.0	4.0	4.0	3	2	M	Good	No visible defects	None	N/A	40+	A2	4.57	65.68
	5312	R	Acer pseudoplatanus Sycamore	281	1	9	3.0	3.0	3.0	3.0	3	2	M	Good	No visible defects	None	N/A	40+	A2	3.37	35.73
	5321	R	Cupressocyparis leylandii Leyland cypress	266	1	9	2.0	2.0	2.0	2.0	1	1.5	M	Good	No visible defects	None	N/A	20-40	B2	3.19	32.01
	5322	R	Cupressocyparis leylandii Leyland cypress	259	1	9	2.0	2.0	2.0	2.0	1	1.5	M	Good	No visible defects	None	N/A	20-40	B2	3.11	30.35
	5323	R	Cupressocyparis leylandii Leyland cypress	282	MS	9	2.0	2.0	2.0	2.0	1	1.5	M	Good	No visible defects	None	N/A	20-40	B2	2.82	24.99
	5348	R	Sorbus aucuparia Rowan	191	1	5	1.0	1.0	1.0	1.0	0.5	2	M	Good	No visible defects	None	N/A	10-20	B2	2.29	16.51
	5350	R	Sorbus aucuparia Rowan	107	1	4	1.0	1.0	1.0	1.0	0	2	M	Fair	Broken branch	Crown clean	P	10-20	C2	1.28	5.18
	5353	R	Fraxinus excelsior Ash	236	1	5	1.0	2.0	2.0	2.0	4	1.5	M	Fair	No visible defects	None	N/A	40+	C2	2.83	25.20
	5358	R	Acer pseudoplatanus Sycamore	171	1	6	2.0	2.0	2.0	2.0	3	2	M	Good	No visible defects	None	N/A	40+	B2	2.05	13.23
	5360	R	Fraxinus excelsior Ash	129	1	7	2.0	2.0	2.0	2.0	3	2	SM	Poor	Sparse canopy	None	N/A	20-40	B2	1.55	7.53
	5364	R	Fraxinus excelsior Ash	193	1	8	2.0	2.0	2.0	2.0	3.5	2	M	Good	No visible defects	None	N/A	40+	A2	2.32	16.85
	5369	R	Juglans regia Walnut	149	1	5	2.0	2.0	2.0	2.0	3	2	SM	Good	No visible defects	None	N/A	40+	B2	1.79	10.04
	5370	R	Juglans regia Walnut	161	1	5	2.0	2.0	2.0	2.0	3	2	SM	Good	No visible defects	None	N/A	40+	B2	1.93	11.73
	5372	R	Tilia europaea Common Lime	126	1	6	1.0	1.0	1.0	1.0	4	2	SM	Fair	No visible defects	None	N/A	40+	B1	1.51	7.18
	5383	R	Prunus avium plena Cherry	81	1	2.5	1.0	3.0	1.0	1.0	2	0.5	SM	Poor	Stem lean (s)	Fell to ground level	P	<10	R	0.97	2.97
	5384	R	Chamaecyparis lawsoniana Lawsons cypress	257	1	5	0.5	0.5	0.5	0.5	1	0.5	M	Good	No visible defects	None	N/A	20-40	C1	3.08	29.88
	5385	R	Alnus cordata Italian alder	160	1	6	2.0	2.0	2.0	2.0	2	2	SM	Good	No visible defects	None	N/A	20-40	B1	1.92	11.58
	5386	R	Alnus cordata Italian alder	90	MS	3.5	2.0	2.0	2.0	2.0	2	0	SM	Fair	No visible defects	None	N/A	20-40	B1	0.90	2.55
	5387	R	Cupressocyparis leylandii Leyland cypress	628	1	15	3.0	3.0	3.0	3.0	1	2	M	Good	Included bark to main branch unions	Nil	N/A	10-20	C1,2	7.54	178.44
	5388	R	Cupressocyparis leylandii Leyland cypress	531	1	15	2.0	2.0	1.0	2.0	1	2	M	Good	Included bark to main branch unions	Nil	N/A	10-20	C1,2	6.37	127.57
	5389	R	Cupressocyparis leylandii Leyland cypress	554	1	15	2.0	2.0	2.0	1.0	1	2	M	Good	Included bark to main branch unions	Nil	N/A	<10	R	6.65	138.86
	5390	R	Cupressocyparis leylandii Leyland cypress	534	1	15	2.0	2.0	1.0	2.0	1	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	6.41	129.02
	5391	R	Cupressocyparis leylandii Leyland cypress	419	1	15	2.0	2.0	2.0	1.0	1	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	5.03	79.43
	5392	R	Cupressocyparis leylandii Leyland cypress	518	MS	15	2.0	2.0	1.0	1.0	1	2	M	Good	Severe included bark to lower stem	Nil	N/A	<10	R	5.18	84.31
	5393	R	Cupressocyparis leylandii Leyland cypress	478	1	15	2.0	2.0	2.0	2.0	1	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	5.74	103.38
	5394	R	Cupressocyparis leylandii Leyland cypress	524	1	15	2.0	2.0	2.0	2.0	1	2	M	Good	Included bark to main branch unions	Nil	N/A	10-20	C1,2	6.29	124.23
	5395	R	Cupressocyparis leylandii Leyland cypress	477	1	15	2.0	2.0	2.0	2.0	1	2	M	Good	Included bark to main branch unions	Nil	N/A	10-20	C1,2	5.72	102.95
	5396	R	Cupressocyparis leylandii Leyland cypress	379	1	15	2.0	2.0	2.0	2.0	1	2	M	Good	Previous wind damage, else No visible defects	Remove broken branches	P	20-40	B1,2	4.55	64.99
	5397	R	Cupressocyparis leylandii Leyland cypress	374	MS	15	2.0	2.0	0.0	2.0	1	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	3.74	43.95

**TREES FOR REMOVAL Heyford Park Nicholson's Tree Survey November 2006**

Group No	Tag	Trees removed for development reasons	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physiological Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
							N	S	E	W											
	5398	R	Cupressocyparis leylandii Leyland cypress	475	1	15	2.0	2.0	1.0	1.0	1	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	5.70	102.08
	5399	R	Cupressocyparis leylandii Leyland cypress	490	1	15	2.0	2.0	2.0	1.0	1	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	5.88	108.63
	5400	R	Cupressocyparis leylandii Leyland cypress	507	MS	15	2.0	2.0	1.0	2.0	1	2	M	Good	No visible defects	Nil	N/A	10-20	C1,2	5.07	80.76
	5402	R	Cupressocyparis leylandii Leyland cypress	445	1	15	2.0	2.0	1.0	1.0	1	2	M	Good	Included bark to main stem	Nil	N/A	<10	R	5.34	89.60
	5403	R	Cupressocyparis leylandii Leyland cypress	442	1	15	2.0	2.0	1.0	1.0	1	2	M	Good	Rot pocket and included bark to main stem	Fell	P	N/A	R	5.30	88.39
	5404	R	Cupressocyparis leylandii Leyland cypress	426	1	15	2.0	2.0	1.0	1.0	1	2	M	Good	No visible defects	Nil	N/A	10-20	C1,2	5.11	82.11
	5405	R	Cupressocyparis leylandii Leyland cypress	472	MS	15	2.0	2.0	1.0	1.0	1	2	M	Good	Included bark to lower stem	Nil	N/A	10-20	C1,2	4.72	70.00
	5406	R	Cupressocyparis leylandii Leyland cypress	404	1	15	2.0	2.0	2.0	1.0	1	2	M	Good	No visible defects	Nil	N/A	10-20	C1,2	4.85	73.85
	5408	R	Cupressocyparis leylandii Leyland cypress	358	1	13	2.0	2.0	2.0	2.0	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	4.30	57.99
	5412	R	Acer platanoides Norway maple	379	1	13	3.0	4.0	5.0	5.0	2	4	M	Good	Old pruning wounds, decay to main stem and branches	Nil	N/A	20-40	B1,2	4.55	64.99
	5413	R	Acer platanoides Norway maple	397	1	14	5.0	2.0	5.0	5.0	2	4	M	Good	Included bark to main spring of crown	Nil	N/A	20-40	B1,2	4.76	71.31
	5417	R	Cupressocyparis leylandii Leyland cypress	666	MS	15	3.0	3.0	2.0	3.0	1	2	M	Good	No visible defects	None	N/A	40+	C2	6.66	139.37
	5419	R	Cupressocyparis leylandii Leyland cypress	1049	MS	15	2.0	3.0	4.0	3.0	1	2	M	Good	No visible defects	None	N/A	40+	C2	10.49	345.75
	5420	R	Acer pseudoplatanus Sycamore	421	1	13	4.0	3.0	5.0	5.0	2	2	M	Fair	No visible defects	None	N/A	40+	C2	5.05	80.19
	5421	R	Cupressocyparis leylandii Leyland cypress	948	MS	15	3.0	2.0	4.0	3.0	1	2.5	M	Fair	No visible defects	None	N/A	40+	C2	9.48	282.37
	5422	R	Acer pseudoplatanus Sycamore	332	1	14	2.0	5.0	3.0	4.0	2	3	M	Fair	No visible defects	None	N/A	40+	C2	3.98	49.87
	5423	R	Cupressocyparis leylandii Leyland cypress	659	MS	15	3.0	2.0	2.0	3.0	1	2.5	M	Fair	No visible defects	None	N/A	40+	C2	6.59	136.45
	5424	R	Acer pseudoplatanus Sycamore	266	1	12	0.0	4.0	3.0	3.0	3	3	M	Poor	Suppressed by 5423	None	N/A	20-40	C2	3.19	32.01
	5425	R	Cupressocyparis leylandii Leyland cypress	1326	MS	15	3.0	4.0	4.0	3.0	0.5	2	M	Good	No visible defects	None	N/A	40+	B1	13.26	552.45
	5426	R	Prunus avium plena Cherry	107	1	5	2.0	2.0	1.0	1.0	2	3	M	Poor	No visible defects	Fell to ground level	P	<10	R	1.28	5.18
	5427	R	Alnus cordata Italian alder	221	1	7	3.0	3.0	2.0	2.0	3	2.5	M	Poor	Basal suckers wound 0-4 m	Fell to ground level	P	<10	R	2.65	22.10
	5428	R	Cupressocyparis leylandii Leyland cypress	1110	MS	11	3.0	4.0	2.0	3.0	2	3	M	Good	No visible defects	None	N/A	20-40	C2	11.10	387.13
	5429	R	Cupressocyparis leylandii Leyland cypress	1455	MS	11	3.0	3.0	5.0	2.0	2	3	M	Good	Basal cavities	None	N/A	20-40	C2	14.55	665.17
	5430	R	Acer pseudoplatanus Sycamore	415	1	11	4.0	2.0	7.0	7.0	2	3	M	Poor	Tight fork at 2.5 m with rib form	Fell to ground level	P	<10	R	4.98	77.92
	5431	R	Cupressocyparis leylandii Leyland cypress	806	MS	11	2.0	3.0	3.0	3.0	2	2	M	Fair	No visible defects	None	N/A	40+	C2	8.06	204.12
	5432	R	Acer pseudoplatanus Sycamore	351	1	10	3.0	2.0	5.0	4.0	3	4	M	Good	No visible defects	None	N/A	20-40	C2	4.21	55.74
	5433	R	Cupressocyparis leylandii Leyland cypress	1288	MS	11	4.0	4.0	4.0	4.0	1	3	M	Good	No visible defects	None	N/A	40+	C2	12.88	521.24
	5434	R	Acer pseudoplatanus Sycamore	283	1	9	0.0	3.0	4.0	4.0	2	3	M	Fair	No visible defects	None	N/A	20-40	C2	3.40	36.24
	5435	R	Prunus avium plena Cherry	302	1	9	4.0	2.0	4.0	4.0	1	3	M	Fair	Weak stem fracture at 3 m	None	N/A	10-20	C2	3.62	41.27
	5436	R	Acer pseudoplatanus Sycamore	568	1	10	4.0	4.0	3.0	5.0	2	4	M	Good	Old pruning wound, 10o lean east	None	N/A	40+	C2	6.82	145.97
	5437	R	Cupressocyparis leylandii Leyland cypress	657	MS	11	2.0	4.0	3.0	4.0	1	1.5	M	Fair	Bark stripped east	None	N/A	40+	C2	6.57	135.62
	5438	R	Cupressocyparis leylandii Leyland cypress	1414	MS	15	3.0	3.0	4.0	5.0	1	0	M	Fair	Bark stripping injury	None	N/A	40+	C1	14.14	628.21
	5442	R	Prunus avium plena Cherry	198	1	5	4.0	4.0	4.0	3.0	3	2	M	Fair	Tight forks	None	N/A	20-40	C1	2.38	17.74
	5443	R	Prunus avium plena Cherry	239	1	5	4.0	4.0	4.0	4.0	3	2	M	Good	No visible defects	None	N/A	20-40	C1	2.87	25.84
	5445	R	Acer platanoides Norway maple	249	1	6	3.0	2.0	2.0	2.0	2	2	SM	Good	No visible defects	None	N/A	40+	B2	2.99	28.05
	5446	R	Acer platanoides Norway maple	268	1	6	2.0	2.0	2.0	2.0	2	2	SM	Good	Tight fork included bark	None	N/A	20-40	B2	3.22	32.50
	5448	R	Acer platanoides Norway maple	286	1	7	3.0	3.0	3.0	3.0	2	2	M	Good	No visible defects	None	N/A	40+	B2	3.43	37.01
	5449	R	Acer platanoides Norway maple	274	1	7	3.0	3.0	3.0	3.0	2	2	M	Good	Tight fork included bark	None	N/A	40+	B2	3.29	33.97
	5450	R	Sorbus aucuparia Rowan	75	1	4	0.5	0.5	3.0	0.0	0	3	SM	Poor	25 degree stem lean (E)	Fell to ground level	P	<10	R	0.90	2.55
	5451	R	Sorbus aucuparia Rowan	110	1	4	2.0	2.0	2.0	2.0	0.5	3	M	Fair	No visible defects	None	N/A	10-20	C1	1.32	5.47
	5452	R	Sorbus aucuparia Rowan	104	1	5	0.5	1.0	1.0	1.0	0.5	3	M	Fair	15o stem lean (SE)	None	N/A	10-20	C1	1.25	4.89
	5453	R	Sorbus aucuparia Rowan	77	1	4	0.5	1.5	0.5	0.5	0.5	3	M	Fair	No visible defects	None	N/A	10-20	C1	0.92	2.68
	5454	R	Sorbus aucuparia Rowan	94	1	4	1.0	1.0	1.0	1.0	0.5	2	M	Fair	Basal suckers	None	N/A	10-20	C1	1.13	4.00
	5457	R	Sorbus aucuparia Rowan	110	1	6	1.0	1.0	1.0	1.0	0.5	3	M	Fair	Basal wounds	None	N/A	10-20	C1	1.32	5.47
	5458	R	Prunus avium plena Cherry	294	1	8	4.0	4.0	4.0	3.0	1	2	M	Good	Tight fork at 0.5 m sub leader	Remove "sub leader"	P	20-40	C1	3.53	39.11
	5459	R	Prunus avium plena Cherry	212	1	7	3.0	3.0	3.0	3.0	1	2	M	Good	Tight forks and included bark	None	N/A	20-40	C1	2.54	20.33
	5460	R	Prunus avium plena Cherry	252	1	8	3.0	3.0	3.0	3.0	1	2	M	Good	Tight forks and included bark	None	N/A	20-40	C1	3.02	28.73
	5461	R	Prunus avium plena Cherry	247	1	8	3.0	3.0	3.0	3.0	1	2	M	Good	Tight forks and included bark	None	N/A	20-40	C1	2.96	27.60

**TREES FOR REMOVAL Heyford Park Nicholson's Tree Survey November 2006**

Group No	Tag	Trees removed for development reasons	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physiological Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
							N	S	E	W											
5462	R		Prunus avium plena Cherry	337	1	8	4.0	3.0	3.0	3.0	1	2	M	Good	No visible defects	None	N/A	20-40	B1	4.04	51.38
5463	R		Prunus avium plena Cherry	241	1	7	3.0	3.0	3.0	3.0	1	2	M	Good	Tight forks and included bark	None	N/A	20-40	C1	2.89	26.28
5464	R		Prunus avium plena Cherry	331	1	8	3.0	3.0	3.0	3.0	2	2	M	Good	No visible defects	None	N/A	10-20	C1	3.97	49.57
5467	R		Fraxinus excelsior Ash	120	1	5	2.0	2.0	2.0	2.0	2	2	SM	Good	No visible defects	None	N/A	40+	B1	1.44	6.52
5470	R		Fraxinus excelsior Ash	140	1	6	2.0	2.0	2.0	2.0	2	2	SM	Good	No visible defects	None	N/A	40+	B1	1.68	8.87
5476			Prunus padus Bird Cherry	90	1	4	1.0	1.0	1.0	1.0	1	2.5	SM	Poor	Basal bark damage	Fell to ground level	P	<10	R	1.08	3.66
5477			Prunus padus Bird Cherry	86	1	4	1.0	1.0	1.0	1.0	1	2.5	SM	Poor	Multiple wounds	Fell to ground level	P	<10	R	1.03	3.35
5483			Prunus padus Bird Cherry	87	1	5	1.0	1.0	1.0	1.0	0	3	SM	Poor	No visible defects	Fell to ground level	P	<10	R	1.04	3.42
5486			Prunus padus Bird Cherry	109	1	5	2.0	2.0	2.0	2.0	1	2	SM	Good	Stem bark wounds	Fell to ground level	P	<10	R	1.31	5.38
5487			Prunus padus Bird Cherry	91	1	5	3.0	1.0	1.0	1.0	2	2.5	SM	Poor	Major basal wounds	Fell to ground level	P	<10	R	1.09	3.75
5503			Acer platanoides Norway maple	215	1	4	0.0	0.0	0.0	0.0	0	0	Y	Poor	Pollarded	Fell	P	<10	R	2.58	20.91
5504			Acer platanoides Norway maple	210	1	4	0.0	0.0	0.0	0.0	0	0	Y	Poor	Pollarded	Fell	P	<10	R	2.52	19.95
5505			Acer platanoides Norway maple	387	1	3	0.0	0.0	0.0	0.0	0	0	Y	Poor	Pollarded	Fell	P	<10	R	4.64	67.76
5506			Acer platanoides Norway maple	341	1	3	0.0	0.0	0.0	0.0	0	0	Y	Poor	Pollarded	Fell	P	<10	R	4.09	52.61
5507			Acer platanoides Norway maple	289	1	3	0.0	0.0	0.0	0.0	0	0	Y	Poor	Pollarded	Fell	P	<10	R	3.47	37.79
5509	R		Maple	140	1	8	3.0	2.0	3.0	1.0	3	2	Y	Good	Crown unbalanced to north	Nil	N/A	20-40	B1	1.68	8.87
5513	R		Maple	244	1	9	4.0	4.0	4.0	4.0	2	2	Y	Good	Basal branching, else No visible defects	Remove basal branches	P	20-40	B1	2.93	26.94
5521	R		Cupressocyparis leylandii Leyland cypress	529	1	14	3.0	3.0	3.0	3.0	1	2	M	Fair	Immediately adjacent to road kerb line.	Nil	N/A	10-20	R	6.35	126.61
5522	R		Cupressocyparis leylandii Leyland cypress	452	1	14	2.0	2.0	1.0	3.0	1	2	M	Fair	Immediately adjacent to road kerb line.	Nil	N/A	10-20	R	5.42	92.44
5523	R		Cupressocyparis leylandii Leyland cypress	432	1	14	2.0	3.0	2.0	1.0	1	2	M	Fair	Immediately adjacent to road kerb line.	Nil	N/A	10-20	R	5.18	84.44
5524	R		Cupressocyparis leylandii Leyland cypress	341	1	11	2.0	2.0	2.0	2.0	1	2	M	Fair	Immediately adjacent to road kerb line.	Nil	N/A	10-20	R	4.09	52.61
5525	R		Cupressocyparis leylandii Leyland cypress	385	1	12	2.0	2.0	0.0	3.0	1	2	M	Fair	Immediately adjacent to road kerb line.	Nil	N/A	10-20	R	4.62	67.06
5526	R		Cupressocyparis leylandii Leyland cypress	406	1	13	2.0	2.0	3.0	0.0	1	2	M	Fair	Immediately adjacent to road kerb line.	Nil	N/A	10-20	R	4.87	74.58
5527	R		Cupressocyparis leylandii Leyland cypress	251	1	11	2.0	2.0	1.0	1.0	1	2	M	Fair	Immediately adjacent to road kerb line.	Nil	N/A	10-20	R	3.01	28.50
5528	R		Cupressocyparis leylandii Leyland cypress	246	1	12	2.0	2.0	1.0	1.0	1	2	M	Fair	Immediately adjacent to road kerb line.	Nil	N/A	10-20	R	2.95	27.38
5529	R		Cupressocyparis leylandii Leyland cypress	323	1	12	2.0	2.0	2.0	0.0	1	2	M	Fair	Immediately adjacent to road kerb line.	Nil	N/A	10-20	R	3.88	47.20
5533			Maple	110	1	10	4.0	4.0	3.0	3.0	2	1	M	Good	Split to main stem	Fell	P	<10	R	1.32	5.47
5543			Crataegus monogyna Hawthorn	150	MS	3	1.0	1.0	1.0	1.0	2	2	M	Fair	No visible defects	Remove lower branches	P	<10	R	1.50	7.07
5544			Crataegus monogyna Hawthorn	155	MS	4	2.0	0.0	1.0	2.0	2	2	M	Fair	No visible defects	Nil	N/A	<10	R	1.55	7.55
5546			Crataegus monogyna Hawthorn	161	1	4	0.0	1.0	1.0	1.0	2	2	M	Fair	No visible defects	Nil	N/A	<10	R	1.93	11.73
5547			Crataegus monogyna Hawthorn	192	1	4	0.0	2.0	2.0	2.0	1	2	M	Fair	Declining	Nil	N/A	<10	R	2.30	16.68
5548			Sorbus aucuparia Rowan	393	MS	5	2.0	2.0	0.0	2.0	2	2	Y	Good	Poor form, else No visible defects	Fell	P	<10	R	3.93	48.53
5549			Sorbus aucuparia Rowan	354	MS	5	2.0	2.0	0.0	0.0	2	2	Y	Good	No visible defects	Fell	P	<10	R	3.54	39.37
5550			Sorbus aucuparia Rowan	350	MS	5	2.0	2.0	2.0	0.0	2	2	Y	Good	Poor form, else No visible defects	Fell	P	<10	R	3.50	38.49
5551	R		Cupressocyparis leylandii Leyland cypress	428	MS	15	2.0	1.0	3.0	3.0	2	2	M	Good	Included bark to main forks.	Nil	N/A	10-20	C1,2	4.28	57.56
5552	R		Cupressocyparis leylandii Leyland cypress	460	MS	15	3.0	3.0	4.0	1.0	2	2	M	Good	No visible defects	Nil	N/A	10-20	C1,2	4.60	66.48
5553	R		Cupressocyparis leylandii Leyland cypress	332	MS	15	2.0	2.0	0.0	3.0	2	2	M	Good	Crown unbalanced by affect of 5554	Fell	P	N/A	R	3.32	34.63
5554	R		Cupressocyparis leylandii Leyland cypress	404	1	15	3.0	1.0	0.0	3.0	2	2	M	Good	Limb broken out on south side of crown. Probable decay.	Fell	P	N/A	R	4.85	73.85
5555	R		Cupressocyparis leylandii Leyland cypress	465	1	15	3.0	2.0	3.0	0.0	2	2	M	Good	Severe included bark in multiple forks in stem	Fell	P	N/A	R	5.58	97.83
5556	R		Cupressocyparis leylandii Leyland cypress	352	1	15	3.0	3.0	3.0	3.0	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	4.22	56.06
5557	R		Cupressocyparis leylandii Leyland cypress	378	1	15	3.0	3.0	3.0	3.0	2	2	M	Good	Damage, decay to lower main stem, else No visible defects	Nil	N/A	20-40	C1,2	4.54	64.65
5558	R		Cupressocyparis leylandii Leyland cypress	362	1	15	3.0	3.0	2.0	2.0	2	2	M	Good	Included bark to main forks	Nil	N/A	20-40	B1,2	4.34	59.29
5559	R		Cupressocyparis leylandii Leyland cypress	362	1	15	3.0	2.0	3.0	3.0	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	4.34	59.29
5560	R		Cupressocyparis leylandii Leyland cypress	455	MS	16	3.0	3.0	3.0	2.0	2	2	M	Good	Included bark to main forks	Nil	N/A	20-40	B1,2	4.55	65.05
5561	R		Cupressocyparis leylandii Leyland cypress	313	1	15	3.0	3.0	1.0	2.0	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	3.76	44.33
5562	R		Cupressocyparis leylandii Leyland cypress	250	1	15	1.0	2.0	0.0	2.0	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	3.00	28.28

**TREES FOR REMOVAL Heyford Park Nicholson's Tree Survey November 2006**

Group No	Tag	Trees removed for development reasons	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physiological Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
							N	S	E	W											
	5563	R	Cupressocyparis leylandii Leyland cypress	469	1	15	1.0	3.0	3.0	3.0	2	2	M	Good	Included bark to large forks	Nil	N/A	10-20	C1,2	5.63	99.52
	5564	R	Cupressocyparis leylandii Leyland cypress	325	1	15	3.0	3.0	2.0	3.0	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	3.90	47.79
	5565	R	Cupressocyparis leylandii Leyland cypress	355	1	15	3.0	3.0	1.0	3.0	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	4.26	57.02
	5566	R	Cupressocyparis leylandii Leyland cypress	419	MS	15	2.0	1.0	2.0	2.0	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	4.19	55.16
	5568	R	Cupressocyparis leylandii Leyland cypress	468	MS	15	3.0	1.0	3.0	2.0	2	3	M	Good	Included bark to fork at 1 m height	Nil	N/A	10-20	C1,2	4.68	68.82
	5569	R	Cupressocyparis leylandii Leyland cypress	468	1	15	2.0	3.0	3.0	2.0	2	3	M	Good	Many forks affected by included bark. Over boundary	Nil	N/A	<10	R	5.62	99.10
	5571		Acer platanoides Norway maple	265	1	8	4.0	4.0	4.0	4.0	2	1	M	Good	Split to main stem.	Fell	U	N/A	R	3.18	31.77
	5574		Sorbus aria Whitebeam	159	1	6	1.0	1.0	2.0	0.0	1	2	Y	Fair	Included bark to main branch unions	Nil	N/A	<10	R	1.91	11.44
	5576		Sorbus aria Whitebeam	202	1	6	2.0	2.0	2.0	2.0	1	2	Y	Fair	Severe lean to east	Nil	N/A	<10	R	2.42	18.46
	5578	R	Acer pseudoplatanus Sycamore	79	1	3	1.0	1.0	1.0	1.0	1	2	Y	Poor	Standard tree in poor condition	Fell	P	<10	R	0.95	2.82
	5581	R	Acer platanoides Norway maple	227	1	6	2.5	2.5	3.0	3.0	2	2.5	M	Good	Minor branch injuries	Crown clean	P	40+	B2	2.72	23.31
	5582	R	Acer platanoides Norway maple	232	1	7	3.0	3.0	3.0	3.0	2	2.5	M	Good	Minor branch wound east	Crown clean	P	40+	B2	2.78	24.35
	5583	R	Acer platanoides Norway maple	274	1	7	4.0	3.0	3.0	3.0	2	2.5	M	Good	Surface root bark mower wounds	None	N/A	40+	B2	3.29	33.97
	5587	R	Sorbus aucuparia Rowan	113	1	5	1.0	1.0	1.0	1.0	0	2	M	Poor	Crown injuries	None	N/A	10-20	C2	1.36	5.78
	5588	R	Sorbus aucuparia Rowan	137	1	5	1.5	1.5	1.5	1.5	0	2	M	Fair	No visible defects	None	N/A	10-20	C2	1.64	8.49
	5589	R	Sorbus aucuparia Rowan	128	1	5	1.5	1.5	1.5	1.5	0	2	M	Fair	No visible defects	None	N/A	10-20	C2	1.54	7.41
	5596	R	Cupressocyparis leylandii Leyland cypress	255	1	8	0.0	2.0	1.0	1.0	1	2	M	Good	Previously topped to 5m ht	Nil	N/A	10-20	C1,2	3.06	29.42
	5597	R	Cupressocyparis leylandii Leyland cypress	139	1	8	0.0	2.0	1.0	1.0	1	2	M	Good	Previously topped to 5m ht	Nil	N/A	10-20	C1,2	1.67	8.74
	5598	R	Cupressocyparis leylandii Leyland cypress	203	1	8	0.0	2.0	1.0	1.0	1	2	M	Good	Previously topped to 5m ht	Nil	N/A	10-20	C1,2	2.44	18.64
	5599	R	Cupressocyparis leylandii Leyland cypress	254	1	8	0.0	2.0	1.0	1.0	1	2	M	Good	Previously topped to 5m ht	Nil	N/A	10-20	C1,2	3.05	29.19
	5600	R	Cupressocyparis leylandii Leyland cypress	161	1	8	0.0	2.0	1.0	1.0	1	2	M	Good	Previously topped to 5m ht	Nil	N/A	10-20	C1,2	1.93	11.73
	5601	R	Cupressocyparis leylandii Leyland cypress	124	1	8	0.0	2.0	1.0	1.0	1	2	M	Good	Previously topped to 5m ht	Nil	N/A	10-20	C1,2	1.49	6.96
	5602	R	Cupressocyparis leylandii Leyland cypress	140	1	8	0.0	2.0	1.0	1.0	1	2	M	Good	Previously topped to 5m ht	Nil	N/A	10-20	C1,2	1.68	8.87
	5603	R	Cupressocyparis leylandii Leyland cypress	148	1	8	0.0	2.0	1.0	1.0	1	2	M	Good	Previously topped to 5m ht	Nil	N/A	10-20	C1,2	1.78	9.91
	5604	R	Cupressocyparis leylandii Leyland cypress	125	1	8	0.0	2.0	1.0	1.0	1	2	M	Good	Previously topped to 5m ht	Nil	N/A	10-20	C1,2	1.50	7.07
	5605	R	Cupressocyparis leylandii Leyland cypress	251	1	8	0.0	2.0	1.0	1.0	1	2	M	Good	Previously topped to 5m ht	Nil	N/A	10-20	C1,2	3.01	28.50
	5606	R	Cupressocyparis leylandii Leyland cypress	249	1	8	0.0	2.0	1.0	1.0	1	2	M	Good	Previously topped to 5m ht	Nil	N/A	10-20	C1,2	2.99	28.05
	5607	R	Cupressocyparis leylandii Leyland cypress	415	1	8	2.0	0.0	1.0	1.0	1	2	M	Good	Previously topped to 5m ht	Nil	N/A	10-20	C1,2	4.98	77.92
	5608	R	Cupressocyparis leylandii Leyland cypress	468	1	8	2.0	0.0	1.0	1.0	1	2	M	Good	Previously topped to 5m ht	Nil	N/A	10-20	C1,2	5.62	99.10
	5609	R	Cupressocyparis leylandii Leyland cypress	325	1	8	2.0	0.0	1.0	1.0	1	2	M	Good	Previously topped to 5m ht	Nil	N/A	10-20	C1,2	3.90	47.79
	5610	R	Cupressocyparis leylandii Leyland cypress	159	1	8	2.0	0.0	1.0	1.0	1	2	M	Good	Previously topped to 5m ht	Nil	N/A	10-20	C1,2	1.91	11.44
	5611	R	Cupressocyparis leylandii Leyland cypress	343	1	8	2.0	0.0	1.0	1.0	1	2	M	Good	Previously topped to 5m ht	Nil	N/A	10-20	C1,2	4.12	53.23
	5612	R	Cupressocyparis leylandii Leyland cypress	291	1	8	2.0	0.0	1.0	1.0	1	2	M	Good	Previously topped to 5m ht	Nil	N/A	10-20	C1,2	3.49	38.31
	5613	R	Cupressocyparis leylandii Leyland cypress	539	1	8	2.0	0.0	1.0	1.0	1	2	M	Good	Previously topped to 5m ht	Nil	N/A	10-20	C1,2	6.47	131.45
	5677		Pinus sylvestris Scots pine	159	1	9	2.0	2.0	2.0	2.0	0	4	M	Poor	Average condition	Nil	N/A	<10	R	1.91	11.44
	5711		Pinus sylvestris Scots pine	82	1	4	1.0	1.0	1.0	1.0	0	3	M	Poor	Suppressed	Nil	N/A	<10	R	0.98	3.04
	5791		Pinus sylvestris Scots pine	161	1	7	2.0	2.0	2.0	1.0	1	4	M	Poor	Average condition	Nil	N/A	<10	R	1.93	11.73
	5798		Pinus sylvestris Scots pine	92	1	5	1.0	1.0	1.0	1.0	0	2	Dead	Dead	Dead	Nil	N/A	<10	R	1.10	3.83
	5799		Pinus sylvestris Scots pine	100	1	5	1.0	1.0	1.0	1.0	0	2	Dead	Dead	Dead	Nil	N/A	<10	R	1.20	4.52
	5816		Acer pseudoplatanus Sycamore	165	1	11	1.0	1.0	1.0	1.0	3	3	M	Good	Self seeded growing out of boundary wall	Fell	P	<10	R	#REF!	12.32
	5817		Acer pseudoplatanus Sycamore	160	1	11	1.0	1.0	1.0	1.0	3	3	M	Good	Self seeded growing out of boundary wall	Fell	P	<10	R	#REF!	11.58
	5818		Acer pseudoplatanus Sycamore	135	1	11	0.0	2.0	1.0	1.0	3	3	M	Good	Self seeded growing out of boundary wall	Fell	P	<10	R	#REF!	8.25

**TREES FOR REMOVAL Heyford Park Nicholson's Tree Survey November 2006**

Group No	Tag	Trees removed for development reasons	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physiological Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
							N	S	E	W											
	5819		Acer pseudoplatanus Sycamore	140	1	11	2.0	0.0	1.0	1.0	3	3	M	Good	Self seeded growing out of boundary wall	Fell	P	<10	R	#REF!	8.87
	5822		Acer pseudoplatanus Sycamore	135	1	9	1.0	1.0	1.0	1.0	3	3	Y	Good	Fork with included bark, significant squirrel damage	Nil	N/A	10-20	R	#REF!	8.25
	5828		Acer pseudoplatanus Sycamore	120	1	6	3.0	0.0	2.0	0.0	2	5	Y	Good	Suppressed by 5827	Fell	P	<10	R	#REF!	6.52
	5829		Acer pseudoplatanus Sycamore	110	1	12	0.0	3.0	3.0	0.0	3	4	M	Good	Potential included bark in crown. Significant squirrel damage	Nil	N/A	<10	R	#REF!	5.47
	5847		Acer pseudoplatanus Sycamore	115	1	10	2.0	0.0	1.0	2.0	2	3	Y	Fair	Rubbing branch from 5846 causing damage to main stem	Fell	P	<10	R	#REF!	5.98
	5859	R	Sycamore	132	MS	10	4.0	2.0	4.0	4.0	3	5	SM	Good	Twin stem at gl with very weak fork distorting round tank wall	nwr but limited rooting due to tank no long term future	N/A	20-40	C2	5.58	5.47
	5860	R	Sycamore	138	MS	11	3.0	4.0	4.0	4.0	3	3	SM	Good	Twin stem at gl with very weak fork distorting round tank wall	nwr but limited rooting due to tank no long term future	N/A	20-40	C2	4.22	5.98
	5861	R	Sycamore	123	1	10	3.0	2.0	3.0	3.0	4	5	SM	Good	Distorting round tank wall	nwr but limited rooting due to tank no long term future	N/A	20-40	C2	4.54	6.85
	5862	R	Sycamore	115	1	10	4.0	1.0	3.0	3.0	4	3	SM	Good	Distorting round tank wall	nwr but limited rooting due to tank no long term future	N/A	20-40	C2	4.34	5.98
	5863	R	Wild Cherry	114	MS	8	3.0	3.0	3.0	3.0	2	3	SM	Good	Being strangled at base due to growing through support wires distorting round tank wall	nwr but limited rooting due to tank no long term future	N/A	10 to 20	C2	3.00	4.08
	5864	R	Sycamore	125	1	10	3.0	3.0	3.0	3.0	3	5	SM	Good	Distorting round tank wall	nwr but limited rooting due to tank no long term future		20-40	C2	4.55	7.07