





- Contractors must check all dimensions on site. Only figured dimensions are to be worked from. Discrepancies must be reported to the Architect or Engineer before proceeding. © This drawing is copyright
- Reproduced from OS Sitemap © by permission of Ordnance Survey® on behalf of The Controller of Her Majesty's Stationery Office. © Crown copyright 2008. All rights reserved. Licence number 100007126.
- Existing drainage invert level, cover level and pipe sizes taken from survey information. Not all drainage connections have been proven and some invert levels are marked as assumed.
- Further survey may be required to locate pipes.
- Pipe lengths to be abandoned to be CCTV'd to ensure no further saddle connections/buried manholes are adversely affected.
- Cover levels through the proposed development are subject to detailed design and may change from that shown.
- Contractor to confirm all ILS prior to commencement including upstream and downstream MHs.
- Refer to drawing HEYF/5/440, HEYF/5/441 and HEYF/5/445 for continuation of drainage.
- Refer to drawing HEYF/5/443 for MH schedule.
- Surface water storage tanks to be constructed from 1m x 0.4 x 0.5m Aquacell core units by Wavin or similar approved. Min cover without concrete protection is 0.6m in trafficked areas and 0.3m in soft landscaped areas.
- 2.0m deep root guard for all adoptable drainage within close proximity to existing trees



Revision	Description	Drawn	Checked	Date
A	Additional survey levels added in vicinity of proposed pond	AT	JF	31.03.14
B	SE17 and F41a relocated, F40a removed	AT	JF	18.03.14
C	F43 and F43a removed	AT	JF	07.03.14
D	Proposed rising main removed at clients request	AT	JF	28.02.14
E	F43a cover levels amended	AT	JF	24.02.14
F	Proposed foul and surface water north of parcel D1b amended	AT	JF	18.02.14
G	Pond indicated in vicinity of outfall	AT	JF	17.02.14
H	Existing manhole upstream of SE114 moved out of kerbline. Tank east of SE21 amended.	AT	JF	21.01.14
I	SE20-SE21 pipe size reduced	AT	JF	05.12.13
J	Primary run downstream of SE111 amended	AT	JF	26.11.13
K	SC9 dropped by 10mm. Surface water manholes in vicinity of parcel D1b revised	AT	JF	01.11.13
L	Foul run downstream of F40 amended. S19 relocated	AT	JF	02.09.13
M	S19 cover level and gradients in and out amended. Culvert to be abandoned indicated	AT	JF	29.08.13
N	S141 moved, foul network amended to suit latest parcel layout	AT	JF	29.08.13

Woods Hardwick
Architects, Engineers and Development Consultants

15-17 Goldington Road
Bedford
MK40 3NH
United Kingdom
T. +44 (0)1234 268862
F. +44 (0)1234 263034
mail@woods-hardwick.com
www.woods-hardwick.com

Title: UPPER HEYFORD

Details: EASTERN FLYING FIELD DIVERSION SCHEME A
GENERAL ARRANGEMENT (SHEET 3 OF 4)

Scale: 1:500 @ A1 Date: JULY 2013 Drawn: JGF Chk: IDB

Please consider the environment before printing this drawing

HEYF/5/442 N