

Trees to be Retained

Group No	Tag	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physio-logical Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
						N	S	E	W											
	1	Acer pseudoplatanus Sycamore	669	1	17	5	2	3	6	2	6	M	Good	Av multiple stems from 2m	Deadwood	P	40+	A1	8.03	202.5
	2	Acer pseudoplatanus Sycamore	293	1	17	1	1	5	6	2	5	M	Fair	Av suppressed	Nil	N/A	20-40	C1	3.52	38.84
	3	Acer pseudoplatanus Sycamore	635	1	17	2	3	5	7	2	6	M	Fair	Average condition	Deadwood	P	40+	A1	7.62	182.44
	4	Acer pseudoplatanus Sycamore	671	1	17	2.5	4	4	10	2	6	M	Fair	Av small decay pocket in main fork at 1.6m	Nil	N/A	40+	A1	8.05	203.71
	6	Acer pseudoplatanus Sycamore	459	1	17	2.5	1	5	10	2	7	M	Fair	Average condition	Deadwood	P	40+	A1	5.51	95.32
	7	Acer pseudoplatanus Sycamore	704	1	17	4	4	6	11	2	8	M	Fair	Av tight fork at 3m included bark	Nil	N/A	40+	A1	8.45	224.24
	8	Acer pseudoplatanus Sycamore	717	1	17	3	3	4	10	2	6	M	Fair	Av tight fork at 6m included bark potential recent movement	Inspect fork	P	20-40	B1	8.6	232.6
	9	Acer pseudoplatanus Sycamore	722	1	17	2	6	4.5	6	2	7	M	Fair	Av tight forks at2 & 3m included bark	Deadwood	P	40+	A1	8.66	235.85
	10	Acer pseudoplatanus Sycamore	656	1	17	2	6	10	5	2	6	M	Fair	Av minor buttress damage w	Nil	N/A	40+	A1	7.87	194.7
	11	Acer pseudoplatanus Sycamore	351	1	17	1	2	4	4	2	11	M	Fair	Average condition	Nil	N/A	20-40	B1	4.21	55.74
	12	Acer pseudoplatanus Sycamore	347	1	17	1	2	5	2	2	12	M	Fair	Average condition	Nil	N/A	20-40	B1	4.16	54.48
	13	Acer pseudoplatanus Sycamore	460	1	17	4	5	10	5	2	9	M	Fair	Average condition	Deadwood	P	40+	A1	5.52	95.74
	14	Acer pseudoplatanus Sycamore	570	1	17	4	2	10	5	2	7	M	Fair	Av small decay pocket in main fork at 2m	Deadwood	P	40+	A1	6.84	147
	15	Acer pseudoplatanus Sycamore	729	MS	17	1	7	11	5	2	7	M	Fair	Av minor buttress damage ne tight fork at 1.2 with 3 stems carising and decay pocket with elder growing	Nil	N/A	20-40	B1	7.29	166.98
	16	Acer pseudoplatanus Sycamore	486	1	17	1	4	9	6	2	7	M	Fair	Decay pocket in base s	Monitor	P	10-20	C1	5.83	106.87
	17	Acer pseudoplatanus Sycamore	420	1	17	2	1	10	4	2	7	M	Fair	Average condition	Nil	N/A	40+	A1	5.04	79.81
	18	Acer pseudoplatanus Sycamore	492	1	17	2	3	10	4	2	7	M	Fair	Average condition	Nil	N/A	40+	A1	5.9	109.52
	19	Acer pseudoplatanus Sycamore	523	1	17	2	3	10	6	2	7	M	Fair	Average condition	Nil	N/A	40+	A1	6.28	123.76
	20	Acer pseudoplatanus Sycamore	550	1	17	3	3	10	8	2	9	M	Fair	Av tight main fork at 3.5 with included bark	Nil	N/A	20-40	B1	6.6	136.87
	32	Chamaecyparis thyoides White Cedar	391	MS	10	1	1	1	2	0	3	M	Fair	Av tight fork at gl included bark	Nil	N/A	10	C1	3.91	48.04
	33	Chamaecyparis thyoides White Cedar	518	MS	9	1.5	1.5	1.5	1.5	0	2	M	Fair	Average condition	Nil	N/A	20-40	C1	5.18	84.31
	34	Chamaecyparis thyoides White Cedar	658	MS	10	2	2	2	2	0	n/a	M	Fair	Average condition	Nil	N/A	20-40	C1	6.58	136.04
	35	Chamaecyparis thyoides White Cedar	665	MS	10	2	2	2	2	0	n/a	M	Fair	Average condition	Nil	N/A	20-40	C1	6.65	138.95
	36	Cedrus deodara Deodar	856	MS	17	8	7	4	5	2	3	M	Good	Average condition	Nil	N/A	40+	A1	8.56	230.23
	37	Fraxinus excelsior Ash	349	1	16	3	2	1	5	2	7	M	Poor	Average condition	Nil	N/A	10-20	C1	4.19	55.11
	38	Prunus avium Cherry	315	1	16	2	3	2	4	1	8	M	Fair	Average condition	Nil	N/A	20-40	B2	3.78	44.89
	39	Aesculus hippocastanum Horse Chestnut	509	1	15	3	6	5	7	3	5	M	Good	Average central leader lost in past	Nil	N/A	40+	B2	6.11	117.22
	40	Acer pseudoplatanus Sycamore	417	1	16	6	4	4	4	3	4	M	Fair	Average condition	Nil	N/A	40+	B2	5	78.68
	42	Acer pseudoplatanus Sycamore	819	1	17	6	6	2	6	3	7	M	Fair	Multiple arising stems from 1.4 included bark and elder growth	Nil	N/A	20-40	B2	9.83	303.48
	43	Acer pseudoplatanus Sycamore	554	1	17	9	4	4	1.5	3	4	M	Fair	Average condition	Nil	N/A	40+	B2	6.65	138.86
	45	Juglans regia Walnut	451	1	15	7	7	5	7	1	7	M	Fair	Average condition	Nil	N/A	40+	B2	5.41	92.03
	50	Juglans regia Walnut	388	1	17	6	2	1	5	2	11	M	Fair	Average condition	Nil	N/A	40+	B2	4.66	68.11
	51	Acer pseudoplatanus Sycamore	738	1	17	3.5	6	2	5	3	7	M	Fair	Average condition	Nil	N/A	40+	B2	8.86	246.42
	52	Acer pseudoplatanus Sycamore	802	1	18	8	8	6	6	2	7	M	Fair	Av main fork at 4m included bark	Nil	N/A	40+	B2	9.62	291.02
	56	Aesculus hippocastanum Horse Chestnut	955	1	16	12	13	9	10	0	5	M	Good	Extended limbs to s and n (over road and bus stop	Reduce cover croad and bus stop by 25%	P	40+	B2	11.46	412.64
	57	Chamaecyparis lawsoniana Lawsons cypress	318	1	15	2	2	2	2	0	n/a	M	Fair	Gone	Nil	N/A	20-40	B2	3.82	45.75
	57	Chamaecyparis lawsoniana Lawsons cypress	318	1	15	2	2	2	2	0	n/a	M	Fair	Gone	Nil	N/A	20-40	B2	3.82	45.75
	58	Acer pseudoplatanus Sycamore	639	1	15	7	6	2	5	2	5	M	Fair	Limited wound at 1.2 w	Nil	N/A	20-40	B2	7.67	184.74
	60	Acer pseudoplatanus Sycamore	716	1	17	8	12	5	3	2	5	M	Fair	Average condition	Nil	N/A	40+	B2	8.59	231.95
	62	Acer pseudoplatanus Sycamore	518	1	16	7	7	2	3	3	5	M	Fair	Average condition	Nil	N/A	40+	B2	6.22	121.4
	63	Acer pseudoplatanus Sycamore	630	1	17	8	10	6	2	2	6	M	Fair	Average condition	Nil	N/A	40+	B2	7.56	179.58
	69	Chamaecyparis lawsoniana Lawsons cypress	484	1	17	2	2	2	2	1	3	M	Good	Gone	Nil	N/A	40+	B2	5.81	105.99
	69	Chamaecyparis lawsoniana Lawsons cypress	484	1	17	2	2	2	2	1	3	M	Good	Gone	Nil	N/A	40+	B2	5.81	105.99
	73	Aesculus hippocastanum Horse Chestnut	1126	1	15	1	7	7	8	2	8	M	Good	Av one sided due to competition with adjacent tree now removed	Nil	N/A	20-40	B2	13.51	573.65
	73	Aesculus hippocastanum Horse Chestnut	1126	1	15	1	7	7	8	2	8	M	Good	Av one sided due to competition with adjacent tree now removed	Nil	N/A	20-40	B2	13.51	573.65
	75	Acer pseudoplatanus Sycamore	826	1	17	3	2	10	9	2	8	M	Fair	Wet decay pocket in central fork 1.2m	Nil	N/A	40+	B2	9.91	308.69
	76	Chamaecyparis lawsoniana Lawsons cypress	580	MS	11	1	1	1	1	0	n/a	M	Good	Gone	Nil	N/A	40+	C1	5.8	105.7
	76	Chamaecyparis lawsoniana Lawsons cypress	580	MS	11	1	1	1	1	0	n/a	M	Good	Gone	Nil	N/A	40+	C1	5.8	105.7
	77	Chamaecyparis lawsoniana Lawsons cypress	720	MS	11	1	1	1	1	0	n/a	M	Good	Gone	Nil	N/A	40+	C1	7.2	162.88
	77	Chamaecyparis lawsoniana Lawsons cypress	720	MS	11	1	1	1	1	0	n/a	M	Good	Gone	Nil	N/A	40+	C1	7.2	162.88
	78	Chamaecyparis lawsoniana Lawsons cypress	415	1	11	1	1	1	1	0	n/a	M	Good	Gone	Nil	N/A	40+	C1	4.98	77.92
	79	Chamaecyparis lawsoniana Lawsons cypress	655	MS	11	1	1	1	1	0	n/a	M	Good	Gone	Nil	N/A	40+	C1	6.55	134.8
	79	Chamaecyparis lawsoniana Lawsons cypress	655	MS	11	1	1	1	1	0	n/a	M	Good	Gone	Nil	N/A	40+	C1	6.55	134.8
	80	Chamaecyparis lawsoniana Lawsons cypress	507	MS	11	1	1	1	1	0	n/a	M	Good	Gone	Nil	N/A	40+	C1	5.07	80.76
	86	Prunus Atropurpurea Pissards Plum	258	MS	5	4	2	5	3	1	2	M	Fair	Average condition	Nil	N/A	10-20	C1	2.58	20.91
	87	Betula alba Silver birch	378	1	11	4	5	5	6	1	4	M	Fair	Average condition	Nil	N/A	20-40	B2	4.54	64.65
	88	Prunus Atropurpurea Pissards Plum	201	1	3	4	3	4	1	1	2	M	Fair	Av stem wound at gl e	Nil	N/A	10-20	C1	2.41	18.28
	89	Betula alba Silver birch	531	1	11	5	4	3	7	2	7	M	Fair	Average condition	Nil	N/A	10-20	B2	6.37	127.57
	90	Quercus robur Pedunculate oak	106	1	7	2	1	1.5	1.5	7	3	Y	Good	Gone	Nil	N/A	40+	C1	1.27	5.08
	91	Betula alba Silver birch	582	1	11	5	3	4	5	2	4	M	Fair	Average condition	Nil	N/A	20-40	B2	6.98	153.25
	92	Betula alba Silver birch	259	1	9	3	4	3.5	6	2	3	M	Fair	Average condition	Nil	N/A	20-40	B2	3.11	30.35
	94	Betula alba Silver birch	241	1	11	3	3	3	3	2	5	M	Fair	Average condition	Nil	N/A	20-40	B2	2.89	26.28
	96	Betula alba Silver birch	312	1	11	5	2	5.5	3.5	1	6	M	Fair	Average condition	Nil	N/A	20-40	B2	3.74	44.04
	100	Acer pseudoplatanus Sycamore	930	1	17	9	9	9	9	1	4	M	Good	Average condition	Crown clean	P	40+	B1	11.16	391.32
	104	Cedrus deodara Deodar	575	1	14	6	6	5.5	4	2	4	M	Fair	Average condition	Nil	N/A	40+	A1	6.9	149.59
	105	Crataegus prunifolia Cockspur thorn	218	1	8	2	4	2	2	3	3	M	Fair	Average condition	Nil	N/A	20-40	B2	2.62	21.5
	107	Laburnum anagyroides Common laburnum	611	MS	10	3	4	3	3	0	7	M	Fair	Trunk split typical of species	Nil	N/A	20-40	B2	6.11	117.3

Trees to be Retained

Group No	Tag	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physio-logical Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
						N	S	E	W											
	109	Laburnum anagyroides Common laburnum	561	MS	8	4.5	3	3	5	0	5	M	Poor	Average condition	Nil	N/A	10-20	C1	5.61	98.89
	113	Fagus sylvatica Beech	735	1	13	9	5	10	7	2	5	M	Good	Minor bark wound 1.0 w	Nil	N/A	40+	A1	8.82	244.42
	114	Thuja plicata Western Red Cedar	504	1	14	3	3	3	3	1	5	M	Fair	Average condition	Nil	N/A	20-40	B2	6.05	114.93
	115	Prunus Atropurpurea Pissards Plum	198	1	6	3	3	3.5	1	1	2	M	Fair	Average condition	Nil	N/A	10-20	C1	2.38	17.74
	120	Betula alba Silver birch	372	1	13	4	3	4	4	2	5	M	Fair	Average condition	Nil	N/A	20-40	B2	4.46	62.61
	121	Aesculus hippocastanum Horse Chestnut	521	1	11	4.5	5	4	6	3	4	M	Good	stem bleeding 1.0 w	Nil	N/A	10-20	C1	6.25	122.81
	122	Sorbus aucuparia Rowan	218	1	7	3	3	3	1.5	0	4	M	Fair	Average condition	Nil	N/A	10-20	C1	2.62	21.5
	123	Fraxinus excelsior Ash	263	1	10	4	5	3.5	3	4	4	M	Poor	Average condition	Nil	N/A	10-20	C1	3.16	31.3
	124	Fagus sylvatica Beech	594	1	16	4	8	3	8	2	6	M	Fair	Asymmetric to west	Nil	N/A	40+	B2	7.13	159.64
	125	Acer pseudoplatanus Sycamore	770	MS	15	9	5	6	7	2	5	M	Fair	Included bark at gl	Nil	N/A	40+	B2	7.7	186.29
	127	Pinus sylvestris Scots pine	351	1	14	1	5	2	3	0	7	M	Fair	Average condition	Deadwood	P	40+	B2	4.21	55.74
	128	Acer pseudoplatanus Sycamore	600	1	13	3	6	5.5	4	3	7	M	Fair	Included bark at gl	Nil	N/A	20-40	B2	7.2	162.88
	129	Acer platanoides Norway maple	601	1	13	7	8	7	7	2	3	M	Good	Average condition	Nil	N/A	40+	B1	7.21	163.42
	130	Pinus sylvestris Scots pine	320	1	9	3	3	3.5	2.5	1	4	M	Fair	Average condition	Nil	N/A	20-40	B2	3.84	46.33
	131	Acer pseudoplatanus Sycamore	593	MS	15	7	5	1	9	2	5	M	Fair	Average condition	Nil	N/A	20-40	B2	5.93	110.49
	132	Acer pseudoplatanus Sycamore	860	1	16	1	7	5	5	2	5	M	Fair	Average condition	Nil	N/A	20-40	B2	10.32	334.63
	133	Acer pseudoplatanus Sycamore	477	1	16	8	1	6	4	2	5	M	Fair	Average condition	Nil	N/A	20-40	B2	5.72	102.95
	136	Acer pseudoplatanus Sycamore	498	1	16	6	6	5	4	2	6	M	Fair	Average condition	Crown clean	P	40+	B2	5.98	112.21
	138	Acer pseudoplatanus Sycamore	598	1	16	6	7	6	6	2	7	M	Fair	Average condition	Nil	N/A	40+	B2	7.18	161.8
	139	Acer pseudoplatanus Sycamore	391	1	16	2	7	4	2	2	5	M	Fair	Average condition	Crown clean	P	40+	B2	4.69	69.17
	140	Acer pseudoplatanus Sycamore	717	MS	16	4	7	4	5	2	5	M	Fair	Average condition	Nil	N/A	20-40	B2	7.17	161.53
	141	Acer pseudoplatanus Sycamore	528	1	15	6	3	4	7	2	7	M	Fair	Average condition	Nil	N/A	40+	B2	6.34	126.14
	142	Acer pseudoplatanus Sycamore	462	1	15	6	2	6	2	2	7	M	Fair	Average condition	Nil	N/A	40+	B2	5.54	96.57
	143	Acer pseudoplatanus Sycamore	400	1	14	5	2	1	6	2	4	M	Fair	Average condition	Nil	N/A	40+	B2	4.8	72.39
	144	Robinia pseudoacacia False acacia	314	1	9	4	4	4	4	2	5	M	Fair	Average condition	Nil	N/A	20-40	B2	3.77	44.61
	145	Robinia pseudoacacia False acacia	445	1	12	3.5	4.5	4	4	2	5	M	Fair	Average condition	Nil	N/A	20-40	B2	5.34	89.6
	146	Sorbus aucuparia Rowan	209	1	9	3	3	3	3	0	4	M	Fair	Average condition	Nil	N/A	20-40	C1	2.51	19.76
	147	Sorbus aucuparia Rowan	162	1	7	3	3	3	3	0	4	M	Fair	Average condition	Nil	N/A	20-40	C1	1.94	11.87
	150	Prunus avium Cherry	201	1	5	3	5	4	4	0	2	M	Fair	Average condition	Nil	N/A	10-20	C1	2.41	18.28
	152	Malus domestica Apple	89	1	4	1	1	2	1	1	1.5	M	Fair	Average condition	Nil	N/A	10-20	C1	1.07	3.58
	153	Pinus sylvestris Scots pine	553	1	16	3	5	3	5	0	8	M	Fair	Average condition	Nil	N/A	20-40	B1	6.64	138.36
	154	Fagus sylvatica Beech	840	1	17	3	7	7	8	1	9	M	Fair	included bark at 1.0 in main forkgl	Nil	N/A	40+	B1	10.08	319.25
	155	Aesculus hippocastanum Horse Chestnut	763	1	13	5	7	7.5	7	1	5	M	Fair	Average condition	Nil	N/A	20-40	B2	9.16	263.4
	156	Crataegus monogyna Hawthorn	527	1	9	5	3	3	4	1	4	M	Fair	Average condition	Nil	N/A	20-40	B3	6.32	125.66
	157	Acer pseudoplatanus Sycamore	665	1	15	6	8	6	6	2	5	M	Fair	Wound on s stem at 3.0 1.0x100	Nil	N/A	20-40	B2	7.98	200.08
	158	Acer pseudoplatanus Sycamore	508	1	15	7	6	6	6	2	4	M	Fair	Average condition	Nil	N/A	40+	B2	6.1	116.76
	162	Betula alba Silver birch	441	1	15	5	5	5	5	0	3.5	M	Good	Average condition	Nil	N/A	20-40	B2	5.29	87.99
	165	Crataegus monogyna Hawthorn	267	MS	7	3	3	4	3	0	3	M	Fair	Average condition	Nil	N/A	20-40	B2	2.67	22.4
	166	Betula alba Silver birch	269	1	12	3	5	2	4	0	5	M	Poor	Average condition	Nil	N/A	10-20	C2	3.23	32.74
	167	Crataegus monogyna Hawthorn	274	MS	7	3	3	2	5	0	3.5	M	Fair	Average condition	Nil	N/A	20-40	B2	2.74	23.59
	168	Betula alba Silver birch	337	1	12	4	6	5	5	0	3.5	M	Fair	Average condition	Nil	N/A	20-40	B2	4.04	51.38
	169	Sorbus aucuparia Rowan	87	1	4	1	1	1	1	2	2	SM	Fair	Average condition	Nil	N/A	20-40	C2	1.04	3.42
	170	Betula alba Silver birch	214	1	10	3	3	3	3	0	4	M	Fair	Average condition	Nil	N/A	20-40	B2	2.57	20.72
	172	Prunus Atropurpurea Pissards Plum	304	MS	8	3	4	3.5	2	0	3	M	Fair	Basal wound n Pt ffb	Nil	N/A	10-20	B2	3.04	29.04
	173	Betula alba Silver birch	338	1	12	3	5	4	5	0	4	M	Fair	Average condition	Nil	N/A	20-40	B2	4.06	51.69
	174	Prunus Atropurpurea Pissards Plum	463	MS	7	5	5	4	3	0	3	M	Fair	Split at gl decay in n stem	Nil	N/A	10-20	B2	4.63	67.35
	175	Betula alba Silver birch	529	MS	13	5	3	5	4	0	7	M	Fair	Decay pocket in union 1.0	Nil	N/A	10-20	B2	5.29	87.93
	176	Prunus avium Cherry	320	1	8	3	4	4	3	0	3	M	Poor	Average condition	Nil	N/A	10-20	C2	3.84	46.33
	179	Prunus avium Cherry	220	1	7	3	4	3	2	0	3	M	Fair	Average condition	Nil	N/A	20-40	B2	2.64	21.9
	180	Prunus avium Cherry	319	1	9	4	5	5	3	0	5	M	Fair	Average condition	Nil	N/A	20-40	B2	3.83	46.04
	183	Crataegus monogyna Hawthorn	247	1	8	2.5	2	3	2	0	4	M	Fair	Average condition	Nil	N/A	10-20	C2	2.96	27.6
	185	Malus domestica Apple	310	1	7	4	3	3	4	0	3	M	Poor	Average condition	Nil	N/A	10-20	C2	3.72	43.48
	186	Acer pseudoplatanus Sycamore	488	1	15	7	5	4	7	2	6	M	Fair	Average condition	Nil	N/A	40+	B2	5.86	107.75
	187	Acer pseudoplatanus Sycamore	316	1	12	5	5	1	5	2	6	M	Fair	Average condition	Nil	N/A	40+	B2	3.79	45.18
	188	Fagus sylvatica Beech	580	1	14	6	6	8	4	2	5	M	Fair	Average condition	Nil	N/A	40+	B2	6.96	152.2
	189	Fagus sylvatica Beech	669	1	14	8	8	4	7	2	7	M	Good	Average condition	Nil	N/A	40+	B2	8.03	202.5
	192	Betula alba Silver birch	292	1	9	2	5	3	4	0	3	M	Fair	Average condition	Nil	N/A	10-20	C2	3.5	38.58
	194	Crataegus monogyna Hawthorn	382	MS	7	3	3	3	3	0	3	M	Fair	Average condition	Nil	N/A	20-40	B2	3.82	45.85
	203	Betula alba Silver birch	168	1	8	2	2	2	2	0	3	M	Poor	Average condition	Nil	N/A	10-20	C2	2.02	12.77
	205	Betula alba Silver birch	345	1	12	3	5	4	2	0	7	M	Fair	Average condition	Nil	N/A	10-20	C2	4.14	53.85
	206	Crataegus prunifolia Cockspur thorn	194	1	5	4	5	2	6	1	3	M	Fair	Average condition	Nil	N/A	10-20	C2	2.33	17.03
	208	Prunus Flowering Cherry	368	1	7	4	2	1	6	1	3	M	Fair	Significant cavity in stem s	Nil	N/A	10-20	C2	4.42	61.27
	210	Betula alba Silver birch	505	1	14	5	4	4	6	1	6	M	Fair	Average condition	Nil	N/A	20-40	B2	6.06	115.39
	211	Prunus avium Cherry	455	MS	11	2	4	3.5	4	1	4	M	Fair	Average condition	Nil	N/A	20-40	B2	4.55	65.05
	212	Acer pseudoplatanus Sycamore	267	1	10	5	3	3.5	4	3	2	M	Fair	Average condition	Nil	N/A	40+	B2	3.2	32.25
	213	Prunus avium Cherry	512	1	10	5	6	5	6	0	5	M	Fair	Included bark and cavity in main fork	Nil	N/A	10-20	B2	6.14	118.61
	214	Chamaecyparis lawsoniana Lawsons cypress	340	1	13	3	3	3	3	1	0	M	Good	Average condition	Nil	N/A	20-40	B2	4.08	52.3
	215	Acer platanoides Norway maple	369	1	14	3	4	6	4	2	7	M	Fair	Average condition	Nil	N/A	40+	B2	4.43	61.61
	216	Acer platanoides Norway maple	449	1	14	4.5	7	4	4	2	7	M	Fair	Stem wound at 1.2n	Nil	N/A	40+	B2	5.39	91.21
	217	Acer platanoides Norway maple	531	1	14	8	6	6.5	6	2	8	M	Fair	Large hooked limbs at 3.0e and 5.0 n	Nil	N/A	20-40	B2	6.37	127.57
	221	Betula alba Silver birch	244	1	12	1	3	2	4	0	3	M	Fair	Average condition	Nil	N/A	10-20	B2	2.93	26.94
	222	Prunus avium Cherry	437	1	8	3	7	7	6	0	4	M	Fair	Average condition	Nil	N/A	10-20	B2	5.24	86.4
	223	Crataegus monogyna Hawthorn	281	MS	7	3	2	1	4	0	3	M	Fair	Average condition	Nil	N/A	10-20	B2	2.81	24.81
	224	Betula alba Silver birch	478	1	13	5	5	6	4	0	3	M	Fair	Average condition	Nil	N/A	20-40	B2	5.74	103.38
	226	Sorbus intermedia Swedish Whitebeam	534	1	11	4	5	5	4	1	4	M	Fair	Average condition	Nil	N/A	20-40	B2	6.41	129.02
	227	Crataegus monogyna Hawthorn	100	1	4	1	2	1	2	2	3	SM	Fair	Average condition	Nil	N/A	20-40	C2	1.2	4.52

Trees to be Retained

Group No	Tag	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physio-logical Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
						N	S	E	W											
	228	Sorbus intermedia Swedish Whitebeam	637	1	11	3.5	5	4	4	1	4	M	Fair	Average condition	Nil	N/A	10-20	B2	7.64	183.59
	234	Sorbus intermedia Swedish Whitebeam	449	1	9	4	4	4	3	1	4	M	Fair	Average condition	Nil	N/A	20-40	B2	5.39	91.21
	235	Sorbus intermedia Swedish Whitebeam	584	1	9	4	4	5	3	1	4	M	Fair	Average condition	Nil	N/A	20-40	B2	7.01	154.31
	236	Sorbus intermedia Swedish Whitebeam	546	1	10	4	3	4	3	1	4	M	Fair	Large basal wound w large stem wound 1.5w	Nil	N/A	10-20	B2	6.55	134.88
	241	Betula alba Silver birch	343	1	12	2	4	5	5	0	7	M	Fair	Stem wound at 0.5w	Nil	N/A	10-20	C2	4.12	53.23
	242	Betula alba Silver birch	229	1	9	1	3	4	3	0	5	M	Fair	Average condition	Nil	N/A	10-20	C2	2.75	23.73
	243	Betula alba Silver birch	476	1	12	7	6	6	4	0	6	M	Poor	Average condition	Nil	N/A	10-20	C2	5.71	102.51
	245	Prunus avium Cherry	260	1	7	6	3	2	5	1	5	M	Fair	Average condition	Nil	N/A	10-20	C2	3.12	30.59
	246	Crataegus monogyna Hawthorn	247	1	7	3	3	4	3	0	3	M	Fair	Average condition	Nil	N/A	10-20	C2	2.96	27.6
	250	Betula alba Silver birch	306	1	13	2	3	5.5	2	0	6	M	Fair	Average condition	Nil	N/A	20-40	B2	3.67	42.37
	254	Acer platanoides Norway maple	542	1	14	6	6	7	7	2	6	M	Fair	Average condition	Nil	N/A	40+	B2	6.5	132.91
	255	Populus nigra Italica Lombardy Poplar	323	1	21	2	4	3	3	1	8	M	Fair	Average condition	Nil	N/A	20-40	B2	3.88	47.2
	256	Acer pseudoplatanus Sycamore	434	1	14	2	7	7	5	2	6	M	Fair	Average condition	Nil	N/A	40+	B2	5.21	85.22
	257	Thuja plicata Western Red Cedar	535	1	16	3	5	3	5	1	4	M	Fair	Basal wound n	Nil	N/A	20-40	B2	6.42	129.5
	262	Sorbus intermedia Swedish Whitebeam	461	1	10	4	4	4	5	0	4	M	Fair	Average condition	Nil	N/A	20-40	B2	5.53	96.15
	265	Betula alba Silver birch	399	1	11	5	3	4	4	1	5	M	Fair	Average condition	Nil	N/A	20-40	B2	4.79	72.03
	267	Betula alba Silver birch	371	1	11	3	5	4	5	1	5	M	Fair	Average condition	Nil	N/A	20-40	B2	4.45	62.28
	268	Acer platanoides Norway maple	393	1	11	5	3	3	6	2	6	M	Fair	Average condition	Nil	N/A	40+	B2	4.72	69.88
	269	Fraxinus excelsior Ash	141	1	6	2	2	2	2	4	2.5	M	Fair	Lifting tree pit and surrounding paving	Nil	N/A	20-40	C2	1.69	9
	270	Acer platanoides Norway maple	397	1	11	1	5	4	5	2	7	M	Fair	Average condition	Nil	N/A	40+	B2	4.76	71.31
	273	Aesculus hippocastanum Horse Chestnut	706	1	16	6	7	7	7	2	6	M	Good	Average condition	Nil	N/A	40+	B2	8.47	225.52
	274	Betula alba Silver birch	572	1	13	4	5	4	8	1	6	M	Fair	Average condition	Nil	N/A	10-20	C2	6.86	148.03
	279	Acer pseudoplatanus Sycamore	557	1	12	4	4	3.5	5	1	7	M	Fair	Significant basal wound	Full VTA	U	10-20	C2	6.68	140.37
	284	Lilac	155	MS	6	4	4	4	4	1	2	M	Fair	Average condition	Nil	N/A	10-20	C2	1.55	7.55
	286	Fraxinus excelsior Ash	534	1	12	6	6	6	6	2	3	M	Fair	Average condition	Nil	N/A	20-40	B2	6.41	129.02
	292	Acer pseudoplatanus Sycamore	533	1	12	4	3	4	4	2	6	M	Fair	Average condition	Nil	N/A	20-40	B2	6.4	128.54
	296	Prunus cerasifera Myrobalan Plum	364	MS	10	4	3	4	4	1	4	M	Fair	Average condition	Nil	N/A	10-20	C2	3.64	41.63
	304	Fagus sylvatica Beech	447	1	16	3	4	3	5	2	6	M	Fair	Significant stem wound at gl to 1.5 n major dead limb 4.0w	Crown clean	P	20-40	B2	5.36	90.4
	305	Acer pseudoplatanus Sycamore	548	MS	12	1	7	8	2	2	4	M	Fair	V tight main fork at 0.5 included bark	Nil	N/A	20-40	B2	5.48	94.36
	306	Acer pseudoplatanus Sycamore	557	1	15	5.5	3	8	3	2	5	M	Fair	Average condition	Nil	N/A	20-40	B2	6.68	140.37
	309	Populus nigra Italica Lombardy Poplar	709	1	19	5	4	3	3	1	5	M	Fair	Average condition	Nil	N/A	20-40	B2	8.51	227.44
	311	Betula alba Silver birch	396	MS	10	5	5	2	5	1	4	M	Fair	Average condition	Nil	N/A	10-20	C2	3.96	49.27
	313	Crataegus monogyna Hawthorn	345	MS	4	4	4	4	4	1	2	M	Fair	Average condition	Nil	N/A	20-40	C2	3.45	37.4
	314	Betula alba Silver birch	354	1	11	1	6	4	5	1	5	M	Fair	Average condition	Nil	N/A	20-40	B2	4.25	56.7
	315	Betula alba Silver birch	394	1	11	6	5	6	6	1	5	M	Fair	Minor decay in main fork scar on top of se stem	Nil	N/A	10-20	C2	4.73	70.24
	316	Chamaecyparis lawsoniana Lawsons cypress	480	MS	6	1	1	1	1	0.5	gl	M	Fair	Average condition	Nil	N/A	20-40	C2	4.8	72.39
	317	Chamaecyparis lawsoniana Lawsons cypress	358	MS	5	1	1	1	1	0.5	gl	M	Fair	Average condition	Nil	N/A	20-40	C2	3.58	40.27
	318	Crataegus monogyna Hawthorn	343	MS	9	3	3	3.5	2	1	4	M	Fair	Average condition	Nil	N/A	20-40	B2	3.43	36.97
	320	Betula alba Silver birch	394	1	13	4	4	4	4	1	4	M	Fair	Average condition	Nil	N/A	20-40	B2	4.73	70.24
	322	Betula alba Silver birch	395	MS	6	2	2	2	2	4	na	SM	Fair	Coppice stool	Nil	N/A	20-40	C2	3.95	49.02
	323	Betula alba Silver birch	340	1	10	3	4	3	3	2	4	M	Fair	Average condition	Nil	N/A	20-40	B2	4.08	52.3
	324	Acer platanoides Norway maple	516	1	9	5	5	5	4	2	4	M	Fair	Average condition	Nil	N/A	20-40	B2	6.19	120.47
	326	Betula alba Silver birch	371	1	9	5	3	5	3	1	6	M	Fair	Average condition	Nil	N/A	20-40	B2	4.45	62.28
	327	Betula alba Silver birch	296	1	9	4	4	2	5	1	4	M	Fair	Average condition	Nil	N/A	20-40	B2	3.55	39.64
	328	Crataegus monogyna Hawthorn	287	MS	5	3	3	3	1	1	3	M	Fair	Average condition	Nil	N/A	20-40	B2	2.87	25.88
	329	Crataegus monogyna Hawthorn	325	1	6	3	3	3	3	1	3	M	Fair	Average condition	Nil	N/A	20-40	B2	3.9	47.79
	330	Chamaecyparis thoides White Cedar	254	1	9	2	2	2	2	1	2	M	Fair	Average condition	Nil	N/A	20-40	C2	3.05	29.19
	332	Betula alba Silver birch	403	1	11	6	3	3	5	1	6	M	Fair	Average condition	Nil	N/A	20-40	B2	4.84	73.48
	333	Betula alba Silver birch	389	1	10	0	7	5	0	1	6	M	Fair	Average condition	Nil	N/A	20-40	B2	4.67	68.46
	334	Crataegus monogyna Hawthorn	241	1	7	4	2	3	3	1	4	M	Fair	Average condition	Nil	N/A	20-40	B2	2.89	26.28
	335	Betula alba Silver birch	185	1	9	3	1	4	0	1	4	M	Fair	Average condition	Nil	N/A	20-40	C2	2.22	15.49
	336	Betula alba Silver birch	224	1	8	2	3	3	2	1	3	M	Fair	Average condition	Nil	N/A	20-40	B2	2.69	22.7
	338	Tilia europaea Common Lime	360	1	10	4	5	4	5	2	5	M	Fair	Average condition	Nil	N/A	40+	B2	4.32	58.64
	341	Populus nigra Italica Lombardy Poplar	666	1	19	4	3	5	2	1	5	M	Fair	Average condition	Nil	N/A	20-40	B2	7.99	200.69
	342	Populus nigra Italica Lombardy Poplar	622	1	16	3	2	3	2	1	5	M	Fair	Average condition	Nil	N/A	20-40	B2	7.46	175.04
	343	Carpinus betulus Hornbeam	250	1	9	2.5	2.5	2	4	3	4	M	Fair	Average condition	Nil	N/A	40+	B2	3	28.28
	344	Populus nigra Italica Lombardy Poplar	708	1	20	3	3	3.5	3	1	4	M	Fair	Average condition	Nil	N/A	20-40	B2	8.5	226.8
	345	Populus nigra Italica Lombardy Poplar	579	1	20	3	3	3	2	1	5	M	Fair	Average condition	Nil	N/A	20-40	B2	6.95	151.68
	346	Acer pseudoplatanus Sycamore	297	1	9	3	3	3	3	3	4	M	Fair	Average condition	Nil	N/A	40+	B2	3.56	39.91
	347	Populus nigra Italica Lombardy Poplar	552	1	20	2	2.5	3	2	1	8	M	Fair	Average condition	Nil	N/A	20-40	B2	6.62	137.86
	348	Populus nigra Italica Lombardy Poplar	559	1	20	3	2	3	2	1	5	M	Fair	Average condition	Nil	N/A	20-40	B2	6.71	141.38
	350	Populus nigra Italica Lombardy Poplar	385	1	20	2	2	2	2	1	11	M	Fair	Average condition	Nil	N/A	20-40	B2	4.62	67.06
	351	Populus nigra Italica Lombardy Poplar	579	1	18	3	2	6	1	1	6	M	Fair	Average condition	Nil	N/A	20-40	B2	6.95	151.68
	352	Populus nigra Italica Lombardy Poplar	438	1	21	2	2	2	1	1	10	M	Fair	Major dead wood	Crown clean	U	20-40	B2	5.26	86.8
	353	Populus nigra Italica Lombardy Poplar	560	1	18	5	2	3	4	1	7	M	Fair	Major dead wood	Crown clean	U	20-40	B2	6.72	141.89
	354	Fraxinus excelsior Ash	429	MS	5	2	2	2	2	5	2	SM	Fair	Coppice stool	Nil	N/A	40+	C2	4.29	57.83
	356	Crataegus monogyna Hawthorn	238	MS	4	3	3	3	3	0	2	M	Fair	Average condition	Nil	N/A	10-20	C2	2.38	17.8
	357	Crataegus monogyna Hawthorn	250	1	5	4	4	4	4	0	2	M	Fair	Average condition	Nil	N/A	10-20	C2	3	28.28
	358	Betula alba Silver birch	366	1	7	5	5	5	5	0	2	M	Fair	Decay pocket in main stem	Nil	N/A	10-20	C2	4.39	60.61
	359	Acer pseudoplatanus Sycamore	619	1	15	4.5	6	5	5	2	5	M	Fair	Average condition	Nil	N/A	40+	B2	7.43	173.36
	360	Pinus sylvestris Scots pine	463	1	11	6	4	5	5	0	7	M	Fair	Average condition	Nil	N/A	20-40	B2	5.56	96.99
	362	Pinus sylvestris Scots pine	286	1	10	4	2	2	3	0	5	M	Fair	Average condition	Nil	N/A	20-40	B2	3.43	37.01
	364	Crataegus monogyna Hawthorn	424	1	8	3	3	3	3	0	2	M	Fair	Average condition	Nil	N/A	40+	B2	5.09	81.34
	365	Crataegus monogyna Hawthorn	242	1	6	2	2	2	2	0	2	M	Fair	Average condition	Nil	N/A	20-40	C2	2.9	26.5

Trees to be Retained

Group No	Tag	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physio-logical Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
						N	S	E	W											
	369	Pinus sylvestris Scots pine	704	1	15	3	4	4	4.5	0	8	M	Fair	Average condition	Nil	N/A	20-40	B2	8.45	224.24
	371	Acer pseudoplatanus Sycamore	431	1	14	5	5	5	4	2	5	M	Fair	Average condition	Nil	N/A	40+	B2	5.17	84.05
	372	Acer pseudoplatanus Sycamore	600	1	14	2	8	5	5	2	5	M	Fair	Basal wound gl s	Nil	N/A	20-40	B2	7.2	162.88
	375	Acer pseudoplatanus Sycamore	455	1	11	4	6	3	5	2	5	M	Fair	Average condition	Nil	N/A	40+	B2	5.46	93.67
	376	Quercus ilex Holm Oak	1380	MS	12	6	5	6	5	3	4	M	Fair	Significant decay in central stem stems widely spaced on coppice stool	Remove central stem	U	40+	B2	13.8	598.36
	377	Fraxinus excelsior Ash	601	1	14	7	7	7	9	1	5	M	Fair							
	381	Pinus sylvestris Scots pine	692	MS	13	4	6	4	6	0	7	M	Fair	Average condition	Nil	N/A	20-40	B2	6.92	150.46
	382	Fraxinus excelsior Ash	173	MS	5	3	3	3	3	4	1	SM	Fair	Average condition	Nil	N/A	40+	C2	1.73	9.4
	384	Fraxinus excelsior Ash	449	1	14	3	4	2	3	2	6	M	Fair	Average condition	Nil	N/A	40+	B2	5.39	91.21
	385	Pinus sylvestris Scots pine	732	1	14	6	3	4	4	0	6	M	Fair	Average condition	Nil	N/A	20-40	B2	8.78	242.43
	386	Pinus sylvestris Scots pine	696	1	15	5	5	6	5	0	8	M	Fair	Average condition	Nil	N/A	20-40	B2	8.35	219.17
	387	Pinus sylvestris Scots pine	790	1	14	7	5	7	4	0	8	M	Fair	Average condition	Nil	N/A	20-40	B2	9.48	282.37
	388	Fraxinus excelsior Ash	381	1	12	4	2	2	3	2	6	M	Fair	Average condition	Nil	N/A	40+	B2	4.57	65.68
	389	Pinus sylvestris Scots pine	381	1	12	2	4	2	3	0	6	M	Fair	Average condition	Nil	N/A	20-40	B2	4.57	65.68
	391	Fagus sylvatica Beech	920	1	15	7	8	8	6	0	6	M	Poor	Average condition	Nil	N/A	10-20	C2	11.04	382.95
	392	Pinus sylvestris Scots pine	701	1	15	5	4	1	2	0	10	M	Fair	Average condition	Nil	N/A	20-40	B2	8.41	222.33
	393	Fraxinus excelsior Ash	557	1	14	4	8	4	6	1	7	M	Fair	Average condition	Nil	N/A	20-40	B2	6.68	140.37
	394	Taxus baccata Yew	392	1	6	4	4	4	4	1	2	M	Fair	Average condition	Nil	N/A	40+	B2	4.7	69.52
	395	Fraxinus excelsior Ash	595	1	15	6	6	6	6	1	6	M	Fair	Average condition	Nil	N/A	40+	B2	7.14	160.18
	397	Pinus sylvestris Scots pine	548	1	12	3	3	8	0	0	8	M	Fair	Leaning to e	Nil	N/A	10-20	C2	6.58	135.87
	399	Acer pseudoplatanus Sycamore	1020	MS	12	5	5	5	5	2	6	M	Fair	Average condition	Nil	N/A	20-40	B2	10.2	326.89
	400	Pinus sylvestris Scots pine	542	1	14	5	5	2	5	0	4	M	Fair	Average condition	Nil	N/A	20-40	B2	6.5	132.91
	401	Acer pseudoplatanus Sycamore	420	1	12	4	4	1	4	2	5	M	Fair	Average condition	Nil	N/A	40+	B2	5.04	79.81
	402	Acer pseudoplatanus Sycamore	358	1	13	4	4	4	1	2	6	M	Fair	Average condition	Nil	N/A	40+	B2	4.3	57.99
	403	Acer pseudoplatanus Sycamore	689	1	12	5	2	2	2	1	6	M	Fair	Dead in top	remove dead	P	20-40	B2	8.27	214.79
	404	Acer pseudoplatanus Sycamore	353	1	12	3	3	3	3	2	4	M	Fair	Average condition	Nil	N/A	40+	B2	4.24	56.38
	405	Pinus sylvestris Scots pine	681	1	14	4	4	5	4	0	8	M	Fair	Average condition	Nil	N/A	20-40	B2	8.17	209.83
	406	Pinus sylvestris Scots pine	730	1	14	4	2	3	3	0	7	M	Fair	Average condition	Nil	N/A	20-40	B2	8.76	241.11
	407	Pinus sylvestris Scots pine	764	1	15	4	4	4	4	0	8	M	Fair	Average condition	Nil	N/A	20-40	B2	9.17	264.09
	408	Fraxinus excelsior Ash	546	MS	9	3	2	3	3	3	2	M	Fair	Growing on edge of bunker entrance	Nil	N/A	20-40	C2	5.46	93.67
	409	Acer pseudoplatanus Sycamore	471	1	12	5	5	3	6	2	4	M	Fair	Average condition	Nil	N/A	40+	B2	5.65	100.37
	410	Acer pseudoplatanus Sycamore	821	1	14	8	7	3	3	2	8	M	Fair	Ivy clad stem	Cut ivy to allow full inspection	P	20-40	B2	9.85	304.97
	411	Aesculus hippocastanum Horse Chestnut	805	1	13	8	6	6	5	0	6	M	Fair	Basal decay n stem cavity 3.0 n						
	412	Fraxinus excelsior Ash	458	1	15	4	5	4	6	2	6	M	Fair	aav	Nil	N/A	40+	B2	5.5	94.91
	414	Fraxinus excelsior Ash	555	1	16	3	5	5	4	2	5	M	Fair	Average condition	Nil	N/A	40+	B2	6.66	139.37
	415	Fraxinus excelsior Ash	675	1	15	6	7	4	4	1	9	M	Fair	Ivy clad stem	Cut ivy to allow full inspection	P	20-40	B2	8.1	206.15
	416	Fraxinus excelsior Ash	835	1	15	8	8	8	8	0	5	M	Fair	Average condition						
	418	Larix eurolepis European Larch	343	1	13	3	3	3	3	0	5	M	Fair	Average condition	Nil	N/A	20-40	B2	4.12	53.23
	419	Fraxinus excelsior Ash	464	1	13	5	5	5	5	2	6	M	Fair	Average condition	Nil	N/A	40+	B2	5.57	97.41
	422	Acer pseudoplatanus Sycamore	850	MS	9	3	3	3	3	3	2	SM	Fair	Coppice stool	Nil	N/A	20-40	C2	8.5	227.01
	423	Acer pseudoplatanus Sycamore	422	MS	9	3	3	3	3	3	2	SM	Fair	Coppice stool	Nil	N/A	20-40	C2	4.22	55.95
	424	Fraxinus excelsior Ash	190	1	9	3	2	3	3	3	4	M	Fair	Average condition	Nil	N/A	40+	C2	2.28	16.33
	425	Acer platanoides Norway maple	440	1	10	4	5	4	5	2	4	M	Fair	Average condition	Nil	N/A	20-40	B2	5.28	87.59
	429	Populus nigra Italica Lombardy Poplar	642	1	20	2	4	3	2	0	6	M	Fair	Average condition	Nil	N/A	20-40	B2	7.7	186.48
	430	Populus nigra Italica Lombardy Poplar	584	1	18	3	2	2	2	0	6	M	Fair	Average condition	Nil	N/A	20-40	B2	7.01	154.31
	431	Populus nigra Italica Lombardy Poplar	612	1	20	2	4	2	3	0	5	M	Fair	Average condition	Nil	N/A	20-40	B2	7.34	169.46
	432	Populus nigra Hybrid black poplar	571	1	19	2	3	7	2	1	10	M	Fair	Average condition	Nil	N/A	20-40	B2	6.85	147.52
	433	Populus nigra Hybrid black poplar	1136	1	19	8	6	6	8	0	6	M	Poor	Forked at 2.0	Nil	N/A	10-20	C1	13.63	583.88
	435	Populus nigra Italica Lombardy Poplar	828	1	19	5	6	4	4	2	5	M	Fair	Decay pocket in main fork at 2.0	Inspect	U	10-20	C1	9.94	310.19
	436	Populus nigra Hybrid black poplar	651	1	18	7	4	3	10	1	8	M	Fair	Average condition	Nil	N/A	10-20	C2	7.81	191.75
	438	Populus nigra Hybrid black poplar	735	1	19	6	7	4	10	1	8	M	Fair	Average condition	Nil	N/A	10-20	C2	8.82	244.42
	439	Prunus avium Cherry laurel	835	MS	6	3	6	4	4	2	n/a	M	Fair	Average condition	Nil	N/A	10-20	C2	8.35	219.07
	440	Populus nigra Hybrid black poplar	1191	MS	19	6	11	11	8	1	5	M	Fair	Main fork at 1.0 with included bark	Nil	N/A	10-20	C2	11.91	445.69
	441	Tilia europaea Common Lime	408	1	11	5	5	5	5	2	3	M	Fair	Average condition	Nil	N/A	40+	B2	4.9	75.32
	442	Prunus laurocerasus Cherry Laurel	bush																	
	443	Tilia europaea Common Lime	448	1	13	5	5	5	5	2	4	M	Fair	Average condition	Nil	N/A	40+	B2	5.38	90.81
	445	Prunus laurocerasus Cherry Laurel	bush																	
	447	Betula alba Silver birch	446	1	11	4	3	5	3	1	3	M	Fair	Stem wound 1.5 e	Nil	N/A	10-20	B2	5.35	90
	448	Betula alba Silver birch	459	1	12	4	4	5	5	1	4	M	Fair	Basal cavity	Nil	N/A	10-20	B2	5.51	95.32
	464	Prunus laurocerasus Cherry Laurel	675	MS										Bush					6.75	143.16
	466	Prunus laurocerasus Cherry Laurel	546	MS										Bush					5.46	93.67
	470	Betula alba Silver birch	571	1	15	5	7	5.5	5	1	6	M	Fair	Average condition	Nil	N/A	20-40	B2	6.85	147.52
	471	Malus domestica Apple	162	1	6	3	3	3	3	1	2	M	Fair	Average condition	Nil	N/A	10-20	C2	1.94	11.87
	474	Chamaecyparis lawsoniana Lawsons cypress	800	MS	12	3	2	2	2	1	2	M	Fair	Average condition	Nil	N/A	10-20	C2	8	201.09
	475	Chamaecyparis lawsoniana Lawsons cypress	605	MS	12	2	2	2	3	1	2	M	Fair	Average condition	Nil	N/A	10-20	C2	6.05	115.01
	476	Tilia europaea Common Lime	660	1	16	6	5	4	6	2	4	M	Fair	Average condition	Nil	N/A	40+	B2	7.92	197.09
	477	Fagus sylvatica Beech	602	1	16	5	5	5	2	2	6	M	Fair	Average condition	Nil	N/A	40+	B2	7.22	163.97
	479	Ilex aquifolium Holly	283	MS	6	2	2	2	2	1	3	M	Fair	Average condition	Nil	N/A	20-40	C2	2.83	25.16
	480	Prunus Atropurpurea Pissards Plum	336	1	8	3	2	3	3	1	3	M	Fair	Average condition	Nil	N/A	10-20	C2	4.03	51.08
	484	Chamaecyparis lawsoniana Lawsons cypress	559	1	11	2	2	3	2	1	4	M	Fair	Two principle limbs removed in past	Nil	N/A	10-20	C2	6.71	141.38
	485	Prunus avium Cherry	555	1	8	4	4	4	4	1	4	M	Fair	Main fork at 1.70 with included bark	Nil	N/A	10-20	C2	6.66	139.37
	486	Chamaecyparis lawsoniana Lawsons cypress	299	1	9	2	3	1	2	1	0.2	M	Fair	Average condition	Nil	N/A	20-40	C2	3.59	40.45
	487	Chamaecyparis lawsoniana Lawsons cypress	781	MS	9	2	3	2	1	1	1.5	M	Fair	Average condition	Nil	N/A	20-40	C2	7.81	191.65

Trees to be Retained

Group No	Tag	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physio-logical Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
						N	S	E	W											
	488	Acer pseudoplatanus Sycamore	859	MS	17	5	6	5	5	2	5	M	Fair	Forked at 1.0 4 stems deacy in union	Nil	N/A	20-40	B2	8.59	231.84
	490	Prunus Flowering Cherry	395	MS	8	4	2	2	3	1	2	M	Fair	Average condition	Nil	N/A	10-20	C2	3.95	49.02
	491	Acer pseudoplatanus Sycamore	292	1	8	4	3	4	4	3	2	M	Fair	Average condition	Nil	N/A	40+	C2	3.5	38.58
	492	Chamaecyparis lawsoniana Lawsons cypress	229	MS	6	0.5	0.5	1	0	2	2	M	Fair	Average condition	Nil	N/A	20-40	C2	2.29	16.48
	493	Cupressocyparis leylandii Leyland cypress	415	1	11	2	2	2	2	2	2	M	Fair	Average condition	Nil	N/A	20-40	C2	4.98	77.92
	494	Chamaecyparis lawsoniana Lawsons cypress	443	MS	10	2	2	2	2	2	2	M	Fair	Average condition	Nil	N/A	20-40	C2	4.43	61.66
	500	Chamaecyparis lawsoniana Lawsons cypress	489	1	11	2	2	2	2	1	3	M	Fair	Average condition	Nil	N/A	20-40	C2	5.87	108.19
	501	Chamaecyparis lawsoniana Lawsons cypress	353	1	10	1	1	1	1	1	3	M	Fair	Average condition	Nil	N/A	20-40	C2	4.24	56.38
	502	Chamaecyparis lawsoniana Lawsons cypress	493	1	11	2	2	2	2	1	3	M	Fair	Average condition	Nil	N/A	20-40	C2	5.92	109.97
	503	Crataegus monogyna Hawthorn	576	MS	7	2	2	2	2	2	3	M	Fair	Average condition	Nil	N/A	20-40	C2	5.76	104.24
	504	Crataegus monogyna Hawthorn	254	MS	6	2	2	2	2	2	3	M	Fair	Average condition	Nil	N/A	20-40	C2	2.54	20.27
	506	Acer pseudoplatanus Sycamore	325	1	8	4	2	4	4	1	3	M	Fair	Average condition	Nil	N/A	20-40	C2	3.9	47.79
	508	Crataegus monogyna Hawthorn	382	MS	7	2	3	2	2	1	2	M	Fair	Average condition	Nil	N/A	20-40	C2	3.82	45.85
	509	Acer pseudoplatanus Sycamore	561	MS	11	6	6	6	6	1	3	M	Fair	severe squirrel damage	Nil	N/A	10-20	C2	5.61	98.89
	510	Crataegus monogyna Hawthorn	341	MS	7	2	2	2	2	1	3	M	Fair	Average condition	Nil	N/A	20-40	C2	3.41	36.54
	511	Pinus sylvestris Scots pine	432	1	11	3	3	3	4	1	4	M	Fair	Average condition	Nil	N/A	40+	B2	5.18	84.44
	516	Crataegus monogyna Hawthorn	367	MS	6	2	2	3	1	0	2	OM	Fair	Average condition	Nil	N/A	10-20	C2	3.67	42.32
	517	Acer pseudoplatanus Sycamore	290	1	10	3	3	4	3	3	3	M	Fair	Average condition	Nil	N/A	40+	C2	3.48	38.05
	519	Acer pseudoplatanus Sycamore	642	1	10	6	8	7	7	1	3	M	Fair	Average condition	Nil	N/A	20-40	B2	7.7	186.48
	521	Acer pseudoplatanus Sycamore	191	1	8	3	3	3	3	4	4	M	Fair	Average condition	Nil	N/A	40+	C2	2.29	16.51
	529	Acer pseudoplatanus Sycamore	270	1	10	0	5	4	5	4	2	M	Fair	Main fork at 2.5with included bark	Nil	N/A	20-40	C2	3.24	32.98
	530	Prunus Atropurpurea Pissards Plum	161	1	6	2	2	2	2	2	2	M	Fair	Average condition	Nil	N/A	20-40	C2	1.93	11.73
	531	Prunus Flowering Cherry	114	1	4	2	2	2	2	1	1.5	M	Fair	Average condition	Nil	N/A	10-20	C2	1.37	5.88
	532	Chamaecyparis lawsoniana Lawsons cypress	394	1	10	2	2	2	2	1	0	M	Fair	Average condition	Nil	N/A	20-40	C2	4.73	70.24
	533	Chamaecyparis lawsoniana Lawsons cypress	387	1	10	2	2	2	2	1	0	M	Fair	Average condition	Nil	N/A	20-40	C2	4.64	67.76
	535	Acer pseudoplatanus Sycamore	850	MS	15	6	7	2	8	1	4	M	Fair	Multi stem from 1.0 with wet decay pockets	Nil	N/A	20-40	B2	8.5	227.01
	536	Thuja plicata Western Red Cedar	468	1	15	3	2	1	4	0	2	M	Fair	Average condition	Nil	N/A	20-40	B2	5.62	99.1
	540	Prunus Flowering Cherry	228	MS	3	4	4	5	3	1	1	M	Fair	Average condition	Nil	N/A	20-40	C2	2.28	16.33
	541	Ilex aquifolium Holly	193	MS	5	2	1	2	1	2	2	M	Fair	Twin stem from base v close to dwelling	Nil	N/A	10-20	C2	1.93	11.7
	543	Prunus Flowering Cherry	137	1	3	1	3	3	3	2	1.5	M	Fair	Average condition	Nil	N/A	20-40	C2	1.64	8.49
	544	Malus domestica Apple	195	1	4	2	3	2	3	1	1.5	M	Fair	Average condition	Nil	N/A	10-20	C2	2.34	17.2
	545	Pyrus communis Common Pear	269	MS	7	3	3	1	3	0	3	M	Poor	Average condition	Nil	N/A	10-20	C2	2.69	22.74
	546	Prunus lusitanica Portuguese Laurel	177	1	4	1	3	3	1	2	3	M	Fair	Average condition	Nil	N/A	10-20	C2	2.12	14.17
	548	Prunus lusitanica Portuguese Laurel	127	1	4	1	2	2	0	2	3	M	Fair	Average condition	Nil	N/A	10-20	C2	1.52	7.3
	550	Acer platanoides Norway maple	937	1	15	7	7	7	7	1	5	M	Fair	Multi stem from 3.0 with included bark evident in all unions, very tight forks above in upper crown more inc bark	Nil	N/A	20-40	B2	11.24	397.24
	551	Chamaecyparis lawsoniana Lawsons cypress	273	1	10	2	2	2	2	1	5	M	Fair	Main fork at 3.5m included bark	Nil	N/A	10-20	C2	3.28	33.72
	553	Taxus baccata fastigiata Irish Yew	435	MS	8	2	2	2	2	0	0.3	M	Fair	Average condition	Nil	N/A	40+	B2	4.35	59.45
	554	Betula alba Silver birch	217	1	11	2	2	2	2	2	4	M	Fair	Average condition	Nil	N/A	20-40	B2	2.6	21.31
	555	Sorbus intermedia Swedish Whitebeam	821	MS	11	5	5	5	5	0	4	M	Fair	Dead split limb in crown	Remove dead split limb	P	20-40	B2	8.21	211.78
	556	Sorbus intermedia Swedish Whitebeam	644	1	11	5	5	4	5	0	5	M	Fair	Average condition	Nil	N/A	20-40	B2	7.73	187.65
	557	Chamaecyparis lawsoniana Lawsons cypress	418	MS	12	2	2	2	2	1	2	M	Fair	Average condition	Nil	N/A	20-40	C2	4.18	54.9
	558	Thuja plicata Western Red Cedar	366	MS	8	3	2	3	2	1	2	M	Fair	Suppressed under adjacent tree	Nil	N/A	10-20	C2	3.66	42.09
	559	Tilia europaea Common Lime	473	1	17	5	6	2	6	1	6	M	Fair	Average condition	Nil	N/A	40+	B2	5.68	101.23
	560	Acer pseudoplatanus Sycamore	998	MS	17	7	6	7	3	1	6	M	Fair	Four stems from gl with included bark and cavity, more inc bark in forks in upper canopy	Nil	N/A	10-20	B2	9.98	312.94
	564	Cupressocyparis leylandii Leyland cypress	511	1	10	2	2	2	2	2	0	M	Good	No visible defects	None	N/A	20-40	C1	6.13	118.14
	565	Chamaecyparis lawsoniana Lawsons cypress	300	1	5	1	1	1	1	1	0	M	Fair	Suppressed by 566	None	N/A	20-40	C1	3.6	40.72
	566	Cupressocyparis leylandii Leyland cypress	426	1	10	2	2	2	1	1	0	M	Good	No visible defects	None	N/A	40+	C1	5.11	82.11
	569	Acer pseudoplatanus Sycamore	369	1	14	4	4	4	4	5	5	M	Good	Small multiple branch wounds at 3 m	None	N/A	40+	B1	4.43	61.61
	570	Malus domestica Apple	368	1	6	3	4	4	4	0	1.5	M	Poor	Minor deadwood	None	N/A	10-20	C1	4.42	61.27
	571	Sorbus intermedia Swedish Whitebeam	689	MS	7	5	5	5	5	0	2	OM	Fair	10o stem lean (N)	None	N/A	10-20	C1	6.89	149.16
	572	Malus domestica Apple	394	1	5	2	4	3	3	1	2	M	Poor	No visible defects	None	N/A	10-20	C1	4.73	70.24
	573	Sorbus intermedia Swedish Whitebeam	695	MS	11	5	5	5	5	0	2	M	Good	Included bark at base of main stem	None	N/A	10-20	C1,2	8.34	218.54
	574	Sorbus intermedia Swedish Whitebeam	595	1	11	4	4	4	4	0	3	M	Fair	Average Condition	Nil	N/A	20-40	B2	7.14	160.18
	577	Sorbus intermedia Swedish Whitebeam	770	MS	9	4	4	4	4	0	2	M	Fair	Average condition	Nil	N/A	10-20	B2	7.7	186.29
	579	Fraxinus excelsior Ash	313	1	10	4	4	4	4	3	4	M	Fair	Average condition	Nil	N/A	20-40	C2	3.76	44.33
	580	Fraxinus excelsior Ash	138	1	9	2	2	1.5	2	4	3	M	Good	Gone	Nil	N/A	40+	C2	1.66	8.62
	581	Acer pseudoplatanus Sycamore	437	1	9	5	5	5	5	2	2	M	Fair	Dead limb removed from 2.0 s	Nil	N/A	40+	B2	5.24	86.4
	582	Acer pseudoplatanus Sycamore	229	1	6	3	3	3	3	3	2.5	M	Fair	Small crossing/rubbing limb in lower crown	Nil	N/A	40+	C2	2.75	23.73
	583	Quercus rubra Red oak	151	1	7	3	3	3	3	4	2.5	SM	Fair	Heavy low branches	Nil	N/A	40+	C2	1.81	10.32
	585	Prunus Atropurpurea Pissards Plum	276	MS	5	3	3	3	3	1	2	M	Fair	Potential for main fork to split	Nil	N/A	10-20	C2	2.76	23.93
	588	variegated poplar	479	MS	13	4	4	4	4	2	2	M	Fair	Large secondary leader from 1.0	Nil	N/A	20-40	C2	4.79	72.09
	589	variegated poplar	465	1	11	4	4	4	4	2	2	M	Fair	Internal decay evident from weeping wound on stem at 1.2 e	Nil	N/A	10-20	C2	5.58	97.83
	590	Acer pseudoplatanus Sycamore	159	MS	3	1	1	1	1	6	1	M	Fair	Heavily topped	Nil	N/A	20-40	C2	1.59	7.94
	591	Prunus Atropurpurea Pissards Plum	228	1	6	3	3	3	3	0	3	M	Fair	Rubbing limb at 3.0e	Nil	N/A	20-40	C2	2.74	23.52
	595	Prunus Atropurpurea Pissards Plum	201	MS	5	3	3	3	3	1	2	M	Fair	Average condition	Nil	N/A	20-40	C2	2.01	12.69
	597	Prunus Flowering Cherry	324	1	5	3	4	4	4	0	2	M	Fair	Average condition	Nil	N/A	10-20	C2	3.89	47.5
	598	Pinus nigra var maritima Corsican Pine	370	1	8	3	3	3	3	2	2	M	Fair	Average condition	Nil	N/A	40+	B2	4.44	61.94
	599	Cupressocyparis leylandii Leyland cypress	562	1	9	3	3	3	3	1	0	M	Fair	Average condition	Nil	N/A	40+	C2	6.74	142.9
	603	Betula alba Silver birch	505	1	13	5	5	5	5	0	4	M	Fair	Small decay pockets on stem associated with previous branch removals	Nil	N/A	20-40	B2	6.06	115.39
	604	Prunus Atropurpurea Pissards Plum	259	MS	6	3	3	3	3	1	3	M	Fair	Weak fork at 1.2 e	Nil	N/A	20-40	C2	2.59	21.08

Trees to be Retained

Group No	Tag	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physio-logical Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
						N	S	E	W											
	606	Acer pseudoplatanus Sycamore	219	1	7	2	3.5	2	3	2	4	M	Fair	Average condition	Nil	N/A	40+	C2	2.63	21.7
	608	Prunus Flowering Cherry	477	1	7	4	4	4	4	1	4	M	Fair	Average condition	Nil	N/A	20-40	B2	5.72	102.95
	611	Cuppressocyparis leylandii Leyland cypress	759	MS	13	4	4	4	4	1	2	M	Fair	V close to dwellings etc	Nil	N/A	10-20	C2	7.59	181
	614	Copper maple	561	1	13	5	5	5	5	2	4	M	Fair	Forked at 1.8	Nil	N/A	40+	B2	6.73	142.39
	618	Chamaecyparis lawsoniana Lawsons cypress	330	1	7	2	3	3	2	1	1	M	Fair	Average condition	Nil	N/A	20-40	C2	3.96	49.27
	619	Chamaecyparis lawsoniana Lawsons cypress	452	MS	7	2	2	2	2	1	2	M	Fair	Average condition	Nil	N/A	20-40	C2	4.52	64.19
	622	Salix chysocoma Weeping willow	673	1	11	7	6	6	7	1	6	M	Fair	Average condition	Nil	N/A	20-40	B2	8.08	204.93
	623	Fraxinus excelsior Ash	187	1	8	3	3	3	3	3	4	M	Fair	Average condition	Nil	N/A	40+	C2	2.24	15.82
	625	Sorbus aria Whitebeam	544	1	13	4	3	2	4	2	2	M	Good	No visible defects	Nil	N/A	20-40	B2	4.8	133.9
	626	Prunus Flowering Cherry	568	1	12	4	4	4	4	1	2	M	Fair	Occluded bark to stem, deadwood less than 50mm diameter	Nil	N/A	10-20	C1	5.56	145.97
	627	Prunus Flowering Cherry	405	1	8	5	4	3	4	0	2	M	Fair	Occluded pruning wounds to spring of crown (decay?)	Nil	N/A	20-40	C1	4.42	74.21
	628	Acer pseudoplatanus Sycamore	536	1	15	5	5	6	4	3	2	M	Good	Ivy obscured base	Nil	N/A	20-40	A1,2	4.01	129.99
	629	Acer pseudoplatanus Sycamore	411	1	13	6	4	3	4	2	3	M	Fair	No visible defects	Nil	N/A	20-40	C1,2	5.38	76.43
	630	Acer pseudoplatanus Sycamore	466	1	14	6	5	5	3	3	3	M	Good	Rot pocket to main stem	Nil	N/A	20-40	B1,2	7.13	98.25
	632	Betula alba Silver birch	485	1	15	6	6	4	4	0	4	M	Good	Occasional wounds to main stem (decay?)	Nil	N/A	10-20	B1	3.84	106.43
	633	Acer pseudoplatanus Sycamore	518	1	14	5	4	5	4	3	3	M	Good	Occasional wounds to main stem (decay?)	Nil	N/A	20-40	B1,2	5.82	121.4
	634	Aesculus hippocastanum Horse Chestnut	608	1	14	6	4	5	4	3	2	M	Good	Occasional wounds to main stem (decay?)	Nil	N/A	20-40	B1,2	8.42	167.25
	635	Maple	461	1	14	6	4	4	4	2	3	M	Fair	Bark necrosis to main stem	Nil	N/A	10-20	B1,2	3.78	96.15
	638	Acer platanoides Norway maple	476	1	14	6	4	5	4	2	3	M	Good	Minor deadwood to crown	Nil	N/A	20-40	A1,2	3.9	102.51
	639	Aesculus hippocastanum Horse Chestnut	594	1	15	5	5	4	4	3	2	M	Good	Bleeding canker to main stem	Monitor canker	P	20-40	B1,2	5.88	159.64
	640	Acer platanoides Norway maple	412	1	13	4	4	2	3	2	3	M	Poor	Significant deadwood in crown, crown suppressed by adjacent Aesculus hippocastanum Horse chestnut	Deadwood >50 mm	P	20-40	C1/R	3.84	76.8
	641	Aesculus hippocastanum Horse Chestnut	558	1	14	5	4	5	5	3	2	M	Good	Many included bark unions	Nil	N/A	20-40	A1,2	4.12	140.88
	642	Aesculus hippocastanum Horse Chestnut	657	1	15	5	4	4	4	3	4	M	Good	Significant included barkdevelopment at 2 m ht (possible future instability) (2 forks)	Nil	N/A	20-40	C1	4.88	195.3
	644	Thuja plicata Western Red Cedar	556	MS	14	2	2	2	2	2	2	M	Good	No visible defects	Nil	N/A	10-20	C1	5.56	97.13
	647	Chamaecyparis lawsoniana Lawsons cypress	484	1	16	2	2	3	1	1	3	M	Good	Growing together with 2089	Nil	N/A	10-20	C1,2	5.01	105.99
	648	Sorbus aria Whitebeam	281	1	5	2	2	2	3	1	2	M	Good	No visible defects	Nil	N/A	20-40	B1	2.1	35.73
	655	Acer pseudoplatanus Sycamore	334	1	12	4	4	4	4	2	1	M	Good	No visible defects	Nil	N/A	20-40	A1	4.01	50.47
	657	Acer pseudoplatanus Sycamore	407	1	12	3	4	3	4	1	4	M	Poor	Included bark to main branch on north side, poor foliage	Nil	N/A	<10	C1	4.88	74.95
	658	Acer pseudoplatanus Sycamore	522	1	11	4	6	5	5	2	2	M	Good	Possible rot pocket in main fork union at 2 m	Check main fork union	U	10-20	B1	6.26	123.28
	659	Acer pseudoplatanus Sycamore	390	1	10	4	5	5	1	2	3	M	Fair	Restricted rooting? Occluded old pruning wounds to main stems, possible decay	Nil	N/A	10-20	B1	4.68	68.82
	660	Acer pseudoplatanus Sycamore	704	1	16	6	6	6	6	1	3	M	Good	Occasional deadwood > 50 m. Included bark occasionally in main branches at 4.5 m height	Deadwood. Reduce end loading of branches with included bark	U	10-20	B1	8.45	224.24
	666	Crataegus monogyna Hawthorn	182	MS	3	2	2	2	2	2	2	M	Fair	Damage/decay to main stem	Nil	N/A	10-20	C1	1.82	10.41
	668	Fraxinus excelsior Ash	278	1	11	5	4	4	1	2	2	M	Fair	Foliage thin	Nil	N/A	10-20	C1	3.34	34.97
	669	Fraxinus excelsior Ash (Jaspidia)	373	1	12	4	5	3	3	1	3	M	Good	Included bark at spring of crown	Nil	N/A	20-40	B1	4.48	62.95
	670	Fraxinus excelsior Ash	231	1	11	4	4	0	3	1	2	M	Fair	Crown unbalanced by 669	Nil	N/A	10-20	C1	2.77	24.14
	671	Sorbus aria Whitebeam	777	1	10	4	4	4	3	1	2	M	Fair	Old pruning wounds (occluded)	Nil	N/A	10-20	C1	9.32	273.16
	672	Sorbus intermedia Swedish Whitebeam	646	1	10	5	4	3	4	1	4	M	Fair	Old pruning wounds (occluded)	Nil	N/A	10-20	C1	7.75	188.81
	675	Prunus Flowering Cherry	376	MS	9	3	2	3	3	2	2	M	Good	Included bark to codominant stems at ground level	tree worked , jan 2007	N/A	10-20	C1	3.76	44.42
	676	Acer pseudoplatanus Sycamore	792	MS	13	5	5	4	5	2	3	M	Good	Old pruning wounds to stems, good recovery	Nil	N/A	20-40	B1	7.92	197.09
	677	Pinus sylvestris Scots pine	409	1	10	3	3	3	3	1	3	M	Good	No visible defects	None	N/A	40+	B2	2.7	75.69
	678	Chamaecyparis lawsoniana Lawsons cypress	501	MS	10	2	2	2	2	0.5	0.5	M	Fair	No visible defects	None	N/A	40+	C1	2.43	78.86
	679	Chamaecyparis lawsoniana Lawsons cypress	594	MS	10	2	2	2	2	0.5	0.5	M	Fair	No visible defects	None	N/A	40+	C1	1.01	110.86
	680	Fagus sylvatica Beech	875	1	15	6	6	6	4	1	2	M	Good	Multiple included bark at spring of crown	Nil	N/A	20-40	B1	10.5	346.41
	681	Carpinus betulus Hornbeam	559	1	15	5	5	4	5	1	2	M	Good	No visible defects	Nil	N/A	20-40	B1	6.71	141.38
	682	Acer platanoides - Acer platanoides Norway maple	619	1	7	3	1.5	3	3	3	1.5	M	Good	Girdling root with bark damage	None	N/A	40+	C1	7.43	173.36
	684	Crataegus monogyna Hawthorn	243	MS	4	2	2	1	1	0.5	2.5	M	Fair	Dead wood	Crown clean	P	10-20	C1	2.43	18.55
	685	Tilia europaea Common Lime	786	1	18	6.5	6.5	6.5	6.5	2	2	M	Good	Tight fork with rib formation, minor dead wood	Crown clean	P	40+	B1	9.43	279.52
	686	Acer platanoides Norway maple	230	1	6	3	3	3	3	3	2.5	M	Good	No visible defects	None	N/A	40+	C1	2.76	23.93
	687	Acer platanoides Norway maple	325	1	7	3.5	3.5	3.5	3.5	3	3	M	Good	No visible defects	None	N/A	40+	A1	3.9	47.79
	689	Aesculus hippocastanum Horse Chestnut	713	1	12	4	6	5	5	2	3	M	Good	Bleeding canker, minor dead wood	None	N/A	40+	B1	8.56	230.01
	690	Acer pseudoplatanus Sycamore	349	1	9	2	2	2	1	2	3	M	Fair	Supressed by 691 - 689	None	N/A	40+	C1	4.19	55.11
	691	Fraxinus excelsior Ash	707	MS	12	5	6	6	6	1	2	M	Fair	Minor deadwood	None	N/A	40+	B2	7.07	157.05
	692	Acer pseudoplatanus Sycamore	298	1	9	3	3	4	4	3	2.5	M	Good	Minor deadwood	Crown clean	P	40+	B1	3.58	40.18
	693	Acer pseudoplatanus Sycamore	268	1	7	3	3	3	3	3	3	M	Fair	No visible defects	None	N/A	40+	B1	3.22	32.5
	694	Acer pseudoplatanus Sycamore	362	1	10	4	4	4	4	3	3	M	Good	No visible defects	None	N/A	40+	A1	4.34	59.29
	695	Prunus Flowering Cherry	421	1	6	5	5	5	5	2	2	M	Good	No visible defects	None	N/A	20-40	B1	5.05	80.19
	696	Acer saccharinum Silver maple	400	1	8	3.5	3.5	3.5	3.5	2	3	M	Good	Basal suckers	Remove suckers	P	40+	B2	4.8	72.39
	702	Quercus rubra Red oak	176	1	5	3	3	3	3	1.5	4	SM	Good	No visible defects	None	N/A	40+	B2	2.11	14.02
	706	Prunus avium plena Cherry	158	MS	5	3	3	3	3	2	N/A	Dead	Dead	Dead wood	Fell to ground level	P	<10	R	1.58	7.84
	707	Acer platanoides Norway maple	456	MS	8	3	3	4	4	2	3	M	Fair	Tight forks included bark	None	N/A	10-20	C1	4.56	65.33
	708	Sorbus intermedia Swedish Whitebeam	478	MS	5	3	3	3	3	2	0	M	Fair	Minor dead wood	Crown clean	P	20-40	B1	4.78	71.79
	709	Acer platanoides Norway maple	313	1	9	4	4	4	4	2	2	M	Good	No visible defects	None	N/A	40+	B2	3.76	44.33

Trees to be Retained

Group No	Tag	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physio-logical Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
						N	S	E	W											
	710	Salix sepulcralis chysoccoma Weeping willow	321	1	8	4	3	3	4	2.5	2	M	Good	Minor dead wood	Crown clean	P	40+	B2	3.85	46.62
	712	Cuppressocyparis leylandii Leyland cypress	305	1	6	1.5	1.5	1.5	1.5	1	1	M	Good	No visible defects	None	N/A	40+	B2	3.66	42.09
	713	Sorbus aucuparia Rowan	273	1	5	2.5	2.5	3	2	1.5	1	M	Fair	Basal suckers	Remove basal suckers	P	10-20	C1	3.28	33.72
	714	Chamaecyparis lawsoniana Lawsons cypress	284	1	7	2	2	2	2	1	1	M	Good	No visible defects	None	N/A	20-40	C1	3.41	36.49
	715	Chamaecyparis lawsoniana Lawsons cypress	349	MS	7	2	2	2	2	0	1	M	Good	No visible defects	None	N/A	20-40	C1	3.49	38.27
	716	Prunus Flowering Cherry	268	MS	6	1.5	1.5	1.5	1.5	2	1	M	Fair	Suppressed by 5715	None	N/A	10-20	C1	2.68	22.57
	717	Juniperus communis Juniper	525	MS	8	1.5	1.5	1.5	1.5	0	1.5	M	Good	No visible defects	None	N/A	20-40	B1	5.25	86.6
	718	Prunus Atropurpurea Pissards Plum	219	1	6	2	2	2	2	0.5	1	M	Good	No visible defects	None	N/A	20-40	B1	2.63	21.7
	719	Betula alba Silver birch	482	1	12	5	7	6	6	2	0	M	Good	No visible defects	None	N/A	20-40	B1	5.78	105.11
	720	Betula alba Silver birch	287	1	6	3	3	3	3	1.5	0	M	Fair	No visible defects	None	N/A	10-20	C2	3.44	37.27
	721	Acer pseudoplatanus Sycamore	302	1	7	4	4	4	4	1.5	5	M	Good	No visible defects	Crown lift to 2.5 m	P	40+	B2	3.62	41.27
	723	Pinus wallichiana Bhutan pine	242	1	6	3	3	3	3	0	3	M	Good	No visible defects	Remove stake	P	40+	B1	2.9	26.5
	724	Cuppressocyparis leylandii Leyland cypress	802	MS	8	2	2	2	2	0	1	M	Good	Tight forks included bark	None	N/A	20-40	C2	8.02	202.09
	725	Salix sepulcralis chysoccoma Weeping willow	204	1	4	2	2	2	2	0	6	M	Good	No visible defects	None	N/A	40+	B2	2.45	18.83
	726	Salix sepulcralis chysoccoma Weeping willow	475	1	8	4	4	4	5	0	4	M	Good	Minor dead wood	Crown clean	P	40+	A2	5.7	102.08
	727	Salix sepulcralis chysoccoma Weeping willow	485	1	8	4	4	4	5	0	4	M	Good	Minor dead wood	Crown clean	P	40+	A2	5.82	106.43
	729	Prunus Flowering Cherry	392	1	8	4	4	5	4	0	1	M	Good	No visible defects	Crown clean	P	10-20	C2	4.7	69.52
	731	Picea abies Norway spruce	457	MS	10	2.5	2.5	2.5	2.5	0	2	M	Good	Competing sub-leader	Remove competing leader at base	P	40+	C1	4.57	65.62
	732	Prunus Flowering Cherry	280	1	8	3	3	3	3	3	2	M	Good	No visible defects	None	N/A	20-40	C1	3.36	35.47
	734	Chamaecyparis lawsoniana Lawsons cypress	525	MS	7	2.5	2.5	2.5	2.5	0	0.5	M	Good	No visible defects	None	N/A	20-40	C1	5.25	86.6
	735	Malus domestica Apple	291	1	5	3	3	3	3	0	1	M	Good	No visible defects	None	N/A	40+	C1	3.49	38.31
	736	Cuppressocyparis leylandii Leyland cypress	165	MS	15	3	3	3	3	0	0.5	M	Good	Phone lines through crown	None	N/A	40+	C1	1.65	8.55
	740	Tilia europaea Common Lime	196	1	6	3	2.5	2.5	2.5	3	1	SM	Good	No visible defects	None	N/A	40+	B1	2.35	17.38
	741	Eucalyptus cider gum	591	MS	11	2	3	4	2	3	2	M	Good	Tight fork at base	Remove secondary limb	P	40+	C1	5.91	109.74
	742	Sorbus aucuparia Rowan	166	1	6	2	2	2	2	1	2.5	M	Fair	Stem wound at branching	None	N/A	10-20	C1	1.99	12.47
	745	Sorbus aucuparia Rowan	220	1	8	2	2	2	2	1	2.5	M	Good	Tight fork and included bark	None	N/A	10-20	C1	2.64	21.9
	746	Prunus Flowering Cherry	308	1	7	3	2	2	4	2	2	M	Fair	Weak fork @ 2.5 m	None	N/A	10-20	C1	3.7	42.92
	748	Sorbus aucuparia Rowan	236	1	7	2	2	2	1.5	0.5	2	M	Good	No visible defects	None	N/A	10-20	C1	2.83	25.2
	749	Tilia europaea Common Lime	189	1	6	2	2	2	2	3	2	SM	Good	No visible defects	None	N/A	40+	B1	2.27	16.16
	750	Tilia europaea Common Lime	188	1	6	2	2	2	2	3	2	SM	Good	No visible defects	None	N/A	40+	B1	2.26	15.99
	752	Juglans regia Walnut	230	1	6.5	3	3	3	3	3	2	SM	Good	No visible defects	None	N/A	40+	B1	2.76	23.93
	753	Juglans regia Walnut	214	1	7	3	3	3	3	3	2	SM	Good	No visible defects	None	N/A	40+	B1	2.57	20.72
	754	Prunus Flowering Cherry	302	1	5	3.5	3.5	3.5	2	2	2	M	Fair	Tight fork included bark	None	N/A	20-40	C1	3.62	41.27
	755	Acer pseudoplatanus Sycamore	148	1	5	2	2	2	2	4	1.5	SM	Good	Small basal cavity	None	N/A	40+	C1	1.78	51.69
	756	Robinia pseudoacacia False acacia	203	1	4	2	2	2	2	3	2	SM	Fair	Minor dead wood	Crown clean	P	40+	C1	2.44	18.64
	758	Tilia europaea Common Lime	204	1	6	3	2	2	2	3	1	SM	Good	No visible defects	None	N/A	40+	B1	2.45	18.83
	759	Acer pseudoplatanus Sycamore	124	1	5	2	2	2	2	6	2	SM	Good	No visible defects	None	N/A	40+	C1	1.49	6.96
	760	Salix caprea Goat willow	507	MS	6	3	5	3	3	2	2	M	Good	Minor cavity (W)	None	N/A	20-40	C1	5.07	80.76
	761	Fraxinus excelsior Ash	125	1	5	2	2	2	2	4	2	SM	Good	No visible defects	None	N/A	40+	C1	1.5	7.07
	762	Fraxinus excelsior Ash	129	1	4	1	1	1	1	4	2	SM	Good	No visible defects	None	N/A	40+	C1	1.55	7.53
	763	Juglans regia Walnut	112	1	5	2	2	2	2	3	1.5	SM	Good	No visible defects	None	N/A	40+	C1	1.34	5.68
	764	Juglans regia Walnut	178	1	6	3	3	3	3	3	1.5	SM	Good	No visible defects	None	N/A	40+	B1	2.14	14.34
	766	Prunus Flowering Cherry	421	1	7	4	3	4	3	1	2	M	Good	No visible defects	None	N/A	20-40	B1	5.05	80.19
	767	Juglans regia Walnut	184	1	6	2	2	2	2	3	1	SM	Good	No visible defects	None	N/A	40+	B1	2.53	15.32
	771	Betula alba Silver birch	160	1	5	2	2	2	2	3	0.5	SM	Good	No visible defects	None	N/A	20-40	C1	1.6	11.58
	773	Cuppressocyparis leylandii Leyland cypress	368	1	7	2	2	2	2	1	0	SM	Good	No visible defects	None	N/A	40+	C1	3.78	61.27
	775	Prunus Flowering Cherry	319	1	6	3	3	4	3	2	2	M	Good	No visible defects	None	N/A	20-40	C1	5.44	46.04
	776	Prunus Flowering Cherry	429	1	7	6	6	7	6	1	2	M	Good	No visible defects	None	N/A	20-40	B1	3.74	83.27
	778	Juglans regia Walnut	216	1	7	3.5	3.5	3.5	3.5	3	1.5	SM	Good	No visible defects	None	N/A	40+	B1	5.58	21.11
	779	Robinia pseudoacacia False acacia	211	1	5	2.5	2.5	2.5	2.5	3	1.5	SM	Good	No visible defects	None	N/A	40+	B1	4.44	20.14
	781	Fraxinus excelsior Ash	133	1	5	2	2	2	2	3	2	M	Good	No visible defects	None	N/A	40+	C1	2.78	8
	782	Prunus Flowering Cherry	312	1	6	2.5	2.5	2.5	2.5	1	2	M	Good	SM cavity base	None	N/A	20-40	B1	4.18	44.04
	783	Aesculus hippocastanum Horse Chestnut	558	MS	6	4.5	4.5	4.5	4.5	3	2	M	Good	Low forks tight junctions	None	N/A	40+	B1	3.88	97.83
	784	Acer pseudoplatanus Sycamore	315	1	8	3.5	3.5	3.5	3.5	3	2	M	Good	No visible defects	None	N/A	40+	C1	1.45	44.89
	785	Acer pseudoplatanus Sycamore	370	1	9	4	3	3	3	3	2	M	Good	No visible defects	None	N/A	40+	B1	1.84	61.94
	786	Tilia cordata Small leaved lime	348	1	7	5	5	5	4	4	1.5	M	Good	No visible defects	None	N/A	40+	B1	2.96	54.79
	787	Alnus cordata Italian alder	544	MS	8	3	4	5	4	2	2	M	Good	Tight forks/included bark at base	None	N/A	20-40	C1	1.46	92.98
	788	Tilia europaea Common Lime	280	1	7	3	3	3	3	3	2	M	Good	No visible defects	None	N/A	40+	A1	3.29	35.47
	791	Tilia cordata Small leaved lime	377	1	7	4	4	4	4	3	2	M	Good	No visible defects	None	N/A	40+	A1	5.3	64.31
	792	Juglans regia Walnut	232	1	9	4	4	4	4	3	2	M	Good	Old basal cavity/wound	None	N/A	40+	C1	1.46	24.35
	793	Prunus Flowering Cherry	323	1	6	4	5	4	4	1	3	M	Good	No visible defects	None	N/A	20-40	B1	7.51	47.2
	794	Juglans regia Walnut	153	1	5	2	2	1.5	2	5	2	SM	Good	No visible defects	None	N/A	40+	B1	1.98	10.59
	797	Sorbus aucuparia Rowan	122	1	5	1	1	1	1	0.5	2	M	Good	Basal wounds	None	N/A	10-20	C1	3.24	6.73
	798	Sorbus aucuparia Rowan	123	1	5	1	1	1	1	0.5	2	M	Good	Basal wounds	None	N/A	10-20	C1	3.4	6.85
	801	Alnus incana Grey alder	513	MS	8	3	3	3	3	2	1	M	Fair	Tight forks included bark	None	N/A	20-40	C1	6.46	82.69
	804	Acer pseudoplatanus Sycamore	324	MS	8	2	3	3	3	3	3	M	Good	Included bark bark	None	N/A	40+	C1	5.56	32.98
	805	Acer pseudoplatanus Sycamore	501	1	8	5	5	5	5	3	3	M	Good	No visible defects	None	N/A	40+	A1	5.42	113.56
	806	Malus domestica Apple	274	1	8	2	2	2	2	1	3	M	Good	No visible defects	None	N/A	40+	A1	7.56	33.97
	807	Acer platanoides Norway maple	247	1	7	3	3	3	3	3	2	M	Good	Tight forks included bark	None	N/A	40+	B1	1.82	27.6
	808	Acer platanoides Norway maple	283	1	7	4	4	4	4	3	2	M	Good	Tight forks included bark	None	N/A	40+	C1	2.76	36.24
	810	Acer pseudoplatanus Sycamore	538	1	10	5	5	5	5	1	3	M	Fair	Major stem wounds	None	N/A	20-40	C1	2.88	130.96
	811	Acer pseudoplatanus Sycamore	626	1	9	5	5	5	5	2	3	M	Good	No visible defects	None	N/A	40+	B1	4.74	177.3

Trees to be Retained

Group No	Tag	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physio-logical Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
						N	S	E	W											
	812	Acer pseudoplatanus Sycamore	463	1	7	5	5	5	5	2	3	M	Fair	No visible defects	None	N/A	40+	C1	6.54	96.99
	818	Aesculus hippocastanum Horse Chestnut	702	1	13	5	4	4	4	1	0	M	Good	Some bleeding cankor to main stem. Occasional significant deadwood. In hardstanding with numerous service runs adjacent	Remove deadwood	P	20-40	B1,2	3.14	222.97
	819	Sorbus aria Whitebeam	240	1	5	2	1	2	1	2	2	M	Fair	Included bark to main fork	Nil	N/A	10-20	C1	2.64	26.06
	822	Sorbus aria Whitebeam	545	1	9	4	4	3	4	0	2	M	Fair	Old wounds and rot pocket to spring of crown (decay?)	Nil	N/A	10-20	C1	3.44	134.39
	823	Sorbus aria Whitebeam	582	1	11	4	4	3	4	0	2	M	Fair	No visible defects	Nil	N/A	10-20	C1	3.23	153.25
	827	Carpinus betulus Hornbeam (fastigata)	264	MS	10	3	3	3	3	2	3	M	Good	Included bark at spring of crown at 1.5 m	Nil	N/A	20-40	C1	2.15	21.9
	828	Acer platanoides Norway maple	287	1	15	4	1	3	3	3	2	M	Good	Included bark at 2 m height	Nil	N/A	20-40	C1	4.54	37.27
	829	Platanus hispanica London plane	442	1	16	5	4	6	4	3	2	M	Good	No visible defects	Nil	N/A	40+	A1	5.62	88.39
	830	Acer platanoides Norway maple	395	1	10	4	4	4	4	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1	8.76	70.59
	831	Betula alba Silver birch	390	1	10	6	5	5	5	1	2	M	Good	No visible defects	Nil	N/A	10-20	B1	4.68	68.82
	834	Acer platanoides Norway maple	533	1	12	5	5	4	5	2	1	M	Good	No visible defects	Nil	N/A	20-40	B1	6.4	128.54
	836	Acer platanoides Norway maple	240	1	9	4	4	3	4	1	3	M	Fair	Mower damage to base of stem	Nil	N/A	20-40	C1	2.88	26.06
	837	Acer platanoides Norway maple	378	1	9	5	4	5	4	1	2	M	Good	Included bark to main stem forks	Nil	N/A	20-40	C1	4.54	64.65
	843	Tilia europaea Common Lime	288	MS	10	3	2	4	4	2	2	M	Fair	Included bark in forks at base	Nil	N/A	10-20	C1,2	2.88	26.06
	846	Tilia europaea Common Lime	448	1	14	3	4	4	5	2	3	M	Good	Several included bark forks at spring of crown	Nil	N/A	10-20	C1,2	5.38	90.81
	847	Acer platanoides Norway maple	308	1	12	4	1	3	4	2	3	M	Fair	Large old wound to lower main stem (decay)	Nil	N/A	10-20	C1,2	3.7	42.92
	848	Tilia europaea Common Lime	495	1	15	3	3	3	4	2	2	M	Good	Large old wound to lower main stem , probable decay	Nil	N/A	10-20	C1,2	5.94	110.86
	849	Tilia europaea Common Lime	490	1	15	4	4	4	4	2	2	M	Good	No visible defects (epicormics)	Nil	N/A	20-40	B1,2	5.88	108.63
	853	Acer pseudoplatanus Sycamore	262	1	10	3	3	3	3	2	2	M	Fair	No visible defects (good specimen)	Nil	N/A	20-40	B1,2	3.14	31.06
	854	Cupressocyparis leylandii Leyland cypress	876	MS	17	3	3	3	4	2	0	M	Good	No visible defects	Nil	N/A	20-40	B1	8.76	241.11
	859	Acer platanoides Norway maple	194	1	10	1	3	3	3	3	2	M	Good	No visible defects	Nil	N/A	40+	B1	2.33	17.03
	860	Tilia europaea Common Lime	528	1	16	1	6	5	5	2	2	M	Good	Adjacent to building, crown absent on north side	Nil	N/A	20-40	B1	6.34	126.14
	862	Sorbus aria Whitebeam	345	1	6	3	3	4	3	1	2	M	Good	Included bark to main spring of crown	Nil	N/A	10-20	C1,2	4.14	53.85
	865	Acer platanoides Norway maple	370	1	12	3	3	5	4	3	2	M	Good	Close to kerb line, else No visible defects	Nil	N/A	20-40	B1,2	4.44	61.94
	866	Acer platanoides Norway maple	239	1	8	3	3	3	3	3	3	M	Good	No visible defects	None	N/A	40+	B1	3.34	25.84
	868	Fraxinus excelsior Ash	152	1	6	2	2	2	2	3	2	SM	Good	No visible defects	None	N/A	40+	C1	3.66	10.45
	869	Fraxinus excelsior Ash	152	1	5.5	3	3	3	3	3	2	SM	Good	No visible defects	None	N/A	40+	C1	4.6	10.45
	870	Fraxinus excelsior Ash	150	1	6	2	2	2	2	3	2	SM	Good	No visible defects	None	N/A	40+	C1	2.21	10.18
	872	Prunus Flowering Cherry	358	1	7	4	4	4	4	2	2	M	Good	No visible defects	None	N/A	20-40	B1	2.51	57.99
	874	Chamaecyparis lawsoniana Lawsons cypress	516	MS	7	2	2	2	2	0.5	0	M	Good	No visible defects	None	N/A	20-40	B1	4.6	83.66
	875	Prunus avium plena Cherry	278	1	7	3	3	4	4	1	2	M	Good	No visible defects	None	N/A	20-40	B1	2.71	34.97
	876	Crataegus monogyna Hawthorn	366	MS	5	1	2.5	2.5	2.5	0.5	1	M	Fair	No visible defects	None	N/A	40+	C1	3.66	42.09
	877	Prunus Flowering Cherry	383	1	6	1	2	1.5	2	2	3	M	Good	No visible defects	None	N/A	20-40	C1	#REF!	66.37
	879	Prunus Flowering Cherry	184	1	5	2	2	2	2	2	2	M	Good	No visible defects	None	N/A	20-40	C1	3.64	15.32
	880	Prunus Flowering Cherry	320	1	8	4	4	4	4	2	2	M	Good	No visible defects	None	N/A	20-40	C1	2.71	46.33
	881	Prunus Flowering Cherry	325	1	8	4	4	4	4	2	2.5	M	Good	Ntight forks included bark	None	N/A	20-40	C1	2.64	47.79
	884	Prunus Atropurpurea Pissards Plum	251	MS	5	2	2	2	2	1	1	SM	Good	No visible defects	None	N/A	40+	B1	2.51	19.79
	885	Fraxinus excelsior Ash	183	1	5	2	2	2	2	4	1	SM	Good	No visible defects	None	N/A	40+	B1	2.1	15.15
	886	Fraxinus excelsior Ash	226	1	7	2	2	2	2	4	1	SM	Good	No visible defects	None	N/A	40+	B1	2.34	23.11
	887	Fraxinus excelsior Ash	167	1	5	3	3	3	3	4	1	SM	Good	No visible defects	None	N/A	40+	B1	2.34	12.62
	888	Chamaecyparis lawsoniana Lawsons cypress	364	MS	5	0.5	0.5	0.5	0.5	1	0	M	Good	No visible defects	None	N/A	20-40	C1	3.64	41.63
	891	Juglans regia Walnut	147	1	5	2	2	2	3	3	1	SM	Good	No visible defects	None	N/A	40+	C1	2.62	9.78
	892	Juglans regia Walnut	175	1	5	3	3	3	3	3	1	SM	Good	No visible defects	None	N/A	40+	B1	2.88	13.86
	893		206	1	6	2.5	2.5	2.5	2.5	4	1	SM	Good	No visible defects	None	N/A	40+	B1	2.92	19.2
	894	Prunus Flowering Cherry	220	1	5	2	2	2	2	3	1.5	SM	Fair	No visible defects	None	N/A	20-40	C1	2.64	21.9
	895	Tilia europaea Common Lime	195	1	7	2.5	2.5	2.5	2.5	4	1	SM	Good	No visible defects	None	N/A	40+	B1	2.34	17.2
	897	Robinia pseudoacacia False acacia	240	1	5	3	3	3	3	3	2	SM	Good	No visible defects	None	N/A	40+	B1	2.88	26.06
	898	Robinia pseudoacacia False acacia	243	1	5	2	2	2	2	3	2	SM	Good	No visible defects	None	N/A	40+	B1	2.92	26.72
	901	Fraxinus excelsior Ash	231	1	7	2	2	2	2	4	2	SM	Good	No visible defects	None	N/A	40+	B1	2.77	24.14
	904	Prunus cerasifera Myrobalan Plum	315	MS	5	3	3	3	3	1	1.5	M	Fair	Basal sucker, stubs and dead wood	Crown clean	P	20-40	C1	3.15	31.18
	905	Fraxinus excelsior Ash	272	1	7	2.5	2.5	2.5	2.5	4	2	SM	Good	No visible defects	None	N/A	40+	B1	3.26	33.47
	906	Alnus cordata Italian alder	218	1	8	2	2	2.5	2	1	1.5	SM	Fair	No visible defects	None	N/A	20-40	C1	2.62	21.5
	908	Robinia pseudoacacia False acacia	152	1	5	1	2	1	2	4	2.5	SM	Good	No visible defects	None	N/A	40+	C1	1.82	10.45
	909	Tilia platyphyllos Large leaf lime	212	1	8	2.5	2.5	2.5	2.5	2	2.5	M	Good	No visible defects	None	N/A	40+	B1	2.54	20.33
	910	Tilia europaea Common Lime	243	1	8	3	3	3	3	2	2.5	M	Good	No visible defects	None	N/A	40+	B1	2.92	26.72
	911	Acer pseudoplatanus Sycamore	452	1	9	4	4	4	4	3	2	M	Good	No visible defects	None	N/A	40+	A1	5.42	92.44
	912	Juglans regia Walnut	224	1	6	3	3	3	3	3	1.5	SM	Good	No visible defects	None	N/A	40+	B1	2.69	22.7
	914	Prunus Atropurpurea Pissards Plum	158	1	4	2	1	2	2	1.5	1	SM	Fair	No visible defects	None	N/A	20-40	C1	1.9	11.29
	915	Tilia europaea Common Lime	210	1	5	2	2	2	2	3	2	SM	Good	No visible defects	None	N/A	40+	B1	2.52	19.95
	916	Tilia europaea Common Lime	232	1	5.5	3	2	2	2	3	1	SM	Good	No visible defects	None	N/A	40+	B1	2.78	24.35
	917	Prunus Flowering Cherry	393	1	5	2	2	2	2	2	2	SM	Good	No visible defects	None	N/A	20-40	C1	4.72	69.88
	918	Salix sepulcralis chysoccoma Weeping Willow	406	1	6.5	3	3	3	3	3	2.5	M	Good	No visible defects	None	N/A	40+	B1	4.87	74.58
	919	Juglans regia Walnut	247	1	6.5	2.5	2	2	2	3	2	SM	Good	No visible defects	None	N/A	40+	B1	2.96	27.6
	920	Juglans regia Walnut	228	1	6	2	2	2	2	3	2	SM	Fair	Festooned in creeper	Crown clean	P	40+	C1	2.74	23.52
	921	Salix sepulcralis chysoccoma Weeping willow	467	1	6.5	2	2	2	2	3	2	M	Good	No visible defects	None	N/A	40+	B1	5.6	98.67
	922	Tilia europaea Common Lime	260	1	7	4	4	4	4	3	2	SM	Good	No visible defects	None	N/A	40+	B1	3.12	30.59
	923	Tilia europaea Common Lime	217	1	7	3	2	3	3	3	3	SM	Good	No visible defects	None	N/A	40+	B1	2.6	21.31
	924	Fraxinus excelsior Ash	253	1	7	3	2	2	2	3	2.5	SM	Good	No visible defects	None	N/A	40+	B1	3.04	28.96
	927	Tilia europaea Common Lime	228	1	7	3.5	3.5	3.5	3.5	3	1	M	Good	No visible defects	None	N/A	40+	B1	2.74	23.52

Trees to be Retained

Group No	Tag	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physio-logical Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
						N	S	E	W											
	929	Fraxinus excelsior Ash	243	1	6	3	3	3	3	4	2	SM	Good	No visible defects	None	N/A	40+	B1	2.92	26.72
	931	Acer pseudoplatanus Sycamore	386	1	9	4	4	4	4	3	2.5	M	Good	No visible defects	None	N/A	40+	C1	4.63	67.41
	932	Sorbus aucuparia Rowan	115	1	4	1.5	1.5	0	2	2	2	M	Fair	No visible defects	None	N/A	10-20	C1	1.38	5.98
	2001	Robinia pseudoacacia False acacia	180	1	9	2	4	3	4	2	4	M	Fair	Average condition	Nil	N/A	20-40	C1	2.16	14.66
	2007	Crataegus monogyna Hawthorn	244	1	7	2	4	2	2	1	3	M	Fair	Average condition	Nil	N/A	10-20	C2	2.93	26.94
	2008	Crataegus monogyna Hawthorn	127	1	5	2	2	2	2	2	2	SM	Fair	Average condition	Nil	N/A	40+	C2	1.52	7.3
	2009	Crataegus monogyna Hawthorn	127	1	6	2.5	2	2	2	2	2	SM	Fair	Average condition	Nil	N/A	40+	C2	1.52	7.3
	2010	Fagus sylvatica Beech	81	1	6	1	1	1	1	8	1.5	SM	Fair	Average condition	Nil	N/A	40+	C1	0.97	2.97
	2011	Selection of species in a water compound																		
	2012	Fraxinus excelsior Ash	276	MS	7	2	3	3	2	6	2	SM	Fair	Coppice	Nil	N/A	40+	C2	2.76	23.93
	2013	Acer pseudoplatanus Sycamore	290	MS	6	2	2	2	2	6	2	SM	Fair	Coppice	Nil	N/A	40+	C2	2.9	26.42
	2014	Acer pseudoplatanus Sycamore	541	1	12	5	6	4	5	2	4	M	Fair	Average condition	Nil	N/A	40+	B2	6.49	132.42
	2015	Fraxinus excelsior Ash	103	1	6	2	1	1	2	7	2	Y	Fair	Average condition	Nil	N/A	40+	C2	1.24	4.8
	2016	Acer pseudoplatanus Sycamore	216	1	5	1	1	1	1	7	2	Y	Fair	Average condition	Nil	N/A	40+	C2	2.59	21.11
	2017	Fraxinus excelsior Ash	78	1	5	1	1	1	1	7	2	Y	Fair	Average condition	Nil	N/A	40+	C2	0.94	2.75
	2018	Fraxinus excelsior Ash	107	1	7	2	0	1	1	7	2	Y	Fair	Average condition	Nil	N/A	40+	C2	1.28	5.18
	2019	Fraxinus excelsior Ash	127	1	8	1	2	1	1	7	2	Y	Fair	Average condition	Nil	N/A	40+	C2	1.52	7.3
	2020	Acer pseudoplatanus Sycamore	113	MS	6	2	2	2	2	6	2	SM	Fair	Coppice	Nil	N/A	40+	C2	1.13	4.01
	2021	Acer pseudoplatanus Sycamore	364	MS	7	1	1	1	1	6	2	Y	Fair	Average condition	Nil	N/A	40+	C2	3.64	41.63
	2022	Acer pseudoplatanus Sycamore	137	1	7	1	1	1	1	6	2	Y	Fair	Average condition	Nil	N/A	40+	C2	1.64	8.49
	2023	Acer pseudoplatanus Sycamore	264	1	7	1	1	1	1	6	2	Y	Fair	Average condition	Nil	N/A	40+	C2	3.17	31.53
	2024	Acer pseudoplatanus Sycamore	122	1	7	1	1	1	1	6	2	Y	Fair	Average condition	Nil	N/A	40+	C2	1.46	6.73
	2025	Acer pseudoplatanus Sycamore	399	1	13	4	4	5	2	2	4	M	Fair	Average condition	Nil	N/A	40+	B2	4.79	72.03
	2026	Crataegus monogyna Hawthorn	398	MS	6	3	2	2	2	1	2	M	Fair	Average condition	Nil	N/A	40+	B2	3.98	49.77
	2027	pseudoplatanus Sycamore and Fraxinus excelsior Ash C	75-175	MS	8	3	3	3	3	2	2	SM	Fair	Coppice growing through fence approx 100 stems	Nil	N/A	20-40	C2	NA	NA
	2028	Eucalyptus gunni Eucalyptus	97	1	9	0.5	0.5	0.5	0.5	8	5	SM	Fair	Average condition	Nil	N/A	40+	C2	1.16	4.26
	2030	Acer platanoides Norway maple	92	1	6	1	0	1	1	8	3	SM	Fair	Average condition	Nil	N/A	40+	C2	1.1	3.83
	2031	Acer pseudoplatanus Sycamore	365	1	8	2	3	3	3	5	2	M	Fair	Average condition	Nil	N/A	40+	C2	4.38	60.28
	2032	Acer platanoides Norway maple	140	MS	6	1	1	1	1	8	3	SM	Fair	Average condition	Nil	N/A	40+	C2	1.4	6.16
	2033	Chamaecyparis lawsoniana lawsons cypress	611	MS	10	2	1	3	1	1	2	M	Fair	Average condition	Nil	N/A	20-40	C2	6.11	117.3
	2034	Chamaecyparis lawsoniana lawsons cypress	201	1	8	1	1	1	2	1	2	M	Fair	Average condition	Nil	N/A	20-40	C2	2.41	18.28
	2035	Acer pseudoplatanus Sycamore	227	MS	5	2	2	2	2	6	2	SM	Fair	Average condition	Nil	N/A	40+	C2	2.27	16.19
	2036	Sorbus aucuparia Rowan	144	1	5	2	2	2	2	0	2	M	Fair	Leaning to w	Nil	N/A	10-20	C2	1.73	9.38
	2037	Fraxinus excelsior Ash	182	1	7	1	1	1	1	6	4	SM	Fair	Average condition	Nil	N/A	40+	C2	2.18	14.99
	2038	Acer pseudoplatanus Sycamore	125	1	7	1	2	2	2	6	4	SM	Fair	Average condition	Nil	N/A	40+	C2	1.5	7.07
	2039	Acer pseudoplatanus Sycamore	325	MS	10	2	1	0	4	2	6	M	Fair	Etiolated amongst adjacent trees	Nil	N/A	20-40	C2	3.25	33.19
	2040	Prunus lusitanica Portugese laurel	138	1	4	1	2	2	1	2	3	M	Fair	Average condition	Nil	N/A	10-20	C2	1.66	8.62
	2048	Cotoneaster	599	MS	5	3	3	3	3	1	3	M	Good	NVD	Nil	N/A	10-20	C1,2	5.99	112.74
	2049	Ilex aquifolium Holly	126	1	8	2	2	2	1	2	2	M	Good	Minor stem damage. Tight union in upper crown	Nil	N/A	20-40	C1,2	1.51	7.18
	2050	Acer pseudoplatanus Sycamore	105	1	3	1	1	1	1	8	0.5	Y	Good	No visible defects	None	N/A	40+	C1	1.26	4.99
	2051	Acer pseudoplatanus Sycamore	77	1	5	2	2	2	2	6	1	Y	Good	No visible defects	None	N/A	40+	C1	0.92	2.68
	2052	Acer pseudoplatanus Sycamore	159	1	5	2	2	2	2	6	1	Y	Good	No visible defects	None	N/A	40+	C1	1.91	11.44
	2053	Picea abies Norway spruce	237	1	9	2	2	2	2	3	2	M	Good	No visible defects	None	N/A	40+	B1	2.84	25.41
	2054	Fraxinus excelsior Ash	84	1	3	1	1	1	1	8	0.5	Y	Good	No visible defects	None	N/A	40+	C1	1.01	3.19
	2055	Fraxinus excelsior Ash	167	1	6	1	1	1	1	2	2	SM	Fair	Topped several times poor specimen	Nil	N/A	40+	C2	2	12.62
	2056	Fraxinus excelsior Ash	227	1	7	1	2	1	2	2	2	SM	Fair	Topped several times poor specimen	Nil	N/A	40+	C2	2.72	23.31
	2057	Acer pseudoplatanus Sycamore	297	1	12	4	4	5	2	2	4	M	Fair	lower branches on e side removed leaving stubs	Nil	N/A	40+	C2	3.56	39.91
	2058	Acer pseudoplatanus Sycamore	215	1	6	2	2	2	2	4	2	SM	Fair	Poor structural condition v close to shed/dwelling	Nil	N/A	40+	C2	2.58	20.91
	2059	Poplar	170	1	7	1	3	1	2	7	1	SM	Fair	Sucker from adjacent trees No long term future	Nil	N/A	40+	C2	2.04	13.08
	2060	Chamaecyparis lawsoniana lawsons cypress	343	1	6	2	2	2	1	1	0	M	Fair	V close to dwelling	Nil	N/A	20-40	C2	4.12	53.23
	2061	Ilex aquifolium Holly	191	MS	5	2	2	2	1	2	2	M	Fair	Forked at 1.0 v close to dwelling	Nil	N/A	20-40	C2	1.91	11.46
	2062	Chamaecyparis lawsoniana lawsons cypress	302	1	4	1	2	2	2	2	1	M	Fair	V close to dwelling	Nil	N/A	20-40	C2	3.62	41.27
	2063	Betula alba Silver birch	146	1	10	3	3	3	3	2	3	M	Fair	Trunk distorting on concrete fence post	Nil	N/A	20-40	C2	1.75	9.64
	2064	Conifer	269	MS	4	2	2	2	2	1	0	M	Fair	Average condition	Nil	N/A	10-20	C2	2.69	22.74
	2065	Conifer	378	MS	4	2	2	2	2	1	0	M	Fair	Average condition	Nil	N/A	10-20	C2	3.78	44.89
	2066	Conifer	287	MS	3	1	2	2	2	2	0	M	Fair	V close to dwelling	Nil	N/A	10-20	C2	2.87	25.88
	2067	Fraxinus excelsior Ash	160	1	8	2	2	2	2	5	2	SM	Good	self seeded, being damaged by post	Nil	N/A	40+	C2	1.92	11.58
	2068	Acer platanoides Norway maple	169	1	8	3	3	3	3	4	1.2	M	Fair	Average condition	Nil	N/A	40+	C2	2.03	12.92
	2070	Betula alba Silver birch	86	1	7	1	1	1	1	3	3	SM	Fair	Average condition	Nil	N/A	40+	C2	1.03	3.35
	2071	Acer platanoides Norway maple	221	MS	7	3	3	3	3	4	3	SM	Fair	Trifurcated at gl	Nil	N/A	40+	C2	2.21	15.35
	2073	Picea abies Norway spruce	132	1	9	2	2	2	2	2	3	M	Fair	Average condition	Nil	N/A	40+	C2	1.58	7.88
	2074	Acer platanoides Norway maple	630	1	13	4	4	5	5	2	2	M	Good	Crossing branches	Nil	N/A	40+	A1,2	7.56	179.58
	2075	Aesculus hippocastanum Horse Chestnut	432	1	12	1	2	2	3	3	2	M	Fair	Old stem damage, occluded. Basal bleeding. Crown supressed either side.	Nil	N/A	10-20	C1	5.18	84.44
	2089	Cuppressocyparis leylandii Leyland cypress	382	1	14	1	0	0	3	1	2	M	Good	Growing together with 647	Nil	N/A	10-20	C1,2	4.58	66.02
	2090	species Acer pseudoplatanus Sycamore Prunus avium C	100-200											No entry deep water					0	
	2093	Prunus sp. Flowering cherry	198	MS	5	1	3	1	2	1	2	SM	Good	Poor, in raised bed	Nil	N/A	<10	R	1.98	12.32
	2100	Crataegus monogyna Hawthorn	201	MS	4	2	2	2	2	2	1	M	Good	Damage, decay to main stem.	Nil	N/A	10-20	C1	2.01	12.69
	2101	Crataegus monogyna Hawthorn	181	1	4	2	1	2	1	2	1	M	Good	Damage, decay to main stem	Nil	N/A	10-20	C1	2.17	14.82
	2102	Crataegus monogyna Hawthorn	215	1	4	2	2	2	2	2	2	M	Good	Damage, decay to main stem	Nil	N/A	10-20	C1	2.58	20.91
	2108	Crataegus monogyna Hawthorn	182	MS	6	1	2	2	2	2	2	M	Good	Damage, decay to main stem	Nil	N/A	10-20	C1	1.82	10.41

Trees to be Retained

Group No	Tag	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physio-logical Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
						N	S	E	W											
	2109	Crataegus monogyna Hawthorn	152	MS	5	1	2	2	1	1	2	M	Fair	No visible defects	Nil	N/A	10-20	C1	1.52	7.26
	2113	Crataegus monogyna Hawthorn	158	MS	5	1	1	2	0	2	2	M	Fair	Damage, decay to main stem	Nil	N/A	10-20	C1	1.58	7.84
	2114	Crataegus monogyna Hawthorn	136	MS	4	2	1	2	2	2	1	M	Fair	Damage, decay to main stem	Nil	N/A	10-20	C1	1.36	5.81
	2115	Crataegus monogyna Hawthorn	180	MS	4	2	2	2	2	2	0	M	Good	No visible defects	Nil	N/A	10-20	C1	1.8	10.18
	2116	Crataegus monogyna Hawthorn	204	MS	5	2	2	2	2	2	2	M	Good	Damage, decay to main stem	Nil	N/A	10-20	C1	2.04	13.08
	2148	Sorbus aria Whitebeam	258	1	8	2	2	2	2	1	2	M	Good	No visible defects	Nil	N/A	20-40	B1	3.1	30.12
	2149	Sorbus aria Whitebeam	263	1	7	2	2	2	2	1	2	M	Good	Severe lean to north	Nil	N/A	20-40	C1	3.16	31.3
	2150	Sorbus aria Whitebeam	244	1	6	2	2	2	2	1	2	M	Good	Severe lean to east	Nil	N/A	20-40	C1	2.93	26.94
	2151	Sorbus aria Whitebeam	258	1	6	2	2	2	2	1	2	M	Good	Severe lean to east	Nil	N/A	20-40	C1	3.1	30.12
	2152	Sorbus aria Whitebeam	197	1	5	2	2	2	2	1	2	M	Good	Severe lean to east	Nil	N/A	20-40	C1	2.36	17.56
	2153	Chamaecyparis lawsoniana Lawsons cypress	395	MS	3	1	1	1	1	3	0	Y	Good	Topped at 1.5 m	Nil	N/A	20-40	B1	3.95	49.02
	2154	Chamaecyparis lawsoniana Lawsons cypress	418	MS	3	1	1	1	1	3	0	Y	Good	Topped at 1.5 m	Nil	N/A	20-40	B1	4.18	54.9
	2156	Aesculus hippocastanum Horse Chestnut	84	1	4	1	1	1	1	5	1.5	Y	Fair	Basal bark wounds	De-stake	P	40+	C2	1.01	3.19
	2157	Aesculus hippocastanum Horse Chestnut	108	1	4	1	1	1	1	5	1.5	Y	Fair	Basal bark wounds	De-stake	P	40+	C2	1.3	5.28
	2158	Aesculus hippocastanum Horse Chestnut	104	1	4	1	1	1	1	5	1.5	Y	Fair	Basal bark wounds	De-stake	P	40+	C2	1.25	4.89
	2159	Aesculus hippocastanum Horse Chestnut	135	1	4	1	1	1	1	5	1.5	Y	Fair	Basal bark wounds	De-stake	P	40+	C2	1.62	8.25
	2160	Aesculus hippocastanum Horse Chestnut	85	1	4	1	1	1	1	5	1.5	Y	Fair	Basal bark wounds	De-stake	P	40+	C2	1.02	3.27
	2161	Aesculus hippocastanum Horse Chestnut	91	1	4	1	1	1	1	5	1.5	Y	Fair	Basal bark wounds	De-stake	P	40+	C2	1.09	3.75
	2162	Aesculus hippocastanum Horse Chestnut	75	1	4	1	1	1	1	5	1.5	Y	Fair	Basal bark wounds	De-stake	P	40+	C2	0.9	2.55
	2163	Aesculus hippocastanum Horse Chestnut	83	1	4	1	1	1	1	5	1.5	Y	Fair	Basal bark wounds	De-stake	P	40+	C2	1	3.12
	2164	Aesculus hippocastanum Horse Chestnut	93	1	4	1	1	1	1	5	1.5	Y	Fair	Basal bark wounds	De-stake	P	40+	C2	1.12	3.91
	2165	Aesculus hippocastanum Horse Chestnut	82	1	4	1	1	1	1	5	1.5	Y	Fair	Basal bark wounds	De-stake	P	40+	C2	0.98	3.04
	2166	Aesculus hippocastanum Horse Chestnut	87	1	4	1	1	1	1	5	1.5	Y	Fair	Basal bark wounds	De-stake	P	40+	C2	1.04	3.42
	2167	Aesculus hippocastanum Horse Chestnut	76	1	4	1	1	1	1	5	1.5	Y	Fair	Basal bark wounds	De-stake	P	40+	C2	0.91	2.61
	2168	Aesculus hippocastanum Horse Chestnut	79	1	4	1	1	1	1	5	1.5	Y	Fair	Basal bark wounds	De-stake	P	40+	C2	0.95	2.82
	2169	Aesculus hippocastanum Horse Chestnut	88	1	4	1	1	1	1	5	1.5	Y	Fair	Basal bark wounds	De-stake	P	40+	C2	1.06	3.5
	2170	Aesculus hippocastanum Horse Chestnut	96	1	4	1	1	1	1	5	1.5	Y	Fair	Basal bark wounds	De-stake	P	40+	C2	1.15	4.17
	2175	Prunus avium plena Cherry	101	1	5	1	1	1	1	4	2	SM	Good	No visible defects	Nil	N/A	20-40	C1	1.21	4.62
	2176	Prunus avium plena Cherry	92	1	5	1	1	1	1	4	2	SM	Good	No visible defects	Nil	N/A	20-40	C1	1.1	3.83
	2178	Prunus avium plena Cherry	87	1	4.5	1	2	2	2	3	2	Y	Good	No visible defects	Nil	N/A	20-40	C1	1.04	3.42
	2179	Prunus avium plena Cherry	106	1	5	2	2	2	2	3	2	Y	Good	No visible defects	Nil	N/A	20-40	C1	1.27	5.08
	2180	Prunus avium plena Cherry	88	1	5	2	2	2	2	3	2	Y	Good	No visible defects	Nil	N/A	20-40	C1	1.06	3.5
	2181	Prunus avium plena Cherry	121	1	5	1.5	1.5	1.5	1.5	3	1.2	SM	Good	No visible defects	Nil	N/A	20-40	B1	1.45	6.62
	2182	Sorbus aucuparia Rowan	151	1	5	2	2	2	2	0.5	2.5	M	Good	No visible defects	Nil	N/A	10-20	C1	1.81	10.32
	2183	Sorbus aucuparia Rowan	161	1	5	2	2	2	2	0.5	2.5	M	Good	No visible defects	Nil	N/A	10-20	C1	1.93	11.73
	2185	Fagus sylvatica- common Fagus sylvatica Beech	204	1	7	2	3.5	2	2	6	2	SM	Good	No visible defects	Nil	N/A	40+	B1	2.45	18.83
	2189	Mixed species (water compound)																		
	2191	Fraxinus excelsior Ash	108	1	10	2	2	2	2	7	4	SM	Good	Good	Nil	N/A	40+	C2	1.3	5.28
	2192	Fraxinus excelsior Ash	87	1	8	1	2	1	1	7	4	SM	Good	Good	Nil	N/A	40+	C2	1.04	3.42
	2193	Fraxinus excelsior Ash	62	1	8	2	2	2	2	7	5	SM	Good	Good	Nil	N/A	40+	C2	0.74	1.74
	2194	Acer pseudoplatanus Sycamore	280	MS	6	2	2	2	2	6	3	SM	Good	Multi stem on bank	Nil	N/A	40+	C2	2.8	24.63
	2195	Acer pseudoplatanus Sycamore	75	1	7	2	2	2	2	6	3	SM	Good	Gone	Nil	N/A	40+	C2	0.9	2.55
	2196	Acer platanoides Norway maple	163	MS	6	2	1	1	2	6	3	SM	Good	Coppice stool	Nil	N/A	40+	C2	1.63	8.35
	2197	Acer platanoides Norway maple	104	MS	6	1	2	1	2	6	3	SM	Good	Coppice stool	Nil	N/A	40+	C2	1.04	3.4
	2198	Acer pseudoplatanus Sycamore	180	MS	6	2	2	1	2	6	3	SM	Good	Coppice stool	Nil	N/A	40+	C2	1.8	10.18
	2199	Acer pseudoplatanus Sycamore	112	MS	6	2	2	2	2	6	3	SM	Good	Coppice stool	Nil	N/A	40+	C2	1.12	3.94
	2201	Cornus sanguinea Dogwood	238	MS	5	3	3	3	3	1	0	M	Good	Good	Nil	N/A	10-20	C2	2.38	17.8
	2202	Chamaecyparis lawsoniana Lawsons cypress	245	1	9	2	2	2	2	2	2	Y	Good	Growing within laurel hedge	Nil	N/A	10-20	B1	2.94	27.16
	2203	Chamaecyparis lawsoniana Lawsons cypress	168	1	8	1	1	1	1	2	2	Y	Good	Growing within laurel hedge	Nil	N/A	10-20	B1	2.02	12.77
	2209	Salix fragilis Willow	451	1	13	3	3	3	3	3	0	M	Fair	No visible defects(ivy covered)	Nil	N/A	20-40	C1	5.41	92.03
	2210	Pinus wallichiana Bhutan pine	255	MS	6	2	2	2	2	2	0	M	Good	Thin stems at 0.3 m	Fell as thinning operation	P	10-20	C1	2.55	20.43
	2215	Chamaecyparis lawsoniana Lawsons cypress	758	MS	5	1.5	1.5	1.5	1.5	0	0	M	Fair	Loosing columner form	Nil	N/A	10-20	C1	7.58	180.53
	2216	Malus domestica Apple	160	MS	3.5	2	3	3	2	1	1	M	Fair	No visible defects	Crown clean	P	20-40	C2	1.6	8.04
	2217	Prunus Flowering Cherry	292	MS	4	3	3	3	3	1	0	M	Fair	Canker wounds	Nil	N/A	10-20	C2	2.92	26.79
	2218	Chamaecyparis lawsoniana Lawsons cypress	254	1	5	1	2	2	2	1	0	M	Good	No visible defects	Nil	N/A	20-40	C1	3.05	29.19
	2218	Chamaecyparis lawsoniana Lawsons cypress	254	1	5	1	2	2	2	1	0	M	Good	No visible defects	Nil	N/A	20-40	C1	3.05	29.19
	2219	Chamaecyparis lawsoniana Lawsons cypress	520	1	5	1	1	1.5	1.5	1	0	M	Good	No visible defects	Nil	N/A	20-40	C1	6.24	122.34
	2220	Chamaecyparis lawsoniana Lawsons cypress	725	1	5	1	1.5	1	1	1	0	M	Good	No visible defects	Nil	N/A	20-40	C1	8.7	237.82
	2222	Cuppressocyparis leylandii Leyland cypress	390	1	16	2	3	2	2.5	1	2	M	Good	No visible defects	Nil	N/A	40+	C1	4.68	68.82
	2223	Cuppressocyparis leylandii Leyland cypress	390	1	16	2	2	2	2	1	2	M	Good	No visible defects	Nil	N/A	40+	C1	4.68	68.82
	2224	Ulmus glabra Wych Elm	468	1	15	5	5	5	5	4	0	M	Good	No visible defects	Nil	N/A	40+	A1	5.62	99.1
	2247	Juglans regia Walnut	243	1	7	3	3	3	3	3	2	SM	Good	No visible defects	Nil	N/A	40+	B1	2.92	26.72
	2248	Eucalyptus gunni Eucalyptus	96	1	4	1	1	1	1	6	0.5	Y	Good	No visible defects	Nil	N/A	40+	C1	1.15	4.17
	2250	Chamaecyparis lawsoniana Lawsons cypress	176	MS	3	0.5	0	0.5	0.5	0.5	0	SM	Fair	No visible defects	Nil	N/A	20-40	C1	1.76	9.73
	2251	Chamaecyparis lawsoniana Lawsons cypress	153	1	3	0.5	0	0.5	0.5	0.5	0	SM	Fair	No visible defects	Nil	N/A	20-40	C1	1.84	10.59
	2252	Chamaecyparis lawsoniana Lawsons cypress	197	1	3	0.5	0	0.5	0.5	0.5	0	SM	Fair	No visible defects	Nil	N/A	20-40	C1	2.36	17.56
	2253	Sorbus aucuparia Rowan	130	1	5	2	2	2	2	1	2	SM	Fair	No visible defects	Nil	N/A	10-20	C1	1.56	7.65
	2254	Alnus cordata Italian alder	427	MS	8	5	3	4	3	3	2	M	Good	Included bark, tight forks at 0.25	Nil	N/A	10-20	C1	4.27	57.29
	2255	Tilia europaea Common Lime	588	1	8	4	4	4	4	2	2	M	Good	No visible defects	Nil	N/A	40+	A1	7.06	156.43
	2256	Picea abies Norway spruce	177	1	6	2	2	2	2	3	0	SM	Good	No visible defects	Nil	N/A	40+	B1	2.12	14.17
	2257	Juniperus communis Juniper	244	MS	3.5	1	1	1	1	1	0	M	Fair	No visible defects	Nil	N/A	10-20	C1	2.44	18.71
	2258	Pinus sylvestris Scots pine	334	1	7	2	2	2	2	2	4	M	Fair	Poor previous pruning	Nil	N/A	20-40	C1	4.01	50.47
	2259	Rhus typhinia Sumach	251	MS	2	1	3	4	0	1	1	M	Fair	No visible defects	Nil	N/A	10-20	C1	2.51	19.79
	2267	Acer pseudoplatanus Sycamore	155	MS	6	2	2	2	1	3	1	Y	Good	Growing in ornamental bed, else No visible defects	Nil	N/A	10-20	C1	1.55	7.55

Trees to be Retained

Group No	Tag	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physio-logical Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
						N	S	E	W											
	2282	Cupressocyparis leylandii Leyland cypress	305	1	8	2	2	2	2	1	1	M	Fair	Included bark in main fork	Nil	N/A	10-20	C1	3.66	42.09
	2284	Crataegus monogyna Hawthorn	118	1	5	2	2	2	2	2	3	M	Fair	No visible defects	Nil	N/A	20-40	C1	1.42	6.3
	2286	Crataegus monogyna Hawthorn	132	1	6	2	2	1	3	2	3	M	Good	No visible defects	Nil	N/A	20-40	C1	1.58	7.88
	2296	Malus domestica Apple	129	1	6	2	2	2	2	2	3	SM	Good	No visible defects	None	N/A	20-40	C1	1.55	7.53
	2297	Malus domestica Apple	131	1	6	2	2	2	2	1	3	SM	Good	No visible defects	None	N/A	20-40	C1	1.57	7.76
	2298	Chamaecyparis lawsoniana Lawsons cypress	146	MS	3	0.5	0.5	0.5	0.5	0.5	0	SM	Good	No visible defects	None	N/A	20-40	C1	1.46	6.7
	2299	Chamaecyparis lawsoniana Lawsons cypress	146	MS	3	0.5	0.5	0.5	0.5	0.5	0	SM	Good	No visible defects	None	N/A	20-40	C1	1.46	6.7
	2300	Chamaecyparis lawsoniana Lawsons cypress	424	MS	4	0.5	0.5	0.5	0.5	0.5	0	M	Good	No visible defects	None	N/A	10-20	C1	4.24	56.49
	2302	Eucalyptus gunni Eucalyptus	93	1	6	1	1	1	1	4	0.5	Y	Good	No visible defects	None	N/A	20-40	C1	1.12	3.91
	2303	Cedrus deodara Deodara	94	1	5	1	1	1	1	3	0	Y	Good	No visible defects	None	N/A	40+	C1	1.13	4
	2304	Prunus Atropurpurea Pissards Plum	106	1	4	1.5	1.5	1.5	1.5	2	0.5	M	Good	No visible defects	None	N/A	40+	C1	1.27	5.08
	2305	Prunus Atropurpurea Pissards Plum	237	1	5	2	2	2	1.5	1	2	M	Good	No visible defects	None	N/A	40+	B1	2.84	25.41
	2306	Fraxinus excelsior Ash	245	1	7	3	3	2	3	4	2	SM	Good	No visible defects	None	N/A	40+	B1	2.94	27.16
	2308	Acer pseudoplatanus Sycamore	370	1	7	4	3	3	3	3	2	M	Good	Previous poor pruning practice	Crown clean	P	10-20	C1	4.44	61.94
	2309	Salix caprea Goat willow	136	1	5	2	2	2	2	3	1	M	Fair	No visible defects	None	N/A	10-20	C1	1.63	8.37
	2310	Ilx babalonica Var perkinsensis Tortuensa Corkscrew wil	118	MS	4	0	1	1	1	3	0.5	SM	Good	Very close to building	None	N/A	20-40	C1	1.18	4.37
	2311	Eucalyptus gunni Eucalyptus	107	1	7	1.5	1.5	1.5	0.5	4	0.5	Y	Fair	No visible defects	None	N/A	40+	C1	1.28	5.18
	2312	Eucalyptus gunni Eucalyptus	130	1	6	2	2	2	3	3	0	Y	Good	Pollarded at 2.4 m	None	N/A	20-40	C1	1.56	7.65
	2313	Tilia cordata Small leaved lime	302	1	10	4	3	3	3	2	2	M	Good	Multiple included bark to main branch unions	NIL	N/A	20-40	B1,2	3.62	41.27
G1	4001	Acer pseudoplatanus Sycamore	461	1	17	3	2	2	8	1	8	M	Fair	Average condition	Nil	N/A	40+	B2	5.53	96.15
G1	4002	Acer pseudoplatanus Sycamore	521	1	17	2	3	8	8	1	6	M	Fair	Average condition	Nil	N/A	40+	B2	6.25	122.81
G1	4003	Acer pseudoplatanus Sycamore	375	1	15	2	2	7	1	1	7	M	Fair	Average condition	Nil	N/A	40+	B2	4.5	63.63
G1	4004	Acer pseudoplatanus Sycamore	353	1	15	2	3	6	4	1	6	M	Fair	Average condition	Nil	N/A	40+	B2	4.24	56.38
G1	4005	Acer pseudoplatanus Sycamore	568	1	17	3	3	6	7	1	7	M	Fair	Multi stem from 3m some included bark	Nil	N/A	40+	B2	6.82	145.97
G1	4006	Acer pseudoplatanus Sycamore	264	1	14	2	3	6	2	1	3	M	Fair	Average condition	Nil	N/A	40+	B2	3.17	31.53
G1	4007	Acer pseudoplatanus Sycamore	313	1	15	1	2	6	3	1	8	M	Fair	Average condition	Nil	N/A	40+	B2	3.76	44.33
G1	4008	Acer pseudoplatanus Sycamore	575	1	15	2	3	6	2	1	7	M	Fair	Average condition	Nil	N/A	40+	B2	6.9	149.59
G1	4009	Acer pseudoplatanus Sycamore	340	1	15	2	1	8	3	1	4	M	Fair	Average condition	Nil	N/A	40+	B2	4.08	52.3
G1	4010	Acer pseudoplatanus Sycamore	411	MS	14	5	2	6	6	1	5	M	Fair	Average condition	Nil	N/A	40+	B2	4.11	53.07
G2	4011	Thuja plicata Westen Red Cedar	303	MS	8	2.5	1	1	1	1	n/a	M	Fair	Average condition	Nil	N/A	20-40	C1	3.03	28.85
G2	4012	Thuja plicata Westen Red Cedar	187	1	10	1	1	1	1	1	n/a	M	Fair	Average condition	Nil	N/A	20-40	C1	2.24	15.82
G2	4013	Thuja plicata Westen Red Cedar	256	1	10	2	2	2	2	1	n/a	M	Poor	Average condition	Nil	N/A	10-20	C1	3.07	29.65
G2	4014	Thuja plicata Westen Red Cedar	354	1	16	2	2	2	2	1	n/a	M	Fair	Average condition	Nil	N/A	20-40	C1	4.25	56.7
G2	4015	Thuja plicata Westen Red Cedar	521	MS	16	2	2	2	2	1	n/a	M	Fair	Av top 6m dead	Remove dead section	P	10-20	C1	5.21	85.29
G2	4016	Thuja plicata Westen Red Cedar	441	1	16	2	2	3	2	1	n/a	M	Fair	Average condition	Nil	N/A	20-40	C1	5.29	87.99
G2	4017	Thuja plicata Westen Red Cedar	471	MS	16	2	2	2	2	1	n/a	M	Fair	Average condition	Nil	N/A	20-40	C1	4.71	69.7
G2	4018	Thuja plicata Westen Red Cedar	212	1	10	2	2	2	2	1	n/a	M	Fair	Average condition	Nil	N/A	10-20	C1	2.54	20.33
G2	4019	Thuja plicata Westen Red Cedar	699	MS	17	3	2	2	3	1	n/a	M	Fair	Average condition	Nil	N/A	20-40	C1	6.99	153.52
G2	4020	Thuja plicata Westen Red Cedar	353	1	15	2	2	2	2	1	n/a	M	Fair	Average condition	Nil	N/A	20-40	C1	4.24	56.38
G2	4021	Thuja plicata Westen Red Cedar	240	1	10	1	2	1	2	1	n/a	M	Fair	Average condition	Nil	N/A	20-40	C1	2.88	26.06
G2	4022	Thuja plicata Westen Red Cedar	415	1	17	1	2	2	2	1	n/a	M	Fair	Average condition	Nil	N/A	20-40	C1	4.98	77.92
G2	4023	Thuja plicata Westen Red Cedar	271	1	9	2	2	1	4	1	2	M	Fair	Average condition	Nil	N/A	10-20	C1	3.25	33.23
G2	4024	Thuja plicata Westen Red Cedar	394	MS	9	2	2	2	2	1	n/a	M	Fair	Average condition	Nil	N/A	10-20	C1	3.94	48.78
G2	4025	Thuja plicata Westen Red Cedar	273	1	14	2	2	2	2	1	n/a	M	Fair	Average condition	Nil	N/A	20-40	C1	3.28	33.72
G3	4026	Acer pseudoplatanus Sycamore	311	1	16	4	4	2	3	2	11	M	Fair	Average condition	Nil	N/A	40+	B2	3.73	43.76
G3	4027	Acer pseudoplatanus Sycamore	355	1	16	2	4	4	4	2	8	M	Fair	Average condition	Nil	N/A	40+	B2	4.26	57.02
G3	4028	Acer pseudoplatanus Sycamore	315	1	16	3	2	4	4	2	9	M	Fair	Average condition	Nil	N/A	40+	B2	3.78	44.89
G3	4029	Acer pseudoplatanus Sycamore	281	1	17	2	2	2	2	2	10	M	Fair	Average condition	Nil	N/A	40+	B2	3.37	35.73
G3	4030	Acer pseudoplatanus Sycamore	253	1	16	2	2	2	3	2	9	M	Fair	Average condition	Nil	N/A	40+	B2	3.04	28.96
G3	4031	Acer pseudoplatanus Sycamore	335	1	17	3	3	4	4	2	10	M	Fair	Average condition	Nil	N/A	40+	B2	4.02	50.78
G3	4032	Prunus avium Cherry	235	1	16	2	2	3	2	1	7	M	Fair	Average condition	Deadwood	P	20-40	B2	2.82	24.99
G3	4033	Acer pseudoplatanus Sycamore	336	1	17	1	2	3	2	2	11	M	Fair	Average condition	Nil	N/A	40+	B2	4.03	51.08
G3	4034	Acer pseudoplatanus Sycamore	354	1	16	4	2	3	2	2	6	M	Fair	Average condition	Nil	N/A	40+	B2	4.25	56.7
G3	4035	Acer pseudoplatanus Sycamore	427	1	14	4	2	2	4	2	6	M	Fair	Average condition	Nil	N/A	40+	B2	5.12	82.49
G3	4036	Acer pseudoplatanus Sycamore	318	1	15	2	2	1	5	2	6	M	Fair	Average condition	Nil	N/A	40+	B2	3.82	45.75
G3	4037	Acer pseudoplatanus Sycamore	380	1	16	2	2	2	5	2	5	M	Fair	Average condition	Nil	N/A	40+	B2	4.56	65.33
G3	4038	Acer pseudoplatanus Sycamore	175	1	14	1	1	1	4	2	6	M	Fair	Average condition	Nil	N/A	20-40	C2	2.1	13.86
G3	4039	Acer pseudoplatanus Sycamore	411	1	16	2	2	2	6	2	7	M	Fair	Av small unidentified ffb at base e (saprophytic?)	Deadwood	P	40+	B2	4.93	76.43
G3	4040	Acer pseudoplatanus Sycamore	280	1	15	1	2	1	5	2	5	M	Fair	Average condition	Nil	N/A	20-40	B2	3.36	35.47
G3	4041	Acer pseudoplatanus Sycamore	245	1	12	1	1	1	5	2	5	M	Fair	Average condition	Nil	N/A	20-40	B2	2.94	27.16
G3	4042	Acer pseudoplatanus Sycamore	208	1	11	1	1	1	5	2	6	M	Fair	Average condition	Nil	N/A	20-40	B2	2.5	19.57
G3	4043	Acer pseudoplatanus Sycamore	315	1	15	1	3	1	5	2	6	M	Fair	Average condition	Nil	N/A	40+	B2	3.78	44.89
G3	4044	Acer pseudoplatanus Sycamore	328	1	14	2	2	2	5	2	6	M	Fair	Average condition	Deadwood	P	40+	B2	3.94	48.68
G3	4045	Acer pseudoplatanus Sycamore	274	1	14	2	2	2	5	2	7	M	Fair	Average condition	Nil	N/A	40+	B2	3.29	33.97
G3	4046	Acer pseudoplatanus Sycamore	304	1	14	2	2	2	5	2	7	M	Fair	Av minor stem wounds	Nil	N/A	20-40	B2	3.65	41.81
G3	4047	Acer pseudoplatanus Sycamore	624	1	16	4	6	4	8	2	6	M	Fair	Average condition	Deadwood	P	40+	B2	7.49	176.17
G4	4048	Conifer	364	MS	5	0.5	0.5	0.5	0.5	0	n/a	M	Fair	Average condition	Nil	N/A	20-40	C1	3.64	41.63
G4	4049	Conifer	591	MS	6	1	1	1	1	0	n/a	M	Fair	Average condition	Nil	N/A	20-40	C1	5.91	109.74
G4	4050	Conifer	568	MS	7	1	1	1	1	0	n/a	M	Fair	Average condition	Nil	N/A	20-40	C1	5.68	101.37
G4	4051	Conifer	640	MS	6	1	1	1	1	0	n/a	M	Fair	Av spreading stems	Nil	N/A	10-20	C1	6.4	128.7
G5	4052	Betula alba Silver birch	311	1	12	4	4	4	4	1	5	M	Fair	Average condition	Nil	N/A	20-40	B2	3.73	43.76
G5	4054	Betula alba Silver birch	281	1	13	4	4	3	3	1	4	M	Fair	Average condition	Nil	N/A	20-40	B2	3.37	35.73
G5	4055	Betula alba Silver birch	282	1	11	2	3	2	2	1	3	M	Poor	Average condition	Nil	N/A	10-20	C1	3.38	35.98
G5	4056	Betula alba Silver birch	279	1	11	3	3	2	3	1	5	M	Fair	Average condition	Nil	N/A	20-40	B2	3.35	35.22

Trees to be Retained

Group No	Tag	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physio-logical Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
						N	S	E	W											
G5	4057	Betula alba Silver birch	335	1	11	3	5	3	4	1	2	M	Fair	Average condition	Nil	N/A	20-40	B2	4.02	50.78
G5	4058	Betula alba Silver birch	334	1	14	4	5	3.5	2	1	3	M	Fair	Average condition	Nil	N/A	20-40	B2	4.01	50.47
G5	4059	Betula alba Silver birch	266	1	14	2	4	2	2	1	5	M	Fair	Average condition	Nil	N/A	20-40	B2	3.19	32.01
G5	4060	Betula alba Silver birch	308	1	13	4	3	2	4	1	5	M	Fair	Average condition	Nil	N/A	20-40	B2	3.7	42.92
G6	4061	Betula alba Silver birch	303	1	12	4	4	3.5	3	1	5	M	Fair	Average condition	Nil	N/A	20-40	B2	3.64	41.54
G6	4062	Betula alba Silver birch	286	1	11	3.5	4	2	3	1	3.5	M	Fair	Average condition	Nil	N/A	20-40	B2	3.43	37.01
G6	4063	Betula alba Silver birch	334	1	14	4	4	4	2	1	4	M	Fair	Average condition	Nil	N/A	20-40	B2	4.01	50.47
G6	4064	Betula alba Silver birch	279	1	12	3.5	4	3	4	1	5	M	Fair	Average condition	Nil	N/A	20-40	B2	3.35	35.22
G6	4065	Betula alba Silver birch	207	1	10	3	4	1.5	2.5	1	5	M	Fair	Average condition	Nil	N/A	20-40	B2	2.48	19.39
G6	4066	Betula alba Silver birch	321	1	14	4	4	3	4	1	7	M	Fair	Average condition	Nil	N/A	20-40	B2	3.85	46.62
G6	4067	Betula alba Silver birch	201	1	13	2	3	2	2	1	7	M	Fair	Average condition	Nil	N/A	20-40	B2	2.41	18.28
G6	4068	Betula alba Silver birch	223	1	12	1	5	1.5	3	1	5	M	Fair	Average condition	Nil	N/A	20-40	B2	2.68	22.5
G6	4069	Betula alba Silver birch	302	1	14	3	5	3	3	1	6	M	Fair	Average condition	Nil	N/A	20-40	B2	3.62	41.27
G6	4070	Betula alba Silver birch	226	1	12	2	3	3	3	1	7	M	Fair	Split limb in upper crown over path	remove split limb	U	20-40	B2	2.71	23.11
G7	4071	Chamaecyparis lawsoniana lawsons cypress	333	1	12	2	2	2	2	0	n/a	M	Good	V close to building	Nil	N/A	20-40	C1	4	50.17
G7	4072	Chamaecyparis lawsoniana lawsons cypress	411	1	12	2	2	2	2	0	n/a	M	Good	V close to building	Ni	N/A	20-40	C1	4.93	76.43
G8	4073	Acer platanoides Norway Maple	160	1	9	3	3	3	1	5	3	M	Good	Average condition	Nil	N/A	40+	C1	1.92	11.58
G8	4074	Acer platanoides Norway maple	153	1	9	3	3	3	1	5	3	M	Good	Average condition	Nil	N/A	40+	C1	1.84	10.59
G8	4075	Acer platanoides Norway maple	143	1	7	3	2	3	3	5	2	M	Fair	Average condition	Nil	N/A	40+	C1	1.72	9.25
G8	4077	Acer platanoides Norway maple (Purple)	148	1	8	2	3	2	3	5	3	M	Fair	Average condition	Nil	N/A	40+	C1	1.78	9.91
G8	4078	Acer platanoides Norway maple (Drummondii)	154	1	8	2	3	3	3	3	4	M	Fair	Split limb in upper crown and reverting	Nil	N/A	10-20	C1	1.85	10.73
G8	4079	Acer platanoides Norway maple (Drummondii)	168	1	9	3	3	3	3	3	5	M	Fair	Average condition	Nil	N/A	20-40	B2	2.02	12.77
G9	4080	Fraxinus excelsior Ash	256	1	11	3.5	3	2.5	3	3	4	M	Good	Gone	Nil	N/A	40+	B2	3.07	29.65
G9	4081	Fraxinus excelsior Ash	182	1	9	2	2	2	2	3	4	M	Good	Gone	Nil	N/A	40+	B2	2.18	14.99
G9	4082	Fraxinus excelsior Ash	279	1	9	4	4	3	4	3	4	M	Good	Gone	Nil	N/A	40+	B2	3.35	35.22
G9	4083	Fraxinus excelsior Ash	182	1	9	2	2	2	3	3	5	M	Good	Gone	Nil	N/A	40+	B2	2.18	14.99
G9	4084	Fraxinus excelsior Ash	178	1	10	2	2	3	2	3	6	M	Good	Gone	Nil	N/A	40+	B2	2.14	14.34
G9	4085	Fraxinus excelsior Ash	229	1	10	4	3	4	4	3	3	M	Good	Gone	Nil	N/A	40+	B2	2.75	23.73
G10	4086	Acer platanoides Norway maple	169	1	8	2	2	3	2	4	3	M	Good	Average condition	Nil	N/A	40+	C1	2.03	12.92
G10	4087	Acer platanoides Norway maple	149	1	7	2	2	2	2	4	4	M	Good	Average condition	Nil	N/A	40+	C1	1.79	10.04
G10	4088	Acer platanoides Norway maple	166	1	8	2	2	2	2	4	3	M	Good	Average condition	Nil	N/A	40+	C1	1.99	12.47
G10	4089	Acer platanoides Norway maple	219	1	8	2.5	3	3	3	4	3	M	Good	Gone	Nil	N/A	40+	C1	2.63	21.7
G10	4090	Acer platanoides Norway maple	230	1	10	4	3	3	3	4	3	M	Good	Gone	Nil	N/A	40+	B2	2.76	23.93
G11	4091	Prunus avium Cherry	280	1	8	3.5	4	3	4	3	4	M	Good	Gone	Nil	N/A	40+	B2	3.36	35.47
G11	4092	Prunus avium Cherry	162	1	8	2	3	2	3	3	3	M	Good	Average condition	Nil	N/A	40+	B2	1.94	11.87
G11	4093	Prunus avium Cherry	300	1	10	5	5	5	3	3	3	M	Good	Average condition	Nil	N/A	40+	B2	3.6	40.72
G12	4094	Chamaecyparis lawsoniana lawsons cypress	230	MS	4	1	1	1	1	0	n/a	M	Good	Average condition	Nil	N/A	20-40	C1	2.3	16.62
G12	4095	Chamaecyparis lawsoniana lawsons cypress	244	MS	5	1	1	1	1	0	n/a	M	Good	Average condition	Nil	N/A	20-40	C1	2.44	18.71
G12	4096	Chamaecyparis lawsoniana lawsons cypress	197	MS	5	1	1	1	1	0	n/a	M	Good	Average condition	Nil	N/A	20-40	C1	1.97	12.19
G12	4097	Chamaecyparis lawsoniana lawsons cypress	199	MS	5	1	1	1	1	0	n/a	M	Good	Average condition	Nil	N/A	20-40	C1	1.99	12.44
G13	4098	Chamaecyparis lawsoniana lawsons cypress	220	MS	4	1	1	1	1	0	n/a	M	Good	Average condition	Nil	N/A	20-40	C1	2.2	15.21
G13	4099	Chamaecyparis lawsoniana lawsons cypress	225	MS	5	1	1	1	1	0	n/a	M	Good	Average condition	Nil	N/A	20-40	C1	2.25	15.91
G13	4100	Chamaecyparis lawsoniana lawsons cypress	205	MS	5	1	1	1	1	0	n/a	M	Good	Average condition	Nil	N/A	20-40	C1	2.05	13.2
G14	4101	Pinus sylvestris Scots pine	430	1	12	4	5	6	3	1	9	M	Fair	Average condition	Nil	N/A	40+	B2	5.16	83.66
G14	4102	Pinus sylvestris Scots pine	423	1	14	2	4	4	3	1	9	M	Fair	occluded wound at gl e	Nil	N/A	40+	B2	5.08	80.96
G14	4103	Pinus sylvestris Scots pine	439	1	12	3	3	4	3	1	9	M	Fair	occluded wound at gl w tight fork at7m included bark and signs of past movement	Cable	P	20-40	B2	5.27	87.2
G14	4104	Pinus sylvestris Scots pine	366	1	10	1	3	1	5	1	7	M	Fair	Average condition	Nil	N/A	40+	B2	4.39	60.61
G14	4105	Pinus sylvestris Scots pine	415	1	12	2	3	2	5	1	9	M	Fair	Average condition	Nil	N/A	40+	B2	4.98	77.92
G14	4106	Pinus sylvestris Scots pine	399	1	13	2	3	3	2	1	10	M	Fair	Average condition	Nil	N/A	40+	B3	4.79	72.03
G14	4107	Pinus sylvestris Scots pine	291	1	15	1	1	4	0	1	10	M	Fair	Kinked stem at 10m end loaded	Nil	N/A	10-20	C1	3.49	38.31
G14	4108	Acer pseudoplatanus Sycamore	407	1	14	5	6	7	4	2	6	M	Fair	Average condition	Nil	N/A	40+	B2	4.88	74.95
G14	4109	Pinus sylvestris Scots pine	319	1	13	2	2	2	1	1	7	M	Fair	Occluding wound at gl n and 1.0w	Nil	N/A	40+	B2	3.83	46.04
G14	4110	Acer pseudoplatanus Sycamore	517	1	15	6	7	8	1	2	6	M	Fair	Average condition	Nil	N/A	40+	B2	6.2	120.93
G14	4111	Acer pseudoplatanus Sycamore	494	1	17	7	1	3	8	1	6	M	Fair	Average condition	Nil	N/A	40+	B2	5.93	110.41
G14	4112	Pinus sylvestris Scots pine	319	1	17	1	1	1	1	1	14	M	Fair	Drawn up specimen due to surrounding trees	Nil	N/A	20-40	B2	3.83	46.04
G15	4113	Pinus sylvestris Scots pine	389	1	15	1	5	4	2	1	7	M	Fair	Average condition	Nil	N/A	40+	B2	4.67	68.46
G15	4114	Pinus sylvestris Scots pine	296	1	13	1	3	3	2	1	7	M	Fair	Average condition	Nil	N/A	40+	B2	3.55	39.64
G15	4115	Pinus sylvestris Scots pine	408	1	14	3	3	4	2	1	8	M	Fair	Average condition	Nil	N/A	40+	B2	4.9	75.32
G15	4116	Acer pseudoplatanus Sycamore	328	1	14	6	4	4	1	2	6	M	Fair	Average condition	Nil	N/A	40+	B2	3.94	48.68
G15	4117	Acer pseudoplatanus Sycamore	370	1	14	4	4	2	1	2	7	M	Fair	Average condition	Nil	N/A	40+	B2	4.44	61.94
G15	4118	Fagus sylvatica Beech	660	MS	16	8	6	2	2	2	6	M	Fair	Included bark in union	Cable	P	40+	B2	6.6	136.87
G15	4119	Pinus sylvestris Scots pine	358	1	14	3	1	0	3	1	8	M	Fair	Minor wound at gl e	Nil	N/A	40+	B2	4.3	57.99
G15	4120	Acer pseudoplatanus Sycamore	269	1	14	1	3	2	2	2	8	M	Fair	Minor wound at gl n	Nil	N/A	40+	B2	3.23	32.74
G15	4121	Acer pseudoplatanus Sycamore	551	MS	14	1	6	4	6	2	6	M	Fair	Included bark in union	Cable	P	40+	B2	5.51	95.39
G15	4122	Fagus sylvatica Beech	512	1	15	4	5	3	6	2	6	M	Fair	Average condition	Nil	N/A	40+	B2	6.14	118.61
G17	4142	Betula alba Silver birch	117	1	7	1	1	2	1	3	3	SM	Fair	Average condition	Nil	N/A	20-40	C2	1.4	6.19
G17	4143	Betula alba Silver birch	96	1	7	1	2	1	1	3	3	SM	Fair	Average condition	Nil	N/A	20-40	C2	1.15	4.17
G17	4144	Betula alba Silver birch	75	1	6	1	1	1	1	3	2	SM	Fair	Average condition	Nil	N/A	20-40	C2	0.9	2.55
G18	4145	Acer pseudoplatanus Sycamore	331	1	12	3	5	4	5	2	4	M	Fair	Average condition	Nil	N/A	40+	B2	3.97	49.57
G18	4146	Acer pseudoplatanus Sycamore	320	1	12	3	2	4	5	2	6	M	Fair	Minor stem wound at 1.8n and 2.0w	Nil	N/A	40+	B2	3.84	46.33
G18	4147	Acer pseudoplatanus Sycamore	365	1	11	4	3	5	5	1	6	M	Fair	Average condition	Nil	N/A	20-40	B2	4.38	60.28
G18	4148	Acer pseudoplatanus Sycamore	333	1	12	4	3	5	5	2	5	M	Fair	Minor stem wound at 2.5w	Nil	N/A	40+	B2	4	50.17
G18	4149	Acer pseudoplatanus Sycamore	309	1	10	3	3	5	4	2	4	M	Fair	Average condition	Nil	N/A	40+	B2	3.71	43.2
G18	4150	Acer pseudoplatanus Sycamore	325	1	12	2.5	4	5	5	2	4	M	Fair	Average condition	Nil	N/A	40+	B2	3.9	47.79
G18	4151	Acer pseudoplatanus Sycamore	438	1	12	4.5	4	4	6	2	7	M	Fair	Average condition	Nil	N/A	40+	B2	5.26	86.8

Trees to be Retained

Group No	Tag	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physio-logical Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
						N	S	E	W											
G18	4152	Acer pseudoplatanus Sycamore	318	1	11	3	3	6	6	2	6	M	Fair	Average condition	Nil	N/A	40+	B2	3.82	45.75
G18	4153	Acer pseudoplatanus Sycamore	417	1	12	3	4	5	5	1	5	M	Poor	Average condition	Nil	N/A	20-40	B2	5	78.68
G18	4154	Acer pseudoplatanus Sycamore	444	1	12	3	3	6	6	2	5	M	Fair	Minor stem wound at 4.0e	Nil	N/A	40+	B2	5.33	89.19
G18	4155	Acer pseudoplatanus Sycamore	547	1	13	5	4	7	6	2	6	M	Fair	Minor stem wound at 2.0w	Nil	N/A	40+	B2	6.56	135.38
G18	4156	Acer pseudoplatanus Sycamore	375	1	10	3	2	6	5	1	5	M	Poor	Stem wounds and cavities	Nil	N/A	20-40	B2	4.5	63.63
G18	4157	Acer pseudoplatanus Sycamore	470	1	12	3	4	5	4	2	5	M	Fair	Minor cavity 3.5w	Nil	N/A	40+	B2	5.64	99.95
G18	4158	Acer pseudoplatanus Sycamore	394	1	11	2	4	5	5	2	4	M	Fair	Average condition	Nil	N/A	40+	B2	4.73	70.24
G18	4159	Acer pseudoplatanus Sycamore	442	1	12	1	5	7	6	2	5	M	Fair	Minor cavity at 3.0e	Nil	N/A	40+	B2	5.3	88.39
G18	4160	Acer pseudoplatanus Sycamore	566	1	15	4	6	7	7	2	6	M	Fair	Average condition	Nil	N/A	40+	B2	6.79	144.94
G18	4161	Acer platanoides Norway maple	466	1	12	7	3	6	8	2	5	M	Fair	Average condition	Nil	N/A	40+	B2	5.59	98.25
G18	4162	Acer pseudoplatanus Sycamore	531	1	14	3.5	4.5	6	6	2	5	M	Fair	Average condition	Nil	N/A	40+	B2	6.37	127.57
G18	4163	Acer pseudoplatanus Sycamore	360	1	12	1	2	4	5	1	6	M	Poor	Average condition	Nil	N/A	10-20	C2	4.32	58.64
G18	4164	Acer pseudoplatanus Sycamore	502	1	13	5	6	6	6	2	5	M	Fair	Average condition	Nil	N/A	40+	B2	6.02	114.02
G18	4165	Acer pseudoplatanus Sycamore	348	1	12	5	4	5	5	2	5	M	Fair	Average condition	Nil	N/A	40+	B2	4.18	54.79
G18	4166	Acer pseudoplatanus Sycamore	357	1	12	2	3	4	4	1	5	M	Fair	Average condition	Nil	N/A	20-40	B2	4.28	57.66
G18	4167	Acer pseudoplatanus Sycamore	269	1	10	3	2	3	3	1	5	M	Poor	Average condition	Nil	N/A	10-20	B2	3.23	32.74
G18	4168	Acer pseudoplatanus Sycamore	351	1	12	4	3	4	5	1	5	M	Fair	Average condition	Nil	N/A	20-40	B2	4.21	55.74
G18	4169	Acer pseudoplatanus Sycamore	367	1	12	3	4	5	4	1	5	M	Fair	Average condition	Nil	N/A	20-40	B2	4.4	60.94
G18	4170	Acer pseudoplatanus Sycamore	339	1	12	3	4	4	5	1	5	M	Fair	Average condition	Nil	N/A	20-40	B2	4.07	52
G18	4171	Acer pseudoplatanus Sycamore	346	1	12	3	4	4	6	1	6	M	Fair	Average condition	Nil	N/A	20-40	B2	4.15	54.17
G18	4172	Acer pseudoplatanus Sycamore	225	1	10	2	4	4	3	2	5	M	Fair	Average condition	Nil	N/A	20-40	B2	2.7	22.91
G18	4173	Acer pseudoplatanus Sycamore	363	1	12	3	4	4	4	1	6	M	Fair	Average condition	Nil	N/A	20-40	B2	4.36	59.62
G18	4174	Acer pseudoplatanus Sycamore	262	1	10	3	3	3	3	1	5	M	Fair	Average condition	Nil	N/A	20-40	B2	3.14	31.06
G18	4175	Acer pseudoplatanus Sycamore	286	1	10	3	2	4	4	1	5	M	Fair	Average condition	Nil	N/A	20-40	B2	3.43	37.01
G18	4176	Acer pseudoplatanus Sycamore	455	1	13	5	4	6	7	2	6	M	Fair	Average condition	Nil	N/A	20-40	B2	5.46	93.67
G18	4177	Acer pseudoplatanus Sycamore	333	1	13	2	2	5	3	1	7	M	Poor	Average condition	Nil	N/A	20-40	B2	4	50.17
G19	4178	Pinus sylvestris Scots pine	226	1	9	1	2	1	4	0	7	M	Fair	Average condition	Nil	N/A	20-40	B2	2.71	23.11
G19	4179	Pinus sylvestris Scots pine	278	1	12	2	1	1	4	0	9	M	Fair	Average condition	Nil	N/A	20-40	B2	3.34	34.97
G19	4180	Pinus sylvestris Scots pine	349	1	11	4.5	1	1	2	0	9	M	Fair	Average condition	Nil	N/A	20-40	B2	4.19	55.11
G19	4181	Pinus sylvestris Scots pine	187	1	11	0	1	1	1	0	10	M	Fair	Average condition	Nil	N/A	20-40	B2	2.24	15.82
G19	4182	Fagus sylvatica Beech	410	1	14	7	2	2	5	1	6	M	Fair	Included bark in union at 4.0	Nil	N/A	20-40	B2	4.92	76.06
G19	4183	Fagus sylvatica Beech	420	1	14	6	2	7	2	2	7	M	Fair	Average condition	Nil	N/A	20-40	B2	5.04	79.81
G19	4184	Pinus sylvestris Scots pine	319	1	14	2	1	3	1	0	12	M	Poor	Average condition	Nil	N/A	10-20	C2	3.83	46.04
G19	4185	Fagus sylvatica Beech	505	1	14	4	4	5	3	2	6	M	Fair	Average condition	Nil	N/A	40+	B2	6.06	115.39
G19	4186	Acer pseudoplatanus Sycamore	300	1	14	2	4	2	3	2	9	M	Fair	Average condition	Nil	N/A	40+	B2	3.6	40.72
G19	4187	Fagus sylvatica Beech	538	1	15	8	7	2	6	2	7	M	Fair	Minor stem bleeding n	Nil	N/A	20-40	B2	6.46	130.96
G19	4188	Pinus sylvestris Scots pine	242	1	12	3	2	1	3	0	9	M	Fair	Average condition	Nil	N/A	20-40	B2	2.9	26.5
G19	4189	Acer pseudoplatanus Sycamore	324	1	13	0	5	3	5	1	7	M	Poor	Average condition	Nil	N/A	10-20	B2	3.89	47.5
G19	4190	Acer pseudoplatanus Sycamore	370	1	14	2.5	2.5	2.5	3	1	7	M	Fair	Basal wound se	Nil	N/A	20-40	B2	4.44	61.94
G20	4193	Acer pseudoplatanus Sycamore	502	1	13	7	5	3	7	1	4	M	Fair	Average condition	Nil	N/A	20-40	B2	6.02	114.02
G20	4194	Pinus sylvestris Scots pine	290	1	13	2	3	5	0	0	9	M	Fair	Average condition	Nil	N/A	20-40	B2	3.48	38.05
G20	4195	Pinus sylvestris Scots pine	348	1	12	5	1	5	1	0	7	M	Fair	Extended upper limb/stem to ne	reduce upper limb/stem by 25%	P	20-40	B2	4.18	54.79
G20	4196	Pinus sylvestris Scots pine	373	1	12	4	3	4	2	0	4	M	Fair	Average condition	Nil	N/A	20-40	B2	4.48	62.95
G20	4197	Acer pseudoplatanus Sycamore	387	1	13	4	5	4	5	2	6	M	Fair	Average condition	Nil	N/A	40+	B2	4.64	67.76
G21	4198	Acer pseudoplatanus Sycamore	518	1	14	6	6	6	3	2	7	M	Fair	Average condition	Nil	N/A	40+	B2	6.22	121.4
G21	4199	Aesculus hippocastanum Horse chestnut	653	1	14	6.5	6	5	7	2	7	M	Good	Average condition	Nil	N/A	20-40	B2	7.84	192.93
G21	4200	Aesculus hippocastanum Horse chestnut	634	1	13	5.5	8	7	6	2	6	M	Good	Average condition	Nil	N/A	20-40	B2	7.61	181.86
G21	4201	Aesculus hippocastanum Horse chestnut	480	1	13	6	6	6	3	2	5	M	Good	Average condition	Nil	N/A	20-40	B2	5.76	104.24
G21	4202	Acer pseudoplatanus Sycamore	503	1	13	4	7	4	2	1	5	M	Fair	Average condition	Nil	N/A	20-40	B2	6.04	114.47
G21	4203	Aesculus hippocastanum Horse chestnut	491	1	13	7	8	5	4	2	5	M	Good	Average condition	Nil	N/A	20-40	B2	5.89	109.08
G21	4204	Fagus sylvatica Beech	483	1	13	7	6	3	3	3	6	M	Good	Average condition	Nil	N/A	40+	B2	5.8	105.55
G21	4205	Acer pseudoplatanus Sycamore	433	1	13	6	7	3.5	3.5	1	5	M	Fair	Average condition	Nil	N/A	20-40	B2	5.2	84.83
G21	4206	Fagus sylvatica Beech	671	1	14	8	7	6	4	2	5	M	Fair	Average condition	Nil	N/A	20-40	B2	8.05	203.71
G21	4207	Aesculus hippocastanum Horse chestnut	440	1	12	4.5	5	3	4	2	6	M	Fair	Previously pollarded	Nil	N/A	20-40	B2	5.28	87.59
G21	4208	Aesculus hippocastanum Horse chestnut	569	1	12	6	6	6	4	2	6	M	Fair	Average condition	Nil	N/A	20-40	B2	6.83	146.49
G21	4209	Fagus sylvatica Beech	530	1	13	6	7	4	6	2	5	M	Good	Average condition	Nil	N/A	40+	B2	6.36	127.09
G21	4210	Aesculus hippocastanum Horse chestnut	608	1	13	5	5	6	4	2	7	M	Fair	Average condition	Nil	N/A	20-40	B2	7.3	167.25
G21	4211	Fagus sylvatica Beech	579	1	14	8	8	4	5	2	7	M	Fair	Average condition	Nil	N/A	40+	B2	6.95	151.68
G21	4212	Acer pseudoplatanus Sycamore	500	1	13	6	7	4	6	1	6	M	Poor	Average condition	Nil	N/A	20-40	B2	6	113.11
G22	4213	Betula alba Silver birch	90	1	6	1	2	2	1	1	4	SM	Fair	Average condition	Nil	N/A	10-20	C2	1.08	3.66
G22	4214	Betula alba Silver birch	101	1	6	1	2	1	2	1	4	SM	Fair	Average condition	Nil	N/A	10-20	C2	1.21	4.62
G22	4215	Betula alba Silver birch	152	1	7	1	3	2	2	1	3	M	Fair	Average condition	Nil	N/A	10-20	C2	1.82	10.45
G23	4216	Sorbus intermedia Swedish Whitebeam	534	1	11	3	4	5	3	1	4	M	Fair	Average condition	Nil	N/A	20-40	B2	6.41	129.02
G23	4217	Sorbus intermedia Swedish Whitebeam	540	1	10	3	3	3	4	1	4	M	Poor	Average condition	Nil	N/A	10-20	C2	6.48	131.93
G23	4218	Sorbus intermedia Swedish Whitebeam	512	1	10	3	4	4	3	1	4	M	Fair	Stem wounds at 0.4n	Nil	N/A	10-20	B2	6.14	118.61
G23	4219	Sorbus intermedia Swedish Whitebeam	544	1	11	3	4	5	4	1	4	M	Fair	Average condition	Nil	N/A	20-40	B2	6.53	133.9
G24	4220	Fagus sylvatica Beech	438	1	13	6	5	5	7	2	6	M	Fair	Average condition	Nil	N/A	40+	B2	5.26	86.8
G24	4221	Aesculus hippocastanum Horse chestnut	562	1	14	5	5	3.5	5	2	7	M	Fair	Average condition	Nil	N/A	20-40	B2	6.74	142.9
G24	4222	Fagus sylvatica Beech	505	1	14	4	5	3	3	2	7	M	Fair	Average condition	Nil	N/A	40+	B2	6.06	115.39
G24	4223	Aesculus hippocastanum Horse chestnut	473	1	12	5	6	4	3	1	6	M	Fair	included bark and historic split in fork 3.0w	Check condition on split	U	10-20	B2	5.68	101.23
G24	4224	Fagus sylvatica Beech	542	1	14	6	5	3	3	2	6	M	Fair	Average condition	Nil	N/A	40+	B2	6.5	132.91
G24	4225	Aesculus hippocastanum Horse chestnut	438	1	13	5	6	5.5	5	2	3	M	Fair	Included bark in fork 4.0	Nil	N/A	20-40	B2	5.26	86.8
G24	4226	Aesculus hippocastanum Horse chestnut	488	1	13	5	6	4.5	6	2	4	M	Fair	Average condition	Nil	N/A	40+	B2	5.86	107.75
G24	4227	Fagus sylvatica Beech	558	1	14	6	7	5	3	2	6	M	Fair	Stem wound 1.2 e	Nil	N/A	40+	B2	6.7	140.88

Trees to be Retained

Group No	Tag	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physio-logical Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
						N	S	E	W											
G24	4228	Aesculus hippocastanum Horse chestnut	539	1	12	4	5	5	3	2	6	M	Fair	Average condition	Nil	N/A	40+	B2	6.47	131.45
G25	4229	Sorbus intermedia Swedish Whitebeam	542	1	10	4	5	3	5	1	4	M	Fair	Average condition	Nil	N/A	20-40	B2	6.5	132.91
G25	4230	Aesculus hippocastanum Horse chestnut	406	1	11	4	5	4	4	2	6	M	Fair	Average condition	Nil	N/A	40+	B2	4.87	74.58
G25	4231	Sorbus intermedia Swedish Whitebeam	463	MS	10	4	3	4	3	1	4	M	Fair	Average condition	Nil	N/A	20-40	B2	4.63	67.35
G25	4232	Sorbus intermedia Swedish Whitebeam	462	1	8	3	4	3	4	1	4	M	Fair	Woodpecker holeson main stem	Nil	N/A	20-40	B2	5.54	96.57
G25	4233	Sorbus intermedia Swedish Whitebeam	470	1	10	5	4	4	4	1	5	M	Fair	Average condition	Nil	N/A	20-40	B2	5.64	99.95
G25	4234	Sorbus intermedia Swedish Whitebeam	489	1	10	3	4	4	4	1	5	M	Fair	Average condition	Nil	N/A	20-40	B2	5.87	108.19
G25	4235	Sorbus intermedia Swedish Whitebeam	648	1	10	5	3	3	5	1	5	M	Fair	Average condition	Nil	N/A	20-40	B2	7.78	189.98
G25	4236	Sorbus intermedia Swedish Whitebeam	536	1	10	3	4.5	4	4.5	1	3	M	Fair	Average condition	Nil	N/A	20-40	B2	6.43	129.99
G25	4237	Sorbus intermedia Swedish Whitebeam	645	1	10	4.5	4	4	5	1	5	M	Fair	Average condition	Nil	N/A	20-40	B2	7.74	188.23
G25	4238	Sorbus intermedia Swedish Whitebeam	500	1	10	3.5	4	3	4	1	4	M	Fair	old ffb on stem to e possibly In. hisp stem split	Remove e stem	U	10-20	B2	6	113.11
G26	4239	Sorbus intermedia Swedish Whitebeam	582	1	10	3	4	4	5	1	6	M	Fair	Historic tear out on e stem	Nil	N/A	10-20	C2	6.98	153.25
G26	4240	Sorbus intermedia Swedish Whitebeam	508	1	10	5	3	4	4	1	5	M	Fair	Average condition	Nil	N/A	20-40	B2	6.1	116.76
G26	4241	Sorbus intermedia Swedish Whitebeam	601	1	10	4	5	4	5	1	5	M	Fair	Average condition	Nil	N/A	20-40	B2	7.21	163.42
G28	4246	Acer pseudoplatanus Sycamore	485	1	14	3	7	4	3	2	7	M	Fair	Average condition	Nil	N/A	40+	B2	5.82	106.43
G28	4247	Fraxinus excelsior Ash	255	1	12	1.5	5	3	1	2	8	M	Fair	Average condition	Nil	N/A	40+	B2	3.06	29.42
G28	4248	Fraxinus excelsior Ash	344	1	14	2	8	3	3	2	7	M	Fair	Average condition	Nil	N/A	40+	B2	4.13	53.54
G28	4249	Acer pseudoplatanus Sycamore	364	1	14	1	6	2	4	2	6	M	Fair	Average condition	Nil	N/A	40+	B2	4.37	59.95
G28	4250	Fagus sylvatica Beech	448	1	14	3	7	4	4	2	5	M	Fair	Average condition	Nil	N/A	40+	B2	5.38	90.81
G28	4251	Acer pseudoplatanus Sycamore	433	1	14	1	6	2	4	2	7	M	Fair	Average condition	Nil	N/A	40+	B2	5.2	84.83
G28	4252	Acer pseudoplatanus Sycamore	365	MS	13	1	3	1	2	1	9	M	Fair	Average condition	Nil	N/A	20-40	B2	3.65	41.86
G28	4253	Fagus sylvatica Beech	204	1	14	2	1	1	1	1	8	M	Fair	Average condition	Nil	N/A	20-40	B2	2.45	18.83
G28	4254	Fagus sylvatica Beech	333	1	15	2	4	3	4	2	8	M	Fair	Average condition	Nil	N/A	40+	B2	4	50.17
G28	4255	Fagus sylvatica Beech	400	1	15	1	4	6	3	2	6	M	Fair	Bark scars on main stem	Nil	N/A	10-20	C2	4.8	72.39
G28	4256	Fagus sylvatica Beech	297	1	14	2	4	2	3	3	8	M	Fair	Average condition	Nil	N/A	40+	B2	3.56	39.91
G28	4257	Carpinus betulus Hornbeam	384	MS	10	2	3	6	4	2	4	M	Fair	Average condition	Nil	N/A	40+	B2	3.84	46.33
G28	4258	Acer pseudoplatanus Sycamore	333	MS	13	2	4	3	3	2	7	M	Fair	Average condition	Nil	N/A	40+	B2	3.33	34.84
G28	4259	Fagus sylvatica Beech	258	1	13	0	8	4	0	2	8	M	Fair	Average condition	Nil	N/A	20-40	B2	3.1	30.12
G28	4260	Fagus sylvatica Beech	347	1	14	2	3	5	2	2	9	M	Fair	Average condition	Nil	N/A	40+	B2	4.16	54.48
G28	4261	Carpinus betulus Hornbeam	626	MS	13	3	7	7	6	2	6	M	Fair	Average condition	Nil	N/A	40+	B2	6.26	123.13
G28	4262	Fagus sylvatica Beech	496	1	15	8	5	6	3	2	4	M	Fair	Average condition	Nil	N/A	40+	B2	5.95	111.31
G28	4263	Fagus sylvatica Beech	623	1	15	8	7	4	3	2	7	M	Fair	Wounds in main stem w 7m tight main forks with included bark	VTA	U	10-20	C2	7.48	175.61
G28	4264	Acer pseudoplatanus Sycamore	346	1	15	0	3	4	2	1	9	M	Fair	Average condition	Nil	N/A	10-20	C2	4.15	54.17
G28	4265	Fagus sylvatica Beech	403	1	15	6	4	5	3	2	6	M	Fair	Average condition	Nil	N/A	40+	B2	4.84	73.48
G28	4266	Fagus sylvatica Beech	179	1	11	2	2	3	1	2	5	M	Fair	Average condition	Nil	N/A	20-40	B2	2.15	14.5
G28	4267	Acer pseudoplatanus Sycamore	677	1	16	7	5	4	3	1	6	M	Fair	Average condition	Nil	N/A	40+	B2	8.12	207.37
G28	4268	Fagus sylvatica Beech	276	1	14	1	3	2	2	2	9	M	Fair	Average condition	Nil	N/A	40+	B2	3.31	34.47
G28	4269	Fagus sylvatica Beech	603	1	15	7	7	5	7	2	8	M	Fair	Average condition	Nil	N/A	40+	B2	7.24	164.51
G28	4270	Fagus sylvatica Beech	343	1	13	1	5	2	4	2	6	M	Fair	Average condition	Nil	N/A	20-40	B2	4.12	53.23
G28	4271	Fagus sylvatica Beech	441	1	15	6	4	5	3	2	7	M	Fair	Tight fork at 7	Nil	N/A	20-40	B2	5.29	87.99
G28	4272	Fagus sylvatica Beech	274	1	8	6	0	2	3	1	6	M	Fair	Leaning	Nil	N/A	20-40	B2	3.29	33.97
G28	4273	Fagus sylvatica Beech	705	1	16	6	3	5	7	2	7	M	Fair	Tight fork at 1.2 included bark	Cable	P	20-40	B2	8.46	224.88
G28	4275	Fagus sylvatica Beech	500	1	14	6	3	5	5	2	5	M	Fair	Average condition	Nil	N/A	40+	B2	6	113.11
G28	4276	Fagus sylvatica Beech	544	1	16	4	6	4	4	2	7	M	Fair	V tight fork at 2.0 included bark	Cable	P	20-40	B2	6.53	133.9
G28	4277	Fagus sylvatica Beech	395	1	16	0	9	3	2	2	4	M	Fair	Average condition	Nil	N/A	40+	B2	4.74	70.59
G28	4278	Fagus sylvatica Beech	433	1	15	4	5	4	3	2	6	M	Fair	Average condition	Nil	N/A	40+	B2	5.2	84.83
G28	4279	Fagus sylvatica Beech	834	1	17	5	9	4	5	2	5	M	Fair	V tight forks at 1.6 & 2.0 included bark	Cable	P	20-40	B2	10.01	314.7
G28	4280	Acer pseudoplatanus Sycamore	331	MS	14	2	1	3	3	2	7	M	Fair	Average condition	Nil	N/A	20-40	B2	3.31	34.42
G28	4281	Fagus sylvatica Beech	350	MS	12	4	3	3	3	2	5	M	Fair	Average condition	Nil	N/A	40+	B2	3.5	38.49
G28	4282	Acer pseudoplatanus Sycamore	459	1	15	5	7	3	4	2	6	M	Fair	Significant stem wound at 1.0 n	Nil	N/A	10-20	C2	5.51	95.32
G28	4283	Acer pseudoplatanus Sycamore	452	1	12	5	6	4	2	2	5	M	Fair	Stem wound at 0.5 se	Nil	N/A	20-40	B2	5.42	92.44
G28	4284	Acer pseudoplatanus Sycamore	535	1	12	7	7	2	6	2	6	M	Fair	Average condition	Nil	N/A	40+	B2	6.42	129.5
G28	4285	Acer pseudoplatanus Sycamore	491	1	13	7	7	5	4	2	4	M	Fair	Average condition	Nil	N/A	40+	B2	5.89	109.08
G28	4286	Fagus sylvatica Beech	752	1	15	8	7	8	7	2	4	M	Fair	included bark and decay pocket in main fork at 1.0	Nil	N/A	20-40	B2	9.02	255.86
G28	4287	Acer pseudoplatanus Sycamore	534	1	15	7	6	5	5	2	4	M	Fair	Average condition	Nil	N/A	40+	B2	6.41	129.02
G28	4288	Acer pseudoplatanus Sycamore	580	1	14	5	7	4	4	2	5	M	Fair	Average condition	Nil	N/A	40+	B2	6.96	152.2
G28	4289	Fagus sylvatica Beech	558	1	16	2	8	5	5	2	6	M	Fair	Average condition	Nil	N/A	40+	B2	6.7	140.88
G28	4290	Acer pseudoplatanus Sycamore	410	1	14	3	2	3	2	1	6	M	Fair	Average condition	Nil	N/A	20-40	B2	4.92	76.06
G28	4291	Acer pseudoplatanus Sycamore	427	MS	11	2	2	2	2	1	6	M	Fair	Average condition	Nil	N/A	20-40	B2	4.27	57.29
G28	4293	Acer pseudoplatanus Sycamore	643	1	15	7	3	3	4	2	6	M	Fair	Average condition	Nil	N/A	20-40	B2	7.72	187.06
G29	4294	Crataegus monogyna Hawthorn	262	1	5	0	2	2	2	0	3	M	Fair	Average condition	Nil	N/A	10-20	B2	3.14	31.06
G29	4295	Crataegus monogyna Hawthorn	215	1	4	0	2	2	2	0	2	M	Fair	Average condition	Nil	N/A	10-20	C2	2.58	20.91
G29	4296	Crataegus monogyna Hawthorn	286	1	6	0	2	2	2	0	3	M	Fair	Average condition	Nil	N/A	10-20	C2	3.43	37.01
G29	4297	Crataegus monogyna Hawthorn	218	1	6	0	2	2	2	0	3	M	Fair	Average condition	Nil	N/A	10-20	C2	2.62	21.5
G30	4298	Acer pseudoplatanus Sycamore	509	MS	13	3	3	5	4	2	7	M	Fair	Average condition	Nil	N/A	20-40	C2	5.09	81.4
G30	4299	Acer pseudoplatanus Sycamore	202	1	13	1.5	2	2	2	4	7	M	Fair	Average condition	Nil	N/A	40+	C2	2.42	18.46
G30	4300	Acer pseudoplatanus Sycamore	490	1	14	5	3	3	3	2	6	M	Fair	Major dead limb in lower crown	Crown clean	U	20-40	B2	5.88	108.63
G30	4301	Fagus sylvatica Beech	435	1	17	5	3	3	4	3	6	M	Fair	Average condition	Nil	N/A	40+	B2	5.22	85.61
G30	4302	Acer pseudoplatanus Sycamore	535	MS	15	3	3	4	4	2	8	M	Fair	Multistem with lots of included bark	Nil	N/A	20-40	C2	5.35	89.93
G30	4303	Acer pseudoplatanus Sycamore	492	MS	15	5	3	6	2	2	6	M	Fair	Average condition	Nil	N/A	20-40	C2	4.92	76.06
G31	4304	Acer pseudoplatanus Sycamore	470	1	12	4	5	5	6	2	5	M	Fair	Average condition	Nil	N/A	40+	B2	5.64	99.95
G31	4305	Acer pseudoplatanus Sycamore	407	1	13	5	5	4.5	5	1	6	M	Fair	Average condition	Nil	N/A	20-40	B2	4.88	74.95
G31	4306	Acer pseudoplatanus Sycamore	404	1	13	6	5	5.5	6	1	6	M	Fair	Average condition	Nil	N/A	20-40	B2	4.85	73.85

Trees to be Retained

Group No	Tag	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physio-logical Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
						N	S	E	W											
G32	4307	Betula alba Silver birch	450	1	11	2	5	5	2	1	4	M	Fair	Average condition	Nil	N/A	20-40	B2	5.4	91.62
G32	4308	Betula alba Silver birch	279	1	11	4	4	2	4	2	5	M	Fair	Central stem with significant decay	Reduce central stem to suitable growing point	P	20-40	B2	3.35	35.22
G32	4309	Betula alba Silver birch	194	1	9	4	1	1	4	1	4	M	Fair	Average condition	Nil	N/A	20-40	B2	2.33	17.03
G32	4310	Crataegus monogyna Hawthorn	183	1	7	3	1	3	2	1	4	M	Fair	Average condition	Nil	N/A	20-40	B2	2.2	15.15
G34	4316	Acer pseudoplatanus Sycamore	360	1	12	5	2	4	6	2	4	M	Fair	Average condition	Nil	N/A	40+	B2	4.32	58.64
G34	4317	Acer pseudoplatanus Sycamore	393	1	12	4	6	5	5	2	6	M	Fair	Average condition	Nil	N/A	40+	B2	4.72	69.88
G34	4318	Acer pseudoplatanus Sycamore	317	1	12	3	5	1	6	2	6	M	Fair	Average condition	Nil	N/A	40+	B2	3.8	45.47
G34	4319	Acer pseudoplatanus Sycamore	351	1	14	2	2	3	3	2	7	M	Fair	Average condition	Nil	N/A	40+	B2	4.21	55.74
G34	4320	Acer pseudoplatanus Sycamore	283	1	14	2	4	3	4	2	7	M	Fair	Average condition	Nil	N/A	40+	B2	3.4	36.24
G34	4321	Acer pseudoplatanus Sycamore	399	1	14	5	6	6	4	2	5	M	Fair	Average condition	Nil	N/A	40+	B2	4.79	72.03
G34	4322	Acer platanoides Norway maple	301	1	12	3	4	5	5	2	6	M	Fair	Average condition	Nil	N/A	20-40	B2	3.61	40.99
G34	4323	Acer pseudoplatanus Sycamore	328	1	12	3	4	3	4	2	5	M	Fair	Average condition	Nil	N/A	40+	B2	3.94	48.68
G34	4324	Acer pseudoplatanus Sycamore	384	1	14	4	4	3	5	2	7	M	Fair	Average condition	Nil	N/A	40+	B2	4.61	66.72
G34	4325	Acer pseudoplatanus Sycamore	489	1	14	5	6	5	3	2	6	M	Fair	Average condition	Nil	N/A	40+	B2	5.87	108.19
G34	4326	Acer pseudoplatanus Sycamore	441	1	14	4	3	7	1	2	4	M	Fair	Average condition	Nil	N/A	40+	B2	5.29	87.99
G34	4327	Acer pseudoplatanus Sycamore	407	1	14	1	5	5	2	2	5	M	Fair	Average condition	Nil	N/A	40+	B2	4.88	74.95
G35	4328	Pinus sylvestris Scots pine	282	1	9	2	2.5	3	2.5	0	5	M	Fair	Average condition	Nil	N/A	20-40	B2	3.38	35.98
G35	4329	Pinus sylvestris Scots pine	468	1	16	5	3	5	3	0	7	M	Fair	Average condition	Nil	N/A	20-40	B2	5.62	99.1
G35	4330	Pinus sylvestris Scots pine	517	1	16	4	6	4	5	0	6	M	Fair	Average condition	Nil	N/A	20-40	B2	6.2	120.93
G35	4331	Pinus sylvestris Scots pine	319	1	11	2	2	2	2	0	5	M	Fair	Average condition	Nil	N/A	20-40	B2	3.83	46.04
G35	4332	Pinus sylvestris Scots pine	367	1	9	4	5	4	4	0	5	M	Fair	Average condition	Nil	N/A	20-40	B2	4.4	60.94
G35	4333	Pinus sylvestris Scots pine	355	1	13	3	3	3	4	0	7	M	Fair	Average condition	Nil	N/A	20-40	B2	4.26	57.02
G36	4334	Corylus avellana Hazel	750	MS	7	4	5	4.5	4	1	2	M	Fair	Average condition	Nil	N/A	40+	B2	7.5	176.74
G37	4335	Acer pseudoplatanus Sycamore	510	MS	8	3	3	3	3	2	3	M	Fair	Coppice growing through fence	Nil	N/A	20-40	C2	5.1	81.72
G37	4336	Acer pseudoplatanus Sycamore	480	MS	8	3	3	3	3	2	3	M	Fair	Coppice growing through fence	Nil	N/A	20-40	C2	4.8	72.39
G37	4338	Acer pseudoplatanus Sycamore	216	MS	8	1	1	1	2	3	2	SM	Fair	Average condition	Nil	N/A	40+	C2	2.16	14.66
G39	4340	Acer pseudoplatanus Sycamore	650	MS	9	3	3	3	3	3	3	M	Fair	Coppice growing through fence	Nil	N/A	20-40	C2	6.5	132.75
G40	4343	Tilia europaea Common Lime	417	1	13	4	4	6	4	2	6	M	Fair	Average condition	Nil	N/A	40+	B2	5	78.68
G40	4344	Carpinus betulus Hornbeam	336	1	13	4	3	3	5	2	6	M	Fair	Average condition	Nil	N/A	40+	B2	4.03	51.08
G40	4345	Fraxinus excelsior Ash	196	1	12	3	2	1	4	3	8	M	Fair	Average condition	Nil	N/A	20-40	C2	2.35	17.38
G40	4346	Tilia europaea Common Lime	448	1	14	4	7	3	6	2	8	M	Fair	Average condition	Nil	N/A	40+	B2	5.38	90.81
G40	4347	Carpinus betulus Hornbeam	402	1	14	5	6	3	6	2	6	M	Fair	Average condition	Nil	N/A	40+	B2	4.82	73.12
G40	4348	Tilia europaea Common Lime	436	1	15	4	7	4	6	2	8	M	Fair	Average condition	Nil	N/A	40+	B2	5.23	86.01
G40	4349	Fraxinus excelsior Ash	442	1	14	5	6	7	5	2	7	M	Fair	Average condition	Nil	N/A	20-40	B2	5.3	88.39
G40	4350	Tilia europaea Common Lime	456	1	14	3	5	4	4	2	7	M	Fair	Average condition	Nil	N/A	40+	B2	5.47	94.08
G40	4351	Acer platanoides Norway maple	382	1	12	3	4	4	4	2	6	M	Fair	Average condition	Nil	N/A	20-40	B2	4.58	66.02
G40	4352	Tilia europaea Common Lime	207	1	13	4	5	4	5	2	6	M	Fair	Average condition	Nil	N/A	40+	B2	2.48	19.39
G40	4353	Carpinus betulus Hornbeam	207	1	8	3	1	2	2	4	3	M	Fair	Average condition	Nil	N/A	40+	B2	2.48	19.39
G40	4354	Acer platanoides Norway maple	398	1	12	1	7	4	4	2	7	M	Fair	Average condition	Nil	N/A	20-40	B2	4.78	71.67
G40	4355	Tilia europaea Common Lime	318	1	13	3	3	3	3	2	6	M	Fair	Average condition	Nil	N/A	40+	B2	3.82	45.75
G40	4356	Tilia europaea Common Lime	401	1	13	4	4	4	4	2	6	M	Fair	Average condition	Nil	N/A	40+	B2	4.81	72.75
G40	4357	Carpinus betulus Hornbeam	364	1	12	4	3	4	4	2	5	M	Fair	Average condition	Nil	N/A	40+	B2	4.37	59.95
G40	4359	Tilia europaea Common Lime	495	1	14	5	5	5	5	2	6	M	Fair	Average condition	Nil	N/A	40+	B2	5.94	110.86
G41	4360	Crataegus monogyna Hawthorn	281	MS	7	2.5	3	3	3	1	2.5	M	Fair	Average condition	Nil	N/A	20-40	B2	2.81	24.81
G41	4361	Betula alba Silver birch	403	1	11	2	5	4	4	1	5	M	Fair	Cavity in main stem 4.0	Nil	N/A	10-20	C2	4.84	73.48
G41	4362	Betula alba Silver birch	169	1	9	2	1	2	1	1	7	M	Fair	Average condition	Nil	N/A	10-20	C2	2.03	12.92
G41	4363	Betula alba Silver birch	438	1	12	4	5	4	3	1	2	M	Fair	Average condition	Nil	N/A	10-20	C2	5.26	86.8
G41	4364	Betula alba Silver birch	337	1	12	3	5	2	5	1	5	M	Fair	Average condition	Nil	N/A	20-40	B2	4.04	51.38
G41	4365	Crataegus monogyna Hawthorn	221	MS	7	3	2	3	3	1	3	M	Fair	Basal wound	Nil	N/A	10-20	C2	2.21	15.35
G41	4366	Betula alba Silver birch	382	1	12	4	5	4	4	1	3	M	Fair	Average condition	Nil	N/A	20-40	B2	4.58	66.02
G41	4367	Betula alba Silver birch	184	1	8	1	3	1	2	1	4	M	Fair	Stem wound at 1.5 e	Nil	N/A	10-20	C2	2.21	15.32
G41	4368	Betula alba Silver birch	325	1	12	3	5	5	5	1	4	M	Fair	Average condition	Nil	N/A	20-40	B2	3.9	47.79
G41	4369	Crataegus monogyna Hawthorn	277	1	6	5	3	2	4	1	2.5	M	Fair	Average condition	Nil	N/A	20-40	B2	3.32	34.72
G41	4370	Betula alba Silver birch	268	1	12	4	4	5	4	1	4	M	Fair	Average condition	Nil	N/A	20-40	B2	3.22	32.5
G41	4371	Crataegus monogyna Hawthorn	180	1	7	3	2	2	4	1	3	M	Fair	Average condition	Nil	N/A	20-40	B2	2.16	14.66
G41	4373	Betula alba Silver birch	332	1	9	3	4	3	4	1	3	M	Fair	Average condition	Nil	N/A	20-40	B2	3.98	49.87
G42	4374	Acer platanoides Norway maple	403	1	12	3.5	6	3.5	4	3	6	M	Fair	Average condition	Nil	N/A	40+	B2	4.84	73.48
G42	4375	Carpinus betulus Hornbeam	387	1	12	5	7	3	5	3	3	M	Fair	Average condition	Nil	N/A	40+	B2	4.64	67.76
G42	4376	Acer platanoides Norway maple	400	1	12	4	9	4	5	2	4	M	Fair	Average condition	Nil	N/A	20-40	B2	4.8	72.39
G42	4377	Carpinus betulus Hornbeam	372	1	11	5	8	5	3	2	3	M	Fair	Average condition	Nil	N/A	40+	B2	4.46	62.61
G42	4378	Acer platanoides Norway maple	574	1	16	4	9	7.5	6	2	6	M	Fair	Average condition	Nil	N/A	40+	B2	6.89	149.07
G42	4380	Carpinus betulus Hornbeam	375	1	10	6	4	4	6	3	3	M	Fair	Average condition	Nil	N/A	40+	B2	4.5	63.63
G42	4381	Carpinus betulus Hornbeam	283	1	10	4	5	5	4	3	2	M	Fair	Average condition	Nil	N/A	40+	B2	3.4	36.24
G42	4382	Carpinus betulus Hornbeam	324	1	10	4	6	5	5	3	3	M	Fair	Average condition	Nil	N/A	40+	B2	3.89	47.5
G42	4383	Tilia euchlora Lime	342	1	9	4	5	4	3	3	3	M	Fair	Average condition	Nil	N/A	40+	B2	4.1	52.92
G43	4384	Tilia europaea Common Lime	555	1	13	7	5	6	7	2	5	M	Fair	Average condition	Nil	N/A	40+	B2	6.66	139.37
G43	4385	Chamaecyparis lawsoniana lawsons cypress	190	1	8	2	2	2	2	1	2	M	Fair	Average condition	Nil	N/A	40+	C2	2.28	16.33
G43	4386	Carpinus betulus Hornbeam	198	1	7	3	3	3	3	4	4	M	Fair	Average condition	Nil	N/A	40+	B2	2.38	17.74
G43	4387	Acer platanoides Norway maple	411	1	12	3	5	2	5	2	4	M	Fair	Stem wound at 1.5 w	Nil	N/A	10-20	B2	4.93	76.43
G43	4388	Tilia euchlora Lime	291	1	13	3	2	3.5	4	3	6	M	Fair	Average condition	Nil	N/A	40+	B2	3.49	38.31
G43	4389	Acer platanoides Norway maple	277	1	12	3	3.5	2.5	5	3	6	M	Fair	Basal wound	Nil	N/A	20-40	B2	3.32	34.72
G43	4390	Acer platanoides Norway maple	532	1	15	5	8	7	6	1	6	M	Fair	Average condition	Nil	N/A	20-40	B2	6.38	128.05
G43	4391	Acer platanoides Norway maple	368	1	12	3	3	2	6	1	4	M	Poor	Average condition	Nil	N/A	10-20	C2	4.42	61.27
G43	4392	Tilia euchlora Lime	426	1	13	2	6	2	7	2	4	M	Fair	Average condition	Nil	N/A	40+	B2	5.11	82.11

Trees to be Retained

Group No	Tag	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physio-logical Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
						N	S	E	W											
G43	4393	Acer platanoides Norway maple	536	1	14	5	5	4	4	3	7	M	Fair	Average condition	Nil	N/A	40+	B2	6.43	129.99
G44	4394	Acer pseudoplatanus Sycamore	433	1	11	4	7	3	6	2	4	M	Fair	Average condition	Nil	N/A	40+	B2	5.2	84.83
G44	4395	Tilia europaea Common Lime	463	1	11	6	6	6	4	2	4	M	Fair	Average condition	Nil	N/A	40+	B2	5.56	96.99
G44	4396	Tilia europaea Common Lime	420	1	12	3	6	5	5	2	6	M	Fair	Average condition	Nil	N/A	40+	B2	5.04	79.81
G44	4397	Tilia europaea Common Lime	524	1	12	5	2	5.5	2	2	5	M	Fair	Very tight forks with included bark	Nil	N/A	20-40	B2	6.29	124.23
G44	4398	Acer pseudoplatanus Sycamore	343	1	12	5	4	2.5	3	3	7	M	Fair	Average condition	Nil	N/A	40+	B2	4.12	53.23
G44	4399	Tilia europaea Common Lime	385	1	12	5	3	2	6	3	5	M	Fair	Average condition	Nil	N/A	40+	B2	4.62	67.06
G44	4400	Acer pseudoplatanus Sycamore	307	1	11	1	4	3	5	3	5	M	Fair	Average condition	Nil	N/A	40+	B2	3.68	42.64
G45	4401	Acer pseudoplatanus Sycamore	421	1	12	6	3	6	6	2	4	M	Fair	Average condition	Nil	N/A	40+	B2	5.05	80.19
G45	4403	Acer pseudoplatanus Sycamore	486	1	14	4	4	7	7	2	6	M	Fair	Average condition	Nil	N/A	40+	B2	5.83	106.87
G45	4404	Acer pseudoplatanus Sycamore	355	1	12	1	3	5	1	2	5	M	Fair	Average condition	Nil	N/A	20-40	B2	4.26	57.02
G45	4405	Acer pseudoplatanus Sycamore	438	1	13	3	6	7	8	0	5	M	Poor	Average condition	Nil	N/A	10-20	B2	5.26	86.8
G46	4406	Crataegus monogyna Hawthorn	363	1	8	3	3	3	3	1	3	M	Fair	Basal wound	Nil	N/A	20-40	B2	4.36	59.62
G46	4407	Crataegus monogyna Hawthorn	244	MS	6	2	3	3	2	1	2	M	Fair	Average condition	Nil	N/A	10-20	B2	2.44	18.71
G46	4409	Crataegus monogyna Hawthorn	306	1	8	2	3	3	3	1	3	M	Fair	Average condition	Nil	N/A	20-40	B2	3.67	42.37
G46	4410	Crataegus monogyna Hawthorn	205	1	6	0	2	3	0	0	3	M	Fair	Average condition	Nil	N/A	10-20	C2	2.46	19.01
G47	4411	Prunus laurocerasus Cherry laurel	487	MS	6	2	3	3	3	2	n/a	M	Fair	Average condition	Nil	N/A	20-40	C2	4.87	74.52
G47	4412	Prunus laurocerasus Cherry laurel	224	MS	6	3	1	1	4	2	n/a	M	Fair	Average condition	Nil	N/A	20-40	C2	2.24	15.77
G47	4413	Prunus laurocerasus Cherry laurel	395	MS	7	5	2	4	4	2	n/a	M	Fair	Average condition	Nil	N/A	20-40	C2	3.95	49.02
G47	4414	Prunus laurocerasus Cherry laurel	418	MS	6	1	2	3	2	2	n/a	M	Poor	Average condition	Nil	N/A	10-20	C2	4.18	54.9
G47	4416	Prunus laurocerasus Cherry laurel	510	MS	8	5	2	5	4	2	n/a	M	Fair	Average condition	Nil	N/A	10-20	C2	5.1	81.72
G47	4417	Prunus laurocerasus Cherry laurel	576	MS	8	2	5	5	5	2	n/a	M	Fair	Average condition	Nil	N/A	10-20	C2	5.76	104.24
G47	4418	Prunus laurocerasus Cherry laurel	321	MS	9	2	3	4	5	2	n/a	M	Fair	Average condition	Nil	N/A	10-20	C2	3.21	32.38
G47	4419	Prunus laurocerasus Cherry laurel	206	MS	9	4	2	2	3	2	n/a	M	Fair	Average condition	Nil	N/A	10-20	C2	2.06	13.33
G47	4420	Prunus laurocerasus Cherry laurel	684	MS	8	4	2	4	5	2	n/a	M	Fair	Average condition	Nil	N/A	10-20	C2	6.84	147
G47	4421	Prunus laurocerasus Cherry laurel	564	MS	4	6	0	3	4	2	n/a	M	Fair	Average condition	Nil	N/A	10-20	C2	5.64	99.95
G47	4422	Prunus laurocerasus Cherry laurel	573	MS	6	6	1	4	3	2	n/a	M	Fair	Average condition	Nil	N/A	10-20	C2	5.73	103.16
G47	4423	Prunus laurocerasus Cherry laurel	138	1	4	2	2	2	2	1	n/a	M	Poor	Average condition	Nil	N/A	10-20	C2	1.66	8.62
G48	4425	Acer pseudoplatanus Sycamore	514	MS	14	2	5	5	6	2	5	M	Fair	Average condition	Nil	N/A	20-40	B2	5.14	83.01
G48	4426	Fagus sylvatica Beech	507	1	15	6	4	6	7	1	6	M	Fair	Average condition	Nil	N/A	40+	B2	6.08	116.3
G48	4427	Fagus sylvatica Beech	441	1	14	4	5	6	2	1	6	M	Fair	Average condition	Nil	N/A	40+	B2	5.29	87.99
G48	4428	Acer pseudoplatanus Sycamore	298	1	14	2	2	2	3	2	6	M	Fair	Average condition	Nil	N/A	20-40	B2	3.58	40.18
G48	4429	Acer pseudoplatanus Sycamore	615	MS	14	6	3	4	4	1	7	M	Fair	Forked at gl included bark	Nil	N/A	20-40	B2	6.15	118.84
G48	4430	Fagus sylvatica Beech	588	MS	14	7	5	4	7	1	6	M	Fair	Tight fork with included bark at 1.2 stem wound at 4.0	Nil	N/A	20-40	B2	5.88	108.63
G48	4431	Fagus sylvatica Beech	640	MS	14	4	8	5	7	1	6	M	Fair	Tight fork with included bark at 1.2 and 3.0	Nil	N/A	20-40	B2	6.4	128.7
G48	4432	Pinus sylvestris Scots pine	262	1	11	0	3	3	3	0	9	M	Fair	Average condition	Nil	N/A	20-40	B2	3.14	31.06
G48	4433	Fagus sylvatica Beech	315	1	13	4	4	4	4	2	6	M	Fair	Average condition	Nil	N/A	40+	B2	3.78	44.89
G48	4434	Acer pseudoplatanus Sycamore	391	MS	12	1	3	4	3	2	5	M	Fair	Forked at gl included bark	Nil	N/A	10-20	C2	3.91	48.04
G48	4435	Fagus sylvatica Beech	500	1	14	6	2	9	6	1	6	M	Fair	Average condition	Nil	N/A	40+	B2	6	113.11
G48	4436	Acer pseudoplatanus Sycamore	342	1	12	3	3	2	4	1	6	M	Poor	Average condition	Nil	N/A	10-20	C2	4.1	52.92
G48	4437	Pinus sylvestris Scots pine	315	1	12	1	1	0	5	0	8	M	Fair	Average condition	Nil	N/A	20-40	B2	3.78	44.89
G48	4438	Acer pseudoplatanus Sycamore	404	1	12	7	4	5	7	2	2	M	Fair	Average condition	Nil	N/A	40+	B2	4.85	73.85
G48	4439	Fagus sylvatica Beech	888	1	14	7	7	7	7	1	4	M	Fair	Main forks at 1.0 & 2.5 with included bark	Nil	N/A	20-40	B2	10.66	356.78
G48	4440	Carpinus betulus Hornbeam	268	1	6	5	4	4	4	3	2	M	Fair	Average condition	Nil	N/A	40+	B2	3.22	32.5
G49	4441	Pinus sylvestris Scots pine	326	1	9	0	4	5	0	0	6	M	Fair	Leader snapped out in past	Nil	N/A	10-20	B2	3.91	48.08
G49	4442	Pinus sylvestris Scots pine	265	1	11	0	2	2	0	0	9	M	Fair	Bark scars on main stem	Nil	N/A	10-20	B2	3.18	31.77
G49	4443	Acer pseudoplatanus Sycamore	527	1	14	6	3	5	4	1	6	M	Fair	Average condition	Nil	N/A	40+	B2	6.32	125.66
G49	4444	Fagus sylvatica Beech	578	1	14	2	7	6	6	2	4	M	Fair	Average condition	Nil	N/A	40+	B2	6.94	151.16
G49	4445	Fagus sylvatica Beech	481	1	14	3	2	4	6	2	7	M	Fair	Basal wound	Nil	N/A	20-40	B2	5.77	104.68
G49	4446	Pinus sylvestris Scots pine	302	1	11	4	0	1	3	0	7	M	Fair	Average condition	Nil	N/A	10-20	C2	3.62	41.27
G50	4449	Pinus sylvestris Scots pine	206	1	9	0	2	1	1	0	7	M	Fair	Average condition	Nil	N/A	20-40	B2	2.47	19.2
G50	4450	Acer pseudoplatanus Sycamore	594	MS	11	2	6	5	2	2	4	M	Fair	Average condition	Nil	N/A	20-40	B2	5.94	110.86
G50	4451	Acer pseudoplatanus Sycamore	482	1	12	3	7	2	5	2	5	M	Fair	Average condition	Nil	N/A	20-40	B2	5.78	105.11
G50	4452	Tilia euchlora Lime	466	1	14	3	3	3	5	2	5	M	Fair	Average condition	Nil	N/A	40+	B2	5.59	98.25
G50	4453	Tilia euchlora Lime	385	1	11	5	2	5	6	2	3	M	Fair	Average condition	Nil	N/A	40+	B2	4.62	67.06
G50	4454	Carpinus betulus Hornbeam	305	1	11	5	5	5	5	3	3	M	Fair	Average condition	Nil	N/A	40+	B2	3.66	42.09
G50	4455	Pinus sylvestris Scots pine	296	1	10	0	3	2	1	0	6	M	Fair	Average condition	Nil	N/A	20-40	B2	3.55	39.64
G50	4456	Pinus sylvestris Scots pine	209	1	8	2	2	1	1	0	6	M	Fair	Average condition	Nil	N/A	20-40	B2	2.51	19.76
G50	4457	Acer pseudoplatanus Sycamore	641	MS	14	4	6	5	1	2	6	M	Fair	Average condition	Nil	N/A	40+	B2	6.41	129.1
G50	4458	Acer pseudoplatanus Sycamore	545	MS	12	2	5	2	6	2	5	M	Fair	Decay pocket in main fork	Nil	N/A	20-40	B2	5.45	93.33
G50	4459	Acer pseudoplatanus Sycamore	764	MS	14	4	8	3	5	2	7	M	Fair	Decay pocket in main fork	Nil	N/A	20-40	B2	7.64	183.4
G50	4460	Pinus sylvestris Scots pine	196	1	10	1	0	3	0	0	8	M	Fair	Average condition	Nil	N/A	20-40	B2	2.35	17.38
G50	4461	Acer pseudoplatanus Sycamore	621	MS	12	5	4	6	4	1	4	M	Fair	Decay pocket in main fork	Nil	N/A	20-40	B2	6.21	121.17
G50	4462	Fagus sylvatica Beech	453	1	15	7	4	5	4	2	7	M	Fair	Average condition	Nil	N/A	40+	B2	5.44	92.85
G50	4463	Acer pseudoplatanus Sycamore	265	1	13	4	2	3	1	3	6	M	Fair	Average condition	Nil	N/A	40+	B2	3.18	31.77
G50	4464	Acer pseudoplatanus Sycamore	493	MS	13	4	4	2	3	2	6	M	Fair	Decay pocket in main fork	Nil	N/A	20-40	B2	4.93	76.37
G50	4466	Fagus sylvatica Beech	436	1	14	3	4	4	7	2	6	M	Fair	Average condition	Nil	N/A	40+	B2	5.23	86.01
G50	4467	Acer pseudoplatanus Sycamore	646	1	14	6	2	4	7	1	6	M	Fair	Average condition	Nil	N/A	40+	B2	7.75	188.81
G50	4468	Acer pseudoplatanus Sycamore	756	1	13	8	8	8	8	1	3	M	Fair	Average condition	Nil	N/A	40+	B2	9.07	258.59
G51	4469	Pinus wallichiana Bhutan pine	320	1	13	4	5	4	5	4	4	M	Fair	Significant resin bleeding on e stem	Nil	N/A	20-40	B2	3.84	46.33
G51	4470	Chamaecyparis lawsoniana lawsons cypress	195	1	7	0	3	2	2	1	3	M	Fair	Average condition	Nil	N/A	20-40	C2	2.34	17.2
G51	4471	Chamaecyparis lawsoniana lawsons cypress	220	MS	8	2	2	2	1	1	3	M	Fair	Stem wounds	Nil	N/A	20-40	C2	2.2	15.21
G51	4472	Pinus wallichiana Bhutan pine	286	1	10	2	3	3	3	3	3	M	Fair	Average condition	Nil	N/A	40+	C2	3.43	37.01
G51	4473	Crytomeria japonica Elegans	148	1	6	1	1	1	1	1	3	M	Fair	Average condition	Nil	N/A	10-20	C2	1.78	9.91
G51	4474	Pinus nigra var maritima Corsican Pine	260	1	7	2	2	2	2	5	2.5	M	Fair	Average condition	Nil	N/A	40+	C2	3.12	30.59

Trees to be Retained

Group No	Tag	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physio-logical Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
						N	S	E	W											
G51	4475	Cryptomeria japonica Elegans	189	1	6	1	1	1	1	1	3	M	Fair	Minor bark wound gl	Nil	N/A	10-20	C2	2.27	16.16
G51	4476	Picea abies Norway spruce	247	1	9	2	2	2	2	2	4	M	Fair	Average condition	Nil	N/A	20-40	C2	2.96	27.6
G52	4477	Pinus sylvestris Scots pine	296	1	13	1	4	4	0	1	5	M	Fair	Tree housecattached	Nil	N/A	20-40	B2	3.55	39.64
G52	4478	Pinus sylvestris Scots pine	404	1	13	2	4	0	3	1	6	M	Fair	Tree housecattached	Nil	N/A	20-40	B2	4.85	73.85
G52	4479	Pinus sylvestris Scots pine	288	1	13	2	2	3	1	1	7	M	Fair	Tree housecattached	Nil	N/A	20-40	B2	3.46	37.53
G52	4480	Pinus sylvestris Scots pine	427	1	13	3	2	5	1	1	6	M	Fair	Average condition	Nil	N/A	20-40	B2	5.12	82.49
G53	4481	Acer pseudoplatanus Sycamore	102	1	7	2	2	1	2	4	2	SM	Fair	Average condition	Nil	N/A	40+	C2	1.22	4.71
G53	4482	Acer platanoides Norway maple	155	1	7	3	3	3	2	4	2.5	M	Fair	V tight fork at 2.5 included bark	Nil	N/A	10-20	C2	1.86	10.87
G53	4483	Acer platanoides Norway maple (Purple)	185	1	7	3	3	2	3	4	1.6	M	Fair	Average condition	Nil	N/A	40+	C2	2.22	15.49
G53	4484	Acer platanoides Norway maple (Purple)	195	1	8	3	3	3	3	4	2	M	Fair	Basal wound gl e	Nil	N/A	40+	C2	2.34	17.2
G53	4485	Acer platanoides Norway maple (Purple)	165	1	7	3	3	3	3	4	2	M	Fair	Average condition	Nil	N/A	40+	C2	1.98	12.32
G53	4486	Acer platanoides Norway maple (Purple)	125	1	6	3	3	2	3	4	2	M	Fair	Average condition	Nil	N/A	40+	C2	1.5	7.07
G53	4487	Acer pseudoplatanus Sycamore	601	1	16	1	6	5	5	1	6	M	Fair	Tight fork at 4	Nil	N/A	20-40	B2	7.21	163.42
G53	4488	Acer pseudoplatanus Sycamore	434	1	13	1	5	6	3	1	5	M	Fair	Average condition	Nil	N/A	20-40	B2	5.21	85.22
G53	4489	Acer pseudoplatanus Sycamore	429	MS	12	2	4	2	4	1	3	M	Fair	Average condition	Nil	N/A	20-40	B2	4.29	57.83
G53	4490	Fraxinus excelsior Ash	328	1	12	5	5	3	2	1	4	M	Fair	Average condition	Nil	N/A	40+	B3	3.94	48.68
G53	4492	Acer pseudoplatanus Sycamore	399	1	13	2	5	5	2	1	7	M	Fair	Major dead wood present	Crown clean	U	20-40	B2	4.79	72.03
G53	4493	Acer pseudoplatanus Sycamore	388	1	13	2	5	3	4	1	4	M	Fair	Average condition	Nil	N/A	40+	B2	4.66	68.11
G53	4494	Acer pseudoplatanus Sycamore	285	1	13	0	5	3	1	2	7	M	Fair	Drawn up specimen due to surrounding trees	Nil	N/A	10-20	C2	3.42	36.75
G53	4495	Acer pseudoplatanus Sycamore	599	MS	13	2	3	4	0	2	4	M	Fair	Indications of interbal cracks etc in 2 main stems	Nil	N/A	10-20	C2	5.99	112.74
G53	4496	Acer pseudoplatanus Sycamore	247	1	13	1	2	4	2	2	6	M	Fair	Average condition	Nil	N/A	40+	B2	2.96	27.6
G53	4497	Acer pseudoplatanus Sycamore	564	MS	12	2	2	4	4	2	5	M	Fair	Trifurcated at gl	Nil	N/A	20-40	C2	5.64	99.95
G53	4498	Acer pseudoplatanus Sycamore	357	1	13	2	2	4	4	2	9	M	Fair	Bark damage up trunk drought damage	Nil	N/A	10-20	C2	4.28	57.66
G53	4499	Acer pseudoplatanus Sycamore	371	1	13	3	4	2	4	2	7	M	Fair	Occluding wound at 2-4m s	Nil	N/A	20-40	B2	4.45	62.28
G53	4500	Fraxinus excelsior Ash	361	1	13	5	5	4	5	1	5	M	Fair	Average condition	Nil	N/A	20-40	B2	4.33	58.96
G53	4501	Acer pseudoplatanus Sycamore	347	1	12	5	3	2	4	1	7	M	Fair	Average condition	Nil	N/A	40+	B2	4.16	54.48
G53	4502	Acer pseudoplatanus Sycamore	265	1	11	2	2	2	3	3	5	M	Fair	Ring bulge at 1.2 (included wire?)	Nil	N/A	40+	B2	3.18	31.77
G53	4503	Fraxinus excelsior Ash	335	1	13	4	4	4	2	2	6	M	Fair	Average condition	Nil	N/A	40+	B2	4.02	50.78
G53	4504	Fraxinus excelsior Ash	437	1	13	4	5	6	4	2	6	M	Fair	Average condition	Nil	N/A	40+	B2	5.24	86.4
G53	4505	Fraxinus excelsior Ash	384	1	13	5	4	2	4	2	7	M	Fair	Average condition	Nil	N/A	40+	B2	4.61	66.72
G53	4506	Fraxinus excelsior Ash	353	1	11	3	3	1	6	2	7	M	Fair	Average condition	Nil	N/A	40+	B2	4.24	56.38
G53	4507	Fraxinus excelsior Ash	495	1	14	4	3	5	4	2	8	M	Fair	Average condition	Nil	N/A	40+	B2	5.94	110.86
G53	4511	Fraxinus excelsior Ash	345	1	13	4	4	4	3	3	6	M	Fair	Average condition	Nil	N/A	40+	B2	4.14	53.85
G53	4512	Fraxinus excelsior Ash	345	1	13	4	4	8	5	2	5	M	Fair	Average condition	Nil	N/A	40+	B2	4.14	53.85
G53	4513	Fraxinus excelsior Ash	521	1	15	6	7	7	5	2	5	M	Fair	Tight fork at 2.5	Nil	N/A	20-40	B2	6.25	122.81
G53	4514	Acer pseudoplatanus Sycamore	471	1	11	2	6	7	5	2	4	M	Fair	Suppressed under adjacent tree	Nil	N/A	20-40	B2	5.65	100.37
G53	4515	Fraxinus excelsior Ash	526	1	16	8	6	6	6	2	9	M	Fair	Average condition	Nil	N/A	20-40	B2	6.31	125.18
G53	4516	Acer pseudoplatanus Sycamore	339	1	13	7	1	5	2	2	4	M	Fair	Average condition	Nil	N/A	20-40	B2	4.07	52
G53	4517	Acer pseudoplatanus Sycamore	321	1	13	2	3	4	3	3	5	M	Fair	Average condition	Nil	N/A	40+	B2	3.85	46.62
G53	4518	Acer pseudoplatanus Sycamore	291	1	13	7	2	1	4	3	6	M	Fair	Average condition	Nil	N/A	40+	B2	3.49	38.31
G53	4519	Fraxinus excelsior Ash	439	1	15	3	5	4	5	2	7	M	Fair	Average condition	Nil	N/A	40+	B2	5.27	87.2
G53	4520	Fraxinus excelsior Ash	531	1	15	5	5	5	6	2	4	M	Fair	Average condition	Nil	N/A	40+	B2	6.37	127.57
G53	4521	Acer pseudoplatanus Sycamore	364	1	12	2	3	4	2	3	5	M	Fair	Bark damage up trunk drought damage	Nil	N/A	40+	B2	4.37	59.95
G53	4522	Acer pseudoplatanus Sycamore	403	1	12	3	5	2	5	2	5	M	Fair	Average condition	Nil	N/A	40+	B2	4.84	73.48
G53	4523	Acer pseudoplatanus Sycamore	354	1	13	6	2	2	5	2	5	M	Fair	Average condition	Nil	N/A	40+	B2	4.25	56.7
G53	4524	Acer pseudoplatanus Sycamore	337	1	12	4	2	5	2	2	7	M	Fair	Average condition	Nil	N/A	40+	B2	4.04	51.38
G53	4525	Acer pseudoplatanus Sycamore	521	1	13	5	5	5.5	6	2	5	M	Fair	Average condition	Nil	N/A	20-40	B2	6.25	122.81
G53	4526	Acer pseudoplatanus Sycamore	486	1	14	5	6	5	3	2	6	M	Fair	Significant bark damage	Nil	N/A	10-20	C2	5.83	106.87
G53	4527	Acer pseudoplatanus Sycamore	320	1	11	2	4	0	5	3	7	M	Fair	Minor squirrel damage	Nil	N/A	20-40	B2	3.84	46.33
G53	4528	Acer pseudoplatanus Sycamore	365	1	13	2	5	2	3	2	6	M	Fair	Major aquirrel damage	Nil	N/A	10-20	C2	4.38	60.28
G53	4529	Acer pseudoplatanus Sycamore	313	1	12	4	4	5	2	2	5	M	Fair	Average condition	Nil	N/A	20-40			

Trees to be Retained

Group No	Tag	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physio-logical Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
						N	S	E	W											
G54	4646	Pinus sylvestris Scots pine	385	1	12	1	2	2	3	0	9	M	Fair	Ivy clad stem	Nil	N/A	20-40	B2	4.62	67.06
G54	4647	Pinus sylvestris Scots pine	392	1	12	1	3	2	5	0	3	M	Fair	Average condition	Nil	N/A	20-40	B2	4.7	69.52
G55	4648	Acer pseudoplatanus Sycamore	570	MS	15	4	4	5	2	2	5	M	Fair	Very tight fork at gl with included bark	Nil	N/A	20-40	B2	5.7	102.08
G55	4649	Acer platanoides Norway maple	195	1	10	0	3	3	3	4	2	M	Fair	one sided duevto adjacent tree	Nil	N/A	40+	C2	2.34	17.2
G55	4651	Thuja plicata Westen Red Cedar	214	1	11	2	0	3	0	0	5	M	Poor	Suppressed under adjacent tree	Nil	N/A	10-20	C2	2.57	20.72
G55	4654	Acer platanoides Norway maple	403	1	13	6	5	4	2	2	4	M	Fair	Main fork at 2.5	Nil	N/A	20-40	B2	4.84	73.48
G55	4655	Prunus avium Cherry	391	1	9	0	4	3	2	1	4	M	Fair	Cavity in main stem at 1.0s	Nil	N/A	10-20	B2	4.69	69.17
G55	4656	Thuja plicata Westen Red Cedar	208	1	10	2	2	1	2	1	3	M	Fair	Suppressed under adjacent tree	Nil	N/A	10-20	C2	2.5	19.57
G55	4658	Acer pseudoplatanus Sycamore	1160	MS	17	7	7	7	3	0	5	M	Fair	Four stems from gl included bark and wet decay pocket	Nil	N/A	10-20	B2	11.6	422.79
G56	4659	Prunus laurocerasus Cherry laurel	264	MS	6	3	3	3	3	0	0	M	Fair	Average condition	Nil	N/A	10-20	C2	2.64	21.9
G56	4660	Prunus laurocerasus Cherry laurel	481	MS															4.81	72.69
G56	4661	Prunus laurocerasus Cherry laurel	448	MS															4.48	63.06
G56	4662	Prunus laurocerasus Cherry laurel	410	MS															4.1	52.82
G56	4663	Prunus laurocerasus Cherry laurel	233	MS															2.33	17.06
G56	4664	Prunus laurocerasus Cherry laurel	284	MS															2.84	25.34
G56	4665	Prunus laurocerasus Cherry laurel	815	MS															8.15	208.7
G56	4666	Prunus laurocerasus Cherry laurel	250	MS															2.5	19.64
G56	4667	Prunus laurocerasus Cherry laurel	476	MS															4.76	71.19
G56	4668	Prunus laurocerasus Cherry laurel	471	MS															4.71	69.7
G56	4669	Prunus laurocerasus Cherry laurel	140	MS															1.4	6.16
G56	4670	Prunus laurocerasus Cherry laurel	466	MS															4.66	68.23
G56	4671	Prunus laurocerasus Cherry laurel	290	MS															2.9	26.42
G56	4672	Prunus laurocerasus Cherry laurel	250	MS															2.5	19.64
G57	4673	Acer platanoides Norway maple	651	1	16	6	6	2	7	1	5	M	Fair	Northern limbs appear to be defoliating early	Nil	N/A	10-20	B2	7.81	191.75
G57	4674	Acer platanoides Norway maple	637	1	16	7	2	7	5	1	7	M	Fair	Cavity in main stem at 3.5	Nil	N/A	20-40	B2	7.64	183.59
G57	4675	Acer platanoides Norway maple	452	1	16	2	6	5	5	1	9	M	Fair	Large limb removed at 3.0s	Nil	N/A	20-40	B2	5.42	92.44
G57	4676	Sorbus intermedia Swedish Whitebeam	567	1	11	2	5	5	2	0	4	M	Fair	Average condition	Nil	N/A	20-40	B2	6.8	145.46
G58	4677	Chamaecyparis lawsoniana lawsons cypress	372	1	8	2	2	2	2	1	1	M	Fair	Average condition	Nil	N/A	10-20	C2	4.46	62.61
G58	4678	Chamaecyparis lawsoniana lawsons cypress	824	1	12	3	2	3	3	0	1	M	Fair	Average condition	Nil	N/A	10-20	C2	9.89	307.2
G54	4679	Pinus sylvestris Scots pine	492	1	15	3	3	5	1	0	7	M	Fair	Average condition	Nil	N/A	20-40	B2	5.9	109.52
G54	4680	Pinus sylvestris Scots pine	225	1	12	2	1	1	1	0	9	M	Fair	Average condition	Nil	N/A	20-40	B2	2.7	22.91
G54	4681	Larix eurolepis Larch	311	1	8	3	1	6	1	0	7	M	Fair	Suppressed under adjacent tree	Nil	N/A	10-20	C2	3.73	43.76
G54	4682	Larix eurolepis Larch	377	1	9	4	3	2	6	0	6	M	Fair	Suppressed under adjacent tree	Nil	N/A	10-20	C2	4.52	64.31
G54	4683	Pinus sylvestris Scots pine	406	1	16	2	2	2	2	0	10	M	Fair	Average condition	Nil	N/A	20-40	B2	4.87	74.58
G54	4684	Larix eurolepis Larch	358	1	15	2	3	5	2	0	6	M	Fair	Average condition	Nil	N/A	20-40	B2	4.3	57.99
G54	4685	Pinus sylvestris Scots pine	214	1	12	1	1	1	1	0	9	M	Fair	Average condition	Nil	N/A	20-40	B2	2.57	20.72
G54	4686	Larix eurolepis Larch	299	1	14	2	2	5	2	0	6	M	Fair	Average condition	Nil	N/A	20-40	B2	3.59	40.45
G54	4687	Larix eurolepis Larch	299	1	14	1	3	1	3	0	8	M	Fair	Average condition	Nil	N/A	20-40	B2	3.59	40.45
G54	4688	Larix eurolepis Larch	350	1	14	2	1	5	1	0	6	M	Fair	Average condition	Nil	N/A	20-40	B2	4.2	55.42
G54	4689	Pinus sylvestris Scots pine	361	1	13	2	1	1	4	0	6	M	Fair	Average condition	Nil	N/A	20-40	B2	4.33	58.96
G54	4690	Larix eurolepis Larch	150	1	8	1	1	1	1	0	4	M	Poor	Average condition	Nil	N/A	<10	C2	1.8	10.18
G54	4691	Pinus sylvestris Scots pine	363	1	14	2	3	0	5	0	6	M	Fair	Twisted main stem	Nil	N/A	20-40	B2	4.36	59.62
G54	4692	Pinus sylvestris Scots pine	390	1	15	2	2	6	0	0	7	M	Fair	Average condition	Nil	N/A	20-40	B2	4.68	68.82
G54	4693	Pinus sylvestris Scots pine	533	1	16	3	3	5	5	0	6	M	Fair	Average condition	Nil	N/A	20-40	B2	6.4	128.54
G54	4694	Pinus sylvestris Scots pine	427	1	16	2	2	3	1	0	8	M	Fair	Average condition	Nil	N/A	20-40	B2	5.12	82.49
G54	4695	Larix eurolepis Larch	215	1	8	1	1	3	1	0	5	M	Fair	Suppressed under adjacent tree	Nil	N/A	10-20	C2	2.58	20.91
G54	4696	Pinus sylvestris Scots pine	250	1	14	1	1	1	1	0	9	M	Fair	Average condition	Nil	N/A	20-40	B2	3	28.28
G54	4697	Pinus sylvestris Scots pine	333	1	13	0	1	0	6	0	8	M	Fair	Average condition	Nil	N/A	20-40	B2	4	50.17
G54	4698	Larix eurolepis Larch	461	1	16	1	4	4	6	0	6	M	Fair	Average condition	Nil	N/A	20-40	B2	5.53	96.15
G54	4699	Larix eurolepis Larch	335	1	11	1	2	5	1	0	5	M	Fair	Average condition	Nil	N/A	20-40	B2	4.02	50.78
G54	4700	Larix eurolepis Larch	350	1	14	2	2	4	2	0	7	M	Fair	Average condition	Nil	N/A	20-40	B2	4.2	55.42
G54	4701	Pinus sylvestris Scots pine	346	1	15	2	2	3	2	0	10	M	Fair	Average condition	Nil	N/A	20-40	B2	4.15	54.17
G54	4702	Pinus sylvestris Scots pine	341	1	15	2	2	4	1	0	7	M	Fair	Average condition	Nil	N/A	20-40	B2	4.09	52.61
G54	4703	Pinus sylvestris Scots pine	131	1	5	2	0	0	1	0	5	M	Fair	Suppressed under adjacent tree	Nil	N/A	10-20	C2	1.57	7.76
G54	4704	Pinus sylvestris Scots pine	367	1	15	3	1	3	4	0	10	M	Fair	Average condition	Nil	N/A	20-40	B2	4.4	60.94
G54	4705	Larix eurolepis Larch	293	1	14	2	1	5	1	0	6	M	Fair	Leaning to e	Nil	N/A	20-40	B2	3.52	38.84
G54	4706	Pinus sylvestris Scots pine	306	1	12	4	1	1	5	0	6	M	Fair	Apical dominance finished	Nil	N/A	20-40	B2	3.67	42.37
G54	4707	Larix eurolepis Larch	306	1	11	2	1	6	2	0	7	M	Fair	Average condition	Nil	N/A	20-40	B2	3.67	42.37
G54	4708	Pinus sylvestris Scots pine	272	1	15	1	2	3	3	0	10	M	Fair	Average condition	Nil	N/A	20-40	B2	3.26	33.47
G54	4709	Crataegus monogyna Hawthorn	257	1	7	2	1	3	3	0	3	M	Fair	Average condition	Nil	N/A	20-40	C2	3.08	29.88
G54	4710	Pinus sylvestris Scots pine	491	1	16	3	3	5	1	0	8	M	Fair	Forked at 11m	Nil	N/A	20-40	B2	5.89	109.08
G54	4711	Pinus sylvestris Scots pine	355	1	16	2	2	1	2	0	7	M	Fair	Average condition	Nil	N/A	20-40	B2	4.26	57.02
G54	4713	Larix eurolepis Larch	211	1	12	2	1	4	1	0	5	M	Fair	Average condition	Nil	N/A	10-20	C2	2.53	20.14
G54	4714	Larix eurolepis Larch	304	1	15	1	2	1	6	0	7	M	Fair	Average condition	Nil	N/A	20-40	B2	3.65	41.81
G54	4715	Pinus sylvestris Scots pine	340	1	14	3	1	1	2	0	8	M	Fair	Major stem scar with dysfunctional timber behind and wood pecker feeding holes from 1.5-6.5 w	Nil	N/A	10-20	C2	4.08	52.3
G54	4717	Larix eurolepis Larch	354	1	15	3	2	5	2	0	9	M	Fair	Average condition	Nil	N/A	20-40	B2	4.25	56.7
G54	4718	Larix eurolepis Larch	219	1	8	1	1	0	6	0	4	M	Fair	Suppressed under adjacent tree	Nil	N/A	10-20	C2	2.63	21.7
G54	4720	Pinus sylvestris Scots pine	275	1	15	2	2	2	2	0	10	M	Fair	Average condition	Nil	N/A	20-40	B2	3.3	34.22
G54	4721	Pinus sylvestris Scots pine	251	1	14	2	2	2	1	0	8	M	Fair	Average condition	Nil	N/A	20-40	B2	3.01	28.5
G54	4722	Pinus sylvestris Scots pine	327	1	12	4	1	1	6	0	5	M	Fair	Average condition	Nil	N/A	20-40	B2	3.92	48.38
G54	4723	Pinus sylvestris Scots pine	329	1	15	2	2	2	2	0	6	M	Fair	Average condition	Nil	N/A	20-40	B2	3.95	48.97
G54	4724	Larix eurolepis Larch	223	1	7	0	2	0	7	0	6	M	Fair	Suppressed under adjacent tree	Nil	N/A	10-20	C2	2.68	22.5
G54	4725	Pinus sylvestris Scots pine	387	1	15	4	1	3	3	0	9	M	Fair	Average condition	Nil	N/A	20-40	B2	4.64	67.76

Trees to be Retained

Group No	Tag	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physio-logical Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
						N	S	E	W											
G54	4726	Pinus sylvestris Scots pine	229	1	10	1	1	1	1	1	6	M	Fair	Average condition	Nil	N/A	20-40	B2	2.75	23.73
G54	4727	Larix eurolepis Larch	326	1	14	2	3	2	2	0	5	M	Fair	Ivy clad stem	Nil	N/A	20-40	B2	3.91	48.08
G54	4728	Pinus sylvestris Scots pine	308	1	14	2	2	0	2	0	7	M	Fair	Average condition	Nil	N/A	20-40	B2	3.7	42.92
G54	4729	Larix eurolepis Larch	219	1	9	2	2	2	1	1	3	M	Fair	Average condition	Nil	N/A	20-40	C2	2.63	21.7
G54	4730	Pinus sylvestris Scots pine	319	1	13	0	2	0	3	0	6	M	Fair	Ivy clad stem	Nil	N/A	20-40	B2	3.83	46.04
G54	4731	Larix eurolepis Larch	313	1	14	3	2	4	1	0	6	M	Fair	Ivy clad stem	Nil	N/A	20-40	B2	3.76	44.33
G54	4732	Larix eurolepis Larch	365	1	13	3	1	1	4	0	5	M	Fair	Ivy clad stem	Nil	N/A	20-40	B2	4.38	60.28
G54	4733	Larix eurolepis Larch	352	1	14	3	3	5	1	0	3	M	Fair	Ivy clad stem	Nil	N/A	20-40	B2	4.22	56.06
G54	4734	Pinus sylvestris Scots pine	259	1	12	1	1	4	0	0	6	M	Fair	Average condition	Nil	N/A	20-40	B2	3.11	30.35
G54	4735	Larix eurolepis Larch	404	1	14	2	2	1	5	0	3	M	Fair	Ivy clad stem	Nil	N/A	20-40	B2	4.85	73.85
G54	4736	Larix eurolepis Larch	405	1	14	2	2	5	1	0	4	M	Fair	Ivy clad stem	Nil	N/A	20-40	B2	4.86	74.21
G54	4737	Larix eurolepis Larch	379	1	15	1	2	2	4	0	9	M	Fair	Ivy clad stem	Nil	N/A	20-40	B2	4.55	64.99
G54	4738	Pinus sylvestris Scots pine	345	1	15	2	1	2	4	0	6	M	Fair	Ivy clad stem	Nil	N/A	20-40	B2	4.14	53.85
G54	4739	Larix eurolepis Larch	219	1	8	1	1	6	0	0	5	M	Fair	Suppressed under adjacent tree	Nil	N/A	10-20	C2	2.63	21.7
G54	4740	Larix eurolepis Larch	320	1	14	1	1	2	4	0	9	M	Fair	Ivy clad stem	Nil	N/A	20-40	B2	3.84	46.33
G54	4741	Pinus sylvestris Scots pine	336	1	11	2	1	0	4	0	4	M	Fair	Ivy clad stem	Nil	N/A	20-40	B2	4.03	51.08
G54	4742	Larix eurolepis Larch	438	1	15	3	3	5	2	0	6	M	Fair	Average condition	Nil	N/A	20-40	B2	5.26	86.8
G54	4743	Larix eurolepis Larch	166	1	7	1	0	0	4	0	4	M	Fair	Suppressed under adjacent tree	Nil	N/A	10-20	C2	1.99	12.47
G54	4744	Pinus sylvestris Scots pine	277	1	15	1	1	2	4	0	8	M	Fair	Average condition	Nil	N/A	20-40	B2	3.32	34.72
G54	4745	Larix eurolepis Larch	359	1	16	4	1	4	4	0	5	M	Fair	Average condition	Nil	N/A	20-40	B2	4.31	58.31
G54	4746	Pinus sylvestris Scots pine	327	1	15	3	1	2	4	0	7	M	Fair	Average condition	Nil	N/A	20-40	B2	3.92	48.38
G54	4748	Larix eurolepis Larch	386	1	16	1	3	3	4	0	7	M	Fair	Average condition	Nil	N/A	20-40	B2	4.63	67.41
G54	4749	Larix eurolepis Larch	305	1	15	2	1	2	3	0	7	M	Fair	stem canker at 4.0s	Nil	N/A	20-40	B2	3.66	42.09
G54	4750	Crataegus monogyna Hawthorn	188	MS	7	2	2	2	2	1	3	M	Fair	Average condition	Nil	N/A	10-20	C2	1.88	11.11
G54	4751	Pinus sylvestris Scots pine	257	1	14	1	1	3	1	0	7	M	Fair	Average condition	Nil	N/A	20-40	B2	3.08	29.88
G54	4752	Larix eurolepis Larch	300	1	14	1	1	3	3	0	6	M	Fair	Average condition	Nil	N/A	20-40	B2	3.6	40.72
G54	4753	Larix eurolepis Larch	450	1	15	3	2	6	5	0	4	M	Fair	Ivy clad stem	Nil	N/A	20-40	B2	5.4	91.62
G60	4754	Prunus laurocerasus Cherry Laurel	172	MS	4	3	3	3	3	3+	0	SM	Good	Suppressed by 4755	None	N/A	20-40	C2	1.72	9.3
G60	4755	Fagus sylvatica Beech	719	1	18	7	7	5	6	3	2	M	Good	No visible defects	None	N/A	40+	A2	8.63	233.9
G60	4756	Fagus sylvatica Beech	649	1	18	7	7	6	6	3	2	M	Good	Minor deadwood	None	N/A	40+	A2	7.79	190.57
G60	4757	Fagus sylvatica Beech	732	1	18	7	7	7	6	3	2	M	Good	No visible defects	None	N/A	40+	A2	8.78	242.43
G60	4758	Prunus laurocerasus Cherry Laurel	367	MS	3	2	2	2	2	3+	0	M	Fair	No visible defects	None	N/A	10-20	C2	3.67	42.32
G60	4759	Fagus sylvatica Beech	600	1	16	6.5	6.5	6.5	6.5	2	2	M	Good	No visible defects	None	N/A	40+	A2	7.2	162.88
G61	4760	Fagus sylvatica Beech	499	1	18	10	10	6	6	3	2	M	Good	No visible defects	None	N/A	40+	A2	5.99	112.66
G61	4761	Fagus sylvatica Beech	754	MS	18	10	10	6	6	3	2	M	Good	Thin leaders from base	None	N/A	20-40	C2	7.54	178.63
G61	4764	Fagus sylvatica Beech	779	1	18	6	7	6	6	3	2	M	Good	No visible defects	None	N/A	40+	A1	9.35	274.56
G60	4765	Prunus laurocerasus Cherry Laurel	475	MS	3	2	2	2	2	3+	0	SM	Fair	No visible defects	None	N/A	10-20	C1	4.75	70.89
G54	4767	Larix eurolepis Larch	324	1	15	2	2	4	3	0	7	M	Fair	Average condition	Nil	N/A	20-40	B2	3.89	47.5
G54	4768	Larix eurolepis Larch	290	1	12	1	2	5	1	0	6	M	Fair	Average condition	Nil	N/A	20-40	B2	3.48	38.05
G54	4769	Pinus sylvestris Scots pine	346	1	14	2	2	5	0	0	8	M	Fair	Average condition	Nil	N/A	20-40	B2	4.15	54.17
G54	4770	Pinus sylvestris Scots pine	276	1	12	1	1	5	0	0	8	M	Fair	Significant lean to e stem wound 3.0-5.0 w	Nil	N/A	10-20	C2	3.31	34.47
G54	4771	Larix eurolepis Larch	265	1	14	2	2	5	1	0	4	M	Fair	Stem kinks at 8	Nil	N/A	20-40	B2	3.18	31.77
G54	4772	Pinus sylvestris Scots pine	311	1	13	1	1	5	0	0	8	M	Fair	Leaning to e	Nil	N/A	20-40	B2	3.73	43.76
G54	4773	Pinus sylvestris Scots pine	397	1	9	2	3	4	6	0	5	M	Fair	Forked at 5m and suppressed under adjacent trees, wide spread	Nil	N/A	10-20	C2	4.76	71.31
G54	4774	Larix eurolepis Larch	381	1	15	2	2	5	5	0	6	M	Fair	Average condition	Nil	N/A	20-40	B2	4.57	65.68
G54	4775	Larix eurolepis Larch	414	1	15	2	2	5	4	0	5	M	Fair	Average condition	Nil	N/A	20-40	B2	4.97	77.55
G54	4776	Pinus sylvestris Scots pine	236	1	15	1	1	2	2	0	10	M	Fair	Average condition	Nil	N/A	20-40	B2	2.83	25.2
G54	4777	Larix eurolepis Larch	390	1	15	2	2	5	1	0	6	M	Fair	Average condition	Nil	N/A	20-40	B2	4.68	68.82
G54	4778	Larix eurolepis Larch	294	1	15	2	2	4	4	0	6	M	Fair	Average condition	Nil	N/A	20-40	B2	3.53	39.11
G54	4779	Pinus sylvestris Scots pine	304	1	15	3	2	3	1	0	10	M	Fair	Stem kinks at 8	Nil	N/A	20-40	B3	3.65	41.81
G62	4780	Quercus rubra Red oak	169	1	5	3.5	3.5	3.5	3.5	3	1.5	SM	Fair	Wound damage to stem at 0.5 m	None	N/A	40+	B2	2.03	12.92
G62	4781	Fagus sylvatica Beech	569	1	17	4	5	6	6	3	2	M	Good	No visible defects	None	N/A	40+	A2	6.83	146.49
G62	4782	Fagus sylvatica Beech	492	1	17	4	6	6	5	3	2	M	Good	No visible defects	None	N/A	40+	A2	5.9	109.52
G62	4783	Fagus sylvatica Beech	548	1	17	6	6	6	6	3	2	M	Good	Tight forks	None	N/A	40+	A2	6.58	135.87
G62	4784	Tilia europaea Common Lime	399	1	13	4	4	5	5	2	2	M	Good	No visible defects	None	N/A	40+	A2	4.79	72.03
G62	4785	Tilia europaea Common Lime	407	1	12	4	4	5	5	2	2	M	Good	No visible defects	None	N/A	40+	A2	4.88	74.95
G62	4786	Fagus sylvatica Beech	448	1	16	5	5	5	6	2	2	M	Good	Stem injury at 2.5 m north	None	N/A	40+	A2	5.38	90.81
G62	4787	Fagus sylvatica Beech	615	1	17	5	5	5	6	2	2	M	Good	No visible defects	None	N/A	40+	A2	7.38	171.13
G62	4788	Fagus sylvatica Beech	505	1	15	5	4	5	4	2	2	M	Good	Base - 2 m large open stem wound	None	N/A	40+	C2	6.06	115.39
G62	4789	Fagus sylvatica Beech	476	1	16	5	5	5	6	2	2	M	Good	Historic flush cut wound at 2.5 m south	None	N/A	40+	A2	5.71	102.51
G62	4790	Fagus sylvatica Beech	577	1	17	5	5	5	6	2	2	M	Good	No visible defects	None	N/A	40+	A2	6.92	150.63
G62	4791	Fagus sylvatica Beech	620	1	17	5	5	5	6	2	2	M	Good	Mower damage to root plane area	None	N/A	40+	A2	7.44	173.92
G62	4792	Fagus sylvatica Beech	815	1	19	5	5	5	6	2	3	M	Fair	Fagus sylvatica Beech bark decease felted	Nil	N/A	40+	C2	9.78	300.53
G62	4793	Fagus sylvatica Beech	663	1	19	5	5	5	6	2	3	M	Good	Fagus sylvatica Beech cockus	None	N/A	40+	A2	7.96	198.88
G62	4794	Fagus sylvatica Beech	880	1	22	4	5	6	5	2	3	M	Good	No visible defects	None	N/A	40+	A2	10.56	350.38
G63	4795	Fagus sylvatica Beech	760	1	16	4	6	6	5	2	2	M	Good	No visible defects	None	N/A	40+	A2	9.12	261.33
G63	4796	Fagus sylvatica Beech	575	1	16	4	4	5	5	2	2	M	Poor	Deadwood major ganaderma at base	Fell to ground level	P	<10	C1	6.9	149.59
G63	4797	Fagus sylvatica Beech	561	MS	17	4	4	6	5	2	2	M	Good	No visible defects	None	N/A	40+	A2	5.61	98.89
G63	4798	Fagus sylvatica Beech	453	1	16	4	4	6	5	2	2	M	Good	No visible defects	None	N/A	40+	A2	5.44	92.85
G63	4799	Fagus sylvatica Beech	534	1	16	4	4	6	5	2	2	M	Good	No visible defects	None	N/A	40+	A2	6.41	129.02
G63	4800	Fagus sylvatica Beech	393	1	16	4	4	6	5	2	2	M	Good	Minor stem defect at 3-4 m	None	N/A	40+	A2	4.72	69.88
G63	4801	Fagus sylvatica Beech	585	1	17	4	4	6	5	2	2	M	Good	No visible defects	None	N/A	40+	A2	7.02	154.84
G63	4802	Fagus sylvatica Beech	616	1	18	6	4	6	5	2	2	M	Good	No visible defects	None	N/A	40+	A2	7.39	171.68
G64	4803	Chamaecyparis lawsoniana Lawsons cypress	317	1	11	1	1	1	1	0.5	0	M	Good	No visible defects	None	N/A	40+	B1	3.8	45.47

Trees to be Retained

Group No	Tag	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physio-logical Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
						N	S	E	W											
G64	4804	Juniperus communis Juniper	223	1	1.5	1	1	1	1	0.5	0	M	Fair	No visible defects	None	N/A	40+	B1	2.68	22.5
G66	4805	Chamaecyparis lawsoniana Lawsons cypress	629	MS															6.29	124.31
G66	4806	Chamaecyparis lawsoniana Lawsons cypress	346	MS															3.46	37.61
G67	4807	Acer pseudoplatanus Sycamore	383	1	11	3	3	3	3	2	6	M	Fair	Average condition	Nil	N/A	20-40	C2	4.6	66.37
G67	4808	Fraxinus excelsior Ash	317	1	13	5	3	0	6	2	6	M	Fair	Average condition	Nil	N/A	20-40	C2	3.8	45.47
G67	4809	Acer pseudoplatanus Sycamore	164	1	9	1	1	2	1	4	6	M	Fair	Suppressed under adjacent tree	Nil	N/A	10-20	C2	1.97	12.17
G67	4810	Acer pseudoplatanus Sycamore	391	1	10	3	1	2	2	3	6	M	Fair	Average condition	Nil	N/A	10-20	C2	4.69	69.17
G67	4811	Acer pseudoplatanus Sycamore	343	1	10	2	2	2	3	3	6	M	Fair	Tight fork at 1.2 with included bark	Nil	N/A	10-20	C2	4.12	53.23
G67	4812	Acer pseudoplatanus Sycamore	356	MS	9	1	1	2	2	4	6	M	Fair	Tight fork at gl with included bark	Nil	N/A	10-20	C2	3.56	39.82
G67	4813	Acer pseudoplatanus Sycamore	760	MS	12	3.5	5	4	5	2	6	M	Fair	Poor basal union	Nil	N/A	10-20	C2	7.6	181.48
G68	4814	Quercus rubra Red oak	134	1	6	3	3	3	3	4	2	M	Fair	Average condition	Nil	N/A	40+	C2	1.61	8.12
G68	4815	Quercus rubra Red oak	100	1	6	3	3	3	3	4	2	M	Fair	Average condition	Nil	N/A	40+	C2	1.2	4.52
G68	4816	Quercus rubra Red oak	179	1	8	3	3	3	3	4	2.5	M	Fair	Average condition	Nil	N/A	40+	C2	2.15	14.5
G68	4821	Quercus rubra Red oak	170	1	8	3	3	3	3	4	2.5	M	Fair	Average condition	Nil	N/A	40+	C2	2.04	13.08
G70	4822	Acer pseudoplatanus Sycamore	203	1	11	4	1	2	3	3	3	M	Fair	Average condition	Nil	N/A	40+	C2	2.44	18.64
G70	4823	Crataegus monogyna Hawthorn	333	MS	7	2	2	3	3	1	2	M	Fair	Average condition	Nil	N/A	20-40	C2	3.33	34.84
G70	4824	Fraxinus excelsior Ash	202	1	10	2	2	2	2	4	5	M	Fair	Average condition	Nil	N/A	40+	C2	2.42	18.46
G70	4825	Fraxinus excelsior Ash	448	MS	10	3	2	5	0	2	5	M	Fair	Forked at gl included bark	Nil	N/A	10-20	C2	4.48	63.06
G70	4826	Fraxinus excelsior Ash	196	1	10	1	2	4	0	2	4	M	Fair	Average condition	Nil	N/A	20-40	C2	2.35	17.38
G70	4827	Fraxinus excelsior Ash	357	1	12	2	3	3	2	3	5	M	Fair	Poplar leaning into	Nil	N/A	40+	C2	4.28	57.66
G70	4828	Fraxinus excelsior Ash	273	1	12	2	2	2	2	3	6	M	Fair	Average condition	Nil	N/A	40+	C2	3.28	33.72
G70	4830	Fraxinus excelsior Ash	172	1	12	2	3	3	1	3	6	M	Fair	Average condition	Nil	N/A	40+	C2	2.06	13.39
G70	4831	Fraxinus excelsior Ash	121	1	12	3	0	1	1	3	8	M	Fair	Average condition	Nil	N/A	40+	C2	1.45	6.62
G70	4832	Fraxinus excelsior Ash	131	1	12	3	3	3	2	3	8	M	Fair	Average condition	Nil	N/A	40+	C2	1.57	7.76
G70	4833	Fraxinus excelsior Ash	89	1	7	0	2	1	1	2	4	M	Fair	Suppressed under adjacent tree	Nil	N/A	20-40	C2	1.07	3.58
G70	4834	Fraxinus excelsior Ash	175	1	12	3	3	3	3	3	7	M	Fair	Average condition	Nil	N/A	40+	C2	2.1	13.86
G70	4835	Fraxinus excelsior Ash	411	1	13	4	5	4	4	2	4	M	Fair	Average condition	Nil	N/A	40+	B2	4.93	76.43
G70	4836	Fraxinus excelsior Ash	223	1	12	0	4	3	3	2	5	M	Fair	Leaning to s	Nil	N/A	20-40	C2	2.68	22.5
G70	4837	Crataegus monogyna Hawthorn	200	MS	7	2	2	2	2	1	2	M	Fair	Average condition hedge line-29 stems	Nil	N/A	20-40	C2	2	12.57
G70	4838	Pinus sylvestris Scots pine	749	1	15	5	6	3	4	0	5	M	Fair	Ivy clad stem	Sever ivy and reinspect	P	20-40	B2	8.99	253.82
G70	4839	Pinus sylvestris Scots pine	396	1	13	2	4	6	1	0	9	M	Fair	Ivy clad stem	Sever ivy and reinspect	P	20-40	B2	4.75	70.95
G70	4840	Fraxinus excelsior Ash	132	1	9	2	2	2	2	3	5	M	Fair	Ivy clad stem	Sever ivy and reinspect	P	40+	C2	1.58	7.88
G70	4841	Pinus sylvestris Scots pine	378	1	12	1	2	2	3	0	5	M	Fair	Ivy clad stem	Sever ivy and reinspect	P	20-40	B2	4.54	64.65
G70	4843	Pinus sylvestris Scots pine	500	1	14	2	4	3	3	0	6	M	Fair	Ivy clad stem	Sever ivy and reinspect	P	20-40	B2	6	113.11
G70	4844	Pinus sylvestris Scots pine	573	1	15	3	3	3	3	0	8	M	Fair	Ivy clad stem	Sever ivy and reinspect	P	20-40	B2	6.88	148.55
G70	4845	Acer pseudoplatanus Sycamore	81	1	8	2	2	2	2	4	4	M	Fair	Average condition	Nil	N/A	40+	C2	0.97	2.97
G70	4846	Acer pseudoplatanus Sycamore	179	1	11	3	3	3	3	4	6	M	Fair	Forked at 4	Nil	N/A	20-40	C2	2.15	14.5
G70	4847	Acer pseudoplatanus Sycamore	141	1	10	2	2	2	2	4	6	M	Fair	Average condition	Nil	N/A	40+	C2	1.69	9
G70	4848	Acer pseudoplatanus Sycamore	407	1	13	5	5	5	5	2	5	M	Fair	Average condition	Nil	N/A	40+	B2	4.88	74.95
G70	4849	Pinus sylvestris Scots pine	475	1	14	4	4	4	4	0	6	M	Fair	Ivy clad stem	Sever ivy and reinspect	P	20-40	B2	5.7	102.08
G70	4850	Acer pseudoplatanus Sycamore	100	1	9	2	2	2	2	2	4	M	Fair	Growing in fence line 11 no	Nil	N/A	10-20	C2	1.2	4.52
G70	4852	Prunus Flowering Cherry	88	1	9	2	0	1	1	3	4	M	Fair	Average condition	Nil	N/A	20-40	C2	1.06	3.5
G70	4853	Acer pseudoplatanus Sycamore	135	1	10	3	0	2	2	4	5	M	Fair	Average condition	Nil	N/A	40+	C2	1.62	8.25
G70	4854	Acer pseudoplatanus Sycamore	381	1	10	2	2	2	2	4	3	M	Fair	Average condition	Nil	N/A	40+	C2	4.57	65.68
G70	4855	Fraxinus excelsior Ash	136	1	10	3	3	3	3	3	4	M	Fair	Average condition	Nil	N/A	40+	C2	1.63	8.37
G70	4856	Acer pseudoplatanus Sycamore	79	1	8	2	2	2	1	6	3	SM	Fair	Average condition	Nil	N/A	40+	C2	0.95	2.82
G70	4857	Fraxinus excelsior Ash	587	1	14	6	6	6	6	1	5	M	Fair	Average condition	Nil	N/A	40+	B2	7.04	155.9
G70	4858	Fraxinus excelsior Ash	206	1	10	2	2	3	0	2	5	M	Fair	Average condition	Nil	N/A	40+	C2	2.47	19.2
G70	4859	Pinus sylvestris Scots pine	585	1	15	3	4	4	5	0	8	M	Fair	Average condition	Nil	N/A	20-40	B2	7.02	154.84
G70	4860	Pinus sylvestris Scots pine	370	1	10	2	3	2	4	0	7	M	Fair	Average condition	Nil	N/A	20-40	C2	4.44	61.94
G70	4861	Fraxinus excelsior Ash	598	1	12	3	2	7	3	2	4	M	Fair	Average condition	Nil	N/A	20-40	C2	7.18	161.8
G70	4862	Pinus sylvestris Scots pine	609	1	14	5	2	3	4	0	6	M	Fair	Average condition	Nil	N/A	20-40	B2	7.31	167.8
G70	4864	Prunus Flowering Cherry	219	MS	10	4	3	3	3	2	5	M	Fair	Average condition	Nil	N/A	40+	C2	2.19	15.07
G70	4865	Fraxinus excelsior Ash	670	MS	12	5	4	4	4	2	5	M	Fair	Three stems from gl included bark	Nil	N/A	20-40	C2	6.7	141.04
G70	4866	Picea abies Norway spruce	115	1	5	2	2	2	2	4	2	M	Fair	Average condition	Nil	N/A	40+	C2	1.38	5.98
G69	4867	Chamaecyparis lawsoniana lawsons cypress	590	MS	12	3	3	3	3	1	2	M	Fair	Average condition	Nil	N/A	20-40	C2	5.9	109.37
G69	4868	Chamaecyparis lawsoniana lawsons cypress	475	MS	10	3	3	3	3	1	2	M	Fair	Average condition	Nil	N/A	20-40	C2	4.75	70.89
G69	4869	Chamaecyparis lawsoniana lawsons cypress	399	MS	10	3	3	3	3	1	2	M	Fair	Average condition	Nil	N/A	20-40	C2	3.99	50.02
G69	4870	Chamaecyparis lawsoniana lawsons cypress	374	MS	12	3	3	3	3	1	2	M	Fair	Average condition	Nil	N/A	20-40	C2	3.74	43.95
G69	4871	Chamaecyparis lawsoniana lawsons cypress	394	MS	12	3	3	3	3	1	2	M	Fair	Average condition	Nil	N/A	20-40	C2	3.94	48.78
G69	4872	Chamaecyparis lawsoniana lawsons cypress	451	MS	12	3	3	3	3	1	2	M	Fair	Average condition	Nil	N/A	20-40	C2	4.51	63.91
G72	4877	Acer platanoides Norway maple	564	1	16	6	4	5	4	3	3	M	Good	No visible defects	Nil	N/A	20-40	A1,2	6.77	143.92
G72	4878	Aesculus hippocastanum Horse chestnut	441	1	15	5	5	4	3	3	2	M	Good	Included bark developing at spring of crown	Nil	N/A	10-20	B1,2	5.29	87.99
G72	4879	Acer platanoides Norway maple	452	1	15	6	5	4	3	3	3	M	Good	Crown unbalanced to NE	Nil	N/A	20-40	C1,2	5.42	92.44
G72	4880	Aesculus hippocastanum Horse chestnut	529	1	14	4	3	3	3	3	2	M	Good	Included bark and rot pockets to main stem	Nil	N/A	20-40	C1,2	6.35	126.61
G72	4881	Acer platanoides Norway maple	435	1	13	5	4	3	3	3	3	M	Good	No visible defects	Nil	N/A	10-20	C1,2	5.22	85.61
G72	4882	Acer platanoides Norway maple	462	1	13	3	4	4	4	3	3	M	Fair	Patches of crown die back and coccus growth (declining ?)	Nil	N/A	10-20	C1	5.54	96.57
G73	4887	Betula alba Silver birch	356	1	14	4	4	2	5	0	2	M	Good	No visible defects	Nil	N/A	10-20	B1	4.27	57.34

Trees to be Retained

Group No	Tag	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physio-logical Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
						N	S	E	W											
G73	4888	Betula alba Silver birch	277	1	14	1	4	2	1	0	2	M	Fair	No visible defects	Nil	N/A	<10	C1	3.32	34.72
G73	4889	Betula alba Silver birch	346	1	14	4	4	1	4	0	2	M	Good	No visible defects	Nil	N/A	10-20	B1	4.15	54.17
G73	4890	Betula alba Silver birch	270	1	12	4	4	3	1	0	2	M	Good	No visible defects	Nil	N/A	10-20	B1	3.24	32.98
G73	4891	Betula alba Silver birch	267	1	12	4	3	2	1	0	2	M	Fair	Occluded wound on main stem (decay ?) crown off centre	Nil	N/A	<10	C1	3.2	32.25
G73	4892	Betula alba Silver birch	362	1	13	5	3	3	5	0	3	M	Fair	No visible defects	Nil	N/A	<10	C1	4.34	59.29
G73	4893	Betula alba Silver birch	275	MS	13	4	3	4	1	0	2	M	Fair	No visible defects	Nil	N/A	10-20	B1	2.75	23.76
G73	4896	Betula alba Silver birch	366	1	13	4	4	4	4	0	2	M	Good	No visible defects	Nil	N/A	10-20	B1	4.39	60.61
G73	4899	Betula alba Silver birch	357	1	14	4	4	3	3	0	2	M	Fair	No visible defects	Nil	N/A	10-20	C1	4.28	57.66
G73	4900	Betula alba Silver birch	396	1	14	3	4	3	2	0	0	M	Good	No visible defects	Nil	N/A	10-20	B1	4.75	70.95
G73	4901	Betula alba Silver birch	390	1	14	4	4	2	4	0	1	M	Good	No visible defects	Nil	N/A	10-20	B1	4.68	68.82
G73	4902	Betula alba Silver birch	305	1	14	2	3	2	3	0	3	M	Good	No visible defects	Nil	N/A	10-20	B1	3.66	42.09
G74	4903	Aesculus hippocastanum Horse chestnut	635	1	15	4	4	4	3	3	2	M	Good	Included bark in main stem at 1.5 m ht	Nil	N/A	<10	C1	7.62	182.44
G74	4904	Acer platanoides Norway maple	397	1	13	4	4	3	4	3	3	M	Good	No visible defects	Nil	N/A	10-20	B1,2	4.76	71.31
G74	4905	Acer platanoides Norway maple	456	1	14	4	4	3	3	3	3	M	Good	Significant rot pocket to main stem at 1.5 m ht	Nil	N/A	10-20	C1	5.47	94.08
G74	4906	Acer platanoides Norway maple	425	1	13	4	3	3	4	3	3	M	Good	No visible defects	Nil	N/A	10-20	B1,2	5.1	81.72
G75	4907	Betula alba Silver birch	261	1	14	2	2	3	2	0	2	M	Good	Occluded wounds to main stem, else No visible defects	Nil	N/A	10-20	B1,2	3.13	30.82
G75	4908	Betula alba Silver birch	335	1	15	2	4	4	2	0	2	M	Good	Fluting to base, old pruning wounds in upper stem	Nil	N/A	10-20	C1,2	4.02	50.78
G75	4909	Betula alba Silver birch	345	1	15	5	5	3	4	0	3	M	Fair	Old pruning wound to upper stem, foilage thin	Nil	N/A	<10	C1,2	4.14	53.85
G75	4910	Betula alba Silver birch	405	1	15	4	5	3	4	0	3	M	Good	Old pruning wounds to upper stem	Nil	N/A	10-20	B1,2	4.86	74.21
G75	4911	Betula alba Silver birch	363	1	16	4	4	3	5	0	2	M	Good	Old pruning wounds to upper stem. Chestnut pale fencing growing into main stem	Remove chestnut pale	P	10-20	B1,2	4.36	59.62
G77	4912	Tilia europaea Common Lime	486	1	13	6	4	5	5	2	2	M	Good	Occluded old wounds to main stem	Nil	N/A	20-40	B1	5.83	106.87
G77	4913	Tilia cordata Small leaved lime	473	1	14	3	4	4	5	3	2	M	Good	Occasional pruning wounds to main stem, else No visible defects	Nil	N/A	20-40	B1	5.68	101.23
G77	4914	Acer pseudoplatanus Sycamore	482	1	14	5	3	5	5	2	4	M	Good	Occasional pruning wounds to main stem	Nil	N/A	10-20	B1	5.78	105.11
G77	4917	Tilia europaea Common Lime	359	1	12	5	3	5	5	2	1	M	Good	Occluded pruning wounds to main stem, else No visible defects	Nil	N/A	20-40	B1	4.31	58.31
G77	4919	Tilia europaea Common Lime	379	1	14	4	4	4	4	2	1	M	Good	Occluded old wounds to main stem.	Nil	N/A	20-40	A1	4.55	64.99
G77	4920	Aesculus hippocastanum Horse chestnut	333	1	13	3	3	4	3	3	2	M	Good	Large wound to base of one main stem, serious. Crown restricted by neighbours, else No visible defects	Nil	N/A	<10	C1	4	50.17
G77	4921	Picea abies Norway spruce	349	1	14	3	3	3	2	3	4	M	Fair	Old pruning wound to main stem, probable decay, else No visible defects	Nil	N/A	20-40	B1	4.19	55.11
G79	4927	Tilia europaea Common Lime	369	1	14	3	4	3	4	2	2	M	Good	Old pruning wound to main stem, probable decay, else No visible defects	Nil	N/A	20-40	B1,,2	4.43	61.61
G79	4929	Tilia europaea Common Lime	549	MS	15	2	4	4	5	2	3	M	Fair	Included bark to fork at ground level, foilage poor	Nil	N/A	20-40	C1	5.49	94.7
G79	4930	Tilia europaea Common Lime	439	1	15	4	2	4	5	2	3	M	Good	Epicormics, else No visible defects	Nil	N/A	20-40	B1,2	5.27	87.2
G79	4931	Tilia europaea Common Lime	376	1	14	3	3	3	5	2	2	M	Good	Old wounds to main stem occluding satisfactorily	Nil	N/A	20-40	B1,2	4.51	63.97
G79	4932	Tilia europaea Common Lime	572	1	15	5	4	4	6	2	5	M	Good	Large limb on western side with included bark. Deadwood	Reduce terminal weight of branch on western side, Remove dead wood	P	20-40	B1,2	6.86	148.03
G79	4933	Tilia europaea Common Lime	346	MS	14	3	4	3	5	2	4	M	Good	No visible defects	Nil	N/A	20-40	B1,2	3.46	37.61
G79	4934	Acer pseudoplatanus Sycamore	383	1	15	4	3	3	4	2	4	M	Good	No visible defects	Nil	N/A	20-40	B1,2	4.6	66.37
G79	4935	Tilia europaea Common Lime	447	1	15	4	3	4	5	1	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	5.36	90.4
G79	4936	Acer pseudoplatanus Sycamore	769	MS	14	4	2	4	4	1	4	M	Fair	Deadwood in crown, foilage thin	Nil	N/A	10-20	C1,2	7.69	185.81
G79	4937	Aesculus hippocastanum Horse chestnut	486	1	15	2	3	3	4	2	3	M	Good	Old pruning wound to main stem, occluded some bleeding canker	Nil	N/A	20-40	B1,2	5.83	106.87
G79	4938	Acer pseudoplatanus Sycamore	464	1	15	4	2	3	5	2	4	M	Good	Old pruning wounds, decay to stem and branches. Dead wood	Remove dead wood	U	20-40	B1,2	5.57	97.41
G80	4942	Acer pseudoplatanus Sycamore	463	1	15	5	5	3	4	1	4	M	Good	No visible defects	Nil	N/A	10-20	B1	5.56	96.99
G80	4943	Betula alba Silver birch	307	1	14	0	4	3	4	0	5	M	Fair	Unbalanced crown	Nil	N/A	<10	C1	3.68	42.64
G80	4946	Crataegus monogyna Hawthorn	223	MS	6	2	2	2	2	1	2	M	Good	No visible defects	Nil	N/A	10-20	B1	2.23	15.62
G80	4947	Acer pseudoplatanus Sycamore	532	1	14	4	4	6	3	2	3	M	Good	Occluded old wounds to main stem, else No visible defects	Nil	N/A	10-20	B1	6.38	128.05
G80	4948	Acer pseudoplatanus Sycamore	370	1	13	5	3	5	1	1	3	M	Fair	Deadwood in crown	Remove deadwood	U	10-20	B1	4.44	61.94
G80	4949	Acer platanoides Norway maple	424	1	14	4	6	5	3	2	2	M	Good	Branch union hollowing to secondary stem	Remove secondary upright stem to East	P	20-40	B1	5.09	81.34
G80	4950	Acer pseudoplatanus Sycamore	518	1	15	5	7	4	4	1	5	M	Fair	Many occluded pruning wounds, else No visible defects	Nil	N/A	10-20	B1	6.22	121.4
G80	4951	Acer pseudoplatanus Sycamore	461	1	15	5	6	3	5	1	3	M	Fair	Many occluded pruning wounds, else No visible defects	Nil	N/A	10-20	B1	5.53	96.15
G76	4965	Betula alba Silver birch	354	1	16	6	5	3	5	0	2	M	Good	No visible defects	Nil	N/A	<10	B1,2	4.25	56.7
G76	4967	Betula alba Silver birch	498	1	15	6	5	4	4	0	3	M	Good	Long lateral branches especially to south, end loading ?	Reduce longer branches	P	<10	C1,2	5.98	112.21
G76	4968	Betula alba Silver birch	344	1	15	6	6	3	4	0	3	M	Good	Minor old pruning wounds to main stem, else No visible defects	Nil	N/A	<10	B1,2	4.13	53.54
G76	4969	Betula alba Silver birch	412	1	15	6	5	4	3	0	3	M	Good	Decay to old branch stub at fork at 2.5 m	Nil	N/A	<10	B1,2	4.94	76.8

Trees to be Retained

Group No	Tag	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physio-logical Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
						N	S	E	W											
G76	4970	Betula alba Silver birch	234	1	14	3	3	2	2	0	3	M	Fair	Occluded wounds to main stem	Nil	N/A	<10	B1,2	2.81	24.77
G76	4971	Betula alba Silver birch	272	1	14	3	4	2	1	0	2	M	Fair	Fluting and old wounds to main stem. Included bark in fork at 1.5 m	Nil	N/A	<10	C1,2	3.26	33.47
G81	4972	Fraxinus excelsior Ash (jaspidea)	341	1	14	5	5	4	3	2	3	M	Good	No visible defects	Nil	N/A	20-40	B1,2	4.09	52.61
G81	4973	Fraxinus excelsior Ash (jaspidea)	330	1	14	5	5	2	4	2	2	M	Good	Branch broken out in upper crown	Nil	N/A	20-40	B1,2	3.96	49.27
G81	4974	Acer pseudoplatanus Sycamore	565	1	13	6	5	3	5	2	3	M	Good	Old pruning wounds to branches and main stem (decay?)	Nil	N/A	20-40	B1,2	6.78	144.43
G81	4975	Acer pseudoplatanus Sycamore	380	1	14	4	4	3	2	2	5	M	Good	Old pruning wounds to branches and main stem (decay?)	Nil	N/A	20-40	B1,2	4.56	65.33
G81	4976	Acer pseudoplatanus Sycamore	544	1	14	5	5	3	3	2	5	M	Good	Old pruning wounds to branches and main stem (decay?)	Nil	N/A	20-40	B1,2	6.53	133.9
G81	4977	Acer pseudoplatanus Sycamore	442	MS	13	3	5	3	2	2	5	M	Good	Old pruning wounds to branches and main stem (decay?)	Nil	N/A	20-40	B1,2	4.42	61.38
G81	4978	Acer pseudoplatanus Sycamore	317	1	13	3	3	3	2	2	3	M	Good	Old pruning wounds to branches and main stem (decay?)	Nil	N/A	20-40	B1,2	3.8	45.47
G81	4979	Acer pseudoplatanus Sycamore	437	1	12	2	3	4	5	2	4	M	Good	Old pruning wounds to branches and main stem (decay?)	Nil	N/A	20-40	B1,2	5.24	86.4
G82	4980	Prunus avium Cherry	376	1	9	4	5	4	4	0	3	M	Fair	Main limb encroaching on roof of wooden shed. Old pruning wounds and foliage thin	Remove old shed	P	<10	C1	4.51	63.97
G83	4982	Crataegus monogyna Hawthorn	205	1	4	1	2	2	2	2	3	M	Fair	Old damage, decay to main stem	Nil	N/A	<10	C1	2.46	19.01
G83	4984	Chamaecyparis	143	MS	6	1	1	1	1	3	0	SM	Good	In raised bed, else No visible defects	Nil	N/A	20-40	B1	1.43	6.43
G83	4985	Chamaecyparis												Ground level stem of 4984						
G83	4986	Chamaecyparis	137	1	5	1	1	1	1	3	0	SM	Good	In raised bed, else No visible defects	Nil	N/A	10-20	B1	1.64	8.49
G84	4988	Aesculus hippocastanum Horse chestnut	544	1	11	4	4	4	3	3	2	M	Good	Old pruning wounds, decay?	Nil	N/A	10-20	B1,2	6.53	133.9
G84	4989	Aesculus hippocastanum Horse chestnut	476	1	11	4	4	2	2	3	2	M	Good	Old damage/decay to main stem at 1 m	Nil	N/A	10-20	B1,2	5.71	102.51
G84	4990	Aesculus hippocastanum Horse chestnut	454	1	11	4	4	2	3	3	2	M	Good	Old pruning wounds, decay to main branches	Nil	N/A	10-20	B1,2	5.45	93.26
G84	4991	Aesculus hippocastanum Horse chestnut	401	1	11	4	4	4	3	3	2	M	Good	Oldl pruning wounds (occluded to stem and main branches)	Nil	N/A	10-20	B1,2	4.81	72.75
G84	4992	Aesculus hippocastanum Horse chestnut	411	1	9	4	4	2	3	3	2	M	Good	Occluded old pruning wounds to main stem and branches	Nil	N/A	10-20	B1,2	4.93	76.43
G84	4993	Aesculus hippocastanum Horse chestnut	404	1	10	4	4	2	2	3	3	M	Good	Occluded old pruning wounds. Damage, decay to branch	Remove branch on north side	P	10-20	B1,2	4.85	73.85
G84	4994	Aesculus hippocastanum Horse chestnut	327	1	11	3	4	2	2	3	2	M	Good	Significant wounds to main stem, decay ?	Nil	N/A	10-20	C1,2	3.92	48.38
G84	4995	Aesculus hippocastanum Horse chestnut	372	1	11	4	4	2	3	3	2	M	Good	Damage, decay to a main branch	Nil	N/A	10-20	B1,2	4.46	62.61
G84	4996	Aesculus hippocastanum Horse chestnut	390	1	11	4	4	2	4	3	2	M	Good	Minor old pruning wounds to main stem	Nil	N/A	10-20	B1,2	4.68	68.82
G85	4997	Aesculus hippocastanum Horse chestnut	377	1	9	3	2	3	3	2	2	M	Fair	Advanced decay to old pruning wounds at 2 m ht	Nil	N/A	<10	C1	4.52	64.31
G85	4998	Aesculus hippocastanum Horse chestnut	357	1	9	3	2	3	3	2	2	M	Good	Advanced decay to old pruning wounds at 2 m ht	Nil	N/A	10-20	B1	4.28	57.66
G85	4999	Aesculus hippocastanum Horse chestnut	383	1	10	3	2	3	3	2	2	M	Good	Decay to old pruning wounds adjacent to main fork	Nil	N/A	10-20	B1	4.6	66.37
G85	5001	Aesculus hippocastanum Horse chestnut	477	1	12	3	3	4	4	2	2	M	Good	Suspect weak fork union at 2 m ht affecting north side of entire crown	Investigate	P	10-20	B1	5.72	102.95
G85	5002	Aesculus hippocastanum Horse chestnut	659	1	12	3	3	4	4	2	2	M	Good	Tight fork unions / included bark at 2 m ht	Nil	N/A	10-20	B1	7.91	196.49
G89	5021	Aesculus hippocastanum Horse chestnut	573	1	11	4	4	4	4	1	2	M	Poor	Crown die back, especially on north. Bleeding canker to main stem and branches	Remove dead branches and rebalance crown	U	10-20	C1,2	6.88	148.55
G89	5022	Aesculus hippocastanum Horse chestnut	382	1	10	3	3	3	3	2	2	M	Fair	Bleeding canker on main stem. Many occluded old wounds	Monitor condition	P	10-20	C1,2	4.58	66.02
G89	5023	Aesculus hippocastanum Horse chestnut	631	1	12	4	4	4	5	2	1	M	Good	Crow's nest. Occluded old pruning wounds	Nil	N/A	10-20	B1,2	7.57	180.15
G89	5024	Aesculus hippocastanum Horse chestnut	527	1	11	4	4	4	4	2	1	M	Good	Old pruning wounds to stem (decay?)	Nil	N/A	10-20	B1,2	6.32	125.66
G90	5025	Aesculus hippocastanum Horse chestnut	461	1	12	4	4	3	4	2	2	M	Good	Large cavity to main fork at 2 m height	Nil	N/A	<10	C1,2	5.53	96.15
G90	5026	Aesculus hippocastanum Horse chestnut	217	1	10	2	2	2	2	1	1	M	Poor	Old wounds to lower main stem	Nil	N/A	<10	C1,2	2.6	21.31
G90	5027	Aesculus hippocastanum Horse chestnut	376	1	11	2	3	3	3	2	2	M	Good	Several small wounds and cavities to main spring of crown, also included bark. Bleeding canker.	Nil	N/A	10-20	C1,2	4.51	63.97
G90	5028	Aesculus hippocastanum Horse chestnut	431	1	11	4	3	3	4	2	2	M	Good	Base of stem affected by footpath concrete	Nil	N/A	20-40	B1,2	5.17	84.05
G93	5048	Cuppressocyparis leylandii Leyland cypress	500	1	16	3	0	2	2	2	3	M	Good	Close to kerb, included bark to main stem	Nil	N/A	10-20	C1,2	6	113.11
G93	5049	Cuppressocyparis leylandii Leyland cypress	431	1	16	0	3	2	2	2	3	M	Good	Close to kerb, else No visible defects	Nil	N/A	10-20	C1,2	5.17	84.05
G95	5057	Sorbus intermedia Swedish Whitebeam	676	1	10	4	5	4	4	0	2	M	Fair	Vehicle damage	Crown clean, lift statutory height	P	10-20	B2	8.11	206.76
G95	5058	Sorbus intermedia Swedish Whitebeam	655	1	10	3	4	3	3	0	2.5	M	Fair	Major dead limb and wood, stem decays	Crown clean and reduce by 30%	P	10-20	C1	7.86	194.11
G95	5059	Sorbus intermedia Swedish Whitebeam	635	1	10	4	4	3	4	0	2	M	Good	No visible defects	None	N/A	10-20	B2	7.62	182.44
G95	5060	Sorbus intermedia Swedish Whitebeam	598	1	10	4	4	3	3	0	2	M	Fair	Minor dead wood	Crown clean	P	10-20	C1	7.18	161.8
G95	5061	Sorbus intermedia Swedish Whitebeam	677	1	10	4	5	4	4	0	2.5	M	Poor	Inonotus bracket, roadside damage limb	Crown reduce by 30%	P	10-20	C1	8.12	207.37
G96	5062	Fraxinus excelsior Ash	149	1	7	2	2	2	2	2	2.5	SM	Fair	Bark stripped south	None	N/A	40+	B2	1.79	10.04
G96	5063	Fraxinus excelsior Ash	127	1	7	1	1	1	1	4	3.5	SM	Good	No visible defects	None	N/A	40+	A1	1.52	7.3
	5064	Fraxinus excelsior Ash	110	1	6	1	1	1	1	3	2.5	SM	Fair	No visible defects	None	N/A	40+	B2	1.32	5.47
G96	5065	Fraxinus excelsior Ash	131	1	6	2	2	2	1	3	2.5	SM	Good	No visible defects	None	N/A	40+	B2	1.57	7.76
G97	5066	Fraxinus excelsior Ash	137	1	8	2	2	2	2	4	3.5	SM	Fair	No visible defects	None	N/A	40+	B2	1.64	8.49
G97	5068	Fraxinus excelsior Ash	177	1	7	4	3	3	3	2.5	3	SM	Good	No visible defects	None	N/A	40+	B2	2.12	14.17
G97	5069	Fraxinus excelsior Ash	202	1	8	3	3	3	3	3	3	SM	Good	No visible defects	None	N/A	40+	A1	2.42	18.46
G97	5070	Crataegus monogyna Hawthorn	211	1	5	2.5	2.5	2.5	2.5	1	2	M	Good	No visible defects	None	N/A	20-40	B2	2.53	20.14
G97	5071	Fraxinus excelsior Ash	182	1	8	2.5	2.5	2.5	2.5	3	3	SM	Good	No visible defects	None	N/A	40+	B1	2.18	14.99

Trees to be Retained

Group No	Tag	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physio-logical Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
						N	S	E	W											
G97	5072	Fraxinus excelsior Ash	181	1	7.5	2	2	2	2	3	3	SM	Fair	Sparse canopy	None	N/A	40+	B1	2.17	14.82
G97	5073	Fraxinus excelsior Ash	163	1	7	2	2	2	2	3	2	SM	Good	No visible defects	None	N/A	40+	B1	1.96	12.02
G97	5074	Crataegus monogyna Hawthorn	249	1	6	2	2	2	2	2	1	M	Good	No visible defects	None	N/A	40+	A1	2.99	28.05
G97	5075	Fraxinus excelsior Ash	155	1	7	2	2	2	2	3	2.5	SM	Good	No visible defects	None	N/A	40+	A1	1.86	10.87
G98	5076	Acer pseudoplatanus Sycamore	210	1	7	2.5	2.5	2.5	2.5	3	2	M	Good	No visible defects	None	N/A	40+	B2	2.52	19.95
G98	5077	Acer platanoides Norway maple	110	1	6	2	2	2	2	2	2.5	SM	Good	No visible defects	None	N/A	40+	B2	1.32	5.47
G98	5078	Acer platanoides Norway maple	162	1	6	1	2	2	2	3	3	M	Good	Lowest limb, tight fork and included bark	Remove low limb	P	40+	B2	1.94	11.87
G98	5079	Acer platanoides Norway maple	181	1	6.5	2	2	2	2	2	2.5	M	Good	No visible defects	None	N/A	40+	B2	2.17	14.82
G98	5080	Acer platanoides Norway maple	181	1	7	2	2	2	1	2	2.5	M	Good	No visible defects	None	N/A	40+	B2	2.17	14.82
G98	5082	Fraxinus excelsior Ash	127	1	6	2	2	2	2	3	2.5	SM	Good	No visible defects	None	N/A	40+	C1	1.52	7.3
G98	5083	Fraxinus excelsior Ash	132	1	5	2	2	2	2	3	2.5	SM	Fair	Sparse foliage	None	N/A	40+	C1	1.58	7.88
G99	5084	Acer cappadocium Maple	91	1	3.5	1.5	1.5	1.5	1.5	1	2.5	SM	Fair	Basal bark wound	None	N/A	20-40	C1	1.09	3.75
	5085	Acer platanoides Norway maple	194	1	5	3	3	3	3	2	2	M	Good	No visible defects	None	N/A	40+	B1	2.33	17.03
G99	5086	Acer platanoides Norway maple	181	1	4.5	3	3	3	3	2	2	M	Good	No visible defects	None	N/A	40+	B1	2.17	14.82
G100	5087	Acer pseudoplatanus Sycamore	329	1	11	4	4	4	4	2	2	M	Good	No visible defects	None	N/A	40+	A1	3.95	48.97
G100	5088	Acer pseudoplatanus Sycamore	278	1	9	4	4	4	4	2	2	M	Fair	No visible defects	None	N/A	40+	B1	3.34	34.97
G100	5089	Acer pseudoplatanus Sycamore	274	1	9	4	4	4	4	2	2	M	Good	No visible defects	None	N/A	40+	A1	3.29	33.97
G101	5090	Sorbus aucuparia Rowan	195	1	6	2.5	2.5	2.5	2.5	1	2.5	M	Good	No visible defects	None	N/A	20-40	A1	2.34	17.2
G105	5103	Acer pseudoplatanus Sycamore	275	1	7	4	4	4	4	3	2	M	Good	No visible defects	None	N/A	40+	A2	3.3	34.22
G105	5104	Acer pseudoplatanus Sycamore	261	1	8	4	4	4	4	3	2	M	Good	No visible defects	None	N/A	40+	A2	3.13	30.82
G105	5105	Acer pseudoplatanus Sycamore	368	1	9	4	4	4	4	3	2	M	Good	No visible defects	None	N/A	40+	A2	4.42	61.27
G105	5106	Acer pseudoplatanus Sycamore	262	1	10	3	3	3	3	3	3	M	Good	Tight forks	None	N/A	40+	A2	3.14	31.06
G105	5107	Acer pseudoplatanus Sycamore	296	1	12	3	3	3	3	3	2	M	Good	No visible defects	None	N/A	40+	A2	3.55	39.64
G105	5108	Acer pseudoplatanus Sycamore	363	1	12	4	4	4	4	3	2	M	Good	No visible defects	None	N/A	40+	A2	4.36	59.62
G107	5123	Sorbus intermedia Swedish Whitebeam	212	1	5	2	2	2	2	1	2	M	Fair	No visible defects	Minor crown lift	P	20-40	B2	2.54	20.33
G107	5124	Sorbus domestica Bastard service tree	228	1	6	2	2	2	2	1	2.5	M	Good	No visible defects	Nil	N/A	20-40	B2	2.74	23.52
G107	5125	Sorbus intermedia Swedish Whitebeam	240	1	6	2	2	2	2	1	2	M	Fair	No visible defects	Minor crown lift	P	20-40	B2	2.88	26.06
G107	5126	Sorbus intermedia Swedish Whitebeam	256	1	6	2	2	2	2	1	2	M	Good	No visible defects	Minor crown lift	P	20-40	B2	3.07	29.65
G108	5129	Acer platanoides Norway maple	224	1	7	3	3	4	3	2	2.5	M	Good	No visible defects	Nil	N/A	20-40	B2	2.69	22.7
G108	5130	Acer platanoides Norway maple	299	1	7	4	5	4	4	2	1	M	Good	No visible defects	Crown lift by 1.5 m	P	20-40	B2	3.59	40.45
G111	5156	Acer platanoides Norway maple	283	1	8	3	4	4	4	1	2	M	Good	No visible defects	None	N/A	20-40	B2	3.4	36.24
G111	5157	Acer platanoides Norway maple	308	1	8	4	3	4	4	3	2	M	Good	Tight fork/include bark at 2 m	None	N/A	20-40	B2	3.7	42.92
G111	5158	Acer platanoides Norway maple	310	1	8	3	4	4	3	3	2	M	Good	Tight fork/include bark Minor dead wood	Crown clean	P	20-40	B2	3.72	43.48
G111	5159	Acer platanoides Norway maple	221	1	7	2	2	3	2	3	2	M	Poor	Dead wood significant	Dead wood	P	10-20	C2	2.65	22.1
G111	5160	Acer platanoides Norway maple	202	1	7	3	2	3	2	3	2.5	M	Good	No visible defects	None	N/A	20-40	B2	2.42	18.46
G111	5161	Acer platanoides Norway maple	212	1	7	2	3	3	2	3	2	M	Good	Basal epicormics <20o lean	None	N/A	20-40	B2	2.54	20.33
G111	5162	Acer platanoides Norway maple	179	1	7	2	2	2	2	3	2	M	Good	Tight forks included bark	None	N/A	20-40	B2	2.15	14.5
G111	5163	Acer platanoides Norway maple	146	1	6	2	2	2	2	3	2	M	Good	No visible defects	None	N/A	20-40	B2	1.75	9.64
G111	5164	Acer platanoides Norway maple	164	1	7	2	2	2	2	3	2	M	Good	No visible defects	None	N/A	20-40	B2	1.97	12.17
G111	5165	Acer platanoides Norway maple	233	1	8	2	2	3	3	3	2	M	Good	No visible defects	None	N/A	40+	B2	2.8	24.56
G111	5166	Acer platanoides Norway maple	259	1	8	2	2	3	3	3	2	M	Good	Included bark/tight fork	None	N/A	20-40	C2	3.11	30.35
G111	5167	Acer platanoides Norway maple	354	1	9	4	3	4	4	3	2	M	Good	Included bark	None	N/A	40+	B2	4.25	56.7
G112	5168	Sorbus intermedia Swedish Whitebeam	393	1	6	3	3	3	3	0	3	M	Good	Hollow cavity at 1.5 m	None	N/A	20-40	B2	4.72	69.88
G112	5169	Acer pseudoplatanus Sycamore	524	1	10	5	5	5	5	1	3.5	M	Good	Stem cavity at 2 m	Lift over road	P	40+	B2	6.29	124.23
G112	5170	Fraxinus excelsior Ash	550	1	11	6	6	6	6	1	3.5	M	Good	Multiple branch removals at 2 m and minor deadwood	Crown clean, lift over road	P	40+	B2	6.6	136.87
G112	5171	Sorbus intermedia Swedish Whitebeam	579	1	9	4	4	4	4	0	3	M	Good	Minor cavity at 2 m	None	N/A	20-40	B2	6.95	151.68
G112	5172	Sorbus intermedia Swedish Whitebeam	531	1	9	3	4	4	4	0	3	M	Good	Minor dead wood	Crown clean	P	20-40	B2	6.37	127.57
G112	5173	Fraxinus excelsior Ash	510	1	11	4	4	4	4	1	3	M	Fair	Major previous pruning wound dead wood	Crown clean	P	20-40	C2	6.12	117.68
G112	5174	Fraxinus excelsior Ash	568	1	12	5	5	5	5	1	2	M	Good	Dead wood	Crown clean	P	40+	B2	6.82	145.97
G112	5175	Aesculus hippocastanum Horse Chestnut	881	1	12	5	5	5	5	3	3	M	Good	Tight major stem junction with included bark	Crown lift over road	P	10-20	C2	10.57	351.17
G112	5176	Fraxinus excelsior Ash	640	1	12	4	4	3	5	1	2.5	M	Good	Significant cavity at 1.5 m	Crown clean and T/R test -reassess	U	20-40	C2	7.68	185.32
G113	5177	Salix fragilis Willow	387	1	11	3	4	5	3	0	2	M	Good	Minor dead wood	Crown clean pollard	P	40+	B3	4.64	67.76
G113	5178	Salix fragilis Willow	157	1	10	0.5	0.5	3	0	0	2	M	Fair	No visible defects	(Pollard) Dead wood	P	40+	B3	1.88	11.15
G113	5179	Salix fragilis Willow	621	MS	11	6	3	5	1	0	2	M	Good	30o lean over road. Basal bark wound	(Pollard) Dead wood	P	40+	B3	6.21	121.17
G113	5180	Salix fragilis Willow	760	MS	11	6	6	3	5	0	2	M	Good	Some dead wood. Basal bark wound	(Pollard) Dead wood	P	40+	B3	7.6	181.48
G114	5181	Sorbus intermedia Swedish Whitebeam	665	1	8	4	5	4	3	3	2	M	Good	Minor dead wood	Crown clean	P	20-40	B2	7.98	200.08
G114	5182	Sorbus intermedia Swedish Whitebeam	641	1	7	4	4	3	3	0	2	M	Good	Dead wood	Crown clean	P	20-40	B2	7.69	185.9
G114	5183	Sorbus intermedia Swedish Whitebeam	394	1	6.5	3	3	3	3	0	2	M	Fair	Dead wood	Crown clean	P	20-40	B2	4.73	70.24
G114	5184	Sorbus intermedia Swedish Whitebeam	504	1	6.5	4	4.5	3.5	3	0	2	M	Fair	Minor dead wood and crossing branches	Crown clean	P	20-40	B2	6.05	114.93
G114	5185	Sorbus intermedia Swedish Whitebeam	507	MS	7	2.5	4	3	3	0	2	M	Fair	Minor dead wood	Crown clean	P	20-40	B2	5.07	80.76
G114	5186	Sorbus intermedia Swedish Whitebeam	466	1	7	2.5	3	2.5	3	0	2	M	Fair	Minor dead wood inonotus bracket	Crown clean	P	20-40	B2	5.59	98.25
G114	5187	Sorbus intermedia Swedish Whitebeam	469	1	7	3	4	2.5	3	0	2	M	Fair	Minor dead wood	Crown clean	P	20-40	B2	5.63	99.52
G114	5188	Sorbus intermedia Swedish Whitebeam	496	MS	7	4	3.5	3	4	0	2	M	Good	Tight fork with included bark/minor bark wound	Crown clean	P	20-40	B2	4.96	77.3
G115	5189	Acer platanoides Norway maple	614	1	8	4	3	4	4	1	2	M	Fair	Significant dead wood, old pruning wound at 1 m	Crown clean	P	20-40	C2	7.37	170.57
G115	5190	Acer platanoides Norway maple	550	1	8	4	4	3	5	1	3	M	Fair	Cavity at 1.2 m	T/r ratio assessment	P	20-40	C2	6.6	136.87
G115	5191	Acer pseudoplatanus Sycamore	545	1	8	4	4	5	4	1	3	M	Good	No visible defects	None	N/A	40+	B2	6.54	134.39

Trees to be Retained

Group No	Tag	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physio-logical Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
						N	S	E	W											
G115	5192	Acer platanoides Norway maple	451	1	8	5	3	5	5	1	2	M	Good	Old pruning wound at 10 m/minor dead wood	Crown clean	P	40+	B2	5.41	92.03
G115	5193	Chamaecyparis lawsoniana Lawsons cypress	529	MS	7	2	2	2	2	0.5	0	M	Good	No visible defects	None	N/A	40+	B2	5.29	87.93
G116	5194	Acer platanoides Norway maple	597	1	8	4	4	5	5	1	3	M	Fair	Conjoined cavities at 2 m	Crown reduce. Re inspect in 12 months	U	10-20	C2	7.16	161.26
G116	5195	Sorbus intermedia Swedish Whitebeam	321	MS	6	3	3	2	2	1	2.5	M	Fair	Tight fork/included bark at 0.6 m	Fell to ground level	P	10-20	C2	3.21	32.38
G116	5196	Acer platanoides Norway maple	599	1	8	5	5	5	6	1	2	M	Fair	Cavity at 0.5 m, significant dead wood	Crown clean, crown reduce	P	20-40	C2	7.19	162.34
G116	5197	Sorbus intermedia Swedish Whitebeam	475	MS	6	3	3.5	3	3	0	2	M	Fair	Minor dead wood	Crown clean	P	20-40	B2	4.75	70.89
G116	5198	Sorbus intermedia Swedish Whitebeam	388	1	5	2	3	3	3	0	2	M	Fair	Inonotus fruiting body at 1.2 m, minor dead wood	Crown clean	P	10-20	C2	4.66	68.11
G116	5199	Sorbus intermedia Swedish Whitebeam	486	1	6	3	3	3	3	0.5	2	M	Good	Minor dead wood	Crown clean	P	20-40	B2	5.83	106.87
G117	5200	Cupressocyparis leylandii Leyland cypress	540	MS	9	2	2	2	2	0.5	0	M	Good	No visible defects	None	N/A	20-40	B2	5.4	91.62
G117	5201	Chamaecyparis lawsoniana Lawsons cypress	566	MS	9	2	2	2	2	0.5	0	M	Good	No visible defects	None	N/A	20-40	B2	5.66	100.66
G117	5202	Chamaecyparis lawsoniana Lawsons cypress	921	MS	10	1.5	1.5	0	3	0.5	0	M	Good	No visible defects	None	N/A	20-40	B2	9.21	266.52
G117	5203	Chamaecyparis lawsoniana Lawsons cypress	488	MS	10	1.5	1.5	3	0	0.5	0	M	Good	No visible defects	None	N/A	20-40	B2	4.88	74.82
G118	5204	Betula alba Silver birch	313	1	8	5	4	5	4	0	2	M	Good	No visible defects	Crown clean	P	20-40	B2	3.76	44.33
G118	5205	Betula alba Silver birch	440	1	8	5	5	5	5	0	2	M	Good	No visible defects	Crown clean	P	20-40	B2	5.28	87.59
G118	5206	Betula alba Silver birch	525	1	8	5	5	5	5	0	2	M	Good	Some minor dead wood	Crown clean	P	20-40	B2	6.3	124.71
G118	5207	Betula alba Silver birch	349	1	8	5	5	5	5	0	2	M	Good	Witch's broom, minor dead wood	None	N/A	20-40	B2	4.19	55.11
G118	5208	Betula alba Silver birch	437	1	8	3	4	4	3	0	2	M	Good	No visible defects	None	N/A	20-40	B2	5.24	86.4
G119	5209	Sorbus intermedia Swedish Whitebeam	442	1	6	4	4	4	4	0	1	M	Good	No visible defects	None	N/A	20-40	B2	5.3	88.39
G119	5210	Aesculus hippocastanum Horse Chestnut	659	MS	8	4	4	4	5	3	2	M	Fair	Tight fork included bark	None	N/A	40+	B2	6.59	136.45
G119	5211	Fraxinus excelsior Ash	474	1	9	5	5	5	5	2	2	M	Good	Dead wood	Crown clean	P	40+	B2	5.69	101.65
G119	5212	Sorbus intermedia Swedish Whitebeam	409	1	6	4	4	4	4	0	2	M	Fair	Minor dead wood	Crown clean	N/A	10-20	B2	4.91	75.69
G119	5213	Aesculus hippocastanum Horse Chestnut	537	1	7.5	5	4	5	5	3	2	M	Good	Cameraria orridella affecting foliage	None	N/A	40+	B2	6.44	130.47
G119	5214	Fraxinus excelsior Ash	335	1	8	5	3	4	4	2	1	M	Good	No visible defects	None	N/A	40+	B2	4.02	50.78
G119	5215	Sorbus intermedia Swedish Whitebeam	424	1	6	3	3	3	3	0	1.5	M	Fair	No visible defects	Crown clean	P	20-40	B2	5.09	81.34
G120	5216	Cupressocyparis leylandii Leyland cypress	649	MS	15	1	4	3	3	1	1	M	Fair	Included bark on main stem	None	N/A	20-40	C2	6.49	132.34
G120	5217	Cupressocyparis leylandii Leyland cypress	574	MS	13	0	4	2	3	1	1	M	Fair	No visible defects	Crown clean	P	20-40	C2	5.74	103.52
G120	5218	Cupressocyparis leylandii Leyland cypress	280	1	13	1	2	1	3	1	2	M	Fair	No visible defects	Crown clean	P	20-40	C2	3.36	35.47
G120	5219	Cupressocyparis leylandii Leyland cypress	266	MS	6	1	1	1	4	1	1	M	Poor	Suppressed by 5218 and 5220	Fell to ground level	P	10-20	C3	2.66	22.23
G120	5220	Cupressocyparis leylandii Leyland cypress	297	1	8	3	1	1	3	1	1	M	Fair	Also suppressed	Fell to ground level	P	10-20	C3	3.56	39.91
G120	5221	Cupressocyparis leylandii Leyland cypress	371	1	15	3	2	2	2	1	4	M	Fair	No visible defects	Dead wood	P	20-40	C2	4.45	62.28
G120	5222	Cupressocyparis leylandii Leyland cypress	209	1	8	3	0	2	2	1	4	M	Poor	Suppressed specimen/over building	Fell to ground level	P	10-20	C2	2.51	19.76
G120	5223	Cupressocyparis leylandii Leyland cypress	182	MS	7	4	0	1	1	1	4	M	Poor	Leaning over building, suppressed specimen	Fell to ground level	P	10-20	C2	1.82	10.41
G121	5224	Cupressocyparis leylandii Leyland cypress	399	1	13	3	1	3	3	1	2	M	Fair	No visible defects, power and phone lines	None	N/A	20-40	B2	4.79	72.03
G121	5225	Cupressocyparis leylandii Leyland cypress	431	1	13	1	3	2.5	2.5	1	2	M	Fair	No visible defects, power and phone lines	None	N/A	20-40	B2	5.17	84.05
G121	5226	Cupressocyparis leylandii Leyland cypress	491	1	15	3	2	3	1	1	2	M	Fair	No visible defects, power line through centre of crown	None	N/A	20-40	B2	5.89	109.08
G122	5227	Cupressocyparis leylandii Leyland cypress	719	MS	10	3	3	3	3	1	0	M	Fair	Included bark, multi letters	Crown clean	P	20-40	C2	7.19	162.43
G122	5228	Cupressocyparis leylandii Leyland cypress	420	MS	10	1	2	2	2	1	0	M	Fair	Some minor dead wood, low included bark	Crown clean	P	10-20	C2	4.2	55.42
G122	5229	Cupressocyparis leylandii Leyland cypress	423	MS	9	2	2	2	1	1	0	M	Fair	Low included bark, twin leaders	None	N/A	20-40	C2	4.23	56.22
G122	5230	Cupressocyparis leylandii Leyland cypress	403	MS	9	2	2	2	2	1	0	M	Fair	Low included bark	None	N/A	20-40	C2	4.03	51.03
G122	5231	Picea omorika Serbian spruce	370	MS	9	2	2	2	2	1.5	1.5	M	Fair	Twin leaders	None	N/A	10-20	C2	3.7	43.01
G122	5232	Picea abies Norway spruce	359	MS	9	2.5	2.5	2.5	2.5	3	1.5	M	Fair	Twin leader	None	N/A	20-40	B2	3.59	40.49
G122	5233	Chamaecyparis lawsoniana Lawsons cypress	742	MS	9	3	3	3	3	2	0	M	Fair	Power lines through centre of stems	None	N/A	20-40	C2	7.42	172.99
G123	5235	Prunus Flowering Cherry	185	1	6	2.5	2.5	2.5	2.5	1	1.5	M	Fair	No visible defects	None	N/A	20-40	B2	2.22	15.49
G123	5236	Prunus Flowering Cherry	372	1	8.5	4.5	4	4	3	1	1	M	Fair	Some minor dead wood	Crown clean	P	20-40	B2	4.46	62.61
G123	5237	Prunus Flowering Cherry	360	1	8.5	4	4	3	4	1	2	M	Good	Branch wound on low western limb	None	N/A	20-40	B2	4.32	58.64
G123	5238	Sorbus intermedia Swedish Whitebeam	414	1	7	3	3	2.5	3	1	2	M	Good	No visible defects	None	N/A	20-40	B2	4.97	77.55
G124	5239	Picea omorika Serbian spruce	279	MS	8	1	1	1	1	1	0	M	Fair	Twin leaders	None	N/A	20-40	C2	2.79	24.46
G124	5240	Picea omorika Serbian spruce	157	1	8	1	1	1	1	1	0	M	Good	No visible defects	None	N/A	40+	A1	1.88	11.15
G125	5241	Acer platanoides Norway maple	92	1	5	1.5	1.5	1.5	1.5	5	1.5	M	Good	Old basal damage	None	N/A	40+	B2	1.1	3.83
G125	5242	Malus domestica Apple	241	MS	4.5	2	2	2	2	1	0	M	Good	No visible defects	-	N/A	40+	B3	2.41	18.25
H34	5243	Chamaecyparis lawsoniana Lawsons cypress	150	MS	16	1.5	1.5	1.5	1.5	1	0	M	Good	No visible defects	None	N/A	20-40	C2	1.5	7.07
H35	5244	Chamaecyparis lawsoniana Lawsons cypress	150	MS	16	1.5	1.5	1.5	1.5	1	0	M	Good	No visible defects	None	N/A	20-40	C2	1.5	7.07
G126	5245	Acer saccharinium Silver maple	333	1	8.5	3.5	2	3.5	3.5	3	1.5	M	Good	Basal suckers	Crown clean	P	40+	B2	4	50.17
G126	5246	Acer platanoides Norway maple	280	1	9	2	4	4	2	3	1.5	M	Good	No visible defects	None	N/A	40+	B2	3.36	35.47
G126	5247	Acer saccharinium Silver maple	305	1	10	3	4	2	3	3	1.5	M	Good	Basal suckers	Crown clean	P	40+	B2	3.66	42.09
G126	5248	Acer saccharinium Silver maple	487	1	10	4	4	4	4	3	1.5	M	Good	Basal suckers	Crown clean	P	40+	B2	5.84	107.31
G126	5249	Acer platanoides Norway maple	253	1	8	3	3	4	3	2	2	M	Good	No visible defects	None	N/A	40+	B2	3.04	28.96
G126	5250	Acer platanoides Norway maple	311	1	8	3	2	4	3	2	2	M	Good	Tight forks included bark	None	N/A	40+	B2	3.73	43.76
G126	5251	Acer platanoides Norway maple	340	1	8	2	4	4	4	2	1	M	Good	Minor dead wood	Crown clean	P	40+	B2	4.08	52.3
G127	5252	Acer platanoides Norway maple	285	1	8	3	3	3	3	2	2	M	Good	Tight forks included bark	None	N/A	40+	B1	3.42	36.75
G127	5253	Acer pseudoplatanus Sycamore	349	1	7	3	4	4	4	2	2	M	Good	Tight forks included bark	None	N/A	40+	B2	4.19	55.11
G127	5254	Acer platanoides Norway maple	239	1	7	3	2	3	3	2	2.5	M	Good	No visible defects	None	N/A	40+	B2	2.87	25.84
G127	5255	Acer platanoides Norway maple	217	1	7	4	4	4	4	2	2.5	M	Good	No visible defects	None	N/A	40+	A1	2.6	21.31
G128	5256	Acer platanoides Norway maple	253	1	7	3	2	3	2	2	2.5	M	Good	No visible defects	None	N/A	40+	B2	3.04	28.96
G128	5257	Acer platanoides Norway maple	278	1	7	4	3	3	3	2	2	M	Good	No visible defects	None	N/A	40+	B2	3.34	34.97
G128	5258	Acer platanoides Norway maple	374	1	9.5	3	3	3	3	2	2	M	Good	No visible defects	None	N/A	40+	B2	4.49	63.29
G128	5260	Acer platanoides Norway maple	229	1	9	3	2	2	3	2	1.5	M	Good	No visible defects	None	N/A	40+	B2	2.75	23.73
G128	5261	Acer platanoides Norway maple	307	1	10	2	4	4	2	2	2	M	Good	No visible defects	None	N/A	40+	B2	3.68	42.64
G128	5262	Acer platanoides Norway maple	311	1	10	2	3	3.5	2	2	2	M	Good	No visible defects	None	N/A	40+	B2	3.73	43.76
G128	5263	Acer platanoides Norway maple	282	1	10	3	2	2	3	2	2	M	Good	No visible defects	None	N/A	40+	B2	3.38	35.98
G128	5264	Acer platanoides Norway maple	280	1	10	3	2	4	3	2	1	M	Good	No visible defects	None	N/A	40+	B2	3.36	35.47

Trees to be Retained

Group No	Tag	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physio-logical Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
						N	S	E	W											
G129	5265	Acer platanoides Norway maple	293	1	11	3.5	3.5	3.5	3.5	2	1.5	M	Good	No visible defects	None	N/A	40+	A1	3.52	38.84
G129	5266	Acer platanoides Norway maple	263	1	9	3.5	3.5	3.5	3.5	2	1.5	M	Good	Basal suckers	Crown clean	P	40+	B2	3.16	31.3
G129	5267	Acer platanoides Norway maple	237	1	8	4	4	4	4	2	2	M	Good	Basal suckers	Crown clean	P	40+	B2	2.84	25.41
G129	5268	Acer platanoides Norway maple	162	1	9.5	2	2	2	2.5	2	3	M	Good	No visible defects	None	N/A	40+	B2	1.94	11.87
G129	5269	Acer platanoides Norway maple	179	1	6.5	2	2	2	2	2	2	M	Good	No visible defects	None	N/A	40+	B2	2.15	14.5
G129	5270	Acer platanoides Norway maple	230	1	7	3.5	3.5	3.5	3.5	2	1.5	M	Good	Some basal suckers	Crown clean	P	40+	B2	2.76	23.93
G130	5271	Acer platanoides Norway maple	337	1	9	3	3	3	3	2	2	M	Fair	Some dead wood	Crown clean	P	40+	B2	4.04	51.38
G130	5272	Acer platanoides Norway maple	162	1	7	2	2	1.5	1.5	3	2	M	Good	No visible defects	None	N/A	40+	B2	1.94	11.87
G130	5273	Acer platanoides Norway maple	262	1	9	3.5	3.5	3.5	3.5	2	2.5	M	Good	No visible defects	None	N/A	40+	B2	3.14	31.06
G130	5274	Acer platanoides Norway maple	211	MS	4	1.5	1.5	1.51.5	1.5	0	2	Young Suckers	Fair	Suppressed	None	N/A	10-20	C2	2.11	13.99
G130	5275	Acer platanoides Norway maple	376	1	10	4	4	4	4	2	3	M	Good	Tight forks included bark	Crown clean	P	40+	B2	4.51	63.97
G130	5276	Acer platanoides Norway maple	228	1	9	2	2	2	2	3	2	M	Good	Some dead wood	Crown clean	P	40+	B2	2.74	23.52
G130	5277	Acer platanoides Norway maple	190	1	6	2	2	2	2	3	2	M	Good	No visible defects	None	N/A	40+	B2	2.28	16.33
G130	5278	Acer platanoides Norway maple	190	1	8	2	2	2	2	3	2	M	Good	No visible defects	None	N/A	40+	B2	2.28	16.33
G130	5279	Acer saccharinum Silver maple	264	1	9	2	2.5	2.5	2.5	3	2	M	Good	No visible defects	None	N/A	40+	B2	3.17	31.53
G130	5280	Acer platanoides Norway maple	132	1	4	2	2	2.5	2	0	2	M	Poor	Foliage die back, sparse canopy	Fell to ground level	P	<10	C3	1.58	7.88
G131	5281	Acer platanoides Norway maple	316	1	7	4	3	2	4	2	2	M	Good	No visible defects	None	N/A	40+	A2	3.79	45.18
G131	5282	Acer platanoides Norway maple	350	1	10	4	4	3	3	2	2	M	Good	No visible defects	None	N/A	40+	A2	4.2	55.42
G131	5283	Acer platanoides Norway maple	359	1	10	4	4	3	3	2	2	M	Good	Tight forks included bark	Crown clean	P	40+	A2	4.31	58.31
G131	5284	Acer platanoides Norway maple	281	1	7	4	3	3	2	2	2	M	Good	Basal bark wounds	None	N/A	40+	A2	3.37	35.73
G131	5285	Acer saccharinum Silver maple	304	1	9	5	4	3	3	1	2	M	Good	No visible defects	None	N/A	40+	A2	3.65	41.81
G131	5286	Acer platanoides Norway maple	222	1	8	2	3	2	2	2	2	M	Good	No visible defects	None	N/A	40+	A2	2.66	22.3
G131	5287	Acer platanoides Norway maple	284	1	9	2	3	3	2	2	2	M	Good	No visible defects	None	N/A	40+	A2	3.41	36.49
G131	5288	Acer platanoides Norway maple	299	1	8	4	3	3	3	1	2	M	Good	No visible defects	None	N/A	40+	A2	3.59	40.45
G131	5289	Acer platanoides Norway maple	440	1	9	5	5	4	4	1	2	M	Good	No visible defects	None	N/A	40+	A2	5.28	87.59
G131	5290	Acer platanoides Norway maple	304	1	9	4	3	5	3	1	2	M	Good	No visible defects	None	N/A	40+	A2	3.65	41.81
G131	5291	Acer saccharinum Silver maple	316	1	8	5	3	3	2	2	2.5	M	Good	No visible defects	None	N/A	40+	A2	3.79	45.18
G134	5305	Acer pseudoplatanus Sycamore	381	1	9	4	4	4	4	3	2	M	Good	No visible defects	None	N/A	40+	A2	4.57	65.68
G134	5306	Acer platanoides Norway maple	326	1	8	3	3	3	3	3	2	M	Good	No visible defects	None	N/A	40+	A2	3.91	48.08
G134	5307	Acer platanoides Norway maple	235	1	7	4	4	4	4	3	2	M	Good	No visible defects	None	N/A	40+	A2	2.82	24.99
G134	5308	Acer pseudoplatanus Sycamore	292	1	8	3	3	3	3	3	2	M	Good	No visible defects	None	N/A	40+	A2	3.5	38.58
G134	5309	Acer pseudoplatanus Sycamore	251	1	7	2	2	2	2	3	2	M	Good	No visible defects	None	N/A	40+	A2	3.01	28.5
G134	5310	Acer pseudoplatanus Sycamore	305	1	9	4	4	4	4	3	2	M	Good	No visible defects	None	N/A	40+	A2	3.66	42.09
G134	5311	Acer pseudoplatanus Sycamore	280	1	9	3	3	3	3	3	2	M	Fair	Sparse canopy	None	N/A	40+	B2	3.36	35.47
G134	5312	Acer pseudoplatanus Sycamore	281	1	9	3	3	3	3	3	2	M	Good	No visible defects	None	N/A	40+	A2	3.37	35.73
G134	5313	Acer pseudoplatanus Sycamore	227	1	7	4	4	4	4	3	2	M	Good	No visible defects	None	N/A	40+	A2	2.72	23.31
G134	5314	Acer pseudoplatanus Sycamore	310	1	9	3	3	3	3	3	2	M	Good	No visible defects	None	N/A	40+	A2	3.72	43.48
G134	5315	Acer pseudoplatanus Sycamore	221	1	9	3	3	3	3	3	2	M	Good	No visible defects	None	N/A	40+	A2	2.65	22.1
G134	5316	Acer pseudoplatanus Sycamore	295	1	8	3	3	3	3	3	2	M	Good	No visible defects	None	N/A	40+	A2	3.54	39.37
G134	5317	Acer pseudoplatanus Sycamore	263	1	8	3	3	3	3	3	2	M	Good	No visible defects	None	N/A	40+	A2	3.16	31.3
G134	5318	Acer pseudoplatanus Sycamore	287	1	8	4	4	4	4	3	2	M	Good	No visible defects	None	N/A	40+	A2	3.44	37.27
G134	5319	Acer pseudoplatanus Sycamore	267	1	8	3	3	3	3	3	2	M	Good	No visible defects	None	N/A	40+	A2	3.2	32.25
G134	5320	Acer pseudoplatanus Sycamore	206	1	7	2.5	2	3	2	3	2	M	Fair	No visible defects	None	N/A	40+	B2	2.47	19.2
G135	5321	Cupressocyparis leylandii Leyland cypress	266	1	9	2	2	2	2	1	1.5	M	Good	No visible defects	None	N/A	20-40	B2	3.19	32.01
G135	5322	Cupressocyparis leylandii Leyland cypress	259	1	9	2	2	2	2	1	1.5	M	Good	No visible defects	None	N/A	20-40	B2	3.11	30.35
G135	5323	Cupressocyparis leylandii Leyland cypress	282	MS	9	2	2	2	2	1	1.5	M	Good	No visible defects	None	N/A	20-40	B2	2.82	24.99
G136	5324	Acer pseudoplatanus Sycamore	272	1	7	3	3	3	3	3	2	M	Fair	Sparse canopy	None	N/A	40+	A2	3.26	33.47
G136	5325	Acer pseudoplatanus Sycamore	208	1	7	2	2	2	2	3	2	M	Fair	No visible defects	None	N/A	40+	A2	2.5	19.57
G136	5326	Acer pseudoplatanus Sycamore	255	1	7	3	3	3	3	3	2	M	Good	Bark wound at base	None	N/A	40+	A2	3.06	29.42
G137	5327	Prunus avium plena Cherry	124	1	4	2	2	3	1.5	1.5	2	SM	Fair	Central leader missing	None	N/A	10-20	B2	1.49	6.96
G137	5328	Sorbus intermedia Swedish Whitebeam	113	1	4.5	2	2	2	2	2	2	SM	Good	No visible defects	None	N/A	10-20	B2	1.36	5.78
G137	5329	Sorbus intermedia Swedish Whitebeam	152	MS	5	1.5	1.5	1.5	1.5	2	2.5	SM	Good	No visible defects	None	N/A	10-20	B2	1.52	7.26
G137	5333	Sorbus intermedia Swedish Whitebeam	125	1	4	1.5	1.5	1.5	1.5	1.5	2	SM	Good	No visible defects	None	N/A	10-20	B2	1.5	7.07
G137	5334	Prunus avium plena Cherry	235	1	6	3	3	4	1	2	2	M	Good	No visible defects	None	N/A	20-40	B2	2.82	24.99
G137	5335	Sorbus intermedia Swedish Whitebeam	129	1	3	1.5	1.5	1.5	1.5	1.5	2	M	Good	No visible defects	None	N/A	20-40	B2	1.55	7.53
G137	5336	Sorbus intermedia Swedish Whitebeam	137	MS	3	1	1	1	1	1	2	M	Good	Basal bark wound	None	N/A	20-40	B2	1.37	5.9
G137	5337	Prunus avium plena Cherry	173	1	4	2	2	1	0	1	2.5	M	Fair	No visible defects	None	N/A	10-20	C2	2.08	13.54
G137	5338	Sorbus intermedia Swedish Whitebeam	134	1	4	1	1.5	1.5	1	1	2	M	Good	Stem bark wound	None	N/A	20-40	B2	1.61	8.12
G137	5339	Prunus avium plena Cherry	157	1	4	1	2	2	1.5	0	2.5	M	Fair	No visible defects	None	N/A	10-20	C2	1.88	11.15
G137	5340	Sorbus intermedia Swedish Whitebeam	155	MS	3.5	2	2	2	1	0.5	1.5	M	Good	Basal bark wound	None	N/A	10-20	B2	1.55	7.55
G138	5341	Fraxinus excelsior Ash	75	1	4	1	1	1	1	4	1.5	Y	Good	No visible defects	None	N/A	40+	C1	0.9	2.55
G138	5342	Fraxinus excelsior Ash	168	1	8	2	2	2	2	4	2	M	Good	No visible defects	None	N/A	40+	A1	2.02	12.77
G138	5343	Fraxinus excelsior Ash	142	1	8	1	2	2	2	4	2	M	Fair	No visible defects	None	N/A	40+	B2	1.7	9.12
G138	5344	Fraxinus excelsior Ash	236	1	9	3	2	2	2	4	2	M	Good	No visible defects	None	N/A	40+	B2	2.83	25.2
G139	5345	Fraxinus excelsior Ash	165	1	8	2	2	1	2	4	2	M	Good	No visible defects	None	N/A	40+	C2	1.98	12.32
G139	5346	Acer pseudoplatanus Sycamore	170	1	9	4.5	5	5	3	4	2	M	Fair	No visible defects	None	N/A	40+	B2	2.04	13.08
G139	5347	Fraxinus excelsior Ash	484	1	9	2	1	3	2	4	2	M	Good	No visible defects	None	N/A	40+	B2	5.81	105.99
G140	5348	Sorbus aucuparia Rowan	191	1	5	1	1	1	1	0.5	2	M	Good	No visible defects	None	N/A	10-20	B2	2.29	16.51
G138	5349	Fraxinus excelsior Ash	134	1	8	2	1	2	1	4	2	M	Good	No visible defects	None	N/A	40+	B2	1.61	8.12
G140	5350	Sorbus aucuparia Rowan	107	1	4	1	1	1	1	0	2	M	Fair	Broken branch	Crown clean	P	10-20	C2	1.28	5.18
G141	5351	Fraxinus excelsior Ash	181	1	8	2	2	2	2	4	2	M	Good	No visible defects	None	N/A	40+	B2	2.17	14.82
G141	5352	Fraxinus excelsior Ash	254	1	8	2	2	2	2	4	2	M	Good	No visible defects	None	N/A	40+	B2	3.05	29.19
G141	5353	Fraxinus excelsior Ash	236	1	5	1	2	2	2	4	1.5	M	Fair	No visible defects	None	N/A	40+	C2	2.83	25.2
G142	5354	Sorbus aucuparia Rowan	118	1	4	1	1	1	1	1	1.5	M	Fair	No visible defects	None	N/A	10-20	C2	1.42	6.3
G142	5355	Sorbus aucuparia Rowan	157	1	5	1.5	1.5	1.5	1.5	1	1.5	M	Good	No visible defects	None	N/A	10-20	B2	1.88	11.15

Trees to be Retained

Group No	Tag	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physio-logical Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
						N	S	E	W											
G143	5356	Fraxinus excelsior Ash	179	1	8	2	2	2	2	4	2	M	Good	No visible defects	None	N/A	40+	A1	2.15	14.5
G143	5357	Sorbus aucuparia Rowan	224	1	6	1.5	1.5	1.5	1.5	1	2	M	Good	No visible defects	None	N/A	10-20	B2	2.69	22.7
G144	5358	Acer pseudoplatanus Sycamore	171	1	6	2	2	2	2	3	2	M	Good	No visible defects	None	N/A	40+	B2	2.05	13.23
G144	5359	Fraxinus excelsior Ash	132	MS	5	1.5	1.5	1.5	1.5	3	2	SM	Fair	Tight fork included bark	None	N/A	40+	C2	1.32	5.47
G144	5360	Fraxinus excelsior Ash	129	1	7	2	2	2	2	3	2	SM	Poor	Sparse canopy	None	N/A	20-40	B2	1.55	7.53
G144	5361	Acer pseudoplatanus Sycamore	208	1	7	3	3	3	3	3	2	M	Fair	No visible defects	None	N/A	40+	B2	2.5	19.57
G144	5362	Acer pseudoplatanus Sycamore	238	1	7	2	2	2	2	3	2	M	Good	No visible defects	None	N/A	40+	A2	2.86	25.63
G144	5363	Acer pseudoplatanus Sycamore	149	1	6	2	1	2	2	3	2	M	Fair	No visible defects	None	N/A	40+	C2	1.79	10.04
G144	5364	Fraxinus excelsior Ash	193	1	8	2	2	2	2	3.5	2	M	Good	No visible defects	None	N/A	40+	A2	2.32	16.85
G145	5365	Alnus cordata Italian alder	277	1	11	2	2	2	2	1.5	2	M	Good	No visible defects	None	N/A	40+	A1	3.32	34.72
G145	5366	Prunus avium plena Cherry	145	1	6	1	1	2	1	1.5	3	M	Good	Broken branches	Crown clean	P	20-40	B2	1.74	9.51
G145	5367	Sorbus aucuparia Rowan	183	1	5.5	1.5	1.5	1.5	1.5	1.5	2	M	Good	No visible defects	None	N/A	20-40	B2	2.2	15.15
G146	5368	Acer pseudoplatanus Sycamore	131	1	5	1	1	1	1	4	2	SM	Good	No visible defects	None	N/A	40+	B2	1.57	7.76
G146	5369	Juglans regia Walnut	149	1	5	2	2	2	2	3	2	SM	Good	No visible defects	None	N/A	40+	B2	1.79	10.04
G146	5370	Juglans regia Walnut	161	1	5	2	2	2	2	3	2	SM	Good	No visible defects	None	N/A	40+	B2	1.93	11.73
G146	5371	Tilia europaea Common Lime	197	1	8	2.5	2.5	2.5	2.5	4	2	SM	Good	No visible defects	None	N/A	40+	A1	2.36	17.56
G146	5372	Tilia europaea Common Lime	126	1	6	1	1	1	1	4	2	SM	Fair	No visible defects	None	N/A	40+	B1	1.51	7.18
G151	5373	Fraxinus excelsior Ash	95	1	5	1	2	2	1	2	2	SM	Fair	No visible defects	None	N/A	20-40	C1	1.14	4.08
G151	5374	Fraxinus excelsior Ash	107	1	5	1	1	1	1	2	3	SM	Good	Minor damage	None	N/A	40+	B1	1.28	5.18
G151	5375	Prunus avium plena Cherry	193	1	4	3	2	4	4	1	2	M	Fair	Basal suckers	None	N/A	10-20	C1	2.32	16.85
G151	5376	Alnus cordata Italian alder	260	1	9	3	3	3	3	2	2	M	Good	No visible defects	None	N/A	20-40	C1	3.12	30.59
G151	5377	Sorbus aucuparia Rowan	130	1	4.5	1.5	1.5	1.5	1.5	0.5	2.5	M	Good	No visible defects	None	N/A	10-20	C1	1.56	7.65
G151	5378	Sorbus aucuparia Rowan	133	1	6	1	1	1	1	0.5	2.5	M	Good	No visible defects	None	N/A	20-40	B1	1.6	8
G151	5379	Prunus avium plena Cherry	75	1	5	1	1	1	1	3	2	SM	Good	No visible defects	None	N/A	20-40	C1	0.9	2.55
G151	5380	Alnus cordata Italian alder	113	1	6	1	1	1	1	3	0.5	SM	Good	No visible defects	None	N/A	20-40	C1	1.36	5.78
G151	5381	Alnus cordata Italian alder	201	1	7	2.5	2.5	3	3	2	1.5	M	Fair	Tight fork included bark	None	N/A	20-40	C1	2.41	18.28
G151	5382	Fraxinus excelsior Ash	160	1	6	2	2	2	2	3	2	SM	Good	No visible defects	None	N/A	40+	B1	1.92	11.58
G151	5384	Chamaecyparis lawsoniana Lawsons cypress	257	1	5	0.5	0.5	0.5	0.5	1	0.5	M	Good	No visible defects	None	N/A	20-40	C1	3.08	29.88
G151	5385	Alnus cordata Italian alder	160	1	6	2	2	2	2	2	2	SM	Good	No visible defects	None	N/A	20-40	B1	1.92	11.58
G151	5386	Alnus cordata Italian alder	90	MS	3.5	2	2	2	2	2	0	SM	Fair	No visible defects	None	N/A	20-40	B1	0.9	2.55
G147	5387	Cupressocyparis leylandii Leyland cypress	628	1	15	3	3	3	3	1	2	M	Good	Included bark to main branch unions	Nil	N/A	10-20	C1,2	7.54	178.44
G147	5388	Cupressocyparis leylandii Leyland cypress	531	1	15	2	2	1	2	1	2	M	Good	Included bark to main branch unions	Nil	N/A	10-20	C1,2	6.37	127.57
G147	5393	Cupressocyparis leylandii Leyland cypress	478	1	15	2	2	2	2	1	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	5.74	103.38
G147	5394	Cupressocyparis leylandii Leyland cypress	524	1	15	2	2	2	2	1	2	M	Good	Included bark to main branch unions	Nil	N/A	10-20	C1,2	6.29	124.23
G147	5400	Cupressocyparis leylandii Leyland cypress	507	MS	15	2	2	1	2	1	2	M	Good	No visible defects	Nil	N/A	10-20	C1,2	5.07	80.76
G147	5404	Cupressocyparis leylandii Leyland cypress	426	1	15	2	2	1	1	1	2	M	Good	No visible defects	Nil	N/A	10-20	C1,2	5.11	82.11
G147	5405	Cupressocyparis leylandii Leyland cypress	472	MS	15	2	2	1	1	1	2	M	Good	Included bark to lower stem	Nil	N/A	10-20	C1,2	4.72	70
G147	5406	Cupressocyparis leylandii Leyland cypress	404	1	15	2	2	2	1	1	2	M	Good	No visible defects	Nil	N/A	10-20	C1,2	4.85	73.85
G149	5409	Acer pseudoplatanus Sycamore	357	1	13	4	5	4	4	3	2	M	Good	Crossing branches, else No visible defects	Tree surgery to remove crossing branches	P	20-40	B1,2	4.28	57.66
G149	5410	Acer platanoides Norway maple	373	1	12	5	5	5	5	3	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	4.48	62.95
G149	5411	Acer platanoides Norway maple	288	1	13	1	4	4	4	2	3	M	Good	Old wound to main stem, occluded. Crown unbalanced.	Nil	N/A	10-20	C1,2	3.46	37.53
G149	5412	Acer platanoides Norway maple	379	1	13	3	4	5	5	2	4	M	Good	Old pruning wounds, decay to main stem and branches	Nil	N/A	20-40	B1,2	4.55	64.99
G149	5413	Acer platanoides Norway maple	397	1	14	5	2	5	5	2	4	M	Good	Included bark to main spring of crown	Nil	N/A	20-40	B1,2	4.76	71.31
G148	5414	Acer pseudoplatanus Sycamore	333	1	13	4	4	5	2	2	4	M	Good	No visible defects	None	N/A	40+	C2	4	50.17
G148	5415	Acer pseudoplatanus Sycamore	388	1	13	5	3	3	4	2	3	M	Good	Tight fork at 5 m	None	N/A	40+	C2	4.66	68.11
G152	5428	Cupressocyparis leylandii Leyland cypress	1110	MS	11	3	4	2	3	2	3	M	Good	No visible defects	None	N/A	20-40	C2	11.1	387.13
G152	5429	Cupressocyparis leylandii Leyland cypress	1455	MS	11	3	3	5	2	2	3	M	Good	Basal cavities	None	N/A	20-40	C2	14.55	665.17
G152	5432	Acer pseudoplatanus Sycamore	351	1	10	3	2	5	4	3	4	M	Good	No visible defects	None	N/A	20-40	C2	4.21	55.74
G152	5434	Acer pseudoplatanus Sycamore	283	1	9	0	3	4	4	2	3	M	Fair	No visible defects	None	N/A	20-40	C2	3.4	36.24
G152	5435	Prunus avium plena Cherry	302	1	9	4	2	4	4	1	3	M	Fair	Weak stem fracture at 3 m	None	N/A	10-20	C2	3.62	41.27
G152	5436	Acer pseudoplatanus Sycamore	568	1	10	4	4	3	5	2	4	M	Good	Old pruning wound, 10o lean east	None	N/A	40+	C2	6.82	145.97
G152	5439	Prunus avium plena Cherry	267	1	7	3	4	5	4	3	2	M	Good	No visible defects	None	N/A	20-40	C1	3.2	32.25
G152	5440	Prunus avium plena Cherry	243	1	5	5	5	5	5	2	2	M	Good	Tight forks included bark	None	N/A	20-40	C1	2.92	26.72
G152	5441	Prunus avium plena Cherry	242	1	6	4	4	4	5	3	2	M	Good	No visible defects	None	N/A	20-40	C1	2.9	26.5
G152	5442	Prunus avium plena Cherry	198	1	5	4	4	4	3	3	2	M	Fair	Tight forks	None	N/A	20-40	C1	2.38	17.74
G152	5442	Prunus avium plena Cherry	198	1	5	4	4	4	3	3	2	M	Fair	Tight forks	None	N/A	20-40	C1	2.38	17.74
G152	5443	Prunus avium plena Cherry	239	1	5	4	4	4	4	3	2	M	Good	No visible defects	None	N/A	20-40	C1	2.87	25.84
G152	5443	Prunus avium plena Cherry	239	1	5	4	4	4	4	3	2	M	Good	No visible defects	None	N/A	20-40	C1	2.87	25.84
G152	5444	Prunus avium plena Cherry	319	1	6	5	5	5	5	3	2	M	Good	No visible defects	None	N/A	20-40	C1	3.83	46.04
G153	5445	Acer platanoides Norway maple	249	1	6	3	2	2	2	2	2	SM	Good	No visible defects	None	N/A	40+	B2	2.99	28.05
G153	5445	Acer platanoides Norway maple	249	1	6	3	2	2	2	2	2	SM	Good	No visible defects	None	N/A	40+	B2	2.99	28.05
G153	5446	Acer platanoides Norway maple	268	1	6	2	2	2	2	2	2	SM	Good	Tight fork included bark	None	N/A	20-40	B2	3.22	32.5
G153	5446	Acer platanoides Norway maple	268	1	6	2	2	2	2	2	2	SM	Good	Tight fork included bark	None	N/A	20-40	B2	3.22	32.5
G153	5447	Acer platanoides Norway maple	277	1	6	2	2	2	2	2	2	SM	Good	Tight fork included bark	None	N/A	20-40	B2	3.32	34.72
G154	5448	Acer platanoides Norway maple	286	1	7	3	3	3	3	2	2	M	Good	No visible defects	None	N/A	40+	B2	3.43	37.01
G154	5448	Acer platanoides Norway maple	286	1	7	3	3	3	3	2	2	M	Good	No visible defects	None	N/A	40+	B2	3.43	37.01
G154	5449	Acer platanoides Norway maple	274	1	7	3	3	3	3	2	2	M	Good	Tight fork included bark	None	N/A	40+	B2	3.29	33.97
G154	5449	Acer platanoides Norway maple	274	1	7	3	3	3	3	2	2	M	Good	Tight fork included bark	None	N/A	40+	B2	3.29	33.97
G154	5451	Sorbus aucuparia Rowan	110	1	4	2	2	2	2	0.5	3	M	Fair	No visible defects	None	N/A	10-20	C1	1.32	5.47
G154	5452	Sorbus aucuparia Rowan	104	1	5	0.5	1	1	1	0.5	3	M	Fair	15o stem lean (SE)	None	N/A	10-20	C1	1.25	4.89
G154	5453	Sorbus aucuparia Rowan	77	1	4	0.5	1.5	0.5	0.5	0.5	3	M	Fair	No visible defects	None	N/A	10-20	C1	0.92	2.68
G154	5454	Sorbus aucuparia Rowan	94	1	4	1	1	1	1	0.5	2	M	Fair	Basal suckers	None	N/A	10-20	C1	1.13	4

Trees to be Retained

Group No	Tag	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physio-logical Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
						N	S	E	W											
G154	5455	Sorbus aucuparia Rowan	120	1	4.5	1	1.5	1	1	0.5	3	M	Poor	No visible defects	None	N/A	10-20	C1	1.44	6.52
G154	5456	Sorbus aucuparia Rowan	115	1	5	1	1	1	1	0.5	3	M	Fair	No visible defects	None	N/A	10-20	C1	1.38	5.98
G154	5457	Sorbus aucuparia Rowan	110	1	6	1	1	1	1	0.5	3	M	Fair	Basal wounds	None	N/A	10-20	C1	1.32	5.47
G155	5458	Prunus avium plena Cherry	294	1	8	4	4	4	3	1	2	M	Good	Tight fork at 0.5 m sub leader	Remove "sub leader"	P	20-40	C1	3.53	39.11
G155	5459	Prunus avium plena Cherry	212	1	7	3	3	3	3	1	2	M	Good	Tight forks and included bark	None	N/A	20-40	C1	2.54	20.33
G155	5460	Prunus avium plena Cherry	252	1	8	3	3	3	3	1	2	M	Good	Tight forks and included bark	None	N/A	20-40	C1	3.02	28.73
G155	5462	Prunus avium plena Cherry	337	1	8	4	3	3	3	1	2	M	Good	No visible defects	None	N/A	20-40	B1	4.04	51.38
G155	5463	Prunus avium plena Cherry	241	1	7	3	3	3	3	1	2	M	Good	Tight forks and included bark	None	N/A	20-40	C1	2.89	26.28
G155	5464	Prunus avium plena Cherry	331	1	8	3	3	3	3	2	2	M	Good	No visible defects	None	N/A	10-20	C1	3.97	49.57
G156	5465	Sorbus aucuparia Rowan	289	1	6	3	3	4	4	0.5	2	SM	Good	No visible defects	None	N/A	10-20	B1	3.47	37.79
G156	5466	Fraxinus excelsior Ash	152	1	6	2	2	2	2	2	2	SM	Good	No visible defects	None	N/A	40+	B1	1.82	10.45
G156	5467	Fraxinus excelsior Ash	120	1	5	2	2	2	2	2	2	SM	Good	No visible defects	None	N/A	40+	B1	1.44	6.52
G156	5468	Fraxinus excelsior Ash	150	1	6	2	2	2	2	2	2	SM	Good	No visible defects	None	N/A	40+	B1	1.8	10.18
G156	5469	Fraxinus excelsior Ash	176	1	6	2	2	2	2	2	2	SM	Good	No visible defects	None	N/A	40+	B1	2.11	14.02
G156	5470	Fraxinus excelsior Ash	140	1	6	2	2	2	2	2	2	SM	Good	No visible defects	None	N/A	40+	B1	1.68	8.87
G157	5471	Robinia pseudoacacia False acacia	225	1	7	3	3	3	3	2	2	SM	Good	No visible defects	None	N/A	40+	B1	2.7	22.91
G157	5472	Robinia pseudoacacia False acacia	255	1	7	3	3	3	3	2	2	SM	Good	No visible defects	None	N/A	40+	B1	3.06	29.42
G157	5473	Robinia pseudoacacia False acacia	236	1	7	3	3	3	3	2	2	SM	Good	No visible defects	None	N/A	40+	B1	2.83	25.2
G158	5474	Prunus avium plena Cherry	217	1	9	3	3	3	3	2	2	M	Good	Broken low branch	Crown clean, lift over road	P	20-40	B1	2.6	21.31
G158	5475	Acer platanoides Norway maple	201	1	7	3	2	3	2	3	1.5	SM	Good	No visible defects	Lift over road	P	40+	B1	2.41	18.28
G158	5478	Prunus padus Bird Cherry	142	1	6	2	2	2	2	2	3	M	Fair	Tight fork and included bark	None	N/A	10-20	C1	1.7	9.12
G158	5479	Sorbus aucuparia Rowan	133	1	5	1	1	1	1	2	1.5	M	Good	No visible defects	None	N/A	10-20	C1	1.6	8
G158	5480	Prunus padus Bird Cherry	126	1	4	1.5	1.5	1.5	1.5	2	2.5	SM	Fair	No visible defects	None	N/A	10-20	C1	1.51	7.18
G158	5481	Prunus padus Bird Cherry	105	1	5	2	2	2	2	1	3	SM	Poor	No visible defects	None	N/A	10-20	C1	1.26	4.99
G158	5482	Prunus avium plena Cherry	130	1	5	1.5	1.5	1.5	1.5	2	2.5	M	Good	No visible defects	None	N/A	20-40	B1	1.56	7.65
G158	5484	Prunus Flowering Cherry	168	1	6	3	3	3	3	2	3	M	Good	No visible defects	None	N/A	20-40	B1	2.02	12.77
G158	5485	Prunus avium plena Cherry	167	1	6	3	3	3	3	2	3	M	Good	No visible defects	None	N/A	20-40	B1	2	12.62
G158	5488	Prunus avium plena Cherry	177	1	7	1	3	3	3	2	2.5	M	Good	No visible defects	None	N/A	20-40	B1	2.12	14.17
G159	5492	Acer platanoides Norway maple	235	1	9	3	2	3	3	4	2	M	Good	No visible defects	Nil	N/A	20-40	B1	2.82	24.99
G159	5493	Acer platanoides Norway maple	245	1	7	3	3	2	2	3	2	M	Good	Mower damage to base of stem	Nil	N/A	20-40	B1	2.94	27.16
G159	5494	Acer platanoides Norway maple	290	1	10	4	1	3	3	3	2	M	Good	Included bark developing in main fork	Remove northern main stem to overcome included bark	P	20-40	B1	3.48	38.05
G159	5495	Acer platanoides Norway maple	223	1	9	1	3	3	3	3	2	M	Good	Crown unbalanced by influence of 5494	Nil	N/A	10-20	C1	2.68	22.5
G159	5496	Acer platanoides Norway maple	257	1	9	4	3	3	3	3	2	M	Good	No visible defects	Nil	N/A	20-40	B1	3.08	29.88
G159	5497	Acer platanoides Norway maple	256	1	9	1	3	3	4	3	3	M	Good	No visible defects	Nil	N/A	20-40	B1	3.07	29.65
G159	5498	Acer platanoides Norway maple	288	1	10	4	1	4	3	3	2	M	Fair	Partial die back in crown.	Remove dead part of crown	P	20-40	C1	3.46	37.53
G159	5499	Acer platanoides Norway maple	236	1	8	3	2	3	1	3	1	M	Good	Crown unbalanced by influence of 5498	Nil	N/A	20-40	B1	2.83	25.2
G159	5500	Acer platanoides Norway maple	236	1	7	1	4	3	4	3	2	M	Good	Crown very unbalanced by influence of 5498	Nil	N/A	10-20	C1	2.83	25.2
G165	5508	Maple	131	1	8	3	2	1	1	3	2	Y	Good	Crown unbalanced to north	remove basal branches	P	20-40	B1	1.57	7.76
G165	5509	Maple	140	1	8	3	2	3	1	3	2	Y	Good	Crown unbalanced to north	Nil	N/A	20-40	B1	1.68	8.87
G165	5510	Maple	167	1	8	2	2	2	2	3	2	Y	Good	Basal branching, else No visible defects	remove basal branches	P	20-40	B1	2	12.62
G165	5511	Acer saccharinum Silver maple	178	1	9	2	2	4	3	3	3	Y	Good	No visible defects	Remove basal branching	P	20-40	B1	2.14	14.34
G165	5512	Acer platanoides Norway maple	233	1	6	3	2	3	3	3	2	Y	Good	Basal branching, else No visible defects	Remove basal branches	P	20-40	B1	2.8	24.56
G165	5513	Maple	244	1	9	4	4	4	4	2	2	Y	Good	Basal branching, else No visible defects	Remove basal branches	P	20-40	B1	2.93	26.94
G165	5514	Acer saccharinum Silver maple	208	1	9	4	3	3	3	3	3	Y	Good	Basal branching, else No visible defects	Remove basal branches	P	20-40	B1	2.5	19.57
G167	5515	Aesculus hippocastanum Horse Chestnut	412	1	12	4	3	3	4	2	2	M	Good	Very close to building, causing unbalanced crown, else No visible defects	Nil	N/A	10-20	C1,2	4.94	76.8
G167	5516	Aesculus hippocastanum Horse Chestnut	543	1	12	5	4	4	4	1	3	M	Fair	Included bark to main stem fork	Nil	N/A	10-20	C1,2	6.52	133.4
G167	5517	Aesculus hippocastanum Horse Chestnut	437	1	11	5	3	5	5	2	4	M	Good	Occluded old wounds to main stem, bleeding canker	Nil	N/A	10-20	B1,2	5.24	86.4
G167	5518	Aesculus hippocastanum Horse Chestnut	347	1	10	4	3	4	4	1	3	M	Fair	Burr formation to main branching at 2 m height. Lower stem has poor taper development.	Nil	N/A	<10	C1,2	4.16	54.48
G167	5519	Aesculus hippocastanum Horse Chestnut	481	1	12	4	4	4	4	2	4	M	Good	Large wound and decay to lower stem. Included bark in main fork.	Nil	N/A	<10	C1,2	5.77	104.68
G167	5520	Aesculus hippocastanum Horse Chestnut	502	1	12	5	4	4	4	2	4	M	Good	Occasional dead wood.	Remove dead wood	P	10-20	B1,2	6.02	114.02
G169	5530	Aesculus hippocastanum Horse Chestnut	462	1	11	4	4	3	3	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	5.54	96.57
G169	5531	Aesculus hippocastanum Horse Chestnut	510	1	12	5	4	2	3	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	6.12	117.68
G169	5532	Aesculus hippocastanum Horse Chestnut	481	1	12	4	4	4	2	2	2	M	Good	Lateral split to main branch to north. Some bleeding canker	Remove split branch	U	20-40	B1,2	5.77	104.68
G171	5534	Maple	256	1	10	4	4	3	4	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	3.07	29.65
G171	5535	Acer platanoides Norway maple	340	1	10	3	4	2	4	2	1	M	Good	No visible defects	Nil	N/A	20-40	B1,2	4.08	52.3
G171	5536	Acer platanoides Norway maple	267	1	10	3	2	2	3	1	2	M	Fair	No visible defects	Nil	N/A	20-40	B1,2	3.2	32.25
G171	5537	Acer platanoides Norway maple	270	1	10	4	3	2	3	1	2	M	Fair	Occasional bark necrosis, bleeding	Nil	N/A	10-20	C1,2	3.24	32.98

Trees to be Retained

Group No	Tag	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physio-logical Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
						N	S	E	W											
G171	5538	Acer platanoides Norway maple	372	1	13	3	3	3	3	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	4.46	62.61
G171	5539	Tilia europaea Common Lime	354	1	13	1	4	3	4	2	2	M	Fair	Epicormics, else No visible defects	Nil	N/A	10-20	C1,2	4.25	56.7
G171	5540	Acer pseudoplatanus Sycamore	713	1	16	5	5	5	6	1	4	M	Good	Included bark developing in major branches in crown	Crown thin to reduce terminal weight on upright stems with included bark at base	P	20-40	B1,2	8.56	230.01
G171	5541	Tilia europaea Common Lime	546	1	15	4	3	4	5	2	3	M	Good	Epicormics, else No visible defects	Nil	N/A	20-40	B1,2	6.55	134.88
G173	5551	Cuppressocyparis leylandii Leyland cypress	428	MS	15	2	1	3	3	2	2	M	Good	Included bark to main forks.	Nil	N/A	10-20	C1,2	4.28	57.56
G173	5552	Cuppressocyparis leylandii Leyland cypress	460	MS	15	3	3	4	1	2	2	M	Good	No visible defects	Nil	N/A	10-20	C1,2	4.6	66.48
G173	5567	Acer pseudoplatanus Sycamore	260	1	13	4	0	3	3	3	3	M	Good	No visible defects	Nil	N/A	20-40	B1,2	3.12	30.59
G173	5570	Acer pseudoplatanus Sycamore	280	1	12	3	3	3	4	3	2	M	Good	Included bark to main fork	Nil	N/A	10-20	C1,2	3.36	35.47
G173	5572	Acer platanoides Norway maple	322	1	8	4	4	4	4	2	1	M	Good	No visible defects	Nil	N/A	20-40	B1,2	3.86	46.91
G177	5577	Acer pseudoplatanus Sycamore	318	1	10	5	4	4	4	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	3.82	45.75
G160	5585	Acer platanoides Norway maple	311	1	7	4	4	4	4	3	2.5	M	Good	Tight forks and included bark	None	N/A	40+	C2	3.73	43.76
G160	5586	Acer platanoides Norway maple	262	1	7	3	3	3	3	3	3	M	Fair	Stem wound 0.5 m	None	N/A	40+	C2	3.14	31.06
G178	5587	Sorbus aucuparia Rowan	113	1	5	1	1	1	1	0	2	M	Poor	Crown injuries	None	N/A	10-20	C2	1.36	5.78
G178	5588	Sorbus aucuparia Rowan	137	1	5	1.5	1.5	1.5	1.5	0	2	M	Fair	No visible defects	None	N/A	10-20	C2	1.64	8.49
G178	5589	Sorbus aucuparia Rowan	128	1	5	1.5	1.5	1.5	1.5	0	2	M	Fair	No visible defects	None	N/A	10-20	C2	1.54	7.41
G180	5590	Alnus incana Grey Alder	319	1	10	5	5	5	5	3	3	M	Good	10o lean to east	None	N/A	40+	B2	3.83	46.04
G180	5591	Alnus incana Grey Alder	264	1	9	3	2	3	3	3	3.5	M	Good	Minor base injury	None	N/A	40+	B2	3.17	31.53
G180	5592	Alnus incana Grey Alder	202	1	9	2	2	3	2	3	2	M	Good	Basal epicormic	None	N/A	40+	B2	2.42	18.46
G181	5593	Fraxinus excelsior Ash	219	1	6	2	2	2	2	4	2	M	Good	Ivy/no visible defects	None	N/A	40+	C2	2.63	21.7
G181	5594	Acer pseudoplatanus Sycamore	150	1	5	1.5	1.5	1.5	1.5	3	2	M	Good	No visible defects	None	N/A	40+	C2	1.8	10.18
G181	5595	Prunus avium plena Cherry	169	1	6	3	2	2	3	3	1.5	M	Good	No visible defects	None	N/A	20-40	C2	2.03	12.92
H37	5596	Cuppressocyparis leylandii Leyland cypress	255	1	8	0	2	1	1	1	2	M	Good	Previously topped to 5m ht	Nil	N/A	10-20	C1,2	3.06	29.42
H37	5597	Cuppressocyparis leylandii Leyland cypress	139	1	8	0	2	1	1	1	2	M	Good	Previously topped to 5m ht	Nil	N/A	10-20	C1,2	1.67	8.74
H37	5598	Cuppressocyparis leylandii Leyland cypress	203	1	8	0	2	1	1	1	2	M	Good	Previously topped to 5m ht	Nil	N/A	10-20	C1,2	2.44	18.64
H37	5599	Cuppressocyparis leylandii Leyland cypress	254	1	8	0	2	1	1	1	2	M	Good	Previously topped to 5m ht	Nil	N/A	10-20	C1,2	3.05	29.19
H37	5600	Cuppressocyparis leylandii Leyland cypress	161	1	8	0	2	1	1	1	2	M	Good	Previously topped to 5m ht	Nil	N/A	10-20	C1,2	1.93	11.73
H37	5601	Cuppressocyparis leylandii Leyland cypress	124	1	8	0	2	1	1	1	2	M	Good	Previously topped to 5m ht	Nil	N/A	10-20	C1,2	1.49	6.96
H37	5602	Cuppressocyparis leylandii Leyland cypress	140	1	8	0	2	1	1	1	2	M	Good	Previously topped to 5m ht	Nil	N/A	10-20	C1,2	1.68	8.87
H37	5603	Cuppressocyparis leylandii Leyland cypress	148	1	8	0	2	1	1	1	2	M	Good	Previously topped to 5m ht	Nil	N/A	10-20	C1,2	1.78	9.91
H37	5604	Cuppressocyparis leylandii Leyland cypress	125	1	8	0	2	1	1	1	2	M	Good	Previously topped to 5m ht	Nil	N/A	10-20	C1,2	1.5	7.07
H37	5605	Cuppressocyparis leylandii Leyland cypress	251	1	8	0	2	1	1	1	2	M	Good	Previously topped to 5m ht	Nil	N/A	10-20	C1,2	3.01	28.5
H37	5606	Cuppressocyparis leylandii Leyland cypress	249	1	8	0	2	1	1	1	2	M	Good	Previously topped to 5m ht	Nil	N/A	10-20	C1,2	2.99	28.05
H37	5607	Cuppressocyparis leylandii Leyland cypress	415	1	8	2	0	1	1	1	2	M	Good	Previously topped to 5m ht	Nil	N/A	10-20	C1,2	4.98	77.92
H37	5608	Cuppressocyparis leylandii Leyland cypress	468	1	8	2	0	1	1	1	2	M	Good	Previously topped to 5m ht	Nil	N/A	10-20	C1,2	5.62	99.1
H37	5609	Cuppressocyparis leylandii Leyland cypress	325	1	8	2	0	1	1	1	2	M	Good	Previously topped to 5m ht	Nil	N/A	10-20	C1,2	3.9	47.79
H37	5610	Cuppressocyparis leylandii Leyland cypress	159	1	8	2	0	1	1	1	2	M	Good	Previously topped to 5m ht	Nil	N/A	10-20	C1,2	1.91	11.44
H37	5611	Cuppressocyparis leylandii Leyland cypress	343	1	8	2	0	1	1	1	2	M	Good	Previously topped to 5m ht	Nil	N/A	10-20	C1,2	4.12	53.23
H37	5612	Cuppressocyparis leylandii Leyland cypress	291	1	8	2	0	1	1	1	2	M	Good	Previously topped to 5m ht	Nil	N/A	10-20	C1,2	3.49	38.31
H37	5613	Cuppressocyparis leylandii Leyland cypress	539	1	8	2	0	1	1	1	2	M	Good	Previously topped to 5m ht	Nil	N/A	10-20	C1,2	6.47	131.45
H33	5624	Cuppressocyparis leylandii Leyland cypress	270																3.24	32.98
H33	5625	Cuppressocyparis leylandii Leyland cypress	348																4.18	54.79
G79A	5808	Acer pseudoplatanus Sycamore	550	MS	11	0	1	1	1	3	4	M	Good	Potential included bark a base else NVD	Nil	N/A	20-40	C1,2	5.39	95.05
G79A	5809	Acer pseudoplatanus Sycamore	215	1	11	0	3	1	1	3	4	M	Good	NVD	Nil	N/A	20-40	B1,2	4.13	20.91
G79A	5810	Acer pseudoplatanus Sycamore	215	1	8	0	1	1	1	3	4	M	Good	NVD	Nil	N/A	20-40	B1,2	4.94	20.91
G79A	5811	Acer pseudoplatanus Sycamore	190	1	11	3	0	1	1	3	4	M	Good	NVD	Nil	N/A	20-40	B1,2	2.81	16.33
G79A	5812	Acer pseudoplatanus Sycamore	180	1	10	0	3	3	0	3	5	M	Good	Leaning with unbalanced crown to E	Nil	N/A	20-40	C1,2	4.55	14.66
G79A	5813	Acer pseudoplatanus Sycamore	195	1	11	2	2	2	0	3	4	M	Good	Leaning to E. Squirrel damage	Nil	N/A	20-40	C1,2	4.28	17.2
G79A	5814	Acer pseudoplatanus Sycamore	180	1	12	3	0	3	0	3	4	M	Good	Crown unbalanced to E by adjacent lime and declining Rowan	Nil	N/A	20-40	C1,2	5.29	14.66
G79A	5815	Acer pseudoplatanus Sycamore	210	1	11	3	1	2	1	3	3	M	Good	Leaning with unbalanced crown to E	Nil	N/A	20-40	C1,2	4.76	19.95
G79A	5820	Acer pseudoplatanus Sycamore	620	MS	12	3	3	3	0	3	3	M	Good	Potential included bark at base else NVD	Nil	N/A	20-40	C1,2	4.01	120.78
G79A	5821	Acer pseudoplatanus Sycamore	430	MS	11	3	3	3	0	3	3	M	Good	Potential included bark at base else NVD. Crown unbalanced by adjacent lime	Nil	N/A	20-40	C1,2	3.56	58.1
G79A	5823	Acer pseudoplatanus Sycamore	500	MS	12	0	2	2	0	3	4	M	Good	Potential included bark at base	Nil	N/A	10-20	C1,2	4.93	78.55
G79A	5824	Acer pseudoplatanus Sycamore	410	MS	12	2	2	3	2	3	3	M	Good	Included bark at base, significant squirrel damage	Nil	N/A	10-20	C1,2	3.97	52.82
G79A	5825	Acer pseudoplatanus Sycamore	160	1	12	3	0	3	1	3	4	M	Good	Leaning to East, crown unbalanced	Nil	N/A	10-20	C1,2	6	11.58
G79A	5826	Acer pseudoplatanus Sycamore	180	1	10	0	3	3	1	3	5	M	Good	Crown unbalanced	Nil	N/A	10-20	C1,2	5.17	14.66
G79A	5827	Acer pseudoplatanus Sycamore	230	1	12	4	4	2	0	2	5	M	Good	Very close to boundary wall else NVD	Nil	N/A	10-20	C1,2	6.95	23.93
H29	5830	Acer pseudoplatanus Sycamore	340	MS	11	4	3	3	3	2	3	M	Good	Potential included bark in main fork. Growing on bank, stability?	Nil	N/A	10-20	B1,2	4.09	36.32
H29	5831	Acer pseudoplatanus Sycamore	540	MS	12	3	4	4	3	3	3	M	Good	Rubbing crossing branches, probable decay in crown.	Nil	N/A	10-20	C1,2	6.19	91.62
H29	5832	Acer pseudoplatanus Sycamore	125	1	10	2	2	2	2	3	4	Y	Good	Restricted crown	Nil	N/A	10-20	C1,2	7.3	7.07
H29	5833	Prunus avium plena Cherry	312	1	12	4	3	3	3	2	4	M	Fair	Ivy covered. Significant fork at 3m ht with included bark. Growing on bank, stability?	Nil	N/A	10-20	C1,2	6	44.04
H29	5834	Acer pseudoplatanus Sycamore	160	1	7	1	3	3	1	3	3	M	Good	NVD	Nil	N/A	10-20	C1,2	5.02	11.58
H29	5835	Acer pseudoplatanus Sycamore	140	1	8	1	1	1	1	3	4	M	Good	Growing on bank else NVD	Nil	N/A	10-20	C1,2	7.54	8.87
H29	5836	Acer pseudoplatanus Sycamore	325	1	12	0	4	3	3	3	4	M	Good	Crown unbalanced to south, else NVD	Nil	N/A	10-20	C1,2	6.37	47.79
H29	5837	Acer pseudoplatanus Sycamore	780	MS	18	4	3	5	4	2	4	M	Good	Significant included bark to multiple stm unions	Nil	N/A	20-40	B1,2	3.96	191.16
H29	5838	Prunus avium plena Cherry	410	MS	10	4	1	0	4	1	3	M	Fair	Crown unbalanced due to influence of 5837	Nil	N/A	10-20	C1,2	6.29	52.82

Trees to be Retained

Group No	Tag	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physio-logical Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
						N	S	E	W											
H29	5839	Fraxinus excelsior Ash	290	1	18	6	0	5	1	1	3	M	Good	Leaning to North	Nil	N/A	10-20	C1,2	5.72	38.05
H29	5840	Acer pseudoplatanus Sycamore	140	1	10	1	1	1	1	3	2	M	Good	NVD	Nil	N/A	20-40	B1,2	6.78	8.87
H29	5841	Prunus avium plena Cherry	120	1	10	2	2	2	2	2	3	Y	Good	NVD	Remove larger limb to W and crossing branches	P	20-40	B1,2	6.53	6.52
H29	5842	Fraxinus excelsior Ash	830	MS	16	5	5	5	5	2	4	M	Good	Suppressed stems dying back. Occasional damage with decay to better stems	Nil	N/A	10-20	C1,2	5.07	216.45
H29	5843	Acer pseudoplatanus Sycamore	680	MS	11	4	4	4	4	3	3	M	Good	Ingrown wire, decay to branch	Remove damaged limb to W	P	20-40	B1,2	4.42	145.29
H29	5844	Acer Platanoides Norway Maple	530	MS	11	3	2	4	4	2	3	M	Good	Ingrown wire, decay to branches	Remove damaged stems to W	P	10-20	C1,2	5.11	88.26
H29	5845	Prunus avium Cherry	460	MS	10	2	0	2	3	2	3	M	Good	Significant included bark to multiple stm unions	Nil	N/A	10-20	C1,2	4.72	66.48
H29	5846	Fraxinus excelsior Ash	800	MS	10	2	1	2	3	2	3	M	Fair	Included bark at base, significant squirrel damage	Nil	N/A	10-20	C1,2	4.85	201.09
	5847	Acer pseudoplatanus Sycamore	115	1	10	2	0	1	2	2	3	Y	Fair	Rubbing branch from5846 causing damage to main stem	Fell	P	<10	R	1.38	5.98
H29	5848	Fraxinus excelsior Ash	920	MS	11	6	5	4	4	2	4	M	Good	Tight stems at base. Potential included bark.	Nil	N/A	10-20	C1,2	3.46	265.94
H29	5849	Acer pseudoplatanus Sycamore	175	1	6	2	2	2	2	4	2	Y	Good	Tight forks in crown. Potential included bark.	Nil	N/A	20-40	B1,2	3.8	13.86
H29	5850	Acer pseudoplatanus Sycamore	155	1	10	1	1	1	1	4	3	Y	Good	NVD	Nil	N/A	20-40	B1,2	5.24	10.87
H29	5851	Acer pseudoplatanus Sycamore	310	MS	10	2	2	3	3	4	3	Y	Good	Rubbing branch on main stem	Remove circling branch	P	10-20	C1,2	4.94	30.19
H29	5852	Acer pseudoplatanus Sycamore	450	MS	12	3	3	3	3	2	3	M	Good	Included bark at base	Nil	N/A	10-20	C1,2	6.52	63.63
H29	5853	Acer pseudoplatanus Sycamore	480	1	10	4	4	3	5	2	3	M	Good	Ivy covered.	Nil	N/A	20-40	B1,2	6.53	104.24
H29	5854	Crataegus monogyna Hawthorn	480	1	12	4	3	3	4	0	3	M	Good	Ivy covered.. Old wound, decay at 2m ht	Nil	N/A	20-40	B1,2	5.71	104.24
H29	5855	Fraxinus excelsior Ash	1200	MS	12	5	4	4	5	1	5	M	Good	Potential included bark at base. Crossing branches, decay in crown	Nil	N/A	20-40	B1,2	5.45	452.45