

Trees to be Removed due to Development and Phasing out of Exotic Conifers

Group No	Tag	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physiological Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
						N	S	E	W											
	23	Buxus sempervirens Box	250	MS	6	2.5	2.5	2.5	2.5	0	3	M	Good	Average condition	Nil	N/A	40+	C1	2.5	19.64
	24	Fraxinus excelsior Ash	485	1	14	5	5	5	6	3	6	M	Fair	Average condition	Nil	N/A	40+	B2	5.82	106.43
	68	Acer platanoides Norway maple	496	1	15	4	5	5.5	5	2	6	M	Fair	Average condition	Nil	N/A	20-40	B2	5.95	111.31
	68	Acer platanoides Norway maple	496	1	15	4	5	5.5	5	2	6	M	Fair	Average condition	Nil	N/A	20-40	B2	5.95	111.31
	99	Betula alba Silver birch	316	1	11	4	4	4	4	1	4	M	Good	Average condition	Nil	N/A	20-40	B2	3.79	45.18
	111	Lilac	184	1	4	2	1	3	1	0	2	M	Fair	Average condition	Nil	N/A	10-20	C1	2.21	15.32
	112	Laburnum anagyroides Common laburnum	664	MS	9	6	3	5	2.5	0	5	M	Fair	Trunk split typical of species	Nil	N/A	10-20	C1	6.64	138.53
	164	Betula alba Silver birch	354	1	12	6	4	5	2	0	4	M	Fair	Average condition	Nil	N/A	20-40	B2	4.25	56.7
	181	Crataegus monogyna Hawthorn	316	1	8	3	3	3	3	0	4	M	Fair	Average condition	Nil	N/A	10-20	C2	3.79	45.18
	198	Betula alba Silver birch	428	1	12	4	5	5	2	0	6	M	Fair	Average condition	Nil	N/A	20-40	B2	5.14	82.88
	199	Prunus avium Cherry	441	1	10	2	6	3	7	2	4	M	Fair	Average condition	Nil	N/A	20-40	B2	5.29	87.99
	200	Betula alba Silver birch	361	1	13	5	2	5	4	0	8	M	Fair	Average condition	Nil	N/A	20-40	B2	4.33	58.96
	202	Betula alba Silver birch	303	1	8	1	6	5	0	0	5	M	Fair	Average condition	Nil	N/A	20-40	B2	3.64	41.54
	204	Crataegus monogyna Hawthorn	320	MS	7	2	3	3	3	0	3	M	Fair	Average condition	Nil	N/A	10-20	C2	3.2	32.17
	207	Betula alba Silver birch	309	1	10	5	4	4	2	1	5	M	Fair	Average condition	Nil	N/A	20-40	B2	3.71	43.2
	209	Betula alba Silver birch	349	1	12	4	5	3.5	3.5	1	4	M	Fair	Average condition	Nil	N/A	20-40	B2	4.19	55.11
	231	Betula alba Silver birch	454	1	12	5	7	6	3	1	5	M	Fair	Average condition	Nil	N/A	20-40	B2	5.45	93.26
	232	Crataegus monogyna Hawthorn	158	1	5	2	3	3	3	1	2	M	Fair	Average condition	Nil	N/A	20-40	B2	1.9	11.29
	233	Crataegus monogyna Hawthorn	212	1	5	2	3	2.5	3	1	2	M	Fair	Average condition	Nil	N/A	20-40	B2	2.54	20.33
	238	Betula alba Silver birch	294	1	12	2	4	3.5	3	1	5	M	Fair	Average condition	Nil	N/A	10-20	B2	3.53	39.11
	258	Prunus Flowering Cherry	515	1	13	7.5	5	5	2	1	3	M	Fair	Average condition	Nil	N/A	10-20	C2	6.18	120
	260	Betula alba Silver birch	210	1	9	2	7	4	1	0	6	M	Fair	Leaning	Nil	N/A	10-20	C2	2.52	19.95
	275	Betula alba Silver birch	588	1	14	2	5	5	5	1	6	M	Fair	Average condition	Nil	N/A	10-20	C2	7.06	156.43
	276	Betula alba Silver birch	323	1	12	4	2	5	3	1	7	M	Fair	Average condition	Nil	N/A	10-20	C2	3.88	47.2
	283	Acer pseudoplatanus Sycamore	353	1	12	4	5	5	5	2	5	M	Fair	Average condition	Nil	N/A	40+	B2	4.24	56.38
	525	Chamaecyparis lawsoniana Lawsons cypress	460	1	13	2	2	2	2	0	4	M	Fair	Average condition	Nil	N/A	20-40	B2	5.52	95.74
	526	Chamaecyparis lawsoniana Lawsons cypress	381	1	13	2	2	2	2	0	4	M	Poor	Average condition	Nil	N/A	10-20	C2	4.57	65.68
	645	Malus domestica Apple	369	MS	8	3	4	3	3	1	3	M	Fair	Deadwood in crown, < 50 mm	Nil	N/A	10-20	B1	3.69	42.78
	646	Malus domestica Apple	442	MS	7	4	4	4	4	1	2	M	Fair	Significant decay in main branches	Nil	N/A	<10	C1	4.42	61.38
	652	Betula alba Silver birch	320	1	15	3	2	3	2	1	2	M	Good	In raised bed, else No visible defects	Nil	N/A	10-20	B1	3.84	46.33
	653	Sorbus aria Whitebeam	229	1	9	2	2	3	3	2	2	M	Good	In existing bed, else No visible defects	Nil	N/A	10-20	B1	2.75	23.73
	654	Sorbus aria Whitebeam	175	1	7	2	2	2	2	3	2	M	Good	In existing bed, else No visible defects	Nil	N/A	10-20	B1	2.1	13.86
	662	Crataegus monogyna Hawthorn	431	MS	6	4	4	3	1	1	4	M	Good	Decay to main fork at ground level	Nil	N/A	<10	C1	4.31	58.37
	663	Crataegus monogyna Hawthorn	230	1	5	3	3	3	3	1	5	M	Good	Deadwood < 50 mm	Nil	N/A	10-20	B1	2.76	23.93
	664	Crataegus monogyna Hawthorn	303	MS	5	3	3	5	0	1	1	M	Fair	Significant decay to main stem	Nil	N/A	10-20	B1	3.03	28.85
	665	Malus sylvestris Crab Apple	334	1	7	3	4	1	3	1	2	M	Fair	Several old pruning wounds to main stem (decay?). Deadwood < 50mm	Nil	N/A	10-20	B1	4.01	50.47
	667	Aesculus hippocastanum Horse Chestnut	488	1	10	5	4	4	5	2	2	M	Good	Minor bleeding canker	Nil	N/A	20-40	B1	5.86	107.75
	688	Acer platanoides Norway maple	343	1	8	3	3	3	4	3	2.5	M	Good	No visible defects	None	N/A	40+	A1	4.12	53.23
	697	Malus domestica Apple	115	1	5	2	2	3	3	1	1	M	Good	No visible defects	None	N/A	40+	B1	1.38	5.98
	698	Betula alba Silver birch	270	MS	9	4	4	5	4	2	1	M	Good	No visible defects	None	N/A	20-40	B2	2.7	22.91
	699	Fraxinus excelsior Ash	250	1	6	3	2	3	3	2	3	SM	Good	No visible defects	None	N/A	40+	B2	3	28.28
	700	Fraxinus excelsior Ash	272	1	6	2	3	3	3	2	3	SM	Good	No visible defects	None	N/A	40+	B2	3.26	33.47
	738	Acer platanoides Norway maple	320	1	8	3	3	3	3	2	3	M	Good	No visible defects	None	N/A	20-40	B2	3.84	46.33
	739	Acer pseudoplatanus Sycamore	357	1	6	4	4	4	4	2	2.5	M	Good	No visible defects	None	N/A	40+	B1	4.28	57.66
	743	Cupressocyparis leylandii Leyland cypress	546	MS	11	3	2	3	3	2	2	M	Fair	Broken branch	None	N/A	40+	C1	5.46	93.67
	744	Cupressocyparis leylandii Leyland cypress	519	1	11	1	3	3	3	2	2	M	Fair	No visible defects	None	N/A	40+	C1	6.23	121.87
	795	Sorbus aucuparia Rowan	121	1	5	1	1	1	1	0.5	2	M	Fair	Basal wounds	None	N/A	10-20	C1	1.48	6.62
	796	Sorbus aucuparia Rowan	122	1	5	1	1	1	1	0.5	2	M	Good	Stem lean (N), basal wounds	None	N/A	10-20	C1	5.13	6.73
	814	Cotoneaster	230	1	6	3	2	3	3	1	2	M	Good	Included bark to large branch (south)	Remove included bark branch	P	<10	C1	2.88	23.93
	821	Acer platanoides Norway maple	315	1	13	4	3	3	3	3	2	M	Good	No visible defects	Cut branch ends away from building	P	20-40	B1,2	10.68	44.89
	824	Acer platanoides Norway maple	165	1	8	3	2	2	2	3	2	Y	Good	No visible defects	Nil	N/A	20-40	B1	4.68	12.32
	826	Crataegus monogyna Hawthorn	152	1	5	3	3	3	3	1	2	Y	Good	No visible defects	Nil	N/A	20-40	B1	6.4	10.45
	835	Prunus Flowering Cherry	568	1	8	4	4	5	4	1	2	M	Fair	No visible defects	Nil	N/A	10-20	C1	6.82	145.97
	856	Cupressocyparis leylandii Leyland cypress	553	1	16	3	3	2	3	2	4	M	Good	Included bark to main fork	Nil	N/A	10-20	C1	6.64	138.36
	857	Cupressocyparis leylandii Leyland cypress	938	MS	16	3	3	3	3	2	1	M	Good	No visible defects	Nil	N/A	20-40	B1	9.38	276.45
	858	Cupressocyparis leylandii Leyland cypress	830	MS	16	2	2	2	2	2	1	M	Good	No visible defects	Nil	N/A	20-40	B1	8.3	216.45
	861	Tilia europaea Common Lime	287	1	10	4	3	3	3	2	2	M	Good	Growing in hard surface, else No visible defects	Nil	N/A	40+	B1	3.44	37.27
	863	Cupressocyparis leylandii Leyland cypress	1068	MS	16	3	3	3	3	1	0	M	Good	No visible defects	Nil	N/A	20-40	B1,2	10.68	358.38
	864	Acer pseudoplatanus Sycamore	289	1	11	4	4	4	4	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	3.47	37.79
	2003	Acer pseudoplatanus Sycamore	81	1	5	1	1	1	1	7	n/a	SM	Fair	Average condition	Nil	N/A	40+	C2	0.97	2.97
	2004	Acer pseudoplatanus Sycamore	97	1	7	2	2	2	2	7	n/a	SM	Fair	Average condition	Nil	N/A	40+	C2	1.16	4.26
	2005	Acer pseudoplatanus Sycamore	80	1	7	1	2	2	2	7	n/a	SM	Fair	Average condition	Nil	N/A	40+	C2	0.96	2.9
	2006	selection of Acer pseudoplatanus Sycamore, Prunus avium Cherry and Crataegus monogyna Hawthorn in a water compound			7							SM	Fair	Average condition	Nil	N/A	40+	C2		
	2091	Acer pseudoplatanus Sycamore	101	1	4	1	1	1	1	6	2	Y	Good	In raised bed, transplant ?	Nil	N/A	10-20	C1	1.21	4.62
	2092	Betula alba Silver birch	78	1	10	0	2	1	1	2	4	Y	Good	Very poor, strangled by the foundations it is growing from	Fell	P	0	R	0.94	2.75
	2118	Crataegus monogyna Hawthorn	193	MS	4	1	1	1	1	2	1	M	Good	Damage, decay to main stem	Nil	N/A	10-20	C1	1.93	11.7
	2119	Crataegus monogyna Hawthorn	181	MS	4	1	1	1	1	2	0	M	Fair	No visible defects	Nil	N/A	10-20	C1	1.81	10.29
	2120	Betula alba Silver birch	227	1	10	2	2	2	2	1	3	M	Fair	Leaning to north	Nil	N/A	10-20	C1	2.72	23.31
	2123	Chamaecyparis lawsoniana lawsons cypress	390	1	16	2	2	2	1	1	2	M	Good	No visible defects	Nil	N/A	10-20	C1,2	4.68	68.82
	2126	Chamaecyparis lawsoniana lawsons cypress	337	1	16	2	2	0	0	1	3	M	Good	Crown restricted by adjacent trees	Nil	N/A	10-20	C1,2	4.04	51.38

Trees to be Removed due to Development and Phasing out of Exotic Conifers

Group No	Tag	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physiological Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
						N	S	E	W											
	2127	Chamaecyparis lawsoniana lawsons cypress	346	1	16	2	2	0	0	1	3	M	Good	Crown restricted by adjacent trees	Nil	N/A	10-20	C1,2	4.15	54.17
	2129	Chamaecyparis lawsoniana lawsons cypress	481	1	16	2	2	0	0	1	3	M	Good	Crown restricted by adjacent trees	Reduce smaller main stem	P	10-20	C1,2	5.77	104.68
	2130	Chamaecyparis lawsoniana lawsons cypress	363	1	16	3	3	0	1	1	3	M	Good	No visible defects	Nil	N/A	10-20	C1,2	4.36	59.62
	2132	Thuja plicata Western Red Cedar	372	1	16	3	3	1	1	1	2	M	Fair	No visible defects	Nil	N/A	10-20	C1,2	4.46	62.61
	2133	Chamaecyparis lawsoniana lawsons cypress	381	1	12	3	3	1	0	1	2	M	Fair	Top broken off	Nil	N/A	10-20	C1,2	4.57	65.68
	2134	Chamaecyparis lawsoniana lawsons cypress	343	1	16	3	3	0	0	1	3	M	Fair	Crown restricted by adjacent trees	Nil	N/A	10-20	C1,2	4.12	53.23
	2135	Chamaecyparis lawsoniana lawsons cypress	344	1	16	3	3	0	3	1	3	M	Fair	Crown restricted by adjacent trees	Nil	N/A	10-20	C1,2	4.13	53.54
	2136	Thuja plicata Western Red Cedar	539	MS	16	3	3	3	0	1	2	M	Good	Included bark at base of main stem	Monitor fork in main stem	P	10-20	C1,2	5.39	91.28
	2138	Chamaecyparis lawsoniana lawsons cypress	405	1	16	3	3	0	0	1	3	M	Good	Crown restricted by adjacent trees	Nil	N/A	10-20	C1,2	4.86	74.21
	2139	Chamaecyparis lawsoniana lawsons cypress	338	1	16	3	0	3	3	1	3	M	Good	Crown restricted by adjacent trees	Nil	N/A	10-20	C1,2	4.06	51.69
	2155	Conifer	206	MS	3	1	1	1	1	3	0	Y	Good	Topped at 1.5m	Nil	N/A	20-40	B1	2.06	13.33
	2171	Acer platanoides Copper Norway Maple	207	1	6	2.5	3	3	3	2	2	SM	Good	No visible defects	Nil	N/A	40+	B1	2.48	19.39
	2172	Acer platanoides Copper Norway Maple	199	1	6	3	2.5	3	3	3	2	SM	Good	No visible defects	Nil	N/A	40+	B1	2.39	17.92
	2173	Acer platanoides Copper Norway Maple	142	1	5	2	2	2	2	4	2	SM	Good	No visible defects	Nil	N/A	40+	B1	1.7	9.12
	2174	Acer pseudoplatanus Sycamore	381	1	6	5	5	5	5	2	2.5	M	Good	No visible defects	Nil	N/A	40+	B1	4.57	65.68
	2177	Prunus avium plena Cherry	75	1	5	1	1	1	1	4	2	SM	Good	No visible defects	Nil	N/A	20-40	C1	0.9	2.55
	2186	Acer saccharinum Silver maple	115	1	5	2	2	2	2	4	2.5	SM	Fair	No visible defects	Nil	N/A	40+	B1	1.38	5.98
	2190	Acer pseudoplatanus Sycamore	571	MS	12	4	4	4	4	2	5	M	Fair	Broken limb	Remove broken limb	P	40+	B2	5.71	102.44
	2204	Salix caprea Goat willow	566	MS	6	5	5	4	4	2	2	M	Good	Tight fork/included bark	Nil	N/A	20-40	C1	5.66	100.66
	2205	Cupressocyparis leylandii Leyland cypress	236	MS	4.5	0.5	0.5	0.5	0.5	1	0	M	Fair	No visible defects	Nil	N/A	20-40	C1	2.36	17.5
	2206	Cupressocyparis leylandii Leyland cypress	225	MS	4.5	0.5	0.5	0.5	0.5	1	0	M	Fair	No visible defects	Nil	N/A	20-40	C1	2.25	15.91
	2225	Acer platanoides Norway maple	80	MS	5	1.5	1	2	1	2	0.5	Y	Good	No visible defects	Nil	N/A	10-20	C2	0.8	2.01
	2226	Acer platanoides Norway maple	80	MS	5	0	1	2	1	2	0.5	Y	Good	No visible defects	Nil	N/A	10-20	C2	0.8	2.01
	2227	Malus domestica Apple	80	1	3.5	1.5	1.5	1	1	2	1	M	Good	No visible defects	Nil	N/A	10-20	C1	0.96	2.9
	2228	Acer saccharinum Silver maple	154	1	4	2	2	2	2	2	3	M	Fair	No visible defects	Nil	N/A	10-20	C1	1.85	10.73
	2229	Acer saccharinum Silver maple	168	1	6	3	2	3	2	2	2.5	M	Good	No visible defects	Nil	N/A	20-40	C1	2.02	12.77
	2230	Crataegus monogyna Hawthorn	45	1	3	0.5	1	1	0.5	4	1.5	SM	Fair	No visible defects	Nil	N/A	20-40	C1	0.54	0.92
	2231	Prunus Flowering Cherry	52	MS	6	2	2	2	0.5	2	2	M	Good	No visible defects	Nil	N/A	10-20	C1	0.52	0.85
	2236	Calocedrus decurrens Incence cedar	140	1	6	1	1	1	1	1	0.5	M	Good	No visible defects	Nil	N/A	40+	B1	1.68	8.87
	2237	Calocedrus decurrens Incence cedar	140	1	6	1	1	1	1	1	0.5	M	Good	No visible defects	Nil	N/A	40+	B1	1.68	8.87
	2238	Calocedrus decurrens Incence cedar	140	1	6	1	1	1	1	1	0.5	M	Good	No visible defects	Nil	N/A	40+	B1	1.68	8.87
	2239	Cupressocyparis leylandii Leyland cypress	122	MS	7	2	2	3	2	2	0	M	Fair	No visible defects	Nil	N/A	20-40	C1	1.22	4.68
	2240	Cupressocyparis leylandii Leyland cypress	210	1	8	2	2	1.5	2	2	0	M	Good	No visible defects	Nil	N/A	20-40	C1	2.52	19.95
	2241	Calocedrus decurrens Incence cedar	130	1	6	0.5	1	0.5	0.5	2	0.5	M	Good	No visible defects	Nil	N/A	40+	B1	1.56	7.65
	2242	Calocedrus decurrens Incence cedar	130	1	6	0.5	1	0.5	0.5	2	0.5	M	Good	No visible defects	Nil	N/A	40+	B1	1.56	7.65
	2245	Thuja plicata Western Red Cedar	140	1	7	1	1	1	1.5	2	0.5	M	Good	N, suppressed by 2244	Nil	N/A	40+	B1	1.68	8.87
	2260	Carpinus betulus Hornbeam (fastigiata)	311	1	12	4	3	3	3	1	3	M	Good	No visible defects	Nil	N/A	20-40	B1,2	3.73	43.76
	2268	Pyrus communis Common Pear	84	1	6	1	1	1	1	2	2	Y	Good	Growing very close to foundations, transplant ?	Nil	N/A	10-20	C1	1.01	3.19
	2269	Crataegus monogyna Hawthorn	141	1	6	3	3	1	3	1	2	M	Good	No visible defects	Nil	N/A	20-40	B1	1.69	9
	2277	Sorbus aria Whitebeam	384	1	10	4	4	3	4	1	2	M	Good	Included bark to main forks	Nil	N/A	10-20	C1	4.61	66.72
	2285	Crataegus monogyna Hawthorn	94	1	5	2	2	2	2	2	3	M	Fair	No visible defects	Nil	N/A	20-40	C1	1.13	4
G16	4123	Thuja plicata Westen Red Cedar	279	1	11	3	3	3	3	2	4	M	Good	Average condition	Nil	N/A	40+	C2	3.35	35.22
G16	4124	Thuja plicata Westen Red Cedar	509	1	14	3	4	3	3	2	4	M	Good	Average condition	Nil	N/A	40+	C2	6.11	117.22
G16	4125	Thuja plicata Westen Red Cedar	267	1	11	3	3	1	3	2	4	M	Good	Average condition	Nil	N/A	40+	C2	3.2	32.25
G16	4126	Thuja plicata Westen Red Cedar	326	MS	10	2	3	2	1	2	4	M	Good	Average condition	Nil	N/A	40+	C2	3.26	33.39
G16	4127	Thuja plicata Westen Red Cedar	282	1	12	2	4	1	1	2	4	M	Good	Average condition	Nil	N/A	40+	C2	3.38	35.98
G16	4128	Thuja plicata Westen Red Cedar	287	1	12	2	4	1	1	2	4	M	Good	Average condition	Nil	N/A	40+	C2	3.44	37.27
G16	4129	Thuja plicata Westen Red Cedar	176	1	10	2	2	1	2	2	4	M	Good	Average condition	Nil	N/A	20-40	C2	2.11	14.02
G16	4130	Thuja plicata Westen Red Cedar	412	MS	12	3	2	1	1	1	4	M	Poor	Average condition	Nil	N/A	10-20	C2	4.12	53.33
G16	4131	Thuja plicata Westen Red Cedar	396	MS	12	3	4	2	1	1	4	M	Fair	Average condition	Nil	N/A	20-40	C2	3.96	49.27
G16	4132	Thuja plicata Westen Red Cedar	156	1	12	3	4	1	1	1	4	M	Fair	Average condition	Nil	N/A	20-40	C2	1.87	11.01
G16	4133	Thuja plicata Westen Red Cedar	291	1	12	3	4	1	1	1	4	M	Fair	Average condition	Nil	N/A	20-40	C2	3.49	38.31
G16	4134	Thuja plicata Westen Red Cedar	270	1	12	3	4	1	1	1	4	M	Fair	Average condition	Nil	N/A	20-40	C2	3.24	32.98
G16	4135	Thuja plicata Westen Red Cedar	338	MS	12	3	4	1	1	1	4	M	Fair	Average condition	Nil	N/A	20-40	C2	3.38	35.9
G16	4136	Thuja plicata Westen Red Cedar	270	1	12	3	4	1	1	1	4	M	Fair	Average condition	Nil	N/A	20-40	C2	3.24	32.98
G16	4137	Thuja plicata Westen Red Cedar	326	1	11	3	4	1	1	1	4	M	Fair	Average condition	Nil	N/A	20-40	C2	3.91	48.08
G16	4138	Thuja plicata Westen Red Cedar	333	MS	9	2	4	1	1	1	4	M	Fair	Average condition	Nil	N/A	20-40	C2	3.33	34.84
G16	4139	Thuja plicata Westen Red Cedar	342	1	12	3	4	1	1	2	4	M	Fair	Average condition	Nil	N/A	20-40	C2	4.1	52.92
G16	4140	Thuja plicata Westen Red Cedar	126	1	8	2	2	1	1	1	4	M	Fair	Average condition	Nil	N/A	20-40	C2	1.51	7.18
G16	4141	Thuja plicata Westen Red Cedar	487	1	13	3	4	1	3	2	4	M	Fair	Average condition	Nil	N/A	20-40	C2	5.84	107.31
G27	4242	Chamaecyparis lawsoniana lawsons cypress	221	1	8	2	1	2	2	1	0	M	Good	Average condition	Nil	N/A	40+	C2	2.65	22.1
G27	4243	Chamaecyparis lawsoniana lawsons cypress	336	MS	8	1	1	2	2	1	0	M	Good	Average condition	Nil	N/A	40+	C2	3.36	35.47
G27	4244	Chamaecyparis lawsoniana lawsons cypress	321	MS	8	1	1	2	2	1	0	M	Good	Average condition	Nil	N/A	40+	C2	3.21	32.38
G27	4245	Chamaecyparis lawsoniana lawsons cypress	322	1	8	1	2	2	2	1	0	M	Good	Average condition	Nil	N/A	40+	C2	3.86	46.91
G33	4311	Betula alba Silver birch	477	1	13	3	5	3	4	1	4	M	Fair	Average condition	Nil	N/A	20-40	B2	5.72	102.95
G33	4312	Betula alba Silver birch	159	1	6	1	3	3	1	1	2	M	Fair	Suppressed	Nil	N/A	20-40	C2	1.91	11.44
G33	4313	Betula alba Silver birch	277	1	13	3	2	5	4	1	7	M	Fair	Average condition	Nil	N/A	20-40	B2	3.32	34.72
G33	4314	Betula alba Silver birch	219	1	11	5														

Trees to be Removed due to Development and Phasing out of Exotic Conifers

Group No	Tag	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physiological Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
						N	S	E	W											
H17	4541	Thuja plicata Westen Red Cedar	364	1	11	2	2	1	2	2	2	M	Fair	Dead top, Decay, damage to main stem	Fell	P	N/a	R	4.37	59.95
H17	4542	Thuja plicata Westen Red Cedar	191	1	9	2	2	0	0	0	2	M	Poor	Mostly dead	Fell	P	N/a	R	2.29	16.51
H17	4543	Thuja plicata Westen Red Cedar	267	1	12	1	2	1	1	1	2	M	Fair	Damage, decay to main stem	Fell	P	N/a	R	3.2	32.25
H17	4544	Thuja plicata Westen Red Cedar	362	1	12	2	2	2	1	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	4.34	59.29
H17	4545	Thuja plicata Westen Red Cedar	355	1	13	2	2	1	2	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	4.26	57.02
H17	4546	Thuja plicata Westen Red Cedar	178	1	9	1	1	0	0	1	2	M	Poor	Suppressed by adjacent	Fell	P	N/a	R	2.14	14.34
H17	4547	Thuja plicata Westen Red Cedar	310	1	13	2	2	1	1	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	3.72	43.48
H17	4548	Thuja plicata Westen Red Cedar	321	1	13	2	2	1	0	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	3.85	46.62
H17	4549	Thuja plicata Westen Red Cedar	346	1	13	2	2	2	1	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	4.15	54.17
H17	4550	Acer pseudoplatanus Sycamore	326	1	9	3	3	1	2	3	4	M	Fair	Co-dominant with 4551	Nil	N/A	20-40	C2	3.91	48.08
H17	4551	Acer pseudoplatanus Sycamore	167	1	9	3	3	2	1	3	4	M	Fair	Co-dominant with 4550	Nil	N/A	20-40	C2	2	12.62
H17	4552	Thuja plicata Westen Red Cedar	123	1	8	2	0	1	1	2	1	M	Poor	Suppressed by adjacent	Fell	P	N/a	R	1.48	6.85
H17	4553	Thuja plicata Westen Red Cedar	283	MS	9	2	1	1	0	2	1	M	Poor	Dead top, Damage, decay to main stem	Fell	P	N/a	R	2.83	25.16
H17	4554	Thuja plicata Westen Red Cedar	234	1	12	2	2	1	2	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	2.81	24.77
H17	4555	Thuja plicata Westen Red Cedar	362	1	12	2	2	1	1	2	2	M	Fair	Fungi(?) to bark crevices. Fluting and past damage to main stem	Check decay, monitor	P	10-20	C1,2	4.34	59.29
H17	4556	Thuja plicata Westen Red Cedar	366	MS	8	2	2	2	1	2	2	M	Fair	Dead top	Remove deadwood	P	10-20	C1,2	3.66	42.09
H17	4557	Thuja plicata Westen Red Cedar	380	1	13	2	2	1	2	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	4.56	65.33
H17	4558	Acer pseudoplatanus Sycamore	540	MS	10	4	4	2	2	2	4	M	Fair	Three stems from gl included bark	Nil	N/A	10-20	C2	5.4	91.62
H17	4559	Thuja plicata Westen Red Cedar	305	MS	6	2	2	1	1	2	2	M	Fair	Original top lost, lower branches forming top of crown	Nil	N/A	Oct-20	C1,2	3.05	29.23
H17	4560	Acer pseudoplatanus Sycamore	692	MS	10	4	4	3	2	2	5	M	Fair	Coppice stool with 5 stems from gl and included bark in all	Nil	N/A	10-20	C2	6.92	150.46
H17	4561	Thuja plicata Westen Red Cedar	100	1	3	1	1	1	1	0	0	M	Poor	Suppressed	Fell	P	N/a	R	1.2	4.52
H17	4562	Acer pseudoplatanus Sycamore	635	MS	10	4	4	3	2	2	4	M	Fair	Coppice stool with 3 stems from gl and included bark in all	Nil	N/A	10-20	C2	6.35	126.69
H17	4563	Fraxinus excelsior Ash	178	1	10	0	5	3	2	2	6	M	Fair	Growing out from tree l8ne to a significant degree	Nil	N/A	10-20	C2	2.14	14.34
H17	4564	Thuja plicata Westen Red Cedar	200	MS	6	1	1	1	1	2	2	M	Fair	Suppressed, leaning to east	Nil	N/A	10-20	C1,2	2	12.57
H17	4565	Thuja plicata Westen Red Cedar	495	1	13	2	2	1	1	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	5.94	110.86
H17	4566	Thuja plicata Westen Red Cedar	257	1	12	2	2	1	1	2	2	M	Good	Some damage to main stem, calloused over	Nil	N/A	20-40	B1,2	3.08	29.88
H17	4567	Thuja plicata Westen Red Cedar	302	1	12	2	2	1	1	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	3.62	41.27
H17	4568	Thuja plicata Westen Red Cedar	352	1	12	2	2	1	1	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	4.22	56.06
H17	4569	Thuja plicata Westen Red Cedar	354	2	12	2	2	2	1	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	4.25	56.7
H17	4570	Thuja plicata Westen Red Cedar	270	MS	3	2	1	2	1	1	0	M	Poor	No visible defects	Nil	N/A	10-20	C1,2	2.7	22.91
H17	4571	Acer pseudoplatanus Sycamore	261	1	10	2	4	2	2	3	4	M	Fair	Average condition	Nil	N/A	40+	C2	3.13	30.82
H17	4572	Sorbus intermedia Swedish Whitebeam	214	MS	7	0	3	1	1	1	3	M	Fair	Suppressed under adjacent tree	Nil	N/A	10-20	C2	2.14	14.39
H17	4573	Thuja plicata Westen Red Cedar	264	1	12	1	2	1	2	2	1	M	Good	No visible defects	Nil	N/A	20-40	B1,2	3.17	31.53
H17	4574	Thuja plicata Westen Red Cedar	239	1	12	1	1	1	2	2	1	M	Good	No visible defects	Nil	N/A	20-40	B1,2	2.87	25.84
H17	4575	Thuja plicata Westen Red Cedar	346	1	15	1	1	2	2	2	1	M	Good	Old damage, possible decay to main stem	Fell	P	N/a	R	4.15	54.17
H17	4576	Thuja plicata Westen Red Cedar	342	1	15	1	1	2	2	2	1	M	Good	No visible defects	Nil	N/A	20-40	B1,2	4.1	52.92
H17	4577	Thuja plicata Westen Red Cedar	252	1	12	1	1	2	2	2	2	M	Fair	Old damage to main stem, calloused over	Nil	N/A	10-20	C1,2	3.02	28.73
H17	4578	Thuja plicata Westen Red Cedar	156	1	10	1	1	2	2	1	2	M	Poor	Suppressed	Fell	P	N/a	R	1.87	11.01
H17	4579	Thuja plicata Westen Red Cedar	425	1	15	1	1	2	2	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	5.1	81.72
H17	4580	Thuja plicata Westen Red Cedar	235	1	13	1	1	2	1	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	2.82	24.99
H17	4581	Thuja plicata Westen Red Cedar	219	1	12	1	1	1	2	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	2.63	21.7
H17	4582	Thuja plicata Westen Red Cedar	372	1	15	1	1	2	2	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	4.46	62.61
H17	4583	Thuja plicata Westen Red Cedar	400	1	14	2	1	2	2	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	4.8	72.39
H17	4584	Thuja plicata Westen Red Cedar	594	1	14	1	2	2	2	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	7.13	159.64
H17	4585	Thuja plicata Westen Red Cedar	220	MS	10	1	1	1	1	1	2	M	Poor	Included bark at gl. Suppressed	Fell	P	N/a	R	2.2	15.21
H17	4586	Thuja plicata Westen Red Cedar	199	1	11	1	1	2	2	2	2	M	Fair	Previously suppressed, recovering (?)	Nil	N/A	10-20	C1,2	2.39	17.92
H17	4587	Thuja plicata Westen Red Cedar	295	1	14	1	1	2	2	2	2	M	Fair	Previously suppressed, recovering (?)	Nil	N/A	10-20	C1,2	3.54	39.37
H17	4588	Thuja plicata Westen Red Cedar	282	1	10	1	1	2	2	2	1	M	Fair	Original top dead, lower branches forming top of crown	Remove deadwood. Remove ivy	P	10-20	C1,2	3.38	35.98
H17	4589	Thuja plicata Westen Red Cedar	300	1	10	1	1	2	2	2	1	M	Fair	Occasional deadwood	Remove deadwood. Remove ivy	P	10-20	C1,2	3.6	40.72
H17	4590	Thuja plicata Westen Red Cedar	351	1	14	1	1	2	2	2	2	M	Good	No visible defects	remove ivy	P	20-40	B1,2	4.21	55.74
H17	4591	Thuja plicata Westen Red Cedar	330	1	14	1	1	2	2	2	2	M	Good	No visible defects	remove ivy	P	20-40	B1,2	3.96	49.27
H17	4592	Thuja plicata Westen Red Cedar	221	1	12	1	1	2	2	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	2.65	22.1
H17	4593	Thuja plicata Westen Red Cedar	382	1	14	1	1	2	2	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	4.58	66.02
H17	4594	Thuja plicata Westen Red Cedar	277	1	11	1	1	2	2	2	1	M	Fair	Dead top	Remove deadwood. Remove ivy	P	10-20	C1,2	3.32	34.72
H17	4595	Thuja plicata Westen Red Cedar	227	1	14	1	1	2	2	2	2	M	Fair	No visible defects	Nil	N/A	10-20	C1,2	2.72	23.31
H17	4596	Thuja plicata Westen Red Cedar	323	1	14	1	1	2	2	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	3.88	47.2
H17	4597	Thuja plicata Westen Red Cedar	350	1	14	1	1	2	2	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	4.2	55.42
H17	4598	Thuja plicata Westen Red Cedar	340	1	14	1	1	2	2	2	2	M	Good	Lower main stem sweeps to S. else no visible defects	Nil	N/A	20-40	B1,2	4.08	52.3
H17	4599	Thuja plicata Westen Red Cedar	423	1	14	1	1	2	2	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	5.08	80.96
H17	4600	Thuja plicata Westen Red Cedar	127	1	8	1	1	2	0	0	2	M	Poor	Suppressed	Fell	P	N/a	R	1.52	7.3
H17	4601	Thuja plicata Westen Red Cedar	275	1	14	1	1	2	2	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	3.3	34.22
H17	4602	Thuja plicata Westen Red Cedar	211	1	12	1	1	2	2	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	2.53	20.14
H17	4603	Thuja plicata Westen Red Cedar	472	1	14	1	1	2	2	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	5.66	100.8
H17	4604	Thuja plicata Westen Red Cedar	128	1	14	1	1	2	2	0	2	M	Poor	Suppressed	Fell	P	N/a	R	1.54	7.41

Trees to be Removed due to Development and Phasing out of Exotic Conifers

Group No	Tag	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physiological Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
						N	S	E	W											
H17	4605	Thuja plicata Westen Red Cedar	472	1	14	1	1	2	2	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	5.66	100.8
H17	4606	Thuja plicata Westen Red Cedar	266	1	14	1	1	2	2	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	3.19	32.01
H17	4607	Thuja plicata Westen Red Cedar	379	1	14	1	1	2	2	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	4.55	64.99
H17	4608	Thuja plicata Westen Red Cedar	306	1	14	1	1	2	2	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	3.67	42.37
H17	4609	Thuja plicata Westen Red Cedar	228	1	14	1	1	2	2	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	2.74	23.52
H17	4610	Thuja plicata Westen Red Cedar	190	1	13	1	1	2	2	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	2.28	16.33
H17	4611	Thuja plicata Westen Red Cedar	481	1	14	1	1	2	2	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	5.77	104.68
H17	4612	Thuja plicata Westen Red Cedar	302	1	14	1	1	2	2	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	3.62	41.27
H17	4613	Thuja plicata Westen Red Cedar	255	1	13	1	1	2	2	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	3.06	29.42
H17	4614	Thuja plicata Westen Red Cedar	329	1	13	1	1	2	2	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	3.95	48.97
H17	4615	Thuja plicata Westen Red Cedar	147	1	5	1	1	0	2	2	2	M	Poor	Suppressed	Fell	P	N/a	R	1.76	9.78
H17	4616	Thuja plicata Westen Red Cedar	251	MS	4	1	1	0	2	2	2	M	Poor	Suppressed	Fell	P	N/a	R	2.51	19.79
H17	4617	Thuja plicata Westen Red Cedar	272	1	10	1	1	2	2	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	3.26	33.47
H17	4618	Thuja plicata Westen Red Cedar	254	1	10	1	1	2	2	2	2	M	Fair	Previous damage, decay to main stem, calloused over	Nil	N/A	10-20	C1,2	3.05	29.19
H17	4619	Thuja plicata Westen Red Cedar	172	1	8	1	1	1	2	0	2	M	Fair	Old wind damage, suppressed	Fell	P	N/a	R	2.06	13.39
H17	4620	Thuja plicata Westen Red Cedar	143	1	12	1	1	1	1	1	2	M	Fair	Suppressed	monitor	P	10-20	C1,2	1.72	9.25
H17	4621	Thuja plicata Westen Red Cedar	284	1	12	1	1	2	2	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	3.41	36.49
H17	4621	Thuja plicata Westen Red Cedar	284	1	12	1	1	2	2	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	3.41	36.49
H17	4622	Thuja plicata Westen Red Cedar	167	1	13	1	1	2	2	1	2	M	Fair	Suppressed	monitor	P	10-20	C1,2	2	12.62
H17	4623	Thuja plicata Westen Red Cedar	220	1	12	1	1	0	2	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	2.64	21.9
H17	4624	Thuja plicata Westen Red Cedar	375	1	13	1	1	2	2	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	4.5	63.63
H17	4625	Thuja plicata Westen Red Cedar	245	1	12	1	1	2	2	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	2.94	27.16
H17	4626	Thuja plicata Westen Red Cedar	181	1	10	1	1	2	2	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	2.17	14.82
H17	4627	Chamaecyparis lawsoniana lawsons cypress	414	1	13	1	1	2	2	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	4.97	77.55
H17	4628	Thuja plicata Westen Red Cedar	294	1	12	1	1	2	2	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	3.53	39.11
H17	4629	Thuja plicata Westen Red Cedar	394	1	12	2	1	2	2	2	2	M	Good	No visible defects	remove ivy	P	20-40	B1,2	4.73	70.24
G68	4817	Quercus rubra Red oak	201	1	8	3	3	3	3	4	2.5	M	Fair	Average condition	Nil	N/A	40+	C2	2.41	18.28
G68	4818	Quercus rubra Red oak	158	1	8	3	3	3	3	4	2.5	M	Fair	Average condition	Nil	N/A	40+	C2	1.9	11.29
G68	4819	Quercus rubra Red oak	202	1	9	3	3	3	3	4	2.5	M	Fair	Average condition	Nil	N/A	40+	C2	2.42	18.46
G68	4820	Quercus rubra Red oak	163	1	8	3	3	3	3	4	2.5	M	Fair	Average condition	Nil	N/A	40+	C2	1.96	12.02
G59	4876	Lilac	168	MS															1.68	8.87
G73	4883	Betula alba Silver birch	416	1	14	4	4	3	1	0	2	M	Fair	No visible defects	Nil	N/A	<10	C1	4.99	78.3
G73	4884	Betula alba Silver birch	327	1	14	4	3	2	1	0	2	M	Fair	No visible defects	Nil	N/A	<10	B1,2	3.92	48.38
G73	4885	Betula alba Silver birch	296	1	14	4	4	1	1	0	2	M	Fair	No visible defects	Nil	N/A	<10	B1,2	3.55	39.64
G73	4886	Betula alba Silver birch	332	1	14	4	4	2	1	0	2	M	Fair	Partially occluded wound to main stem at 2 m ht	Nil	N/A	<10	B1,2	3.98	49.87
G73	4895	Betula alba Silver birch	292	1	12	4	3	2	3	0	1.5	M	Poor	No visible defects	Nil	N/A	10-20	C1	3.5	38.58
G80	4939	Betula alba Silver birch	315	1	16	3	3	3	1	0	4	M	Good	No visible defects	Nil	N/A	10-20	B1	3.78	44.89
G80	4940	Acer pseudoplatanus Sycamore	450	1	14	5	4	5	4	1	2	M	Good	Wet rot pocket to main stem. Decay in main fork union.	Nil	N/A	10-20	C1	5.4	91.62
G80	4941	Acer pseudoplatanus Sycamore	562	MS	14	4	5	3	3	1	4	M	Good	Included bark and probable deep rot pocket to main fork at 2 m ht	Investigate extent of decay in main stem	U	<10	C1	5.62	99.24
G80	4944	Betula alba Silver birch	265	1	12	2	3	2	2	0	1	M	Good	Witches brooms	Nil	N/A	10-20	B1	3.18	31.77
G80	4952	Lilac	198	MS	4	3	3	3	3	0	1	M	Good	Damage, decay to main branches	Nil	N/A	<10	C1	1.98	12.32
G80	4956	Laburnum anagyroides Common laburnum	372	MS	14	4	2	4	4	0	3	M	Good	Leaning. Rot pocket in main fork	Nil	N/A	<10	C1	3.72	43.48
G86	5003	Aesculus hippocastanum Horse chestnut	658	1	12	3	2	3	3	2	2	M	Good	Significant decay to old pruning wound at 2 m ht	Nil	N/A	10-20	B1	7.9	195.89
G86	5004	Aesculus hippocastanum Horse chestnut	668	1	12	2	3	5	6	2	2	M	Good	Significant decay to old pruning wound at 2 m ht	Nil	N/A	10-20	B1	8.02	201.89
G86	5005	Aesculus hippocastanum Horse chestnut	579	1	12	3	4	5	7	2	2	M	Good	Included bark to upright co dominant stem	Nil	N/A	<10	C1	6.95	151.68
G86	5006	Aesculus hippocastanum Horse chestnut	692	1	12	3	5	5	4	2	2	M	Good	Included bark to main forks at 2 m height	Nil	N/A	<10	C1	8.3	216.66
G87	5007	Aesculus hippocastanum Horse chestnut	527	1	12	3	2	5	6	2	3	M	Good	Significant decay to old pruning wounds. Included bark to main fork	Nil	N/A	10-20	B1	6.32	125.66
G87	5008	Aesculus hippocastanum Horse chestnut	538	1	12	3	3	6	4	2	2	M	Good	Significant decay to old pruning wounds in main fork. Bark necrosis on stem	Nil	N/A	<10	C1	6.46	130.96
G87	5009	Aesculus hippocastanum Horse chestnut	461	1	12	4	4	4	2	2	2	M	Good	Occluding old pruning wounds to main branches	Nil	N/A	10-20	B1	5.53	96.15
G87	5010	Aesculus hippocastanum Horse chestnut	556	1	12	4	5	4	5	3	1	M	Good	Possible rot pocket to main fork	Check main fork	P	20-40	A1	6.67	139.87
G91	5030	Crataegus monogyna Hawthorn	234	MS	4	3	3	2	1	2	2	M	Good	Damage, decay to main stem	Nil	N/A	10-20	C1	2.34	17.2
G91	5031	Crataegus monogyna Hawthorn	202	MS	4	1	1	1	1	2	2	M	Good	Damage, decay to main stem	Nil	N/A	10-20	C1	2.02	12.82
G91	5032	Crataegus monogyna Hawthorn	193	MS	4	1	1	1	0	2	2	M	Good	Damage, decay to main stem	Nil	N/A	10-20	C1	1.93	11.7
G91	5033	Crataegus monogyna Hawthorn	242	MS	5	2	2	1	2	2	2	M	Good	Damage, decay to main stem	Nil	N/A	10-20	C1	2.42	18.4
G91	5034	Sorbus aria Whitebeam	147	1	6	1	1	1	1	1	3	M	Fair	Damage, decay to base of stem	Nil	N/A	20-40	B1	1.76	9.78
G93	5035	Cupressocyparis leylandii Leyland cypress	327	1	16	2	1	2	1	2	2	M	Good	Growing close to kerb line. Old occluded damage to base	Nil	N/A	10-20	C1,2	3.92	48.38
G93	5036	Cupressocyparis leylandii Leyland cypress	308	1	16	1	1	2	2	1	2	M	Good	Close to kerb, else No visible defects	Nil	N/A	10-20	C1,2	3.7	42.92
G93	5037	Cupressocyparis leylandii Leyland cypress	334	1	16	1	1	2	2	2	2	M	Good	Close to kerb. Old damage to base, else No visible defects	Nil	N/A	10-20	C1,2	4.01	50.47
G93	5038	Cupressocyparis leylandii Leyland cypress	449	1	16	1	3	3	2	2	2	M	Good	Close to kerb. Old damage to base, else No visible defects	Nil	N/A	10-20	C1,2	5.39	91.21
G93	5039	Cupressocyparis leylandii Leyland cypress	379	1	16	3	0	2	2	2	2	M	Good	Close to Kerb, Old damage to base, else No visible defects	Nil	N/A	10-20	C1,2	4.55	64.99
G93	5040	Cupressocyparis leylandii Leyland cypress	357	1	16	1	1	3	2	2	2	M	Good	Close to kerb, else No visible defects	Nil	N/A	10-20	C1,2	4.28	57.66

Trees to be Removed due to Development and Phasing out of Exotic Conifers

Group No	Tag	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physiological Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
						N	S	E	W											
G93	5041	Cupressocyparis leylandii Leyland cypress	441	1	16	0	3	2	2	2	2	M	Good	Close to kerb, included bark at base of main stem.	Reduce south west codominant stem	P	10-20	C1,2	5.29	87.99
G93	5042	Cupressocyparis leylandii Leyland cypress	397	1	16	2	2	2	2	2	2	M	Good	Close to kerb, else No visible defects	Nil	N/A	10-20	C1,2	4.76	71.31
G93	5043	Cupressocyparis leylandii Leyland cypress	334	1	16	2	1	2	1	2	2	M	Good	Close to kerb, else No visible defects	Nil	N/A	10-20	C1,2	4.01	50.47
G93	5045	Cupressocyparis leylandii Leyland cypress	297	1	16	0	1	2	2	1	2	M	Good	Close to kerb, else No visible defects	Nil	N/A	10-20	C1,2	3.56	39.91
G93	5046	Cupressocyparis leylandii Leyland cypress	411	1	16	1	2	2	2	2	2	M	Good	Close to kerb, else No visible defects	Nil	N/A	10-20	C1,2	4.93	76.43
G93	5047	Cupressocyparis leylandii Leyland cypress	331	1	16	2	2	2	2	2	1	M	Good	Close to kerb, else No visible defects	Nil	N/A	10-20	C1,2	3.97	49.57
G94	5052	Fagus sylvatica Beech	579	1	12	5	4	4	4	2	3	M	Good	Growing in concrete surfacing. Damage, decay to main stem	Nil	N/A	10-20	C1,2	6.95	151.68
G94	5053	Aesculus hippocastanum Horse chestnut	516	1	12	4	3	4	4	2	3	M	Good	As 5054	Nil	N/A	10-20	C1,2	6.19	120.47
G94	5054	Aesculus hippocastanum Horse chestnut	608	1	12	4	5	4	4	2	3	M	Good	Stem in concrete surfacing. Rot pockets to spring of crown	Nil	N/A	10-20	C1,2	7.3	167.25
G94	5055	Fagus sylvatica Beech	500	1	11	5	2	5	4	2	2	M	Fair	Occluded pruning wounds to main spring of crown. Patches of crown dieback	Nil	N/A	10-20	C1,2	6	113.11
G94	5056	Aesculus hippocastanum Horse chestnut	418	1	11	3	3	5	5	2	2	M	Good	Bleeding canker to stem and main branches	Nil	N/A	10-20	C1,2	5.02	79.05
G97	5067	Fraxinus excelsior Ash	195	1	7	2	2	2	2	2.5	3	SM	Good	Bark wounds	None	N/A	40+	B2	2.34	17.2
G98	5081	Fraxinus excelsior Ash	208	1	7	3	3	3	3	3	2.5	M	Good	No visible defects	None	N/A	40+	A1	2.5	19.57
G103	5091	Fraxinus excelsior Ash	127	1	5.5	2	2	2	2	3	3	SM	Fair	Minor branch wound	None	N/A	20-40	C2	1.52	7.3
G103	5092	Fraxinus excelsior Ash	176	1	6.5	2	2	2	3	3	2	M	Fair	No visible defects	None	N/A	40+	C2	2.11	14.02
G103	5093	Fraxinus excelsior Ash	214	1	7	3	3	3	3	2	2	M	Good	No visible defects	None	N/A	40+	A2	2.57	20.72
G104	5094	Chamaecyparis lawsoniana Lawsons cypress	611	MS	17	2	3	3	3	0	1.5	M	Good	Tight forks and included bark	Lift to statutory height roadside	P	20-40	C2	6.11	117.3
G104	5095	Chamaecyparis lawsoniana Lawsons cypress	492	1	16	2	3	3	3	0	1.5	M	Fair	No visible defects	Lift to statutory height roadside	P	20-40	C2	5.9	109.52
G104	5096	Chamaecyparis lawsoniana Lawsons cypress	465	1	16	3	3	3	3	0	1.5	M	Good	No visible defects	Lift to statutory height roadside	P	20-40	C2	5.58	97.83
G104	5097	Chamaecyparis lawsoniana Lawsons cypress	644	MS	16	2	3	3	3	0	1	M	Good	Low included bark	Lift to statutory height roadside	P	20-40	C2	6.44	130.31
G104	5098	Chamaecyparis lawsoniana Lawsons cypress	623	MS	16	2	3	3	3	0	1.5	M	Good	Low included bark	Lift to statutory height roadside	P	20-40	C2	6.23	121.95
G104	5099	Chamaecyparis lawsoniana Lawsons cypress	666	MS	15	2	3	3	3	0	1.5	M	Good	Low included bark	Lift to statutory height roadside	P	20-40	C2	6.66	139.37
G104	5100	Chamaecyparis lawsoniana Lawsons cypress	529	1	15	2	3	3	3	0	1.5	M	Good	Included bark	Lift to statutory height roadside	P	20-40	C2	6.35	126.61
G104	5101	Chamaecyparis lawsoniana Lawsons cypress	539	1	15	2	3	3	3	0	1.5	M	Good	No visible defects	Lift to statutory height roadside	P	20-40	C2	6.47	131.45
G104	5102	Chamaecyparis lawsoniana Lawsons cypress	545	1	15	2	3	3	3	0	2	M	Good	Eastley lean <30o	None	N/A	20-40	C2	6.54	134.39
G106	5109	Acer platanoides Norway maple	352	1	13	3	4	4	3	2	1.5	M	Good	No visible defects	Lift roadside to statutory height	P	20-40	B2	4.22	56.06
G106	5110	Acer platanoides Norway maple	284	1	13	2	4	3	3	2	1.5	M	Good	Tight forks with included bark	Nil	N/A	20-40	B2	3.41	36.49
G106	5111	Acer platanoides Norway maple	302	1	13	2	3	2	4	2	1.5	M	Fair	Cavity at 1 m (East)	Crown clean	P	20-40	C2	3.62	41.27
G106	5112	Acer platanoides Norway maple	350	1	14	4	3	4	3	2	1.5	M	Good	Minor vehicle branch damage (north)	Crown lift roadside	P	20-40	B2	4.2	55.42
G106	5113	Acer platanoides Norway maple	293	1	13	3	2	3	3	2	1.5	M	Good	Minor stem bark, damage/tight fork at 1.8m	Crown lift roadside	P	20-40	B2	3.52	38.84
G106	5114	Acer platanoides Norway maple	235	1	8	3	3	2	2	2	2	M	Good	No visible defects	Crown lift roadside	P	20-40	B2	2.82	24.99
G106	5115	Acer platanoides Norway maple	318	1	9	4	3	3	3	2	2	M	Good	No visible defects	Crown lift roadside	P	20-40	B2	3.82	45.75
G106	5116	Acer platanoides Norway maple	302	1	9	3	3	3	3	2	2	M	Good	Tight forks including bark	Lift roadside	P	20-40	B2	3.62	41.27
G107	5117	Sorbus intermedia Swedish Whitebeam	284	1	6	2	2	2	2	1	2	M	Good	No visible defects	Minor crown lift	P	20-40	B2	3.41	36.49
G107	5118	Sorbus intermedia Swedish Whitebeam	238	1	6	2	2	2	2	1	2	M	Good	No visible defects	Minor crown lift	P	20-40	B2	2.86	25.63
G107	5119	Sorbus intermedia Swedish Whitebeam	271	1	6	2.5	2	2	2	1	2	M	Good	No visible defects	Minor crown lift	P	20-40	B2	3.25	33.23
G107	5120	Sorbus intermedia Swedish Whitebeam	237	1	6	2	2	2	2	1	2	M	Good	No visible defects	Minor crown lift	P	20-40	B2	2.84	25.41
G107	5121	Sorbus intermedia Swedish Whitebeam	316	1	6	2	2	2	2	1	2	M	Good	No visible defects	Minor crown lift	P	20-40	B2	3.79	45.18
G107	5122	Sorbus intermedia Swedish Whitebeam	251	1	6	2	2	2	2	1	2	M	Good	No visible defects	Minor crown lift	P	20-40	B2	3.01	28.5
G107	5127	Sorbus intermedia Swedish Whitebeam	233	1	6	2.5	2.5	2.5	2.5	2	2	M	Fair	No visible defects	Minor crown lift	P	20-40	B2	2.8	24.56
G107	5128	Sorbus intermedia Swedish Whitebeam	241	1	6	2.5	2.5	2.5	2.5	2	2	M	Fair	No visible defects	Minor crown lift	P	20-40	B2	2.89	26.28
G108	5132	Acer platanoides Norway maple	324	1	7	4	4	4	3	2	2.5	M	Good	Included bark/weak branch	Crown clean	P	20-40	B2	3.89	47.5
G108	5133	Acer platanoides Norway maple	227	1	7	3	3	3	3	2	2	M	Good	No visible defects	Crown lift roadside	P	20-40	B2	2.72	23.31
G108	5134	Acer platanoides Norway maple	314	1	7	4	4	4	4	2	2.8	M	Good	No visible defects	Crown lift roadside	P	20-40	B2	3.77	44.61
G109	5135	Acer pseudoplatanus Sycamore	344	1	7	4	3	3	3	3	3	M	Good	No visible defects	None	N/A	20-40	B2	4.13	53.54
G109	5136	Sorbus aucuparia Rowan	152	1	6	2	2	2	2	0	2	M	Fair	Basal damage	None	N/A	10-20	C2	1.82	10.45
G109	5138	Acer platanoides Norway maple	238	1	6	3	3	3	3	2	2	M	Good	No visible defects	None	N/A	20-40	B2	2.86	25.63
G109	5139	Sorbus aucuparia Rowan	184	1	8	2	3	2	3	0	2	M	Fair	Minor branch crowding	Crown clean	P	10-20	C2	2.21	15.32
G109	5140	Acer platanoides Norway maple	436	1	8	4	4	4	4	2	2	M	Good	Tight forks including bark	Crown lift over road	P	20-40	C2	5.23	86.01
G110	5141	Sorbus intermedia Swedish Whitebeam	191	1	4	2.5	2.5	2	2	1	1.5	M	Fair	Minor bark stem wounds	Lift over road	P	20-40	B2	2.29	16.51
G110	5142	Sorbus intermedia Swedish Whitebeam	178	1	4	2.5	2.5	2	2	1	1.5	M	Fair	No visible defects	Lift over road	P	20-40	B2	2.14	14.34
G110	5143	Sorbus intermedia Swedish Whitebeam	204	1	4	2.5	2.5	2	2	1	1.5	M	Good	Minor bark wound	Lift over road	P	20-40	B2	2.45	18.83
G110	5144	Sorbus intermedia Swedish Whitebeam	157	1	4	2.5	2.5	2	2	1	1.5	M	Fair	No visible defects	Lift over road	P	20-40	B2	1.88	11.15
G110	5145	Sorbus intermedia Swedish Whitebeam	203	1	4	2.5	2.5	2	2	1	1.5	M	Fair	No visible defects	Lift over road	P	20-40	B2	2.44	18.64
G110	5146	Sorbus intermedia Swedish Whitebeam	222	1	4	2.5	2.5	2	2	1	1.5	M	Fair	No visible defects	Lift over road	P	20-40	B2	2.66	22.3
G110	5147	Sorbus intermedia Swedish Whitebeam	195	1	4	2.5	2.5	2	2	1	1.5	M	Fair	No visible defects	Lift over road	P	20-40	B2	2.34	17.2
G110	5148	Sorbus intermedia Swedish Whitebeam	215	1	4	2.5	2.5	2	2	1	1.5	M	Fair	No visible defects	Lift over road	P	20-40	B2	2.58	20.91
G110	5149	Sorbus intermedia Swedish Whitebeam	190	1	4	2.5	2.5	2	2	1	1.5	M	Fair	Minor stem bark	Lift over road	P	20-40	B2	2.28	16.33
G110	5150	Sorbus intermedia Swedish Whitebeam	195	1	4	2.5	2.5	2	2	1	1.5	M	Fair	Minor stem bark	Lift over road	P	20-40	B2	2.34	17.2
G110	5151	Sorbus intermedia Swedish Whitebeam	181	1	4	2.5	2.5	2	2	1	1.5	M	Good	Minor stem bark	Lift over road	P	20-40	B2	2.17	14.82
G110	5152	Sorbus intermedia Swedish Whitebeam	197	1	4	2.5	2.5	2	2	1	1.5	M	Fair	Minor stem bark	Lift over road	P	20-40	B2	2.36	17.56
G110	5153	Sorbus intermedia Swedish Whitebeam	214	1	4	2.5	2.5	2	2	1	1.5	M	Fair	Minor stem bark	Lift over road	P	20-40	B2	2.57	20.72

Trees to be Removed due to Development and Phasing out of Exotic Conifers

Group No	Tag	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physio-logical Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
						N	S	E	W											
G110	5154	Sorbus intermedia Swedish Whitebeam	227	1	4	2.5	2.5	2	2	1	1.5	M	Fair	Minor stem bark	Lift over road	P	20-40	B2	2.72	23.31
G110	5155	Sorbus intermedia Swedish Whitebeam	240	1	4	2.5	2.5	2	2	1	1.5	M	Fair	Minor stem bark wounds	Lift over road	P	20-40	B2	2.88	26.06
G131	5292	Acer platanoides Norway maple	230	1	9	3	4	1	2	2	2	M	Good	Minor dead wood	None	N/A	40+	B2	2.76	23.93
G131	5293	Acer saccharinum Silver maple	295	1	10	5	1	3	3	2	2	M	Good	No visible defects	None	N/A	40+	B2	3.54	39.37
G131	5294	Acer pseudoplatanus Sycamore	333	1	10	3	3	6	3	2	3	M	Good	No visible defects	None	N/A	40+	B2	4	50.17
G131	5295	Acer pseudoplatanus Sycamore	342	1	9	2	4	5	3	2	2.5	M	Good	No visible defects	None	N/A	40+	B2	4.1	52.92
G132	5296	Acer saccharinum Silver maple	266	1	7	3	3	3	3	3	2	M	Good	No visible defects	None	N/A	40+	B2	3.19	32.01
G132	5297	Acer saccharinum Silver maple	182	1	7	2	3	0	3	3	2	M	Fair	Minor dead wood, suppressed	Fell to ground level	P	<10	C2	2.18	14.99
G132	5298	Acer saccharinum Silver maple	309	1	7	3	3	3	3	3	2	M	Fair	No visible defects	None	N/A	40+	B2	3.71	43.2
G132	5299	Acer pseudoplatanus Sycamore	251	MS	4.5	1	1	1	1	6	0.5	Y	Fair	No visible defects, seedling	None	N/A	40+	C2	2.51	19.79
G132	5300	Acer cappadocium Maple	303	1	8	3	3	3	3	3	1	M	Good	No visible defects	None	N/A	40+	B2	3.64	41.54
G133	5301	Acer platanoides Norway maple	323	1	8	3	5	5	4	2	2	M	Good	Tight forks included bark	None	N/A	40+	B2	3.88	47.2
G133	5302	Acer platanoides Norway maple	386	1	8.5	3	2	4	4	2	2.5	M	Good	No visible defects	None	N/A	40+	B2	4.63	67.41
G133	5303	Acer platanoides Norway maple	321	1	8	3	3	3	3	2	2	M	Good	No visible defects	None	N/A	40+	B2	3.85	46.62
G133	5304	Acer platanoides Norway maple	354	1	8	4	3	4	4	2	2	M	Good	Tight forks with included bark	None	N/A	40+	B2	4.25	56.7
G137	5330	Sorbus intermedia Swedish Whitebeam	112	1	4	1.5	1.5	1.5	1.5	1.5	2	SM	Fair	Basal bark wound	None	N/A	10-20	B2	1.34	5.68
G137	5331	Sorbus intermedia Swedish Whitebeam	105	1	4	1.5	1.5	1.5	1.5	1.5	2	SM	Good	No visible defects	None	N/A	10-20	B2	1.26	4.99
G137	5332	Sorbus intermedia Swedish Whitebeam	107	1	4	1.5	1.5	1.5	1	1.5	2	SM	Fair	No visible defects	None	N/A	10-20	B2	1.28	5.18
G147	5390	Cupressocyparis leylandii Leyland cypress	534	1	15	2	2	1	2	1	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	6.41	129.02
G147	5391	Cupressocyparis leylandii Leyland cypress	419	1	15	2	2	2	1	1	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	5.03	79.43
G147	5395	Cupressocyparis leylandii Leyland cypress	477	1	15	2	2	2	2	1	2	M	Good	Included bark to main branch unions	Nil	N/A	10-20	C1,2	5.72	102.95
G147	5396	Cupressocyparis leylandii Leyland cypress	379	1	15	2	2	2	2	1	2	M	Good	Previous wind damage, else No visible defects	Remove broken branches	P	20-40	B1,2	4.55	64.99
G147	5397	Cupressocyparis leylandii Leyland cypress	374	MS	15	2	2	0	2	1	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	3.74	43.95
G147	5398	Cupressocyparis leylandii Leyland cypress	475	1	15	2	2	1	1	1	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	5.7	102.08
G147	5399	Cupressocyparis leylandii Leyland cypress	490	1	15	2	2	2	1	1	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	5.88	108.63
G147	5408	Cupressocyparis leylandii Leyland cypress	358	1	13	2	2	2	2	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	4.3	57.99
G148	5416	Acer pseudoplatanus Sycamore	303	1	13	4	4	4	2	2	3	M	Good	Bark wounds 1 m stem	None	N/A	40+	C2	3.64	41.54
G148	5417	Cupressocyparis leylandii Leyland cypress	666	MS	15	3	3	2	3	1	2	M	Good	No visible defects	None	N/A	40+	C2	6.66	139.37
G148	5418	Acer pseudoplatanus Sycamore	303	1	13	3	3	4	4	2	3	M	Good	No visible defects	None	N/A	40+	C2	3.64	41.54
G148	5419	Cupressocyparis leylandii Leyland cypress	1049	MS	15	2	3	4	4	3	1	M	Good	No visible defects	None	N/A	40+	C2	10.49	345.75
G148	5420	Acer pseudoplatanus Sycamore	421	1	13	4	3	5	5	2	2	M	Fair	No visible defects	None	N/A	40+	C2	5.05	80.19
G148	5421	Cupressocyparis leylandii Leyland cypress	948	MS	15	3	2	4	3	1	2.5	M	Fair	No visible defects	None	N/A	40+	C2	9.48	282.37
G148	5422	Acer pseudoplatanus Sycamore	332	1	14	2	5	3	4	2	3	M	Fair	No visible defects	None	N/A	40+	C2	3.98	49.87
G148	5423	Cupressocyparis leylandii Leyland cypress	659	MS	15	3	2	2	3	1	2.5	M	Fair	No visible defects	None	N/A	40+	C2	6.59	136.45
G148	5424	Acer pseudoplatanus Sycamore	266	1	12	0	4	3	3	3	3	M	Poor	Suppressed by 5423	None	N/A	20-40	C2	3.19	32.01
G148	5425	Cupressocyparis leylandii Leyland cypress	1326	MS	15	3	4	4	3	0.5	2	M	Good	No visible defects	None	N/A	40+	B1	13.26	552.45
G152	5431	Cupressocyparis leylandii Leyland cypress	806	MS	11	2	3	3	3	2	2	M	Fair	No visible defects	None	N/A	40+	C2	8.06	204.12
G152	5433	Cupressocyparis leylandii Leyland cypress	1288	MS	11	4	4	4	4	1	3	M	Good	No visible defects	None	N/A	40+	C2	12.88	521.24
G152	5437	Cupressocyparis leylandii Leyland cypress	657	MS	11	2	4	3	4	1	1.5	M	Fair	Bark stripped east	None	N/A	40+	C2	6.57	135.62
G152	5438	Cupressocyparis leylandii Leyland cypress	1414	MS	15	3	3	4	5	1	0	M	Fair	Bark stripping injury	None	N/A	40+	C1	14.14	628.21
G155	5461	Prunus avium plena Cherry	247	1	8	3	3	3	3	1	2	M	Good	Tight forks and included bark	None	N/A	20-40	C1	2.96	27.6
G159	5489	Acer platanoides Norway maple	253	1	9	4	3	3	3	3	2	M	Good	Old wound on main stem from ground to 1.2 m height. Occluding satisfactorily	Nil	N/A	20-40	C1	3.04	28.96
G159	5490	Acer platanoides Norway maple	268	1	8	3	2	3	2	3	2	M	Fair	Significant dead wood < 50 mm	Nil	N/A	20-40	B1	3.22	32.5
G159	5491	Acer platanoides Norway maple	299	1	8	4	4	4	4	3	2	M	Good	No visible defects	Nil	N/A	20-40	B1	3.59	40.45
G161	5501	Acer platanoides Norway maple	255	1	6	1	3	3	3	3	2	Y	Good	No visible defects, possible transplant	Nil	N/A	40+	A1	3.06	29.42
G161	5502	Acer platanoides Norway maple	201	1	6	1	2	3	1	3	2	Y	Fair	No visible defects, possible transplant	Nil	N/A	40+	A1	2.41	18.28
G172	5542	Crataegus monogyna Hawthorn	241	MS	4	3	1	1	2	2	2	M	Good	No visible defects	Nil	N/A	10-20	C1	2.41	18.25
G172	5545	Crataegus monogyna Hawthorn	214	1	4	1	1	1	2	2	2	M	Good	Some old wounds, possible decay to main stem	Nil	N/A	10-20	C1	2.57	20.72
G173	5556	Cupressocyparis leylandii Leyland cypress	352	1	15	3	3	3	3	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	4.22	56.06
G173	5557	Cupressocyparis leylandii Leyland cypress	378	1	15	3	3	3	3	2	2	M	Good	Damage, decay to lower main stem, else No visible defects	Nil	N/A	20-40	C1,2	4.54	64.65
G173	5558	Cupressocyparis leylandii Leyland cypress	362	1	15	3	3	2	2	2	2	M	Good	Included bark to main forks	Nil	N/A	20-40	B1,2	4.34	59.29
G173	5559	Cupressocyparis leylandii Leyland cypress	362	1	15	3	2	3	3	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	4.34	59.29
G173	5560	Cupressocyparis leylandii Leyland cypress	455	MS	16	3	3	3	2	2	2	M	Good	Included bark to main forks	Nil	N/A	20-40	B1,2	4.55	65.05
G173	5561	Cupressocyparis leylandii Leyland cypress	313	1	15	3	3	1	2	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	3.76	44.33
G173	5562	Cupressocyparis leylandii Leyland cypress	250	1	15	1	2	0	2	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	3	28.28
G173	5563	Cupressocyparis leylandii Leyland cypress	469	1	15	1	3	3	3	2	2	M	Good	Included bark to large forks	Nil	N/A	10-20	C1,2	5.63	99.52
G173	5564	Cupressocyparis leylandii Leyland cypress	325	1	15	3	3	2	3	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	3.9	47.79
G173	5565	Cupressocyparis leylandii Leyland cypress	355	1	15	3	3	1	3	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	4.26	57.02
G173	5566	Cupressocyparis leylandii Leyland cypress	419	MS	15	2	1	2	2	2	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	4.19	55.16
G173	5568	Cupressocyparis leylandii Leyland cypress	468	MS	15	3	1	3	2	2	3	M	Good	Included bark to fork at 1 m height	Nil	N/A	10-20	C1,2	4.68	68.82
G175	5573	Sorbus aria Whitebeam	192	1	8	2	2	2	2	1	2	Y	Fair	No visible defects	Nil	N/A	20-40	B1	2.3	16.68
G175	5575	Sorbus aria Whitebeam	235	1	8	3	1	3	3	1	2	Y	Fair	No visible defects	Nil	N/A	20-40	B1	2.82	24.99
G177	5579	Acer platanoides Norway maple	220	1	8	3	2	3	3	3	2	M	Good	No visible defects	Nil	N/A	20-40	B1,2	2.64	21.9
G177	5580	Acer platanoides Norway maple	226	1	8	2	3	3	3	3	2	M	Fair	No visible defects	Nil	N/A	20-40	B1,2	2.71	23.11
G160	5581	Acer platanoides Norway maple	227	1	6	2.5	2.5	3	3	2	2.5	M	Good	Minor branch injuries	Crown clean	P	40+	B2	2.72	23.31
G160	5582	Acer platanoides Norway maple	232	1	7	3	3	3	3	2	2.5	M	Good	Minor branch wound east	Crown clean	P	40+	B2	2.78	24.35
G160	5583	Acer platanoides Norway maple	274	1	7	4	3	3	3	2	2.5	M	Good	Surface root bark mower wounds	None	N/A	40+	B2	3.29	33.97
G160	5584	Acer platanoides Norway maple	239	1	7	3	3	3	3	2	2.5	M	Good	No visible defects	None	N/A	40+	B2	2.87	25.84
H33	5614	Cupressocyparis leylandii Leyland cypress	353															4.24	56.38	
H33	5615	Cupressocyparis leylandii Leyland cypress	218															2.62	21.5	
H33	5616	Cupressocyparis leylandii Leyland cypress	172															2.06	13.39	
H33	5617	Cupressocyparis leylandii Leyland cypress	260															3.12	30.59	
H33	5618	Cupressocyparis leylandii Leyland cypress	256															3.07	29.65	

Trees to be Removed due to Development and Phasing out of Exotic Conifers

Group No	Tag	Species (Botanical)	Diam (mm)	Stems	Ht m. (est)	Branch Spread				Increase in canopy radius (m)	Crown Ht	Age Class	Physiological Condition	Structural Condition	Preliminary Management	Priority	Remaining Contribution	Category Grading	Root Protection Zone Radius (m)	Root Protection zone (m2). Capped at 707m2
						N	S	E	W											
H33	5619	Cupressocyparis leylandii Leyland cypress	237																2.84	25.41
H33	5620	Cupressocyparis leylandii Leyland cypress	182																2.18	14.99
H33	5621	Cupressocyparis leylandii Leyland cypress	316																3.79	45.18
H33	5622	Cupressocyparis leylandii Leyland cypress	380																4.56	65.33
H33	5623	Cupressocyparis leylandii Leyland cypress	314																3.77	44.61