



NOTES: Based upon the Ordnance Survey map with permission of The Controller of Her Majesty's Stationery Office, © Crown Copyright.

Aspect Landscape Planning Ltd, West Court, Hardwick Business Park, Noral Way, Banbury OX16 2AF Licence 100045345 Copyright reserved 2m KEY: Proposed Trees Proposed Hedge Proposed Shrubs

PLANTING NOTES
All plants to be supplied in accordance with the HTA 'National Plant Specification' and from a
HTA certified nursery. All plants and trees to be planted in accordance with BS3936 and
BS8545. Delivery and handling of all plant material to be in accordance with
BS4428I/CLI/CPSE Code of Practice for 'Handling and Establishing Landscape Plants' Parts I,
II and III and BS8545.

BS4428/JCLI/CPSE Code of Practice for 'Handling and Establishing Landscape Plants' Parts I, II and III and BS8545.

Planting Pit and Trench Preparation
Tree pits in soft landscape to be excavated to 1mx1mx1m depth prior to topsoiling and all shrub planting areas excavated to 450mm depth. All proposed hedge planting trenches to be excavated to 60mm depth. Unless otherwise specified, all tree pits in hard landscape to be 2mx2mx1m, backfilled with compacted Urban Tree Soil.
The preparation of planting pits, bed or trenches shall comply with the appropriate British Standards, namely S84043, S8428, BS537 and BS8545.
Excavation of planting pits, beds or trenches shall not take place when the ground is frozen or waterlogged such that damage may occur to the structure of the soil. All excavated areas to be backfilled with either site won topsoil or imported topsoil to be BS3882-General purpose grade. All topsoiled areas to be clear of rocks and rubble larger than 50mm diameter and any other debris that may interfere with the establishment of plants. The Contractor shall break up and cultivate at the base of the trenches or planting pits. The sides of the trenches or planting pits and be loosened with a fork or other similar implement. All stones and the like over 75mm in any dimension, deleterious matter, weeds and weed roots brought to the surface by any cultivation or excavation shall be removed off site. The Contractor shall remove off site the excavated subsoil/fill material when preparing planting pits. The inported topsoil should make up any deficiencies caused by the removal of the subsoil/fill material. Trenches and pits shall have the topsoil and any subsoil/fill material when preparing planting pits. The sides (Root balled trees shall be well grown, healthy and with a compact, contained rootball. They shall be nursery grown and have been regularly watered. Prior to planting, all

accordance with best practice.

Planting
All plants shall be planted in a random fashion avoiding formal regimented lines at densities indicated in the schedule, unless otherwise specified. Unless otherwise specified, all hedgerows shall be planted in a double staggered rows and hedgerow mixes shall be planted in a double staggered rows and hedgerow mixes shall be planted in groups of 7, 9 & 13s at densities indicated on the schedule. Ornamental shrub planting mixes shall be planted in groups of 9, 13 & 15s. The selection, procurement, handling, storage and planting operations of all proposed trees shall be in accordance with BSB45/2014 - Trees: from nursery to independence in the landscape, recommendations.

Planting and associated operations shall comply with BS4043, BS4428, BS5837 and BS8545. Unless otherwise stated planting shall be carried out during the period of 1 Nov to 31 March when the ground is not frozen or water logged. If planting is required outside this period agreement shall be sought and all bare root plants shall be substituted with container grown stock.

Watering

All plants shall be watered in to field capacity immediately after planting and mulched with

50mm depth of medium grade crushed mulch. The Contractor shall water the trees, shrubs and
hedges once planted so that the entire tree pit or planted area is moistened to field
capacity, i.e. The amount of water retained by previously saturated soil once full drainage has
cassed". Watering to field capacity shall continue frequently and on a regular basis as
considered necessary by the landscape contractor and as necessary to ensure the successful
establishment and continued thriving of all planting. Additional watering shall be undertaken
during summer months and/or periods of drought. Post planting management and maintenance
specifically for new tree planting shall include ongoing irrigation and formative pruning as
utilined in BS8545. The period over which regular irrigation required for transplanted trees is
likely to be at least two full growing seasons to ensure successful establishment. As the root
system develops the frequency of irrigation can be reduced.

Staking

Staking
All trees within soft landscape areas to be double staked with cross bar and tied, using 1.5m The littles will fill soft indicated a least of the best of the little soft of the little

F	20.07.17	Planting amended to suit Proludic playspace design	BS	BS
E	22.08.16	Miscanthus replaces Perovskia	SFB	BS
D	22.08.16	Lavandula removed, Perovskia and Molinia added	SFB	BS
С	18.08.16	Planting amended to landscape officer comments	SFB	BS
В	06.07.16	Updated to council officers comments	CW	BS
ΕV	DATE	NOTE	Drawn	Chk'd
EVIS	SIONS			



Bankside, Longford Park Community Park NEAP Planting Plan

Taylor Wimpey, Bovis Homes, **Barratt Homes**

SCALE	DATE	DRAWN	CHK'D
1:200 @ A3	JULY 2016	BS	
DRAWING NUMBER	REVISION		
5205/ASP/CP.F	F		