Date 13.	.3.14. 1, 4, 8 April	Site: I	Uppe	er Heyfor	rd									Surve	yor: I	MR		Clie	ent:	Dorchester/bovis			Job no	):	D.0341	
							_		Spre	ad	_				/	n clearanc	e height									
5			fe		e		ę		e		fe		te		te	1 of		ate								
Number		Heig	Estimate	Stem	Estimate		ma	S	Estimate		Estimate		Estimate	1st	Estimate	1st branch		ma	Life		Structural	Physiological		Quality	RPA	RPA
nn	Species	ht	Esti	dia	Esti	N	Esti	s	Esti	E	Esti	w	Esti	brancl	list.	direction	Canopy	Estim	stage	General observations	condition	condition	ULE	grading	radius	area
T668	Cypress (Lawson)	18	-	340	-	4		1	-	3		1.5	#	0	-	-	1.5	#	M	Trunk divides at 6m	Fair	Good	10+	C1	9.0	255
T669	Cypress (Lawson)	18	-	590	-	3.5	-	3.5	5 -	4	-	3	-	2	#	North	0.5	#	М	Good form. Single stem.	Good	Good	20+	B1	7.1	157
T670	No tree	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
																				Western side of tree avenue lining disused Tarmac road.						
G671	Sycamore	18	#			0		0		0		0	_	0			0		м	Some weak forks and rubbing limbs on some component	Good	Good	20+	B2	0.0	0
0071	Oycamore	10	π		_	0		ľ		ľ		0	-	0		_	U U	-	101	trees. Component trees surveyed for RPA purposes.	0000	0000	20+	DZ	0.0	Ŭ
	-																									
T672	Sycamore	0	-	730	-	0	-	0	_	0	-	0	-	0	-	-	0	-	-	Surveyed for RPA purposes	-	-	-	-	8.8	241
T673	Sycamore	0	-	750	-	0	-	0	_	0	-	0	-	0	-	-	0	-	-	Surveyed for RPA purposes	-	-	-	-	9.0	255
T674	Sycamore	0	-	730	-	0	-	0	_	0	-	0	-	0	-	-	0	-	-	Surveyed for RPA purposes	-	-	-	-	8.8	241
T675 T676	Sycamore Sycamore	0	-	480 640	-	0	-	0	_	0	-	0	-	0	-	-	0	-	-	Surveyed for RPA purposes	-	-	-	-	5.8 7.7	104 185
T676	Sycamore	0	-	590	-	0	-	0	_	0	-	0	-	0		-	0	-	-	Surveyed for RPA purposes Surveyed for RPA purposes	-	-	-	-	7.1	165
T678	Sycamore	0	-	300	-	0	-	0	_	0	-	0	-	0		-	0	-	-	Surveyed for RPA purposes	-	-	-	-	3.6	41
T679	Sycamore	0	-	670	-	0	-	0	_	0		0	-	0	+-		0	-	-	Surveyed for RPA purposes			-	-	8.0	203
	,											-		Ţ	+											
T680	Box	6	-	220	-	4	-	3	-	3.5	-	3	-	0	-	-	1	#	М	Attractive tree. Multi stemmed with rounded crown form.	Good	Good	20+	B1	2.6	22
T681	Ash (Common)	14	-	470	-	6	-	5.5	5 -	6	-	6.5	-	4.5	-	South	4	-	М	Trunk divides at 2m	Good	Good	20+	B1	5.6	100
																				Vounces our provide form a continuation of C7. A control						
	Sycomoro Lowcon																			Younger sycamores form a continuation of G7. A central row of trees is composed of Lawson cypress to the south						
G682	Sycamore, Lawson	20	-		-	0	-	0	-	0	-	0	-	0	-	-	0	-	М	and sycamore to the north. Individual trees surveyed for	Good	Good	20+	B2	0.0	0
	Cypress																			RPA purposes. Hard surface (west) to within 2m of trunks.						
T683	Sycamore	0	-	610	-	0	_	0	_	0	-	0	-	0	-	-	0	-	-	Surveyed for RPA purposes	-	-	-	-	7.3	168
T684	Sycamore	0	-	280	-	0	_	0	_	0	-	0	-	0	-	-	0	-	-	Surveyed for RPA purposes	-	-	-	-	3.4	35
T685	Sycamore	0	-	280	-	0	-	0	_	0	-	0	-	0	-	-	0	-	-	Surveyed for RPA purposes	-	-	-	-	3.4	35
T686	Sycamore	0	-	340	-	0	-	0	_	0	-	0	-	0	-	-	0	-	-	Surveyed for RPA purposes	-	-	-	-	4.1	52
T687 T688	Sycamore Sycamore	0	-	340 250	-	0	-	0	_	0	-	0	-	0	-	-	0	-	-	Surveyed for RPA purposes Surveyed for RPA purposes	-	-	-	-	4.1 3.0	52 28
T689	Sycamore	0	-	250	-	0	-	0	_	0	-	0	-	0		-	0	-	-	Surveyed for RPA purposes	-	-	-	-	3.0	20
T690	Sycamore	0	-	300	-	0	<u> </u>	0	_	0	-	0	-	0	-	-	0	-	-	Surveyed for RPA purposes	-	-	-	-	3.6	41
T691	Sycamore	0	-	430	-	0	-	0	_	0	-	0	-	0	-		0	-	-	Surveyed for RPA purposes	-	-	-	-	5.2	84
T692	Sycamore	0	-	180	-	0	-	0	_	0	-	0	-	0	1-	-	0	-	-	Surveyed for RPA purposes	-	-	-	-	2.2	15
T693	Sycamore	0	-	410	-	0	-	0	_	0	-	0	-	0	-	-	0	-	-	Surveyed for RPA purposes	-	-	-	-	4.9	76
T694	Sycamore	0	-	340	-	0	-	0	-	0	-	0	-	0	-	-	0	-	-	Surveyed for RPA purposes	-	-	-	-	4.1	52
T695	Sycamore	0	-	400	-	0	-	0	-	0	-	0	-	0	-	-	0	-	-	Surveyed for RPA purposes	-	-	-	-	4.8	72
T696	Sycamore	13	-	574	-	5	-	6.5	5 -	6.5	-	4.5	-	4	#	South	4	#	М	Twin stems with included bark	Fair	Good	10+	C1	6.9	149
T697	Sycamore	0	-	450	-	0	-	0	-	0	-	0	-	0	-	-	0	-	-	Surveyed for RPA purposes	-	-	-	-	5.4	92
T698	Pine (Bhutan)	14	#	400	#	7	#	6	#	5.5	#	5.5	#	2	#	North	2	#	м	An unusual species for the site. Good form and vitality.	Good	Good	40+	A1	4.8	72
1000			"	100	"	'	"	Ŭ	"	0.0	"	0.0	"	2	"	Horan	-	"			0000	0000	101	7.1	4.0	12
	Lawson cypress,																			An unremarkable group in a garden setting with the						
G699	Norway spruce,	14	-	300	#	0	-	0	-	0	-	0	-	0	-	-	0	-	М	exception of T34	Fair	Good	10+	C2	3.6	41
	Bhutan pine				_		-		-						+-	Couth				Fundate on stam 0 Em W. Journal growing from limb union						
700	Maple (Norway)	12	#	600	-	8	-	7	#	7.00	) #	8	-	2	-	South	2	#	М	Exudate on stem 0.5m W. laurel growing from limb union at 2m. Remove laurel.	Good	Good	20+	B1	7.2	163
G701	Pine (Scots)	14	#	400	_	0	-	0	+-	0.00		0	H	0	-	west	0		м	Cohesive group dominated slightly by T700	Good	Good	20+	B2	4.8	72
T702	Pine (Scots)	0	-	400	- #	0	-	0	-	0.00		0	-	0	+-	-	0	-	M	Surveyed for RPA purposes	-	-	-	B2 B2	4.8	72
T702	Pine (Scots)	0		300	#	0	1-	0	_	0.00		0	-	0	1-	- 1	0	-	M	Surveyed for RPA purposes	-	-	-	B2	3.6	41
T704	Pine (Scots)	0	-	420	#	0	1 -	0	_	0.00		0	-	0	1 -	-	0	-	M	Surveyed for RPA purposes	-	-	-	B2	5.0	80
T705	Pine (Scots)	0	-	330	#	0	-	0	-	0.00		0	-	0	-	-	0	-	М	Surveyed for RPA purposes	-	-	-	B2	4.0	49
			щ			5.5	1			1		4	ш	4 5	щ	South		ц.			Fair	Cool	10.			
T706	Maple (Norway)	12	#	450								•	#	1.5	#	west	2	#	Μ	Three-stemmed at base with weak forks	Fair	Good	10+	C1	5.4	92
T707	Pine (Scots)	14		350			_	_		2.00		2.5	#	0	-	-	4	#	М	Good form.	Good	Good	20+	B1	4.2	55
T708	Maple (Norway)	10	#	450	#	0	-	0	-	0.00	) -	0	-	0	-	-	0	-	М	Multi-stemmed at base with weak forks	Fair	Good	10+	C1	5.4	92
T709	Pine (Scots)	8	#	280	#	2	#	3	#	1 00	) #	35	#	3	#	North	3	#	М	Dense ivy. Leans W.	Fair	Good	10+	C1	3.4	35
		Ľ	"	200	"	-	<i>"</i>	Ľ	"		<u> </u>	0.0	"	Ŭ		east	L _	"		-	1 011	0000		<u> </u>	0.7	
G710	Birch, Norway maple,	9.5	#	350	#	0	-	0	-	0.00	) - (	0	-	0	-	-	0	-	М	Established tree group within garden. Larger comment	Good	Good	20+	B2	4.2	55
	Scots pine		Ľ,			Ľ	-	Ļ	_			-		Ť	+					trees surveyed individually						
0744	S)					_				0.00				~						Cohesive group of three trees. Dense ivy on southernmost	Cool	Cast	20.	<b>D</b> 0	0.0	~
G711	Sycamore	0	-		-	0	1-	0	1-	0.00	'  -	0	-	0	1-	·	0	-	М	tree. A dominant tree group in the area. Recommend	Good	Good	20+	B2	0.0	0
			$\vdash$				$\vdash$	+	+		+		$\vdash$		+					remove all ivy from lower 2m of stem Surveyed for RPA purposes. Minor bark inclusion at 1m						┝──┤
T712	Sycamore	0	-	680	-	0	-	0	-	0.00	) -	0	-	0	-	-	0	-	М	bifurcation	Fair	Good	20+	B2	8.2	209
							1	1		1						1	I			Dirurcation		1				

Date 13.	.3.14. 1, 4, 8 April	Site:	Uppe	er Heyfo	ord									Surve	eyor:	MR		Clie	ent:	Dorchester/bovis			Job no	):	D.0341	
			Ľ						Sprea	ad				(	Crow	n clearanc	e height									
Number		Heia	Estimate	Stem	Estimate		Estimate		Estimate		Estimate		mate	1st branc	mate	1st branch direction		Estimate	Life		Structural	Physiological		Quality	RPA	RPA
NUN	Species	ht	Esti	dia	Esti	N	Esti	s	Esti	E	Esti	w	Esti	brand	sh [∷	direction	Canopy	Esti	stage	General observations	condition	condition	ULE	grading	radius	area
 T713	Sycamore	0	-	950	-	0		0		0.00		0	-	0		-	0	-	M	Surveyed for RPA purposes	Good	Good	20+	B2	11.4	408
T714	Sycamore	0	#	520	- 1	0	-	0	-	0.00	_	0	-	0	-	-	0	-	M	Surveyed for RPA purposes	Good	Good	20+	B2	6.2	122
T715	Cherry (Ornamental flowering)	5	#	200	#	3.5	-	6	-	5.50	-	4	-	2	#	South west	1.5	#	М	Leans SW	Fair	Good	10+	C1	2.4	18
S716	Cypress, laurel, viburnum, ceonothus, aucuba.	3.5	#		-	0	-	0	-	0.00	-	0	-	0	-	-	0	-	М	Ornamental planting	Good	Good	10+	C1	0.0	0
H717	Cypress (Leyland)	2	-		-	0	-	0	-	0.00	-	0	-	0	-	-	0	-	М	Neat trimmed form. Width of each 1m	Good	Good	10+	C2	0.0	0
G718	Ash (Common)	12	-		-	0	-	0	-	0.00	-	0	-	0	-	-	0	-	EM	Well spaced trees. Component trees surveyed individually for RPA purposes	Good	Good	20+	B2	0.0	0
T719	Ash (Common)	0	-	340	-	0	-	0	-	0.00		0	-	0	-	-	0	-	-	Surveyed for RPA purposes	Good	Good	20+	B2	4.1	52
T720	Ash (Common)	0	-	220	-	0	-	0	-	0.00		0	-	0	-	-	0	-	-	Surveyed for RPA purposes	Good	Good	20+	B2	2.6	22
T721	Ash (Common)	0	-	220	-	0	-	0	-	0.00	-	0	-	0	-	-	0	-	-	Surveyed for RPA purposes	Good	Good	20+	B2	2.6	22
T722	Ash (Common)	0	-	310	-	0	-	0	-	0.00	-	0	-	0	-	-	0	-	-	Surveyed for RPA purposes	Good	Good	20+	B2	3.7	43
T723	Ash (Common)	0	-	210	-	0	-	0	-	0.00		0	-	0	-	-	0	-	-	Surveyed for RPA purposes	Good	Good	20+	B2	2.5	20
T724	Ash (Common)	0	-	330	-	0	-	0	-	0.00		0	-	0	-	-	0	-	-	Surveyed for RPA purposes	Good	Good	20+	B2	4.0	49
T725	Acacia (False)	9.5	-	280	-	1.5	-	6	-	5.00	-	4.5	-	2	#	South	2.5	#	М	Part suppressed. Leans S	Fair	Good	10+	C1	3.4	35
T726	Acacia (False)	11	-	390	-	5	-	5.5	-	5.50	-	6	-	2	#	South west	2.5	#	М	Stem divides at 3m with tight forks and possible bark inclusion	Fair	Good	10+	C1	4.7	69
T727	Acacia (False)	13	-	550	-	4.5	-	6	-	5.50	-	0	-	3.5	#	South	2.5	#	М	Small amounts of deadwood.	Good	Good	20+	B1	6.6	137
728	Duplicate survey item. Ref G539	na	-	na	-	na	-	na	-	na	-	na	-	na	-	na	na	-	na	na	na	na	na	na	na	na
T729	Maple (Norway)	0	-	230	-	0		0	-	0.00		3	-	0	-	-	0	-	EM	Surveyed for RPA purposes. Mower damage to surface roots.	Good	Good	20+	B2	2.8	24
T730	Maple (Norway)	0	-	190	-	0	-	0	-	0.00		0	-	0	-	-	0	-	EM	Surveyed for RPA purposes. Girdling root N.	Good	Good	20+	B2	2.3	16
T731	Maple (Norway)	0	-	190	-	0	-	0	-	0.00	_	0	-	0	-	-	0	-	EM	Surveyed for RPA purposes	Good	Good	20+	B2	2.3	16
T732	Maple (Norway)	0	-	250	-	0	-	0	-	0.00	-	0	-	0	-	-	0	-	EM	Surveyed for RPA purposes	Good	Good	20+	B2	3.0	28
T733	Maple (Norway)	0	-	310	-	0	-	0	-	0.00	-	0	-	0	-	-	0	-	EM	Surveyed for RPA purposes. Mower damage to surface roots.	Good	Good	20+	B2	3.7	43
734	Duplicate survey item. Ref G540	na	-	na	-	na		na		na	-	na	-	na	-	na	na	-	na	na	na	na	na	na	na	na
T735	Cherry (Wild)	0	-	340	-	0	-	0	-	0.00	_	0	-	0		-	0	-	М	Surveyed for RPA purposes	Good	Good	20+	B2	4.1	52
T736	Cherry (Wild)	0	-	200	-	0	-	0	-	0.00	_	0	-	0	-	-	0	-	М	Surveyed for RPA purposes	Good	Good	20+	B2	2.4	18
T737	Cherry (Wild)	0	-	430	-	0	-	0	-	0.00	-	0	-	0	-	-	0	-	М	Surveyed for RPA purposes	Good	Good	20+	B2	5.2	84
738	Duplicate survey item. Ref G561	na	-	na	-	na	-	na	-	na	-	na	-	na	-	na	na	-	na	na	na	na	na	na	na	na
739	Duplicate survey item. Ref G560	na	-	na	-	na	-	na	-	na	-	na	-	na	-	na	na	-	na	na	na	na	na	na	na	na
740	Duplicate survey item. Ref G559	na	-	na	-	na	-	na	-	na	-	na	-	na	-	na	na	-	na	na	na	na	na	na	na	na
741	Duplicate survey item. Ref G558	na	-	na	-	na		na	-	na	-	na	-	na	-	na	na	-	na	na Surveyed for DDA surresso	na	na	na	na	na	na
T742	Sycamore	0	-	650.69 410	-	0	_	0	-	0.00		0	-	0		<u> </u>	0	-	M	Surveyed for RPA purposes	Good	Good	20+	B2 B2	7.8	192
T743	Sycamore	0	-		-	0	-	0	1-	0.00		0	-	0		-	0	<u>  -</u>	M	Surveyed for RPA purposes	Good	Good	20+		4.9	76
T744	Sycamore	0	-	520 440	-	0	_	0	+-	0.00		0	-	0		<u> </u>	0	<u>  -</u>	M	Surveyed for RPA purposes	Good	Good	20+ 20+	B2 B2	6.2	122
T745 G746	Sycamore Maple (Norway)	11	-	440	-	0		0		0.00		0	-	0	-	-	0	-	EM	Surveyed for RPA purposes Cohesive tree group. Relevant component trees surveyed for RPA purposes	Good Good	Good Good	20+	B2 B2	5.3 0.0	88 0
T747	Maple (Norway)	0		220		0	1-	0	1-	0.00	<u> </u> _	0	-	0		<u> </u>	0	1-	EM	Surveyed for RPA purposes	Good	Good	20+	B2	2.6	22
T748	Maple (Norway)	0		240		0	_	0	-	0.00		0	-	0		-	0	1.	EM	Surveyed for RPA purposes	Good	Good	20+	B2	2.0	26
T749	Maple (Norway)	0	-	240	- 1	0	-	Ō	- 1	0.00		0	-	0	1.		0	1 -	EM	Surveyed for RPA purposes	Good	Good	20+	B2	2.9	26
T750	Maple (Norway)	0	- 1	170	- 1	0	_	0	- 1	0.00		0	-	0			0	- 1	EM	Surveyed for RPA purposes	Good	Good	20+	B2 B2	2.0	13
T751	Maple (Norway)	0		270	<u> </u> _	0	-	0	1 -	0.00		0	-	0		<u> </u>	0	-	EM	Surveyed for RPA purposes	Good	Good	20+	B2 B2	3.2	33
T752	Sycamore	17		640	<u> </u> _	2		8.5	-	5.00		5	-	4	#	South	3.5	#		Leans S	Fair	Good	10+	C1	7.7	185
G753	Sycamore, ash	19	-		-	0	-	0	-	0.00	-	0	-	0	-	-	0	-	М	Cohesive tree group. Open canopy with central area due to previous tree removal. Relevant component trees surveyed for RPA purposes	Good	Good	20+	B2	0.0	0
T754	Sycamore	0	-	440	-	0	_	0		0.00		0	-	0	-	-	0	-	М	Surveyed for RPA purposes	Good	Good	20+	B2	5.3	88
T755	Sycamore	0	-	460	-	0	-	0	-	0.00	-	0	-	0	-	-	0	-	М	Surveyed for RPA purposes	Good	Good	20+	B2	5.5	96
T756	Sycamore	15	#	500	#	2.5	#	7.5	#	3.50	#	4.5	#	0	-	-	0	-	М	Leans S. Ustulina deusta decay fungi at base. Weak fork at 1m where stem divides. Recommend fell tree within one month of the date of issue of survey information	Poor	Fair	<10	U	6.0	113

Spectra   Normal	Date 13.	3.14. 1, 4, 8 April	Site:	Upp	er Heyfo	ord								ŝ	Survey	or: N	ИR		Clie	ent:	Dorchester/bovis			Job no	):	D.0341	
TTPS   Systemmer   1   4   0   -   0   -   N   Momental matrix   Geno 1   Geno 2   Del   For   For  <								1		Ť.			_	_													
Trip   Syramore   10   4   0 <t< td=""><td>ber</td><td></td><td></td><td>nate</td><td></td><td>nate</td><td></td><td>nate</td><td></td><td>nate</td><td></td><td>nate</td><td></td><td>nate</td><td></td><td>nate</td><td>1st</td><td></td><td>nate</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>	ber			nate		nate		nate		nate		nate		nate		nate	1st		nate								
TYP   Systement   1   2   2   0 <th< td=""><td>Inm</td><td>Spacios</td><td>-</td><td>Estir</td><td></td><td>stir</td><td>N</td><td>stin</td><td>9</td><td>stin</td><td>F</td><td>stin</td><td>~</td><td>stin</td><td>1st branch</td><td>stin</td><td>branch</td><td>Canony</td><td>stin</td><td></td><td>Conoral observations</td><td></td><td></td><td></td><td></td><td></td><td>RPA area</td></th<>	Inm	Spacios	-	Estir		stir	N	stin	9	stin	F	stin	~	stin	1st branch	stin	branch	Canony	stin		Conoral observations						RPA area
Tria   Systemen   13   #   50   #   60   #   60   F   0   F   Normal State   Four   Four   Four   C   0   18     1770   Systemen   0   1   43.38   0   0   0   0   -   0   -   1   Systement for March State   Good   Good </td <td></td> <td></td> <td></td> <td>ш -</td> <td></td> <td>-</td> <td></td> <td><u> </u></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>- 1</td> <td></td> <td><u> </u></td> <td>-</td> <td></td> <td><u>ш</u></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>80</td>				ш -		-		<u> </u>						- 1		<u> </u>	-		<u>ш</u>								80
Type   Systemate   0   4   0   - <t< td=""><td></td><td></td><td>Ť</td><td></td><td></td><td></td><td>-</td><td></td><td></td><td></td><td></td><td></td><td>Ť</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>			Ť				-						Ť														
T786   Systemate   0   1   0 <t< td=""><td>T758</td><td>Sycamore</td><td>13</td><td>#</td><td>320</td><td>#</td><td>0.5</td><td>#</td><td>5.5</td><td>#</td><td>4.50</td><td># (</td><td>0.5</td><td>#</td><td>0</td><td>-  </td><td>-</td><td>0</td><td>-</td><td>Μ</td><td></td><td>Poor</td><td>Fair</td><td>&lt;10</td><td>U</td><td>3.8</td><td>46</td></t<>	T758	Sycamore	13	#	320	#	0.5	#	5.5	#	4.50	# (	0.5	#	0	-	-	0	-	Μ		Poor	Fair	<10	U	3.8	46
Trib   Systemm   0   1   0	TTTO				400.00								_									0			50	5.0	0.5
TPR   Systemum   0   1   0			-	-		-	-	_	-	_		_	-	-	-	-	-	-	-	-							85 72
TYRE   Ahh (Common)   7   7   7   7   9   A   Constrained   Stem dotiget all minimum of the membrane and themembrane and the membrane and themembrane and the membrane and		,	-	-		-	-	-		-		_	_	-	-		-	-	-	-				-			43
Triss   Assist Cummon   Tit   I	-		-	-		-	-	-		-		_	-	-	-	#	East		#	М							157
Trips   Abs (Common)   6   2   8   5   a   4   a	T763	· · · · · · · · · · · · · · · · · · ·	17		370		65		6		7 50	_ /	5 5		1	#	Fast	2	#	М		Fair	Fair		C1	4.4	62
Tr8s   Sycamore   14   570   6   7   #   7.00   #   7   0   -   0   0				_										_		π											
Tres   Systamore   14   -   570   -   6   -   0   -   0   -   M   Systamore supplications with a marking supplication supplication supplication with a marking supplication supplison supplison supplication suplison supplication supplication su	T764	Ash (Common)	18	-	380	-	5	-	3.5	-	8.00	#	4	-	4	#	East	1.5	#	Μ		Good	Good	20+	B1	4.6	65
1766   Sycamore   14   4   0   1   4   7.00   F   1   0   1   1   0   1   1   0   1   1   0   1   1   0   1   1   0   1   1   0   1   1   0   1   1   0   1   1   0   1   1   0   1   1   0   1   1   0   1   1   0   1   1   0   1   1   0   1   1   0   1   1   0   1																											
Image: constraint of the second state of st	T765	Sycamore	14	-	570	-	6	-	7	#	7.00	#	7	-	0	-	-	0	-	Μ		Poor	Fair	<10	U	6.8	147
Trige   Sycamore   14   -   420   -   6   -   2   -   40   #   North   4.5   #   M   Bigod adaptive growth. Recommend detailed inspection with trom of data of asyste protein with trecom of asyste protein with trom of data of asyste pro																											
1786 Systemute 18 2 4 0 0 4 a n number 1.5 a number																											
Trian   Trian <th< td=""><td>T766</td><td>Svcamore</td><td>14</td><td>-</td><td>420</td><td>-</td><td>6</td><td>-</td><td>2</td><td>-</td><td>4.00</td><td>-</td><td>4</td><td>-</td><td>4</td><td>#</td><td>North</td><td>4.5</td><td>#</td><td>м</td><td></td><td>Poor</td><td>Fair</td><td>10+</td><td>C1</td><td>5.0</td><td>80</td></th<>	T766	Svcamore	14	-	420	-	6	-	2	-	4.00	-	4	-	4	#	North	4.5	#	м		Poor	Fair	10+	C1	5.0	80
Trop   Sycamore   15   #   500   #   A   #   M vist   5   #   M month disk   6   Port   Fair   10+   C1   6.0     1768   Aah (Common)   20   530   6   -   4   -   7   #   North west   5   #   M Moderale amounts of many disk dowd with month disk disk disk disk dowd with month disk disk disk disk disk disk disk disk		- ,			-													_							-		
1767 Sycamore 15 # 500 # M recommendations within 1 month of date of issue of this support. Poor Fair 10+ C1 6.0   T788 Ash (Common) 20 - 530 - 6.0 - 7 # North 8 # M Moderate amounts of major deadwood within 1 month of date of issue of this support. Good 20+ B1 6.4 6.0 - 7.7 # North 8 # M Moderate amounts of major deadwood within 1 month of date of issue of this support. Fair Fair 10+ C1 6.0   1776 Ash (Common) 16 - 3.7 - 6. 5 5 - 5.5 # M Moderate amounts of major deadwood within 1 month of date of issue of this support. Fair Poor 10+ C1 4.4   1777 Ash (Common) 18 - 8 - 7.7 A Moderate amounts of major deadwood within 1 month or date of assue of this support. Fair Poor 10+ C1 4.4   1777 Ash (Common) 18 -														-		-											
Image: Instrument   Image:	T767	Svcamore	15	#	500	#	6.5	-	5	-	6.00	-	4	-	4	#		5	#	М		Poor	Fair	10+	C1	6.0	113
Tres Ash (Common) 20 - 50 - 6 - 7 # North (west) 8 # M Recommend remove major deadwood within thronth of dissue of this report. Good Good 20 2.0 - 5.5 # M Recommend remove major deadwood within thronth of dissue of this report. Good Good 2.0 - 6.5 - 7 # M Recommend remove major deadwood within thronth of dissue of this report. Good Good 2.0 - 6.5 - 5.5 # M Mederate announts of minor deadwood throughout crown. Thinner than average crown registree many species. Appears Fair Poor 10+ C1 4.1   T770 Ash (Common) 18 - 8.0 7 7 4 North 6 # M Larger trainescale Appears Fair Poor 10+ C1 4.1 5.5 # M Larger trainescale Appears Fair Ap		-,															west										
1769 Ash (Common) 20 - 6 - 7 # east 8 # M Recommend memore may ready dealwood with month Good Good Good 200 20 5 - 10 10 10 10 10 10 10 10 10 10 10 10 10 1																	North										
T789   Ash (Common)   16   -   0   -	T768	Ash (Common)	20	-	530	-	6	-	4.5	i -	6.00	-	6	-	7	#		8	#	Μ	· · · · · · · · · · · · · · · · · · ·	Good	Good	20+	B1	6.4	127
T769 Ash (Common) 16 - 370 - 6 - 6.5 + North 5.5 # M Thinner than average crown for age and species. Appears Fair Fair 10+ C1 4.4   T770 Ash (Common) 18 - 5.5 + 5.0 + 2 - 4 North Thinner than average crown for age and species. Appears Fair Poor 10+ C1 4.4   T771 Ash (Common) 18 - 5.0 + 6 # South 5 # M Thinner than average trage crown for age and species. Appears Fair Poor 10+ C1 4.2   T771 Ash (Common) 18 - 5.0 + 5.5 # North 2.# # M Larger tree within overail group Good Good 200+ B1 5.3 # South 8 # M Larger tree on edge of overail group Good Good 200+ B1 5.3 # South 8 # M Larger tree on edge of overail grou										_	+	$\rightarrow$	$\rightarrow$	_													
Tr70   Ash (Common)   18   -   5.5   5   5.0   -   2   4   North   6   #   M   Thinner than average crown weighted N   -   North   6   #   M   Charger tee mide of overall group   Fair   Good   20+   B   6   6   6   0   -   0   -   0   -   0   -   0   -   0   -   0   -   0   -   0   -   0   -   0   -   0   -   0   -   0   -   0   -   0   -   0   -   0   -   0   -	T760	Ash (Common)	16		370		6		1		2 00		3.5		5		North	5.5	#	м		Fair	Fair	10+	C1	11	62
T770 Ash (Common) 18 - 350 - 5.5 - 5.0 - 2 - 4 North 6 # M Thinner than average crown for age and species. Appears Fair Poor 10+ C1 4.2   1777 Ash (Common) 19 - 460 - 6 - 6.4 South 5 # M Larger tree within overall group Fair Good 200 B1 5.3   1777 Ash (Common) 18 - 570 - 6 - 5.0 - North 2 # M Larger tree on edge of overall group Good Good 200 B1 5.3   7773 Ash (Common) 12 - 480 - 5 - North 8 # M Larger tree on edge of overall group Good 200+ B1 5.3 Fair - 0 0 - 0 - 0 - 0 - 0 - 0 - M Larger tree on edge of overall group <td< td=""><td>1703</td><td>Asir (Common)</td><td>10</td><td>_</td><td>570</td><td></td><td>Ŭ</td><td></td><td>1</td><td></td><td>2.00</td><td>Ē</td><td>5.5</td><td></td><td>5</td><td></td><td>west</td><td>0.0</td><td>"</td><td>IVI</td><td></td><td>i ali</td><td>1 411</td><td>10+</td><td>01</td><td>4.4</td><td>02</td></td<>	1703	Asir (Common)	10	_	570		Ŭ		1		2.00	Ē	5.5		5		west	0.0	"	IVI		i ali	1 411	10+	01	4.4	02
T771   Ash (Common)   19   - 460   -   8   -   T   -   7   -   7	T770	Ash (Common)	10		250		5 F		5		5 00		2		4		North	6	щ	NA		Foir	Boor	10.	C1	4.0	55
T772   Ash (Common)   20   440   -   6   -   6.5   #   North   7.5   #   M   Crown form suppressed by adjacent trees   Good   Good   20   B1   6.3     T773   Ash (Common)   21   480   7   7   7.4   4.5   1   North   8   #   M   average for age and species   Good   Good   20+   B1   5.8     G775   Sycamore   17   -   4.6   -   0   -   0   -   0   -   M   average for age and species   Good   Good   20+   B1   5.8     G775   Sycamore   0   -   0   -   0   -   0   -   M   Central tree has longlutual torsional cracking between time two not working convert of survey information   Poor   Fair   <10	-		_	-		-			5	-		-		-	-	-		-	#	IVI							
T773 Ash (Common) 18 - 50 6 6 6 7 - 4.5 # South 2 # M Larger tree on edge of overall group Good Good 20+ B1 6.8.   T774 Ash (Common) 21 - 480 - 5 + North 8 # M average for age and species Good Good 20+ B1 6.8.   G775 Sycamore 17 - 350 - 0 - 0 - - 0 - - M Central tree has longitudinal torsional cracking between tm add m with slime flux on south side. Central tree is dominant, group is cohesive. Poor Fair - - - - M Central tree has longitudinal torsional cracking between tm add m with slime flux on south side. Central tree is dominant, group is cohesive. Poor Fair				-		-		_	1	-				-	-				_								96
T774 Ash (Common) 21 480 9 6 6 6 6 6 7 North 8 # M average for age and species Good Good 20+ B1 5.8   G775 Sycamore 17 - 350 - 0 - 0 - 0 - 0 - M Central tree has longitudinal torsional cracking between transmit with sime flux on south side. Central tree is to south side. Central tree has commend remove group within 2 Months of date of issue of survey information Poor Fair <10				-		-		_	_	_		_	_	-													88 147
G775   Sycamore   17   -   350   -   0   -   0   -   0   -   0   -   0   -   0   -   0   -   M   Central tree has longitudinal torsional cracking between fm and 3m with slime flux on south side. Central tree is up within 2 Months of date of issue of survey information   Poor   Fair   <10   U   4.2     1776   Sycamore   0   -   0   -   0   -   M   Surveyed for RPA purposes   Poor   Fair   <10				-		-		_	-	_				-		-											104
G775   Sycamore   17   -   350   -   0   0   0   -   0   -   0									-				-		-												
Gr78 Sycamore 1 - 0 0 <th< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></th<>																											
T776   Sycamore   0   370   <	G775	Sycamore	17	-	350	-	0	-	0	-	0.00	-	0	-	0	-	-	0	-	М		Poor	Fair	<10	U	4.2	55
T777   Sycamore   0   - <th< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></th<>																											
T777   Sycamore   0   - <th< td=""><td>T776</td><td>Sycamore</td><td>0</td><td>-</td><td>370</td><td>-</td><td>0</td><td>-</td><td>0</td><td>-</td><td>0.00</td><td>-</td><td>0</td><td>-</td><td>0</td><td><u> </u></td><td></td><td>0</td><td>-</td><td>М</td><td>Surveyed for RPA purposes</td><td>Poor</td><td>Fair</td><td>&lt;10</td><td>U</td><td>44</td><td>62</td></th<>	T776	Sycamore	0	-	370	-	0	-	0	-	0.00	-	0	-	0	<u> </u>		0	-	М	Surveyed for RPA purposes	Poor	Fair	<10	U	44	62
T778 Sycamore 0 - M Cohesive group of four trees Good Good 20 - - 0 - M Surveyed for RPA purposes - - - - - - 0 - M Surveyed for RPA purposes - - - - - - - 0 - 0 -<			-	-		-		_	_	_		_	_	-	-	-	-	-	-						•		43
T780 Sycamore 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - M Surveyed for RPA purposes - - - 4.6   T782 Sycamore 0 - 0 0 0 0 0 - 0 - M Surveyed for RPA purposes - - - 4.2   T782 Sycamore 0 - 0 0 - 0 - 0 - M Surveyed for RPA purposes - - - 4.2   T783 Sycamore 16 570 - 7 2 # South 2 # M Surveyed for RPA purposes - - - 4.6   T784 Sycamore 13 - 10 - 6 8.00 - 2.5 # M Lar		Sycamore	0	-	350	-	0	-	0	-		-	0	-	0	-	-	0	-	Μ	Surveyed for RPA purposes	Poor	Fair		U	4.2	55
T781 Sycamore 0 - 0 0 0 0 <th< td=""><td></td><td></td><td></td><td>-</td><td></td><td>-</td><td>-</td><td>-</td><td></td><td>_</td><td></td><td>_</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td></td><td></td><td>Good</td><td>Good</td><td>20+</td><td>B2</td><td></td><td>0</td></th<>				-		-	-	-		_		_	-	-	-	-	-	-	-			Good	Good	20+	B2		0
T782 Sycamore 0 410 <				-		-	-			_		_	-	-	-	-	-	-	-			-	-	-	-		65
T783 Sycamore 0 - 0 - 0 - 0 - M Surveyed for RPA purposes - - - 5.3   T784 Sycamore 16 - 570 - 7 - 6 - 6.50 - 7 - 2 # South 2 # M Trunk splits into three at 2m Good Good 20+ B1 6.8   T785 Sycamore 13 - 510 - 6 - 7.5 7 + 6 - 7.4 North 8 # M Larger tree of group of two Good Good 20+ B1 6.8   T786 Ash (Common) 23 - 560 - 2 - 0.5 # East 2.5 M Supressed by adjacent ash. Fair Good 10+ C1 6.7   T787 Sycamore 13 - na - na - na - na na na na na na			-	-		-		_	-	-		_	_	-	Ŷ	-	-		-			-	-	-	-		55 76
T784 Sycamore 16 - 570 - 7 - 6 - 6.50 - 7 - 2 # M Trunk splits into three at 2m Good Good 20+ B1 6.8   T785 Sycamore 13 - 510 - 10 - 6 - 7.7 # North 8 # M Larger tree of group of two Good Good 20+ B1 6.1   T786 Ash (Common) 23 - 560 - 2 - 6 - 2.5 # East 2.5 - M Supressed by adjacent ash. Fair Good 10+ C1 6.7   T787 Sycamore 13 - 450 - 6 - 2 - West 3 # M Occluding bark damage at 1m N. Generally a good tree. Good Good 20+ B1 5.4   788 No item na - na - na na na na na na				-		-		<u> -</u>		_			-	-	-	+-	-		-			-		-	-		76 88
T785 Sycamore 13 - 510 - 10 - 6 - 7 # North 8 # M Larger tree of group of two Good Good 20+ B1 6.1   T786 Ash (Common) 23 - 560 - 2 - 6 - 8.00 - 4.5 - 2.5 # East 2.5 - M Supressed by adjacent ash. Fair Good 10+ C1 6.7   T787 Sycamore 13 - 450 - 6 - 2.5 # East 2.5 - M Supressed by adjacent ash. Fair Good 10+ C1 6.7   788 No item na - <td></td> <td></td> <td></td> <td>-</td> <td></td> <td>-</td> <td></td> <td>-</td> <td></td> <td>_</td> <td></td> <td>_</td> <td>-</td> <td>-</td> <td>-</td> <td>#</td> <td>South</td> <td></td> <td>#</td> <td></td> <td></td> <td></td> <td></td> <td>20+</td> <td>B1</td> <td></td> <td>147</td>				-		-		-		_		_	-	-	-	#	South		#					20+	B1		147
T787 Sycamore 13 - 450 - 6 - 2 - West 3 # M Occluding bark damage at 1m N. Generally a good tree. Good Good 20+ B1 5.4   788 No item na - na - na - na - na - na - na		Sycamore	13	-	510	-	10	-	-	-	8.00			-	7	#	North	8	_	Μ	Larger tree of group of two	Good		20+	B1	6.1	118
Average   Average <t< td=""><td>T786</td><td></td><td>23</td><td>-</td><td>560</td><td>-</td><td>2</td><td>-</td><td>6</td><td>-</td><td>8.00</td><td>- 4</td><td>4.5</td><td>-</td><td>2.5</td><td>#</td><td>East</td><td>2.5</td><td>-</td><td>Μ</td><td></td><td>Fair</td><td>Good</td><td>10+</td><td>C1</td><td>6.7</td><td>142</td></t<>	T786		23	-	560	-	2	-	6	-	8.00	- 4	4.5	-	2.5	#	East	2.5	-	Μ		Fair	Good	10+	C1	6.7	142
Average   Average <t< td=""><td>T787</td><td>Sycamore</td><td>13</td><td>  -  </td><td>450</td><td>-</td><td>6</td><td>-</td><td>4</td><td>-</td><td>5.00</td><td>-</td><td>6</td><td>-</td><td>2</td><td>-</td><td>West</td><td>3</td><td>#</td><td>М</td><td>Occluding bark damage at 1m N. Generally a good tree.</td><td>Good</td><td>Good</td><td>20+</td><td>B1</td><td>5.4</td><td>92</td></t<>	T787	Sycamore	13	-	450	-	6	-	4	-	5.00	-	6	-	2	-	West	3	#	М	Occluding bark damage at 1m N. Generally a good tree.	Good	Good	20+	B1	5.4	92
T789 Sycamore 13 - 260 # 2 # 4.5 - 2.00 - 4 - 2 # South 2 # M Smaller tree distinct from yet supressed by adjacent group Fair Good 10+ C1 3.1   G790 Sycamore 19 - 0 - 0 - 0 - 0 - M Cohesive group of five trees. Component trees surveyed for RPA purposes. Good Good 20+ B2 0.0   T791 Sycamore 0 - 0 - 0 - 0 - M Cohesive group of five trees. Component trees surveyed for RPA purposes. Good Good 20+ B2 0.0   T791 Sycamore 0 - 0 - 0 - M Surveyed for RPA purposes Good Good 20+ B2 4.8   T792 Sycamore 0 - 0 - 0 - 0 - M Surveyed for RPA purposes Good Good 20+ B2		-	<b>n</b> 2	$\vdash$		-			00	-		_		_		-		na		na			na		na		na
G790 Sycamore 19 - 0 - <t< td=""><td></td><td></td><td></td><td>H</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>+</td><td></td><td></td><td></td><td></td><td></td><td></td><td>Ē</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>				H								+							Ē								
G790 Sycamore II II II II II II III III IIII IIIII IIIIII IIIIIIIII IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	T789	Sycamore	13	<u> </u>	260	#	2	#	4.5	- [	2.00	-	4	-	2	#	South	2	#	Μ	Smaller tree distinct from yet supressed by adjacent group	Fair	Good	10+	C1	3.1	31
T791   Sycamore   0   - <th< td=""><td>G700</td><td>Sycamore</td><td>10</td><td></td><td></td><td></td><td>Δ</td><td>_</td><td>Λ</td><td>_</td><td>0.00</td><td></td><td>0</td><td></td><td>Δ</td><td></td><td>_</td><td>0</td><td></td><td>M</td><td></td><td>Good</td><td>Good</td><td>20⊥</td><td>B2</td><td>0.0</td><td>0</td></th<>	G700	Sycamore	10				Δ	_	Λ	_	0.00		0		Δ		_	0		M		Good	Good	20⊥	B2	0.0	0
T792 Sycamore 0 - 310 - 0 - 0 - 0 - 0 - M Surveyed for RPA purposes Good Good 20+ B2 3.7   T793 Sycamore 0 - 420 - 0 - 0 - M Surveyed for RPA purposes Good Good 20+ B2 3.7   T793 Sycamore 0 - 0 - 0 - M Surveyed for RPA purposes Good Good 20+ B2 5.0				Ē		Ĺ		Ľ				_	-	_	Ũ	Ľ	ļ	-	Ľ								-
T793 Sycamore 0 - 0 - 0 - 0 - M Surveyed for RPA purposes Good Good 20+ B2 5.0	-		-	-		-	-	_	-	_		_	-	-			-		-								72
			-	-		-		-	-	-		_	-	-	-	-	-	-	-								43 80
T794   Sycamore   0   -   0   -   0   -   0   -   0   -   M   Surveyed for RPA purposes   Good   Good   20+   B2   6.1			-	-		-	-	-	-	+-		_	-	-	-	-	-	-	-								118
T795   Sycamore   0   -   0   -   0   -   0   -   0   -   0   -   0   -   0   -   0   -   0   -   0   -   0   -   0   -   0   -   0   -   M   Surveyed for RPA purposes   Good   Good   20+   B2   5.5			-	-		-		-	-	-		_	_	-		-	-		-								96

Date 13	.3.14. 1, 4, 8 April	Site:	Upp	er Heyfo	ord									Survey	or: N	٨R		Clie	ent:	Dorchester/bovis			Job no	o:	D.0341	
							-	5	Spre	ad	_			Ć	rowr	clearanc	e height	_								
Number	Species	Heig ht	Estimate	Stem dia	Estimate	N	Estimate	s	Estimate	E	Estimate	w	Estimate	1st branch	Estimate	1st branch direction	Canopy	Estimate	Life stage	General observations	Structural condition	Physiological condition	ULE	Quality grading	RPA radius	RPA area
T796	Sycamore	18	-	600	-	5.5		6	-	6.00		6.5	-	4	#	South west	2	#	М	Stem divides at 2.5m. Tight fork with bark inclusion occurring. Consider installation of cable brace system as part of wider risk assessment management	Fair	Good	10+	C1	7.2	163
T797	Sycamore	16	-	440	-	5.5	-	3.5	; -	5.00	) -	5	-	3	#	North	2	#	М	Average for species and age	Good	Good	20+	B1	5.3	88
G798	Sycamore	17	-		-	0	-	0	-	0.00	) -	0	-	0	-	-	0	-	М	Cohesive group of three trees. Component trees surveyed for RPA purposes.	Good	Good	20+	B2	0.0	0
T799	Sycamore	0	-	340	-	0	-	0	-	0.00		0	-	0	-	-	0	-	М	Surveyed for RPA purposes	Good	Good	20+	B2	4.1	52
T800	Sycamore	0	-	390	-	0	-	0	-	0.00		0	-	0	-	-	0	-	M	Surveyed for RPA purposes	Good	Good	20+	B2	4.7	69
T801	Sycamore	0	-	340	-	0	-	0	+-	0.00		0	-	0	-	-	0	-	M	Surveyed for RPA purposes	Good	Good	20+	B2	4.1	52
T802	Sycamore	19	-		-	6	-	6	-	5.50		5	#	4	#	South	2.5	#	Μ	Large area of old bark damage at 1.5m N. occluding well	Fair	Good	10+	C1	0.0	0
H803	Privet Duplicate survey	2	-		-	0	-	0	-	0.00	) -	0	-	0	-	-	0	-	-	Spread 1.5m#	-	-	-	-	0.0	0
804	item. Refer to 542	na	-	na	-	na	-	na	-	na	-	na	-	na	-	na	na	-	na	na	na	na	na	na	na	na
T805	Sycamore	10		270					; #	2.00			#	0	-	-	5.5	#		Originally twin stemmed. One stem now remains	Fair	Good	10+	C1	3.2	33
G806	Sycamore, ash	16	#	420	#	8	#		-	6.00		8	-	4	-	West South	3.5	#	Μ	Oversized trees for location	Fair	Good	10+	C2	5.0	80
T807	Ash (Common)	11	#	400		5.5		÷	#			5.5	#	2	#	east	2	#	М	Potential to outgrow location	Fair	Good	10+	C1	4.8	72
T808 T809	Whitebeam Ash (Common)	9 9	#	400 200	# #	5.5 3	-	5.5 3	; - #	4.50		5.5 2.5	- #	0	-	- South	0	- #	M EM	Possibly misidentified due to lack leaf cover	Good Good	Good Fair	<u>20+</u> 10+	B1 C1	4.8 2.4	72 18
T810	Svcamore	9 10	-	450	-	6	-	6	_	6.00		2.5 5.5	-	2	#	South	2	#	EM	Good form. Low extension growth. Broad crown form	Good	Good	20+	B1	2.4 5.4	92
T811	Oak (Red)	8	-	160	-	3	-	3	-	4.00		3	-	2	#	North	2.5	#	EM	No central leader. Strummer damage at base	Fair	Good	10+	C1	1.9	12
T812	Oak (Red)	8	-	190	-	3	-	4	-	4.50	) -	4.5	-	2	-	North west	2	#	EM	Average for species and age	Good	Good	20+	B1	2.3	16
T813	Sycamore	9.5	-	340	-	5	-	5	-	5.00	) -	5	-	2	#	South	2.5	#	М	Broad crown form	Good	Good	20+	B1	4.1	52
S814	Laurel (Cherry)	0	-	0.50	-	0	-	0	-	0.00		0	-	0	-	-	0	-	-	Outgrowing present location in rear garden	-	-	-	-	0.0	0
T815	Oak (Red) Cherry (Ornamental	0	-	250	-	4.5		5	-	5.50		5	-	2	#	West	2.5	#	EM	Average for species and age	Good	Good	20+	B1	3.0	28
T816	flowering)	4.5	#	200	-	3.5	-	3	-	3.00	) #	3	#	2	#	West	2	#	М	Ornamental street/garden tree	Fair	Good	10+	C1	2.4	18
T817	Plum (Purple)	5	#	300	#	5	-	4	-	4.00	) -	4	#	1	#	South	1.5	#	Μ	Multi stemmed at 1m with tight forks	Fair	Good	10+	C1	3.6	41
T818	Sycamore	8	#	280	#	2.5	#	3	#	3.00	) #	3	#	0	-	-	4	#	EM	Multi-stemmed with upright form resulting from heavy pruning	Fair	Good	10+	C1	3.4	35
T819	Plum (Purple)	7	-	280	#	5	-	5	-	4.50	) #	5	-	2	#	North	1.5	#	Μ	Average for species and age	Good	Good	10+	C1	3.4	35
G820	Sycamore, hybrid black poplar	8	#	200	#	3.5	#	3.5	; #	3.00	) #	4	#	0	-	-	0	-	EM	Informal group likely to outgrow location	Fair	Good	10+	C2	2.4	18
G821	Lawson cypress, privet	7	#	200	#	0	-	0	-	0.00	) -	0	-	0	-	-	0	-	Μ	Ornamental groups within small gardens	Fair	Good	10+	C2	2.4	18
G822	Lawson cypress, privet, cherry laurel	6	#	250	#	0	-	0	-	0.00	) -	0	-	0	-	-	0	-	Μ	Ornamental groups within small gardens	Fair	Good	10+	C2	3.0	28
T823	Cherry (Ornamental flowering)	8	#	400	#	6	#	4.5	; #	4.00	) #	3.5	#	0	-	-	0	-	Μ	Moribund. Recommend removal.	Poor	Poor	<10	U	4.8	72
T824	Cherry (Ornamental flowering)	4.5	#	300	#	3.5	#	3	#	3.50	) #	3.5	#	1.5	#	North	2	#	Μ	Ornamental garden tree	Fair	Good	10+	C1	3.6	41
T825	Duplicate survey item. Refer to 543	na	-	na	-	na	-	na	-	na	-	na	-	na	-	na	na	-	na	na	na	na	na	na	na	na
T826	Cherry (Ornamental flowering)	4	#	300	#	3	#	3.5	#	3.50	) #	3	#	1.5	#	East	1	#	Μ	Ornamental street/garden tree	Fair	Good	10+	C1	3.6	41
T827	Plum (Purple)	5	-	250	-	3.5	-	4	-	4.00	) -	3.5	#	1	-	South	0	-	Μ	Ornamental street/garden tree	Fair	Good	10+	C1	3.0	28
T828	Cypress (Lawson)	7	#	300	-	2	#	2	#	2.00	) #	2	#	0	-	-	0	-	Μ	Ornamental variety. Very close to structure. Unsustainable in location.	Good	Good	<10	U	3.6	41
T829	Cypress (Leyland)	13	#	400	#	0	-	0	-	0.00	) -	0	-	0	-	-	0	-	Μ	Very large for location. Unsustainable.	Good	Good	<10	U	4.8	72
T830	Pine (Corsican)	0	-	400	-	6	-	5	-	4.50	) -	5	-	2	#	North	2.5	#	Μ	Potentially a good feature tree. Bifurcation at 3m requires ongoing assessment	Fair	Good	20+	B1	4.8	72
G831	Sycamore ash, poplar	7.5	#	170	#	0	-	0	-	0.00	) -	0	-	0	-	-	0	-	EM	Small trees in a garden setting	Fair	Good	10+	C2	2.0	13
T832	Fir (Grand)	3	#	100	-	1.5	#	1.5	; #	1.50	) #	1.5	#	0	-	-	0	-	EM	Unsustainable species in the setting due to proximity of house.	Good	Good	<10	U	1.2	5
T833	Holly	6	#	18	#	2	#	_		2.50		1	#	0	-	-	0	-	EM	Unsustainable species in the setting due to proximity of house.	Fair	Good	<10	U	0.2	0
T834 T835	Birch (Silver) Cherry (Wild)	0	- #	630 400	-	7	- #	8		8.00			- #	2.5 2	#	West West	2	# #	M	Large tree that is prominent in the street scene Large tree within setting of small gardens	Good Good	Good Good	20+ 20+	B1 B1	7.6 4.8	180 72
T835	Cypress (Lawson)	-	#	180						1.50				0	-	-	0	# -	M	Ornamental. Close proximity to house.	Good	Good	<10	U	4.8	15
T837	Lime (Common)		#	280				5		4.50				2	#	North	2.5	#		Tight fork between limbs at 2m	Fair	Good	10+	C1	3.4	35

Date 13.	3.14. 1, 4, 8 April	Site:	Upp	er Heyfo	ord								Surve	/or: N	٨R		Clie	ent:	Dorchester/bovis			Job no	D:	D.0341	
				,			_	S	Spread		_		C	rown	clearance	e height	_								
Number	Species	Heig ht	Estimate	Stem dia	Estimate	N	Estimate	S	Estimate m	stimate	W	Estimate	1st branch		1st branch direction	Canony	Estimate	Life stage	General observations	Structural condition	Physiological condition	ULE	Quality grading	RPA radius	RPA
∠ G838	Cypress (Lawson)	6	#	250	#	0	<u>ш</u>	0		.00 -		<u> </u>	0	<u>чш</u>	-	0		M	Informal group in rear garden	Fair	Good	10+	C2	3.0	area 28
T839	Plum (Purple)	7	-	290	_	3.5	-	5	-	.50 -	3	- 1	1.5	#	West	2	#	M	Ornamental street/garden tree	Fair	Good	10+	C1	3.5	38
G840	Scots pine, sycamore, ash	15	#	500	#	0	-	0		.00 -	0	-	0	-	-	0	-	М	Offsite mature tree group. Requires management.	Good	Good	20+	B2	6.0	113
G841	Hawthorn, Elm, elder, wild cherry, ash, cherry laurel	5.5	#	180	#	0	-	0	- 0	.00 -	0	-	0	-	-	0	-	SM	Offsite linear group. Unmanaged. Provides effective screening. Some dead elm present.	Fair	Good	20+	B2	2.2	15
T842	Birch (Silver)	15	- 1	290	-	3.5	-	4	- 4	.00 -	4.5	- 1	3	#	South	2	#	М	Particularly good structural form	Good	Good	40+	A1	3.5	38
T843	Ash (Common)	14	-	500	#	8.5	-	7		.00 #			3.5	#	West	3	#	Μ	Offsite. Large multi-stemmed feature within G841.	Fair	Good	10+	C1	6.0	113
T844	Birch (Silver)	15	-	350	#	6		6		.00 -	6		3	#	South	2.5	#	Μ	Previously topped at 5m. Has developed numerous replacement leader growth. Decay formation at topping point Extensive decay within cavity at base S. Recommend remove tree within 1 Month of date of issue of this survey information.	Poor	Good	<10	U	0.0	0
T845	Apple	5		200		3.5		5		.00 #		_	2	#	South	2	#		Previously heavily pruned.	Poor	Fair	10+	C1	2.4	18
T846 T847	Ash (Common) Oak (Red)	10 9	#	210 290	#	4.5 6		4.5 5		.50 # .00 -	4 5	#	3	#	South South	2	# #	EM EM	Average for species and age Spreading form	Good Good	Good Good	20+ 20+	B1 B1	2.5 3.5	20 38
T848	Oak (Red)	9 10	- #	330	-	о 5.5		5 6		.00 -	5.5		2.5	#	South	3 2.5	#	EM	Average for age and species. Good potential to contribute	Good	Good	20+	B1	3.5 4.0	38 49
T849	Oak (Red)	10	#	270	-	4.5	-	4	- 5	.00 -	5	-	2.5	#	North west	2.5	#	EM	to future development Average for age and species. Good potential to contribute to future development	Good	Good	20+	B1	3.2	33
T850	Oak (Red)	10	#	310	-	5	-	5.5	- 6	.00 -	6	-	2.5	-	North	3	-	EM	Average for age and species. Good potential to contribute to future development	Good	Good	20+	B1	3.7	43
T851	Oak (Red)	9	#	250	-	4	-	5	- 4	.50 -	4.5	-	2	#	North	2.5	#	EM	Average for age and species. Good potential to contribute to future development	Good	Good	20+	B1	3.0	28
T852	Oak (Red)	8	#	250	-	4	-	4	- 3	.50 -	3.5	-	2	#	South	2.5	#	EM	Average for age and species. Good potential to contribute to future development	Good	Good	20+	B1	3.0	28
T853	Ash (Common)	8.5	#	420	#	8	#	8.5	# 7	.50 -	7.5	#	3	-	North west	2.5	#	М	Offsite. Multi stemmed hedgerow tree.	Fair	Good	10+	C1	5.0	80
T854	Maple (Norway)	8	#	380	#	5	-	7.5	- 6	.00 #	5	-	3	#	West	2.5	#	М	Offsite. Multi stemmed. Main limbs grown into top of perimeter fence with damage occurring to tree. Consider topping at 0.5m below fence height and managing as pollard thereafter.	Poor	Fair	10+	C1	4.6	65
T855	Sycamore	8	#	400	#	4		5.5		.50 #		-	2.5	#	West	2.5	#	EM	Offsite. Multi stemmed	Fair	Good	10+	C1	4.8	72
T856	Ash (Common)	11	#	450	#	7.5	-	8.5	- 7	.50 #	- 7	-	3	#	West	2.5	#	Μ	Offsite. Multi stemmed	Fair	Good	10+	C1	5.4	92
T857	Sycamore	17	-	600	#	6.5	-	6	- 6	.00 #	• 7	-	4	#	West	4	#	М	Offsite. Multi stemmed. Larger tree surrounded by smaller subordinate specimens	Fair	Good	10+	C1	7.2	163
G858	Beech (Common)	16	-		-	0	-	0	- 0	.00 -	0	-	0	-	-	0	-	М	Important tree group within the street scene. Component trees surveyed for RPA purposes.	Good	Good	20+	B2	0.0	0
T859	Duplicate survey item. Refer to 86	na	-	na	-	na	-	na		na -	na		na	-	na	na	-	na	na	na	na	na	na	na	na
T860	Beech (Common)	0	-	600	-	0	-	0		.00 -	0		0	-	-	0	-	M	Surveyed for RPA purposes	Good	Good	20+	B2	7.2	163
T861 T862	Beech (Common) Beech (Common)	0		660 500	-	0	-	0		- 00.	0	_	0	+-	-	0	-	M	Surveyed for RPA purposes Surveyed for RPA purposes	Good Good	Good Good	20+ 20+	B2 B2	7.9 6.0	197 113
T863	Beech (Common)	0	H	550	H	0	E	0		.00 -	0		0	+-		0	H	M	Surveyed for RPA purposes	Good	Good	20+	B2 B2	6.6	137
T864	Beech (Common)	0	-	420	-	0	-	0		.00 -	0		0	-	-	0	-	M	Surveyed for RPA purposes	Good	Good	20+	B2 B2	5.0	80
T865	Beech (Common)	0	-	640	-	0	-	0		.00 -	0	_	0	-	-	0	-	M	Surveyed for RPA purposes	Good	Good	20+	B2	7.7	185
T866	Beech (Common)	0	-	700	-	0	-	0		.00 -	0		0	-	-	0	-	M	Surveyed for RPA purposes	Good	Good	20+	B2	8.4	222
T867	Oak (Red)	8	-	270	-	4.5	-	5		.00 -	3.5		2	#	North	2	#	EM	Good potential along with other red oaks to enhance the setting into the future	Good	Good	20+	B1	3.2	33
T868	Beech (Common)	16	#	640	-	7	-	6	- 8	.00 -	7	-	2	#	North east	3		М	Established tree. Prominent in the street scene	Good	Good	20+	B1	7.7	185
T869	Beech (Common)	15	#	580	-	5	-	6.5	- 7	.50 -	6	-	2	#	South west	3		М	Established tree. Prominent in the street scene	Good	Good	20+	B1	7.0	152
T870	Beech (Common)	15	#	660	-	7	-	7		.00 -	6		2	-	South east	3		М	Established tree. Prominent in the street scene	Good	Good	20+	B1	7.9	197
T871	Spruce (Norway)	13	-	300	#	4	#	2.5	# 3	.50 #	3.5	#	1.5	#	North	0	-	М	Average for age and species	Good	Good	20+	B1	3.6	41
G872	Ash (Common)	5.5	#	90	#	0	-	0		.00 -	0		0	-	-	0	-	EM	Informal group consisting self set trees within lonicera hedge	Fair	Good	10+	C2	1.1	4
T873	Sycamore	8	-	110	-	3.5	#	-	# 2		_	_	0	-	-	2	#	EM	Self set against wall	Fair	Good	10+	C1	1.3	5
H874	Lonicera	1.5			-	0	-	0		.00 -	0		0	-	-	0	-	-	Domestic hedge	-	-	-	-	0.0	0
H875	Lonicera	1.5	#		1 -	0	-	0	- 0	.00 -	0	1 -	0	-	-	0	1 -	-	Domestic hedge	-	-	-	-	0.0	0

Date 13.	.3.14. 1, 4, 8 April	Site:	Upp	er Heyf	ord									Surve	yor: I	MR		Clie	ent:	Dorchester/bovis			Job no	):	D.0341	
							-	;	Spre	ad	-	_		(	Crowr	n clearanc	e height	_								
Number	Species	Heig ht	Estimate	Stem dia	Estimate	N	Estimate	s	Estimate	E	Estimate	W	Estimate	1st branc	Estimate	1st branch direction	Canopy	Estimate	Life stage	General observations	Structural condition	Physiological condition	ULE	Quality grading	RPA radius	RPA area
T876	Whitebeam	12	-	670	-	5.5	; -	5	#	5.50	) -	5	-	1.5	#	North west	2.5	#	М	Axe damage to trunk plus other abiotic damage - Bonfire. Remove swings etc from crown.	Good	Good	20+	B1	8.0	203
T877	Cypress (Lawson)	10	-	350	#	1.5	5 #	1.5	5 #	1.50	) #	1.5	#	0	+-	wesi	0	-	М	Ornamental specimen	Good	Good	20+	B1	4.2	55
T878	Whitebeam	12	#	500	#					4.50	_		#	0	-	-	0	-	M	Average for age and species	Good	Good	20+	B1	6.0	113
T879	Hawthorn	9.5	-	300	#	4	#	5	#	6.00	_		#	4	#	East	3	#	М	Higher than average crown clearance for size	Fair	Fair	10+	C1	3.6	41
T880	Sycamore	12	-	100	#	1.5	5 #	2	#	2.50	) #	2	-	2	#	East	2	#	EM	Self set against boundary fence.	Fair	Good	10+	C1	1.2	5
T881	Sycamore	13	-	150	#	2.5	5 #	3.5	5 #	4.00	) #	4	#	3	#	South east	2.5	#	EM	Self set against boundary fence.	Fair	Good	10+	C1	1.8	10
T882	Whitebeam	11		650	#								#	1.5	#	North east	2	#	М	Average for age and species	Good	Good	20+	B1	7.8	191
T883	Apple	8	#	300	-	5	#	4	#	5.00	) #	5	#	2.5	#	North	1	#	М	Attractive garden ornamental	Good	Good	20+	B1	3.6	41
G884	Common larch, scots pine	21	-	350	-	0	-	0	-	0.00	) -	0	-	0	-	-	0	-	М	Linear tree group following line of garden boundaries. Ivy on numerous stems and trunks. A strong Arboricultural component of the area. Consists of trees established at close intervals with high h/d ratios. Many benefit from some selective considered thinning works. Advise any future layout to allow tree height between tree bases and any new structural footprint.	Fair	Good	20+	B2	4.2	55
T885	Beech (Common)	20	-	580	-	9	#	12	#	3.50	) #	3.5	#	1.5	#	South	2	#	М	Eastern crown spread reduced by adjacent tree now removed	Good	Good	20+	B2	7.0	152
T886	Beech (Common)	21	-	722.5	-	9	#	13		3.00			#	3	#	South	2	#	М	Twin stemmed at base with tight fork. Consider cable bracing as part of risk management programme.	Good	Good	20+	B2	8.7	236
T887	Beech (Common)	21	#	550	-	7.5		-		3.00			#	3	#	North	2	#	Μ	Lateral spread suppressed by adjacent G884	Good	Good	20+	B2	6.6	137
T888	Dogwood	6	-	350	#				_	3.50	_		#	1.5	#	North	0.5	#		Good garden ornamental	Good	Good	20+	B2	4.2	55
T889	Beech (Common)	21	-	800	-	9		9	_	9.00		8	-	2	#	West	2	#	M	Large tree on boundary between property	Good	Good	20+	B2	9.6	290
T890	Beech (Common)	21	-	700	-	8.5		9.5	5 #	9.00	· · · ·	7	- #	1.5	#	East	2	#	M	Large tree on boundary between property	Good	Good	20+	B2	8.4	222
T891 T892	Beech (Common)	22 6.5	-	800 300	-	9.5 2	-	8	#	6.00	) -		# #	3	#	North South	2 0.5	# #	M	Large tree on boundary between property Poor form	Good Poor	Good Fair	20+ 10+	B2 C1	9.6 3.6	290 41
T892 T893	Cypress (Lawson) Cypress (Leyland)	6.5 15	-	300 580	-	4	_	4	- "	4.00	_	2.5	#	0	#	South	0.5	#	M	Average for species and age	Good	Good	10+	C1	3.6 7.0	152
T893	Beech (Common)	18	-	730	+-	9	_	10		9.00	_	8	-	1.5	#	South	3.5	#	M	Some girdling roots at base	Fair	Good	20+	B1	8.8	241
T895	Lime (Common)	14	-	440	- 1	6	_	5	_	5.00		3.5	-	2	#	East	4	#		Average for age and species	Good	Good	20+	B1	5.3	88
T896	Lime (Common)	13	-	460	-	5	_	4	_	6.00	_	5	-	3	#	East	4	#	-	Average for age and species	Good	Good	20+	B1	5.5	96
T897	Lime (Common)	16	-	510	-	5		8	-	6.50		7	-	2.5	#	South	3.5	#	-	Included bark union at 2.5m. Consider bracing as part of ongoing risk management programme.	Fair	Good	20+	B1	6.1	118
T898	Beech (Common)	19	-	720	-	9	-	9.5	5 -	8.50	) -	8	-	1.5	#	West	2	#	М	Some girdling roots at base	Good	Good	20+	B1	8.6	235
G899	Beech (Common)	18	-		-	0	-	0	-	0.00	) -	0	-	0	-	-	0	-	М	Line of mature tree providing strong focus on entering site. Form avenue with G858. Individual trees surveyed for RPA purposes.	Good	Good	20+	B2	0.0	0
T900	Beech (Common)	0	-	700	-	0	-	0	-	0	-	0	-	0	-	-	0	-	М	Surveyed for RPA purposes	Good	Good	20+	B2	8.4	222
T901	Beech (Common)	0	-	560	-	0	-	0	-	0	-	0	-	0	-	-	0	-	м	Ustulina deusta within main stem cavity at 1.5m height. Recommend remove within 1month of date of issue of this survey information	Poor	Fair	<10	U	6.7	142
T902	Beech (Common)	0	-	540	-	0	_	0	_	0	-	0	-	0	-	-	0	-	М	Surveyed for RPA purposes	Good	Good	20+	B2	6.5	132
T903	Beech (Common)	0	-	632	-	0	_	0	_	0	-	0	-	0	-	-	0	-	Μ	Surveyed for RPA purposes	Good	Good	20+	B2	7.6	181
T904	Beech (Common)	0	-	680	-	0	-	0	+-	0	-	0	-	0	+-	-	0	-	М	Surveyed for RPA purposes Surveyed for RPA purposes. Felted beech scale on lower	Good	Good	20+	B2	8.2	209
T905	Beech (Common)	0	-	750	-	0		0		0	ŀ	0	-	0	<u> </u> -	-	0	-	M	trunk	Good	Good	20+	B2	9.0	255
T906	Beech (Common) Duplicate survey	0	-	730	+-	0	+-	0	+-	0	-	0	-	0	+-		0	-	М	Surveyed for RPA purposes	Good	Good	20+	B2	8.8	241
907	item. Refer to T87	na	-	na	-	na	-	na	-	na	-	na	-	na	-	na	na	-	na	na	na	na	na	na	na	na
G908	Laburnum, paperbark birch, white beam, cherry laurel, other mixed shrubs.	0	-		-	0				0	-	0	-	0	-	-	0	-	-	Ornamental planting within well managed garden, notable features visible from camp road include one Betula and one Eucalypt.	Good	Good	20+	B2	0.0	0
T909	Betula papyrifera	9	-	150		3.5				3.5			#	2	#	West	2.5	#		A more prominent specimen within the group	Good	Good	40+	A1	1.8	10
T910	Gum tree	0	-	420	#	5	-	5	#	5	-	3	-	3	#	East	3	#	М	Multi stemmed at base. Largest tree within group.	Fair	Good	10+	C1	5.0	80
	Maple (Cappadocian)	17	-	1,000	#			7		7.5		7.5	-	3	#	West	3	#	М	Tight forks between main limb unions at 2m. Prominent tree.	Good	Good	10+	C1	12.0	452
T913	Cypress (Lawson)	11	-	200	#	1.5	; #	1.5	5 #	1.5	#	1.5	#	0		-	2.5	#	Μ	Twin stemmed.	Fair	Fair	10+	C1	2.4	18
G914	Duplicate survey item. Refer to T100, 99, 101	na	-	na	-	na	-	na	-	na	-	na	-	na	-	na	na	-	na	na	na	na	na	na	na	na

Date 13.	.3.14. 1, 4, 8 April	Site:	Upp	er Heyfo	rd									Surve	or: N	٨R		Clie	ent:	Dorchester/bovis			Job no	D:	D.0341	
								Ś	Spre	ad	_					clearanc	e height	_								
Number	Species	Heig ht	Estimate	Stem dia	Estimate	N	Estimate	s	Estimate	E	Estimate	w	Estimate	1st brancł	Estimate	1st branch direction	Canopy	Estimate	Life stage	General observations	Structural condition	Physiological condition	ULE	Quality grading	RPA radius	RPA area
 T915	Yew (Irish)	4	#	400	#					3	#	3	#	0		-	0.5		M	Widely spread with potential to fall apart in medium term. Would benefit from wiring to contain spread.	Fair	Good	10+	C1	4.8	72
916	Duplicate survey item. Refer to T96	na	-	na	-	na	-	na	-	na	-	na	-	na	-	na	na	-	na	na	na	na	na	na	na	na
917	Duplicate survey item. Refer to T95	na	-	na	-	na	-	na	-	na	-	na	-	na	-	na	na	-	na	na	na	na	na	na	na	na
T918	Duplicate survey item. Refer to T92	na	-	na	-	na	-	na	-	na	-	na	-	na	-	na	na	-	na	na	na	na	na	na	na	na
T919	Duplicate survey item.	na	-	na	-	na	-	na	-	na	-	na	-	na	-	na	na	-	na	na	na	na	na	na	na	na
T920	Duplicate survey item.	na	-	na	-	na	-	na	-	na	-	na	-	na	-	na	na	-	na	na	na	na	na	na	na	na
T921	Duplicate survey item.	na	-	na	-	na	-	na	-	na	-	na	-	na	-	na	na	-	na	na	na	na	na	na	na	na
T922	Duplicate survey item.	na	-	na	-	na	-	na	-	na		na	-	na	-	na	na	-	na	na	na	na	na	na	na	na
T923	Pear	7.5	#	200	-	5.5	#	3	-	5	-	0.5	#	1.5	#	East	1	#	М	Suppressed on east	Fair	Fair	10+	C1	2.4	18
T924	Apple	3.5	#	190	#	3	#			3	#	1	#	1	#	South west	1	#	М	Large area bark loss on north side trunk.	Poor	Poor	<10	U	2.3	16
G925	Laurel (Cherry)	5.5	#	250	-	0	-	0	-	0		0	-	0	<u> -</u>	-	0	-	М	Outgrowing location	Fair	Good	10+	C2	3.0	28
G926	Beech, lilac, sycamore, apple	4.5	#	200	-	0	-	0	-	0	-	0	-	0	-	-	0	-	EM	Informal group. Unmanaged. In garden setting	Fair	Good	10+	C2	2.4	18
T927	Cherry (Ornamental flowering)	2.5		300	-	4	-	4		5	-	4	- "	1.5	#	North	1.5 0	#	M	Very low spreading form	Good	Good	20+	B2 U	3.6	41
T928 H929	Hawthorn Beech (Common)	5.5 2.5	#	300	-	2.5 0	#	0	#	4	#	0	#	0	-	-	0	-	-	Dead Width 1.5m. Trimmed to maintain form.	Poor -	Poor	<10	-	3.6 0.0	41 0
H930	Privet	2.5	-		-	0	-	0	_	0	-	0	-	0	-	-	0	-	-	Width 1.5m. Trimmed to maintain form.	-	-	-	_	0.0	0
T931	Cypress (Lawson)	16	-	600	#	2.5	#	2	#	2	#	2	#	0	-	-	1	#	М	Two large limbs removed on south side.	Good	Good	20+	B1	7.2	163
T932	Cherry (Wild)	8	#	420	-	4.5	#	5	#	4.5	#	4.5	#	1.5	#	North	2.5	#	М	Lateral spread S in contact with house	Good	Good	20+	B1	5.0	80
Т933	Lime (Common)	21	-	700	-	8	-	8	#	7.5	#	7.5	#	3	#	North	2.5	#	Μ	Prominent as part of street scene of Camp Road. Minor deadwood. Remove deadwood	Good	Good	20+	B1	8.4	222
G934	Laurel (Cherry)	6.5		300	#	0		0	-	0	-	0	-	0	-	-	0	-	Μ	Ornamental within garden	Fair	Good	10+	C2	3.6	41
T935	Beech (Common)	20		660		9.5	_	7	-	10	-	4.5	-	5.5	#	East	2.5	-	M	Leans (E) due to adjacent tree group	Good	Good	20+	B1	7.9	197
T936	Cypress (Lawson)	15 15		500		3.5	_	4	-	2	-	0	-	0	-	-	1.5	#	M	Multi-stemmed	Fair Fair	Good	10+	C1	6.0	113
T937 T938	Cypress (Lawson) Birch (Silver)	15	#	550 450		2.5 7.5		4 7.5		3.5 9	-	0 6	-	3.5	- #	- East	1.5 3	# #	M	Multi-stemmed Large tree for species	Good	Good Good	10+ 20+	C1 B1	6.6 5.4	137 92
T939	Cherry (Bird)	4.5		230				2.5			#	3.5	- #	2	#	North	2	#		Crown weighted W	Fair	Fair	10+	C1	2.8	24
H940	Privet, Cherry Laurel, elder, hawthorn	2.5		200	-	0				0		0	-	0	-	-	0	-	-	Width 1.5#	-	-	-	-	0.0	0
T941	Sycamore	15	#	500	-			2.5			#		#	2.5	#	East	3	#	-	One sided crown form. Edge tree of group. Very dense ivy throughout. Remove 2m strip of ivy from around base of tree to enable basal inspection	Fair	Fair	10+	C1	6.0	113
G942	Cypress (Lawson)	11		500		0		-		0	_	0	-	0	-	-	0	-	M	Informal roadside group outgrowing location	Fair	Good	10+	C2	6.0	113
T943 G944	Gum tree Lawson cypress,	9 15	#	130 580	#	1.5 0	#	1.5 0	-	7 0	#	1 0	#	1.5 0	-	East -	1.5 0	#	EM M	Significant lean E Group of three. Forms arch over path to house.	Fair Good	Good Good	10+ 10+	C1 C2	1.6 7.0	8 152
G945	Leyland Cypress Cherry laurel, Norway maple, sycamore, hawthorn, wild cherry	10	#	300	#	0	_	0	-	0	-	0	-	0	-	-	0	-	EM	Informal group containing some natural regeneration. Requires management	Fair	Good	10+	C2	3.6	41
T946	Sycamore	20	-	1009	-	6.5	-	6	-	6	-	6	#	3	#	North	3	#	М	Multi stemmed. Tight fork with included bark within union at 1.5m W. Further assessment recommended as part of ongoing risk assessment process	Fair	Good	10+	C1	12.1	461
G947	Hawthorn, sycamore, norway maple, privet	8	#	200	#		-	0	-	0	-	0	-	0	-	-	0	-	EM	Informal unmanaged group following line of garden fence	Fair	Good	10+	C2	2.4	18
H948	Beech (Common)	2	#	50	-	0	-	0		0	-	0	-	0	-	-	0	-	-	Domestics hedge trimmed to maintain form	-	-	- <u> </u>	-	0.6	1
T949	Cypress (Lawson)	15		400	#	3		3.5		3	#		#	1.5	#	South	0.5	#	M	Average for age and species	Good	Good	20+	B1	4.8	72
T950	Cypress (Lawson)	14	-	320	#	2			1	2		2.5		0	+-	-		#	М	Average for age and species Average for age and species. Root damage to adjacent	Good	Good	20+	B1	3.8	46
T951	Cypress (Lawson)	15	-	420	#	3.5	#	3.5	#	3	#	3.5	#	1.5	#	South	1.5	#	Μ	path	Good	Good	20+	B1	5.0	80

Date 13.	.3.14. 1, 4, 8 April	Site:	Upp	er Heyfo	ord									Surve	yor: I	٨R		Clie	ent:	Dorchester/bovis			Job no	):	D.0341	
									Spre	ad				0	rowr	clearance	e height									
Number	Species	Heig ht	Estimate	Stem dia	Estimate	N	Estimate	S	Estimate	E	Estimate	W	Estimate	1st brancl	Estimate	1st branch direction	Canopy	Estimate	Life stage	General observations	Structural condition	Physiological condition	ULE	Quality grading	RPA radius	RPA area
G952	Scots pine, Norway spruce, crypromeria japonica 'elegans'	11	-	300	-	0	-	0	-	0	-	0	-	0	-	-	0	-	М	Scots pine is best specimen within group. Compliments nearby Bhutan pine	Fair	Good	20+	B2	3.6	41
T953	Pine (Scots)	8	-	360	-	4	#	5	-	3	-	3	-	1.5	#	North	2	#	М	A younger tree with reasonable form.	Good	Good	20+	B1	4.3	59
H954	Sycamore, hawthorn	1	#	40	-	0		0		0		0	-	0	-	-	0	-	-	Informal domestic hedge recently topped to height adjacent fence.	-	-	-	-	0.5	1
H955 T956	Lonicera Spruce (Norway)	1 7.5	-	260	- #	0	_	0	_	0	_	0	- #	0	- #	- North	0	- #	- EM	Low domestic hedge. Trimmed to maintain form Potentially large tree adjacent to house	- Good	- Good	- 20+	- B2	0.0	0 31
T950 T957	Sycamore	9.5	-	350	#	5	_	3	_	4	_	4	-	3	#	South	2.5	#		Adjacent to road	Fair	Good	20+	B2 B2	4.2	55
T958	Rowan	4	-	100	-	2.5	_	-		- ·	_	3	#	2	#	South	2.0	#		Garden ornamental	Good	Good	20+	B1	1.2	5
T959	Hawthorn	7.5	-	350	-	0	_	0	-	0	-	Ō	-	0	-	-	1.5	#		Dense ivy throughout	Fair	Fair	10+	C1	4.2	55
T960	Sycamore	13	-	417	-	6	-	6.5	5 -	6.5	; -	6.5	-	2.5	#	South	2	#	Μ	Decay in central crown due to old topping pruning wounds	Fair	Good	10+	C1	5.0	79
T961	Hawthorn	8	-	350	#	3	-	3	#	3	#	3.5	-	0	-	-	1	#	М	Dense ivy throughout	Fair	Fair	10+	C1	4.2	55
H962 H963	Privet Privet	2	#		-	0	_	0	_	0	-	0	-	0	-	-	0	-	-	Domestic hedge. Trimmed to maintain form Domestic hedge. Trimmed to maintain form	-	-	-	-	0.0	0
				050								Ť		Ť	+		-			Informal unmanaged group following line of gardens		0	40.	00		-
G964	Sycamore, hawthorn	11	-	350	-	0	-	0	+	0	_	0	-	0	-	- North	0	-	M	boundary Crown form suppressed by adjacent Norway maple.	Fair	Good	10+	C2	4.2	55
T965	Rowan	6.5	#	200		4.5	-	0.5	+	3.5	-	0.5	-	2	#	east North	2	#	М	Significant decay on main trunk - base to 1m	Poor	Poor	<10	U	2.4	18
T966	Maple (Norway)	0	-	750		8.5		9	-	8.5		8	-	2	-	west	4	#	М	Large tree with good crown form	Good	Good	20+	B2	9.0	255
T967	Birch (Silver)	8	-	100	#	2.5	5 #	2.5	5 #	2	#	2	#	0	-	-	0	-	EM	Good form and life expectancy.	Good	Good	40+	A1	1.2	5
T968	Birch (Silver)	16	-	400		4.5						8	#	4	#	South west	4	#	Μ	Some dieback within crown. Spreading form. A more prominent tree within the group	Fair	Fair	10+	C1	4.8	72
T969	Cypress (Lawson)	17	-	420	-	2.5	_			3		2.5	#	0	-	-	0	-	М	Larger tree within the group	Good	Good	20+	B1	5.0	80
T970	Cypress (Lawson)	17	-	420	-	3	#	2.5	5 #	2.5	) #	2.5	#	0		-	0	-	М	Larger tree within the group	Good	Good	20+	B1	5.0	80
G971	Viburnum, laburnum, sycamore	4.5	#	200	#			0	-	0	-	0	-	0	-	-	0	-	М	Informal group. Unmanaged. On garden boundary	Fair	Good	10+	C2	2.4	18
H972	Privet	2.5	#		-	0	-	0	-	0	-	0	-	0	-	-	0	-	М	Managed by intermittent trimming. Domestic hedge.	-	-	-	-	0.0	0
H973	Privet	2.5	#		-	0	-	0	-	0	-	0	-	0	-	-	0	-	-	Managed by intermittent trimming. Domestic hedge. Contains numerous self set sycamore.	-	-	-	-	0.0	0
T974	Cherry (Ornamental flowering)	3.5	#	100	-	2	#	2.	5 #	2	#	2.5	#	1.5	#	South	2	#	М	Thin foliage density. adventitious basal growth	Fair	Fair	10+	C1	1.2	5
T975	Cypress (Lawson)	11	-	400	#	3	-	-	_	-	_		#	0	-	-	0.5	-	М	Ornamental garden tree. Outgrowing location	Good	Good	20+	B1	4.8	72
T976	Cypress (Lawson)	11	-	350	#	0	-	0	-	0	-	0	-	0	-	-	0.5	-	М	Ornamental garden tree. Outgrowing location	Good	Good	20+	B1	4.2	55
G977	Sycamore, western red cedar, Lawson cypress, cherry.	20	#	550	#	0	-	0	-	0	-	0	-	0	-	-	0	-	Μ	Linear group containing mature trees. Significant component trees surveyed separately	Fair	Good	20+	B2	6.6	137
T978	Cedar (Western Red)	20	-	540	-	4	-	3.5	5 -	3	-	6	-	1.5	#	West	1	#	М	Form suppressed to east by adjacent sycamore. Drawn up form with high h/d ratio.	Fair	Good	10+	C1	6.5	132
T979	Sycamore	20	-	1,000	-	8	-	8.5	5 #	3.5	5 #	9	-	0.5	-	West	2	-	Μ	Tight forks between limbs, west, that should be assessed as part of ongoing risk management process. Ivy obscures trunk. One sided crown form.	Fair	Good	10+	C1	12.0	452
T980	Sycamore	20	-	1,200	-	8	-	9.	5 #	9	#	5	-	5	-	North	3	-	Μ	Ivy obscured base. Multi stemmed with tight forks between stems. Should be assessed as part of ongoing risk management programme	Fair	Good	10+	C1	14.4	652
T981	Sycamore	20	-	800	#	8	#	8	#	6	-	5	-	0	-	-	0	-	М	Ivy obscured base. Multi stemmed with tight forks between stems. Should be assessed as part of ongoing risk management programme	Fair	Good	10+	C1	9.6	290
T982	Sycamore	19	-	800	#				5 #			Ĩ	#	0	-	-	0	-	М	Ivy obscured base. Multi stemmed with tight forks between stems. Should be assessed as part of ongoing risk management programme	Fair	Good	10+	C1	9.6	290
H983	Privet	2		80		na		na		na		na	-	na	-	na	na	-	na	Domestic hedge between gardens	na	na	na	na	1.0	3
T984	Maple	12		380		4.5		5.5	_		_	5.0	#	1.5	#	South	1.5	#	M EM	Roadside tree	Good	Good	20+	B1 C2	4.6	65
G985	Ash (Common) Maple (Norway		#	260		na		na	1 -	na	+-	na	<u> -</u>	na	+-	na	na	-		Group of younger trees beside building	Fair	Good	10+		3.1	31
G986	'Crimson King')	8	#	260	#	na	-	na	a   -	na	-	na	-	na	-	na	na	-	М	Attractive group of roadside trees	Good	Good	20+	B2	3.1	31
G987	Maple (Norway)	9	#	300	#	6	#	5.5	5 #	5.0	) #	5	#	1.5	#	N	1.5	#	М	Roadside tree	Good	Good	20+	B1	3.6	41
T988	Lime (Common)	18	-	650	-	7	-	6	-	6	-	7	-	4	-	South	3	-	Μ	Co dominate leader, occluded union at three meters, minor reaction wood, minor damage to root plate, branches touching age cent building.	Fair	Fair	20+	B1	7.1	157.5

Date 13	.3.14. 1, 4, 8 April	Site:	Upp	er Heyfo	rd									Surve	/			Clie	ent:	Dorchester/bovis			Job no	:	D.0341	
						<u> </u>	<u> </u>	1	Spre		-	<u> </u>	┢			n clearanc	e height	1								
Number	Species	Heig ht	Estimate	Stem dia	Estimate	N	Estimate	S	Estimate	E	Estimate	w	Estimate	1st branc	r Estimate	1st branch direction	Canopy	Estimate	Life stage	General observations	Structural condition	Physiological condition	ULE	Quality grading		RPA area
T989	Black polar	20	-	730	-	13		10		5		11	-	3.5	-	South	6	-	М	Co dominant stem, poor form, weighted to west, moderate deadwood, epicormic growth on stem, evidence of past failures	Fair	Fair	10+	C1	8.8	241.1
T990	Hornbeam	6	-	230	-	4	-	3	-	3	-	5	-	3	-	North	1.5	-	М	Excessive epicormic growth on them, basal decay south side of stem, supressed by neighbouring trees.	Fair	Fair	10+	C1	2.8	23.9
G991	Norway maple	18	-	580	-	0	-	0	-	0	-	0	-	0	-	-	3	-	М	Largest Dbh recorded. Root girding, minor deadwood, two trees have cavities at base and in stem. Evidence of crown Lifting. Two lime five maple.	Fair	Fair	20+	B2	7.0	152.2
G992	Hawthorn	8	-	320	-	4	-	4	-	4	-	4	-	0	-	-	2	-	М	Root girdling, crossing branches, minor t moderate deadwood thinning canopies, typical of age and species.	Fair	Fair	10+	C2	3.8	46.3
Т993	Birch (Silver)	17	-	550	-	5	-	4.5	5 -	6	-	6	-	0	-	-	2.5	-	М	Cavity to north at base, evidence of crown fitting in past minor decay, canopy touching building	Fair	Fair	10+	C1	6.6	136.9
G994	Maple species	18	-	553	-	0	-	0	-	0	-	0	-	0	-	-	3	-	М	Evidence of pruning wounds ranches close to buildings,	Fair	Fair	20+	B2	6.6	138.4
G995	Laurel (Cherry)	3	-	150	-	2	-	2	-	2	-	2	-	0	-	-	0	-	М	Formerly pollarded god shape	Good	Good	10+	C2	1.8	10.2
G996	Maple, lime	18	-	590	-	0	-	6	-	0	-	0	-	0	-	-	2	-	М	Minor deadwood, dense canopies, lime to north has included bark weak union	Fair	Good	20+	B2	7.1	157.5
T997	Lime (Common)	17	-	500	-	6		6		6		5	-	3.5	-	West	3	-	М	Minor cavity at old pruning cut at 2.5m, evidence of past branch failure, minor epicormic growth n stem	Good	Good	20+	B1	6.0	113.1
G998	Laurel (Cherry)	2.5	-	150	-	0	-	0	-	0	-	0	-	0	<u> </u>	-	0	-	М	Good shape, minor deadwood	Fair	Fair	10+	C2	1.8	10.2
Т999	Lime (Common)	14	-	450	-	6	-	5	-	6.5	5 -	6	-	0	-	-	2.5	-	М	Epicormic growth at base, camera and phone line in canopy, top snapped out scale insects.	Fair	Good	20+	B1	5.4	91.6
G1000	Cherry, hawthorn, lime, ore, birch, elder	10	-	250	-	0	-	0	-	0	-	0	-	0	-	-	1	-	EM	Mixed group in enclosure around pond area, no access to stems	Good	Good	10+	C2	3.0	28.3
T1001	Poplar (Lombardy)	23	-	760	-	4		4		4	-	4	-	0	-	-	1	-	М	Good form, close to buildings and embankment.	Good	Good	10+	B1	9.1	261.3
T1002 T1003	Birch (Silver)	11 18	-	410 550	-	5.5 0	_	5.5	_	4	_	6	-	2	+-	West	1	-	М	Poor form, minor to moderate deadwood	Fair Poor	Fair Poor	10+ <10	C1 U	4.9 6.6	76.1 136.9
T1003	Elm (English) Hawthorn (Midland)	5	-	275	-	0		0	-	0		0	-	0	-	-	0.5	-	M	Dead, bark stripped Dense low canopy, twin stem occluded union at base, minor deadwood in campy.	Good	Good	10+	C1	3.3	34.2
G1005	Birch, hawthorn	13	-	350	-	0	-	0	-	6	-	6	-	0	-	-	0	-	М	Minor deadwood, hawthorns supressed by birch. Three hawthorn, seven birch.	Fair	Fair	10+	C2	4.2	55.4
G1006	Poplar (Lombardy)	26	-	730	-	4	-	4	-	4	-	4	-	0	-	-	6	-	М	Moderate deadwood, minor epicormic on stem, evidence of branch removal	Fair	Fair	10+	C2	8.8	241.1
G1007	Hornbeam, lime	13	-	230	-	6	-	6	-	6	-	6	-	0	-	-	2.5	-	М	Evidence of previous branch removal, minor dieback t some trees nor basal damage	Fair	Fair	20+	B2	2.8	23.9
T1008	Elm (English)	14	-	420	-	0	-	0	-	0	-	0	-	0	-	-	2	-	М	Dying, poor ear coverage	Poor	Poor	<10	U	5.0	79.8
G1009	Poplar (Lombardy)	25	-	1100	-	0	-	0	-	0	-	0	-	0	-	-	2.5	-	М	Three poplar, largest Dbh taken, other two 650bdh. Largest tree included union, weak fork. Minor deadwood, epicormic growth at base. Low quality, our shoe, thinning campy.	Fair	Fair	10+	C2	13.2	547.5
G1010	Norway maple, sycamore, hornbeam	15	-	650	-	0	-	0	-	0	-	0	-	0	-	-	3	-	М	Mixed group, evidence of crown fitting, epicormic growth at base, dense canoes.	Fair	Fair	20+	B2	7.8	191.2
G1011	Laurel (Cherry)	3.5	-	150	-	0	-	0	-	0	-	0	-	0	-	-	0	-	М	God shape, two all round, recent pollarded with new growth	Fair	Good	10+	C2	1.8	10.2
G1012	Elder	5	-	80	-	0	-	0	-	0	-	0	-	0	-	-	0	-	-	SPF set shrubby elder	Poor	Good	10+	C1	1.0	2.9
G1013	Pine, elder	11	-	270	-	0	-	0	-	0	-	0	-	0	-	-	0	-	М	Pine with elder at base, poor form, evidence of failures. Recommend clearance of understory.	Fair	Fair	10+	C2	3.2	33.0
G1014	Pine	12	-	300	-	0	-	0	-	0	-	0	-	0	-	-	0	-	М	Scots pine, elder understory, low canopy, past branch failures. Some crown thinning.	Fair	Fair	20+	B2	3.6	40.7
G1015	Pine	12	-	300	-	0	-	0	-	0	-	0	-	0	-	-	0	-	М	Scots pine, elder understory, low canopy, past branch failures. Some crown thinning., minor to moderate deadwood.	Fair	Fair	20+	B2	3.6	40.7
G1016	Alder, hornbeam, ash, black pine	14	-	500	-	0	-	0	-	0	-	0	-	0	-	-	0.5	-	М	Mixed group, hornbeam dying, some dying trees within group, basal damage from mowers, minor deadwood, ash trees supressed.	Fair	Fair	20+	B2	6.0	113.1
G1017	Pine	8	-	200	-	0	-	0	-	0	-	0	-	0	-	-	0.5	-	EM	Early matures minor deadwood, some thinning canopies.	Fair	Fair	20+	C2	2.4	18.1

Date 13	.3.14. 1, 4, 8 April	Site:	Upp	er Heyfo	ord	_							Surve					Clie	ent:	Dorchester/bovis			Job no	o:	D.0341	
Number		Heig	Estimate	Stem	Estimate		Estimate	T 1	Estimate T	-+i	Estimate	timate			n clea 1st bran			timate	Life		Structural	Physiological		Quality	RPA	RPA
NZ	Species	ht	ΞS	dia	ĒS	N	Est	S	Ε	Č L	W	ШSI	brand	h Ц	direc	tion C	Canopy	ШSI	Life stage	General observations	condition	condition	ULE	grading		area
H1018	Elder, hawthorn, horse chestnut, sycamore, blackthorn	7	-	200	-	0	-	0	-	0	- c	) -	0	-			0	-	М	Unmanaged tree hedge, some dead trees, gaps in places, varying heights from, 4-8m.	Fair	Fair	20+	B2	2.4	18.1
T1019	Sycamore	12	-	400	-	9	-	9	-	9	- 9	) -	0	-			0.5	-	М	Offsite, no access to base, multi stem tree, large spreading crown	<sup>1</sup> Fair	Good	20+	B1	4.8	72.4
G1020	Pine	10	-	300	-	0	-	0		0	- 0		0	-			0.5	-	EM	Dead tree at centre of group, sparse crowns, poor shape	Fair	Fair	20+	C2	3.6	40.7
G1021	Hawthorn	6	-	150	-	0	-	0		0	- 0	-	0		·		0	-	EM	Growing on boundary through fence. Minor deadwood.	Fair	Fair	10+	C2	1.8	10.2
T1022 G1023	Sycamore Swedish white beam,	6	- 3 -	150 300	-)-	3	-	3	-	3 · 0 -	- 3	0 - 0 -	0	0 -	-		0.5	-	EM EM	Off site, good shape, dense canopy Small group of deciduous, epicormic growth to stems	Good Good	Good Good	20+ 10+	C1 C2	1.8 3.6	10.2 40.7
G1024	lime, cherry Swedish white beam, lime, cherry, black pine	1(	0 -	450	) -	0	) -	0	-	0 -		0 -		0 -	-		0	-	EM	Group of early mature trees, minor dead branches, most tress suppressed. Largest Dbh recorded, good collective form. Bank to south of stems. Heights range from 8-11m. Consider thinning.	Good	Good	20+	B2	5.4	91.6
G1025	Pine	1(	) -	350	)#	0	-	0	-	0 -		0 -		0 -	-		0	-	EM	Small group of trees, minor deadwood, thinning canopies in places, branches touching ground. Consider thinning.	Good	Good	20+	C2	4.2	55.4
G1026	Field maple, pine, ash, cherry, white poplar, lime, alder	1'	1 -	400	) #	0	) -	0	-	0 -		0 -		0 -	-		0	-	EM	Mixed group, predominantly pine, gaps in places. Some dead ash trees in group-possible ash dieback. Consider thinning. Average Dbh recorded. Saplings run along western boundary.	Good	Good	20+	B2	4.8	72.4
G1027	Hornbeam, field maple, cherry	7	7 -	300	) -	0	-	0	-	0 -		0 -		0 -	-		0	-	EM	Small copse of trees, saplings to west. Consider thinning, some dead trees in group.	Good	Good	20+	B2	3.6	40.7
G1028	Robinia, field maple, cherry, pine, white poplar, ash, alder, lombardy poplar	16	6 -	400	) -	0	-	0	-	0 -		0 -		0 -	-		0	-	EM	Height range from 6-16m, dense mix of trees, some failed trees, overrun with elder, bramble, consider thinning.	Good	Good	20+	B2	4.8	72.4
T1029	Cherry (Wild)	ç	9 -	200		3.5	-	4	#	1.5 #	Ł	4 -		2 -	Wes	t	1	-	EM	Self set tree, located adjacent building.	Fair	Good	10+	C1	2.4	
	Pine Pine, white poplar, field maple, cherry, Lombardy poplar, hornbeam.	19	9 - 9 -	400 400		0	_	0	-	0 -	_	0 -		0 -	-		<u>1</u> 0.5	_	EM EM	Small group, minor deadwood. Heights range from 9-19m, dense, some deadwood. To the east is more coniferous. Poplar in decline. Consider thinning, some minor branch failures.	Good Good	Good Fair	20+ 20+	C2 B2	4.8 4.8	72.4 72.4
G1032	Lime, hornbeam,	ę	9 -	350	) -	0	-	0	-	0 -		0 -		0 -	-		0.5	-	EM	Dense, low canopies, good collective form.	Good	Good	20+	B2	4.2	55.4
	Lime, white beam, field maple.		9 -	400		0	-	0	-	0-		0 -		0 -	-		0.5		EM	Group of trees planted in lines, Dbh range from 300- 500mm. Good screen.	Good	Good		B2	4.8	
	Lime, field maple	8.5	5 -	300		0	-	0	-	0-		0 -		0 -	-		0.5		EM	Plantation, situated in rows, dense low canopies, adjacent existing road.	Good	Good		B2	3.6	
	Lime, field maple, white beam	Ç	9 -	300		0	-	0	-	0-		0 -		0 -	-		0.5		EM	existing road.		Good		B2	3.6	
	Swedish white beam	2	4 -	150		0	-	0	-	0-		0 -		0 -	-		1	-	EM	Moderate dieback, reverting back to original root stock, field maple, hawthorn growing around base	Fair	Fair	<10	C2	1.8	
G1047	Pine	ę	9 -	250	) -	0	-	0	-	0-		0 -		0 -	-		0.5		EM	Small coniferous group, low canopies, minor ivy encroachment, understory of bramble, elder, ivy.	Fair	Good	20+	B2	3.0	
G1038	Hawthorn, cherry, elder, field maple	7	7 -	100		0	-	0		0 -		0 -		0 -	-		0.5	-	SM	Small self set trees, dense in places.	Good	Good	20+	C2	1.2	
	Hawthorn, cherry, elder, field maple, pine, white beam		9 -	300		0	-	0		0 -		0 -		0 -	-		-		EM	Mixed dense woodland, dense canopies, good screen. Shrub mass of field maple to north/west. Average heights and Dbh recorded.	Good	Good		B2	3.6	
	Cherry (Wild)		<u>-</u>	100			-	3		3-		3 -	0	.5 -	-	$-\top$			SM	Self set tree.	Good	Good	10+	C1	1.2	
	Cherry (Wild) White beam, pine, ash, poplar, field maple, beech, lime, cherry, alder.	-	6 - 1 -	170 450		v	) -	0		0 -	_	0 -		0 -	-			-	EM EM	Self set tree. Mixed group, low canopy, self seeding ash to the south. Consider thinning. Largest Dbh recorded.	Good Good	Good Good	10+ 20+	C1 B2	2.0 5.4	
G1043	Cherry (Wild)	1(	) -	200	) -	0	-	0	-	0-	+	0-		0-	-	+	1	-	EM	Two self set trees adjacent to building. Good form.	Good	Good	10+	C2	2.4	18.1
	hornbeam, pine, ash, poplar, field maple, beech, lime, cherry.		5 -	500			-	0		0 -	_	0 -		0 -	-			_	EM	To the east and north, re-gen ash, self set hawthorn, average heights 3-12m. Largest Dbh recoded. Dense cow parsley understorey. Woodland set on raised embankment.	Good	Good	20+	B2	6.0	

Date 13	3.3.14. 1, 4, 8 April	Site:	Uppe	er Heyfor	rd								Surve				Cli	ent:	Dorchester/bovis	-		Job n	0:	D.0341	
					ļ			Spre	ad				0	Crowi	n clearanc	e height		-							
Number	Species	Heig ht	Estimate	Stem dia	Estimate	Z setimate	Sumate	Estimate	E	Estimate	W	Estimate	1st branc	stimate	1st branch direction	Canopy	Estimate	Life	General observations	Structural condition	Physiological condition	ULE	Quality		RPA area
	Pine, sycamore, hawthorn, ash, lime, cherry, poplar	12		400	-	0-		0-		0 -	0		brano	0 -	-	1	-	EM	pine located to the north and west, self set trees to edges, dense in places. Average heights and Dbh recorded.		Good	20+	B2	4.8	1
	Bull ace/damson		-	150	-	2 -		2 -		2 -		-		0 -	-	1		EM	Self set tree	Fair	Fair	20+	C1	1.8	-
	Cherry (Wild)	8		260	-	4 -		4 -		4 -		-		5 -	South	1.5		M	Self set tree, touching building.	Good	Good	10+	C1	3.1	
G1048	Pine Cherry, ash, lime,	10 12		300 · 450 ·	-	0 -	_	0-	_	0 - 0 -	0	-		0-	-	0.5		EM EM	Minor deadwood, low canopies. Group of trees, recent crown lifted, 5 trees felled, ash has	Good Good	Good Fair	20+ 20+	B2 B2	3.6 5.4	_
	Norway maple, grey alder					0-				-				Ĵ	-				significant dieback. Thin trees, latest Dbh and heights recorded.					5.4	
G1050	Cherry, lime, ash	12	#	400	-	0 -		0 -	(	0 -	0	-		0-	-	0	) -	EM	Recent pruning wounds, some trees recently felled. Consider thinning.	Good	Good	20+	B2	4.8	3 72.4
T1051	Hornbeam	14	-	390	-	3.5 -	3	.5 -	3.	5 -	4	-		0 -	-	2	2 -	М	Significant dieback to crown, epicormic growth on them. Snapped out limb at 2m, decay at wound, poor shape.	Poor	Poor	<10	U	4.7	68.8
G1052	Lime, hornbeam	18	-	500	-	0 -		0 -	(	0 -	0	-		0 -	-	0.5	5 -	М	Wounds to some stems, basal decay on hornbeam, low canopy, minor epicormic growth on stems. Minor deadwood in canopies, dense canopies.	Fair	Good	20+	B2	6.0	) 113.1
G1053	Lime, hornbeam, ash	18	-	500	-	0 -		0 -		0 -	0	-		0 -	-	0.5	5 -	М	Dense canopies, minor deadwood, some trees supressed by larger limes. Minor epicormic growth. Dense ivy on some stems.	Good	Good	20+	B2	6.0	) 113.1
T1054	Ash (Common)	8	-	200	-	3.5 -		3 -	3.	5 -	3.5	-		0 -	-	0.5	5 -	EM	Unable to access, dense canopy, self set, topped in past	Fair	Fair	20+	C1	2.4	18.1
	Maple (Norway)	11	-	460		5 -		5 -		5 -	7	-		0 -	-	0.5		М	Small leaves, past branch failure 2m north, stump remains, thinning canopy.		Fair	10+	C1	5.5	
G1056	Cherry, maple, birch, willow	5	-	180	-	0 -		0 -		0 -	0	-		0-	-	0.5	5 -	EM	Self set, varying heights between 3-5m. Dense foliage.	Good	Good	20+	C2	2.2	2 14.7
G1057	Maple, hawthorn, elder, willow cherry, rose	6	-	150	-	0 -		0 -		0 -	0	-		0 -	-	C	) -	EM	Self set mixed species, unmanaged, minor deadwood, dead elder	Fair	Good	10+	C2	1.8	8 10.2
G1058	Maple, elder	6	-	150	-	0 -		0 -	(	0 -	0	-		0 -	-	0	) -	EM	Self set, moderate dieback, adjacent building,	Fair	Fair	<10	U	1.8	3 10.2
G1059	Cypress	14	-	650	-	0 -		0 -	(	0 -	0	-		0 -	-	1.5	5 -	М	Four cypress with self set maple within. Remove sycamore/maple. Good shape, many have minor pruning wounds.	Fair	Good	20+	B2	7.8	3 191.2
G1060	Pine, sycamore, ash, hawthorn, cherry laurel.	16	-	500	-	0 -		0 -	(	0 -	0	-		0 -	-	1	-	-	Very dense ivy on stems, unable to inspect ash, pine have multiple snapped branches, debris around base, remove ivy and re inspect. Thin group.	Fair	Fair	10+	C2	6.0	) 113. <sup>-</sup>
G1061	Horse chestnut, sycamore, ash, larch	25	-	900	-	0 -		0 -		0 -	0	-		0 -	-	C	) -	-	Dbh 400-900. Predominantly ash, regen sycamore beneath. Ivy obscuring some stems, minor cavities to base of some trees. Non uniform shapes. Dead larch to east, dying larch to north east.	Fair	Fair	20+	B2	10.8	366.5
G1062	Ash, sycamore, hawthorn,	10	-	250	-	0 -		0 -		0 -	0	-		0 -	-	0.5	5 -	EM	Self set, 2-10m tall	Fair	Fair	10+	C2	3.0	28.3
G1063	Ash, sycamore, hawthorn	13	-	500	-	0 -		0 -	-	0 -	0	-		0 -	-	1	-	М	Minor dieback, ivy obscuring stems, good leaf coverage	Fair	Fair	10+	C2	6.0	) 113.1
G1064	Ash, hawthorn	6	- 1	100	-	0 -		0-	(	0 -	0	-		0 -	-	0	) -	EM	Self set, , minor deadwood.	Good	Good	20+	C2	1.2	2 4.5
	Sycamore	14	-	300		0 -		0 -		0 -	0	-		0 -	-	0	) -	EM	Multi stem, ivy obscuring stems, some saplings at base.	Fair	Good	20+	B2	3.6	
G1066	Rose, ash, sycamore, hawthorn	6	-	100	-	0 -		0 -	-	0 -	0	-		0 -	-	0	) -	EM	Self set, n managed	Fair	Good	10+	C2	1.2	2 4.5
G1067	Sycamore ash	7	-	100	-	0 -		0 -	1	0 -	0	-		0 -	-	0	) -	EM	Self set, multi stems, supressed, minor deadwood within	Fair	Good	10+	C2	1.2	2 4.5
G1068	Cherry, hawthorn, elder, ash	4	-	100	-	0 -		0 -	-	0 -	0	-		0 -	-	0	) -	EM	the group. 2-5m. Area of self set trees.	Fair	Good	10+	C2	1.2	2 4.5
G1069		10	-	300	-	0 -		0 -	1	0 -	0	-		0 -	-	1	-	М	Minor deadwood and canopy thinning. Unable o access base.	Fair	Good	20+	B2	3.6	6 40.7
G1070	Hawthorn, elder, ivy	7	-	200	-	0 -		0 -	1	0 -	0	-		0 -	-	0	) -	М	Unmanaged boundary hedgerow/group. Dead trees within, ivy encroachment.	Fair	Fair	10+	C2	2.4	18.1
G1071	Ash, hawthorn, elder, bramble, cherry.	7	-	180	-	0 -		0 -	(	0 -	0	-		0 -	-	C	) -	EM	Vegetation self set typical of derelict/disturbed ground.	Fair	Good	10+	C2	2.2	2 14.7
G1072	Sycamore, Norway maple	10	-	300	-	8 -		7 -	1	7 -	7	-		0 -	-	0.5	5 -	М	Multi stem, dense interlocking canopies, unable to access base	Good	Good	20+	B2	3.6	6 40.7

Job no	):	D.0341	
ULE	Quality grading	RPA radius	RPA area
20+	B2	4.8	72.4
20+	C1	1.8	10.2
10+	C1	3.1	30.6
20+	B2	3.6	40.7
20+	B2	5.4	91.6
20+	B2	4.8	72.4
<10	U	4.7	68.8
20+	B2	6.0	113.1
20+	B2	6.0	113.1
20+	C1	2.4	18.1
10+	C1	5.5	95.7
20+	C2	2.2	14.7
10+	C2	1.8	10.2
<10	U	1.8	10.2
20+	B2	7.8	191.2
10+	C2	6.0	113.1
20+	B2	10.8	
10+	C2	3.0	28.3
10+	C2	6.0	113.1
20+	C2	1.2	4.5 40.7
20+	B2	3.6	
10+	C2	1.2	4.5
10+	C2	1.2	4.5
10+	C2	1.2	4.5
20+	B2	3.6	40.7
10+	C2	2.4	18.1
10+	C2	2.2	14.7
20+	B2	3.6	40.7

Date 13.	.3.14. 1, 4, 8 April	Site:	Upp	er Heyford							S	urvey	or: N	1R		Clie	ent:	Dorchester/bovis			Job n	o:	D.0341	
							Sp	oread				Cr	own	clearanc	e height	_								
ber			nate	a to	Z	Estimate		Estimate m	Estimate		nate		nate	1st branch direction		nate								
Number		Heig	Estima	Stem 🗄		stim		stin	stin	w/	stin	st	stin	branch	Canoni	stin	Life	General observations	Structural condition	Physiological		Quality		RPA
	Species Sycamore, elder, ash,		<u>ш</u> ; -	180 -		<u>ш</u> )-	S 0-	<u>ш</u> Е . (	<u>ш</u> 0-	0-	. О	rancn 0	ш -	-			M	Some dead trees, him in places, unmanaged, moderate	Fair	condition Fair	ULE 10+	grading C2	2.2	area 14.7
	hawthorn	,	ĺ	100			Ŭ	Ì	Ĭ	Ŭ		Ŭ				ĺ		deadwood		i un	101	02	2.2	14.7
T1074	Ash (Common)	12	2 -	500 -	4	4 -	4 -	. <u></u> {	5 -	4 -		0	-	-		1 -	М	Basal cavity north part of stem, woodpecker holes, wounds on stem, decay at branch unions, thin canopy poor shape	Poor	Poor	<10	U	6.0	113.1
T1075	Ash (Common)	12	2 -	550 -	5	5 -	6 -	. <u></u>	5 -	6 -		0	-	-		1 -	м	Woodpecker holes, dieback in crown, wounds to stem, cavity in base.	Fair	Fair	10+	C1	6.6	136.9
	Sycamore, rose, hawthorn,	-	} -	250 -		) -	0 -	. (	0 -	0 -		0		-			EM	Self set along fence line, minor deadwood	Fair	Fair	10+	C2	3.0	
	Sycamore, rose elder, ash, hawthorn	-	3 -	180 -		)-	0 -	,	0 -	0 -		0		-			EM	Self set, scrubby, minor deadwood unmanaged.	Fair	Fair	10+	C2	2.2	
G1078		-	3 -	250 # 250 -		<u>)</u> -	0-		0-	0-	·  -	0		-		_	M	Low canopies, unable to access, three tress.	Fair	Good	20+	C1	3.0 3.0	
G1079 T1080	Pine		3 - ) -	300 -	_	)- )-	0-	. (	0-	0-		0	-	-			M M	Included unions, co dominant stems, low canopies Low canopies, minor deadwood, thin crowns,	Fair Fair	Fair Fair	20+ 20+	C2 C2	3.0	
G1081	Cypress cultivars,	6	<b>'</b>	200 -	_	)- )-	0-	. (	0-	0-		0	-	-		_	M	Low canopies, some dieback	Fair	Fair	20+	C2	2.4	18.1
G1082	Japanese cedar, Western red cedar, cypress	10	) -	400 #	3.5	5 -	3.5 -	· 3.5	5 -	3.5 -		0	-	-		) -	М	Low canopies, minor deadwood	Fair	Fair	20+	B2	4.8	72.4
G1083	Birch, cotoneaster, ash, cedar, elder, cypress, cherry, rose, goat willow	8	3 -	150 #	(	) -	0 -	. (	0 -	0 -		0	-	-	0.9	5 -	EM	Self set scrubby, adjacent buildings and hard standing	Fair	Fair	20+	C2	1.8	10.2
	Elder, white beam	6	5 -	150 #	(	) -	0 -	. (	0 -	0 -		0	-	-	(	) -	EM	Self set surrounding buildings, some dead elder, scrubby, brambles within	Fair	Fair	10+	C2	1.8	10.2
	Ash, hawthorn, blackthorn, cypress, Norway maple, elder, field maple, cherry, pine, willow, field maple	12	2 -	300 #	0	) -	0 -	- (	0 -	0 -		0	-	-		2 -	EM	Unmanaged hedgerow with mature standard trees within, 5m overhang, flailed roadside. Off site, unable to access stems. Good screen. Turning in to plantation towards south.	Fair	Good	20+	B2	3.6	40.7
	Western red cedar, cypress	4	- I	250 -	(	) -	0 -	. (	0 -	0 -		0	-	-	(	) -	EM	Multi stemmed group.	Fair	Fair	10+	C2	3.0	28.3
	Hawthorn	5	5 -	180 -		3 -	3 -	- :	3 -	3 -		0.5	-	West	0.		EM	Dense, poor form	Good	Good	10+	C1	2.2	14.7
G1088	Pine, elder	9	) -	300 #	5	5-	5-	. (	0-	0-	•	0	-	-	0.	5 -	EM	Narrow wooded copse, minor dieback, minor deadwood, consider thinning.	Good	Fair	20+	B2	3.6	40.7
T1089	Cherry (Wild)	5.5	5 -	125 -	2.5	5 -	2.5 -	· 2.5	5 -	2.5 -	.	0	-	-		) -	EM	Self set tree adjacent to hanger	Good	Good	10+	C1	1.5	7.1
T1090	Hawthorn, blackthorn, field maple		5 -	200 -	_	) -	0 -		0 -	0 -		0	-	-	1			Planted group, saplings evident around base.	Good	Good		C2	2.4	
	Sycamore	14	-	540 -	(	) -	0 -		5 -	5 -		0	-	-		2 -	М	three mature trees, heavily crown lifted, average heights and largest Dbh recorded	Good	Good	20+	B2	6.5	131.9
T1092	Sycamore	14	+ -	500 -	5	5 -	5.5 -	- 5.5	5 -	6 -		4		North east	:	3 -	М	Failed twin stem in past, large cavity at 2m, good reactive growth, moderate decay, reduce crown if wanted as avenue of trees.	Poor	Good	10+	C1	6.0	113.1
G1093	Birch (Silver)	11	-	400 -	-	-	0 -	. (	0 -	0 -	·	0	-	-	0.	5 -	Μ	Two twin stemmed trees, included unions at 2m, minor dieback.	Fair	Fair	10+	C2	4.8	72.4
	Cypress (Lawson)		7 -	300 -		2 -	2 -		0 -	0 -		0		-	-	_	М	Cypress cultivars, minor subsiding branches.	Fair	Fair	<10	C2	3.6	
T1095	Birch (Silver)	14	+ -	450 -	e	6 -	3 -	. (	6 -	5 -	·	3	-	North west	:	3 -	М	Good form, miss-shaped crown to west.	Good	Good	20+	B1	5.4	91.6
	Hawthorn	6	5 -	400 -	3	3 -	2 -	. 4	4 -	3 -	·	1.5		North west	0.	5 -	М	Poor form, significant deadwood and dieback, tree in decline	Fair	Poor	<10	U	4.8	72.4
G1097	Hawthorn, birch	9	) -	400 -	(	) -	0 -	. (	0 -	0 -		0	-	-		) -	М	Stems from 200-400mm, average heights recorded. Included unions, minor deadwood. Excavations to west of stems, moderate root severance.	Fair	Poor	10+	C2	4.8	72.4
	Maple (Norway)	9	) -	500 -	Ę	5 -	6 -	. (	6 -	5 -	•	2.5		North west		2 -	М	Poor form, minor dieback, minor wounds to stem.	Fair	Fair		C1	6.0	113.1
	Birch (Silver)		) -	380 -	2	4 -	4 -		0 -	0 -		0	-	-		) -		Two trees in group, large cavity to east to east of one stem, moderate decay, one tree with extensive epicormic growth, low canopy.	Fair	Fair		B2	4.6	
	Birch (Silver)	10.5		375 -		4 -	4.5		3 -	5 -	•	-	-	West		5 -		Good form, no obvious defects.	Fair	Fair		B1	4.5	
T1101	Hawthorn	6	<u>)</u> -	300 -	3	3 #	3‡	# (	0 -	0 -	· T	0	-	-		2 -	М	Suppressed by neighbouring birch. Some excavations within RPAs.	Fair	Good	10+	C2	3.6	40.7

Date 13.	.3.14. 1, 4, 8 April	Site:	Upp	er Heyford	ł						Survey	or: N	/IR	(	Clie	nt:	Dorchester/bovis			Job n	D:	D.0341	
			Τ			_	Spre	ad	_		Ć	rown	clearanc	e height									
Number	Species	Heig ht	stimate	Stem	z	Estimate	ର Estimate	H ictimato	Sumate	stimate	1st	stimate	1st branch direction	Canopy	stimate	Life	General observations	Structural condition	Physiological condition		Quality grading	RPA	RPA area
	Western red cedar		ə -	300 -		2 -	2-	2-	2		(	)-	-	1.5	.	M	Recent excavations at base, tree leaning to north, tree	Poor	Fair	<10	U	3.6	40.7
																	subsiding.						
	Birch, midland thorn Lime (Common)	12	9 -	450 - 380 -	_	) - 5 -	0-	0-	0			) -	- South	0.5	_	M M	Trees suppressed, Dbh ranging from 200-450 Minor epicormic growth to stem, minor deadwood	Fair Fair	Fair Good	10+ 20+	C2 B1	5.4 4.6	<u>91.6</u> 65.3
	Poplar (Lombardy)	23		750 -	_	3 -	4 -	3.5 -	5		3	-	South	4-	_		Some dieback-minor, epicormic growth on stem.	Fair	Fair	10+	C1	9.0	254.5
G1106	Hornbeam, Lombardy poplar	23		800 -	(	0 -	0 -	0 -	0	-	C	) -	-	0 -		M	Mostly poplars, sparse crowns and minor dieback to poplars, epicormic growth on stem. Remove epicormic growth and deadwood.	Fair	Fair	10+	C2	9.6	289.6
	Sycamore		9 -	320 -	_	3 -	4 -	4 -	3.5	-	2.5	5 -	South	1.5	_		Good form, no obvious defects	Good	Good	20+	B1	3.8	46.3
	Lombardy poplar, Norway maple, sycamore	24	1 -	600 -	(	0 -	0 -	0 -	0	-	C	) -	-	1-	.		Group of mature trees, poplars in decline, deadwood in some trees, most trees suppressed. Consider thinning trees and removing declining trees. Heights ranging from 15-24m.	Fair	Fair	10+	B2	7.2	162.9
	Ash	11		700 -	e	ô -	6 -	7 -	7	-	C	) -	-	0 -	·	М	floor, no access to stem.	Fair	Poor	10+	C1	8.4	221.7
	Ash, blackthorn, oak, willow, poplar, apple, alder	25		500 -	(	) -	0 -	0 -	0			) -	-	0 -		Ν	Off site wooded area, unmanaged, no access, some trees growing on boundary fence,		Fair	20+	B2	6.0	113.1
	Elder, hawthorn, willow, birch		7 #	150 -		) -	0 -	0 -	0		C	ĺ	-	0 -			Scrubby self set tress on boundary fence, low value.	Fair	Fair	10+	C2	1.8	10.2
	Elder, hawthorn		7 -	100 -		) - -	0-	0-	0		0	<i>'</i>	-	0			Self set trees adjacent to buildings, low value.	Fair	Fair	10+	C2	1.2	4.5
	Wild service tree.		7 - 3 -	325 - 300 -	3.5		3.5 - 2.5 -	3.5 -	3.5 2.5		1.5	_	South	1-0-		M EM	Minor bark damage to stem, good form Good form, no obvious defects noted.	Good Good	Fair Good	10+ 10+	B1 C1	3.9 3.6	47.8
	Lawson cypress Cherry, lime, Norway	14	-	350 #		5 - 4 -	2.5 -	2.5 -	2.5	-		)- )-	-	1.5	_	EM	Group of mature trees on boundary, good collective value,	Good	Good	20+	B2	3.0 4.2	<u>40.7</u> 55.4
	maple, poplar, birch, ash, field maple													1.0			some declining trees in group. Consider thinning.	Cood		201	D2	1.2	00.4
	Cherry, lime, ash, poplar, beech		9 -	300 #		0 -	0 -	0 -	0	-	C	) -	-	1.5 -	.	ΞM	Group of trees, good collective form. Consider thinning.	Good	Good	20+	B2	3.6	40.7
	Cherry, lime, ash, poplar, beech, field maple, Norway maple, willow.	11	1 -	250 #	• (	0 -	0 -	0 -	0	-	C	) -	-	1.5 -	.	ΞM	Group of early mature trees, good collective value, good screen, consider thinning. Some declining trees in group.	Good	Good	20+	B2	3.0	28.3
G1118	Norway maple, cherry, beech, ash, poplar	1(	) -	300 #	! (	) -	0 -	0 -	0	-	C	) -	-	1.5 -	.	ΞM	Sparse group, heights from 2-11m, average dbh recorded	Good	Fair	10+	C2	3.6	40.7
	Ash, beech, poplar, cherry, elm,	1(	) -	250 -	(	) -	0 -	0 -	0	-	(	) -	-	1-	.	ΞM	Average height recorded, some dead trees in group, good collective form. Consider removing dead trees and thinning.	Good	Good	20+	B2	3.0	28.3
T1120	Ash	14	1 -	640 -	8	3 -	9 -	8 -	8	-	2.5	5 -	South west	1.5 -	·	N	Individual tree, some dieback, minor deadwood, broad crown. Remove deadwood.	Fair	Fair	20+	B1	7.7	185.3
T1121	Lawson cypress	ç	9 -	330 -	3	3 -	3 -	3 -	3	-	0	) -	-	1 -	·	N	Open grown tree, neighbouring trees recently removed, twin stemmed at 2.5m.	Fair	Fair	10+	C1	4.0	49.3
	Leyland Cypress	18	3 -	660 -		0 -	0 -	5 -	5	-	,	) -	-	2.5 -			Two mature trees, minor bark damage, minor broken hung up branches.		Fair		C2	7.9	197.1
	Birch, cherry, elder		5 -	100 #		) -	0-	0-	0		0	) -	-	0.		EM		Fair	Fair	10+	C2	1.2	4.5
	Lawson cypress Weeping willow		9 - 9 -	340 - 410 -		2 - 7 -	3 - 6 -	<u>3-</u> 5-	3 5		2.5	5 -	West West	0 - 0.5 -		EM M	Unbalanced crown, minor broken limbs. Dieback in crown, some moderate hung up branches,	Fair Fair	Fair Fair	10+ 10+	C1 C1	4.1 4.9	52.3 76.1
T1126	Swedish whitebeam		3 -	510 -	2.5	5	3-	-	3			) -		2-	_	M	moderate deadwood. Minor deadwood, good form	Good	Fair	10+	C1	6.1	117.7
	Norway maple	10		340 -		5 - 5 -	<u> </u>	4-	5		2.5		- South	1.5			Suppressed by neighbouring trees, saplings beneath	Fair	Fair	10+	C1	4.1	52.3
G1128	"crimson king" Lawson cypress	8	3 -	300 #	÷ (	D -	0 -	2.5 -	2.5	-	0	) -	-	0 -	.	M	crown, minor deadwood. Two trees in group, minor dieback, self set elder growing through crowns.	Fair	Fair	10+	C2	3.6	40.7
G1129	Norway maple, cypress	11	1 -	300 #	: (	) -	0 -	0-	0	-	C	) -	-	0 -	.	N	Group of trees adjacent to buildings, included unions, suppressed form.	Fair	Fair	10+	C2	3.6	40.7
T1130	Leyland Cypress	11	1 -	565.69 -	3.5	5 -	3.5 -	3.5 -	3.5	-	C	) -	-	0.5 -	.	Ν	Twin stemmed tree, Lv power line through crown, adjacent to buildings.	Good	Fair	10+	C1	6.8	144.8
	Norway spruce	11	1 -	400 #		3 -	3 -	3-	3	-	0	) -	-	0.5		N	Twin stemmed tree, open crown.	Good	Fair	10+	C1	4.8	72.4
T1132	Fir	11	1 -	346.41 -	2.5	5 -	2 -	2.5 -	2	-	0	) -	-	0 -			Multi stemmed tree, included unions at base, self set elder growing through crown.		Fair	10+	C1	4.2	54.3
T1133	Cherry	Ę	5 -	300 #	÷ {	5 -	4 -	4 -	4	-	C	) -	-	0.5 -		N	Multi stemmed tree, large areas of bark damage with small cavities, included unions at base	Fair	Poor	<10	C1	3.6	40.7

Date 13	.3.14. 1, 4, 8 April	Site:	Upp	er Heyford							S	Survey	or: N	/IR		Clie	ent:	Dorchester/bovis			Job no	D:	D.0341	
			T				Sp	oread		_		Ċı	rown	clearanc	e height	_								
Ŀ			ate	te	2	fe		Ite	Ite		te		fe	1st		fe								
Number		Heig	Estimat	Stem 🚆	N	Estimate		Estimate m	Estimate			st	ima	1st branch direction		ima	Life		Structural	Physiological		Quality	RPA	RPA
NU	Species	ht	Шs	dia 🗓	3 N	Est	s	ы	Est	W	dEst	ranch	Est	direction	Canopy	Est	stage	General observations	condition	condition	ULE	grading		area
	Swedish whitebeam	8	3 -	430 -	5	5 -	5		4 -	4		2		North	1	-	М	Suckers at base, minor deadwood	Fair	Fair	10+	C1	5.2	83.7
T1135	Cherry	8	3 -	400 #	5	5 -	6	-	0-	0	-	2	2 -	North- west	1	-	М	Two trees in group, open crowns.	Fair	Fair	<10	C2	4.8	72.4
G1136	Cherry	8	3 -	250 #	4	4 -	4	-	0 -	0	•	0	) -	-	1	-	EM	Two trees, low crowns to east, one tree multi-stemmed.	Fair	Fair	10+	C2	3.0	28.3
T1137	Rowan	5	5 -	150 -	3	3 -	3	- 3	.5 -	3.5	-	0	) -	-		) -	М	Multi stemmed tree, mode rate dieback and poor form	Fair	Poor	<10	U	1.8	10.2
	Elder, ash	Ę	5 -	100 #	(	0 -	0	-	0 -	0	-	0	) -	-	0	) -	SM	Area of self set trees, adjacent building recently	Fair	Fair		C2	1.2	4.5
T1139	Norway maple "crimson king"	7	7 -	120 -	2.5	5 -	2.5	- 2	.5 -	2.5	-	2	2 -	South	1.5	5 -	EM	demolished. Good firm, no obvious defects.	Good	Good	20+	C1	1.4	6.5
T1140		5	5 -	125 #	4	4 -	4	-	4 -	5	-	0	) -	-		) -	EM	Low canopy, poor form	Fair	Fair	10+	C1	1.5	7.1
	Leyland Cypress	15		606.22 -	_	5 -	5	-	5 -	5	-	0	) -	-	1		М	Mature tree adjacent to building, multi stemmed, included unions at base.	Fair	Fair		C1	7.3	166.3
T1142	Cherry	8	3 -	350 #	3.5	5 -	3.5	- 3	.5 -	3.5	-	0	) -	-		) -	М	Situated adjacent to building., suppressed	Fair	Fair	<10	C1	4.2	55.4
T1143	Lawson cypress, goat		9 -	200 #		-	0	-	0-	0	-	0	) -	-	0	_		Group of self set trees, no access to stems.	Fair	Fair		C2	2.4	18.1
	willow, elder Elm	12	2 -	660 -	6.5	5 -	7	-	8 -	7	-	1.5	5 -	South west	0.5	; -	М	Tree on edge of hard standing, epicormic growth at base and on stem. Self set trees at base and under crown.	Good	Good	20+	B1	7.9	197.1
T1145	Eldor		3 -	200 -	-	2 -	2		3 -	3	_	0			0.5		М	Self set tree.	Fair	Fair	<10	C1	2.4	18.1
	Norway maple	10	-	300 -	4.5		5		5-	5	_	2.5		- West	2.5			Good form, minor epicormic growth on stem.	Good	Good	20+	B1	3.6	40.7
	Leyland cypress	14	-	350 -	-	4 -	4		0-	0	-	0	) -	-		-	М	Planted screen for former tennis courts, now grown up, minor failures in group.	Fair	Fair		C2	4.2	55.4
G1148	Elder	5	5 -	100 -	0	0-	0	-	0-	0	-	0	) -	-		) -		Self set trees on boundary fence	Fair	Fair	<10	C2	1.2	4.5
	Birch, hawthorn		3 -	200 -	_	3 -	3		2 -	3	-	0	) -	-	0.5			Self set trees adjacent to building, no obvious defects, largest values recorded.	Good	Good	10+	C1	2.4	18.1
T1150	Weeping willow	7.5	5 -	350 -	4	4 -	4	-	5 -	4	-	2.5	; -	North	0	) -	EM	Individual tree, minor deadwood.	Fair	Fair	10+	C1	4.2	55.4
T1151	Weeping willow,		) -	500 -	(	0 -	0	-	0 -	0	-	0	_	-	0	) -	М	Three trees in row, no access to stems-overrun with	Fair	Fair		C2	6.0	113.1
G1152	Cherry Ash, sycamore, willow, hawthorn,	7	7 -	150 #	0	0 -	0	-	0 -	0	-	0	) -	-	0	) -		bramble. Largest dbh estimated. Area of self set trees located between buildings.	Fair	Fair	10+	C2	1.8	10.2
	birch, elder Sycamore	9	9 -	400 #	5	5 -	5	-	5 -	5		0	) -	-	1.5	5 -	EM	Tree located adjacent to road, no access to stem due to	Good	Good	20+	B1	4.8	72.4
T1154	Birch	9	9 -	340 -	5.5	5 -	4	- 4	.5 -	4		2.5	; -	West	1	-	М	bramble. Tree part of line adjacent to road, good form minor deadwood.	Good	Fair	10+	C1	4.1	52.3
T1155	Birch	12	2 -	470 -	6.5	5 -	6.5	-	6 -	6	•	2	2 -	South	0	) -	М	Tree part of line adjacent to road, good form minor deadwood.	Good	Fair	10+	C1	5.6	99.9
T1156	Birch	12	2 -	465 -	6	6 -	5.5	-	5 -	7	•	1.5	5 -	North	0.5	; -	М	Tree part of line adjacent to road, good form minor deadwood and branch stubs	Fair	Fair	10+	C1	5.6	97.8
T1157	Birch	12	2 -	400 -	7	7 -	6	-	8 -	5.5	-	2.5	5 -	South west	0.5	5 -	М	Tree part of line adjacent to road, good form minor deadwood and witches brooms, slight lean to the east.	Fair	Fair	10+	C1	4.8	72.4
T1158	Birch	12	2 -	470 -	5.5	5 -	4.5	-	6 -	4	-	2	2 -	South	0.5	5 -	М	Tree part of line, slight lean to the east. Minor deadwood.	Fair	Good	10+	C1	5.6	99.9
H1159	Hawthorn	4	1 -	150 #		0 -	0	- 1	.5 -	1.5	-	0	) -	-	0	) -	М	Managed boundary hedgerow, good screen	Fair	Fair	20+	B2	1.8	10.2
	Swedish white beam	7.5		425 #		4 -	5		5 -	4	_	1.5	5 -	North east	1		EM	Tree situated adjacent to hedgerow, stem obscured by ivy, some deadwood in crown.		Good		B1	5.1	81.7
T1161	Horse chestnut	14	4 -	780 -	e	6 -	7	-	6 -	7	-	2	2 -	South	0.5	5 -	М		Fair	Fair	<10	C2	9.4	275.3
T1162	Ash	14	1 -	560 -	7	7 -	4	-	8 -	7	-	2	2 -	South	2	2 -	М	Mature tree located in group, minor deadwood, tree	Fair	Good	10+	B2	6.7	141.9
T1163	Swedish white beam		9 -	420 -	3	3 -	4	-	4 -	4	- +	1.5	; ;	West	1	-	М	suppressed. Tree located in group, some deadwood in crown,	Fair	Fair	10+	B2	5.0	79.8
T1164	Horse chestnut	12	2 -	610 -	5	5 -	7	-	6 -	6	-	2	2 -	North	1	-	М	suppressed. Tree located in group, minor deadwood, leaf minor	Good	Fair	20+	B2	7.3	168.4
T1165	Ash	13	3 -	470 -	4	4 -	3	-	5 -	5	-	3	3 -	west West	1	-	М	infection, suppressed Tree located in group, some deadwood in crown,	Fair	Fair	20+	B2	5.6	99.9
T1166	Swedish white beam	9	9 -	520 #	4	4 -	3	- 4	.5 -	4	-	2	2 -	South	1.5	; -	М	suppressed. Ivy obscuring stem. Tree located in group, some deadwood in crown, suppressed, her obscuring stem	Fair	Fair	10+	B2	6.2	122.3
T1167	Birch	7.5	5 -	300 -	4	4 -	3.5	-	4 -	3.5	-	2	2 -	North west	1.5	5 -	EM	suppressed. Ivy obscuring stem. Poor form some dieback in crown.	Fair	Fair	<10	C1	3.6	40.7

Date 13	.3.14. 1, 4, 8 April	Site:	Upp	er Heyfor	rd								Surve	yor: I	MR		Clie	ent:	Dorchester/bovis			Job no	<b>D</b> :	D.0341	
							_	S	prea	d			(	Crowr	n clearand	e height	_								
л Б			ate		ate		ate		ate		ate	te l		fe	1st		fe								
Number		Heig	Estimate	Stem	Estimate		Estimate		Estimate		Estimate	Line (	1st branc	time	1st branch directior		time	Life		Structural	Physiological		Quality	RPA	RPA
	Species				Es	N	Est	S	Est	E	N Est	V Ц	brand	hШ		Canopy			General observations	condition	condition	ULE	grading	radius	area
T1168	Birch	15	-	560	-	7	-	7	-	8-	-	8-		3 -	West		2 -	М	Wide crown with over extended limbs, small cavities at branch collars, poor form	Fair	Fair	10+	C1	6.7	141.9
T1169	Birch, sycamore	10	-	250	#	4	-	4	-	0 -	-	0-		0-	-		0 -	EM	Self set trees adjacent to buildings.	Fair	Good	10+	C2	3.0	28.3
T1170	Weeping willow	10		450	-	5		5		5 -	_	5 -		0-	-	_	0-	M	Estimated values-no access, stem obscured by ivy	Fair	Fair	10+	C1	5.4	91.6
G1171	Rowan, oak, cypress,	7.5	-	200	-	0	-	0	-	0-	-	0 -		0-	-		0 -	EM	Group of scrubby trees adjacent to existing buildings	Fair	Fair	<10	C2	2.4	18.1
	privet, cherry,																								
T1172	hawthorn Lawson cypress	7.5	_	300	#	3	-	3		3 -	_	3 -		0-	-	-	0-	М	Tre locate adjacent to access road, some branches	Fair	Fair	<10	C1	3.6	40.7
11172	Lawson cypress	1.5	_	500	π		_			J		J		Ŭ	l .		٦ <sup>-</sup>		subsiding ng					5.0	40.7
T1173	Lawson cypress	9	-	400	#	3	-	3	-	3 -	-	3 -		0 -	-		0 -	М	Good form, multi stemmed.	Fair	Good	10+	C1	4.8	72.4
	Hawthorn, privet	5.5		150	#	2		2		0 -	_	0 -		0 -	-		0 -	М	Planted hedge grown up, ivy obscuring stems.	Fair	Fair	<10	C2	1.8	10.2
	Lawson cypress	9	_	346.41	-	4		4		4 -		4 -		0-	-		0-	M	Multi stemmed tree, no access to stems, good form	Fair	Good	10+	C1	4.2	54.3
G1176 T1177	White pine Lawson cypress	9 9.5		440 450	-	6		6		4	-	0-		0-	-		0 - 0 -	M M	Group of two trees, branches on floor. Multi stemmed tree, good form	Good Fair	Good Good	20+ 10+	B2 C1	5.3 5.4	87.6 91.6
	Cherry, crab	5.5		350	-	0		0		-0	-	0-		0-	-			EM	Group of small trees, largest dbh recorded., some dieback	Fair	Fair	<10	C2	4.2	55.4
																			and minor dead trees.						
T1179	Lawson cypress	7.5		200		2		2		2 -		2 -		0-			-	М	Multi-stemmed tree	Fair	Fair	<10	C1	2.4	18.1
G1180	Cherry laurel cherry, elder.	5.5	-	125	#	0	-	0	-	0-	-	0-		0-	-	1 '	0-	EM	Scrubby group, overgrown	Fair	Fair	<10	C2	1.5	7.1
T1181	Wild cherry	8.5	-	460	-	7	-	6	-	5 -	-	5 -		2-	North		0-	М	Poor form, unbalanced crown, canopy on ground.	Fair	Fair	10+	C1	5.5	95.7
G1182	Leyland cypress	17	_	606.22	-	6	-	6		0-		0-		0-	-		0 -	M	Group of multi stemmed trees adjacent to building.	Fair	Fair	10+	C2	7.3	166.3
	Leyland cypress	17		700	-	6		6	-	0 -		0 -		0 -	-	(	0 -	Μ	Group of three trees, good collective firm.	Fair	Fair	10+	C2	8.4	221.7
T1184	Spruced	15	-	450	-	4.5	-	4.5	-	4.5 -	- 4	4.5 -		0-	-		D -	М	Mature tree adjacent to access road, low canopy, no	Fair	Fair	10+	C1	5.4	91.6
T1185	Yew	5	_	150	_	3	_	3		3-		3 -		0-	-	-	0 -	EM	obvious defects. Scrubby and multi stemmed., self set elder though out	Good	Good	20+	B1	1.8	10.2
	Elder cherry	5.5	_	100	-	0		0		0-	_	0-		0-	-			EM	Scrubby and multi stemmed, sen set elder modgh out	Fair	Fair	<10	C2	1.0	4.5
	Fir	10.5		200	-	2.5	-	2.5	-	2.5	- 2	2.5 -		0 -	-	0.		EM	Good form, adjacent tree felled	Good	Good	20+	B1	2.4	18.1
T1188	Walnut	7.5	#	275	#	3		3		3		3	2	.5	North	1.5		EM	Off site tree in neighbouring domestic property, all	Fair	Fair	20+	B1	3.3	34.2
C1100	Western red addr	8.5	ш	350	щ					25	_		-	_			-	EM	measurements estimated.	Fair	Fair	10+	<u></u>	4.0	<b>FF A</b>
G1189	Western red cedar	8.5	#	350	#					2.5	4	2.5						EIVI	Off site tree in neighbouring domestic property, all measurements estimated. Topped and lifted in past.	Fair	Fair	10+	C2	4.2	55.4
G1190	Hawthorn, sycamore,	9	#	300	#					3	+	3		1				М	Boundary unmanaged hedgerow, contains some standard	Fair	Fair	20+	B2	3.6	40.7
	elder																		trees.						
G1191	Cherry, ash,	10	#	300	#	3	#	3	#	3‡	#	3#		1-	-		D	EM	Self set trees on adjacent land, no access due to	Fair	Fair	20+	C2	3.6	40.7
T1192	sycamore Cherry	8	-	250	-	3	#	3	#	3 ‡	#	3#		0-			0-	EM	undergrowth. Self set tree, no access to stem, all measurements	Fair	Fair	20+	C2	3.0	28.3
11152	Onerry	Ŭ		200		Ŭ	π	Ĭ	π	J,	"	<b>3</b>		ĭ			Ĩ		estimated.			201	02	0.0	20.0
T1193	Sycamore	16	#	600	#	6	-	6	-	6 -	-	6 -		0 -	-	1 :	2 -	М	Mature tree on boundary, no access to STM, ivy obscuring	Fair	Fair	20+	B1	7.2	162.9
<b>T</b> 4404		4.5		400															tm				0.0	1.0	4.5
T1194	Hawthorn, sycamore, elder	4.5	-	100	#	0	-	0	-	0-	-	0-		0-	-	1 '	0 -	М	Off site hedgerow in decline	Fair	Fair	10+	C2	1.2	4.5
G1195	Hawthorn	7	-	300 ;	#	0	-	0	-	3 -	-	3 -		0-	-		2 -	М	Part of original hedgerow, obscured by ivy, dbh estimated.	Fair	Fair	10+	B3	3.6	40.7
	Willow, sycamore,	17	#	600	#	0	-	0	-	0-	-	7 -		0-	-	· ·	4 -	М	Off site wooded group, runs adjacent to access	Fair	Fair	20+	B2	7.2	162.9
	ash, field maple, poplar, elm,																		road/sewage works. 4m ground clearance over road, flailed back from road. Dbh range from 100-700mm						
	hawthorn, blackthorn																		estimated. Average height 17m and up to 25+ metres.						
																			Good screen, good collective form. Stream to the west of						
			_						Щ										the stems. Most trees clad with ivy.						
G1197	Leyland cypress	17	#	600	#	0	-	0	-	0-	-	6#		0-	-		o -	М	Row of planted off site trees, estimated values-no access	Fair	Fair	10+	C2	7.2	162.9
			-											-			+		to stems, stream to west of stems. Tree adjacent to highway, lifted in past, minor cavities from						
T1198	Swedish whitebeam	10	-	680	-	6	-	6	-	6		5 -	2	-	North	1.5	-	М	previous impact damage, crossed branches. Failed and	Fair	Fair	10+	C1	8.2	209
																_			hung up branch.						
T1199	Cypress (Lawson)	12	-	550	#	3	#	1.5	#	3	#	3 #	0	-	-	0.5	-	М	Tree located in do estimated garden, adjacent to one other	Fair	Good	10+	C2	6.6	137
											<u> </u>		Ť	+		5.0	+		tree, multi stemmed, no access to base. Tree located in do estimated garden, adjacent to one other						
T1200	Cypress (Lawson)	12	-	600	#	1.5	#	3	#	3	#	3 #	0	-	-	0	-	М	tree, multi stemmed, no access to base.	Fair	Good	10+	C2	7.2	163
T1201	Dino (Scoto)	11		200	#	4	#	4	μ		#	<u>ــــــــــــــــــــــــــــــــــــ</u>	25		South	2	+	м	Tree located in domestic front garden, no access to	Good	Good	20.	D1	47	60
11/01	Pine (Scots)	11	-	390	Ħ	4	#	4	#	4	#	4 #	3.5	-	east	2	1 -	IVI	assess stem, minor die back to foliage, good from.	Good	Good	20+	B1	4.7	69

Date 13	.3.14. 1, 4, 8 April	Site:	Upp	er Heyfo	ord								_	Survey				Clie	ent:	Dorchester/bovis			Job no	):	D.0341	
			e		e	-	e	1	Sprea		e		0	1		clearanc	e height	۵								
Number	Species	Heig ht	Estimate	Stem dia	Estimate	N	Estimate	S	Estimate	E	Estimat	w	Estimat	1st branch	Estimat	1st branch direction	Canopy	Estimate	Life stage	General observations	Structural condition	Physiological condition	ULE	Quality grading		RPA area
T1202	Swedish whitebeam	11	-	650	-	5		6		4	-	5	-	3	-	West	2	-	М	Tree located adjacent to highway, evidence of crown lifting in past, thinning crown with minor deadwood, some mower damage to root plate-minor, minor cavities at old branch unions.	Good	Fair	10+	C1	7.8	191
T1203	Swedish whitebeam	9.5	-	670	-	6	-	5	-	5	-	5.5	-	2	-	West	2	-	М	Tree located in roadside verge, minor root girdling, crown lifted in past, minor deadwood throughout crown, poor form.	Good	Fair	10+	C1	8.0	203
T1204	Swedish whitebeam	12	#	700	-	6	-	6	-	5	-	4	-	0	-	-	0	-	М	Tree located in roadside verge, large wound in lower crown from failed union- some decay, crown lifted over highway in past, mower damage to root plate. Some reactive growth from included unions.	Good	Fair	10+	C1	8.4	222
T1205	Swedish whitebeam	10	-	680	-	4	-	6	-	5	-	5	-	2	-	North	2	-	М	Tree located in roadside verge, large dead limb in central crown-evidence of wood boring insects, crossed branches, poor form. Remove dead limb and dead stubs in crown.	Fair	Fair	<10	C1	8.2	209
T1206	Sycamore	15	-	500	#	6	#	7	#	6	#	6	#	3	-	West	2	-	Μ	Tree located in domestic front garden, three main stems, no access to assess, over dominants adjacent building.	Fair	Good	20+	B1	6.0	113
T1207	Cherry (Wild)	12	-	400	#	6	#	7	-	6	-	6	-	2.5	-	East	1.5	-	М	Tree located in domestic rear garden, twin stemmed, no access to stems, good form	Fair	Good	10+	B1	4.8	72
T1208	Maple (Norway)	10	-	330	-	5.5	-	3.5	-	6	-	5.5	-	2.5	-	North west	1	-	М	Located in communal area and adjacent to dwelling. Branches touching building, in balanced crown, telecom cables in crown, minor root girdling.	Good	Good	20+	B1	4.0	49
T1209	Maple (Norway)	7.5	-	340	-	6	-	6	-	6	-	6	-	2	-	South east	1.5	-	М	Tree located in communal area, minor root girdling and minor mower damage to root plate. Adjacent to dwelling and touching building, squat form, crossed branches throughout crown.	Good	Good	20+	B1	4.1	52
T1210	Hawthorn	5	-	280	#	2.5	-	1.5	-	2	-	1	-	1	-	North	2	-	М	Twin stemmed at 1m, poor form, moderate dieback in crown.	Fair	Fair	<10	C1	3.4	35
T1211	Lime (Common)	18	-	850	-	8	-	7	-	8	-	8	-	2.5	-	North	1.5	-	М	Tree located in communal area, moderate epicormic growth at base, broad spreading crown, minor deadwood in crown, telecom cables in crown. Compression forks at 2.5m. Good form	Good	Good	40+	A1	10.2	327
T1212	Sycamore	14	-	640	-	7	-	8	-	6	-	7	-	2.5	-	North	1.5	-	М	Located in communal area, good collective form. Tar sport infection, minor mower damage to root plate.	Good	Good	20+	B2	7.7	185
T1213	Sycamore	10	-	460	-	8	-	7	-	7	-	3.5	-	2	-	North	1.5	-	М	Located in communal area, minor cavities at 1m in stem- no decay, poor form-twin stemmed at 2m, minor cavity at bole, spreading form.	Fair	Good	10+	B2	5.5	96
T1214	Bird cherry	5	-	130	#	2	-	3	-	3	-	2	-	2	-	South	1.5	-	EM	Located in communal area. Good form, strummer damage at base of stem.	Good	Good	20+	B2	1.6	8
T1215	Bird cherry	6	-	140	-	4	-	3	-	3	-	3	-	2.5	-	North	2	-	EM	Located in communal area. Minor cavity at base, open crown.	Good	Good	20+	B2	1.7	9
T1216	Thorn (cockspur)	3	#	75	-	1	-	2	-	2	-	1	-	0.5	-	South	0.5	-	SM	Located in communal area. Poor form and unbalanced crown, some minor dieback. Remove deadwood and formative prune.	Good	Fair	10+	C1	0.9	3
T1217	Bird cherry	5	#	110	#	2	-	2	-	2.5	#	2.5	#	2	#	West	3	#	EM	Located in communal area and part of group. Poor form, high canopy, basal strummer damage.	Good	Fair	10+	C2	1.3	5
T1218	Cherry (Wild)	7.5	#	180	-	3	-	3.5	-	3	-	3	-	2	-	North west	1.5	-	EM	Located in communal area. Part of group, good form.	Good	Good	20+	B2	2.2	15
T1219	Cherry (Wild)	7	-	210	-	3.5	-	4	-	4	-	3	-	2	-	South	1	-	EM	Located in communal area. Part of group, good collective form, minor bark damage to stem-no decay, minor included unions with rib formation at bole.	Good	Good	20+	B2	2.5	20
T1220	Cherry (Wild)	6.5	-	200	-	4.5	-	3.5	-	3	-	3	-	2.5	-	South	2	-	EM	Located in communal area. Good collective form, minor damage to stem and mower damage to root plate.	Good	Good	20+	B2	2.4	18
T1221	Bird cherry	6	-	110	-	2	-	2.5	-	2	-	2	-	2	-	West	2	-	EM	Located in communal area. Stem leaning to north, sparse crown with minor dieback. Large wound to south side of stem-minor decay.	Fair	Poor	<10	C1	1.3	5
T1222	Bird cherry	5	#	90	-	1.5	-	1	-	1	-	1	-	2	-	South	2	-	EM	Located in communal area. Stem leaning to north, sparse crown with minor dieback.	Fair	Poor	<10	C1	1.1	4
T1223	Cherry (Wild)	10	-	250	-	4	-	5	-	4	-	2.5	-	2.5	-	South	2	-	EM	Located in communal area. Low canopy over footpath, included union at 2m with minor reactive growth.	Fair	Good	20+	B2	3.0	28
T1224	Sycamore	11	-	560	-	7	-	7	-	6	-	7	-	2.5	-	South	2.5	-	М	Located in communal area adjacent to roadside, good form, so e minor deadwood, minor root girdling.	Good	Good	20+	B2	6.7	142

Date 13	.3.14. 1, 4, 8 April	Site:	Upp	er Heyfo	ord									Survey				Clie	ent:	Dorchester/bovis			Job no	):	D.0341	
L			e		fe		e	S	Sprea	ad	9		e			clearanc	e height	e								
Number	Species	Heig ht	Estimate	Stem dia	Estimate	N	Estimate	S	Estimate	E	Estimate	w	Estimat	1st branch	Estimat	1st branch direction	Canopy	Estimate	Life stage	General observations	Structural condition	Physiological condition	ULE	Quality grading	RPA radius	RPA area
T1225	Pillar apple	8.5	#	200	#	2	#	3	#	2	#	2	#	2	-	East	3	-	EM	Located in domestic front garden - no access to assess stem, minor epicormic growth at base.	Good	Good	10+	C1	2.4	18
T1226	Sycamore	8	#	200	#	3	#	3	#	3	#	3	#	0	#	-	2	#	EM	Multi stemmed tree probably grown up from felled trees, poor form and located in front garden of domestic property.	Fair	Good	10+	C1	2.4	18
T1227	Cherry (Wild)	10	-	590	-	6	-	7	-	6	-	6	-	2.5	-	North west	3	-	М	Located in communal area. Broad spreading form, some minor cavities to upper laterals, minor deadwood throughout, minor cavities to stem with minor decay, fruiting bodies present on stem - no identification.	Fair	Fair	<10	C1	7.1	157
T1228	Bird cherry	5.5	#	110	-	2	-	2.5	-	2.5	-	2	-	2	-	North	2.5	-	EM	Located in communal area. High canopy, minor basal damage to base, minor dieback in crown.	Fair	Fair	10+	C1	1.3	5
T1229	Bird cherry	5	#	90	-	2	-	1	-	2	-	2	-	2	-	North	3	-	EM	Located in communal area. Moderate crown dieback, slight lean to the north.	Fair	Poor	<10	C1	1.1	4
T1230	Rowan	6.5	-	160	-	2.5	-	3	-	2.5	-	3	-	2.5	-	South	2.5	-	EM	Located in communal area. High canopy, minor basal strummer damage.	Good	Fair	10+	C1	1.9	12
T1231	Bird cherry	7.5	-	180	-	3.5	-	3	-	3	-	3	-	2	-	South	0.5	-	EM	Located in communal area. Low canopy, sparse crown in places.	Good	Good	10+	C1	2.2	15
T1232	Maple (Norway)	11	#	360	-	6	-	4	-	5	-	6	-	2	-	North	2	-	М	Located in communal area and adjacent to roadside, some minor mower damage to root plate, good collective form, crossed branches throughout crown.	Good	Good	20+	B2	4.3	59
T1233	Maple (Norway)	11	-	300	-	4	-	5	-	5	-	5	-	2.5	-	South	1.5	-	м	Located in communal area and adjacent to roadside, minor damage to root plate, included union at 2.5m-minor reactive growth, minor deadwood throughout crown. Good collective form.	Good	Good	20+	B2	3.6	41
T1234	Cherry (Wild)	9	-	260	-	4.5	-	4.5	-	4	-	5	-	2	-	North	1.5	-	EM	Located in communal area. Good form, low canopy over road, telecom lines in crown.	Good	Good	20+	B1	3.1	31
T1235	Maple (Norway)	7	-	240	-	3.5	-	3	-	4	-	3	-	2	-	North east	1	-	EM	Located in communal area. Some minor damage to root plate, good form, telecom lines in crown.	Good	Good	20+	B1	2.9	26
T1236	Apple	8	-	250	#	4	#	4	#	4	#	4	#	0	-	-	2	#	М	Located in domestic front garden, no access to assess, measurements estimated. Epicormic growth on stem.	Fair	Good	10+	C1	3.0	28
T1237	Sycamore	13	-	530	-	7	-	6	-	6	-	6	-	2.5	-	South	2	-	М	Located in communal area. Good form, no obvious defects.	Good	Good	40+	A1	6.4	127
T1238	Pillar apple	7.5	-	275	#	3	#	3	#	3.5	#	3.5	#	2	-	East	3	-	EM	Located in domestic front garden, no access to assess, all measurements estimated.	Good	Fair	10+	C1	3.3	34
T1239	Alder (grey)	10	#	240	-	3	-	2.5	-	4	-	3	-	2	-	North	1	-	EM	Located in communal area, excessive epicormic growth at base of stem, suppressed form. Remove epicormic growth.	Good	Good	20+	B2	2.9	26
T1240	Alder (grey)	15	#	480	-	5	-	6	-	6	-	6	-	2.5	-	South west	2	-	М	Located in communal area, minor epicormic growth to base of stem, good collective form. Some minor wounds to stem with no decay. Remove epicormic growth.	Good	Good	20+	B2	5.8	104
T1241	Alder (grey)	13	-	340	-	5.5	#	4.5	-	4	-	4	-	2.5	-	North	1	-	М	Located in communal area, included union with rib formation at 3m, branches touching adjacent dwelling. Good collective form.	Fair	Good	20+	B2	4.1	52
T1242	Sycamore	11	-	400	#	3	#	3	#	3	#	3	#	0	-	-	2.5	#	М	Located in domestic property, no access to assess tree and all measurements estimated. Twin stemmed at 1m.	Good	Good	20+	B1	4.8	72
T1243	Sycamore	7	-	400	#	2	#	2	#	2	#	2	#	0	-	-	1	#	EM	Located in domestic property, no access to assess tree and all measurements estimated. Multi stemmed tree grown up from previously felled tree.	Fair	Fair	10+	C1	4.8	72
T1244	Cypress (Lawson)	5	#	350	#	1.5	#	1.5	#	1.5	#	1.5	#	0	-	-	1.5	#	М	Located in rear garden of domestic property, no access to assess, no obvious defects.	Fair	Good	10+	C1	4.2	55
G1245	Sycamore, Leyland Cypress, walnut	20	-	600	#	0	-	0	-	0	-	0	-	0	-	-	1	-	М	Group of 13 trees adjacent to access road, good collective form and Arboricultural feature.	Fair	Good	20+	B2	7.2	163
T1246	Cypress (Leyland)	20	#	800	#	6	#	7	#	6	#	6	#	1.5	#	South	2.5	#	М	Individual tree located in communal area, multi-stemmed- previously failed stem at base-now removed, large remaining stem leaning to south. Recommend to fell to ground level - safety risk.	Poor	Good	<10	U	9.6	290
T1247	Alder (grey)	8	-	270	-	3	-	4	-	3	-	3	-	2.5	-	North	2.5	-	EM	Wound to stem running up to height of 2.5m, good reactive growth around wound, minor epicormic growth on stem, poor form.	Fair	Good	10+	C1	3.2	33
T1248	Cherry (Wild)	5	#	110	#	2.5	-	2.5	-	2.5	-	3.5	-	2.5	-	West	1.5	-	EM	Sparse crown, moderate dieback-tree in decline.	Fair	Poor	<10	C1	1.3	5

Date 13	.3.14. 1, 4, 8 April	Site:	Upp	er Heyfo	ord	_			_				_	Survey				Clie	ent:	Dorchester/bovis			Job no	):	D.0341	
L			fe		fe	┢	e		Spr g		e	Γ	e			clearanc	e height	e								
Number	Species	Heig ht	Estimate	Stem dia	Estimate	N	Estimat	s	Estimat	E	Estimat	w	Estimat	1st branch	Estimate	1st branch direction	Canopy	Estimate	Life stage	General observations	Structural condition	Physiological condition	ULE	Quality grading		RPA area
T1249	Cherry (Wild)	9	#	390	-	5	-	5	-	5	-	5	-	2	-	East	1.5	-	м	Located in communal area, twin stemmed at 2m, minor root plate damage from mowers. Branches close to neighbouring garden. Lifted in past over access road.	Good	Good	10+	C1	4.7	69
G1250	Leyland Cypress, sycamore, wild cherry	20	-	900	#	0	-	0	-	0	-	0	-	0	-	-	1.5	-	м	Group of 12 trees, good collective form and screening potential. Most trees suppressed in group, included unions. Trees lifted over access road in past.	Fair	Good	10+	B2	10.8	366
T1251	Cypress (Leyland)	18	#	900	#	7	-	8	-	7	-	7	-	0	-	-	0.5	-	м	Multi stemmed tree, significant landscape feature, mature in age with limited useful life expectancy. Included unions in most stems.	Fair	Good	10+	C1	10.8	366
T1252	Alder (grey)	13	-	550	#	6	-	6	-	6	-	3	-	1.5	-	North east	2	-	М	Included union at 0.5m, minor reactive growth, twin stemmed, minor damage to root plate, minor damage to bark-minor decay.	Fair	Good	20+	B2	6.6	137
T1253	Alder (grey)	12	-	600	#	5	-	6	-	4	-	5	-	1	-	South east	1.5	-	М	Included unions at base-good reactive growth, minor mower damage to root plate, multi stemmed.	Fair	Good	20+	B2	7.2	163
T1254	Lime (Common)	11	-	390	-	5	-	5	-	5	-	5	-	2.5	-	South east	1.5	-	EM	Good form, minor branch failures in lower crown in past, minor mower damage to basal roots.	Good	Good	40+	A1	4.7	69
T1255	Cherry (Wild)	10	#	300	#	5	#	5	#	5	#	5	#	2.5	#	South west	2	#	М	Tree located in domestic rear garden, no access to assess stem. Evidence of past pruning works.	Fair	Good	10+	C2	3.6	41
T1256	Cherry (Wild)	8	#	260	#	4	#	4	#	4	#	4	#	2	#	South	2	#	EM	Tree located in domestic rear garden, no access to assess stem. Good collective form.	Good	Good	10+	C2	3.1	31
T1257	Cherry (Wild)	10	#	300	#	4	#	4	#	3.5	5 #	4	#	2	#	South	2.5	#	EM	Tree located in domestic rear garden, no access to assess stem. Crown lifted in past.	Good	Good	10+	C2	3.6	41
T1258	Cherry (Wild)	9	#	280	#	3	#	4	#	3.5	5 #	3.5	#	2.5	#	North	2.5	#	EM	Tree located in domestic rear garden, no access to assess stem. Crown lifted in past.	Fair	Good	10+	C2	3.4	35
T1259	Cherry (Wild)	8	#	280	#	4	#	4	#	4	#	4	#	2.5	#	South	2.5	#	EM	Tree located in domestic rear garden, no access to assess stem. Crown lifted in past.	Fair	Good	10+	C2	3.4	35
T1260	Cherry (Wild)	8	#	280	#	4.5	5 #	4.5	5 #	4.5	5 #	4.5	#	2.5	#	South	3	#	М	Tree located in domestic rear garden, no access to assess stem.	Fair	Good	10+	C2	3.4	35
T1261	Maple (Norway)	12	-	340	-	2.5	; -	5	-	3.5	5 -	5	-	2.5	-	South east	2.5	-	EM	Located in communal area and forms part of collective group of three trees. Good collective form. Mower root plate damage.	Fair	Good	20+	B2	4.1	52
T1262	Maple (Norway)	12	-	380	-	5	-	5	-	5.5	5 -	3	-	2	-	South east	2	-	EM	Located in communal area and forms part of collective group of three trees. Good collective form. Branches close to adjacent building.	Fair	Good	20+	B2	4.6	65
T1263	Maple (Norway)	12	-	320	-	6	-	2.5	5 -	3.5	5 -	5	-	2.5	-	South	2.5	-	EM	Located in communal area and forms part of collective group of three trees. Good collective form.	Fair	Good	20+	B2	3.8	46
T1264	Walnut (Common)	10	-	340	-	4	-	7	-	4.5	5 -	6	-	2.5	-	South	1	-	EM	Located in lay ground area, low canopy that is weighed to the south, evidence of past crown lifting, rib formation at base of south side of stem-considered not significant.	Fair	Good	20+	B1	4.1	52
T1265	Maple (Norway)	11	#	350	#	4	-	5	-	4	-	4	-	2	#	South west	2.5	#	EM	Part of collective group, minor deadwood throughout crown, no obvious defects.	Good	Good	20+	B2	4.2	55
T1266	Maple (Norway)	11	-	310	-	3	-	4	-	4	-	4	-	2	-	East	2	-	EM	Part of collective group, no obvious defects.	Good	Good	20+	B2	3.7	43
T1267	Maple (Norway)	12	-	360	-	6	-	4	-	3	-	4	-	2	-	East	2.5	-	EM	Part of collective group, minor deadwood throughout crown, no obvious defects.	Good	Good	20+	B2	4.3	59
T1268	Maple (Norway)	12	-	320	-	4	-	5	-	3.5	5 -	3	-	2.5	-	South	2.5	-	EM	Part of collective group, minor deadwood throughout crown, no obvious defects.	Good	Good	20+	B2	3.8	46
T1269	Maple (Norway)	12	-	440	-	6	-	6	-	5.5	5 -	5	-	2	-	South east	2.5	-	М	Part of a collective group, crossed branches throughout crown.	Good	Good	20+	B2	5.3	88
T1270	Maple (Norway)	13	#	370	-	6	-	3	-	6	-	4	-	2	-	South	2	-	EM	Part of collective group, minor deadwood throughout crown, no obvious defects.	Good	Good	20+	B2	4.4	62
T1271	Alder (grey)	12	-	780	#	5	-	4.5	5 -	5	-	5	-	2	-	South east	2	-	М	Multi stemmed tree located in communal open space, included unions at base of stem, with minimal reactive growth, epicormic growth on stem.	Fair	Good	10+	C1	9.4	275
T1272	Rowan	6	#	140	#	2.5	5 -	2.5	5 -	2.5	5 -	2.5	-	2	-	South	2	-	М	Located on communal area. Sparse crown, slight lean to the north, minor basal damage.	Fair	Good	10+	C1	1.7	9
T1273	Rowan	6	#	140	#	2	-	2	-	2	-	2	-	2	-	West	1.5	-	М	Located on communal area, epicormic growth to stem, minor cavities to stem with minor decay, sparse crown.	Fair	Good	10+	C1	1.7	9
T1274	Rowan	6	#	140	#	3.5	; -	1	-	2	-	2	-	2.5	-	East	2	-	М	Located on communal area, stem leaning tote north, minor basal damage.	Fair	Good	10+	C1	1.7	9
T1275	Rowan	6	#	140	#	2	-	2	-	2.5	5 -	2	-	2	-	East	1.5	-	М	Located on communal area, stem slightly leaning to the north.	Good	Good	10+	C1	1.7	9

Date 13	.3.14. 1, 4, 8 April	Site:	Upp	er Heyfo	ord									S	Survey	or: N	/IR		Clie	ent:	Dorchester/bovis			Job no	):	D.0341	
							<u> </u>	т	Spr		-	_	+	_	С	rowr	clearanc	e height	_								
Number	Species	Heig ht	Estimate	Stem dia	Estimate	N	Estimate	S	Ectimata		Totimo to	Estimate S	V	# L.	st branch	Estimate	1st branch direction	Canopy	Estimate	Life stage	General observations	Structural condition	Physiological condition	ULE	Quality grading	RPA radius	RPA area
T1276	Rowan		#	140	#			. 2			2		2		2.5	- T	East	2	-	M	Located on communal area, minor basal damage.	Good	Good	10+	C1	1.7	9
T1277	Rowan	6	#	140	#	2.5	5 -	1.	.5 -	- 1	.5	- 1	.5	-	2	-	East	2	-	EM	Located on communal area, old wound to stem, sparse crown.	Good	Fair	10+	C1	1.7	9
T1278	Rowan	6	#	140	#			• 1	-		1	-	1	-	1	-	South	1.5	-	EM	Located on communal area, strummer damage to base, epicormic growth to stem, suppressed form.	Good	Fair	10+	C1	1.7	9
T1279	Rowan	6	#	140	#	1	-	· 1	· ·	• 2	2	-	1	-	2	-	North	2.5	-	EM	Located on communal area, poor form	Fair	Good	10+	C1	1.7	9
T1280	Rowan	6	#	140	#	2	-	. 2	2.	. :	2	-	2	-	2.5	-	North	2	-	EM	Located on communal area, slight lean to the south-east.	Fair	Good	10+	C1	1.7	9
T1281	Rowan	10.5	-	150	-	2.5	5 -	· 2.	.5 -	- 2	.5	- 2	2.5	-	2.0	-	North	2.5	-	М	Tree located in communal area, minor basal damage to base.	Good	Good	10+	C1	1.8	10
T1282	Maple (Norway)	12.0	-	370	-	5.0	0 -	• 4.	.5 -	- 4	.0	- 5	5.0	-	2.0	-	North	2.0	-	М	Tree located in roadside verge, minor mower damage to root plate, minor deadwood throughout crown.	Good	Good	20+	B2	4.4	62
T1283	Maple (Norway)	12.0	-	380	-	5.0	0 -	• 4.	.0 -	- 5	.0	- 3	8.5	-	2.0	-	West	1.5	-	Μ	Tree located adjacent to access road, minor root girdling, minor deadwood throughout crown.	Good	Good	20+	B2	4.6	65
T1284	Maple (Norway)	11.0	-	330	-	5.0	0 -	4.	.0 -	- 5	.0	- 5	i.5	-	2.0	-	North	1.5	-	EM	Tree located in roadside verge, minor damage to root plate by mower, thinning crown	Good	Fair	20+	B1	4.0	49
T1285	Cherry (Wild)	11.0	-	250	-	2.0		3.		. 3		-	8.0	-	2.5	-	North	2.0	-	EM	Tree located in verge, suppressed form, compression fork at 2.5m, evidence of past pruning works.	Fair	Good	20+	C1	3.0	28
T1286	Rowan	6.0	-	130	-	2.5		· 2.	-	· 2		- 2	-	-	2.0	-	North	2.5	-	EM	Dead central leader, minor dieback	Good	Fair	10+	C1	1.6	8
T1287 T1288	Rowan Rowan	7.5 5.5	-	160 160	-	2.5 2.0		· 2. · 2.		· 2 · 2		- 2 - 2	2.0	-	2.0 2.0	-	East South	2.5 2.5	-	EM EM	Adjacent to dwelling, branches close to building. Minor epicormic growth at base, some minor wounds to	Good Good	Good Fair	10+ 10+	C1 C1	1.9 1.9	12 12
T1289	Rowan	7.5	#	150	#	2.0	0 #	ŧ 2.	.0 #	¥ 2	.0 ;	# 2	2.0	#	2.5	-	West	2.5	-	EM	stem. Tree located in domestic front garden, no access to assess overall condition.	Good	Good	10+	C1	1.8	10
G1290	Hawthorn, contorted willow	8.0	-	200	#	0.0	0 -	0.	.0 -	· 0	.0	- 0	0.0	-	0.0	-	-	0.0	-	EM	Two trees located adjacent to domestic property, good form.	Good	Good	10+	C2	2.4	18
T1291	Lime (Small-leafed)	11.0	-	420	-	7.0	0 -	7.	.0 #	¥ 7	.0	- 7	'.O	-	2.5	-	East	2.0	-	М	Located in verge adjacent to domestic property, branches touching building, good form. Included unions to stem.	Fair	Good	40+	A1	5.0	80
T1292	Sycamore	14.0	-	450	#	6.0	0 #	¢ 6.	.0 #	¥ 6	.0 ;	# 6	5.0	#	2.0	-	East	2.5	-	М	Located in domestic front garden, no access to assess condition of stem. Minor epicormic growth at base, tar spot infection.	Good	Good	20+	B1	5.4	92
T1293	Ash (Common)	5.0	-	130	1-	2.5	5 -	2.	0 -	. 2	.0	- 2	0	-	2.0	1.	North	1.5	-	EM	Tree located in communal area, no obvious defects.	Good	Good	20+	B1	1.6	8
T1294	Ash (Common)	7.0	-	170	-	2.5		2.			.5	- 2		-	2.0	-	South	2.5	-	EM	Tree located in communal area, no obvious defects.	Good	Good	20+	B1	2.0	13
T1295	Cherry (Ornamental flowering)	5.0	-	200	-	2.5		ŧ 3.				# 2		#	2.0	-	South	1.0	-	М	Excessive epicormic growth at base, no access to assess.	Fair	Good	10+	C1	2.4	18
T1296	Alder (Italian)	15.0	-	400	-	4.0	0 #	¢ 4.	.0 #	# 4	.0	# 4	.0	#	0.0	-	-	2.0	#	М	Tree located in garden adjacent to dwelling, branches close to building, no access to assess.	Fair	Good	20+	B1	4.8	72
T1297	Rowan	7.5	#	150	-	2.0	0 #	\$ 2.	.0 #	# 2	.0 ;	# 2	2.0	#	0.0	-	-	2.0	#	EM	Tree located in garden adjacent to dwelling, branches close to building, no access to assess.	Fair	Fair	10+	C1	1.8	10
T1298	Rowan	7.0	-	175	#	2.0	0 #	\$ 2.	.0 #	# 2	.0 ;	# 2	2.0	#	2.0	-	North east	2.5	#	Μ	Tree located in front garden of domestic property, no access to stem.	Good	Good	10+	B1	2.1	14
T1299	Cherry (Ornamental flowering)	7.0	-	170	#	2.5	5 #	ŧ 2.	.0 #	# 2	.0 ;	# 2	2.0	#	0.5	-	South	1.0	#	EM	Tree located in front garden of domestic property, no access to stem.	Good	Fair	10+	C1	2.0	13
T1300	Alder (Italian)	11.0	-	250	#	3.0	0 #	≠ 3.	.0 #	# 3	.0	# 3	s.0	#	2.0	-	North	1.5	#	М	Tree located in front garden of domestic property, no access to stem. Minor epicormic growth to stem, stem leaning to the north.	Fair	Good	20+	B1	3.0	28
T1301	Alder (Italian)	11.0	-	350	#	3.5	5 #	# 3.	.5 ‡	# 3	.5	# 3	5.5	#	1.5	-	North	1.5	#	М	Tree located in front garden of domestic property, no access to stem. Stem leaning to the north, poor form.	Fair	Good	20+	B1	4.2	55
T1302	Cherry (Ornamental flowering)	3.0	-	125	#	2.0	0 #	ŧ 2.	.0 #	# 2	.0	# 2	2.0	#	1.0	-	North	0.5	#	EM	Tree located in front garden of domestic property, no access to stem. Minor failed branch now lying on ground.	Fair	Fair	10+	C1	1.5	7
T1303	Cypress (Lawson)	7.5	-	300	#	1.5	5 #	ŧ 1.	.5 ‡	¥ 1	.5	# 1	.5	#	0.0	-	-	0.5	#	М	Tree located in front garden of domestic property, no access to stem.	Good	Good	10+	C1	3.6	41
T1304	Ash (Common)	11.0	#	300	#	3.5	5 #	ŧ 3.	.5 ‡	# 3	.5	# 3	8.5	#	0.0	-	-	2.0	#	М	Tree located in front garden of domestic property, no access to stem.	Fair	Good	20+	B1	3.6	41
T1305	Alder (Italian)	11.5	-	350	#	3.5	5 #	\$ 3.	.5 ‡	# 3	.5	# 2	2.5	#	2.5	-	North	1.5	#	М	Tree located in front garden of domestic property, no access to stem. Forms part of group of two trees.	Good	Good	20+	B2	4.2	55
T1306	Alder (Italian)	9.0	#	300	#	3.(	0 #	ŧ 3.	.0 #	# 2	.0 ;	# 3	8.0	#	0.5	-	North	0.5	#	М	Tree located in front garden of domestic property, no access to stem. Forms part of group of two trees.	Fair	Good	20+	B2	3.6	41
T1307	Wild cherry, horse chestnut, Italian alder	12.0	-	350	#	0.0	0 -	• 0.	.0 -	• 0	.0	- 0	0.0	-	0.0	-	-	1.0	#	М	Mixed group, heights ranging from 8-12m, ivy obscuring most stems, average Dbh recorded.	Fair	Good	20+	C2	4.2	55

Date 13	.3.14. 1, 4, 8 April	Site:	Upp	er Heyfo	rd								_	Surv	eyor:				Clie	nt:	Dorchester/bovis			Job no	:	D.0341	
			0		0	-			Spre	1		Г		-		n cleara	ance he	Ť	-								
Number	Species	Heig ht	Estimate	Stem dia	Estimate	N	Estimate	S	Estimate	E	Estimate	w	Estimate	1st bran	Hstimate	1st branc direct	h ion Car		Estimate	Life stage	General observations	Structural condition	Physiological condition	ULE	Quality grading	RPA radius	RPA area
T1308	Cherry (Wild)	7.0	-	150				1.5				2.0		0.	) -	-	1	1.5	#	SM	Self set tree located in domestic garden-no access to assess tree.	Fair	Fair	10+	C1	1.8	10
T1309	Birch (Silver)	10.0	-	180	-	2.5	5 #	2.5	5 #	2.5	5 #	2.5	#	2.	) -	We	st 1	1.5	-	EM	Tree located adjacent to domestic property, no access to assess overall condition of tree.	Good	Good	20+	B1	2.2	15
G1310	Ash, pine, Portuguese laurel	7.5	-	200	-	0.0	) -	0.0	) -	0.0	) -	0.0	-	0.	) -	-	2	2.0	-	EM	Small group of suppressed trees adjacent to parking bays, over run with ivy, poor form.	Fair	Fair	10+	C2	2.4	18
T1311	Elder	5.5	-	150	#	2.5	5 #	2.5	5 #	2.5	5 #	2.5	#	0.	) -	-	2	2.0	-	М	Tree located in garden of domestic property, no access to assess, multi stemmed, measurements estimated.	Fair	Fair	<10	C1	1.8	10
T1312	Cypress (Lawson)	5.5	-	125	#	1.5	5 #	1.5	5 #	1.{	5 #	1.5	#	0.	) -	-	C	0.5	-	EM	Located off site, no access to assess, measurements estimated.	Fair	Fair	10+	C1	1.5	7
T1313	Elder	5.5	-	150	-	2.0	) #	2.0	) #	2.0	) #	2.0	#	0.	) -	-	2	2.0	-	М	Located off site, no access to assess, measurements estimated. Tree in decline.	Fair	Poor	<10	C1	1.8	10
T1314	Plum (Purple)	6.0	-	225	#	3.0	) -	3.0	) #	3.0	) -	3.0	-	1.	5 -	Eas	t 2	2.0	-	М	Located in front garden, included unions at bole, measurements estimated.	Fair	Good	10+	C1	2.7	23
G1315	Sycamore and Norway Maple	6.5	-	225	#	0.0	) -	0.0	) -	0.0	) -	0.0	-	0.0	) -	-	2	2.5	-	EM	Group of trees situated adjacent to grassed area, some stems obscured by ivy, contains mature Norway maple with minor deadwood.	Fair	Good	10+	C2	2.7	23
G1316	Ash, sycamore, cherry	8.0	-	300	#	0.0	) -	0.0	) -	0.0	) -	0.0	-	0.0	) -	-	1	1.0	-	EM	Group of tree located adjacent to domestic properties, overhanging pavement and parking bays, largest dbh recorded. Ivy obscuring stems.	Fair	Good	10+	C2	3.6	41
T1317	Plum	5.5	-	250	#	2.5	5 #	2.5	5 #	2.5	5 #	2.5	#	0.	5 -	We	st 1	1.5	-	М	Located in front garden, measurements estimated. Multi stemmed, phellinus present, sparse crown.	Fair	Fair	<10	C1	3.0	28
T1318	Contorted willow	2.5	-	100	#	1.5	5 #	1.5	5 #	1.5	5 #	1.5	#	0.	5 -	Sou wes		0.5	-	EM	Located off site, no access to assess, measurements estimated.	Fair	Good	10+	C1	1.2	5
G1319	Sycamore, rowan, beech, cherry	9.0	-	225	#	0.0	) -	0.0	) -	0.0	) -	0.0	-	0.	) -	-		1.5	-	EM	Shrubby group of trees located in front garden, no access to assess general condition. Thin out scrubby trees and leave standards.	Fair	Good	20+	B2	2.7	23
T1320	Sycamore	13.5	-	470	-	6.0	) -	6.0	) -	6.0	) -	5.5	-	2.	5 -	We	st 2	2.0	-	М	Located in children's play area, minor deadwood in crown, good form.	Good	Good	20+	B1	5.6	100
T1321	Birch (Silver)	7.5	-	200	-	3.0	) -	2.0	) -	2.5	5 -	2.5	-	2.	) -	Sou	:h 1	1.0	-	EM	Located in roadside verge, minor mower damage to base of stem.	Good	Good	20+	B1	2.4	18
T1322	Walnut (Common)	3.5	#	90	#	1.5	5 #	1.5	5 #	1.5	5 #	1.5	#	0.	5 -	Nor eas	1	1.0	-	SM	Located off site, no access to assess, measurements estimated.	Good	Good	20+	C1	1.1	4
T1323	Cherry (Ornamental flowering)	7.0	-	200	#	2.5	5 #	2.5	5 #	2.5	5 #	2.5	#	1.	5 -	Nor		1.5	-	EM	Located off site, no access to assess, measurements estimated.	Good	Good	20+	B1	2.4	18
T1324	Sycamore	8.0	-	290	-	4.0	) -	4.0	) -	4.(	) -	4.0	-	2.	5 -	Nor	h 1	1.5	-	EM	Located in communal area, good overall form and condition.	Good	Good	20+	B1	3.5	38
T1325	Ash (Common)	8.0	-	220	-	3.0	) -	3.0	) -	2.5	5 -	3.0	-	2.	5 -	We	st 2	2.0	-	EM	Located in communal area, good overall form and condition. Minor mower damage in basal area.	Good	Good	20+	B1	2.6	22
T1326	Maple (Norway 'Crimson King')	9.0	-	210	-	2.0	) -	3.0	) -	3.0	) -	3.5	-	2.	5 -	Eas	t 2	2.0	-	EM	Located in communal area, good overall form and condition. Suppressed form, minor epicormic from base.	Good	Good	20+	B2	2.5	20
T1327	Ash (Common)	9.5	-	190	-	2.0	) -	2.5	5 -	2.5	5 -	3.0	-	2.	5 -	Sou wes		2.0	-	EM	Located in communal area, good overall form and condition. Minor mower damage in basal area. Suppressed by neighbouring tree.	Good	Good	20+	B2	2.3	16
T1328	Ash (Common)	9.5	-	350	-	6.0	) -	5.0	) -	6.0	) -	5.0	-	2.	5 -	Nor	h C	0.5	-	EM	Located in communal area, good overall form and condition. Minor mower damage in basal area. Low canopy of footpath, recommend to crown lift to 2m.	Good	Good	20+	B2	4.2	55
T1329	Maple (Cappadocian)	9.0	-	280	-	3.0	) -	4.0	) -	4.(	) -	4.0	-	2.0	) -	Sou	ih 1	1.5	-	EM	Part of group of three trees, located on communal area, minor basal damage, included union at 2m with minor reactive growth.	Fair	Good	20+	B2	3.4	35
T1330	Maple (Cappadocian)	9.0	-	300	-	4.0	) -	3.0	) -	3.0	) -	4.0	-	2.	5 -	We	st 1	1.0	-	EM	Part of group of three trees, suckering at base, suppressed by neighbouring trees, good collective form.	Fair	Good	20+	B2	3.6	41
T1331	Maple (Cappadocian)	9.0	-	310	-	4.5	5 -	4.5	5 -	5.0	) -	3.0	-	2.	5 -	Nor eas		1.5	-	EM	Part of group of three trees, suppressed by neighbouring trees, good collective form.	Good	Good	20+	B2	3.7	43
T1332	Ash (Common)	8.5	-	220		3.0		3.0		3.0		3.0		2.		Eas	t 2	2.0	-	EM	Sparse crown, minor dieback Located adjacent to domestic property, pruned back in	Good	Fair	20+	C1	2.6	22
T1333	Sycamore	13.0	-	410 260		6.5		6.0		6.0 2.5		6.0 3.0		2.		Nor		1.0 2.0	-	M	past, unbalanced crown.	Good	Fair	20+	B1	4.9	76
T1334	Hawthorn	6.0	-			3.0		3.0				1		2.		Sou			-		Located in communal area, good form. Located in communal area, part of larger group, minor	Good	Good	10+	B2	3.1	31 31
T1335	Ash (Common)	10.0	-	260		3.0		3.0		2.0		3.0		2.		Sou		2.0	-	EM		Good	Good	20+	В2 В2	3.1	

Date 13	.3.14. 1, 4, 8 April	Site:	Upp	er Heyfo	ord								_	Surve	/			Clie	ent:	Dorchester/bovis			Job no	:	D.0341	
			e		e		۵		Spre a		a	,	0			n clearanc	e height	۵								
Number	Species	Heig ht	Estimate	Stem dia	Estimate	N	Estimat	S	Estimate	E	Estimate	W	Estimate	1st branc	ч Estimate	1st branch direction	Canopy	Estimate	Life stage	General observations	Structural condition	Physiological condition	ULE	Quality grading	RPA radius	RPA area
T1336	Ash (Common)	10.0	-	280	-	4.0		4.(		3.		4.0		2.5	-	South	2.0	-	EM	Located in communal area, part of larger group, minor deadwood throughout crown.	Good	Good	20+	B2	3.4	35
T1337	Ash (Common)	10.0	-	260	-	3.0	-	3.(	0 -	2.	5 -	3.(	) -	2.5	-	West	2.0	-	EM	Located in communal area, part of larger group, minor deadwood throughout crown. Large wound to stem-no decay, good reactive growth, minor epicormic growth at base. Minor crown dieback.	Fair	Fair	10+	C2	3.1	31
T1338	Ash (Common)	11.0	-	310	-	4.0	-	4.0	0 -	4.	0 -	4.(	) -	3.0	-	South west	4.0	-	EM	Located in communal area, part of larger group, minor deadwood throughout crown, some root girdling.	Good	Good	20+	B2	3.7	43
T1339	Ash (Common)	11.0	-	270	-	0.0	-	0.0	0 -	0.	0 -	0.0	) -	0.0	-	-	0.0	-	-	Located in communal area, part of larger group, minor deadwood throughout crown, minor basal damage., stubs from previous pruning operations.	Good	Good	20+	B2	3.2	33
T1340	Hawthorn	6.0	-	230	-	2.5	-	2.5	5 -	2.	5 -	2.5	5 -	2.0	-	West	2.0	-	М	Located in communal area, good form.	Good	Good	20+	B2	2.8	24
T1341	Ash (Common)	11.0	-	320	-	4.0	-	4.0	0 -	4.	0 -	4.0	) -	2.5	-	East	1.5	-	EM	Located in communal area, part of larger group, minor deadwood throughout crown.	Good	Good	20+	B2	3.8	46
T1342	Ash (Common)	11.0	-	250	-	2.5	-	4.(	0 -	4.	0 -	2.5	5 -	2.5	-	South	2.0	-	EM	Located in communal area, part of larger group, minor deadwood throughout crown, minor root girdling at base.	Good	Good	20+	B2	3.0	28
T1343	Ash (Common)	11.0	-	230	-	3.0	-	3.5	5 -	2.	5 -	3.0	) -	3.0	-	South	2.5	-	EM	Located in communal area, part of larger group, minor deadwood throughout crown.	Good	Good	20+	B2	2.8	24
T1344	Maple (Norway)	10.0	-	400	-	4.5	-	5.5	5 -	5.	0 -	5.5	5 -	2.0	-	East	2.0	-	М	Located in communal area, part of larger group, minor deadwood throughout crown, some root girdling at base.	Good	Good	20+	B2	4.8	72
T1345	Maple (Norway 'Crimson King')	10.0	-	400	-	6.0	-	4.0	0 -	5.	5 -	5.0	) -	2.0	-	North	1.5	-	М	Good overall form, minor root girdling, minor deadwood.	Good	Good	20+	B2	4.8	72
T1346	Ash (Common)	9.0	-	280	-	3.0	-	4.(	0 -	4.	0 -	4.(	) -	2.5	-	South	2.0	-	EM	Basal mower damage, old wound to stem with good reactive growth-no decay, good collective form.	Good	Fair	20+	B2	3.4	35
T1347	Ash (Common)	10.0	-	170	-	2.0	-	3.0	0 -	2.	5 -	2.5	5 -	2.5	-	South	2.0	-	EM	Suppressed by neighbouring trees, good collective form. Mower damage to root plate.	Good	Good	20+	B2	2.0	13
T1348	Cherry (Ornamental flowering)	10.5	-	400	#	5.0	-	5.0	0 -	4.	5 -	5.5	5 -	2.5	-	South	2.0	-	М	Tree located in rear domestic garden, no access to assess, good form.	Good	Good	10+	C1	4.8	72
T1349	Cherry (Ornamental flowering)	10.5	-	450	#	5.0	-	5.0	0 -	5.	0 -	5.0	) #	2.5	-	North	1.0	-	М	Tree located in rear domestic garden, no access to assess, good form, minor branch failures in crown, low canopy.	Good	Good	10+	C1	5.4	92
T1350	Cherry (Ornamental flowering)	8.0	-	350	#	3.5	#	3.5	5 #	± 3.	5 #	± 3.5	5 #	2.5	-	West	1.5	-	М	Tree located in rear domestic garden, no access to assess, good form, low canopy.	Good	Good	10+	C1	4.2	55
T1351	Cherry (Wild)	10.5	-	400	#	4.5	#	4.(	0 #	4.	0 #	5.0	) #	3.0	-	North east	3.0	-	М	Tree located in rear domestic garden, crown lifted in past, included unions at 2.5m-minor reactive growth. No access to assess stem.	Fair	Good	10+	C1	4.8	72
T1352	Cherry (Ornamental flowering)	10.5	-	380	#	4.0	#	4.0	0 #	4.	0 #	: 3.0	) #	2.0	-	South	2.0	-	М	Tree located in rear domestic garden, no access to assess.	Good	Good	10+	C2	4.6	65
T1353	Cypress (Lawson)	9.0	-	300	#	2.5	#	2.5	5 #	± 2.	5 #	2.5	5 #	0.0	-	-	1.0	-	М	Tree located on boundary to domestic property, suppressing neighbouring tree, good form.	Fair	Good	10+	C2	3.6	40.72
T1354	Rowan	6.5	-	250	-	3.0	-	3.0	0 -	3.	5 -	2.0	) -	2.0	-	South	2.5	-	М	Poor form, moderate crown dieback, evidence of previous pruning works.	Fair	Poor	<10	C1	3.0	28
T1355	Ash (Common)	13.0	-	400	-	6.5	-	6.5	5 -	6.	5 -	6.5	5 -	3.0	-	East	1.0	-	М	Low canopy, minor deadwood throughout crown, good form. Crown lift to 2m.	Good	Good	20+	B1	4.8	72
T1356	Sycamore	13.0	-	450	-	6.0	#	6.0	0 #	· 6.	0 #	7.0	) #	2.0	-	West	1.5	-	М	No access to stem, ivy obscuring stem, unbalanced crown, good form. Remove ivy and re-inspect.	Fair	Good	20+	B1	5.4	92
T1357	Ash (Common)	10.0	-	400	-	5.0	-	5.0	0 -	5.	0 -	5.0	) -	2.5	-	North	2.0	-	М	Low canopy, poor form with minor deadwood, no access to stem base.	Good	Fair	20+	C1	4.8	72
T1358	Plum (Purple)	6.0	-	270	#	3.5	#	3.0	0 #	± 3.	5 #	3.5	5 #	0.0	-	-	1.0	-	М	Located on boundary to domestic property, estimated stem diameter, suppressed form, sparse crown.	Fair	Fair	10+	C2	3.2	33
T1359	Ash (Common)	10.5	-	400	#	4.5	#	4.5	5 -	4.	0 -	4.(	) -	1.5	-	South	1.5	-	EM	Ivy obscuring stem, no access to base-dbh estimated, supressed form, remove ivy from stem.	Fair	Good	10+	C2	4.8	72
T1360	Alder (Italian)	12.0	-	400	#	4.0	-	4.0	0 -	4.	0 -	3.0	) #	1.5	-	West	2.0	-	EM	Ivy obscuring stem, multi stemmed at 2m, suppressed form.	Fair	Good	10+	C2	4.8	72
T1361	Ash (Common)	11.0	-	400	#	4.0	#	4.0	0 #	± 3.	0 -	4.(	) -	0.0	-	-	1.5	-	EM	Ivy obscuring stem, no access to base-dbh estimated, supressed form, remove ivy from stem.	Fair	Good	20+	C2	4.8	72
T1362	Lilac	5.5	-	150	#	2.0	#	2.0	0 #	± 2.	0 #	± 2.0	) #	0.0	-	-	2.0	#	М	Located in rear garden of domestic property, measurements estimated.	Fair	Good	20+	C2	1.8	10
G1363	Sycamore, ornamental cherry, white beam	8.0	-	150	#	0.0	-	0.0	0 -	0.	0 -	0.0	) -	0.0	-	-	2.0	-	EM	Group of trees on edge of site, some self set and growing through fence, good collective form. Strimmer damage to roadside trees.	Fair	Good	10+	C2	1.8	10

Date 13	.3.14. 1, 4, 8 April	Site:	Uppe	er Heyfo	ord									Surve	·			Clie	ent:	Dorchester/bovis			Job no	:	D.0341	1
							<u> </u>	1	Spre	1		r	-	0		clearanc	e height									
Number	Species	Heig ht	Estimate	Stem dia	Estimate	N	Estimate	s	Estimate	E	Estimate	w	Estimate	1st branc	Estimate	1st branch direction	Canopy	Estimate	Life stage	General observations	Structural condition	Physiological condition	ULE	Quality grading	RPA radius	RPA area
T1364	Ash (Common)	9.0	-	230	-	3.0		3.0	) -	3.0	-	3.0	-	2.5	-	North	2.5	-	EM	One of two trees located in grass verge, minor mower damage, good form.	Good	Good	20+	B2	2.8	24
T1365	Ash (Common)	8.0	-	160	-	3.0	-	2.5	5 -	2.0	-	2.5	-	1.5	-	North	1.5	-	EM	One of two trees located in grass verge, minor mower damage, co dominant leader at 2m	Fair	Good	20+	B2	1.9	12
G1366	Ash (Common)	9.0	-	300	#	0.0	-	0.0	) -	0.0	-	0.0	-	0.0	-	-	2.0	-	EM	Group of 3 trees, suppressed form, ivy obscuring some stems. Average measurements recorded.	Fair	Good	20+	B2	3.6	41
G1367	Portuguese laurel	5.0	-	100	#	0.0	-	0.0	) -	0.0	-	0.0	-	0.0	-	-	0.0	-	М	Group of trees, scrubby nature, some recent pruning works undertaken.	Fair	Good	<10	C2	1.2	4.5245
T1368	Cherry (Ornamental flowering)	5.5	-	350	-	3.5	-	3.5	5 -	3.5	-	3.5	-	2.0	-	North	3.0	-	М	Heavily crown lifted and reduced in past, poor form, some deadwood in crown, cavity at base with minor decay.	Fair	Fair	10+	C1	4.2	55
G1369	Rowan, horse chestnut	7.5	-	250	#	0.0	-	0.0	) -	0.0	-	0.0	-	0.0	-	-	2.5	-	EM	Group of trees overrun with ivy, supressed form. Remove ivy from stems.	Good	Fair	20+	C2	3.0	28
T1370	Ash (Common)	10.0	-	360	-	4.0	-	4.5	5 -	3.5	-	4.0	-	2.5	-	South east	1.0	-	EM	Tree located in group, low canopy, minor deadwood throughout crown. Minor wounds to stem-no decay.	Good	Good	20+	B1	4.3	59
T1371	Rowan	7.0	-	200	#	2.5	#	2.5	5 #	2.5	#	2.5	#	0.0	-	-	2.0	-	М	Tree located in planted bed, ivy obscuring stem and lower crown, remove ivy from stem.	Good	Fair	10+	C1	2.4	18
T1372	Cypress (Lawson)	6.5	-	200	#	1.5	#	1.5	5 #	1.5	#	1.5	#	0.0	-	-	0.0	-	Μ	Tree located in domestic property, no access to assess overall condition. Measurements estimated.	Fair	Good	10+	C1	2.4	18
T1373	Ash (Common)	10.0	-	310	-	3.5	-	4.0	) -	4.0	-	4.0	#	2.5	-	West	2.0	-	EM	Tree located in domestic front garden, forms part of group, mower damage to root plate.	Good	Good	20+	B2	3.7	43
T1374	Sycamore	8.0	-	240	-	3.5	-	3.5	5 -	4.0	-	4.0	#	2.5	-	North	2.0	-	EM	Tree located in domestic front garden, forms part of group, good collective form.	Good	Good	20+	B2	2.9	26
T1375	Sycamore	9.5	-	350	-	4.0	-	4.0	) -	4.0	-	4.0	-	2.5	-	East	2.5	-	EM	Tree located in domestic front garden, forms part of group, good form.	Good	Good	20+	B1	4.2	55
T1376	Sycamore	8.0	-	350	-	5.0	#	5.0	) #	5.0	#	5.0	#	2.0	.	West	1.5	-	EM	Tree located in domestic front garden, forms part of group, low canopy. Branches close to building, blocking light.	Good	Good	20+	B2	4.2	55
T1377	Ash (Common)	9.0	-	210	-	3.0	#	3.0	) #	3.0	#	3.0	#	2.0	-	South	1.0	-	EM	Tree located in domestic front garden, forms part of group, good form. No access to assess.	Good	Good	20+	B2	2.5	20
T1378	Ash (Common)	7.5	-	200	-	2.0	#	1.5	5 #	2.0	#	2.0	#	1.0	-	West	2.0	-	EM	Tree located in domestic front garden, forms part of group, good form. No access to assess.	Fair	Good	20+	C2	2.4	18
T1379	Sycamore	7.5	-	300	-	4.0	#	4.0	) #	4.0	#	4.0	#	2.0	-	North	1.5	-	EM	Tree located in domestic front garden, forms part of group, good form. No access to assess.	Good	Good	20+	B2	3.6	41
G1380	Ash, Portuguese laurel, cherry, rose	9.0	-	300	#	0.0	-	0.0	) -	0.0	-	0.0	-	0.0	-	-	2.0	-	EM	Scrubby unmanaged group of trees, no access to stems, measurements estimated.	Fair	Good	20+	C2	3.6	41
T1381	Whitebeam	7.5	-	240	-	3.0	-	3.0	) -	2.5	-	3.0	-	1.0	-	East	2.0	-	EM	Part of avenue of trees, lifted away from road in past, poor form.	Fair	Fair	10+	C1	2.9	26
T1382	Cherry (Ornamental flowering)	4.5	-	180	-	3.5	-	3.5	5 -	2.0	-	2.0	-	2.0	-	West	2.0	-	EM	Crown lifted in past, poor form, min or epicormic growth on stem, minor damage to root plate.	Fair	Fair	10+	C1	2.2	15
T1383	Whitebeam	7.5	-	210	-	3.5	-	3.0	) -	2.5	-	2.5	-	2.0	-	South	1.5	-	EM	Part of avenue of trees, lifted away from road in past, poor form.	Fair	Fair	10+	C1	2.5	20
G1384	Laurel, elder, berberis	5.0	-	150	#	0.0	-	0.0	) -	0.0	-	0.0	-	0.0	-	-	0.0	-	Μ	Group of trees/shrubs on boundary to domestic property, unmanaged. No access to stem bases.	Fair	Fair	10+	C2	1.8	10
T1385	Cherry (Ornamental flowering)	8.0	-	260	-	4.0	-	4.0	) -	2.5	-	2.5	-	2.0	-	North	4.0	-	М	Dead tree, remove.	Poor	Poor	<10	U	3.1	31
H1386	Ash, elder, blackthorn, field maple, sycamore, hawthorn	2.0	-	200	#	N/a		N/a	a -	2.0	-	2.0	-	N/a	-	N/a	N/a	-		Intensively managed hedgerow, flailed recently to current dimensions, widest along access road, gaps in places. Evidence of past laying operations, occasional standard tree. Average dbh recorded. Drainage ditch running to west of hedgerow.	Fair	Fair	10+	C2	2.4	18
T1387	Ash (Common)	8.0	-	300	-	3.0	-	3.5	5 #	3.5	-	3.0	-	2.0	-	North east	3.0	-		Standard tree located in hedgerow and adjacent to highway. Crown lifted in past, good form. Plough line within 3m of stem to north, kerb line within 1.5m of stem to south.	Fair	Good	20+	C1	3.6	41
T1388	Ash (Common)	10.0	-	350	#	4.0	-	4.0	) #	4.0	-	4.0	-	2.5	-	North	3.0	-		Standard tree located in hedgerow and adjacent to highway. Crown lifted in past, good form. Plough line within 3m of stem to north, kerb line within 1.5m of stem to south. Self set tree growing adjacent to stem-remove self set tree.	Fair	Good	20+	C1	4.2	55

Date 13	.3.14. 1, 4, 8 April	Site:	Upp	er Heyfo	ord	_							_	Survey				Clie	ent:	Dorchester/bovis			Job no	:	D.0341	
Number	Species	Heig ht	Estimate	Stem dia	Estimate	N	Estimate	s	Estimate aud	E	Estimate	W	Estimate			clearance 1st branch direction		Estimate	Life stage	General observations	Structural condition	Physiological condition	ULE	Quality grading		RPA area
T1389	Ash (Common)	10.0	-	300	#	4.5	5 -	4.0	) #	4.5	5 -	4.5		2.0	-	East	2.0	-		Standard tree located in hedgerow and adjacent to highway. Crown lifted in past, good form. Plough line within 3m of stem to north, kerb line within 1.5m of stem to south. Extensive epicormic growth at base and becoming multi stemmed tree - remove epicormic growth.	Fair	Good	20+	C1	3.6	41
T1390	Sycamore	7.0	-	200	-	2.5	5 #	2.0	) #	2.(	) -	2.0	-	2.0	-	North	2.5	-	EM	Self set tree located in hedgerow and now grown up in to standard tree, multi stemmed and located adjacent to light column. Potential direct damage to column. Reduce to hedge height.	Fair	Good	20+	C1	2.4	18
H1391	Hawthorn, blackthorn, elder	2.0	-	100	-	1.0	) -	1.0	) -	N/a	a -	N/a	-	N/a	-	N/a	N/a	-	М	Intensively managed hedgerow, flailed to current dimensions, bank to north, dbh estimated.	Fair	Fair	20+	C2	1.2	5
T1392	Sycamore	11.0	-	600		6.0	) -	6.0	) -	7.0	) -	6.5	-	2.5	-	South east	2.5	-	М	Mature tree located in hedgerow, ivy obscuring stem, co dominant leader, evidence of previous lower lateral removal. Good form. Sever ivy at base, ownership unclear.	Fair	Good	20+	B1	7.2	163
H1393	Blackthorn, elder, sycamore, ash, field maple.	1.5	-	100	#	N/a	a -	N/a	a -	1.5	5 #	1.5	#	N/a	-	N/a	N/a	-	М	Intensively managed hedgerow, flailed recently to current dimensions, widest along access road, gaps in places. Evidence of past laying operations, occasional standard mature tree. Average dbh recorded. Located in drainage ditch set down from access road. Gaps in places towards the north.	Fair	Fair	20+	C2	1.2	5
T1394	Oak (English)	11.0	-	800	-	5.0	) #	7.0	) #	6.0	) #	5.0	-	2.0	-	North west	2.5	-	М	Mature tree located in hedgerow, ivy obscuring stem, good hedgerow tree, evidence of past minor limb removal, weighted to the east and south, suppressed by neighbouring sycamore to the north. Sever ivy at base.	Fair	Good	40+	B2	9.6	290
T1395	Sycamore	11.0	-	520	-	5.5	5 -	3.5	5 -	5.0	) #	6.0	-	2.0	-	North	2.5	-	М	Multi stemmed tree located in hedgerow, suppressed form due to neighbouring sycamore, ivy partially obscuring stems, good collective form. Sever ivy at base.	Fair	Good	20+	B2	6.2	122
T1396	Oak (English)	10.0	-	500	-	4.5	5 -	5.0	) -	4.(	) -	4.0	-	2.5	-	North east	2.0	-	Μ	Mature tree located in boundary hedgerow, ivy obscuring stem, minor deadwood throughout, poor form. Sever ivy at base.	Fair	Good	40+	B1	6.0	113
G1397	Ash (Common)	11.0	-	500	#	N/a	a -	N/a	a -	5.0	) #	5.0	#	N/a	-	N/a	2.5	-	м	Four mature trees located in hedgerow, similar size and condition, no access to stems, average measurements recorded. Ivy obscuring all stems. Good as collective group, good landscape feature. Sever ivy at base.	Fair	Good	20+	B2	6.0	113
G1398	Ash (Common)	11.0	-	600	-	N/a	a -	N/a	a -	5.0	) #	5.0	#	N/a	-	N/a	2.5	-	М	Three mature trees located in hedgerow, similar size and condition, no access to stems, average measurements recorded. Ivy obscuring all stems. Good as collective group, good landscape feature. Some self set sycamore growing up from base. Sever ivy at base.	Fair	Good	20+	B2	7.2	163
H1399	Blackthorn, ash, elder, hawthorn	2.0	-	100	#	N/a	a -	N/a	a -	1.5	5 #	1.5	#	N/a	-	N/a	N/a	-	М	Intensively managed hedgerow. Flailed within last 12 months now with regrowth, located and set down at least 500mm below road surface. Over run with bramble in places. Gaps in places.	Fair	Fair	20+	C2	1.2	5
T1400	Ash (Common)	9.0	-	300	#	4.5	5 -	3.5	5 -	3.5	5 -	3.5	#	2.5	-	North east	2.5	-	М	Mature tree located in hedgerow, ivy obscuring stem, poor form, evidence of past minor failures. Sever ivy at base.	Fair	Fair	10+	C1	3.6	41
G1401	Elm, ash, sycamore, hawthorn, elder.	8.0	-	200	#			A	s on	plan			-	N/a	-	N/a	N/a	-	EM	Group of trees adjacent to old access gate, mostly dead standing elms, but some self set trees. Bramble over running live trees. Scrubby. Fell dead elms.	Poor	Fair	10+	C2	2.4	18
G1402	Ash (Common)	10.0	-	450	#	N/a	a -	N/a	a -	4.5	5 -	4.5	-	N/a	-	N/a	1.5	-	М	Two mature trees located in hedgerow, dbh estimated as there was no access. Ivy obscuring stems, good form and better as a collective of trees. Sever ivy at base.	Fair	Good	20+	B2	5.4	92

Date 13	.3.14. 1, 4, 8 April	Site:	Upp	er Heyfo	ord								S	urveyo				Clie	ent:	Dorchester/bovis			Job no	):	D.0341	
									prea		<u> </u>	_	_			clearanc		1								
Number	Species	Heig ht	Estimate	Stem dia	Estimate	N	Estimate	S	Estimate	E	Estimate	V L	Estimate	st ranch	Estimate	1st branch direction	Canopy	Estimate	Life stage	General observations	Structural condition	Physiological condition	ULE	Quality grading		RPA area
G1403	Ash, sycamore, elder, rose, hawthorn, laburnum, blackthorn, elder, spindle	6.0	-	175	#	N/a	-	N/a	-	3.0	# 3			N/a	-	N/a	1.0	-	EM	Group of self set scrubby trees grown up adjacent to boundary fence and disused access road. Heights range from 2-6m, with an average dbh recorded. Mostly overrun with bramble and clematis. No evidence of management. Gaps in places, most dense towards the southern and northern sections.	Fair	Good	10+	C2	2.1	14
G1404	Ash (Common)	13.5	-	450	-	N/a	-	N/a	-	6.0	- 6	6.0	-	N/a	-	-	4.0	-	М	Two mature trees growing directly adjacent to each other and adjacent to an access gate. Evidence of major limb removal in past, with minor signs of decay, both trees have suppressed form. Better as group.	Fair	Good	20+	B2	5.4	92
T1405	Sycamore	15	-	540	-	6	-	7	-	6	-	5	-	3	-	East	1.5	-	М	Some exposed roots, dense canopy, minor deadwood, thinning crown towards top, minor basal bark damage	Fair	Good	20+	B1	6.5	132
T1406	Sycamore	17	-	700	-	6	-	7	-	6	-	6	-	2.5	-	South west	1.5	-	М	Union at 2.5m, dense canopy, minor deadwood, evidence of root girdling, pruned in the past.	Fair	Fair	20+	B1	8.4	222
T1407	Sycamore	17	-	570	-	8	-	2	#	5	-	8	#	1	-	North east	1	-	М	Supressed to the south and east, pruned in past, dense canopy, minor to moderate deadwood internally and towards the tree top.	Fair	Fair	20+	C1	6.8	147
T1408	Sycamore	18	-	550	-	6.5	-	7.5	#	8	-	2	-	3	-	East	4	-	М	Included union at 3m. Supressed to the west, pruned in past, minor to moderate deadwood towards top of crown, leans south-eastwards.	Fair	Fair	20+	C1	6.6	137
T1409	Pine	25	-	360	-	2.5	#	2.5	#	2.5	# 2	2.5	#	0	-	-	18	-	М	Drawn up no needle cover until 18m. Numerous branch stumps/ends on stem, supressed on all sides, limited extent of canopy.	Fair	Fair	<10	C1	4.3	59
T1410	Beech	26	-	950	-	4.5	-	8	-	8	- 8	3.5	#	3	-	South west	3	-	М	Twin stem with union at 0.5m. Pruned in past, rubbing branches, fused branches, very dense canopy, spreading canopy.	Fair	Good	20+	B1	11.4	408
T1411	Pine	25	#	340	-	2.5	-	1	-	2	-	2	-	4	-	South	4	-	М	Basal wound on south-west side, minor to moderate deadwood, evidence of past branch loss, poor canopy shape.	Fair	Fair	10+	C1	4.1	52
T1412	Pine	25	#	320	-	2.5	#	1.5	-	4	# 0	0.5	-	0	-	-	16	-	М	Leans to the east, poor shape, evidence of past branch abscission.	Poor	Fair	10+	C1	3.8	46
T1413	Pine	25	#	440	-	4	-	2	-	3.5	-	7	#	8	-	West	4	-	М	Moderate deadwood in upper canopy, evidence of past branch loss, canopy spread favours west.	Fair	Fair	10+	B1	5.3	88
T1414	Pine	21	#	450	-	2	-	6	-	1.5	-	6	#	9	-	West	10	-	М	Supressed to the east and overshadowed by neighbour, poor canopy shape, pruned in past, moderate deadwood and evidence of past branch split.	Fair	Fair	10+	C1	5.4	92
T1415	Sycamore	14	#	480	-	5.5	-	5.5	-	7	- 3	3.5	-	4.5	-	North east	1.5	-	М	Pruned in past, dense canopy, minor deadwood,	Fair	Good	20+	B1	5.8	104
T1416	Pine	16	-	390	-	0.5	-	5	-	0.5	-	6	-	7	-	West	6	-	М	Supressed to east, canopy leans westwards, pruned in past, minor deadwood.	Fair	Fair	10+	C1	4.7	69
T1417	Pine	15	-	490	-	2	-	5	-	1	-	5	-	9	-	West	6.5	-	Μ	Pruned in past, leans to east, minor deadwood	Fair	Fair	10+	C1	5.9	109
T1418	Pine	15	-	500	-	3	-	2	-	4.5	-	2	-	6	-	East	6.5	-	Μ	Union at 6m with included bark, twisted main stem in upper part of tree, minor deadwood.	Fair	Fair	10+	C1	6.0	113
T1419	Pine	15	-	480	-	4	-	6	-	7		3	-	6	-	West	5	-	Μ	Pruned in past, minor to moderate deadwood. Pruned in past, minor to moderate deadwood, thinning	Fair	Fair	20+	B1	5.8	104
T1420	Pine	18	-	620	-	5	-	6	-	4	- 6	6.5	-	7	-	South	3.5	-	Μ	needle cover, some snapped branches.	Fair	Fair	20+	B1	7.4	174
T1421	Pine	15.5	-	460	-	6	-	4	-	5	-	4	-	10	-	North east	5	-	М	Supressed to south-west, thin needle area, pruned in past, basal bark damage south side.	Fair	Fair	10+	C1	5.5	96
T1422	Pine	16.5	-	320	-	2	-	4	-	4	-	2	-	8	-	South	4.5	-	М	Canopy favours south, pruned in past, minor deadwood.	Fair	Fair	10+	C1	3.8	46
T1423	Sycamore	16	-	370	-	6	#	4	-	4	-	3	-	6	-	North west	0.5	-	М	Supressed to south-west, pruned in past, minor deadwood.	Fair	Good	20+	C1	4.4	62
T1424	Sycamore	16	-	400	-	6.5	#	4	-	4	- 1	1.5	-	4	-	South	5	-	М	Pruned in the past, supressed to the west, dense canopy, minor deadwood.	Fair	Good	20+	B1	4.8	72
T1425	Pine	18.5	-	460	-	2	-	6	-	6	- 1	1.5	-	7	-	South	4	-	Μ	Supressed to north west, canopy favouring south and east, pruned in past, minor deadwood.	Fair	Fair	10+	C1	5.5	96
T1426	Beech	18	-	665	-	6	-	4	-	6	-	6	-	0	-	-	2	-	М	Multi-stemmed, pruned in past, minor to moderate deadwood, dense canopy.	Fair	Good	20+	B1	8.0	200
T1427	Pine	18	-	390	-	2	-	0	-	0	-	4	-	3	-	West	7	-	М	Poor shape, supressed to east and south, moderate deadwood and dead internal branches.	Poor	Fair	<10	C1	4.7	69
T1428	Sycamore	17	-	250	-	2.5	-	2.5	-	2.5	- 2	2.5	-	0.5	-	North west	0.5	-	М	Straight up, pruned in past, regrowth at base, non uniform canopy.	Fair	Fair	10+	C1	3.0	28

2   Species   N   B   A   B </th <th>e 13.3.</th> <th>14. 1, 4, 8 April</th> <th>Site:</th> <th>Upp</th> <th>er Heyfo</th> <th>ord</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>Survey</th> <th>or: N</th> <th>MR</th> <th></th> <th>Clie</th> <th>ent:</th> <th>Dorchester/bovis</th> <th></th> <th></th> <th>Job no</th> <th>D:</th> <th>D.0341</th> <th></th>	e 13.3.	14. 1, 4, 8 April	Site:	Upp	er Heyfo	ord									Survey	or: N	MR		Clie	ent:	Dorchester/bovis			Job no	D:	D.0341	
Theory   Systemore   16   1   4   2   5   7   5   1   5   1   M   Systemore   Fair   Good   20   P     T1435   Beech   16   -   40   -   4   -   Ease   3   -   M   Proceedings   Systemore   The set of the s		· · ·							S	Spre	ad	_	-					e height									
T1430   Syramon   40   i   45   i   7   i   0   i   5   i   M   Syramon   Fair   Good   20   F     T1430   Besch   18   -   40   -   East   3   -   M   Syramon   Table   Fair   Good   204   East     T1430   Norway majo   18   -   40   -   Sora   7   4   5   North   15   M   Pair   Good   204   Pair     T1431   Norway majo   16   -   4   -   North   15   M   North   North <td< th=""><th>mper</th><th></th><th>Heig</th><th>timate</th><th>Stem</th><th>timate</th><th></th><th>timate</th><th></th><th>timate</th><th></th><th>timate</th><th></th><th>timate</th><th>1st</th><th>timate</th><th></th><th></th><th>timate</th><th>Life</th><th></th><th>Structural</th><th>Physiological</th><th></th><th>Quality</th><th>RPA</th><th>RPA</th></td<>	mper		Heig	timate	Stem	timate		timate		timate		timate		timate	1st	timate			timate	Life		Structural	Physiological		Quality	RPA	RPA
Theory   Systemator   18   6   7   7   8   1   3   1   4   1 <th1< th="">   1   1</th1<>	n z	Species	ht	ШS	dia	Es	Ν	ES.	S	ЕS	Е	В	W	ΕS	branch	ВS		Canopy	ы	stage		condition	condition	ULE	grading	radius	area
T1300   Beech   18   I   640   7   I   S   I   I   East   3   I   M   Demostrating range, more cleastow, more cleastow, more cleastow, more field   Fiel   Good   20+   E     11431   Norwey megle   18   I   40   I   5   N   N   Explosed forces, draw cancer, predict finances, more cleastow, draw of a second, or and more cleastow, draw of a second, more deviced, a second more cleastow, draw of a second more cleastow, draw of a second more cleastow, draw of a second more cleastow, more field   Field   Field   Second more cleastow, more cleastow, more cleastow, more field   Field   Second more cleastow, more	429	Sycamore	16	-	495	-	2.5	-	7	-	6	-	5	-	3	-		2.5	-	М		Fair	Good	20+	B1	5.9	111
International method   Internati	430	Beech	19	-	640	-	7	-	6.5	-	3	-	8	-	4	-	4	3	-	М	Dense canopy, minor deadwood, nice tree.	Fair	Good	20+	B1	7.7	185
Trid   Norwy map   18   -   5   -   6   -   4   -   South   5   -   M   Source operated damage roots, wond on stam month and, damage roots,	431	Norway maple	18	-	480	-	8	-	7	-	5	-	7	-	4.5	-	North	1.5	-	м		Fair	Good	20+	B1	5.8	104
T1433   Nonsympte   18   410   4   5   6   1   5   4   -   West   3   M   Proved in past, model informal dode/oxid, during cargo, modeling dode/oxid, during during dode/oxid, during during dode/oxid, during during dode/oxid, during during during dode/oxid, during duri	432	Norway maple	18	-	520	-	5	-	8	-	5	-	5	-	4	-	South	5	-	М	Some exposed and damaged roots, wound on stem north side, minor to moderate deadwood, pruned in past, dense	Fair	Fair	20+	B1	6.2	122
1143   Sycamore   13   -   400   5   2   0   0   2   0   North   3   M   Print   dense canopy   Pair	433	Norway maple	18	-	410	-	4.5	-	6	-	4	-	5	-	4	-	West	3	-	М	Pruned in past, moderate internal deadwood, dense	Fair	Fair	20+	B1	4.9	76
T1468   Sycamore   13   -   36   -   6   -   2.5   -   East   3.5   -   M   Pruned in past, limiting canopy, moderate deadwood.   Fair   Fair   10a   C     T1437   Sycamore   13   -   340   -   5   -   5   -   3   Subscription   Relative pruned in past, limiting canopy, diabat at strammlise, pruned in the past.   Fair   Fair   Good   20+   E     T1438   Sycamore   13   -   480   -   5   -   M   Pruned in past, limiting canopy, moderate deadwood.   Fair   Good   20+   E     T1448   Sycamore   14   -   480   -   5   -   5.5   So   -   3.5   South   South   M   Pruned in past, limiting canopy, unlot at 4m, partially occluded splin north side, more state at a state at at a state at a state at a state a	-	2		-		-	-	-		-	_		-	-		-		-	-		dense canopy			-	B1	4.1	52
T1437 Sycamore 13 340 4 5 5 3 South 3 M Relatively opin introm canopy, deback at extermilies. pundin the past, widence d past branch loss, some appoart ones, dema canopy. Fair Fair 10-b CC   T1438 Sycamore 13 480 5 3 6 6 2.5 West 5 M Punded in the past, widence d past branch loss, some appoart ones, dema canopy, cool shape, pruned in the past, large past, widence d past branch loss, some appoart ones, dema canopy. Fair Good 20+ E   T1440 Sycamore 14 480 4 5 5 5 3.5 South east 3.5 M Evidence of past pruning, meast ability one canopy, union at Amplity ocluded ability one deadwood. Fair Fair Fair Fair Cood 20+ E   T1440 Sycamore 13 470 5 5 5 3.5 South 3.5 M Evidence of past pruning wounds, multiple exides in pruning w				-		-		-		-		-		-		-			-						C1 C1	4.8 4.6	72 65
TitA38   Sycamore   13   380   4   4   5   6   2.5   West   5   M   Pruned in past.		<u>,</u>		-		-		-		-		+-		-		-			-								1
T1439   Sycamore   13   480   5   5   3   6   6   3.5   C   South east   4   M   Date Cancy, code shape, running, ressmably dense cancy, minor dadwood.   Fair   Good   20+   E     T1440   Sycamore   14   -   4   -   5   -   5   -   5   -   5   -   5   -   6   -   3   -   Net   Plane   P				-		-	-	-		-	-	_	<u> </u>	-		-			-						C1 B1	4.1 4.3	52 59
11439 Sycamore 13 - 40 - 5 - 0 - 0.5 0.5	430	Sycamore	13	-	300	-	4	-	4	-	5	-	0	-	2.0	-	west	5	-	IVI	exposed roots, dense canopy.	Fall	Good	20+	ы	4.3	- 59
T1440 Sycamore 14 - - - - 0 - vest 2 - M deadwood, mathematication Prain	439	Sycamore	13	-	480	-	5	-	3	-	6	-	6	-	3.5	-		4	-	М	partially occluded wound on east side, minor deadwood.	Fair	Good	20+	B1	5.8	104
T1441 Sycamore 14 4 4 5 6 6 6 6 7 7 2 2.5 7 North 6 7 M Pruned in past, some deadwood, in lower crown, minor bark damage, moderade deadwood, masonably dense cancepy, some dideadwait Fair Fair Fair Fair Cance Ca	440	Sycamore	14	-	350	-	4	-	3	-	5	-	6	-	3	-	1	2	-	М	deadwood.	Fair	Fair	20+	B1	4.2	55
11442 Sycamore 13 - 4/0 - 5 - 6 - 6 - 6 - 6 - 6 - 6 - 6 - 6 - 6 - 6 - 7 - 7 - 7 - 7 - 7 - 7 - 7 - 2.5 - North 6 - M Funded tranches, pruned in past, minor bark damage, old pruining wounds, some decay in old pru	441	Sycamore	14	-	440	-	4	-	4	-	5	-	5	-	3.5	-	South	3.5	-	М	canopy, union at 4m, partially occluded split north side,	Fair	Fair	20+	C1	5.3	88
11443 Sycamore 13 - 500 - 4 - 7 - 7 - 2.3 - North obs - M moderate deadwood, in lower crown, minor bark damage. Fair Pair 204 E   T1444 Sycamore 13 - 380 - 4 - 5 - 6 - 2 - North east 5 - M Reasonably dense canopy, pruned in past, some deadwood. Fair Fair Fair C4 20+ E   T1445 Sycamore 10 - 400 - 5 - 6 - 7 - 2.5 South 3.5 - M Reasonably dense canopy, some deback at extremilies, pruned in past, some deadwood, reasonably dense canopy, some deback at extremilies, some deadwood, reasonably dense canopy, some deback at extremilies, some deadwood, reasonably dense canopy, some deback at extremilies, some deadwood, reasonably dense canopy, some deback at extremilies, some deadwood, some exposed roots. Fair	442	Sycamore	13	-	470	-	5	-	3	-	6	-	6	-	3	-		3	-	М		Fair	Fair	20+	C1	5.6	100
11444 Sycamore 13 3 80 4 - 2.5 - M Old pruning wounds, some deadwood. Pair	443	Sycamore	13	-	560	-	6	-	4	-	7	-	7	-	2.5	-	North	6	-	М		Fair	Fair	20+	B1	6.7	142
Interfact Sycamore Interfact	444	Sycamore	13	-	380	-	4	-	2.5	-	6	-	6	-	2	-	1	5	-	М		Fair	Fair	20+	B1	4.6	65
Intade   Sycamore   10   -   400   -   4   -   5   -   2   -   east   4   -   M   Pruned in past, dense canopy,   Fair   Good   20+   East     T1447   Sycamore   12   -   460   -   3   -   2.5   -   South   4   -   M   Dieback at extremities, some deadwood, reasonably dense canopy, some exposed roots,   Good   Good   20+   E     T1448   Sycamore   15   -   500   -   6   -   6   -   3   -   South   4   -   M   Dense canopy, some exposed roots,   Good   Good   20+   E     T1449   Sycamore   15   -   300   -   6   -   3   -   South   4   -   M   Pruned in past, supressed to soute and eadwood.   Good   Good   20+   E   C   To weet and eadwood.   Fair   Fair   Fair   Fair   Fair	445	Sycamore	13	-	490	-	5	-	4	-	5	-	6	-	2.5	-	South	3.5	-	М		Fair	Fair	20+	B1	5.9	109
11447 Sycamore 12 - 400 - 3 - 4 - 2.5 - South 4 - M Canopy, some exposed roots, Fair Fair 204 E   T1448 Sycamore 14 - 580 - 5 - 6 - 3 - South 3 - M Dense canopy, good shape, minor deadwood. Good Good 20+ E   T1449 Sycamore 15 - 500 - 6 - 3 - South 4 - M Pruned in past, supressed to the east, sont deadwood. Good Good Good 20+ C   T1450 Sycamore 15 - 30 - 6 - 3 - South 4 - M Pruned in past, supressed to the east, sont deadwood, sont exposed roots. Fair Fair Fair 10+ C   T1450 Sycamore 13 - 20+ 0 - - 10+ M Poruned in past, supressed to south and east, sont not, lo	446	Sycamore	10	-	400	-	4	-	4	-	5	-	5	-	2	-		4	-	М	Pruned in past, dense canopy,	Fair	Good	20+	B1	4.8	72
T1449 Sycamore 15 - 500 - 6 - 5 - 8 - 3 - South west 4 - M Pruned in past, supressed to the east, some dieback and deadwood. Some exposed roots. Fair Fair Control Control Fair Fair Control <td>447</td> <td>Sycamore</td> <td>12</td> <td>-</td> <td>460</td> <td>-</td> <td>3</td> <td>-</td> <td>4</td> <td>-</td> <td>6</td> <td>-</td> <td>7</td> <td>-</td> <td>2.5</td> <td>-</td> <td>South</td> <td>4</td> <td>-</td> <td>М</td> <td></td> <td>Fair</td> <td>Fair</td> <td>20+</td> <td>B1</td> <td>5.5</td> <td>96</td>	447	Sycamore	12	-	460	-	3	-	4	-	6	-	7	-	2.5	-	South	4	-	М		Fair	Fair	20+	B1	5.5	96
11443 Sycamore 15 - 500 - 5 - 6 - 3 - west 4 - M Ordeadwood. Some exposed roots. Fair Fair Fair Fair 10+ C   T1450 Sycamore 15 - 330 - 6 - 3 - South 4 - M Pruned in past, thin canopy, sparse internal structure. Fair Fair Fair 10+ C   T1451 Pine 13 - 380 - 5 - 0.5 - 5 - 0.5 - 5 - 0.5 - 5 - 0.0 - - 10.0 - M Pore shape, moderate deadwood, supressed to south and east. Fair Fair Fair 10+ C   T1452 Pine 13.5 - 21.0 - 2 - 2 - 0.0 - - 10.5 - M Pore shape, imide and wood, supressed to south and east. Fair Fair Fair 10+ C	448	Sycamore	14	-	580	-	5	-	5	-	6	-	6	-	3	-		3	-	М		Good	Good	20+	B1	7.0	152
T1450 Sycamore 15 - 330 - 6 - 3 - South 4 - M Pruned in past, thin canopy, sparse internal structure. Fair Fair T14+ T1451   Pine 13 - 380 - 5 - 0.5 - 5 - 0 - - 10 - M Poor shape, moderate deadwood, supressed to south and east. Fair Fair 10+ 0   T1452 Pine 13.5 - 210 - 2 - 2 - 0 - - 10.5 - M Poor shape, moderate deadwood, supressed to south and east. Fair Fair 10+ 0   T1452 Pine 11 - 270 - 1 3 0.5 6 - 3 - West 7 - M Poor shape, moderate deadwood, Fair Fair 10+ 0   T1453 Pine 14 - 310 - 4 - 5 0 - - 10 </td <td>449</td> <td>Sycamore</td> <td>15</td> <td>-</td> <td>500</td> <td>-</td> <td>6</td> <td>-</td> <td>5</td> <td>-</td> <td>5</td> <td>-</td> <td>8</td> <td>-</td> <td>3</td> <td>-</td> <td></td> <td>4</td> <td>-</td> <td>М</td> <td></td> <td>Fair</td> <td>Fair</td> <td>20+</td> <td>C1</td> <td>6.0</td> <td>113</td>	449	Sycamore	15	-	500	-	6	-	5	-	5	-	8	-	3	-		4	-	М		Fair	Fair	20+	C1	6.0	113
T1451 Prine 13 - 360 - 5 - 0 - - 10 - M Prine P	450	Sycamore	15	-	330	-	6	-	5	-	3	-	6	-	3	-		4	-	М	Pruned in past, thin canopy, sparse internal structure.	Fair	Fair	10+	C1	4.0	49
T1452 Prine 13.5 2 10 2 3 2 2 3 2 2 3 2 2 3 2 2 3 2 2 3 2 2 3 2 2 3 2 3 3 10 3	451	Pine	13	-	380	-	5	-	0.5	-	0.5	-	5	-	0	-	-	10	-	М		Fair	Fair	10+	C1	4.6	65
T1454 Pine 13 - 320 - 4 - 0 - 5 - 0 - 10 - M Poor shape, limited needle cover, moderate deadwood. Fair Fair 10+ C   T1455 Pine 14 - 310 - 4 - 1 - 3 - 2.5 - 0 - - 10 - M Drawn up, poor shape, unable to clearly see canopy, Fair Fair Fair 10+ C   T1456 Beech 18 - 460 - 7 - 2 - 5 - 7 - 3 - North 1.5 - M Union at 3.5m with included bark. Supressed to south, very dense canopy, pruned in past, minor deadwood. Fair Good 20+ E   T1457 Beech 18 - 4 - 8 - 4 - East 2.5 - M Pruned in the past, minor deadwood, dense canopy Fair Good 20+ E   T1457 Beech 18	452	Pine	13.5	-	210	-	2	-	2	-	2	-	2	-	0	-	-	10.5	-	М		Fair	Fair	10+	C1	2.5	20
T1455 Pine 14 - 310 - 4 - 1 - 3 - 2.5 - 00 - - 100 - M Drawn up, poor shape, unable to clearly see canopy, reading to clearly see cano				-		-		-	_	-				-		•	West		-						C1	3.2	33
T1456 Beech 18 - 460 - 7 - 2 - 5 - 7 - 3 - North 1.5 - M Union at 3.5m with included bark. Supressed to south, very dense canopy, pruned in past, minor deadwood. Fair Good 20+ E   T1457 Beech 18 - 470 - 7 - 4 - 4 - East 2.5 - M Union at 3.5m with included bark. Supressed to south, very dense canopy, pruned in past, minor deadwood. Fair Good 20+ E   T1457 Beech 18 - 470 - 7 - 4 - 4 - East 2.5 - M Pruned in the past, minor deadwood, dense canopy Fair Good 20+ E   T1458 Beech 18 - 580 - 4 - 5 - South 2.5 - M Pruned in past, woodpecker hole on north side, dense canopy, Fair Good 20+ E   T1459 Beech 18 -				-		-		-		-		_		-	-	-	-		-						C1 C1	3.8 3.7	46 43
T1457 Beech 18 - 470 - 7 - 4 - 4 - East 2.5 - M Pruned in the past, minor deadwood, dense canopy, pruned in past, minor deadwood, dense canopy Fair Good 20+ East 2.5 - M Pruned in the past, minor deadwood, dense canopy Fair Good 20+ East 2.5 - M Pruned in the past, minor deadwood, dense canopy Fair Good 20+ East 2.5 - M Pruned in the past, minor deadwood, dense canopy Fair Good 20+ East 2.5 - M Pruned in past, woodpecker hole on north side, dense canopy, Fair Good 20+ East 2.5 - M Pruned in past, minor deadwood, dense canopy Fair Good 20+ East East 2.5 - M Pruned in past, woodpecker hole on north side, dense canopy, Fair Good 20+ East East 2.5 - M Dense spreading canopy, minor basal bark damage. Fair Good 20+ East East East East East East East </td <td></td> <td></td> <td></td> <td>-</td> <td></td> <td>-</td> <td></td> <td>-</td> <td><u> </u></td> <td>-</td> <td></td> <td></td> <td></td> <td>-</td> <td></td> <td>-</td> <td></td> <td></td> <td>-</td> <td></td> <td>Union at 3.5m with included bark. Supressed to south, very</td> <td></td> <td></td> <td></td> <td>B1</td> <td>3.7 5.5</td> <td>43 96</td>				-		-		-	<u> </u>	-				-		-			-		Union at 3.5m with included bark. Supressed to south, very				B1	3.7 5.5	43 96
T1458 Beech 18 - 580 - 4 - 8 - 4 - 5 - South 2.5 - M Pruned in past, woodpecker hole on north side, dense canopy, Fair Good 20+ E   T1459 Beech 18 - 620 - 7 - 4 - 5 - North 2.5 - M Dense spreading canopy, minor basal bark damage. Fair Good 20+ E			-	$\left  \right $		$\left  \right $	-	-		-				-	-	-			-						B1	5.6	100
T1459 Beech 18 - 620 - 7 - 4 - North 2.5 - M Dense spreading canopy, minor basal bark damage. Fair Good 20+ E							-	-	-	+-				-		<u>-</u>	1		-						B1	7.0	152
				H						+	_	+-				-			-						B1	7.4	174
11460 Sycamore $18$ $-320$ $-31$ $-31$ $-31$ $-31$ $-13$ $-10$ $-1$ $-17$ $-100$ Drawn up, pruned in past, unable to see canopy in detail. Fair 1 Fair 120+1 F	460	Sycamore	18	-	320	-	3	-	3	-	3	-	3	-	0	-	-	7	-	M	Drawn up, pruned in past, unable to see canopy in detail.	Fair	Fair	20+	B1	3.8	46
		-	15	#		-		-		-	0.5	-		-	0	+-	-	10	-	EM					C1	2.9	26
South Supressed to the north pruned in past limb loss				#		-		-		1				-	-	-			-		Supressed to the north, pruned in past, limb loss,				C1	3.7	43
South large wound with decay on south eastern side supressed	463	Sycamore	15.5	#	410	-	3	-	4	-	4	-	4	-	2.5	-	South	2.5	-	М	large wound with decay on south eastern side, supressed	Fair	Fair	10+	C1	4.9	76

Date 13.	.3.14. 1, 4, 8 April	Site:	Upp	er Heyfo	ord	Sproad								Surve	eyor:	MR		Clie	ent:	Dorchester/bovis			Job no	D:	D.0341	
							Spread			(		n clearanc	T	<b>–</b>												
her			Estimate	01.0.0	Estimate		Estimate		nate	E	nate	w	nate	1st branc	mate	1st branch direction		nate	1.77							
Number	Species	Heig ht	Estin	Stem dia	Estin	N	Estir	s	Estir	Е	Estir	w	Estir	brand	:h Estir	direction	Canopy	Estir	Life stage	General observations	Structural condition	Physiological condition	ULE	Quality grading		RPA area
T1464	Norway maple	15	-	580	-	8	-	5	-	8		7	-	3.5		West	2.5	-	М	Exposed roots that are constrained by hard standing to north and east, dense canopy, good shape, some minor to moderate deadwood, evidence of past pruning.	Fair	Good	20+	B1	7.0	152
T1465	Sycamore	16	-	600	-	5	-	6	-	7	-	7	-	3	-	South	3	-	М	Good shape, dense canopy, minor deadwood, some minor root damage.	Fair	Good	20+	B1	7.2	163
T1466	Sycamore	15	-	320	-	3	-	2.5	-	6	-	4.5	; -	2.5	-	North east	3.5	-	м	Supressed to north and south, moderate deadwood, thinning canopy, union at 2.5m.	Fair	Fair	10+	C1	3.8	46
T1467	Sycamore	15	-	580	-	6	-	7	-	7	-	6	-	3	-	North	2	-	М	Union at 2.5m north, dense canopy, good shape, minor deadwood,	Fair	Good	20+	B1	7.0	152
T1468	Sycamore	13	-	370	-	6	-	4	-	5.5	; -	5.5	; -	3	-	South	2	-	М	Dense canopy, good shape, pruned in past, minor deadwood, some exposed roots	Fair	Good	20+	B1	4.4	62
T1469	Sycamore	13	-	320	-	4	-	4	-	4	-	4	-	3.5	-	East	3	-	М	Reasonably dense canopy, some deadwood, pruned in past.	Fair	Fair	20+	B1	3.8	46
T1470	Sycamore	10	-	260	-	3	-	4	-	4	-	3.5	5 -	3	-	South	3	-	М	Dieback in crown, pruned in past, minor to moderate deadwood,	Fair	Fair	20+	C1	3.1	31
T1471	Sycamore	13	-	370	-	5	-	4	-	5	-	5	-	2.5	-	South west	2.5	-	М	Dense canopy, good shape, minor deadwood, pruned in past, some exposed roots	Fair	Fair	20+	B1	4.4	62
T1472	Sycamore	14	-	390	-	4	-	4	-	5	-	4	-	3	-	South	2	-	М	Dense canopy, minor deadwood, some thinning to canopy edge, some exposed roots	Fair	Fair	20+	B1	4.7	69
T1473	Sycamore	13	-	360	-	3.5	-	4	-	4.5	; -	5	-	3	-	West	3	-	М	Some exposed roots, thin internal canopy, pruned in past, some deadwood,	Fair	Fair	20+	C1	4.3	59
T1474	Sycamore	13	-	360	-	4	-	4	-	5.5	; -	5	-	3	-	West	2.5	-	М	Thin internal canopy, minor to moderate deadwood, some snapped branches,	Fair	Fair	20+	B1	4.3	59
T1475	Sycamore	12	-	250	-	4	-	4	-	4	-	4	-	3	-	South	2.5	-	М	Moderate deadwood, thin internal crown,	Fair	Fair	20+	B1	3.0	28
T1476	Sycamore	11	-	410	-	4	-	4	-	4	-	4	-	3	-	West	4	-	М	Thinning canopy, moderate deadwood, some exposed roots	Fair	Fair	20+	C1	4.9	76
T1477	Sycamore	10	-	350	-	3	-	3	-	4	-	4	-	2	-	East	2	-	М	Pruned in past, dense canopy, some deadwood and thinning to canopy edge	Fair	Fair	20+	B1	4.2	55
T1478	Sycamore	10.5	-	260	-	4	-	4	-	5	-	5	-	3	-	North	2	-	М	Pruned in past, reasonably dense canopy, moderate deadwood and thinning canopy edge.	Fair	Fair	20+	B1	3.1	31
T1479	Sycamore	13	-	480	-	4	-	5	-	7	-	7	-	2.5	-	South east	4	-	М	Some exposed roots, dense canopy, good shape, minor deadwood, evidence of past branch loss.	Fair	Good	20+	B1	5.8	104
T1480	Sycamore	14	-	360	-	3.5	-	3.5	-	6	-	4.5	; -	5	-	East	5	-	м	Moderate deadwood, some exposed roots, pruned in past, some dieback, supressed on south western side, thinning canopy.	Fair	Fair	10+	C1	4.3	59
T1481	Horse chestnut	16	-	550	#			ŀ	As o	n pla	In			2.5	-	North	0.5	-	М	Pruned in past, unable to access, dense canopy, minor deadwood	Fair	Fair	20+	B1	6.6	137
T1482	Sycamore	16	-	420	#			A	As o	n pla	in			2.5	-	South	4	-	М	Unable to access, union at 2m. Some deadwood, supressed canopy, pruned in the past.	Fair	Fair	20+	C1	5.0	80
T1483	Beech	16	-	550	#			A	As o	n pla	in			4	-	South	1.5	-	М	Pruned in past, unable to access base, minor deadwood, dense canopy, some canopy thinning in places.	Fair	Fair	20+	B1	6.6	137
T1484	Horse chestnut	16	-	400	#			ŀ	As o	n pla	in			2.5	-	North	2	-	м	Dense canopy, pruned in past, disturbed ground at base, unable to access, minor deadwood, included union at 2.5m.	Fair	Fair	20+	B1	4.8	72
T1485	Horse chestnut	16	-	400	#			A	As o	n pla	in			2.5	-	North	1.5	-	М	Very dense canopy, unable to access, minor deadwood and some exposed roots.	Fair	Fair	20+	B1	4.8	72
T1486	Beech	16	-	550	#	As on plan						4.5	-	North east	0.5	-	м	Dense canopy, minor to moderate deadwood, pruned in past. Union at 5m with included bark and crack. Unable to access.	Fair	Good	20+	B1	6.6	137		
T1487	Birch	12	#	220	-			/	<u>As</u> o	n pla	in			0	-	-	0	-	М	Unable to access, pruned in past	Fair	Fair	10+	C1	2.6	22
T1488	Birch	12	#	300	-			ŀ	As o	n pla	in			0	-	-	0	-	М	Unable to access, pruned in past, large wound on stem at base south west side.	Fair	Fair	10+	C1	3.6	41
T1489	Hawthorn	9	-	210	-	As on plan								1	-	North	1	-	М	Limited leaf area, deadwood in canopy, in decline.	Fair	Fair	<10	C1	2.5	20
T1490	Poplar	16	#	300	#									0	-	-	4	-	М	Unable to access, some dieback in canopy.	Fair	Fair	10+	C1	3.6	41
T1491	Birch	15	-	260	#	As on plan								0	-		1	-	М	Pruned in past, unable to access.	Fair	Fair	10+	C1	3.1	31
T1492	Norway maple	16	-	600	#	As on plan								3.5	-	South	2.5	-	М	Unable to access, reasonably dense canopy, thin internally, minor to moderate deadwood.	Fair	Fair	20+	B1	7.2	163
T1493	Cherry	8	#	200	#	As on plan								0	-	-	0.5	-	М	Unable to access, supressed to north east. Canopy favours south side.	Fair	Fair	10+	C1	2.4	18
G1494	Elder, hawthorn	4.0	-	150						0.0		0.0		N/A		N/A	N/A	-	EM	Shrubby self set trees located on boundary, overrun with bramble.	Fair	Fair	<10	C2	1.8	10
T1495	Plum (Purple)	5.5	-	225	-	2.0	-	3.0	-	3.0	-	2.5	- 1	0.5	-	East	0.5	-	М	Good form, low canopy	Good	Good	10+	C1	2.7	23

Date 13.	3.14. 1, 4, 8 April													Survey				Client:		Dorchester/bovis			Job no	D:	D.0341	
ber			nate		nate		nate	1	ate Jate	ad	nate		timate		timate	clearanc	e height	nate								
Number	Species	Heig ht	Estimate	Stem dia	Estimate	N	Estimate	s	Estimate	E	Estimate	w		1st branch	Estin	branch direction	Canopy	Estin	Life stage	General observations	Structural condition	Physiological condition	ULE	Quality grading	RPA radius	RPA area
T1496	Sycamore	15		470		7		5		6		6		1.5		North	0.5		М	Good shape, dense canopy, overextended limbs with evidence of fibre buckling, thin internal canopy.	Fair	Fair	20	B1	5.6	99.9
T1497	Chestnut (Horse)	10	-	420	-	5	-	4.5	-	4	-	4.5	-	4	#	South	4	#	EM	End tree of group. Numerous pruning wounds on main trunk	Fair	Good	10+	C1	5.0	80
T1498	Chestnut (Horse)	10	#	380	-	5	-	4.5	-	4	-	4.5	-	2.5	#	South east	4	#	EM	Decay in central limb 2m north	Fair	Good	10+	C1	4.6	65
T1499	Chestnut (Horse)	10	#	340	-	4.5	-	4	-	3.5	-	3.5	-	4	#	West	4	#	EM	Decay at two large flush cut pruning wounds on main stem	Fair	Good	10+	C1	4.1	52
T1500	Chestnut (Horse)	10	#	420	-	5	-	4	-	4	-	3	-	1.5	#	North	4	#	EM	Occluding bark wound 2m north on limb. Weak forks between limbs at 2m north	Fair	Good	10+	C1	5.0	80
T1501	Chestnut (Horse)	10	#	410	-	5.5	-	5.5	-	4	-	3.5	-	1.5	#	North	4	#	EM	Occluding bark wound 3m south on limb. Poor limb attachment to trunk at 2m	Fair	Good	10+	C1	4.9	76
T1502	Chestnut (Horse)	10	#	420	-	3.5	-	5	-	4.5	-	3.5	-	3	#	South west	4	#	EM	No comments	Good	Good	10+	C1	5.0	80
T1503	Chestnut (Horse)	10	#	420	-	4	-	4	-	3	-	3	-	1.5	#	North	4	#	EM	Decay formation within limbs at old pruning points 2m north	Good	Good	10+	C1	5.0	80
T1504	Chestnut (Horse)	10	#	510	-	5	-	5.5	-	4	-	3.5	-	5	#	North east	4	#	EM	Some bleeding canker on south at 4m. Part occlude old bark wound at 0.5m SE with slime flux exudate.	Poor	Fair	10+	C1	6.1	118
T1505	Chestnut (Horse)	11	#	580		6.5		5	-	5.5	-	3.5	-	4.5	#	South	4	#		End tree of group	Good	Good	20+	B1	7.0	152
T1506	Sycamore	0	-	450	-	5.5	-	5	-	6	-	6	-	4	#	South	3.5	#	EM	No significant defects	Good	Good	20+	B1	5.4	92
T1507	Sycamore	0	-	350	-	4	-	4.5	-	4.5	-	2.5	-	3	#	North	5	#	EM	Deadwood hanger over fence. One sided form.	Fair	Good	10+	C1	4.2	55
T1508	Sycamore	0	-	480	-	5	-	7	-	6	-	3.5	-	5	#	South	4	#	EM	Low growth over path. Recommend crown lift to 3.5m over path	Fair	Good	10+	C1	5.8	104
T1509	Sycamore	0	-	580	-	7	-	7	-	5	-	4.5	-	5	#	South	3	#	EM	Moderate amounts of major deadwood.m dominant tree in group.	Good	Good	20+	B1	7.0	152
T1510	Sycamore	0	-	400	-	5	-	4	-	3	-	3	-	5	#	North	3.5	#	EM	Weak fork at 4m. Recommend install brace system to reinforce union	Fair	Good	10+	C1	4.8	72
T1511	Sycamore	0	-	590	-	8	-	8	-	5	-	8	-	3	#	South	3	#	EM	Growing over concrete slab to north	Good	Good	20+	B1	7.1	157
T1512	Sycamore	12	-	410	-	5	-	6	-	4.5	-	5.5	-	3.5	#	South	4	#	EM	Decay associated with pruning wounds on two of tree limbs at 4m. Hard surface to north and east	Fair	Good	10+	C1	4.9	76
T1513	Maple (Norway)	12	-	560	-	6	-	7.5	-	6	-	7	-	4	#	South	2	#	Μ	No central leader. Hard surface to north and west	Fair	Good	10+	C1	6.7	142
T1514	Sycamore	13	-	420	-	5.5	-	7.5	-	6	-	4	-	4	#	South	3	#	EM	Base surrounded by concrete slab. Crown suppressed on west side by adjacent tree	Fair	Good	10+	C1	5.0	80
T1515	Sycamore	15	-	750	-	8.5	-	8.5	-	7	-	8.5	-	3.5	#	South	4	#	М	Base,surrounded by concrete hard surfacing. Largest tree in the linear group. Two,bat boxes at 5m	Good	Good	20+	B1	9.0	255