

Receptor Name	2013 Verification and Base Year		2022 Future Year 'Without Development'		2022 Future Year 'With Development'		2022 Future Year 'With Development' (including Barwood Scheme)	
	NO <sub>x</sub>	NO <sub>2</sub>	NO <sub>x</sub>	NO <sub>2</sub>	NO <sub>x</sub>	NO <sub>2</sub>	NO <sub>x</sub>	NO <sub>2</sub>
ESR 1	38.74	23.22	40.87	24.22	41.79	24.65	42.31	24.89
ESR 2	46.25	26.68	49.11	27.95	40.75	24.16	41.55	24.53
ESR 3	41.72	24.61	44.20	25.75	45.50	26.33	46.13	26.62
ESR 4	54.48	30.29	58.31	31.91	59.50	32.41	60.15	32.68
ESR 5	81.10	42.72	86.76	44.81	89.23	45.71	90.09	46.02
ESR 6	46.61	27.38	49.45	28.65	49.85	28.83	50.01	28.90
ESR 7	45.67	26.41	48.52	27.69	51.72	29.09	53.00	29.65
ESR 8	74.53	40.21	79.55	42.14	83.58	43.65	85.10	44.21
ESR 9	41.61	25.11	43.92	26.17	44.15	26.27	44.24	26.31
ESR 10	51.15	30.48	53.69	31.60	55.07	32.20	55.34	32.32
ESR 11	69.48	38.22	73.87	39.95	76.04	40.80	76.46	40.96
PR 1					44.74	26.00	46.56	26.82
PR 2					52.87	29.59	60.52	32.83
PR 3					34.53	21.23	35.29	21.59