


CROSSING


2. Cut paving only acceptable with written approval from the WCC Engineer.

of a superelevated carriageway.


DETAIL OF IN-LINE UNCONTROLLED TACTILE PAVING CROSSING (AT JUNCTIONS)

For further details/layouts please refer to WCC guidance notes for uncontrolled and controlled crossing facilities.






DETAIL OF UNCONTROLLED TACTILE PAVING CROSSING



SECTION A-A THROUGH TACTILE PAVING CROSSING



TYPICAL MANHOLE DETAIL - TYPE E

DEPTH FROM COVER LEVEL TO SOFFIT OF PIPE 1.0 M TO 1.5 M MAXIMUM SEWER DIAMETER 375 MM

SAFETY, HEALTH AND ENVIRONMENTAL INFORMATION BOX

IT IS ASSUMED THAT ALL WORKS ON THIS DRAWING WILL BE CARRIED OUT BY A COMPETENT CONTRACTOR WORKING, WHERE APPROPRIATE, TO AN APPROPRIATE

METHOD STATEMENT. THIS DRAWING IS TO BE USED ONLY FOR THE PURPOSE OF ISSUE THAT IT WAS ISSUED FOR AND IS SUBJECT TO AMENDMENT.

THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL OTHER RELEVANT

DOCUMENTATION. DO NOT SCALE FROM THIS DRAWING, USE ONLY PRINTED DIMENSIONS. ALL DIMENSIONS IN METERS, ALL CHAINAGES, LEVELS AND COORDINATES ARE IN METRES UNLESS DEFINED OTHERWISE.

FILE FOR ANY IDENTIFIED POTENTIAL RISKS.

NOTES

PRELIMINARY SUBJECT TO SECTION 38

THIS DRAWING IS TO BE READ IN CONJUNCTION WITH THE PROJECT HEALTH & SAFETY

PRELIMINARY ISSUE PB 27/11/15 P1 /CAO Revision Details Purpose of issue FOR APPROVAL

BARRATT WEST MIDLANDS

Project Title

LONGFORD PARK PARCEL E

Drawing Title

HIGHWAY CONSTRUCTION DETAILS - SHEET 2

Designed	Drawn	Checked		Approved	Date
РВ	PB	CAO		CAO	27/11/15
AECOM Internal Project No.			Suitability		
47074043			N/A		
Scale @ A1			Zone		
1:500			N/A		
THIS DOCUMENT HAS BEEN PREPARED PAECOMUANT TO AND SUBJECT TO THE TERMS OF					

AECOM' APPOINTMENT BY ITS CLIENT. AECOM ACCEPTS NO LIABILITY FOR ANY USE OF THIS DOCUMENT OTHER THAN BY ITS ORIGINAL CLIENT OR FOLLOWING AECOM' EXPRESS AGREEMENT TO SUCH USE, AND ONLY FOR THE PURPOSES FOR WHICH IT WAS PREPARED AND PROVIDED.

AECOM Infrastructure & Environment UK Limited 1st Floor, Victoria Square House

Victoria Square Birmingham, B2 4AJ Tel:+44 (0)121 212 3035 Fax:+44 (0)121 212 1938

Prawing Number