

to Structural Engineers details for site specific project specification. 100mm Knauf Supafill 34 or similar approved blown full fill cavity insulation. Munster Joinery or similar approved proprietary Upvc window to project Manthorpe or similar approved proprietary fire rated cavity closer. 8mm (TBC) Rockpanel adhered rainscreen cladding board to be installed in strict accordance with manufacturers instructions & recommendations. 280mm Fast Frame or similar approved proprietary bracket fixing system to be installed in strict accordance with manufacturers instructions & recommendations. Polyester Powder Coated Aluminium 'Standing Seam' Z profile with mechanical secret fixing in accordance with manufacturers recommendations. Rockpanel proprietary 3x12mm double sided foam tape. Rockpanel Liquid 1 Primer. Rockpanel Tack S adhesive.

Rockpanel Typical Projecting Corner Window Surround Section Detail Scale 1:10 Rockpanel Typical Projecting Corner Window Surround Plan Detail Scale 1:10

> DETAIL APPLICABLE TO PLOTS 303, 305, 306, 308, 344, 346, 347 & 349

Rev A 05.01.19 GW Fixing details revised to client request

Rev A 05.01.19 GW Fixing details revised to client requestream SITE REF:
Upper Heyford
Trident

DRAWING TITLE:
Rockpanel Corner Window
Projecting Surround Detail

Ancon Staifix Type A HRT4 or similar

approved 225mm long cavity wall tie. Refer



Do not scale from this drawing. Use written dimensions only. Any discrepancy or suggested modification is to be reported to Bovis Homes Ltd. This drawing is the copyright of Bovis Homes Ltd.

A 1:10 @ A3