


TYPICAL WINDOW HEAD IN BRICKWORK WITH PREFABRICATED BRICK ARCH

103



CONCRETE BLOCK TYPE ABOVE DPC -VARIES. REFER TO GA DRAWINGS FOR CAVITY LINTEL IN LINE WITH STRUCTURAL TYPES AND LOCATIONS **ENGINEERS RECOMMENDATIONS** MASTIC SEALANT BETWEEN FRAME MASTIC SEALANT BETWEEN FRAME AND AND PLASTERBOARD EXTERNAL FINISH UPVC WINDOW TO CLIENT SPECIFICATION FIXED IN ACCORDANCE WITH MANUFACTURERS **DETAILS**

353

150

100

TYPICAL WINDOW HEAD IN BRICKWORK

1:10@A3

CAVITY TRAY WITH WEEPHOLES

AT MAX. 450MM CENTRES AND

MIN. 2NO. PER LINTEL. TRAY TO

12.5MM PLASTERBOARD WITH 3MM

SKIM FINISH ON PLASTER DABS

BE DRESSED OVER LINTOL

Revision Client: 31.01.18

Tender Issue

DORCHESTER

Site Address: **UPPER HEYFORD** External Wall Details - Typical Window Heads Details

Project Number Drawing Number 652 03-02.01

CAVITY WALL TIES AT 750MM

VERTICAL STAGGERED CENTRES

HORIZONTAL AND 450MM

FACING BRICKWORK

Revision: T1

Scale: Date drawn: Drawn by: Status:

TENDER MJR January 2018