



- KEY:**
- Community Park Boundary
  - Proposed Shrub Planting
  - Proposed Field Layer Planting (See drawing and planting schedule for specific details)
  - Field Layer Excess to also be seeded with Embrigate ERI - Woodland Mixture
- SPECIMEN TREES**
- W1 Woodland: Alnus glutinosa, Cornus pedunculata, Betula pendula, Salix cinerea, Corylus avellana, Crataegus monogyna
  - W2 Woodland: Quercus robur, Betula pendula, Tilia cordata, Castanea sativa, Corylus avellana, Crataegus monogyna, Ilex aquifolium, Ilex verticillata
  - W3 Field Layer: See Planting Schedule
  - W4 Woodland: Alnus glutinosa, Cornus pedunculata, Corylus avellana, Crataegus monogyna, Tilia cordata
  - W5 Field Layer: See Planting Schedule
  - W6 Woodland: Quercus robur, Betula pendula, Tilia cordata, Castanea sativa, Corylus avellana, Crataegus monogyna, Ilex aquifolium, Ilex verticillata
  - W7 Field Layer: See Planting Schedule
  - W8 Woodland: Quercus robur, Betula pendula, Tilia cordata, Castanea sativa, Corylus avellana, Crataegus monogyna, Ilex aquifolium, Ilex verticillata
  - W9 Field Layer: See Planting Schedule
  - W10 Woodland: Quercus robur, Betula pendula, Tilia cordata, Castanea sativa, Corylus avellana, Crataegus monogyna, Ilex aquifolium, Ilex verticillata
  - W11 Field Layer: See Planting Schedule
  - W12 Woodland: Quercus robur, Betula pendula, Tilia cordata, Castanea sativa, Corylus avellana, Crataegus monogyna, Ilex aquifolium, Ilex verticillata
- MODIFIED SPECIMEN TREES**
- M1 Woodland: Quercus robur, Betula pendula, Tilia cordata, Castanea sativa, Corylus avellana, Crataegus monogyna, Ilex aquifolium, Ilex verticillata
  - M2 Woodland: Quercus robur, Betula pendula, Tilia cordata, Castanea sativa, Corylus avellana, Crataegus monogyna, Ilex aquifolium, Ilex verticillata
  - M3 Woodland: Quercus robur, Betula pendula, Tilia cordata, Castanea sativa, Corylus avellana, Crataegus monogyna, Ilex aquifolium, Ilex verticillata
  - M4 Woodland: Quercus robur, Betula pendula, Tilia cordata, Castanea sativa, Corylus avellana, Crataegus monogyna, Ilex aquifolium, Ilex verticillata
  - M5 Woodland: Quercus robur, Betula pendula, Tilia cordata, Castanea sativa, Corylus avellana, Crataegus monogyna, Ilex aquifolium, Ilex verticillata
  - M6 Woodland: Quercus robur, Betula pendula, Tilia cordata, Castanea sativa, Corylus avellana, Crataegus monogyna, Ilex aquifolium, Ilex verticillata
  - M7 Woodland: Quercus robur, Betula pendula, Tilia cordata, Castanea sativa, Corylus avellana, Crataegus monogyna, Ilex aquifolium, Ilex verticillata
  - M8 Woodland: Quercus robur, Betula pendula, Tilia cordata, Castanea sativa, Corylus avellana, Crataegus monogyna, Ilex aquifolium, Ilex verticillata
  - M9 Woodland: Quercus robur, Betula pendula, Tilia cordata, Castanea sativa, Corylus avellana, Crataegus monogyna, Ilex aquifolium, Ilex verticillata
  - M10 Woodland: Quercus robur, Betula pendula, Tilia cordata, Castanea sativa, Corylus avellana, Crataegus monogyna, Ilex aquifolium, Ilex verticillata
  - M11 Woodland: Quercus robur, Betula pendula, Tilia cordata, Castanea sativa, Corylus avellana, Crataegus monogyna, Ilex aquifolium, Ilex verticillata
  - M12 Woodland: Quercus robur, Betula pendula, Tilia cordata, Castanea sativa, Corylus avellana, Crataegus monogyna, Ilex aquifolium, Ilex verticillata
- WOODLAND EDGE MIX**
- W1 Woodland: Alnus glutinosa, Cornus pedunculata, Betula pendula, Salix cinerea, Corylus avellana, Crataegus monogyna
  - W2 Woodland: Quercus robur, Betula pendula, Tilia cordata, Castanea sativa, Corylus avellana, Crataegus monogyna, Ilex aquifolium, Ilex verticillata
  - W3 Field Layer: See Planting Schedule
  - W4 Woodland: Alnus glutinosa, Cornus pedunculata, Corylus avellana, Crataegus monogyna, Tilia cordata
  - W5 Field Layer: See Planting Schedule
  - W6 Woodland: Quercus robur, Betula pendula, Tilia cordata, Castanea sativa, Corylus avellana, Crataegus monogyna, Ilex aquifolium, Ilex verticillata
  - W7 Field Layer: See Planting Schedule
  - W8 Woodland: Quercus robur, Betula pendula, Tilia cordata, Castanea sativa, Corylus avellana, Crataegus monogyna, Ilex aquifolium, Ilex verticillata
  - W9 Field Layer: See Planting Schedule
  - W10 Woodland: Quercus robur, Betula pendula, Tilia cordata, Castanea sativa, Corylus avellana, Crataegus monogyna, Ilex aquifolium, Ilex verticillata
  - W11 Field Layer: See Planting Schedule
  - W12 Woodland: Quercus robur, Betula pendula, Tilia cordata, Castanea sativa, Corylus avellana, Crataegus monogyna, Ilex aquifolium, Ilex verticillata
- PLANTING NOTES**
- All plants to be supplied in accordance with the HTA National Plant Specification and from a HTA certified nursery.
  - All plants and trees to be planted in accordance with BS5830. Delivery and handling of all plant material to be in accordance with BS5423:CLC Code of Practice for Handling and Establishing Landscape Plants Parts 1 and 2.
  - All excavated areas to be backfilled with other site soil or imported topsoil to be BS3085 General purpose grade.
  - All topsoil areas to be clear of rocks and rubble larger than 50mm diameter and any other debris that may interfere with the establishment of plants.
  - Tree pits in soft landscape to be excavated to 1m x 1m x 1m depth prior to topsoiling and all shrub planting areas excavated to 450mm depth.
  - All plants shall be planted in a random fashion avoiding formal regimental lines, unless otherwise specified in the schedule, unless otherwise specified. Unless otherwise specified, all hedgehog shall be planted in a double staggered rows and hedgehog mixes shall be planted in groups of 5, 7, 9 & 11 at densities indicated on the schedule.
  - Ornamental shrub planting mixes shall be planted in groups of 5, 7, 9 & 11 and native shrub planting mixes shall be planted in groups of 5, 7, 9 & 11. All plants shall be watered in to field capacity immediately after planting and mulched with 50mm depth of medium grade crushed mulch.
  - All trees to include rabbit guards, to be double sided with cross bar and fixed using 1.5m long 75mm diameter rounded tree stakes 75mm brace, rubber tie and spacer block. Stakes not to extend more than 500mm above ground level. All trees within hardstanding/highway visibility zones to be clear stems 1.5m high unless otherwise specified. Planting and associated operations shall comply with BS4242 and BS5507. Root barriers (Rootfence 1000 or equivalent) to be included adjacent to buildings and services where necessary.
  - Unless otherwise stated planting shall be carried out during the period of 1 Nov to 31 March when the ground is not frozen or water logged. Planting to be carried out within the period agreed that the contractor and all bank root guards shall be submitted with contractor ground stock. All planting to be undertaken in accordance with BS5857. Root barriers (Rootfence 1000 or equivalent) to be included adjacent to buildings and services where necessary.
  - Existing trees to be retained shall be protected in accordance with BS5857, from commencement to completion of all works on site.
- REVISIONS**
- | REV | DATE       | DESCRIPTION  |
|-----|------------|--|
| T   | 20.08.2014 | Correct errors proposed on this plan   |
| S   | 03.09.2014 | Updated to include HPA comments (11.02.2014), HPA comments (11.02.2014), HPA comments (11.02.2014), HPA comments (11.02.2014), HPA comments (11.02.2014) |
| Q   | 03.09.2014 | Updated to include HPA comments (11.02.2014), HPA comments (11.02.2014), HPA comments (11.02.2014), HPA comments (11.02.2014), HPA comments (11.02.2014) |
| R   | 14.02.2014 | Updated to include HPA comments (11.02.2014), HPA comments (11.02.2014), HPA comments (11.02.2014), HPA comments (11.02.2014), HPA comments (11.02.2014) |
| Q   | 14.02.2014 | Updated to include HPA comments (11.02.2014), HPA comments (11.02.2014), HPA comments (11.02.2014), HPA comments (11.02.2014), HPA comments (11.02.2014) |
| O   | 31.10.2014 | Updated to include HPA comments (11.02.2014), HPA comments (11.02.2014), HPA comments (11.02.2014), HPA comments (11.02.2014), HPA comments (11.02.2014) |
| N   | 09.07.2014 | Updated to include HPA comments (11.02.2014), HPA comments (11.02.2014), HPA comments (11.02.2014), HPA comments (11.02.2014), HPA comments (11.02.2014) |
| M   | 10.03.2014 | Updated to include HPA comments (11.02.2014), HPA comments (11.02.2014), HPA comments (11.02.2014), HPA comments (11.02.2014), HPA comments (11.02.2014) |
| L   | 03.09.2014 | Updated to include HPA comments (11.02.2014), HPA comments (11.02.2014), HPA comments (11.02.2014), HPA comments (11.02.2014), HPA comments (11.02.2014) |
| K   | 03.09.2014 | Updated to include HPA comments (11.02.2014), HPA comments (11.02.2014), HPA comments (11.02.2014), HPA comments (11.02.2014), HPA comments (11.02.2014) |
| J   | 14.02.2014 | Updated to include HPA comments (11.02.2014), HPA comments (11.02.2014), HPA comments (11.02.2014), HPA comments (11.02.2014), HPA comments (11.02.2014) |
| I   | 14.02.2014 | Updated to include HPA comments (11.02.2014), HPA comments (11.02.2014), HPA comments (11.02.2014), HPA comments (11.02.2014), HPA comments (11.02.2014) |
| H   | 14.02.2014 | Updated to include HPA comments (11.02.2014), HPA comments (11.02.2014), HPA comments (11.02.2014), HPA comments (11.02.2014), HPA comments (11.02.2014) |
| G   | 03.09.2014 | Updated to include HPA comments (11.02.2014), HPA comments (11.02.2014), HPA comments (11.02.2014), HPA comments (11.02.2014), HPA comments (11.02.2014) |
| F   | 03.09.2014 | Updated to include HPA comments (11.02.2014), HPA comments (11.02.2014), HPA comments (11.02.2014), HPA comments (11.02.2014), HPA comments (11.02.2014) |
| E   | 03.09.2014 | Updated to include HPA comments (11.02.2014), HPA comments (11.02.2014), HPA comments (11.02.2014), HPA comments (11.02.2014), HPA comments (11.02.2014) |
| D   | 03.09.2014 | Updated to include HPA comments (11.02.2014), HPA comments (11.02.2014), HPA comments (11.02.2014), HPA comments (11.02.2014), HPA comments (11.02.2014) |
| C   | 03.09.2014 | Updated to include HPA comments (11.02.2014), HPA comments (11.02.2014), HPA comments (11.02.2014), HPA comments (11.02.2014), HPA comments (11.02.2014) |
| B   | 03.09.2014 | Updated to include HPA comments (11.02.2014), HPA comments (11.02.2014), HPA comments (11.02.2014), HPA comments (11.02.2014), HPA comments (11.02.2014) |
| A   | 03.09.2014 | Updated to include HPA comments (11.02.2014), HPA comments (11.02.2014), HPA comments (11.02.2014), HPA comments (11.02.2014), HPA comments (11.02.2014) |

THIS AREA OF LANDSCAPE IS APPROVED WITHIN PHASE 2 PLANTING PLANS

SCHOOL SITE